


22500149568

THE ROYAL CANCER HOSPITAL RESEARCH INSTITUTE
LIBRARY
(NOT TO BE TAKEN AWAY)



Eighty-third CH 21
Annual Report
of
The Registrar-General
for
England & Wales
(1920)

(Including APPENDIX relating to MARRIAGES, 1915)

~~Presented to Parliament by Command of His Majesty~~



LONDON :

PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses : Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1 ; 37 Peter Street, Manchester ;
1 St. Andrew's Crescent, Cardiff ; and 23 Forth Street,
Edinburgh ; or from EASON & SON, Limited,
40 & 41 Lower Sackville Street, Dublin.

1922

~~Price £1 10s. 8d. net~~
Price £1 0 0 net.

~~Cmd. L488~~

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	
No.	

C O N T E N T S

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1920.

	PAGE
REVIEW of the VITAL STATISTICS of the YEAR—	
SUMMARY OF MAIN FEATURES	viii
POPULATION—	
1921 Census Population	ix
Estimated Population by Sex and Age, 1920	ix
Civilian and Non-Civilian Population	x
Local Populations	xi
NATURAL INCREASE	xii
MARRIAGES—	
Number and Rate	xii
Changes in the Marriage-rate	xii
Methods of calculating Marriage-rates	xii
First Marriages and Re-marriages	xiii
The Divorced	xiv
Age at Marriage: Bachelors, Spinsters, Widowers, Widows	xv
Marriages of Minors	xvii
Proportion to All Marriages in Registration Counties	xviii
Mean Age at Marriage	xviii
Fluctuations of Marriage-rate in different Sections of the Country and in Registration Counties	xx
Geographical Divisions, employed (North, Midlands, South, Wales)	xx
Buildings in which Marriages may be Solemnized	xxii
Registered Buildings under the Operation of the Marriage Act, 1898	xxiii
BIRTHS—	
Number and Rate	xxiii
Changes in the Birth-rate	xxiii
Birth-rates in different Parts of the Country	xxiv
Sex Proportions at Birth	xxv
Illegitimate Births	xxv
Illegitimate Birth-rates in different Parts of the Country	xxv
DEATHS—	
Number and Rate	xxvi
Standardization of Death-rates	xxvi
International Standard Death-rate	xxvi
Changes in the Death-rate	xxvi
Mortality of each Sex	xxvii
Infant Mortality	xxvii
Mortality in terms of Corresponding Births	xxviii
Method of Calculation	xxix
Comparison with Conventional Method	xxxi
Seasonal Mortality	xxxii
Trend of Mortality	xxxviii
Diarrhoeal and Non-diarrhoeal Mortality	xxxviii
Distribution: Area, Sex and Age	xxxix
in Weeks and Months, showing Legitimacy for England and Wales	xli
of Counties and County Boroughs	xliii
Causes of Infant Mortality	xlvi
Increase or Decrease at various Ages as compared with 1911-14 and 1919	xlvi
Developmental and Wasting Diseases, 1901-20	xlix
by Sex, Age, and Legitimacy, 1920	l
Distribution throughout the country	l
Mortality in the Quinquennium, 1916-20	liii
Mortality at Ages over one year	liv
Mortality at Ages 1-5	lv
at each Year of Age	lvi
in each Month of the Second Year of Life	lvii
Mortality of the Aged	lix
Centenarians	lx
CAUSES OF DEATH—	
Details shown for various Areas	lxi
Comparison of Registrar-General's with International Short List	lxi
ENTERIC FEVER—	
Trend of Mortality	lxii
Mortality, Prevalence, and Fatality, in different Classes of Areas and Parts of the Country	lxii
Mortality and Prevalence in Counties and County Boroughs	lxiii

REVIEW of the VITAL STATISTICS of the YEAR— <i>continued.</i>	PAGE
MALARIA—	
Trend of Mortality	lxiii
SMALL-POX—	
Mortality and Season	lxiv
MEASLES—	
Trend of Mortality	lxiv
Mortality in different Classes of Areas and Parts of the Country	lxiv
Mortality in Counties and County Boroughs	lxiv
SCARLET FEVER—	
Trend of Mortality	lxiv
Mortality, Prevalence, and Fatality in different Classes of Areas and Parts of the Country	lxv
Mortality in County Boroughs	lxv
WHOOPIING COUGH—	
Trend of Mortality	lxv
Mortality, at all Ages and under One Year of Age, in different Classes of Areas and Parts of the Country	lxvi
Mortality in Counties and County Boroughs	lxvi
DIPHTHERIA AND CROUP—	
Trend of Mortality	lxvi
Mortality, Prevalence, and Fatality in different Classes of Areas and Parts of the Country	lxvii
Mortality in Counties and County Boroughs	lxvii
INFLUENZA—	
Trend of Mortality	lxviii
Age and Sex Incidence	lxviii
DYSENTERY—	
Trend of Mortality	lxix
Deaths in Asylums and Hospitals	lxix
VACCINIA	lxix
TUBERCULOSIS—	
Trend of Mortality	lxix
Effect of Influenza Epidemic	lxx
Crude and Standardized Death-rates	lxxi
Mortality by Sex and Age	lxxi
PHTHISIS—	
The Title more comprehensive than in Old List	lxxii
Crude and Standardized Death-rates	lxxii
Mortality by Sex and Age	lxxii
Change in Age Distribution of Mortality	lxxii
TUBERCULOUS MENINGITIS—	
Trend of Mortality	lxxii
TUBERCLE OF THE PERITONEUM AND INTESTINES—	
Trend of Mortality	lxxiii
SYPHILIS—	
Trend of Mortality	lxxiii
Effect of including Tabes Dorsalis, General Paralysis of the Insane, and Aneurysm	lxxiii
CANCER—	
Trend of Mortality	lxxiii
Crude and Standardized Mortality	lxxiv
Mortality by Sex and Age	lxxiv
Sites of Fatal Cancer at Ages in each Sex	lxxv
Mortality by Sex and Age from Cancer of various Parts of the Body	lxxvi
Frequency of Fatal Cancer of various Sites in Institutions and elsewhere, with Distinction of Sex and Age	lxxvii
Age Distribution of Deaths from Cancer of various Sites in Institutions and elsewhere	lxxviii
TUMOURS (not returned as Malignant)—	
Classification by Sex, Age, and Part of the Body affected.. .. .	lxxix
ALCOHOLISM—	
The Title less comprehensive than in Old List	lxxx
Trend of Mortality	lxxx
Alcoholism as a Secondary Cause of Death—	
Classification of Deaths by Sex, Age, and Primary Cause	lxxx
Deaths from Alcoholism and from the Principal Causes associated with it	lxxxii
ENCEPHALITIS—	
Trend of Mortality	lxxxii
Encephalitis Lethargica	lxxxii
CEREBRO-SPINAL FEVER—	
Trend of Mortality	lxxxii
POLIOMYELITIS, POLIOENCEPHALITIS—	
New title in List : Less comprehensive than in Text Table in Reports	lxxxiii

REVIEW of the VITAL STATISTICS of the YEAR—*continued*.

PAGE

PNEUMONIA—

Trend of Mortality	lxxxiii
Forms of Pneumonia	lxxxiii
Bronchitis and Pneumonia	lxxxiv
Seasonal Distribution	lxxxiv

THE PUERPERAL STATE—

Trend of Mortality	lxxxv
Septic and Non-septic Diseases, 1891–1920	lxxxvi
Septic and Non-septic Diseases, in different Classes of Areas and Parts of the Country, 1920	lxxxvii
Prevalence and Fatality of Puerperal Fever	lxxxvii
Details of Cause of Death, distinguishing Age	lxxxviii
Deaths at Ages from various Causes associated with Pregnancy and Childbirth	xc

ANÆSTHETICS—

Difference from former Practice in Tabulation	xc
Deaths connected with the Administration of various Anæsthetics, distinguishing Sex and Age	xcii
Conditions for which Anæsthetics were administered	xcii

STATUS LYMPHATICUS	xciii
----------------------------	-------

SUICIDE—

Trend of Mortality	xciv
----------------------------	------

ILL-DEFINED CAUSES OF DEATH—

Deaths so Classified and Comparison with previous Years	xciv
Effects upon Tabulation of the Inquiries addressed to Medical Practitioners and Coroners	xciv
Ambiguity of certain forms of return	xciv

CERTIFICATION OF CAUSES OF DEATH—

Trend of Certification	xcvi
Inquests by Sex, Age, Area, and Cause	xcviii
Uncertified Deaths by Sex, Age, Area, and Cause	c
Proportions of Inquest Cases and of Uncertified Deaths in Registration Counties	ciii

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—

Proportion of total Mortality occurring in various Classes of Institutions	civ
--	-----

UNITED KINGDOM—

Population	cv
Marriages	cv
Births	cv
Deaths	cvi
Infant Mortality	cvi

BIRTHS AND DEATHS AT SEA	cvi
----------------------------------	-----

PROGRESS OF REGISTRATION	cvii
----------------------------------	------

OFFENCES AGAINST THE REGISTRATION ACTS	cvii
--	------

SEARCHES AND CERTIFICATES	cvii
-----------------------------------	------

METEOROLOGY OF THE YEAR 1920	cix
--------------------------------------	-----

TABLES*—

1. United Kingdom : Population of its several Divisions estimated to the middle of each of the Years 1871–1920	2
2. England and Wales : Marriages, Births, and Deaths, 1838–1920	4
3. Annual Marriage-, Birth-, and Death-rates, and Infant Mortality, 1838–1920	5
4. Annual Marriage-, Birth-, and Crude Death-rates in each Quarter, in Groups of Years, 1838–1920, and in each year, 1911–1920	6
5. Churches and Chapels of the Established Church, and Registered Buildings in which Marriages could be Legally Solemnized, 31st December, 1920	6
6. Annual Death-rates at Twelve Groups of Ages, General Death-rate standardized for Sex and Age Constitution of Population, and Infant Mortality, 1838–1920—Males	7
7. " " " " Females	8
8. " " " " Persons	9
9. Deaths from various Causes at all Ages, 1906–1920—Males, Females, and Persons (List of Causes as in use prior to 1911)	10
10. Crude Annual Death-rates from various Causes at all Ages to a Million living, 1906–1920—Males, Females, and Persons (List of Causes as in use prior to 1911)	20
11. Crude Death-rates at all Ages from various Causes, 1920—Males, Females, and Persons (International List of Causes)	30
12. Annual Death-rates from the Principal Epidemic Diseases, 1838–1920	35
13. Administrative Counties and County Boroughs : Mortality from the principal Epidemic Diseases and from certain Other Causes, 1919 and 1920	36

* Several tables which appeared in the Report for 1914 are omitted from the present Report. For list of these see page 1.

TABLES—*continued*.

PAGE

14. Deaths from various Causes under One Year of Age, 1906-1920	41
15. Infant Mortality from various Causes, 1906-1920	42
16. Infant Mortality by Sex, Age, Cause, and Legitimacy, 1920	43
17. Infant Mortality by Age, Cause, and Legitimacy, 1920—Classes of Administrative Areas	45
18. Infant Mortality in different Parts of England and Wales, 1920	50
19. Infant Mortality by Sex, Age, Cause, and Legitimacy, 1916-20	52
20. Infant Mortality by Age, Cause, and Legitimacy, 1916-20—Classes of Administrative Areas	54
21. Mortality of Infants and Young Children, 1901-10, 1911-15, and 1916-20	59
22. Names on the Registers, Searches, and Fees received at the General Register Office, 1871-1920	60
23. Islands in the British Seas. Area and Population; and Births and Deaths, 1896-1920	61
24. Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1901-1920	61
25. United Kingdom and its several Divisions. Vital Statistics, 1896-1920	62
26. Meteorological Elements, Greenwich, 1871-1920	64
27. Meteorological Elements, Greenwich, Quarterly, 1920	66
28. Meteorological Elements, England and Wales, 1920	67

ABSTRACTS*—

MARRIAGES—

In Registration Counties and Districts	69
In England and Wales—	
Civil Condition of Persons Married at each Year of Age	72
Of Divorced Persons	73
Ages in Combination—	
At each Year of Age—	
All Marriages	74
Bachelors and Spinsters	77
At Groups of Ages—	
Bachelors and Widows	80
Widowers and Spinsters	81
Widowers and Widows	82
In England and Wales and Registration Counties by Age and Condition	83

ESTIMATED POPULATION, BIRTHS (Legitimate and Illegitimate), Birth-rate, DEATHS, Crude Death-rate, and Infant Mortality in Greater London, in each Administrative Area, and in summarised Areas	87
--	----

DEATHS—

Of all Infants and of Illegitimate Infants in various portions of the First Year of Life; and Mortality (per 1000 Births) of the First Four Weeks and of the First Year of Life in Administrative Areas	120
By Sex, and for Females by Condition as to Marriage, at each Year of Age	125
By Sex and Age—	
Greater London and Metropolitan Boroughs	126
County Boroughs	128
Urban and Rural Portions of Counties.. .. .	133
From various Causes by Sex and Age—	
England and Wales	140
London	170
Aggregates of—	
County Boroughs	188
Other Urban Districts	206
Rural Districts	224
In each Quarter of the Year, distinguishing Sex and Cause, in different Classes of Areas	242
Of Non-Civilians in England and Wales, distinguishing Age and Cause.. .. .	260
In various Classes of Institutions, distinguishing Cause and Place of Occurrence	261
By Sex and Short List of Causes and Ages—	
Summarised Areas	276
Greater London and Metropolitan Boroughs.. .. .	287
County Boroughs	302
Urban and Rural Portions of Counties.. .. .	343

* The following statistics formerly published in the Abstracts of the Annual Reports have been omitted from this issue.
 ESTIMATED POPULATION, BIRTHS, DEATHS, ETC.—
 Standardizing factors, Standardized Death-rates and Natural Increase in each Administrative Area.
 DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—
 Enumerated Populations and calculated Deaths corrected for Changes in Boundary to 31st December, 1920.
 SECONDARY CAUSES OF DEATH.

ABSTRACTS—*continued*.

PAGE

DEATHS—*continued*.

By Sex and Short List of Causes in other Administrative Areas	404
Deaths from Accident, Negligence, Battle, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females ..	504
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females	515
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females	517
Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females	518

DIAGRAMS—

I. Quarterly Infant Mortality (per 1000 corresponding Births), in each year, 1911–20 ..	xxxiii
II. Seasonal Distribution of Infant Mortality (per 1000 corresponding Births) in the decennium, 1911–20	xxxvii
III. Tuberculosis (all forms) and Phthisis: Standardized Mortality in each year, 1860–1920	lxx

APPENDIX—

MARRIAGES, 1915—

Civil Condition of Persons Married at each Year of Age	520
Of Divorced Persons	521
Ages in Combination—	
At each Year of Age—	
All Marriages	522
At Groups of Ages—	
Bachelors and Widows	525
Widowers and Spinsters	526
Widowers and Widows	527
In England and Wales and Registration Counties, by Age and Condition	528

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1920.

SUMMARY OF MAIN FEATURES.

The salient features of the vital statistics of 1920 are as follows:—The marriage-rate was 20·2 per 1,000 of the population at all ages. This is the highest rate recorded, being 0·5 per 1,000 above that of the preceding year, and 4·8 above the average of the last ten years unaffected by the war (1905–14). The birth-rate was 25·5 per 1,000, being 7·0 above that of the preceding year, and the highest rate since 1909. The number of births was 957,782, this being the largest number recorded in any year since civil registration was instituted. Illegitimate as well as legitimate births show a definite increase. The loss of births attributable to the war can now be estimated at about 600,000. The proportion of males to females born was 1,052 per thousand, and thus continued much above pre-war experience. The death-rate was 12·4 per 1,000, being 1·3 below that of the preceding year. This is the lowest death-rate recorded. The number of deaths was 466,130, this being the smallest number recorded in any year since 1862, when the population was little more than half that of 1920.

Infant mortality, which has been declining rapidly in this as in other countries since the commencement of the century, fell further in 1920 to the rate of 80 deaths per thousand births, the lowest previous corresponding rate being 89 in 1919. Much caution is, however, required in interpreting this result, which is partly due to the large increase of the birth-rate during the year. A method of eliminating this source of fallacy (the effect of which in normal times may be disregarded) by relating the deaths of infants during the year to the corresponding births instead of to the number—in this case much larger—of births registered during the year, is described in a separate section of the Report dealing with Infant Mortality. The effect of its application is to raise the infant mortality rate from 80 to 85, a figure, however, much below the lowest corresponding rate for any previous year (91 in 1916 and 1917). Advantage is taken of the more accurate statement of infantile mortality thus obtained to trace its course in detail throughout each quarter of the past decennium, with the result, amongst others, that nearly all the decline recorded is shown to have occurred during the second half of the calendar year, even after discounting the effect of the great reduction in diarrhoeal mortality. The influence of season upon the mortality of infants of different ages is also examined.

Compared with 1919, when it was unprecedentedly low, mortality from most forms of epidemic disease shows a rise in 1920. This is considerable for measles and whooping cough, but slight in other cases, the only decrease being for enteric fever, for which, for the sixth year in succession, the lowest rate on record has been experienced. Yet for other epidemic diseases the rates for 1920 are for the most part very low as compared with those of even a few years earlier.

The death-rate from tuberculosis was considerably lower than that of any previous year on record, and the ground lost in the progressive reduction of this form of mortality owing to the rise associated with the war and with the pandemic of influenza has now been substantially regained. This advance will probably be found to have been maintained, but not materially added to, in 1921.

Owing to the increase of the birth-rate, there was a slight increase in 1920 in the crude mortality from syphilis, to which the deaths of infants normally contribute to a preponderating extent. But when this increase is discounted by standardization, the mortality attributed to this cause is found to have declined.

After the necessary allowances for changes in the population have been made, it appears that some further increase of cancer mortality occurred in 1920. This statement, as usual, applies more to males than to females, whose standardized death-rate has hardly increased during the past eight or ten years, whereas that for males shows definite increase.

A special section of the Report deals with inquests and uncertified deaths during 1920, these having last been tabulated for 1915. No outstanding changes in regard to these are revealed.

Certain information regarding the marriages of 1915, omitted as a war economy from the Report for that year, has now been tabulated, and is printed as a special appendix to this Report.

The estimates of 1920 population, both national and local, have been made in the light of the results of the recent census, though no census data as to sex and age distribution are as yet available. The postponement of that census and the necessity for carrying out certain adjustments in the figures owing to circumstances arising out of its postponement have unfortunately made it impossible to maintain in the case of this Report the improvement realized in recent years in the direction of earlier publication.

POPULATION.

1921 Census.—Since the publication of the last Annual Report of the Registrar-General, the 13th Decennial Census of the population of Great Britain has been taken, and the result of that enumeration, issued in a Preliminary Report* in August, 1921, was to show that the population of England and Wales on the night of 19th June, 1921, consisted of 37,885,242 persons, 18,082,220 being males and 19,803,022 females. The whole of the population figures there presented were stated to be provisional and subject to confirmation or amendment in the substantive Reports to be issued in due course when the full examination of the Census schedules has been completed. Judging by past experience, however, the modifications are likely to be confined to adjustments of detail which will not affect the totals for the whole country to any appreciable extent.

Had accurate records of the various movements of population been available, it would have been possible to reproduce the Census figures by the method adopted for the estimation of the population in 1919 and the preceding years, viz., by taking the 1911 Census population as a starting point, adding the births and immigrants, and deducting the deaths and emigrants in the intervening period. As stated on previous occasions, however, while the registration of births and deaths may be regarded as providing a complete record of these movements, an exact statement of migration is not attainable. The allowance for the latter is itself an estimate only based, so far as civilians are concerned, upon returns furnished to the Board of Trade, and in regard to non-civilians, upon the records of the several War Departments; further, no information at all is available in respect of the passenger traffic between the countries within the United Kingdom. The lack of precision in the migration data must thus be expected to introduce into the estimates an error which will tend to grow in degree as the date of the preceding Census becomes more remote.

Notwithstanding the peculiar complications introduced during the decennium 1911–1921 by the very large movement of the armed forces from and to the country, the estimate of the population as at the date of the 1921 Census, built up in this way, was stated in the Preliminary Report to have been in excess of the true population by a figure corresponding to about 1 per 1,000 of the population only. Later and more authoritative information regarding the migration movements may indicate that this small excess is somewhat understated; but it cannot be more than a relatively insignificant fraction; and, representing as it does the net cumulative divergence of the successive annual estimates over a ten years' period, its insignificance would appear to justify a considerable degree of confidence in those estimates and generally to confirm the preference for this method over the hypothetical basis adopted in connection with estimates of former intercensal periods.

1920 Estimate of Population.—The population as at the middle of 1920 has been arrived at according to the method now adopted, and after making allowance for the small error in estimation disclosed by the Census, totals of 17,866,000 males and 19,658,000 females have been obtained.

Age Distribution.—Statistics showing the analysis of the 1921 Census population by age are not yet available; and the method of distribution followed in the years 1915–1919, and described in the Reports for those years, has again been adopted for 1920.

* Census of England and Wales, 1921. Preliminary Report. Cmd. 1485. 1s. net.

The results are shown in the following table :—

TABLE I.—ENGLAND AND WALES: ESTIMATED POPULATION (INCLUDING ARMED FORCES AT HOME) BY SEX AND AGE IN THE MIDDLE OF 1920.

	Age group.	Males.	Females.	Persons.
	All Ages ..	17,866,000	19,658,000	37,524,000
	0— ..	439,685	423,413	863,098
	1— ..	280,044	273,846	553,890
	2— ..	285,311	280,242	565,553
	3— ..	317,671	312,436	630,107
	4— ..	336,780	330,689	667,469
	0— ..	1,659,491	1,620,626	3,280,117
	5— ..	1,897,248	1,871,810	3,769,058
	10— ..	1,879,244	1,867,491	3,746,735
	15— ..	8,298,476	1,773,173	17,895,484
	20— ..		1,698,353	
	25— ..		1,689,571	
	30— ..		1,608,395	
	35— ..		1,500,212	
	40— ..		1,327,304	
	45— ..	983,007	1,138,380	2,121,387
	50— ..	889,910	969,894	1,859,804
	55— ..	739,927	783,849	1,523,776
	60— ..	580,960	613,879	1,194,839
	65— ..	421,286	478,766	900,052
	70— ..	283,056	360,345	643,401
	75— ..	147,530	215,407	362,937
	80— ..	60,951	97,276	158,227
	85 and upwards	24,914	43,269	68,183

Briefly the method consists of (1) obtaining the year's deaths arising from the population at each age as estimated at the middle of 1919 and treating the survivors as the population at the next higher age at the middle of 1920 ; (2) adjusting the results of the first operation in respect of migrants in accordance with such age statistics as are available in respect of them ; and (3) completing the table by the addition of the population at age 0-1, which has not so far been provided for by the earlier operations. The latter represents the survivors, at the middle of 1920, of the births which occurred between 30th June, 1919, and 30th June, 1920, thus making full allowance for the large increase of births which were recorded during that period as compared with the preceding war years.

Civilian and Non-Civilian Population.—It will be observed that throughout this Report the pre-war practice of showing a single population figure for each of the constituent areas of the country has been reverted to in all but a few exceptional areas specially referred to in foot-notes. The impossibility of allocating non-civilian deaths to the appropriate localities of residence rendered it necessary, during the years chiefly affected by the war, to restrict local death-rates to those arising from civilians ; and special populations exclusive of non-civilians were shown for this purpose. For birth-rates, on the other hand, in respect of which any allocation between civilian and non-civilian parentage was out of the question, and also for marriage rates, it was necessary not only to retain the non-civilian population within the country but to include also the armed forces serving abroad.

Thus, two aggregates of local populations were adopted, both of which differed from the estimated total population in the country, the difference being in the one case a defect corresponding to the non-civilians stationed within the country, and in the other an excess corresponding to the non-civilians stationed abroad. While the forces retained the proportions necessitated by the war this dual treatment was inevitable, but now that the forces have been restored virtually to a peace basis the error introduced by using a total population instead of a civil population for civil death-rates will be negligible in all areas except a few with an important non-civilian population ; and, as mentioned above, these have been dealt with specially in foot-notes. Local statistics of births and marriages not being confined to the civilian

population, the possible error due to the omission from the population of some non-civilians abroad will be more evenly spread over the country, and special treatment of individual areas is rendered unnecessary.

Local Populations.—The total population of the country having been fixed in the foregoing manner, its allocation to localities has been obtained primarily by reference to the population distribution given by the Census. First of all, however, it was found necessary to modify the latter in respect of certain abnormalities introduced by reason of the special circumstances in which the Census was taken. The Census was originally planned to have been taken in April, but, as indicated in the Preliminary Report, this intention was frustrated by the industrial situation which arose at that time, and it was not found possible to carry out the enumeration until 19th June. While the latter date avoided the recognised programme of industrial holidays, some holiday movement was, largely owing to the abnormally fine weather, then in progress, and this was duly reflected in the population figures by the inclusion in the case of the more popular holiday resorts of varying and sometimes large proportions of visitors. For statistics of births and deaths classified according to areas of residence, comparisons based upon such populations would have been misleading; and for the purpose of these statistics it clearly became necessary to undertake an adjustment of the figures. The procedure adopted was briefly as follows.

Examination of the data available indicated that the most satisfactory basis of adjustment would be provided by the information given in the second column of the Census schedules, in which persons not normally resident with the household were asked to describe themselves as visitors. Caution was required in the application of these returns, however, for it was seen that some visitors had escaped recognition through having been scheduled as boarders or otherwise, while in other cases the visitors so described included persons whose residence was within the locality itself or persons who had no permanent residence elsewhere and who would not, therefore, fall to be deducted in the process of adjustment.

In areas where the percentage of the population returned as visitors was small in itself, those returns were adopted without further refinement, since any loss of precision measured in relation to the whole population of the area was seen to be of little moment. But in some other areas, including most of the more popular holiday resorts, where the proportion of recorded visitors exceeded 10 per cent. of the enumerated populations, special enquiries were addressed to the local Census Officers with the object of ascertaining precisely whether the enumeration had been attended by any special circumstances tending towards the understatement or overstatement of the number of visitors. The qualitative measure of any error thus ascertained was supplemented by a detailed examination of Census schedules in respect of a few typical areas from which, with the aid of the statements of workplace contained thereon, it was found possible to gain some idea of the limits within which discrepancies would range. From the combined results of these processes, and with some regard to the returns of the distribution of food rationing cards in November, 1919, a means of making a closer approximation, where necessary, to the actual number of visitors was found possible, and was applied in correction of the visitor return in 69 of the local areas shown in the tables on pages 87–119.

For the complementary process of restoring the visitor population to the appropriate areas of residence, statistics on which the several contributions of individual districts might be estimated have not so far been available, and in their absence a flat rate distribution based upon the local populations, after deducting visitors, has been adopted throughout the country.* But the examination of this feature has not been exhausted, and when the detailed examination of the census material has been completed it may be possible to provide differential treatment for individual areas. It may be observed at this stage, however, that the total recorded Census visitors for the whole country number only 2·6 per cent. of the enumerated population and that of these more than half were scattered throughout inland areas and would to a great extent be present whenever the Census might be taken; any error, therefore, arising through the adoption of an arbitrary method of redistribution must generally be unimportant and can have little effect upon the corresponding

* (NOTE.—The resident population of the Administrative County of London obtained in this way was distributed amongst the constituent Metropolitan Boroughs in proportion to their total enumerated populations.)

birth, marriage or death rates. Further, a re-distribution on the lines indicated has the effect of confining all material variation to the relatively small number of holiday resorts, the bulk of the populations thus remaining in harmony with the Census figures.

The 1920 distribution has been finally obtained by adjusting the 1921 figures in respect of the births and deaths registered in each area between 1st July, 1920, and the date of the Census.

The populations of hospitals, infirmaries, asylums, etc., remain credited to the areas of enumeration, notwithstanding that some persons so included may, on a residence classification, more properly be assigned elsewhere.

Comparison between the figures now presented and those for 1919 disclose some differences which cannot be attributed to movements of population. It was realized during the preparation of the earlier estimates that the food rationing returns and other statistics on which they were based were not free from anomalies, but in the absence of more authoritative data it was impossible to make allowance for any but the more prominent of them. The smaller irregularities which remained are no doubt primarily responsible for such abnormal changes as are shown by the estimates for 1920 as compared with those for 1919.

NATURAL INCREASE.

In 1920 the excess of births over deaths registered in England and Wales was 491,652, as compared with 188,235 in 1919 and 50,800 in 1918.

The size of this excess, which is the largest ever recorded in the history of the country (Table 2), is due to the temporary rebound of the birth-rate following demobilisation in conjunction with an exceptionally low death-rate. The latter factor will no doubt be repeated—the provisional figure for 1921 is even lower—but there seems no present prospect of a repetition of the birth-rate of 1920, so the natural increase of that year may possibly remain unequalled for many years to come. The nearest approach to it in earlier years was in 1903, when more births were registered than in any other year before 1920. The excess of births over deaths in 1903 was 433,643, as against 491,652 in 1920. The excess in the number of births reached its maximum in the decade 1901–1910, during which it exceeded 400,000 on six occasions, a level never reached in any other year before 1920. In proportion to population, however, the excesses of earlier years were greater. That of the birth-rate over the crude death-rate was 14·5 for the whole quinquennium 1876–1880, when it reached its maximum, whereas in the wholly exceptional circumstances of 1920 the same excess was only 13·1 per 1,000 population.

MARRIAGES.

The marriages registered in England and Wales numbered 379,982, the highest figure hitherto recorded in any one year. Particulars as to the locality of these marriages, and the sex, age and marital condition of the parties to them, will be found on pages 69–86.

Besides the marriages of 1920, those of 1915 are also reported upon in a special appendix (pages 519–531). Tabulation of the marriages of that year was largely curtailed as a measure of war economy. The introduction of improved methods, however, made it possible to resume the fuller presentation of previous years in 1916, and the opportunity has now arrived of filling the gap thus created in the records for the single year 1915. All the tables now presented annually, which have not already been published in the Report for 1915, are now accordingly given for that year in this appendix.

The 379,982 marriages of 1920 correspond to a rate of 20·2 persons married per 1,000 of the population at all ages. This rate is the highest, as that for 1917 was the lowest, ever recorded in this country, the circumstances of the war affording an obvious explanation of both records.

The proportion of marriageable persons in the population at different dates is not, however, a fixed one, and a more accurate measure is given by a rate in terms of the marriageable population only.

Marriage-rates so calculated were shown for each year up to 1919 in Table 3 of the Report for that year. The difficulty of estimating the proportion of males and females who are single, married and widowed at each age naturally increases with each year which elapses since these proportions were last ascertained by a census ; and at present this difficulty has been greatly increased, especially for males, by the mortality of the war having presumably had a specially high incidence upon single men, and by the abnormal fluctuations of the marriage-rate which the war has caused. In view of these considerations, and of the fact that any estimates made would be subject to early and perhaps great alteration in the light of the 1921 census data, the attempt to keep Table 3 up to date in this matter has been abandoned. But it seems reasonable to anticipate that for both 1919 and 1920 the marriage-rates per thousand marriageable males will prove to have been exceptionally high, if not actually the highest so far recorded, but that those for females have not been outstandingly high. Until lapse of time restores a more normal proportion between the numbers of marriageable males and females the rate for females must evidently remain low in proportion to that for males.

Table 4 shows that the marriages of 1920 exceeded the exceptionally high figures for 1919 in each of the first three quarters of the year, but fell considerably below them in the fourth—a decline continued in 1921. This course of events forms a very good instance of the dependence of the marriage-rate upon the state of trade and general apparent prosperity, to which attention has so often been drawn in the past.

First Marriages and Re-marriages.—Table II gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876.

TABLE II.—ENGLAND AND WALES, 1876-1920.—PROPORTIONS OF FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married		Widowers who married	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ...	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906-10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30
1912 ...	918	82	938	62	886	32	52	30
1913 ...	919	81	936	64	885	34	51	30
1914 ...	920	80	934	66	884	36	50	30
1915 ...	928	72	934	66	890	38	44	28
1916 ...	908	92	915	85	860	48	55	37
1917 ...	899	101	900	100	841	58	59	42
1918 ...	901	99	894	106	837	64	57	42
1919 ...	897	103	875	125	816	81	59	44
1920 ...	907	93	894	106	839	68	55	38

These now show a tendency to return towards the normal after the disturbance due to the war. Thus an early effect of the war was to increase the proportion of bachelors to widowers marrying to a maximum in 1915. After that the proportion of widowers became larger than for many years before, but now it seems to be returning towards the pre-war level. The course of events has been similar for women, but differs in that the maximum proportion of spinster marriages was attained shortly before the war, and that the war increase in proportion of widow marriages was naturally carried much further than in the case of widowers, and may be expected to be longer maintained. But the fall already recorded, from the maximum of 12·5 per cent. in 1919 to 10·6 in 1920, is a substantial one and seems likely to continue.

Until the results of the 1921 census are available for determining the numbers of marriageable men and women in the population at different ages it would be unsafe to attempt to show their marriage rates by age, but meanwhile Table III enables us to trace roughly the extraordinary changes during and since the war.

TABLE III.—ENGLAND AND WALES.—PROPORTIONS OF PERSONS MARRYING AT DIFFERENT AGES IN SUBSEQUENT YEARS TO THOSE MARRYING IN 1911, TAKEN AS 100.

	AGES OF BACHELORS.									AGES OF WIDOWERS.									
	Under 20.	20 -	25 -	30 -	35 -	45 -	55 & up.	Un- stated.	All ages.	Under 25.	25 -	30 -	35 -	40 -	45 -	55 -	65 & up.	Un- stated.	All ages.
1911	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1912	102	103	103	105	108	111	122	94	103	108	99	95	97	100	103	105	107	98	101
1913	115	104	102	106	113	114	120	86	104	117	92	96	98	105	105	105	99	105	102
1914	121	107	104	108	120	126	122	99	107	106	96	97	99	108	107	107	99	102	103
1915	117	132	129	133	155	160	136	127	133	104	101	104	109	121	123	117	102	101	114
1916	108	96	94	105	141	166	141	116	101	93	86	92	94	125	127	124	105	105	112
1917	138	86	85	95	132	182	159	119	92	94	88	86	93	120	136	133	109	121	115
1918	158	95	95	104	143	241	201	142	103	97	97	91	99	127	151	141	117	136	125
1919	193	121	122	144	184	224	206	176	131	200	184	176	164	172	168	161	134	168	165
1920	188	137	128	136	160	196	205	150	137	216	190	172	147	150	149	157	135	160	156

	AGES OF SPINSTERS.									AGES OF WIDOWS.									
	Under 20.	20 -	25 -	30 -	35 -	45 -	55 & up.	Un- stated.	All ages.	Under 25.	25 -	30 -	35 -	40 -	45 -	55 -	65 & up.	Un- stated.	All ages.
1911	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1912	105	103	102	105	108	106	105	96	103	91	96	104	105	103	104	105	96	97	103
1913	117	102	101	106	110	106	103	94	104	106	108	112	109	107	107	108	95	101	108
1914	121	106	102	109	115	110	98	101	107	107	105	120	118	123	115	111	98	106	115
1915	129	131	128	133	145	137	114	124	131	144	134	140	141	152	144	125	104	105	139
1916	100	98	92	107	130	125	115	109	99	266	162	136	133	140	135	124	107	109	139
1917	96	90	83	93	119	127	118	114	90	449	221	152	132	133	134	134	108	124	151
1918	100	100	92	100	128	150	146	133	100	609	302	188	147	143	149	149	114	148	179
1919	132	125	117	129	153	164	152	163	125	1071	602	334	219	174	166	166	138	198	270
1920	151	135	122	123	141	156	163	146	132	630	512	319	196	157	147	162	146	177	236

It will be seen that for both bachelors and widowers, but especially the former, the first effect of the war was an increase of the marriage-rate in 1915. This was succeeded at the chief marriage ages by decrease lasting until the end of the war, after which another great increase set in. Apart from the striking increase of marriages amongst boys aged less than 20, which has been shared at a somewhat later date by girls of the same age, the recent increase in the rates for males applies particularly to elderly bachelors and young widowers, whose rates have doubled. It has been suggested in a previous report that the great and sustained increase for bachelors of over 35, and especially of over 45, years of age may have been due to war prosperity. The truth of this surmise will be tested by the returns for 1921, for if it is correct these rates will necessarily be very much lower for that year. This seems also the most obvious explanation of the increase for minors of both sexes, and the same test should apply. The recent very high rates for young widowers may be, in part at least, a consequence of the great mortality of young married women, as of other persons of the same age, during the influenza epidemic.

The rates for spinsters have moved, on the whole, in correspondence with those for bachelors, and may be supposed to be largely dependent upon them. The cause of the phenomenal increase in the number of young widows marrying is obvious. Here again the high water mark of the war disturbance appears to have been reached in 1919, and the return to the normal to have commenced in 1920. But the increase is considerable for widows of all ages, and for the oldest group of all, as for widowers of corresponding age, it has continued right up to 1920. A greatly increased marriage-rate for both sexes at both extremes of the marriageable period seems to be a feature of the recent returns.

The Divorced.—The annual numbers of persons divorced, and of divorced persons who remarried, are shown in Table IV for each of the last ten years, and for the seven preceding quinquennia.

TABLE IV.—ENGLAND AND WALES.—ANNUAL NUMBER of PERSONS DIVORCED, and of DIVORCED PERSONS who REMARRIED, 1876–1920.

Period.	Number of Persons Divorced.	Annual Number of Divorced Persons who remarried.							
		Total.	Men.	Women.	Divorced men marrying spinsters.	Divorced men marrying widows.	Divorced men and women inter-marrying.	Divorced women marrying bachelors.	Divorced women marrying widowers.
1876–80	554	104	56	48	42	12	4	31	15
1881–85	671	128	68	60	53	12	6	42	15
1886–90	707	169	80	89	65	11	8	65	20
1891–95	744	214	110	104	89	15	12	75	23
1896–1900	980	345	172	173	138	24	20	126	37
1901–05	1,126	509	262	247	205	38	38	181	47
1906–10	1,247	693	356	337	276	53	54	253	57
1911 ...	1,160	702	365	337	300	39	52	265	46
1912 ...	1,174	782	402	380	321	51	60	280	70
1913 ...	1,154	854	415	439	322	51	84	337	60
1914 ...	1,712	911	439	472	356	49	68	352	86
1915 ...	1,360	852	434	418	352	59	46	311	84
1916 ...	1,908	920	466	454	364	76	52	336	92
1917 ...	1,956	791	429	362	350	62	34	268	77
1918 ...	2,222	885	495	390	390	81	48	288	78
1919 ...	3,308	1,352	708	644	538	142	56	510	106
1920 ...	6,180	2,370	1,314	1,056	981	272	122	795	200

The number of divorces obtained in 1920 was nearly double that in the previous year, and nearly treble that of any earlier date ; and with the increase in divorces there has been a corresponding increase in the number of persons who on remarriage described themselves as divorced. The proportion of divorced persons remarried to persons divorced has fallen, as might be expected, since the effect of increase of divorce is subject to delay in the former case, but not in the latter. And whereas a few years ago the numbers of divorced males and females remarrying were about equal, there is now considerable male excess. But it must be borne in mind that these numbers may understate the facts, owing to misdescription of status in the registers.

The figures in Table IV relating to the marriages of divorced persons in 1920 are supplemented by an analysis by age on page 73.

Age at Marriage.—The changes in regard to this matter during the past 10 years have necessarily been discussed already in connection with Table III.

Table V shows that the proportion of both bachelors and spinsters marrying at ages under 30 to the total at all ages has increased somewhat in 1920 as compared with the four preceding years, that for bachelors being now higher at 75·5 per cent. than in any year since 1915, and that for spinsters at 84·3 higher than in any year since 1911. This change is associated with the reversal in 1919 and 1920 of the general tendency to increase of age at marriage which has been in existence for many years past (Table VIII). It may be noted, however, that the great proportional increase in marriages of boys under 19 years of age which occurred during the later part of the war is now disappearing.

TABLE V.—ENGLAND AND WALES, 1886–1920.—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS at VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and up.	Age not Stated.
<i>Bachelors.</i>														
1886–1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891–1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896–1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901–1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906–1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911–1915	1,000	0	3	12	28	350	373	139	53	21	9	4	3	5
1916–1920	1,000	1	6	13	27	332	354	144	62	30	15	6	4	6

TABLE V.—*continued.*

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and up.	Age not stated.
<i>Bachelors—contd.</i>														
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
1912 ...	1,000	0	3	11	28	347	378	140	52	20	9	4	3	5
1913 ...	1,000	0	3	12	30	348	372	141	53	21	9	4	3	4
1914 ...	1,000	0	3	13	29	350	367	139	54	23	10	4	3	5
1915 ...	1,000	0	2	10	25	353	370	138	57	23	10	4	3	5
1916 ...	1,000	1	4	11	24	335	355	144	65	31	14	6	4	6
1917 ...	1,000	2	7	13	25	329	350	143	64	33	17	7	4	6
1918 ...	1,000	2	8	13	25	324	351	141	63	33	20	8	5	7
1919 ...	1,000	1	6	14	28	320	353	151	66	30	14	6	4	7
1920 ...	1,000	1	4	15	32	347	356	138	56	24	12	5	4	6
<i>Spinsters.</i>														
1886-1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891-1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896-1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901-1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906-1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911-1915	1,000	6	23	47	70	402	292	94	34	14	7	3	2	6
1916-1920	1,000	6	23	48	72	402	275	94	39	17	9	4	3	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6
1912 ...	1,000	5	22	47	71	399	295	95	34	14	7	3	2	6
1913 ...	1,000	5	25	50	72	397	290	95	34	14	7	3	2	6
1914 ...	1,000	7	25	50	71	399	286	95	35	14	7	3	2	6
1915 ...	1,000	5	21	45	68	407	291	95	36	14	7	3	2	6
1916 ...	1,000	5	21	46	68	402	278	100	41	18	9	3	2	7
1917 ...	1,000	6	22	48	72	400	273	95	41	19	9	4	3	8
1918 ...	1,000	5	22	45	72	404	274	93	40	19	10	4	3	9
1919 ...	1,000	5	22	49	71	403	277	95	38	17	9	4	2	8
1920 ...	1,000	6	25	52	77	407	276	87	34	15	8	3	3	7
Period.	All Ages.	Minors.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up.	Age not stated.
<i>Widowers.</i>														
1886-1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906-1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911-1915	1,000	0	7	53	109	151	150	146	125	97	68	41	30	23
1916-1920	1,000	0	7	54	105	138	151	155	130	101	70	39	26	24
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
1912 ...	1,000	0	7	55	108	150	145	142	125	99	68	45	33	23
1913 ...	1,000	0	8	51	109	149	150	145	125	97	69	42	30	25
1914 ...	1,000	0	7	52	108	148	152	145	126	97	70	40	31	24
1915 ...	1,000	0	6	50	105	149	155	154	129	98	68	39	26	21
1916 ...	1,000	0	6	43	94	130	162	163	133	105	73	40	29	22
1917 ...	1,000	0	6	43	86	125	152	167	141	107	79	42	27	25
1918 ...	1,000	0	5	44	84	123	149	173	145	108	74	43	26	26
1919 ...	1,000	0	8	62	122	154	151	144	121	92	63	35	24	24
1920 ...	1,000	0	10	69	128	148	141	134	118	97	66	39	25	25
<i>Widows.</i>														
1886-1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906-1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911-1915	1,000	1	21	98	167	193	171	135	85	51	32	16	11	19
1916-1920	1,000	3	67	189	191	162	126	98	64	41	24	13	6	16
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21
1912 ...	1,000	1	19	95	166	195	166	134	87	54	34	17	12	20
1913 ...	1,000	1	21	102	170	195	164	133	82	53	32	16	11	20
1914 ...	1,000	1	20	93	170	196	176	133	84	51	31	15	11	19
1915 ...	1,000	1	22	98	165	194	180	137	87	47	30	15	8	16
1916 ...	1,000	3	41	119	161	183	166	127	84	50	26	16	8	16
1917 ...	1,000	3	64	149	164	167	145	116	76	50	27	15	7	17
1918 ...	1,000	3	74	173	172	158	132	108	72	44	27	13	7	17
1919 ...	1,000	4	86	228	204	156	106	81	52	34	19	10	5	15
1920 ...	1,000	2	59	221	221	159	109	82	53	37	22	13	6	16

The previously noted increase in the proportion of young to total widowers marrying has been continued in 1920. This proportion, which had been declining for many years, reached a minimum in 1918. Since then it has increased so quickly that the proportion married at less than 35, 21 per cent., was practically the same as in 1901–1905. The case is different with widows. The decrease in numbers of young widows married, as shown in Table III, has checked the increase in the proportion of young to total widows marrying, which had been in progress since 1914. In 1886–1890 the widows less than 30 years of age who married formed 15 per cent. of the whole. This proportion gradually fell till in 1914 they formed only 11 per cent. From this date the proportion rose rapidly to reach a maximum of 32 per cent. in 1919, but in 1920 it has fallen to 28 per cent.—a figure still, it will be seen, greatly in excess of any recorded before the war.

Marriages of Minors.—For both sexes, but much more for females than for males, the proportion of marriages under full age has increased in 1920. It is somewhat remarkable that of the two years of almost equally exceptional marriage rate, 1919 and 1920, the former should record in Table VI almost the lowest proportion of marriages under age ever reached for females, while in the latter the lowering of this proportion during the war has quite disappeared. The proportion of marriages under age was at its maximum in 1874 for both sexes, and afterwards fell continuously till 1906–1910, after which it rose somewhat for both sexes until the outbreak of war. This depressed it considerably, the figure for males reaching a minimum of 34·8 in 1915, since when it has continuously increased to 46·8 in 1920, but the proportion remained low for females until its sudden rise in 1920. For both sexes, however, these proportions remain very low as compared with those of 40 years ago.

TABLE VI.—ENGLAND AND WALES, 1876–1920.—MINORS MARRIED per 1,000
MARRIAGES at ALL AGES.

—	Husbands.	Wives.	—	Husbands.	Wives.
1876–80	77·8	217·0	1911	39·3	133·3
1881–85	73·0	215·0	1912	39·2	135·4
1886–90	63·2	200·2	1913	42·1	143·8
1891–95	56·2	182·6	1914	41·6	142·5
1896–1900	51·2	168·0	1915	34·8	129·8
1901–05	46·3	153·1	1916	36·2	129·1
1906–10	40·3	139·4	1917	41·7	134·2
1911–15	39·2	136·6	1918	42·6	129·0
1916–20	42·6	133·3	1919	43·7	129·4
			1920	46·8	142·9

The number of males and females marrying under age, and at six other groups of ages, with distinction of the marital condition of the parties, is shown for each registration county on pages 83–86 of the abstracts. From these figures it appears that local customs with regard to early marriage have not been very materially altered by the war. The industrial counties, notably Nottingham, Durham, Stafford, the West Riding and Leicester, return a high proportion, 6–7 per cent. of males marrying under age in 1920 as in 1914, which has been selected for comparison in Table VII as the latest year not obviously affected by the war; while the lowest ratios are reported from the agricultural and residential counties, as in Wales, Wiltshire, Hertford, Berkshire, Gloucester and Shropshire, which returned low ratios also in 1914. But the lowest proportions in 1920 are much higher than the lowest in 1914, and whereas the ratios were much lower for North than for South Wales in the earlier year this contrast has largely disappeared in 1920. For women, the highest ratios are returned by the mining counties—Durham, Monmouth, Glamorgan, Northumberland and Nottingham heading the list in exactly the same order as in 1919—and the lowest by the rural counties of the South and especially of Wales. These, however, show more tendency on the whole to increase as compared with 1914 than the mining and industrial counties. Lancashire and Cheshire contrast with other industrial counties in returning low ratios for both men and women.

TABLE VII.—REGISTRATION COUNTIES.—MARRIAGES OF MINORS per 1,000 TOTAL MARRIAGES in 1914 and 1920.

Registration Counties.	Males.			Females.		
	Ratio per 1,000 Marriages, 1914.	Ratio per 1,000 Marriages, 1920.	1920 Ratio per cent. of 1914 Ratio.	Ratio per 1,000 Marriages, 1914.	Ratio per 1,000 Marriages, 1920.	1920 Ratio per cent. of 1914 Ratio.
England and Wales	42	47	112	142	143	101
London	34	41	121	115	128	111
Surrey	22	30	136	99	109	110
Kent	28	37	132	122	144	118
Sussex	28	35	125	93	111	119
Hampshire	21	35	167	113	146	129
Berkshire	19	28	147	96	105	109
Middlesex	30	37	123	102	119	117
Hertfordshire	33	27	82	96	105	109
Buckinghamshire	35	41	117	114	134	118
Oxfordshire	32	35	109	85	117	138
Northamptonshire	42	50	119	125	121	97
Huntingdonshire	17	70	412	83	169	204
Bedfordshire	51	41	80	127	120	94
Cambridgeshire	47	53	113	129	140	109
Essex	29	37	128	121	129	107
Suffolk	40	34	85	132	129	98
Norfolk	40	40	100	124	130	105
Wiltshire	24	26	108	105	118	112
Dorsetshire	25	34	136	97	110	113
Devonshire	23	39	170	104	126	121
Cornwall	36	39	108	129	129	100
Somersetshire	27	34	126	87	105	121
Gloucestershire	30	29	97	83	97	117
Herefordshire	24	32	133	103	106	103
Shropshire	23	29	126	91	111	122
Staffordshire	60	63	105	184	166	90
Worcestershire	51	44	86	140	140	100
Warwickshire	47	46	98	145	131	90
Leicestershire	60	61	102	141	142	101
Rutlandshire	30	27	90	129	88	68
Lincolnshire	42	57	136	179	172	96
Nottinghamshire	71	71	100	202	191	95
Derbyshire	50	60	120	184	173	94
Cheshire	33	44	133	117	117	100
Lancashire	46	46	100	136	118	87
Yorkshire—West Riding	60	61	102	184	166	90
East Riding (with York)	48	50	104	187	159	85
North Riding	46	55	120	182	175	96
Durham	61	69	113	243	231	95
Northumberland	43	56	130	184	201	109
Cumberland	45	56	124	151	141	93
Westmorland	24	32	133	82	88	107
Monmouthshire	43	56	130	205	210	102
Glamorganshire	46	54	117	192	204	106
Carmarthenshire	39	36	92	166	145	87
Pembrokeshire	43	28	65	116	135	116
Cardiganshire	24	34	142	76	66	87
Brecknockshire	38	42	111	131	159	121
Radnorshire	45	26	58	89	79	89
Montgomeryshire	16	22	138	89	78	88
Flintshire	12	31	258	76	128	168
Denbighshire	26	32	123	99	106	107
Merionethshire	20	23	115	67	64	96
Carnarvonshire	10	27	270	63	71	113
Anglesey	12	23	192	51	78	153

Mean Age at Marriage.—The great reduction which has taken place of recent years in the proportion of marriages without statement of the ages of the contracting parties has rendered it possible to measure the mean age at marriage with approxi-

mate accuracy from the returns in which age is recorded. The degree of accuracy obtained has been appreciably increased from 1914 onwards as a result of the tabulation by single years of age at all periods of life, first carried out in that year. These mean ages are shown in Table VIII for the years 1896 onwards.

The mean age at marriage gradually increased from 1896 to 1918 for bachelors and spinsters, and also, with some fluctuations, for widowers. (The apparent reduction in 1914 of the mean ages of bachelors and spinsters was entirely due to the more precise method of calculation then introduced, which reduced them from that date onwards by about 0·18 of a year, but scarcely affected the calculation for the widowed.) In the case of widows the increase did not set in till 1903 and its highest point was reached in 1912.

TABLE VIII.—ENGLAND AND WALES.—MEAN AGE at MARRIAGE, 1896–1920.

MALES.

Year.	All Bridegrooms.	All Bachelor Bridegrooms.	All Widower Bridegrooms.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896–1900...	28·38	26·63	44·73	26·35	34·12	41·74	49·72
1901–1905...	28·52	26·90	45·08	26·62	34·09	42·28	49·88
1906–1910...	28·76	27·19	45·71	26·93	34·70	42·95	50·64
1911 ...	29·03	27·46	46·42	27·19	35·19	43·49	51·46
1912 ...	29·12	27·56	46·77	27·27	35·75	43·96	51·67
1913 ...	29·11	27·56	46·65	27·25	35·68	43·91	51·35
1914 ...	28·94	27·40	46·66	27·05	35·90	43·79	51·39
1915 ...	28·87	27·49	46·61	27·12	36·15	43·86	50·98
1916 ...	29·70	27·93	47·32	27·47	36·20	44·79	51·07
1917 ...	30·04	28·04	47·71	27·52	35·63	45·22	51·23
1918 ...	30·08	28·14	47·74	27·59	35·43	45·38	50·88
1919 ...	29·81	27·99	45·72	27·46	33·36	43·40	48·85
1920 ...	29·20	27·51	45·73	27·04	33·28	43·31	49·24

FEMALES.

Year.	All Brides.	All Spinster Brides.	All Widow Brides.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896–1900...	26·21	25·14	40·70	24·62	32·64	35·96	44·99
1901–1905...	26·36	25·37	40·37	24·88	32·99	35·76	45·09
1906–1910...	26·59	25·63	41·06	25·14	33·63	36·51	45·82
1911 ...	26·80	25·81	41·74	25·32	34·13	37·01	46·63
1912 ...	26·84	25·85	41·89	25·36	34·25	37·44	46·69
1913 ...	26·80	25·78	41·57	25·29	34·23	37·22	46·59
1914 ...	26·68	25·61	41·64	25·12	34·28	37·53	46·57
1915 ...	26·75	25·71	41·42	25·28	34·28	37·78	46·39
1916 ...	27·17	25·91	40·73	25·36	34·58	36·79	45·85
1917 ...	27·27	25·89	39·66	25·28	34·54	35·40	45·48
1918 ...	27·29	25·92	38·84	25·33	34·59	34·82	44·86
1919 ...	27·16	25·81	36·69	25·24	33·77	33·07	43·36
1920 ...	26·79	25·54	37·36	24·99	34·02	33·56	44·14

For both men and women, whether previously married or not, the average marriage age in 1920 is appreciably lower than the maximum reached some years earlier, generally in 1918, the fall being least for spinsters and greatest for widows. But the average age of widows marrying in 1920 shows an increase over the unprecedently low figure for 1919, and that of widowers is almost the same as in that year. The cause of the fall is obvious in the case of widows, but much less so in that of widowers.

Fluctuations of the Marriage-rate in different Sections of the Country.—The movements of the marriage-rate during the war have been traced in Table IX for the four geographical sections into which the country has been divided for a number of purposes in these Reports. The limits of the four sections are indicated in a footnote.* The determination of marriage-rates for localities is not wholly satisfactory for several reasons. In a large proportion of cases the district of registration is the district of residence of only one of the parties, and in some cases of neither. This difficulty, however, is probably of less moment in comparisons between large sections of the country than between smaller adjacent localities. Again, it has only been possible till now to tabulate marriages by registration areas, and the available estimates of population refer to administrative areas. The populations upon which the rates in the table are based have, therefore, been derived from the estimated populations of the corresponding aggregates of administrative counties and county boroughs on the assumption of the maintenance of a constant ratio between the population of the registration and administrative areas. This is not absolutely correct, but the resultant error is too small to have any appreciable effect upon the rates quoted.

TABLE IX.—ENGLAND AND WALES, 1914-20.—MARRIAGES and MARRIAGE-RATES of each YEAR in GEOGRAPHICAL SECTIONS of the COUNTRY.

	North.	Midlands.	South.	Wales.	England and Wales.				
Numbers of Marriages Registered.									
1914	100,926	87,695	85,728	20,052	294,401				
1915	115,694	109,844	113,868	21,479	360,885				
1916	90,287	84,895	87,322	17,342	279,846				
1917	83,151	78,761	80,356	16,587	258,855				
1918	92,381	87,798	89,928	17,056	287,163				
1919	125,863	111,180	107,971	24,397	369,411				
1920	136,443	114,942	102,930	25,667	379,982				
Persons Married per 1,000 Population.									
Marriage-rate.					Rate per cent. of that in England and Wales.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
1914	16·30	15·25	16·29	15·76	15·93	102·3	95·7	102·3	98·9
1915	18·33	18·79	21·95	16·66	19·37	94·6	97·0	113·3	86·0
1916	14·19	14·45	16·69	13·36	14·87	95·4	97·2	112·2	89·8
1917	13·02	13·30	15·62	12·39	13·78	94·5	96·5	113·4	89·9
1918	14·55	14·84	17·39	12·96	15·31	95·0	96·9	113·6	84·7
1919	19·85	18·91	20·80	18·25	19·71	100·7	95·9	105·5	92·6
1920	21·58	19·56	19·66	19·37	20·20	106·8	96·8	97·3	95·9

* The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth, and tenth "registration divisions" of the Registrar-General, *i.e.*, Lancashire, Cheshire, and Yorkshire, and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second, and fifth registration divisions. "Wales" corresponds to the eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country corresponding to the third, fourth, sixth, and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows:—

North.	Midlands.	South.	Wales.
Cheshire. Lancashire. Yorks, West Riding. " East Riding. " North Riding. Durham. Northumberland. Cumberland. Westmorland.	Middlesex. Hertfordshire. Buckinghamshire. Oxfordshire. Northamptonshire. Soke of Peterborough. Huntingdonshire. Bedfordshire. Cambridgeshire. Isle of Ely. Essex. Suffolk, East. " West. Norfolk.	Gloucestershire. Herefordshire. Shropshire. Staffordshire. Worcestershire. Warwickshire. Leicestershire. Rutlandshire. Lincolnshire. Parts of Holland. " Kesteven. " Lindsey. Nottinghamshire. Derbyshire.	London. Surrey. Kent. Sussex, East. " West. Southampton. Isle of Wight. Berkshire. Wiltshire. Dorsetshire. Devonshire. Cornwall. Somersetshire.
			Monmouthshire. Glamorganshire. Carmarthenshire. Pembrokeshire. Cardiganshire. Brecknockshire. Radnorshire. Montgomeryshire. Flintshire. Denbighshire. Merionethshire. Carnarvonshire. Anglesey.

TABLE X.—REGISTRATION COUNTIES: PERSONS MARRIED PER 1,000 POPULATION, 1901-10, 1914, and 1920.

Registration County.	Mean-rate 1901-10.	1914.	1920.	Rate in 1920 per cent. of 1914.
England and Wales	15.5	15.9	20.2	127
London	17.5	19.2	22.0	115
Surrey	13.4	13.6	16.3	120
Kent	14.0	14.6	17.9	123
Sussex	13.5	12.7	16.5	130
Hampshire	15.1	14.9	18.3	123
Berkshire	14.3	13.8	18.0	130
Middlesex	13.4	14.2	17.5	123
Hertfordshire	12.9	13.6	16.9	124
Buckinghamshire	13.5	13.0	16.5	127
Oxfordshire	14.1	13.1	18.0	137
Northamptonshire	14.4	15.1	21.1	140
Huntingdonshire... ..	14.0	11.9	18.4	155
Bedfordshire	14.1	15.1	18.8	125
Cambridgeshire	14.1	14.2	17.5	123
Essex	13.8	14.6	18.7	128
Suffolk	13.8	14.0	17.6	126
Norfolk	13.9	13.7	18.5	135
Wiltshire	14.4	14.4	19.0	132
Dorsetshire	13.9	14.0	19.4	139
Devonshire	15.3	14.7	19.0	129
Cornwall	14.0	14.3	19.1	134
Somersetshire	13.7	13.5	18.8	139
Gloucestershire	15.2	16.0	19.8	124
Herefordshire	13.0	12.5	20.2	162
Shropshire	13.3	13.3	18.8	141
Staffordshire	15.6	16.5	21.3	129
Worcestershire	14.5	15.0	19.6	131
Warwickshire	16.4	17.1	20.5	120
Leicestershire	15.5	16.2	21.3	131
Rutlandshire	12.6	12.4	15.8	127
Lincolnshire	15.5	15.4	19.4	126
Nottinghamshire	16.4	16.4	21.3	130
Derbyshire	15.6	15.5	20.9	135
Cheshire	14.5	15.4	20.2	131
Lancashire	16.4	16.2	22.2	137
Yorkshire, West Riding	15.9	16.1	21.5	134
" East Riding (with York)	15.5	16.5	20.8	126
" North Riding	15.2	15.6	20.6	132
Durham	16.2	17.7	21.7	123
Northumberland	15.7	17.3	20.7	120
Cumberland	14.7	15.3	20.3	133
Westmorland	13.6	13.4	19.6	146
Monmouthshire	15.6	16.4	19.9	121
Glamorganshire	16.3	17.2	20.6	120
Cardiganshire	14.8	16.1	18.3	114
Pembrokeshire	14.8	16.0	18.4	115
Cardiganshire	12.1	11.5	16.2	141
Brecknockshire	15.9	14.7	19.4	132
Radnorshire	12.8	13.3	18.4	138
Montgomeryshire	13.1	12.4	16.6	134
Flintshire	11.8	11.7	17.2	147
Denbighshire	14.0	13.6	19.0	140
Merionethshire	12.1	11.5	17.3	150
Carnarvonshire	13.5	12.2	15.4	126
Anglesey	12.4	14.4	14.1	98

It will be seen that in 1914, which for this purpose may be regarded as the last year before the war, as the marriage-rate remained undisturbed in its third and fourth quarters, it varied little between these sections of the country. Throughout the four war years, 1915-1918, it was above the average in the South and lower elsewhere, but especially in Wales. Since the armistice there has again been a general approximation to equality, but with a definite excess for the North in 1920. Evidently the changes during 1915-1918 were consequent in some way upon the war, whether the southern excess arose from an excess of troops being quartered in the South, or from a greater movement of young women to the centres of commerce and production, or in any other way; and with the return of peace the distribution

of marriages has become more normal, the excess of their numbers being general. As compared with 1914, the excess of the rate in 1920 was 32 per cent. in the North, 28 in the Midlands, 21 in the South, 23 in Wales, and 27 per cent. in England and Wales.

Table X gives the marriage-rate of each registration county in 1920, and its percentage increase over the rate for 1914. There is only one case in which increase has not occurred. As in the two preceding years this increase has particularly affected the rural counties. Thus the counties returning an increase of 40 per cent. or over upon the rate for 1914 are, in order :—Hereford (62), Huntingdon (55), Merioneth (50), Flint (47), Westmorland (46), Shropshire (41), Cardigan (41), Northampton (40), Denbigh (40). It may be open to doubt whether this feature will be found to continue after the period of rural prosperity due to bounties on grain production, etc., has come to an end.

Buildings in which Marriages may be Solemnized.—At the end of the year 1920 the numbers of churches or chapels of the Established Church and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	16,140
All other Religious Denominations	17,858
Total	33,998

The increase upon the numbers at the end of the previous year was :—Established Church, 26 ; other religious denominations, 290. The number of these buildings belonging to the various denominations is shown for each registration county in Table 5 (page 6).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict. c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church, should, if the congregations desired, be certified to the Registrar-General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1920, and the number of buildings registered for the solemnization of marriages, are shown in the following table.

TABLE XI.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics.	1,546	1,475	New Church	54	59
Wesleyan Methodists	7,614	4,206	Catholic Apostolic Church	69	48
Congregationalists	3,349	3,041	Countess of Huntingdon's Connexion.	47	42
Baptists	3,164	2,784	Salvation Army	1,133	174
Primitive Methodists	4,350	1,960	Society of Friends	428	†
United Methodist Church	1,981	1,256	Jews	254	†
Calvinistic Methodists	1,276	991	Other Denominations	3,244	1,174
Presbyterians	447	450			
Unitarians	183	198			
			All Denominations	29,139	17,858

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.
† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1920 the number of such buildings which had been brought under the operation of the Act, and so remained, was 4,706 out of the total of 17,858. The numbers of these buildings, and the denominations to which they belonged, were as follows :—

1,953 Wesleyan Methodists.
692 Congregationalists.
727 Primitive Methodists.
477 Baptists.
422 United Methodist Church.
117 Calvinistic Methodists.
318 other Denominations, and Unsectarian.

4,706 All Denominations.

BIRTHS.

The births registered during 1920 numbered 957,782, corresponding to a birth-rate of 25·5 per 1,000 of the population living. The population on which this rate is based is the same as that used for death and marriage rates, the occasion for using a special birth-rate population, as was done for the years of war, having now disappeared (*see* page x).

The number of births quoted is 265,344 in excess of that for 1919, and is the largest recorded for any year in the history of the country (Table 2), the nearest approach to it in the past having been in 1903, when the number registered was 948,271. But on the population of that date this number yielded a birth-rate of 28·5 as against that of 25·5 in 1920.

A much better idea of the actual birth-rate position is afforded by the quarterly rates shown in Table 4 than by that for the whole year. These show that after increasing from a minimum of 15·7 in the first quarter of 1919 to a maximum of 29·0 in the same quarter of 1920, the rate steadily declined again to 22·0 in the fourth quarter. Since then the quarterly rates have remained fairly steady, allowance being made for the fact that the fourth quarter's rate is normally the lowest of the four. So the temporary spurt in births which followed demobilisation, commencing in the latter part of 1919, reached its climax early in 1920, and had spent itself before the end of the year, by which time a fairly steady rate slightly lower than those prevalent immediately before the war had been established.

In another matter, also, to which attention was called in last year's Report, the birth record of 1920 has returned to the normal. It was shown that the Christmas holiday of 1919 was accompanied by postponement of birth registration on a scale far beyond all previous experience, but by Christmas 1920 the nation would appear to have been settling down once more, for such postponement was then by no means excessive.

It is possible, now that the birth-rate has once more become moderately steady, to attempt a rough estimate of the number of births lost to the country as a result of the war. For this purpose the six years 1915–1920 have to be considered, as peace conditions were first departed from so far as births are concerned in the first of these years and not restored until the end of the last. Assuming that but for the war the birth-rate would have fallen steadily by 0·2 per 1,000 annually from the rate of 23·8 in 1914 to that of 22·4 in 1921, about 5,190,000 births would have occurred in the six years. The number actually registered was 4,581,361, leaving a deficit, attributable to the war, of about 600,000.

Birth-rates of Different Parts of the Country.—The birth-rates of individual administrative areas tabulated on pages 87–119 are summarised in Table XII (*see* footnote on page xx).

TABLE XII.—BIRTHS IN 1920 PER THOUSAND POPULATION.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	26·9	—	26·9
County Boroughs	26·9	27·1	23·6	26·6	26·6
Other Urban Districts	25·5	24·9	22·4	28·3	24·9
Rural Districts	26·1	23·9	22·3	24·4	24·1
All areas	26·3	25·4	24·5	26·7	25·5

The highest sectional birth-rate recorded in Table XII is that of Wales, and next to it that of the North of England, while that of the South is lowest. Highest of all is, as usual, that of the smaller towns of Wales, and lowest that of the rural districts of the South. All these statements apply also to 1919.

The constancy with which this order is maintained year after year is shown by the following table, which states the birth-rate of each section of the country as a percentage of that of the whole for each year from 1911 onwards.

TABLE XIII.—BIRTH-RATE OF DIFFERENT SECTIONS OF THE COUNTRY PER CENT. OF THAT OF ENGLAND AND WALES, 1911–20.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
North	105	106	105	107	104	102	104	106	105	103
Midlands	99	99	99	98	98	100	98	98	97	100
South	92	92	91	90	93	96	94	90	93	96
Wales	114	113	113	113	114	111	115	122	112	105

There was less difference between the various parts of the country distinguished in 1920 than in any of the previous nine years. The Welsh excess, so great two years earlier, was reduced to a mere 5 per cent. in 1920, the increase of the rate being less in Wales than in any other section of the country dealt with in Table XIV. It was greatest of all in London.

TABLE XIV.—COMPARISON OF THE BIRTH-RATE OF DIFFERENT SECTIONS OF THE POPULATION IN 1920 WITH THAT OF THE PREVIOUS YEAR AND OF THE LAST YEAR BEFORE THE WAR, THE DIFFERENCES BEING EXPRESSED AS PERCENTAGE INCREASES OR DECREASES.

	Increase since 1919 per cent. of rate in 1919.					Increase (+) or Decrease (–) since 1914 per cent. of rate in 1914.				
	North.	Mid.	South.	Wales.	E. & W.	North.	Mid.	South.	Wales.	E. & W.
London	—	—	+47·8	—	+47·8	—	—	+10·7	—	+10·7
County Boroughs	+37·9	+41·9	+36·4	+36·4	+38·5	+3·1	+ 6·7	+14·6	—	+ 5·1
Other Urban Districts	+34·9	+42·3	+37·4	+29·8	+37·6	+3·7	+ 6·9	+15·5	–2·7	+ 6·0
Rural Districts	+28·6	+36·6	+37·7	+23·2	+33·1	+4·8	+13·3	+18·6	+1·7	+11·6
All areas	+35·6	+41·1	+42·4	+29·0	+37·8	+3·5	+ 8·5	+14·0	–1·1	+ 7·1

Sex Proportions at Birth.—Births of males in England and Wales numbered 490,970 and those of females 466,812; the proportion of male to female births was 1,052, 1,043 and 1,052 to 1,000 for legitimate, illegitimate, and total births respectively. The corresponding proportions for total births in each year from 1871 onwards and in groups of years since the commencement of registration are shown in Table 3, page 5; the extreme range during the preceding 50 years was from 1,032 per 1,000 in 1898 to 1,060 in 1919. During this period the highest ratio recorded prior to the war was 1,043 in 1875. It will be seen that the exceptional preponderance of male births has fallen somewhat from its maximum attained during 1919, so that the curious parallelism with the movement of wholesale prices, pointed out in last year's Report, has not been fully maintained. The sex ratio, however, remains much above its pre-war level, and the "smoothed" curves of prices and of sex ratio plotted in a diagram in the Report for 1919 would both show a further rise in 1920.

The extent to which different classes of area or portions of the country have contributed to the increased preponderance of male births is shown in Table XV.

TABLE XV.—MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1920.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	1,054	—	1,054
County Boroughs.. ..	1,047	1,053	1,044	1,025	1,048
Other Urban Districts	1,051	1,058	1,050	1,048	1,053
Rural Districts	1,073	1,051	1,043	1,066	1,056
All areas	1,052	1,054	1,050	1,048	1,052

As in previous years the great increase in excess of male births is common to the four sections of the country distinguished, and is at its maximum in the rural districts.

Illegitimate Births.—The births registered during 1920 include 44,947 of illegitimate children, an increase of 3,071 upon the number in 1919, coincident with the increase of 265,344 in total births. Illegitimate births have thus increased by 7·3 per cent., while legitimate births have increased by 40·3 per cent. As a result of these changes, the proportion of illegitimate to total births, which had arisen from a minimum of 3·95 per cent. in 1901–1905 to 6·26 per cent. in 1918, in consequence of the great reduction in legitimate without any corresponding reduction in illegitimate births before 1918, and a definite increase in their number in that year (Table 2), has now declined to 4·69 per cent. But unless the experience of recent years, that illegitimate births vary in number much less from year to year than legitimate, is falsified for 1921, the reduction of the birth-rate in that year will involve an increase once more in the proportion of illegitimate births, even apart from the present tendency of their number to increase.

Some idea of the extent of illegitimacy in different classes of area and parts of the country may be gathered from Table XVI, but judging by past experience the rates there shown are understated for the rural districts and probably somewhat overstated for the South, as compared with the more accurate measure of illegitimacy obtained by relating the births to single and widowed females of fertile age. The numbers of these, however, cannot be estimated with any approach to accuracy for the populations dealt with until the results of the age and sex tabulation for the 1921 census are available.

TABLE XVI.—ILLEGITIMATE BIRTHS IN 1920 PER THOUSAND POPULATION.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	1·09	—	1·09
County Boroughs.. ..	1·28	1·12	1·21	0·93	1·21
Other Urban Districts	1·18	1·13	1·14	1·12	1·15
Rural Districts	1·39	1·33	1·19	1·42	1·32
All areas	1·27	1·18	1·14	1·18	1·19

DEATHS.

The deaths of 466,130 persons were registered in England and Wales during 1920, 240,302 (*viz.*, 238,852 civilians and 1,450 non-civilians) of these being males and 225,828 females. This is the smallest number reported in any one year since 1862, when the population was little more than half that of 1920.

The 466,130 deaths correspond to a rate of 12·4 per 1,000 of the estimated population. When standardized* to correct for the deviation of the sex and age distribution of the population, as shown on page x, from that of the standard population of 1901, this death-rate is reduced to 12·1 (Table 3).

The publication of the first number of the "International Statistical Annual" by the International Statistical Institute (Vol. II, Movement of Population, Europe), has provided an international standard population derived from the census populations of Great Britain, France, Germany, Austria, and a number of smaller European countries, in 1900 or 1901, by means of which standardized death-rates for the various European countries have been calculated. The standard provided by this population is a much more typical one than that generally used in these Reports, *viz.*, the population of England and Wales in 1901, which happened to be exceptionally favourable to low mortality, and the use of which, therefore, results in a general low level of the standardized rates derived from it. In order to correct any wrong impression which may arise from this fact, and to provide standardized rates for England and Wales comparable with those for other countries using the international standard, rates calculated upon the latter are shown in Table XXXIX, as well as those based on the 1901 English standard, which is that always used elsewhere, unless indication to the contrary is given. It will be seen that use of the less favourable standard increased the rate from 12·1 to 12·8 per thousand.

Whatever the method of statement employed, the death-rate of 1920 is considerably lower than that of any previous year. Table 3 shows that the lowest earlier rate corresponding with that of 12·1 in 1920 is 13·0 in 1912. In last year's Report it was estimated that but for the exceptional mortality from influenza in the first quarter of 1919 the crude death-rate for that year would have been 12·2, as against 12·4 in 1920. Precision in such a comparison is impossible, but that the mortality of 1919, apart from influenza, was if anything lower than that of 1920 is supported by the comparison of quarterly death-rates in Table 4. This shows that of the last three quarters of the two years, none of which were in either case very seriously affected by influenza, 1919 recorded the lower rate in the second and third, and 1920 only, and to a slight extent, in the fourth. But so marked has been the fall in mortality since the end of the great influenza epidemic that the rate for each quarter of 1920 is lower than the same rate in any year prior to 1919, and for the first and fourth quarters the 1920 rates are lower than in any previous year.

It may be added that the mortality of females (for whom alone valid comparison can be made to include the years of war) from causes other than influenza appears to have been much the same in 1918 as in 1920. When the estimated total mortality attributable to the epidemic in 1918 and 1919 is deducted, the crude death-rates for females during the last five years compare as follows:—1916, 12·4; 1917, 12·1; 1918, 11·4; 1919, 11·2; 1920, 11·5; and standardization would not seriously affect the comparison. Estimation of the influenza epidemic mortality is doubtless subject to a considerable margin of error, but so far as can be judged the mortalities

* The term "standardized death-rate" means the death-rate corrected for differences of sex and age constitution of the population. For a description of two methods of effecting this "standardization" of recorded death-rates *see* the Annual Report for 1911 (pages xxvii.–xxx.). Standardized death-rates for the sexes separately quoted in this report are based upon the age distribution of persons of undistinguished sex in the general population of England and Wales in 1901. (*See* Annual Report for 1913, page xx.).

of the three years 1918–1920 would have been very similar but for the influenza epidemic and the effect of the war during the earlier years upon the male population remaining at home.

Mortality of each Sex.—The standardized mortality of males regularly exceeds that of females. Up to 1860 or so the excess was only about 9 per cent., but for the 15 years ending with 1914 it averaged about 20 per cent. During the war this excess gradually rose to a maximum of 39 per cent. in 1917, because the comparison for the four war years is necessarily between females and civilian males, and the quality of the civilian male population was much deteriorated during these years by selection of the healthiest males of military age for military service. In 1920 it has fallen almost to the pre-war level, and Table XVII shows that for such increase as remains in 1920 the ages of military service are in no wise responsible. It is indeed remarkable, in view of the extent to which selected male lives at these ages were sacrificed during the war, and of the numbers surviving the war with impaired health, that the ratio in this table at ages 15–45 should now have returned to its pre-war level. If this experience is confirmed in future years we must probably draw from it the comfortable conclusion that the health of war veterans, so far as their mortality is an index to it, has not, on average, been deteriorated by their service. And as that of many must obviously have been damaged, with resultant increase of their mortality, it would seem that in many countervailing instances the conditions of service must have been actually beneficial to health.

TABLE XVII.—ENGLAND AND WALES: MORTALITY of MALES of VARIOUS AGES per cent. of that of FEMALES of LIKE AGE.

—	All Ages (Standardized).	0—	5—	10—	15—	45—	55—	65—	75—	85 and up- wards.
1911–14..	121	120	102	95	121	130	132	125	117	111
1915* ..	125	122	101	100	149	126	126	125	114	108
1916* ..	131	123	106	99	168	130	128	129	119	107
1917* ..	139	121	104	97	203	136	132	134	124	108
1918* ..	135	114	95	88	179	130	129	130	124	102
1919 ..	125	124	100	98	134	135	126	124	120	100
1920 ..	123	125	102	94	121	140	129	124	116	96

* Civilian males only.

The ratio shown for 1920 is particularly high at 0–5 and 45–55, and unprecedentedly low at 85 and upwards. Comparison of Tables 6 and 7 reveals no previous year recording an excess of mortality amongst females at the latter period, though normally the male excess is much less than in middle life. It will be noted, too, that the change has been gradual and progressive from 1918 onwards, so it would seem to have significance, whatever its cause may be. Tables 6 and 7 show that it is due rather to fall in male than to rise in female mortality.

INFANT MORTALITY.

Of the 466,130 deaths registered during the year, 76,552, or 16·4 per cent., were of infants under one year of age. This proportion has risen from 12·2 in the previous year, as a result of the increased birth-rate of 1920, but owing to decreased infant mortality, remains much below those prevailing a few years ago. For 1901–10 the percentage was 22·6.

The rate of infant mortality resulting from these deaths, 80 per 1,000 births, is by far the lowest as yet recorded for this country, 89 in 1919 and 91 in 1916 being the lowest for any previous years.

As has been pointed out in previous reports the conventional infant mortality rate is apt to be misleading in a period of rapidly changing birth-rates, such as have been recently experienced. The rough method of correction hitherto employed increases the rate for 1920 from 80 to 87. This method consists in relating the infant deaths of the year not to the births of the same year alone, but to those of the two years in which infants dying in the first year of life have been born, *i.e.*, for the deaths of 1920, the births of 1919 and 1920. These were taken in the approximate proportion in which the infant deaths of any one calendar year occur amongst children born in that and in the preceding calendar year—70 and 30 per cent. respectively.

But in last year's report it was pointed out that these proportions could not be wholly applicable to the deaths of 1919, owing to the fact that the increase of the birth-rate in that year was practically confined to its fourth quarter. It has seemed desirable, therefore, to seek a somewhat less rough and ready means of correction, which has been found by relating the deaths occurring during each quarter of the year in each portion of the first year of life (*see* Table XVIII) to the births of the two quarters in which the infants concerned may have been born.

TABLE XVIII.—DEATHS under ONE YEAR OF AGE from ALL CAUSES by WEEK and MONTH of AGE in each QUARTER of the YEARS 1911–1920.

		Under 1 Day.	1-7 Days.	Weeks.			Months.											Total under 1 Year.	
				1-2	2-3	3-4	Total under 4 Weeks.	4 Weeks to 2 Months.	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11		11-12
1911	1st Qr. ..	2,526	3,115	1,318	1,197	983	9,139	2,797	1,951	1,507	1,325	1,277	1,328	1,345	1,314	1,290	1,202	1,298	25,773
	2nd Qr. ..	2,669	2,709	1,126	973	719	8,196	1,934	1,333	1,139	961	929	929	960	1,028	1,063	1,063	1,007	20,542
	3rd Qr. ..	2,548	2,477	1,400	1,626	1,248	9,299	4,429	4,277	4,260	4,116	3,399	3,264	2,925	2,515	2,272	2,036	1,932	44,724
	4th Qr. ..	2,493	2,887	1,386	1,446	971	9,183	3,092	2,003	1,715	1,276	1,111	1,004	858	903	799	786	831	23,561
	Year ..	10,236	11,188	5,230	5,242	3,921	35,817	12,252	9,564	8,621	7,678	6,716	6,525	6,088	5,760	5,424	5,087	5,068	114,600
1912	1st Qr. ..	2,508	3,185	1,502	1,438	1,069	9,702	3,105	2,128	1,618	1,297	1,212	1,177	1,100	1,080	1,003	927	956	25,305
	2nd Qr. ..	2,477	2,828	1,119	1,019	721	8,164	1,926	1,334	1,091	867	787	834	857	923	869	827	798	19,277
	3rd Qr. ..	2,441	2,453	1,103	860	694	7,551	1,773	1,318	1,049	870	825	717	665	702	646	604	617	17,337
	4th Qr. ..	2,420	2,780	1,147	1,034	749	8,130	2,115	1,692	1,295	1,093	929	936	932	972	902	946	918	20,860
	Year ..	9,846	11,246	4,871	4,351	3,233	33,547	8,919	6,472	5,053	4,127	3,753	3,664	3,554	3,677	3,420	3,304	3,289	82,779
1913	1st Qr. ..	2,602	3,133	1,508	1,369	1,056	9,668	3,048	1,916	1,645	1,346	1,361	1,343	1,331	1,224	1,257	1,115	1,160	26,414
	2nd Qr. ..	2,745	2,851	1,197	1,084	700	8,577	1,920	1,328	1,168	921	846	873	924	881	978	841	865	20,122
	3rd Qr. ..	2,547	2,456	1,110	1,114	797	8,024	2,580	2,232	2,067	1,780	1,574	1,370	1,312	1,144	1,071	964	973	25,091
	4th Qr. ..	2,530	2,719	1,230	1,189	844	8,512	2,696	2,211	1,840	1,564	1,321	1,215	1,008	1,001	949	850	814	23,981
	Year ..	10,424	11,159	5,045	4,756	3,397	34,781	10,244	7,687	6,720	5,611	5,102	4,801	4,575	4,250	4,255	3,770	3,812	95,608
1914	1st Qr. ..	2,614	3,096	1,368	1,262	978	9,318	2,782	1,896	1,574	1,435	1,293	1,330	1,205	1,134	1,050	983	984	24,984
	2nd Qr. ..	2,643	2,896	1,159	986	779	8,463	1,863	1,379	1,073	862	867	842	901	920	927	911	832	19,840
	3rd Qr. ..	2,448	2,406	1,071	1,026	855	7,806	2,650	2,293	2,000	1,747	1,654	1,450	1,279	1,327	1,132	1,089	973	25,400
	4th Qr. ..	2,335	2,740	1,239	1,114	800	8,228	2,400	1,755	1,614	1,301	1,082	973	919	921	863	854	837	21,747
	Year ..	10,040	11,138	4,837	4,388	3,412	33,815	9,695	7,323	6,261	5,345	4,896	4,595	4,304	4,302	3,972	3,837	3,626	91,971
1915	1st Qr. ..	2,296	3,126	1,501	1,479	1,028	9,430	3,020	2,049	1,740	1,514	1,453	1,523	1,552	1,606	1,592	1,495	1,508	28,482
	2nd Qr. ..	2,259	2,566	1,136	958	755	7,674	1,816	1,419	1,099	955	950	955	1,062	1,173	1,151	1,194	1,268	20,716
	3rd Qr. ..	2,094	2,048	946	785	576	6,449	1,838	1,473	1,332	1,231	1,251	1,136	998	957	869	831	823	19,328
	4th Qr. ..	2,151	2,453	1,065	930	715	7,314	2,208	1,664	1,524	1,224	1,148	1,061	1,013	1,003	945	915	835	20,854
	Year ..	8,800	10,193	4,648	4,152	3,074	30,867	8,882	6,605	5,745	5,014	4,802	4,675	4,625	4,739	4,557	4,435	4,434	89,380
1916	1st Qr. ..	2,248	2,790	1,207	1,071	714	8,030	2,262	1,526	1,244	1,074	1,041	982	1,026	959	974	910	1,009	21,037
	2nd Qr. ..	2,201	2,552	1,064	895	652	7,364	1,654	1,109	909	793	672	697	774	704	765	680	752	16,873
	3rd Qr. ..	2,108	2,010	918	749	530	6,315	1,602	1,256	1,130	978	812	699	645	594	554	461	496	15,542
	4th Qr. ..	2,021	2,328	1,160	1,038	723	7,270	2,196	1,619	1,271	1,138	857	803	701	645	591	568	535	18,194
	Year ..	8,578	9,680	4,349	3,753	2,619	28,979	7,714	5,510	4,554	3,983	3,382	3,181	3,146	2,902	2,884	2,619	2,792	71,646
1917	1st Qr. ..	2,018	2,682	1,258	1,232	802	7,992	2,435	1,765	1,450	1,223	1,114	1,066	1,040	1,013	1,023	894	871	21,886
	2nd Qr. ..	2,002	2,229	916	755	533	6,435	1,371	937	754	714	633	714	749	833	756	814	822	15,532
	3rd Qr. ..	1,736	1,657	725	595	454	5,167	1,314	1,023	854	754	655	568	539	510	453	523	506	12,866
	4th Qr. ..	1,621	1,787	872	674	496	5,450	1,586	1,221	1,022	881	685	635	561	547	551	527	533	14,199
	Year ..	7,377	8,355	3,771	3,256	2,285	25,044	6,706	4,946	4,080	3,572	3,087	2,983	2,889	2,903	2,783	2,758	2,732	64,483
1918	1st Qr. ..	1,657	2,002	924	904	664	6,151	2,077	1,415	1,116	958	957	929	971	972	960	904	932	18,342
	2nd Qr. ..	1,814	1,957	837	662	511	5,781	1,456	916	730	621	534	579	686	672	735	693	780	14,183
	3rd Qr. ..	1,896	1,796	789	638	497	5,616	1,446	1,125	1,025	826	772	637	569	594	540	493	569	14,212
	4th Qr. ..	1,990	2,215	1,061	818	560	6,644	1,626	1,198	1,054	966	962	972	856	943	808	789	831	17,649
	Year ..	7,357	7,970	3,611	3,022	2,232	24,192	6,605	4,654	3,925	3,371	3,225	3,117	3,082	3,181	3,043	2,879	3,112	64,386
1919	1st Qr. ..	1,789	2,272	1,114	998	765	6,938	2,495	1,693	1,428	1,182	1,192	1,228	1,213	1,149	1,084	1,074	944	21,620
	2nd Qr. ..	1,872	2,021	784	606	423	5,706	969	657	542	534	498	509	457	556	504	461	448	11,841
	3rd Qr. ..	2,155	2,083	897	645	445	6,225	1,200	781	720	564	512	452	417	375	358	370	331	12,305
	4th Qr. ..	2,567	3,012	1,313	1,040	754	8,686	1,773	1,156	824	620	525	449	372	388	356	395	405	15,949
	Year ..	8,383	9,388	4,108	3,289	2,387	27,555	6,437	4,287	3,514	2,900	2,727	2,638	2,459	2,468	2,302	2,300	2,128	61,715
1920	1st Qr. ..	2,678	3,358	1,581	1,505	1,096	10,218	3,181	2,027	1,493	1,147	959	918	856	869	762	693	702	23,825
	2nd Qr. ..	2,594	2,821	1,379	1,222	842	8,858	2,324	1,548	1,189	984	890	847	804	762	704	698	622	20,230
	3rd Qr. ..	2,367	2,401	1,011	770	571	7,120	1,512	1,119	877	736	648	609	593	501	392	366	332	14,805
	4th Qr. ..	2,255	2,505	1,153	906	679	7,498	1,899	1,416	1,247	990	790	743	731	679	624	566	509	17,692
	Year ..	9,894	11,085	5,124	4,403	3,188	33,694	8,916	6,110	4,806	3,857	3,287	3,117	2,984	2,811	2,482	2,323	2,165	76,552
1911 to 1920	1st Qr. ..	22,936	28,759	13,281	12,455	9,155	86,586	27,202	18,366	14,815	12,501	11,859	11,824	11,639	11,320	10,995	10,197	10,364	237,668
	2nd Qr. ..	23,276	25,430	10,717	9,160	6,635	75,218	17,233	11,960	9,694	8,212	7,606	7,779	8,174	8,452	8,452	8,182	8,194	179,156
	3rd Qr. ..	22,340	21,787	9,970	8,808	6,667	69,572	20,344	16,897	15,364	13,692	12,102	10,902	9,942	9,219	8,287	7,737	7,552	201,610
	4th Qr. ..	22,383	25,426	11,626	10,189	7,291	76,915	21,591	15,935	13,406	11,053	9,410	8,791	7,951	8,002	7,388	7,196	7,048	194,686
	Decennium	90,935	101,402	45,594	40,612	29,748	308,291	86,370	63,158	53,279	45,458	40,977	39,296	37,706	36,993	35,122	33,312	33,158	813,120

TABLE XIX.—DEATHS under ONE YEAR of AGE from DIARRHŒAL DISEASES by WEEK and MONTH of AGE in each QUARTER of the YEARS 1911-20.

		Under 1 Day.	1-7 Days.	Weeks.			Months.											Total under 1 Year.	
				1-2	2-3	3-4	Total under 4 Weeks.	4 Weeks to 2 Months.	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11		11-12
1911	1st Qr. ..	—	15	32	47	41	135	194	210	157	149	103	95	92	74	62	49	59	1,379
	2nd Qr. ..	—	12	29	55	40	136	216	188	171	143	124	118	74	56	74	59	53	1,412
	3rd Qr. ..	7	21	187	450	460	1,125	2,396	2,880	3,125	3,126	2,594	2,474	2,168	1,859	1,643	1,391	1,283	26,064
	4th Qr. ..	2	11	42	83	76	214	402	361	373	306	289	242	196	195	156	153	158	3,045
	Year ..	9	59	290	635	617	1,610	3,208	3,639	3,826	3,724	3,110	2,929	2,530	2,184	1,935	1,652	1,553	31,900
1912	1st Qr. ..	—	11	32	47	48	138	213	195	156	106	115	74	48	49	45	35	44	1,218
	2nd Qr. ..	1	11	39	54	54	159	184	156	147	124	96	67	65	58	51	44	41	1,192
	3rd Qr. ..	1	14	44	77	70	206	308	313	337	271	260	205	178	165	127	146	115	2,631
	4th Qr. ..	—	4	29	51	53	137	214	235	216	158	134	125	106	105	106	84	73	1,693
	Year ..	2	40	144	229	225	640	919	899	856	659	605	471	397	377	329	309	273	6,734
1913	1st Qr. ..	1	9	27	53	38	128	227	198	174	134	123	115	93	60	75	58	55	1,440
	2nd Qr. ..	1	17	49	55	55	177	198	214	201	146	141	111	105	90	76	74	50	1,583
	3rd Qr. ..	1	18	74	179	163	435	907	1,072	1,152	1,054	908	748	761	639	557	482	432	9,147
	4th Qr. ..	—	20	41	95	94	250	550	638	623	519	473	409	342	303	292	235	234	4,868
	Year ..	3	64	191	382	350	990	1,882	2,122	2,150	1,853	1,645	1,383	1,301	1,092	1,000	849	771	17,038
1914	1st Qr. ..	3	15	44	55	56	173	211	234	185	171	157	100	80	63	65	53	44	1,536
	2nd Qr. ..	—	9	40	59	55	163	180	209	173	122	104	88	92	62	63	57	34	1,347
	3rd Qr. ..	1	21	63	157	174	416	920	1,130	1,114	998	978	797	693	700	575	517	446	9,284
	4th Qr. ..	1	18	37	85	70	211	367	362	417	355	299	241	201	212	172	144	149	3,130
	Year ..	5	63	184	356	355	963	1,678	1,935	1,889	1,646	1,538	1,226	1,066	1,037	875	771	673	15,297
1915	1st Qr. ..	—	10	44	62	64	180	221	203	185	155	105	95	86	65	56	74	53	1,478
	2nd Qr. ..	—	13	40	62	58	173	212	196	156	127	113	81	78	78	63	48	61	1,386
	3rd Qr. ..	—	17	60	100	107	284	498	573	646	642	638	567	456	427	382	292	304	5,709
	4th Qr. ..	—	13	35	66	76	190	428	442	465	400	376	303	301	252	238	190	175	3,760
	Year ..	—	53	179	290	305	827	1,359	1,414	1,452	1,324	1,232	1,046	921	822	739	604	593	12,333
1916	1st Qr. ..	—	16	40	48	34	138	185	185	133	119	122	85	76	59	56	41	51	1,250
	2nd Qr. ..	—	15	44	45	50	154	179	153	123	99	66	64	65	42	49	41	36	1,071
	3rd Qr. ..	—	12	43	82	73	210	369	411	451	460	368	288	281	224	210	146	159	3,577
	4th Qr. ..	—	6	42	62	65	175	291	326	309	300	199	196	161	131	127	103	97	2,415
	Year ..	—	49	169	237	222	677	1,024	1,075	1,016	978	755	633	583	456	442	331	343	8,313
1917	1st Qr. ..	—	3	37	55	53	148	191	163	159	128	112	68	67	68	42	49	34	1,229
	2nd Qr. ..	1	13	29	34	36	113	146	129	118	104	78	66	52	51	42	43	45	987
	3rd Qr. ..	4	7	30	48	51	140	324	350	360	367	301	208	214	180	148	162	151	2,905
	4th Qr. ..	—	9	42	37	36	124	200	255	232	209	155	134	102	99	91	89	74	1,764
	Year ..	5	32	138	174	176	525	861	897	869	808	646	476	435	398	323	343	304	6,885
1918	1st Qr. ..	—	6	31	42	38	117	125	119	129	85	92	61	39	36	31	35	23	892
	2nd Qr. ..	—	4	27	35	45	111	142	97	111	87	48	44	43	34	37	30	27	811
	3rd Qr. ..	2	6	29	65	69	171	350	419	449	385	370	271	240	206	179	167	162	3,369
	4th Qr. ..	1	3	32	33	47	116	172	187	177	153	97	89	53	59	52	47	45	1,247
	Year ..	3	19	119	175	199	515	789	822	866	710	607	465	375	335	299	279	257	6,319
1919	1st Qr. ..	—	8	21	37	43	109	168	162	112	96	74	55	40	51	33	37	25	962
	2nd Qr. ..	—	9	30	27	40	106	112	87	90	69	61	47	46	43	26	24	27	738
	3rd Qr. ..	1	12	65	52	56	186	321	293	341	311	237	218	167	166	142	153	114	2,649
	4th Qr. ..	1	12	48	77	54	192	255	246	202	159	143	113	88	75	73	78	66	1,690
	Year ..	2	41	164	193	193	593	856	788	745	635	515	433	341	335	274	292	232	6,039
1920	1st Qr. ..	—	17	40	84	50	191	226	168	158	119	93	52	42	36	27	30	27	1,169
	2nd Qr. ..	—	15	54	72	54	195	229	192	157	148	113	89	70	44	40	34	26	1,337
	3rd Qr. ..	—	14	60	80	90	244	298	343	309	269	262	196	188	145	115	94	67	2,530
	4th Qr. ..	—	22	57	61	62	202	287	372	326	321	218	184	179	150	149	121	96	2,605
	Year ..	—	68	211	297	256	832	1,040	1,075	950	857	686	521	479	375	331	279	216	7,641
1911 to 1920	1st Qr. ..	4	110	348	530	465	1,457	1,961	1,837	1,548	1,262	1,096	800	663	561	492	461	415	12,553
	2nd Qr. ..	3	118	381	498	487	1,487	1,798	1,621	1,447	1,169	944	775	690	558	521	454	400	11,864
	3rd Qr. ..	17	142	655	1,290	1,313	3,417	6,691	7,784	8,284	7,883	6,916	5,972	5,346	4,711	4,078	3,550	3,293	67,865
	4th Qr. ..	5	118	405	650	633	1,811	3,166	3,424	3,340	2,880	2,383	2,036	1,729	1,581	1,456	1,244	1,167	26,217
	Decennium	29	488	1,789	2,968	2,898	8,172	13,616	14,666	14,619	13,194	11,339	9,583	8,428	7,411	6,547	5,709	5,215	118,499

The deaths must be divided between the infants born in these two quarters in certain approximate proportions determined by the age at death. Thus for infants dying within 24 hours of birth it may be assumed that all births were registered during the same quarter as the deaths, but for those dying at 1-7 days of age a few of the births will have been registered in the previous quarter. For infants dying at 9-12 months of age the two possible quarters of birth are the third and fourth preceding that of death. But when death occurs in the tenth month of life the great bulk of the infants must have been born in the third preceding quarter, and when it occurs in the twelfth month of life, in the fourth preceding quarter. The distribution between the two quarters of birth concerned in each case has been made by assigning the following proportions of deaths to the more recent of the two, the remainder falling to the more remote—age at death under 1 day, 100 per cent. ; 1-7 days, 98 per cent. ; 1-2 weeks, 89 per cent. ; 2-3 weeks, 81 per cent. ; 3-4 weeks, 73 per cent. ; 4 weeks-2 months, 54 per cent. ; 2-3 months, 17 per cent. ; 3-4 months $\frac{5}{6}$; 4-5 months, $\frac{1}{2}$; 5-6 months, $\frac{1}{6}$; 6-7 months, $\frac{5}{6}$; 7-8 months, $\frac{1}{2}$; 8-9 months, $\frac{1}{6}$; 9-10 months, $\frac{5}{6}$; 10-11 months, $\frac{1}{2}$; 11-12 months, $\frac{1}{6}$ *. In this way

* These ratios are really more applicable to the quarters of occurrence of births and deaths than to those of their registration, as they make little allowance for the greater delay in the registration of births than of deaths, but to ascertain in each case the approximate extent of this excess of delay in registering births would have been a laborious undertaking.

the 76,552 infant deaths registered during the four quarters of 1920 were assigned as follows to the five quarters of birth possible in each case :—

Quarter of Death.	Quarter of Birth.								
	1st 1919	2nd 1919	3rd 1919	4th 1919	1st 1920	2nd 1920	3rd 1920	4th 1920	Total.
	Deaths under one year of age.								
1st 1920 ..	1,059	2,403	2,961	5,944	11,458	—	—	—	23,825
2nd 1920 ..	—	985	2,217	2,668	4,651	9,709	—	—	20,230
3rd 1920 ..	—	—	526	1,380	1,942	3,290	7,667	—	14,805
4th 1920 ..	—	—	—	811	1,943	2,461	4,245	8,232	17,692
Total ..	1,059	3,388	5,704	10,803	19,994	15,460	11,912	8,232	76,552
	Death-Rates per 1,000 Born.								
	1st 1919	2nd 1919	3rd 1919	4th 1919	1st 1920	2nd 1920	3rd 1920	4th 1920	Total.
	Deaths under one year of age.								
1st 1920 ..	7·3	16·2	16·9	26·6	42·3	—	—	—	109·3
2nd 1920 ..	—	6·6	12·6	11·9	17·2	39·1	—	—	87·4
3rd 1920 ..	—	—	3·0	6·2	7·2	13·2	33·4	—	63·0
4th 1920 ..	—	—	—	3·6	7·2	9·9	18·5	39·5	78·7
Total ..	7·3	22·8	32·5	48·3	73·8	62·2	51·8	39·5	84·55

The death-rates for infants born in each quarter concerned both for each quarter of death and for the whole year, are obtained by relating the deaths calculated as occurring amongst the infants born in that quarter to the births registered in it (*see* Table 1 of the Registrar-General's Quarterly Returns). It remains to sum up the rates for the eight quarters of birth into a single rate applying to the infant deaths of 1920 as a whole.

To do this we have to consider what the resultant death-rate would have been if the distribution of births over the eight quarters in question had been normal, since the object of the whole proceeding is to get rid of the distortion of this rate by abnormality in the distribution of these births. If births were normally distributed over the four quarters of the year in equal proportions (and equal in numbers from year to year) this could evidently be done by adding together the eight rates applying to the four quarters of the two years concerned and dividing by four, so getting an average of the combined rates for infants born in the first, second, third and fourth quarters respectively, the result in this case being 84·55. But as there is normally some slight difference between the birth-rates recorded for the four quarters of the year, the weights attaching to their respective death-rates are correspondingly different. To determine these the quarterly distribution of births during the last four years unaffected by the war, 1911–14, has been taken as the standard to which to refer the quarterly mortalities.

These were approximately in the proportion 250, 255, 255, and 240. Multiplying the mortalities into these figures and summing the products gives the result of 84·52 as the rate of infant deaths during 1920 per 1,000 corresponding births. It will be noted that it is practically the same as the average of the four quarterly rates.

A similarly close approximation has been met with for each of the ten years 1911–20, the average of the death-rates of infants born in the first, second, third and fourth quarters of the two years concerned constantly exceeding the standardized rate (84·52 in 1920) by a difference which is in all cases less than ·1 per 1,000 born.

The result is necessarily similar if we compare the average of the mortality rates for infants dying in each quarter of any year (as obtained by summing the rates for those dying in that quarter and born in the five possible quarters of birth and printed in italics in the statement above to indicate their approximate nature) with the standardized rate for the whole year, since in each case the process is one of combining the same elements—the mortalities of infants having a common quarter of birth and death—and dividing by four to get the annual rate.

In both cases it is immaterial to the practical completeness of the correspondence with the standardized rate whether the rates dealt with are for the whole of the first year of life or for any portion of it.

The method also assumes that the numbers of births are normally equal in each of the two years concerned in each case as well as being practically equal in each quarter of each year. But some such assumption has to be made if we are to get rid of the effects of the violent fluctuations in their numbers during the last few years; and in the light of the numbers recorded in Table 2 equality as between any two successive years seems obviously the normal condition to assume.

The fact that the inequality of the normal quarterly birth-rates may for practical purposes be disregarded is a matter of considerable practical convenience, as it enables us, having already, for the purpose of standardizing the total infant mortality in each year, tabulated the deaths at each week or month of age in each quarter by their two quarters of birth, to obtain comparable death-rates at each age by ascertaining and summing the two rates (for the two quarters of birth concerned) applying to each quarter of death to obtain the quarterly death-rate, and averaging these to obtain annual mortalities. The workings for each separate age period may be recorded in a tabular statement similar to that given on the preceding page for all ages under one year, but with two instead of five quarters of birth entries against each quarter of death. The annual rates have been worked out by the method of standardization described for ages 0-4 weeks, 4 weeks-3 months, 3-6, 6-9 and 9-12 months, as well as for the complete period 0-12 months. For sub-divisions of these age groups the average of the four quarterly rates has been taken. The quarterly rates shown have all been obtained by simple aggregation of the rates for the two or five quarters of birth concerned in each case. The rates for the decennium have all been obtained by the standardizing process described. This has been applied by summing the births and deaths during the quarters concerned. Thus for infants dying at each age under three months in the first quarter of each year the deaths of those taken as born during the same quarter and during the fourth quarter of the previous year respectively were summed for the ten years and related in both cases to the corresponding births, and so for other quarters of and ages at death, the complete mortalities for the first second third and fourth quarters of birth being then weighted in the proportion 250 : 255 : 255 : 240.

The results are shown in Table XX, which enables us to trace the course of mortality in each portion of the first year of life quarter by quarter throughout the past decennium without distortion due to the abnormal variations of the birth-rate. The extent of this distortion, as applying to total infant mortality, is shown by the following comparison of standardized and crude rates for each of the ten years dealt with.

TOTAL INFANT MORTALITY.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1911-20
Crude	130·1	94·8	108·4	104·6	109·7	91·2	96·5	97·2	89·1	79·9	100·4
Standardized ..	129·2	94·7	108·9	104·4	105·8	91·1	91·1	97·9	93·2	84·5	100·5

As was to be expected, the two rates are closely approximate during the four years, 1911-14, before war disturbance of the birth-rate had set in, thus proving that in ordinary times the crude rate is quite sufficient. In 1915 the first sharp fall in the birth-rate occurred, and the crude infant mortality was exaggerated in consequence. A still greater fall in the birth-rate occurred in 1917, and was accompanied by correspondingly greater exaggeration of infant mortality. Towards the close of 1919 a sharp rise occurred in the birth-rate, which was continued in 1920, infant mortality being consequently much understated for both years by the crude figures.


But a far more striking illustration of the unreliability of crude infant mortality rates during a period of rapidly fluctuating birth-rates is provided by comparison of the conventional rates for the four quarters of 1920 with those obtained by relating the deaths to the corresponding births. The figures are as follows :—

	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.
Conventional Rate	88	81	64	85	80
Corrected Rate	109	87	63	79	85

TABLE XX.—ENGLAND AND WALES.—INFANT DEATHS at VARIOUS AGES during each QUARTER of the YEARS 1911–20, per 1,000 corresponding Births.

	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.
	Under 1 Day.					1–7 Days.					1–2 Weeks.				
1911 ..	11.3	11.8	11.5	11.9	11.6	14.0	12.0	11.1	13.8	12.7	6.0	5.0	6.3	6.6	6.0
1912 ..	11.2	11.4	11.1	11.4	11.3	14.3	13.0	11.2	13.1	12.9	6.8	5.2	5.1	5.4	5.6
1913 ..	12.0	12.1	11.3	11.9	11.8	14.5	12.6	10.9	12.8	12.7	7.0	5.3	4.9	5.8	5.8
1914 ..	12.0	11.7	10.8	11.2	11.4	14.3	12.9	10.6	13.1	12.7	6.3	5.2	4.7	5.9	5.5
1915 ..	10.4	10.6	10.7	11.7	10.9	14.1	12.0	10.4	13.3	12.5	6.8	5.3	4.8	5.8	5.7
1916 ..	11.5	10.5	10.6	11.0	10.9	14.3	12.3	10.1	12.6	12.3	6.2	5.1	4.6	6.3	5.6
1917 ..	11.3	11.5	10.7	10.5	11.0	15.0	12.9	10.2	11.6	12.4	7.1	5.3	4.5	5.6	5.6
1918 ..	10.2	10.7	11.3	12.3	11.1	12.4	11.5	10.7	13.7	12.1	5.7	5.0	4.7	6.5	5.5
1919 ..	12.3	12.6	12.3	11.5	12.2	15.7	13.6	11.9	13.5	13.7	7.6	5.3	5.3	6.0	6.1
1920 ..	9.9	10.4	10.3	10.8	10.4	12.4	11.3	10.4	12.0	11.5	6.0	5.5	4.3	5.5	5.3
1911–20	11.17	11.30	11.03	11.44	11.23	14.01	12.34	10.75	12.98	12.51	6.50	5.20	4.91	5.92	5.63
	2–3 Weeks.					3–4 Weeks.					Total under 4 Weeks.				
1911 ..	5.4	4.3	7.3	6.8	6.0	4.4	3.2	5.6	4.6	4.5	41.0	36.3	41.8	43.7	40.6
1912 ..	6.5	4.7	3.9	4.8	5.0	4.9	3.3	3.2	3.5	3.7	43.8	37.4	34.5	38.1	38.4
1913 ..	6.3	4.9	5.0	5.5	5.4	4.9	3.1	3.5	3.9	3.9	44.7	37.8	35.6	40.0	39.5
1914 ..	5.8	4.4	4.6	5.2	5.0	4.5	3.5	3.7	3.8	3.9	43.0	37.6	34.4	39.2	38.5
1915 ..	6.7	4.4	3.9	5.0	5.0	4.7	3.5	2.8	3.8	3.7	42.8	35.9	32.6	39.6	37.7
1916 ..	5.6	4.4	3.8	5.6	4.9	3.8	3.2	2.7	3.9	3.4	41.4	35.4	31.7	39.5	36.9
1917 ..	6.9	4.3	3.7	4.4	4.8	4.5	3.0	2.7	3.2	3.4	44.6	37.0	31.6	35.3	37.1
1918 ..	5.6	3.9	3.8	5.0	4.6	4.2	3.1	3.0	3.4	3.4	38.0	34.0	33.3	41.0	36.6
1919 ..	6.8	4.1	3.8	4.9	4.9	5.2	2.9	2.7	3.7	3.6	47.5	38.5	35.9	39.6	40.4
1920 ..	5.8	4.9	3.3	4.2	4.6	4.3	3.3	2.4	3.2	3.3	38.4	35.4	30.8	35.7	35.0
1911–20	6.12	4.45	4.33	5.18	5.01	4.52	3.22	3.27	3.69	3.67	42.32	36.51	34.31	39.21	38.06
	4 Weeks–2 Months.					2–3 Months.					Total—4 Weeks–3 Months.				
1911 ..	12.8	8.6	19.7	14.4	13.9	9.1	5.9	19.0	9.1	10.8	21.8	14.5	38.7	23.5	24.7
1912 ..	14.3	8.8	8.1	9.8	10.3	10.0	6.0	6.0	7.8	7.5	24.5	14.8	14.2	17.5	17.7
1913 ..	14.2	8.7	11.4	12.4	11.7	9.0	6.1	9.8	9.9	8.7	23.2	14.8	21.3	22.2	20.3
1914 ..	12.9	8.3	11.7	11.1	11.0	8.9	6.3	10.1	7.8	8.3	21.8	14.7	21.8	19.0	19.3
1915 ..	14.1	8.4	9.1	11.7	10.8	9.8	6.4	7.0	8.5	7.9	23.7	14.8	16.0	20.2	18.6
1916 ..	12.0	8.2	7.9	11.6	9.9	8.2	5.6	6.1	8.3	7.1	20.2	13.8	13.9	19.9	16.9
1917 ..	13.5	7.8	7.9	10.1	9.8	9.7	5.3	6.0	7.6	7.2	23.1	13.1	13.8	17.6	16.9
1918 ..	13.1	8.7	8.5	9.8	10.0	9.1	5.6	6.6	7.2	7.1	22.3	14.3	15.2	17.0	17.1
1919 ..	16.4	6.6	7.4	9.0	9.9	10.7	4.6	5.2	6.4	6.7	27.1	11.1	12.6	15.3	16.4
1920 ..	12.8	8.9	6.4	8.7	9.2	8.8	5.8	4.5	6.3	6.4	21.7	14.8	10.9	15.0	15.5
1911–20	13.53	8.38	9.96	10.86	10.66	9.29	5.82	8.23	7.92	7.80	22.82	14.19	18.19	18.77	18.46
	3–6 Months.					6–9 Months.					9–12 Months.				
1911 ..	18.7	13.9	52.3	18.3	25.9	17.3	13.3	39.8	12.3	20.6	16.7	13.6	28.4	11.1	17.4
1912 ..	19.2	12.7	12.4	15.1	14.9	15.0	12.1	9.7	12.9	12.5	12.9	11.1	8.7	12.8	11.4
1913 ..	20.2	13.7	24.4	20.8	19.8	17.9	12.4	17.8	14.5	15.7	16.0	12.3	13.9	12.1	13.6
1914 ..	19.7	13.1	24.4	17.7	18.7	16.2	12.2	18.9	12.7	15.0	13.6	11.8	14.6	11.9	13.0
1915 ..	21.7	14.0	18.2	19.1	18.2	20.7	14.6	14.4	14.2	16.0	20.7	16.0	11.6	12.5	15.2
1916 ..	17.7	12.5	14.4	16.1	15.2	14.5	11.4	10.3	10.6	11.7	13.3	10.7	7.9	8.9	10.3
1917 ..	19.9	11.6	12.9	15.5	15.0	15.3	12.1	8.9	9.9	11.6	13.8	11.7	7.8	8.9	10.6
1918 ..	19.2	11.9	15.8	17.6	16.1	17.2	12.2	11.4	16.7	14.4	15.9	13.1	10.2	15.3	13.7
1919 ..	23.0	10.3	12.2	12.1	14.4	21.2	9.2	8.2	8.2	11.8	18.7	8.3	6.4	7.6	10.3
1920 ..	18.1	12.4	8.8	12.7	13.0	16.4	12.2	6.9	8.3	11.0	14.7	12.5	5.5	6.9	10.0
1911–20	19.69	12.70	20.01	16.59	17.24	17.10	12.25	14.97	12.03	14.09	15.58	12.20	11.84	10.77	12.61
	Total under 1 Year.														
1911	115.5	91.7	201.1	108.8	129.2					
1912	115.3	88.0	79.5	96.5	94.7					
1913	122.0	90.9	112.9	109.7	108.9					
1914	114.3	89.1	114.0	100.5	104.4					
1915	129.6	95.3	93.0	105.8	105.8					
1916	107.2	84.0	78.2	95.1	91.1					
1917	116.9	85.5	75.1	87.3	91.1					
1918	112.6	85.8	85.8	107.7	97.9					
1919	137.5	77.3	75.2	82.8	93.2					
1920	109.3	87.4	63.0	78.7	84.5					
1911–20	117.50	87.85	99.32	97.38	100.47					

DIAGRAM I.—ENGLAND AND WALES: QUARTERLY INFANT MORTALITY (PER 1,000 CORRESPONDING BIRTHS) FROM ALL CAUSES AND FROM CAUSES OTHER THAN DIARRHŒA, IN EACH YEAR, 1911–20.



The conventional rate for the first quarter understates the mortality to a ludicrous extent because it relates the deaths of infants born when the birth-rate was very low to the births of the quarter when it reached the summit of its post-war rise. In the fourth quarter we see the opposite effect, the greatly decreased births being now too few to correspond with the deaths of the numerous infants born during the high birth-rate period.

As the process used for restating the complete infant mortality during each of the ten years dealt with has provided as a by-product the rates applying, quarter by quarter, to the first year of life and to its various sub-divisions in Table XX, the opportunity arises of reviewing the reduction in the total rates during the decennium in the light of these figures.

Possibly their most striking feature is the extent to which this reduction has been confined to the second half of the calendar year. This is clearly brought out by Diagram I, in which the continuous lines refer to total infant mortality, calculated as described above. It will be seen that the considerable fall shown for the year as a whole hardly applies at all to the curve relating to the first quarter, and but slightly

to that for the second, while it is exaggerated in those for the two latter quarters. It is true that if the peak in the first quarter curve due to influenza in 1919 is disregarded some slight improvement may be discerned even here, and that until the record for 1920 was added to the second quarter curve those for the four preceding years gave more indication of decline, but compared with the other two quarters the general impression is one of very slight decline in the first and very rapid decline in the second half of the calendar year. This is well shown by the curves contrasting the results for the first and second halves of the year.

Of course, the appearance of decline in all the curves in which the deaths of the third quarter are represented is much increased by the enormous mortality from diarrhoea in 1911. If the record for that year is left out of the comparison so that the rates compared run from 1912 to 1920, in both of which years mortality from diarrhoea was almost equally low, about 8 per 1,000 births in each case, the appearance of decline both in the third quarter and in the second half of the year is very much lessened.

This fact raises the question how far the apparent difference between the two halves of the year is a simple consequence of the great lessening of diarrhoeal mortality during the last ten years. If this were the sole explanation the observation would lose most of its interest, for it would merely amount to the restatement of a familiar fact in another form. In order to decide how far mortality ascribed to diarrhoea is the explanation the rates represented by the broken lines in the diagram have been calculated by the same method as that used for total mortality.

These apply to all causes of death except diarrhoea, and it will be seen that the general impression of almost complete limitation of the movement to the second half of the year is confirmed by them, although the excesses for 1911 are now reduced to moderate dimensions. But the fact that these excesses remain well marked in all curves in which the third quarter is represented, in contrast to those in which it is not, suggests the probability that a number of deaths really due to diarrhoea in the epidemic of 1911 may have been ascribed to other causes such as, probably, convulsions and atrophy. This difficulty may be got over by restricting the period dealt with to the nine years 1912-20, a period which presents the special advantage already mentioned that the mortality ascribed to diarrhoea was almost equally low in each of its limiting years. Comparison of the rates shown in Table XXI for 1912 and for 1920 shows a decline of non-diarrhoeal mortality in the latter year of 5.4 per cent. in the first quarter, 1.2 in the second, 22.3 in the third, and 24.0 in the fourth. Practical limitation of the recent decline in infant mortality to the second half of the calendar year appears, therefore, to be a definite fact, even when the influence of diarrhoea is fully excluded.

This is hardly the place in which the significance of this unexpected result can be most appropriately discussed; but it may perhaps be remarked that it seems to raise at least two questions, first how far a decline practically confined to one half of the year can be ascribed to the result of remedial measures in operation equally throughout the whole of the year, and second, whether the decline in mortality from diarrhoea may not be related in causation to the decline in mortality during the same part of the year from other causes, and thus form, to some extent at least, but the most conspicuous example of a general tendency. It must be noted, however, that the large decline in infant mortality during the first ten years of the century was by no means limited to the first six months of the calendar year, but appears to have been fairly well distributed over the whole of it. In this case the crude rates may be taken as a sufficiently reliable guide to the course of events. Comparing 1901 with 1910 they indicate a fall of 16 per cent. in the first quarter, 23 in the second and 15 per cent. in the fourth. Comparison of the third quarters of these two years is useless on account of their very different diarrhoeal mortalities (Table XXIII) but if we compare 1902 with 1910, the diarrhoeal rates in the two years being very similar, a fall of 22 per cent. results. That for non-diarrhoeal mortality would be somewhat less. It is interesting, moreover, to find that prior to 1910 the mortality of the fourth quarter was frequently greater than that of the first.

A second point of some interest brought out by Tables XX and XXI is the extent to which infant mortality varies in inverse proportion to temperature. This is obscured to some extent in Table XX by the superposition in some years upon the curve of mortality from other causes of a secondary peak in the third quarter

TABLE XXI.—ENGLAND AND WALES.—INFANT DEATHS at VARIOUS AGES from CAUSES OTHER THAN DIARRHOEAL DISEASES during each QUARTER of the YEARS 1911–20, per 1,000 Corresponding Births.

	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year.
Under 1 Day.						1–7 Days.					1–2 Weeks.				
1911 ..	11·3	11·8	11·4	11·9	11·6	13·9	11·9	11·0	13·8	12·7	5·8	4·8	5·5	6·4	5·6
1912 ..	11·3	11·4	11·1	11·4	11·3	14·3	13·0	11·1	13·1	12·9	6·7	4·9	4·8	5·3	5·4
1913 ..	12·0	12·1	11·3	11·9	11·8	14·4	12·5	10·8	12·7	12·6	6·9	5·1	4·6	5·6	5·6
1914 ..	12·0	11·7	10·8	11·2	11·4	14·2	12·8	10·5	13·0	12·6	6·1	5·0	4·4	5·7	5·3
1915 ..	10·4	10·6	10·7	11·7	10·9	14·1	11·9	10·3	13·2	12·4	6·7	5·1	4·5	5·6	5·5
1916 ..	11·5	10·5	10·6	11·0	10·9	14·2	12·2	10·1	12·6	12·3	6·0	4·9	4·4	6·0	5·3
1917 ..	11·3	11·5	10·7	10·5	11·0	15·0	12·7	10·1	11·5	12·3	6·8	5·1	4·2	5·4	5·4
1918 ..	10·2	10·7	11·2	12·3	11·1	12·4	11·4	10·6	13·7	12·0	5·5	4·7	4·5	6·4	5·3
1919 ..	12·4	12·6	12·3	11·5	12·2	15·6	13·6	11·9	13·4	13·6	7·4	5·1	4·8	5·8	5·8
1920 ..	9·9	10·4	10·3	10·8	10·4	12·4	11·3	10·4	11·9	11·5	5·9	5·2	4·1	5·2	5·1
1911–20	11·17	11·20	11·02	11·44	11·23	13·96	12·29	10·68	12·92	12·46	6·34	5·01	4·59	5·71	5·41
2–3 Weeks.						3–4 Weeks.					Total—Under 4 Weeks.				
1911 ..	5·2	4·1	5·3	6·5	5·3	4·3	3·0	3·5	4·2	3·8	40·5	35·7	36·7	42·7	38·9
1912 ..	6·4	4·4	3·6	4·6	4·8	4·6	3·0	2·9	3·3	3·5	43·2	36·6	33·5	37·5	37·7
1913 ..	6·1	4·6	4·2	5·1	5·0	4·7	2·9	2·9	3·5	3·5	44·1	37·0	33·7	38·7	38·4
1914 ..	5·6	4·1	3·8	4·9	4·6	4·3	3·2	3·0	3·5	3·5	42·1	36·8	32·5	38·2	37·4
1915 ..	6·5	4·2	3·4	4·6	4·7	4·4	3·2	2·3	3·4	3·3	42·0	35·1	31·3	38·6	36·8
1916 ..	5·4	4·1	3·3	5·2	4·5	3·5	2·9	2·3	3·5	3·1	40·7	34·7	30·6	38·5	36·1
1917 ..	6·5	4·2	3·3	4·1	4·5	4·2	2·8	2·4	3·0	3·1	43·9	36·4	30·8	34·5	36·4
1918 ..	5·4	3·7	3·4	4·8	4·3	3·9	2·8	2·6	3·1	3·1	37·4	33·4	32·3	40·2	35·8
1919 ..	6·5	4·0	3·5	4·5	4·6	4·8	2·6	2·3	3·4	3·3	46·8	37·7	34·8	38·7	39·5
1920 ..	5·4	4·5	2·9	4·0	4·2	4·1	3·1	2·0	2·9	3·0	37·6	34·6	29·8	34·8	34·2
1911–20	5·86	4·20	3·70	4·84	4·65	4·29	2·99	2·63	3·37	3·32	41·61	35·79	32·62	38·29	37·08
4 Weeks—2 Months.						2–3 Months.					Total—4 Weeks—3 Months.				
1911 ..	11·9	7·6	9·0	12·5	10·3	8·1	5·1	6·2	7·4	6·7	20·0	12·8	15·3	20·0	17·0
1912 ..	13·4	7·9	6·7	8·8	9·2	9·2	5·3	4·6	6·7	6·5	22·5	13·2	11·3	15·5	15·6
1913 ..	13·1	7·8	7·4	9·9	9·6	8·0	5·1	5·1	7·1	6·3	21·2	12·8	12·5	16·9	15·9
1914 ..	12·0	7·6	7·6	9·4	9·2	7·8	5·4	5·2	6·2	6·2	19·8	12·9	12·8	15·6	15·3
1915 ..	13·0	7·4	6·6	9·4	9·1	8·8	5·6	4·3	6·3	6·3	21·7	12·9	10·9	15·7	15·3
1916 ..	11·0	7·3	6·1	10·0	8·6	7·3	4·9	4·1	6·6	5·7	18·2	12·1	10·2	16·6	14·3
1917 ..	12·4	7·0	5·9	8·8	8·5	8·8	4·6	3·9	6·0	5·8	21·2	11·5	9·8	14·8	14·3
1918 ..	12·3	7·9	6·5	8·9	8·9	8·4	5·0	4·1	6·1	5·9	20·7	12·9	10·6	14·9	14·8
1919 ..	15·3	5·8	5·4	7·7	8·6	9·7	4·0	3·2	5·0	5·5	25·0	9·8	8·6	12·7	14·0
1920 ..	12·0	8·1	5·1	7·4	8·2	8·1	5·1	3·2	4·6	5·3	20·1	13·2	8·2	12·0	13·4
1911–20	12·56	7·50	6·69	9·26	9·00	8·36	5·03	4·43	6·22	6·01	20·92	12·54	11·12	15·48	15·02
3–6 Months.						6–9 Months.					9–12 Months.				
1911 ..	16·8	11·8	13·1	14·0	13·9	16·1	12·1	10·1	9·5	12·0	15·9	12·7	8·8	8·9	11·6
1912 ..	17·4	11·0	8·5	12·8	12·4	14·2	11·2	7·1	11·4	11·0	12·3	10·5	6·9	11·6	10·3
1913 ..	18·2	11·4	10·3	13·7	13·4	16·6	11·0	7·9	9·7	11·3	15·2	11·4	7·1	8·6	10·6
1914 ..	17·3	11·1	10·4	13·0	13·0	15·1	11·0	8·7	9·7	11·1	12·8	11·1	7·5	9·7	10·3
1915 ..	19·7	12·1	9·4	13·0	13·6	19·6	13·5	7·7	10·2	12·8	19·9	15·2	7·1	9·7	13·0
1916 ..	15·8	11·1	8·1	12·1	11·8	13·4	10·5	6·0	8·2	9·5	12·7	10·2	5·2	7·3	8·9
1917 ..	17·9	10·0	7·0	11·9	11·7	14·3	11·2	5·6	8·0	9·8	13·2	11·1	5·4	7·5	9·3
1918 ..	17·2	10·3	8·5	15·1	12·8	16·3	11·5	6·9	15·4	12·5	15·3	12·6	7·0	14·5	12·4
1919 ..	21·4	8·8	6·2	9·0	11·4	20·4	8·4	4·6	6·4	10·0	18·1	7·9	3·9	6·1	9·0
1920 ..	16·2	10·7	5·5	9·1	10·4	15·6	11·2	4·7	6·3	9·5	14·1	11·9	4·1	5·4	8·9
1911–20	17·73	10·93	8·78	12·38	12·46	16·10	11·23	7·00	9·43	10·94	14·90	11·53	6·38	8·85	10·42
						Total—Under 1 Year.									
1911	109·3	85·1	83·9	95·1	93·4					
1912	109·5	82·6	67·4	88·9	87·1					
1913	115·3	83·7	71·4	87·6	89·5					
1914	107·2	83·1	72·0	86·2	87·1					
1915	122·9	89·0	66·1	87·3	91·3					
1916	100·7	78·6	60·2	82·7	80·6					
1917	110·4	80·1	58·6	76·7	81·5					
1918	106·9	80·7	65·2	100·1	88·2					
1919	131·5	72·6	58·0	72·9	83·8					
1920	103·6	81·6	52·4	67·6	76·3					
1911–20	111·25	82·02	65·91	84·43	85·90					

due to diarrhœa, though even here correspondence with temperature has been almost unbroken during the last six years, the first quarter providing the highest mortality, and the third the lowest in each of these years. But when diarrhœa is excluded, as in Table XXI, the correspondence becomes much more strongly marked. The winter quarter now yields the highest mortality and the summer the lowest without a single exception during the ten years, the autumn (fourth quarter) rate being higher than that of the spring (second quarter) in seven out of the ten years. The winter maximum and summer minimum apply moreover at all periods of the first year of life after the first day with very few exceptions, most of which may be explained by the epidemics of diarrhoea and of influenza. But as between the second and fourth quarters the order of mortality varies with age, the second furnishing the higher rate of the two at ages 6-9 and 9-12 months in all years except 1912 and 1918, and the fourth, with still fewer exceptions, at earlier ages (0-4 weeks, 4 weeks-3 months, and 3-6 months).

The fact that a well-marked correspondence of mortality with temperature exists so early as the first week of life is of interest as showing how early post-natal causes come into operation. It would seem that while it may be possible to lessen the mortality of the first day only by measures taken before and during birth, that of the remainder of the first week as well as at later ages, being much influenced by environment, should be susceptible of improvement by increased post-natal care. Whatever tends to protect the new-born as well as the older infant against the added risks of winter will evidently tend to reduce mortality.

Although the mortality of the first day shows little or no seasonal variation (Table XX) its curve is marked by irregular waves of increase and decrease of a duration of one to two years. Much the most marked of these commenced in the latter part of 1918 and continued throughout 1919. For four quarters in succession, the last of 1918 and the first three of 1919, this mortality was higher than in any other of the forty quarters compared. Influenza might explain the first two of these four quarterly rates, but the third was the highest of all. The same waves are clearly impressed upon the curve for the remainder of the first week, but after the second all trace of them disappears.


The age at which the influence of season produces its greatest effect may be ascertained from Table XXII, which states for the decennium as a whole the percentage of the corrected yearly rate recorded for each of the four quarters at each month of age and in the divisions of the first month dealt with. These proportions are shown both for all causes and for causes other than diarrhœa.

TABLE XXII.—SEASONAL DISTRIBUTION of INFANT MORTALITY (PER 1,000 CORRESPONDING BIRTHS), 1911-20. (QUARTERLY RATES per cent. of YEARLY RATE.)

	All Causes.				Excluding Diarrhœa.			
	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.
Under 1 day	99	101	98	102	99	101	98	102
1-7 days	112	99	86	104	112	99	86	104
1-2 weeks	115	92	87	105	117	93	85	106
2-3 "	122	89	86	103	126	90	80	104
3-4 "	123	88	89	101	129	90	79	102
0-4 "	111	96	90	103	112	97	88	103
4 weeks-2 months ..	127	79	93	102	140	83	74	103
2-3 months	119	75	106	102	139	84	74	103
3-4 "	114	72	113	100	141	85	72	103
4-5 "	112	73	119	96	141	88	71	100
5-6 "	117	76	116	91	146	92	69	93
6-7 "	120	81	110	88	148	97	66	89
7-8 "	123	88	106	83	149	104	63	83
8-9 "	121	92	102	85	144	107	63	86
9-10 "	124	96	97	83	146	111	61	82
10-11 "	121	97	94	86	141	111	61	87
11-12 "	125	97	91	86	143	110	62	86

It will be seen from the table that the seasonal variation rapidly increases throughout the first month of life, after which, if diarrhœa is excluded, the extent of the

DIAGRAM II. — ENGLAND AND WALES: SEASONAL DISTRIBUTION OF INFANT MORTALITY (PER 1,000 CORRESPONDING BIRTHS) IN THE DECENNIAL, 1911-20.



winter maximum remains almost constant, though that of the summer minimum displays some further progressive increase. If diarrhoea is included the seasonal differences are reduced in extent and made more irregular in distribution owing to its predominant effect upon the second three months of life, so comment will be limited to that portion of Table XXII, and of the corresponding Diagram II, from

which diarrhœal deaths are excluded. The striking features about the winter maximum and summer minimum are their extent and their constancy, at all ages after the first month, but the curious relation of the second and fourth quarter mortalities, to which reference has already been made, is well brought out by the diagram. For the first four months of life the mortality of the fourth quarter is slightly above the yearly average, and that of the second well below it, but after this the curve for the fourth quarter falls and that for the second rises, so that after six months their relation to each other is reversed, and for the last five months of the first year of life the second quarter deaths are above the yearly average and those of the fourth well below it.

After six months of age, therefore, the colder fourth quarter would seem to be more favourable to life than the warmer second quarter ; but it seems possible that the excess mortality at this age may be due to illness contracted in the first quarter, and that similarly some of the fatal effects of illness contracted in the fourth quarter may be deferred till the first of the succeeding year. If this be so the figures furnish no real exception to the inverse ratio of mortality to temperature, it being only necessary to suppose that the older infant fights a longer battle than the younger before succumbing to the effects of cold. And again, it is not necessary to assume that temperature alone makes all the difference. Other climatic conditions accompanying low temperature may contribute to the seasonal variation of mortality ; and the effect of season may even be to a greater or less extent indirect, if the care which infants receive is on the whole less adapted to winter than to summer conditions.

Trend of Mortality.—The following table traces the movement of infant mortality during the last 50 years, distinguishing the very fluctuating element in it due to diarrhœa, and showing in brackets the revised figures for the years 1911–20. One contributory cause of the fall in infant mortality in 1920 is the decreased proportion of illegitimate to total births in the year (page xxv.). If illegitimate births had formed 6·0 per cent. of the total for the year, as in 1919, instead of 4·7, the proportion actually experienced, the infant deaths would have been increased from 76,552 to 77,549, assuming the rates of mortality for legitimate and illegitimate infants to have remained as recorded. This would involve an increase of mortality for the year from 80 to 81 ; or rather, seeing that the proportion of illegitimate births was exceptionally high during 1917–19 owing to war reduction of the legitimate birth rate, the infant mortalities of these three years are subject to a reduction of about 1 per 1,000 births to allow for this.

TABLE XXIII.—ENGLAND AND WALES.—INFANT MORTALITY, 1871–1920, distinguishing MORTALITY from DIARRHŒAL DISEASES.

Deaths under 1 year of age per 1,000 Births.

	Diarrhœal Diseases.	Other Causes.	All Causes.		Diarrhœal Diseases.	Other Causes.	All Causes.		Diarrhœal Diseases.	Other Causes.	All Causes.
1871–75	19	134	153	1901	32	119	151	1911	36 (36)	94 (93)	130 (129)
1876–80	16	129	145	1902	15	118	133	1912	8 (8)	87 (87)	95 (95)
1881–85	14	125	139	1903	18	114	132	1913	19 (19)	89 (90)	108 (109)
1886–90	17	128	145	1904	30	115	145	1914	17 (17)	88 (87)	105 (104)
1891–95	20	131	151	1905	21	107	128	1915	15 (15)	95 (91)	110 (106)
1896–00	31	125	156	1906	31	101	132	1916	11 (10)	80 (81)	91 (91)
1901–05	23	115	138	1907	13	105	118	1917	10 (9)	86 (82)	96 (91)
1906–10	18	99	117	1908	20	100	120	1918	10 (10)	87 (88)	97 (98)
1911–15	19	91	110	1909	13	96	109	1919	9 (9)	80 (84)	89 (93)
1916–20	9	81	90	1910	13	92	105	1920	8 (9)	72 (76)	80 (85)

The remarkable absence of all tendency to decline during the nineteenth century as well as the rapidity of the fall since its close will be noted.

The rate of progress has been very different in different portions of the first year of life. Records are now available for forty years of the numbers of deaths under three months of age and at 3–6 and 6–12 months respectively. The deaths at each of these ages per 1,000 births registered and the proportions of the total infant mortality occurring at each age during these years are shown in Table XXIV, the corrected figures for the last ten years being shown in brackets.

TABLE XXIV.—ENGLAND AND WALES : AGE DISTRIBUTION of INFANT MORTALITY, 1881–1920.

	Deaths per 1,000 Births registered.						Proportion of Deaths at each age.					
	Under 4 weeks.	4 Weeks to 3 months.	Total under 3 months.	3–6 months.	6–12 months.	Total under 1 year.	Under 4 weeks.	4 Weeks to 3 months.	Total under 3 months.	3–6 months.	6–12 months.	Total under 1 year.
1881–1885 ..	—	—	67	28	44	139	—	—	484	199	317	1,000
1886–1891 ..	—	—	69	30	46	145	—	—	480	204	316	1,000
1891–1895 ..	—	—	74	31	46	151	—	—	488	207	305	1,000
1896–1900 ..	—	—	74	34	48	156	—	—	477	215	308	1,000
1901–1905 ..	—	—	70	28	40	138	—	—	505	202	293	1,000
1906–1910 ..	40	23	63	22	32	117	344	194	538	188	274	1,000
1911–1915 ..	39 (39)	20 (20)	59 (59)	20 (20)	31 (30)	110 (109)	356	185	541	180	279	1,000
1916–1920 ..	37 (37)	17 (17)	54 (54)	14 (15)	22 (23)	90 (92)	412	183	595	160	245	1,000
1905	41	25	66	25	37	128	326	194	520	193	287	1,000
1906	41	26	67	27	38	132	317	194	511	203	286	1,000
1907	42	23	65	21	32	118	346	198	544	181	275	1,000
1908	40	24	64	24	32	120	335	200	535	196	269	1,000
1909	41	20	61	19	29	109	366	187	553	177	270	1,000
1910	38	20	58	19	28	105	365	190	555	178	267	1,000
1911	40 (40)	25 (25)	65 (65)	26 (26)	39 (38)	130 (129)	313	190	503	201	296	1,000
1912	38 (38)	18 (18)	56 (56)	15 (15)	24 (24)	95 (95)	405	186	591	156	253	1,000
1913	39 (40)	20 (20)	59 (60)	20 (20)	29 (29)	108 (109)	364	188	552	182	266	1,000
1914	39 (38)	19 (19)	58 (57)	19 (19)	28 (28)	105 (104)	368	185	553	179	268	1,000
1915	38 (38)	19 (19)	57 (57)	19 (18)	34 (31)	110 (106)	346	173	519	174	307	1,000
1916	37 (37)	17 (17)	54 (54)	15 (15)	22 (22)	91 (91)	404	185	589	166	245	1,000
1917	37 (37)	17 (17)	54 (54)	16 (15)	26 (22)	96 (91)	388	181	569	167	264	1,000
1918	36 (37)	17 (17)	53 (54)	16 (16)	28 (28)	97 (98)	376	175	551	163	286	1,000
1919	40 (41)	15 (16)	55 (57)	13 (14)	21 (22)	89 (93)	446	174	620	148	232	1,000
1920	35 (35)	16 (16)	51 (51)	12 (13)	17 (21)	80 (85)	441	196	637	156	207	1,000

At each of the ages distinguished in the table, except 1–3 months, the crude mortality experienced in 1920 is lower than any previously met with, and the corrected rates are lower at all these ages. At ages over four weeks this advance continues a movement which has been making, on the whole, steady progress since the commencement of the present century. But the rate for the first four weeks, which has only during the last few years begun to show some small improvement, received a decided set back in 1919, from which it has now more than fully recovered. Even allowing for the larger proportion of illegitimate births in the preceding three years the 1920 rate is the lowest recorded, the rates for both legitimate and illegitimate infants being more favourable than those of any previous year. Tables XXXIV and XXXV show that the mortality ascribed to each of the two chief causes of death in these earliest weeks of life, premature birth and “atrophy debility and marasmus,” was exceptionally low, and this statement applies both to the first four weeks of life and to higher ages.

Distribution of Mortality.—Table XXV shows how infant mortality was distributed in 1920 between the sexes and throughout the country.

TABLE XXV.—DISTRIBUTION of the MORTALITY of INFANCY throughout ENGLAND AND WALES, 1920.

	Deaths under 1 year of age per 1,000 Births.														
	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	85	—	85	—	—	66	—	66	—	—	76	—	76
County Boroughs ..	117	91	73	97	104	89	71	55	71	79	103	81	64	84	92
Other Urban Districts ..	106	76	62	99	86	82	58	49	80	67	94	67	56	90	77
Rural Districts	96	72	57	89	76	72	54	44	70	58	84	63	51	80	67
All Areas	110	80	73	96	90	85	61	57	75	69	98	71	65	86	80

Comparison of this table with those for the nine preceding years shows that the decline in mortality is common to all classes of area, just as it is to both legitimate and illegitimate infants of both sexes. The rates are the lowest hitherto returned for each class of area, though the decline is especially great for the rural districts, which had lagged somewhat behind the towns in 1919.

For infants of both sexes jointly, the mortality varied from 103 deaths per 1,000 births in the county boroughs of the North to 51 in the rural districts of the South. This maximum and minimum form one of the most constant features of the yearly records. From 1911 onwards there has been no year in which the infant mortality of the southern rural districts was not the lowest recorded in the corresponding table for each sex, and with two trifling exceptions in 1912 and 1914 the converse statement applies to the northern county boroughs.

Table 17 compares classes of administrative areas in respect of infant mortality with distinction of cause and legitimacy. The total mortality in the urban areas as a whole exceeded that in the rural by 24 per cent. (Table XXVI), the rural districts thus regaining their customary advantage, which had been much diminished in 1919, as a result of the specially rapid decline of their rates in 1920. At all ages over three months their rates are less than two-thirds those of the towns. This advantage of the English rural districts is of the more interest because in some countries the rural rates are commonly in excess.

TABLE XXVI.—INFANT MORTALITY in URBAN DISTRICTS per cent. of that in RURAL DISTRICTS, 1911–20.

			Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 year.
1911	106	136	145	155	164	132
1912	103	123	141	145	157	122
1913	105	141	144	149	157	129
1914	106	138	150	143	149	128
1915	103	128	148	153	154	128
1916	102	133	150	151	156	125
1917	99	124	146	148	166	122
1918	104	134	152	147	158	128
1919	102	118	130	124	129	113
1920	102	134	151	153	164	124

The following table provides an analysis by age at death of the section of Table XXV referring to infants of both sexes. It shows that the excess in mortality of the North over the South and of the towns over the rural districts is shared by all the ages dealt with. In very early infancy the excess of North over South is much greater than that of town over country. The position of London at this age is, as usual, very favourable.

The excess of mortality in the North during the first four weeks over that in the South amounted indeed to no less than 39 per cent., as against 25, 32, and 24 per cent. in the three previous years, for which alone this tabulation has been carried out. It may be regarded, therefore, as a stable feature of the returns, and unless this is wholly attributable to difference in climate, which seems most unlikely in view of the low rates prevalent in Sweden and Norway, and even in Iceland, it seems to afford a clear indication that even the mortality of the first four weeks of life is largely preventable notwithstanding the small progress hitherto made in its reduction.

TABLE XXVII.—INFANT MORTALITY, 1920.—PROPORTION to that of ENGLAND and WALES (taken as 100) in various portions of the FIRST YEAR OF LIFE.

			Under 4 Weeks.	4 Weeks to 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	0-3 Months.	0-6 Months.	0-9 Months.	4 Weeks to 1 Year.	3 Months to 1 Year.	6 Months to 1 Year.
All Areas..	{	North	116	121	129	133	132	122	117	120	121	127	131	133
		Midlands ..	95	87	84	81	82	89	93	91	90	84	82	81
		South	83	86	81	77	74	82	84	83	83	81	78	76
		Wales	106	106	102	110	120	107	106	105	106	108	109	114
		England & Wales	100	100	100	100	100	100	100	100	100	100	100	100
London	{	83	104	105	105	102	95	89	93	94	104	104	104
County Boroughs.	{	North	116	133	139	145	146	129	122	125	127	139	142	145
		Midlands ..	100	103	106	98	105	102	101	102	102	103	103	101
		South	86	82	78	72	65	80	85	83	82	76	73	69
		Wales	102	99	109	110	118	105	101	103	104	107	112	114
		England & Wales	108	117	121	121	124	115	111	113	114	120	122	122
Other Urban Districts.	{	North	116	111	123	125	125	118	114	116	117	119	124	125
		Midlands ..	91	83	79	76	75	84	88	86	85	79	77	76
		South	82	71	57	51	53	70	79	74	71	60	54	52
		Wales	107	109	108	122	136	112	108	108	110	116	120	128
		England & Wales	99	93	93	93	95	96	98	97	96	93	93	94
Rural Districts.	{	North	113	95	103	108	94	106	108	107	107	100	102	102
		Midlands ..	95	72	62	63	61	79	88	83	80	66	62	62
		South	84	59	47	38	33	63	76	71	66	47	41	36
		Wales	108	106	86	87	93	100	107	103	101	94	88	90
		England & Wales	98	78	71	70	66	84	92	88	86	73	69	68

The constancy as well as the degree of the decrease in mortality from the North to the South of England is very great. When the comparison is made between districts of similar class in each case, Table XXVII affords no exception to this rule in any section of the first year, and the same statement applies to 1917-1919, for which similar tables have been published. Before 1917 the comparison can only be made for the first year of life as a whole for the six years 1911-1916, but these again afford no exception to the rule. The difference increases with age at death, the mortality of the North being double to treble that of the South for children dying at 6-12 months of age in each class of area compared.

Mortality of Separate Weeks and Months.—Tables showing infant deaths and mortality in each year from 1911 to 1916 in each of the first twelve months of life and in various portions of the first month were published in the Report for the latter year for the country at large and for the four classes of administrative areas distinguished in these reports. These tables were in continuation of the series published from 1905 to 1910, distinguishing two groups of registration counties, one mainly urban and the other mainly rural. In 1917 these tables were enlarged so as to distinguish the geographical sections of the country as well as, and in combination with, the classes of administrative areas; and Tables XXVIII and XXIX, provide the same information for 1920. Distinctions of sex and legitimacy are shown only for England and Wales as a whole, but are available for each of the populations dealt with. Some of the facts and rates applying to the illegitimate will be found on page 120. To these tables have now been added Tables XVIII and XIX, to which reference has already been made. They show, for the same age periods, the distribution over the four quarters of each of the last ten years of deaths from all causes and from diarrhoeal diseases respectively.

TABLE XXVIII.—DEATHS under ONE YEAR by WEEK and MONTH of AGE, 1920.

				Under 1 Day	1-7 Days.	Weeks.			Months.												Total under 1 Year.
						1-2	2-3	3-4	Total under 4 Weeks	4 Weeks to 2 M'nths	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	
England and Wales.	All Infants	M F P	5,647	6,489	2,908	2,567	1,881	19,492	5,352	3,606	2,777	2,217	1,887	1,772	1,706	1,521	1,365	1,309	1,195	44,199	
			4,247	4,596	2,216	1,836	1,307	14,202	3,564	2,504	2,029	1,640	1,400	1,345	1,278	1,290	1,117	1,014	970	32,353	
			9,894	11,085	5,124	4,403	3,188	33,694	8,916	6,110	4,806	3,857	3,287	3,117	2,984	2,811	2,482	2,323	2,165	76,552	
	Legitimate	M F P	5,060	6,037	2,698	2,371	1,743	17,909	4,896	3,201	2,485	1,996	1,682	1,606	1,557	1,381	1,258	1,193	1,106	40,270	
			3,790	4,249	2,054	1,684	1,201	12,978	3,224	2,222	1,805	1,466	1,243	1,190	1,162	1,142	1,034	924	875	29,265	
			8,850	10,286	4,752	4,055	2,944	30,887	8,120	5,423	4,290	3,462	2,925	2,796	2,719	2,523	2,292	2,117	1,981	69,535	
	Illegitimate	M F P	587	452	210	196	138	1,583	456	405	292	221	205	166	149	140	107	116	89	3,929	
			457	347	162	152	106	1,224	340	282	224	174	157	155	116	148	83	90	95	3,088	
			1,044	799	372	348	244	2,807	796	687	516	395	362	321	265	288	190	206	184	7,017	
All Areas.	North	3,932	4,305	2,170	1,807	1,318	13,532	3,726	2,595	2,148	1,695	1,497	1,456	1,371	1,296	1,159	1,041	991	32,507		
	Midlands	2,967	3,379	1,477	1,279	953	10,055	2,493	1,624	1,254	1,055	846	785	780	686	624	615	555	21,372		
	South	2,265	2,513	1,088	947	661	7,474	2,009	1,410	1,071	810	680	645	589	587	489	458	425	16,647		
	Wales	730	888	389	370	256	2,633	688	481	333	297	264	231	244	242	210	209	194	6,026		
London	1,043	1,134	550	466	336	3,529	1,110	847	659	486	440	423	371	382	311	297	286	9,141			
County Boroughs	North	2,081	2,317	1,234	1,009	708	7,349	2,198	1,569	1,241	990	882	837	819	763	694	605	607	18,554		
	Midlands	1,077	1,249	551	495	382	3,754	1,026	706	552	478	384	347	336	295	299	287	229	8,693		
	South	281	330	146	122	81	960	245	163	123	100	84	74	65	74	55	53	42	2,038		
	Wales	145	161	79	76	49	510	132	87	79	70	44	46	47	52	40	32	50	1,189		
	England and Wales ..	3,584	4,057	2,010	1,702	1,220	12,573	3,601	2,525	1,995	1,638	1,394	1,304	1,267	1,184	1,088	977	928	30,474		
Other Urban Districts	North	1,254	1,433	689	556	446	4,378	1,139	735	688	509	447	437	419	394	354	324	295	10,119		
	Midlands	1,084	1,247	564	451	354	3,700	917	587	474	372	296	283	279	260	205	206	221	7,800		
	South	523	583	228	203	140	1,677	409	235	175	138	97	85	105	85	82	75	66	3,229		
	Wales	368	439	216	199	130	1,352	361	253	172	148	164	140	137	131	123	129	102	3,212		
	England and Wales ..	3,229	3,702	1,697	1,409	1,070	11,107	2,826	1,810	1,509	1,167	1,004	945	940	870	764	734	684	24,360		
Rural Districts	North	597	555	247	242	164	1,805	389	291	219	196	168	182	133	139	111	112	89	3,834		
	Midlands	806	883	362	333	217	2,601	550	331	228	205	166	155	165	131	120	122	105	4,879		
	South	418	466	164	156	104	1,308	245	165	114	86	59	63	48	46	41	33	31	2,239		
	Wales	217	288	94	95	77	771	195	141	82	79	56	45	60	59	47	48	42	1,625		
	England and Wales ..	2,038	2,192	867	826	562	6,485	1,379	928	643	566	449	445	406	375	319	315	267	12,577		

TABLE XXIX.—INFANT MORTALITY by WEEK and MONTH of AGE, 1920.

				Proportion of Deaths to 1,000 Births.																		
				Under 1 Day.	1-7 Days.	Weeks.				Months.												Total under 1 Year.
						1-2	2-3	3-4	Total under 4 Weeks.	4 Weeks to 2 M'nths	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12		
England and Wales.	All Infants	M	11.50	13.21	5.92	5.23	3.83	39.69	10.91	7.34	5.66	4.52	3.84	3.61	3.47	3.10	2.78	2.67	2.43	90.02		
		F	9.10	9.85	4.75	3.93	2.80	30.43	7.64	5.36	4.35	3.51	3.00	2.88	2.74	2.76	2.39	2.17	2.08	69.31		
		P	10.33	11.57	5.35	4.60	3.33	35.18	9.31	6.38	5.02	4.03	3.43	3.25	3.12	2.93	2.59	2.43	2.26	79.93		
	Legitimate	M	10.81	12.90	5.76	5.07	3.72	38.26	10.46	6.84	5.32	4.26	3.59	3.43	3.33	2.95	2.69	2.55	2.36	86.04		
		F	8.52	9.55	4.62	3.79	2.70	29.18	7.24	5.00	4.06	3.30	2.79	2.67	2.61	2.57	2.32	2.08	1.97	65.79		
		P	9.69	11.27	5.20	4.44	3.23	33.83	8.89	5.94	4.71	3.79	3.20	3.07	2.98	2.76	2.51	2.32	2.17	76.17		
	Illegitimate	M	25.57	19.70	9.15	8.54	6.01	68.97	19.87	17.65	12.73	9.63	8.93	7.24	6.49	6.10	4.66	5.06	3.88	171.21		
		F	20.78	15.77	7.36	6.91	4.82	55.64	15.45	12.82	10.18	7.91	7.14	7.05	5.27	6.73	3.77	4.09	4.32	140.37		
		P	23.23	17.78	8.28	7.74	5.43	62.46	17.71	15.28	11.48	8.79	8.05	7.14	5.90	6.41	4.23	4.58	4.09	156.12		
	All Areas	North	11.82	12.95	6.52	5.43	3.96	40.68	11.20	7.80	6.46	5.10	4.50	4.38	4.12	3.90	3.48	3.13	2.98	97.73		
Midlands		9.88	11.25	4.92	4.26	3.17	33.48	8.30	5.41	4.17	3.51	2.82	2.61	2.60	2.28	2.08	2.05	1.85	71.16			
South		8.90	9.88	4.27	3.72	2.60	29.37	7.89	5.54	4.21	3.18	2.67	2.53	2.31	2.31	1.92	1.80	1.67	65.40			
Wales		10.39	12.63	5.53	5.26	3.64	37.45	9.79	6.84	4.74	4.23	3.76	3.29	3.47	3.44	2.99	2.97	2.76	85.73			
London		8.65	9.40	4.56	3.87	2.79	29.27	9.21	7.03	5.47	4.03	3.65	3.51	3.08	3.17	2.59	2.46	2.37	75.84			
County Boroughs	North	11.57	12.90	6.86	5.61	3.94	40.88	12.22	8.72	6.90	5.51	4.91	4.66	4.55	4.24	3.86	3.36	3.38	103.19			
	Midlands	10.08	11.69	5.16	4.64	3.58	35.15	9.61	6.61	5.17	4.48	3.60	3.25	3.15	2.76	2.80	2.69	2.14	81.41			
	South	8.87	10.41	4.60	3.85	2.55	30.28	7.72	5.14	3.88	3.15	2.65	2.33	2.05	2.33	1.73	1.67	1.32	64.25			
	Wales	10.25	11.37	5.58	5.37	3.46	36.03	9.33	6.15	5.58	4.95	3.11	3.25	3.32	3.67	2.83	2.26	3.53	84.01			
	England and Wales ..	10.78	12.20	6.05	5.12	3.67	37.82	10.83	7.60	6.00	4.93	4.19	3.92	3.81	3.56	3.27	2.94	2.79	91.66			
Other Urban Districts	North	11.68	13.33	6.42	5.18	4.15	40.76	10.60	6.84	6.41	4.74	4.16	4.07	3.90	3.67	3.30	3.02	2.75	94.22			
	Midlands	9.34	10.75	4.86	3.89	3.05	31.89	7.90	5.06	4.09	3.21	2.55	2.44	2.40	2.24	1.77	1.78	1.90	67.23			
	South	9.01	10.05	3.93	3.50	2.41	28.90	7.05	4.05	3.01	2.38	1.67	1.46	1.81	1.46	1.41	1.29	1.14	55.63			
	Wales	10.26	12.25	6.02	5.55	3.62	37.70	10.06	7.05	4.80	4.13	4.57	3.90	3.82	3.65	3.43	3.60	2.84	89.55			
	England and Wales ..	10.17	11.66	5.35	4.44	3.37	34.99	8.91	5.70	4.76	3.68	3.16	2.98	2.96	2.74	2.41	2.31	2.16	76.76			
Rural Districts	North	13.16	12.22	5.44	5.33	3.61	39.76	8.57	6.41	4.82	4.32	3.70	4.01	2.93	3.06	2.44	2.47	1.96	84.45			
	Midlands	10.39	11.39	4.67	4.29	2.80	33.54	7.09	4.27	2.94	2.64	2.14	2.00	2.13	1.69	1.55	1.57	1.35	62.91			
	South	9.45	10.54	3.71	3.52	2.35	29.57	5.54	3.73	2.58	1.94	1.33	1.42	1.08	1.04	0.93	0.75	0.70	50.61			
	Wales	10.70	14.20	4.64	4.69	3.80	38.03	9.62	6.96	4.05	3.90	2.76	2.22	2.96	2.91	2.32	2.37	2.07	80.17			
	England and Wales ..	10.87	11.69	4.62	4.41	3.00	34.59	7.36	4.95	3.42	3.02	2.40	2.37	2.17	2.00	1.71	1.68	1.42	67.09			

Table XXIX shows that the decrease of mortality from North to South is well marked from the very first day of life, the advantage at this age of the South over the Midlands being greater than in the three previous years for which alone the record is available. In each of the four years open to comparison much the highest rate for the first day has been returned by the rural districts of the North, so it seems that for some reason the birth risk is at its maximum in them. There was a similar rural excess, though not so great, in the other three sections of the country as well, and this also has been noted before, though not constantly. Probably the greater difficulty of providing an adequate midwifery service in the rural districts will provide an explanation.

Comparison of Table XXIX with its counterpart for 1919 shows that the mortality of legitimate infants has increased at all ages from four weeks to five months and decreased at all others, while that of the illegitimate has decreased at every age dealt with except the ninth month. As is usually the case more deaths of illegitimate infants occurred on the first day than during the remainder of the first week, whereas with the legitimate this ratio is reversed. Whether this difference is fully accounted for by worse conditions of confinement in the case of illegitimate births it would be difficult to say. The possibility of infanticide suggests itself, but it cannot be definitely inferred.

Mortality of Separate Counties and County Boroughs.—On pages 120–124 will be found a table, appearing for the third time in the present Report, of the deaths of infants in each administrative county, and county or metropolitan borough, distinguishing urban and rural portions of counties, detail of age, and legitimacy. The total deaths and those occurring in the first four weeks of life are also shown as ratios per 1,000 births. This table, like its predecessors, shows general adherence to the rule of increase of mortality from South to North both in the first twelve months and in the first four weeks of life.

Dealing first with the county boroughs, there is not one south of the Wash-Bristol Channel line in which the average rate of 92 for these boroughs as a whole is exceeded, whereas north of this line excess of average is the rule. Much the same applies to the mortality of the first four weeks. In Tables XXX and XXXI the county boroughs are arranged in order of mortality for the twelve months and four weeks respectively, the rate for each being shown as a percentage of that for the whole county borough population. As might be expected, the highest places in both tables are occupied for the most part by residential towns, but the position of East Ham, eighth for the mortality of the first twelve months and seventh for that of the first four weeks out of the whole 82 county boroughs, shows what results may be attained in a working-class community. This favourable position, moreover, has been maintained for each of the three years so far dealt with. The conditions here, of course, differ materially from those of the more common case where the areas of industry and residence coincide; and the habitually low rates returned by this and neighbouring residential working-class suburbs of London are of good omen for the success which may be achieved elsewhere by improvements in town planning and transport.

As in 1919 the highest rate for the whole twelve months is returned by Middlesbrough, and the rates for the towns of the North-East coast generally are high.

The variations in the mortality of illegitimate infants are naturally very much greater than for infants generally, as in the case of the smaller populations the facts are too few to yield really satisfactory rates. Still the general features of the tabulation of illegitimates are similar to those noted for all infants, but the decrease from North to South in the rates shown in the summary on page 120 is less in the case of the illegitimate, and does not apply in all cases to the first four weeks of life.

London, however, forms a notable exception. In both 1919 and 1918 its total rate for illegitimate infants was higher than that of the northern county boroughs or any of the other populations included in the summary, and in 1920 it is exceeded only by that of the northern county boroughs. Even when the conditions of comparison are made more favourable, as well as fairer, for London, by inclusion

of the " Outer Ring," this position remains unaltered. The highest rates in London were returned by Lewisham, Hackney, Kensington and Poplar, all of which lost almost one-third of their illegitimate infants before completion of the first year. It is possible, however, that the mortality of a single metropolitan borough may be seriously affected by the existence of homes for receiving these infants, though this consideration would probably tell in favour of London as a whole in comparison with the rest of the country. The London rate for the first four weeks, on the other hand, was only slightly in excess of the general average.

TABLE XXX.—INFANT MORTALITY in COUNTY BOROUGHs.—Boroughs arranged in order of Mortality, with the proportion in each per cent. of that in the County Boroughs as a whole, 1920.

Posi- tion.*	County Borough.	Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total County Bor- oughs.	Posi- tion.*	County Borough.	Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total County Bor- oughs.
	Total County Boroughs	92	100	41	Wolverhampton ..	87	95
				42	Wakefield	89	97
1	Bournemouth.. ..	45	49	43	Swansea	89	97
2	Hastings	50	54	44	Leicester	90	98
3	Southend-on-Sea ..	52	57	45	Warrington	91	99
4	Bath	53	58	46	Grimsby	92	100
5	Oxford	53	58	47	Darlington	92	100
6	Southport	54	59	48	Rochdale	92	100
7	Eastbourne	58	63	49	Bury	93	101
8	East Ham	60	65	50	Bradford	94	102
9	Canterbury	61	66	51	Tynemouth	95	103
10	Portsmouth	61	66	52	Nottingham	96	104
11	Croydon	61	66	53	Stockport	97	105
12	Great Yarmouth ..	63	68	54	Bootle	97	105
13	York	63	68	55	Kingston-upon-Hull ..	98	107
14	Gloucester	65	71	56	Manchester	98	107
15	Reading	65	71	57	Stoke-on-Trent	98	107
16	Exeter.. ..	67	73	58	Bolton	99	108
17	Brighton	68	74	59	Salford	99	108
18	Worcester	68	74	60	Halifax	99	108
19	Southampton	68	74	61	Newcastle-on-Tyne ..	100	109
20	Burton-upon-Trent ..	68	74	62	Walsall	101	110
21	Bristol.. ..	69	75	63	Preston	101	110
22	Chester	70	76	64	Rotherham	101	110
23	Ipswich	72	78	65	West Hartlepool	103	112
24	Blackpool	72	78	66	Birkenhead	103	112
25	Wallasey	72	78	67	Sunderland	104	113
26	West Ham	74	80	68	Sheffield	104	113
27	Northampton.. ..	74	80	69	Dudley	106	115
28	Norwich	75	82	70	Oldham	107	116
29	Coventry	75	82	71	Dewsbury	109	118
30	Barrow-in-Furness ..	76	83	72	West Bromwich	109	118
31	Newport (Mon.) ..	77	84	73	Blackburn	109	118
32	Derby	77	84	74	Leeds	110	120
33	Plymouth	77	84	75	Gateshead	112	122
34	Lincoln	79	86	76	St. Helens	113	123
35	Carlisle	79	86	77	Liverpool	113	123
36	Huddersfield	81	88	78	South Shields	121	132
37	Smethwick	83	90	79	Wigan	127	138
38	Birmingham	83	90	80	Burnley.. ..	129	140
39	Merthyr Tydfil	83	90	81	Barnsley	131	142
40	Cardiff.. ..	84	91	82	Middlesbrough	136	148

* The positions in this table and similar tables have been derived from rates calculated in sufficient detail to discriminate between all areas.

TABLE XXXI.—DEATHS under FOUR WEEKS of AGE per 1,000 BIRTHS in COUNTY BOROUGHs.—Boroughs arranged in order of Mortality, with the proportion in each per cent. of that in the County Boroughs as a whole, 1920.

Position.*	County Borough.	Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total County Boroughs.	Position.*	County Borough.	Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total County Boroughs.
	Total County Boroughs	38	100	41	Leicester	37	97
				42	Coventry	37	97
1	Oxford.	19	50	43	Wolverhampton	38	100
2	Canterbury	22	58	44	Northampton	38	100
3	Hastings	23	61	45	Nottingham	38	100
4	Southampton	24	63	46	Swansea	39	103
5	Southport	25	66	47	Derby	39	103
6	Portsmouth	26	68	48	Bolton	39	103
7	East Ham	26	68	49	Barrow-in-Furness	39	103
8	West Ham	28	74	50	Salford	39	103
9	Chester	28	74	51	Sheffield	39	103
10	Southend-on-Sea	29	76	52	Kingston-on-Hull	39	103
11	Bath	29	76	53	Sunderland	39	103
12	Worcester	30	79	54	Manchester	39	103
13	Croydon	30	79	55	Rotherham	40	105
14	Lincoln	31	82	56	West Hartlepool	40	105
15	Carlisle	31	82	57	Bury	41	108
16	Bournemouth	31	82	58	Huddersfield	41	108
17	York	31	82	59	Exeter	41	108
18	Norwich	32	84	60	Rochdale	42	111
19	Brighton	32	84	61	Wakefield	42	111
20	Birkenhead	33	87	62	Newcastle-on-Tyne	42	111
21	Great Yarmouth	33	87	63	West Bromwich	42	111
22	Ipswich	33	87	64	Burton-on-Trent	42	111
23	Wallasey	33	87	65	Stockport	43	113
24	Bristol	33	87	66	Stoke-on-Trent	44	116
25	Blackpool	33	87	67	St. Helens	45	118
26	Eastbourne	33	87	68	Oldham	45	118
27	Gloucester	34	89	69	Walsall	46	121
28	Merthyr Tydfil	34	89	70	Gateshead	46	121
29	Grimsby	34	89	71	Leeds	46	121
30	Warrington	34	89	72	Bradford	47	124
31	Birmingham	35	92	73	Wigan	47	124
32	Newport	35	92	74	Burnley	48	126
33	Plymouth	35	92	75	Dudley	48	126
34	Bootle	35	92	76	Preston	48	126
35	Cardiff	36	95	77	South Shields	48	126
36	Reading	36	95	78	Middlesbrough	50	132
37	Tynemouth	36	95	79	Halifax	50	132
38	Liverpool	36	95	80	Dewsbury	52	137
39	Smethwick	36	95	81	Blackburn	54	142
40	Darlington	37	97	82	Barnsley	56	147

* The positions in this table and similar tables have been derived from rates calculated in sufficient detail to discriminate between all areas.

The following tables arrange the urban and rural portions of the counties in order of their mortality at both the periods dealt with, and show the proportion in each case to that for the corresponding areas in the whole country, taken as 100.

These tables show the same increase from the South to the North of England as do those relating to the county boroughs. Durham returns the highest rates both for the first four weeks and for the twelve months for rural districts, and for urban it is exceeded only by Radnor. Its position in each of the two preceding years was much the same.

TABLE XXXII.—INFANT MORTALITY in the AGGREGATES of URBAN and of RURAL DISTRICTS in each ADMINISTRATIVE COUNTY.—Aggregates arranged in order of Mortality, with the proportion in each per cent. of that in the Urban or Rural Districts as a whole, 1920.

Position.		Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total Urban or Rural Districts.	Position.		Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total Urban or Rural Districts.
Aggregates of Urban Districts.							
	Total Urban Districts	77	100	31	Pembroke	66	86
1	Cambridge	41	53	32	Soke of Peterborough ..	67	87
2	Rutland	44	57	33	Cornwall	67	87
3	Sussex, East	45	58	34	Lincoln, Kesteven	68	88
4	Sussex, West	47	61	35	Worcester	71	92
5	Berks	47	61	36	Yorks, East Riding	72	94
6	Suffolk, West	47	61	37	Westmorland	72	94
7	Oxford	47	61	38	Leicester	73	95
8	Montgomery	49	64	39	Denbigh	73	95
9	Hertford	49	64	40	Carnarvon	75	97
10	Isle of Wight	50	65	41	Lincoln, Lindsey	77	100
11	Surrey	51	66	42	Isle of Ely	77	100
12	Norfolk	51	66	43	Chester	78	101
13	Southampton	53	69	44	Anglesey	79	103
14	Huntingdon	53	69	45	Brecknock	81	105
15	Somerset	54	70	46	Derby	84	109
16	Devon	54	70	47	Lincoln, Holland	84	109
17	Middlesex	57	74	48	Merioneth	88	114
18	Buckingham	58	75	49	Stafford	88	114
19	Cardigan	58	75	50	Flint	88	114
20	Hereford	58	75	51	Yorks, North Riding	88	114
21	Bedford	60	78	52	Monmouth	89	116
22	Gloucester	60	78	53	Nottingham	90	117
23	Kent	60	78	54	Yorks, West Riding	93	121
24	Essex	60	78	55	Glamorgan	93	121
25	Dorset	61	79	56	Lancaster	95	123
26	Wilts	61	79	57	Cumberland	98	127
27	Northampton	64	83	58	Northumberland	99	129
28	Warwick	65	84	59	Carmarthen	102	132
29	Suffolk, East	65	84	60	Durham	106	138
30	Salop	65	84	61	Radnor	129	168
Aggregates of Rural Districts.							
	Total Rural Districts ..	67	100	31	Isle of Ely	61	91
1	Middlesex	43	64	32	Westmorland	62	93
2	Surrey	44	66	33	Hereford	63	94
3	Hertford	46	69	34	Flint	64	96
4	Soke of Peterborough ..	48	72	35	Yorks, East Riding	64	96
5	Sussex, East	48	72	36	Warwick	65	97
6	Devon	48	72	37	Yorks, North Riding	65	97
7	Berks	49	73	38	Pembroke	66	99
8	Southampton	49	73	39	Lancaster	67	100
9	Bedford	49	73	40	Lincoln, Holland	67	100
10	Wilts	51	76	41	Salop	68	101
11	Sussex, West	51	76	42	Radnor	68	101
12	Worcester	52	78	43	Lincoln, Kesteven	68	101
13	Kent	52	78	44	Rutland	69	103
14	Dorset	52	78	45	Carnarvon	71	106
15	Isle of Wight	53	79	46	Lincoln, Lindsey	72	107
16	Oxford	53	79	47	Monmouth	73	109
17	Cornwall	54	81	48	Montgomery	74	110
18	Somerset	55	82	49	Huntingdon	75	112
19	Gloucester	55	82	50	Nottingham	76	113
20	Essex	55	82	51	Cumberland	79	118
21	Suffolk, West	55	82	52	Anglesey	80	119
22	Chester	55	82	53	Cardigan	80	119
23	Northampton	56	84	54	Stafford	82	122
24	Norfolk	56	84	55	Derby	82	122
25	Buckingham	57	85	56	Glamorgan	83	124
26	Suffolk, East	57	85	57	Brecknock	89	133
27	Cambridge	58	87	58	Yorks, West Riding	89	133
28	Leicester	58	87	59	Carmarthen	90	134
29	Merioneth	59	88	60	Denbigh	93	139
30	Northumberland	61	91	61	Durham	109	163

TABLE XXXIII.—DEATHS under FOUR WEEKS of AGE per 1,000 BIRTHS in the AGGREGATES of URBAN and of RURAL DISTRICTS in each ADMINISTRATIVE COUNTY.—Aggregates arranged in order of Mortality, with the proportion in each per cent. of that in the Urban or Rural Districts as a whole, 1920.

Position.		Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total Urban Districts.	Position.		Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total Urban Districts.
Aggregates of Urban Districts.							
	Total Urban Districts	35	100				
1	Cardigan	15	43	32	Dorset	31	89
2	Montgomery	17	49	33	Westmorland	31	89
3	Rutland	22	63	34	Suffolk, East	32	91
4	Sussex, East	23	66	35	Leicester	32	91
5	Hertford	24	69	36	Worcester	33	94
6	Sussex, West	25	71	37	Wilts	33	94
7	Lincoln, Holland	26	74	38	Isle of Ely	34	97
8	Somerset	27	77	39	Cornwall	34	97
9	Suffolk, West	27	77	40	Soke of Peterborough	35	100
10	Brecknock	27	77	41	Buckingham	36	103
11	Isle of Wight	27	77	42	Chester	37	106
12	Anglesey	27	77	43	Derby	37	106
13	Surrey	27	77	44	Stafford	37	106
14	Oxford	28	80	45	Monmouth	37	106
15	Cambridge	28	80	46	Yorks, North Riding	38	109
16	Berks	28	80	47	Northampton	38	109
17	Hereford	28	80	48	Denbigh	38	109
18	Devon	28	80	49	Nottingham	39	111
19	Southampton	28	80	50	Glamorgan	39	111
20	Salop	28	80	51	Yorks, West Riding	40	114
21	Norfolk	29	83	52	Cumberland	40	114
22	Middlesex	29	83	53	Yorks, East Riding	41	117
23	Carnarvon	29	83	54	Lincoln, Kesteven	41	117
24	Gloucester	29	83	55	Merioneth	41	117
25	Pembroke	29	83	56	Lancaster	41	117
26	Kent	30	86	57	Carmarthen	41	117
27	Bedford	30	86	58	Northumberland	42	120
28	Essex	31	89	59	Flint	45	129
29	Lincoln, Lindsey	31	89	60	Durham	45	129
30	Huntingdon	31	89	61	Radnor	86	246
31	Warwick	31	89				
Aggregates of Rural Districts.							
	Total Rural Districts	35	100				
1	Middlesex	21	60	32	Salop	33	94
2	Worcester	25	71	33	Isle of Wight	33	94
3	Soke of Peterborough	26	74	34	Cambridge	33	94
4	Flint	27	77	35	Leicester	34	97
5	Berks	27	77	36	Monmouth	34	97
6	Devon	28	80	37	Northants	34	97
7	Hertford	28	80	38	Hereford	35	100
8	Surrey	29	83	39	Lincoln, Holland	35	100
9	Somerset	29	83	40	Westmorland	35	100
10	Sussex, East	29	83	41	Lincoln, Kesteven	36	103
11	Kent	29	83	42	Carnarvon	36	103
12	Warwick	29	83	43	Rutland	36	103
13	Cardigan	30	86	44	Northumberland	37	106
14	Southampton	30	86	45	Yorks, West Riding	37	106
15	Chester	30	86	46	Nottingham	37	106
16	Merioneth	30	86	47	Suffolk, West	38	109
17	Gloucester	31	89	48	Derby	38	109
18	Cornwall	31	89	49	Glamorgan	38	109
19	Oxford	31	89	50	Cumberland	38	109
20	Essex	31	89	51	Stafford	39	111
21	Wilts	31	89	52	Huntingdon	40	114
22	Lancaster	31	89	53	Radnor	40	114
23	Bedford	32	91	54	Yorks, North Riding	40	114
24	Dorset	32	91	55	Carmarthen	42	120
25	Norfolk	32	91	56	Denbigh	43	123
26	Yorks, East Riding	32	91	57	Montgomery	43	123
27	Sussex, West	33	94	58	Lincoln, Lindsey	44	126
28	Isle of Ely	33	94	59	Brecknock	44	126
29	Buckingham	33	94	60	Anglesey	49	140
30	Suffolk, East	33	94	61	Durham	50	143
31	Pembroke	33	94				

Causes of Infant Mortality.—Table XXXIV compares the death-rates recorded in Table 16 for the chief causes of death in infancy with those of the previous year and of 1911–14, which have been taken as representing the most recent pre-war experience. As will be seen from the revised rates shown in Table XXIV the comparison of these crude rates with 1911–14 is somewhat more favourable than the facts of the case can justify, the reduction being overstated, mainly at the later ages, by about one-sixth. But the comparison with 1919 may be taken practically at its face value, for the crude mortality of both years is understated to a very similar extent. This, however, applies only to the columns relating to the mortality of the whole twelve months and to that of the first four weeks. At other ages the changes in the crude rates are very misleading. The comparison of mortality from all causes with that of 1919 when based on the revised figures in Table XX contrasts as follows with that shown in the lower section of Table XXXIV.

INCREASE or DECREASE of INFANT MORTALITY in 1920 per cent. of that in 1919.

	Under 4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Under 1 year.
Crude	– 12	+ 1	– 5	– 15	– 25	– 10
Revised	– 13	– 5	– 10	– 7	– 3	– 9

Throughout the greater portion of the year the crude rates are so misleading that their comparison is useless, and comment will, therefore, be restricted to those for the whole twelve months.

The decline in mortality is widely shared by all the chief causes of death in infancy except the infectious diseases. In their case there has been, as was to be anticipated, some reaction from the unprecedentedly low level attained in 1919, but Table 12 shows that the death-rates (at ages under 15 years) from measles and whooping cough have only twice been lower than in 1920.

TABLE XXXIV.—ENGLAND AND WALES, 1920.—INCREASE or DECREASE of INFANT MORTALITY as compared with 1911–14 and with 1919.

	Under 4 weeks.		4 weeks–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1911–14	1919	1911–14	1919	1911–14	1919	1911–14	1919	1911–14	1919	1911–14	1919
Amount.												
Whooping cough	–0.02	+0.05	–0.28	+0.18	–0.89	+0.15	–0.47	+0.20	–0.58	+0.15	–1.74	+0.73
Other common infectious diseases ..	—	+0.02	+0.01	+0.02	–0.03	+0.08	–0.30	+0.28	–0.78	+0.32	–1.10	+0.72
Influenza	+0.01	–0.06	+0.05	–0.16	+0.09	–0.39	+0.08	–0.53	+0.06	–0.65	+0.29	–1.79
Diarrhoea and enteritis	–0.33	+0.01	–2.42	–0.16	–4.08	–0.14	–3.11	–0.16	–2.27	–0.29	–12.21	–0.74
Premature birth	–1.68	–3.57	–0.10	–0.05	–0.03	–0.01	–0.01	–0.01	+0.01	+0.02	–1.81	–3.62
Congenital defects	+0.14	–0.06	+0.03	+0.05	—	+0.07	—	+0.03	–0.04	–0.03	+0.13	+0.06
Atrophy debility and marasmus ..	–1.77	–1.01	–1.33	–0.34	–0.97	–0.04	–0.50	–0.06	–0.32	–0.03	–4.89	–1.48
Developmental and wasting diseases ..	–3.31	–4.64	–1.40	–0.34	–1.00	+0.02	–0.51	–0.04	–0.35	–0.04	–6.57	–5.04
Tuberculous diseases	–0.01	–0.01	–0.20	–0.02	–0.50	–0.03	–0.50	—	–0.45	–0.08	–1.66	–0.14
Convulsions	–0.70	–0.14	–0.73	–0.13	–0.80	–0.14	–0.60	–0.13	–0.42	–0.18	–3.25	–0.72
Bronchitis and pneumonia	+0.35	+0.36	+0.66	+0.88	–0.01	–0.17	–0.72	–1.19	–1.23	–1.39	–0.95	–1.51
Suffocation, overlying	–0.18	–0.04	–0.37	–0.03	–0.21	–0.05	–0.03	–0.01	–0.02	–0.01	–0.81	–0.14
Other Causes	+0.12	–0.16	–0.16	–0.04	–0.47	–0.05	–0.50	–0.05	–0.58	–0.27	–1.59	–0.57
All causes	–4.07	–4.61	–4.84	+0.20	–7.40	–0.72	–6.66	–1.63	–6.62	–2.44	–29.59	–9.20
Percentage.												
Whooping cough	–18	+125	–37	+60	–41	+38	–44	+49	–53	+41	–44	+48
Other common infectious diseases ..	—	+100	+13	+29	–14	+73	–32	+78	–44	+48	–36	+59
Influenza	+25	–55	+83	–59	+150	–72	+133	–75	+150	–87	+112	–76
Diarrhoea and enteritis	–28	+1	–52	–7	–61	–5	–68	–10	–73	–25	–60	–8
Premature birth	–9	–18	–6	–3	–15	–6	–33	–33	+100	+300	–9	–17
Congenital defects	+4	–1	+4	+6	—	+23	—	+21	–36	–30	+2	+1
Atrophy debility and marasmus ..	–25	–16	–39	–14	–48	–4	–62	–16	–74	–21	–36	–14
Developmental and wasting diseases ..	–11	–15	–24	–7	–38	+1	–50	–7	–64	–17	–17	–13
Tuberculous diseases	–25	–25	–53	–10	–56	–7	–53	—	–52	–16	–53	–9
Convulsions	–21	–5	–36	–9	–49	–14	–53	–19	–55	–35	–37	–11
Bronchitis and pneumonia	+24	+25	+17	+24	–0	–4	–16	–24	–29	–32	–5	–8
Suffocation, overlying	–28	–12	–65	–13	–70	–36	–50	–25	–100	–100	–57	–18
Other causes	+3	–4	–7	–2	–21	–3	–29	–4	40	–24	–14	–6
All causes	–10	–12	–24	+1	–37	–5	–42	–15	–48	–25	–27	–10

The largest declines are shown by premature birth and atrophy debility and marasmus, the excessive mortality of the first four weeks of life in 1919 having disappeared. Bronchitis and pneumonia also exhibit an appreciable fall, notwithstanding the rise shown by whooping cough and measles. But the decline of the rates for the respiratory diseases is very small when comparison is made with 1911-14. This accords with what has been said on page xxxiv as to absence of improvement during the first six months of the year, mortality from these causes being highest in the first quarter. Almost half the infant deaths from bronchitis and pneumonia occur in the first quarter, and almost a quarter of them in the second. And as this mortality falls much later in infancy than that from all causes there can be no doubt, in view of the comparison above made of crude and revised figures of decline at various ages, that the real fall is much less than 5 per cent. Possibly there has been none at all, and for the same reason the fall as compared with 1919 also may be largely or even wholly illusory.

Other causes included in Table 15 and calling for comment are tuberculosis, meningitis, convulsions, diarrhoea, syphilis, rickets and overlying. The fall in infant mortality attributed to tubercle is so rapid and continuous that this disease is ceasing to be an important contributor to the death-rate. For each of the subdivisions distinguished in Table 15 this is the third year in succession recording a death-rate below that of any previous year, and for tubercle as a whole the mortality is now only 30 per cent. of that of fifteen years ago. Meningitis and convulsions also have established new low records of mortality for the third successive year. Mortality from diarrhoea was lower than in any previous year except 1912, when the rate (corrected as well as crude) was fractionally lower. The summers of both years were cool and wet. Mortality from syphilis, which rapidly increased with the war to a maximum in 1917, has declined continuously since, though it has not even yet quite regained its customary pre-war level. Rickets is another cause of death exhibiting rapid decline, each of the last three years having set up a new low record. The rate now is little more than one-third of that fifteen years ago. Deaths from overlying have diminished very rapidly since the commencement of the war, and each of the last three years has reached a lower level than any previous one. The mortality attributed to this cause is little more than one-third of that of fifteen years ago. Of course in all these cases the question arises how far the fall recorded is a real one, but in the absence of information as to this all that can be done is to point out the changes taking place as regards deaths returned under each heading.

TABLE XXXV.—ENGLAND AND WALES.—DEATHS of CHILDREN under ONE YEAR OF AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS 1901-1920.

	Sex.	Proportion of Deaths to 1,000 Births of each Sex.								
		1901-1905.	1906-1910.	1911-1915.	1916-1920.	1916.	1917.	1918.	1919.	1920.
Premature birth (151A) .. {	M.	22.4	22.0	21.7	21.2	20.6	21.0	21.9	23.6	19.8
	F.	18.1	17.8	17.6	17.3	16.6	17.1	17.6	19.6	16.3
	P.	20.2	19.9	19.7	19.3	18.6	19.1	19.8	21.7	18.1
Congenital defects (150 and 152B). {	M.	6.4	7.3	6.2	6.2	6.4	6.4	5.6	6.2	6.2
	F.	5.0	5.9	4.9	5.0	5.1	5.4	4.6	4.9	5.0
	P.	5.7	6.6	5.6	5.6	5.8	5.9	5.1	5.6	5.6
Atrophy Debility and Marasmus (151 B-E). {	M.	20.8	17.5	15.3	11.9	13.0	13.0	11.9	11.8	10.3
	F.	16.6	13.7	11.6	8.8	9.4	10.1	9.2	8.7	7.2
	P.	18.7	15.6	13.5	10.4	11.2	11.6	10.6	10.3	8.8
Total: Developmental and Wasting diseases. {	M.	49.6	46.8	43.2	39.3	40.0	40.4	39.4	41.6	36.3
	F.	39.7	37.4	34.1	31.1	31.1	32.5	31.5	33.2	28.5
	P.	44.6	42.1	38.8	35.3	35.6	36.6	35.5	37.5	32.5

Table XXXV, which is continued from previous reports, shows that the set-back in mortality from developmental and wasting diseases which occurred in 1919

has given place to a considerable further fall, bringing the rate down to the lowest level noted in the table. The rapid abandonment of atrophy debility and marasmus as forms of return, doubtless mainly in favour of more definite assignments, continues.

Table XXXVI, which contrasts the mortality of male with that of female and of legitimate with that of illegitimate infants, shows that the mortality of males was 30 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males, which was higher than in any of the nine preceding years, was greatest at 1-3 months. All these features of the table—excess in male mortality of about 25 per cent. or a little more from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with remarkable constancy from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past fifteen years. The excess in mortality of illegitimate children varied greatly for different causes of death. It was comparatively slight for whooping cough and congenital defects, but heavy for diarrhoea and for atrophy etc. These are all very constant features of this table.

TABLE XXXVI.—ENGLAND AND WALES, 1920: INFANT MORTALITY by SEX and LEGITIMACY.

		Deaths per 1,000 Births.						Mortality per cent.				
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.	
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.
All causes.	Under four weeks	39·69	30·43	38·26	29·18	68·97	55·64	130	131	124	180	191
	4 weeks-3 months	18·25	13·00	17·30	12·24	37·52	28·27	140	141	133	217	231
	3-6 months ..	14·02	10·86	13·17	10·15	31·29	25·23	129	130	124	238	249
	6-9 „ ..	10·18	8·38	9·71	7·85	19·83	19·05	121	124	104	204	243
	9-12 „ ..	7·88	6·64	7·60	6·37	13·60	12·18	119	119	112	179	191
	Total under 1 year	90·02	69·31	86·04	65·79	171·21	140·37	130	131	122	199	213
All ages under one year.	Whooping cough	2·05	2·45	2·01	2·41	2·92	3·41	84	83	86	145	141
	Other common infectious diseases	2·08	1·82	2·01	1·76	3·58	3·19	114	114	112	178	181
	Influenza ..	0·64	0·46	0·65	0·45	0·52	0·64	139	144	81	80	142
	Diarrhoea and enteritis.	9·25	6·64	8·60	6·05	22·62	18·55	139	142	122	263	307
	Premature birth..	19·79	16·25	19·24	15·59	30·98	29·64	122	123	105	161	190
	Congenital defects	6·16	5·04	6·12	4·97	7·19	6·63	122	123	108	117	133
	Atrophy debility and marasmus.	10·30	7·23	9·60	6·76	24·58	16·82	142	142	146	256	249
	Developmental and wasting diseases.	36·25	28·52	34·96	27·32	62·75	53·09	127	128	118	179	194
	Tuberculous diseases	1·66	1·26	1·60	1·17	3·05	2·95	132	137	103	191	252
	Convulsions ..	6·37	4·75	6·16	4·57	10·55	8·59	134	135	123	171	188
	Bronchitis and pneumonia	19·81	14·80	19·35	14·43	29·19	22·27	134	134	131	151	154
	Other causes ..	11·91	8·61	10·70	7·63	36·03	27·68	138	140	130	337	363
	All causes ..	90·02	69·31	86·04	65·79	171·21	140·37	130	131	122	199	213

Distribution throughout the country of mortality from various causes.—Table XXXVII, which is derived from Table 18, furnishes an analysis by cause of the differences in total mortality under one year of age shown in Table XXV. Table 18 having been first prepared for 1917, the results for three years only are available for comparison.

The greatest departures from the average mortality of the whole country in these tables are furnished by the county boroughs of the North, with excesses under every cause distinguished, aggregating to 23·26 deaths per 1,000 births; and by the rural and urban districts of the South, which hold advantages under every head except injury at birth aggregating to 29·32 and 24·30 per 1,000 births respectively.

In each of these three cases the first place in order of numerical importance amongst the causes of death accounting for the differences is occupied by bronchitis and pneumonia and the second by diarrhoea and enteritis, the two former being treated as one cause on account of the interchangeability of certification between them. All of these statements apply equally to 1917–1919, except that in 1917 the order of importance of the two principal causes accounting for the differences was reversed, diarrhoea coming first and the respiratory diseases second.

TABLE XXXVII.—COMPARISON OF INFANT MORTALITY from the PRINCIPAL CAUSES in VARIOUS AREAS, 1920.

		Measles.	Whooping Cough.	Other Infectious Diseases.	Tuberculosis, all forms.	Diarrhoea and Enteritis.	Convulsions.	Bronchitis and Pneumonia.	Syphilis.	Suffocation, Overlying.	Injury at Birth.	Congenital Malformations.	Premature Birth.	Atrophy and Marasmus.	Other Causes.	All Causes.
Differences from Rates for England and Wales per 100,000 Births.																
All Areas	North	+ 33	+ 13	+ 5	+ 28	+324	+203	+529	+ 46	- 2	+ 14	+ 26	+262	+145	+154	+ 1780
	Midlands	- 27	- 21	- 6	- 9	-207	-100	-290	- 29	- 7	- 7	- 4	- 35	- 27	-116	- 877
	South	- 34	+ 9	+ 1	- 17	-167	-283	-380	- 14	+ 18	- 9	- 32	-265	-175	-105	-1,453
	Wales	+ 85	- 10	+ 10	- 33	- 47	+496	+101	- 49	- 28	- 11	- 19	-124	+ 70	+139	+ 580
London		+ 42	+ 64	+ 21	+ 5	+100	-311	+ 90	+ 1	+ 28	- 33	- 24	-274	-108	- 10	- 409
County Boroughs	North	+ 37	+ 41	+ 16	+ 30	+429	+211	+759	+111	+ 17	+ 8	+ 32	+315	+129	+191	+2,326
	Midlands	- 25	- 16	- 12	- 15	- 9	-108	- 72	+ 8	+ 18	+ 1	- 15	-141	- 39	- 53	- 148
	South	- 59	- 61	- 23	- 21	-221	-463	+ 35	+ 39	- 2	- 68	-186	-256	- 58	- 158	-1,568
	Wales	+116	- 62	+ 6	- 76	+ 22	+247	+284	+ 82	- 20	- 37	-101	+ 3	-230	+174	+ 408
England and Wales		+ 27	+ 9	+ 11	+ 16	+215	+ 69	+402	+ 69	+ 18	+ 3	+ 1	+198	+ 48	+ 87	+1,173
Other Urban Districts	North	+ 41	- 4	- 9	+ 8	+247	+191	+379	- 18	- 25	+ 13	+ 41	+214	+193	+118	+1,429
	Midlands	- 50	- 34	- 12	- 8	-284	- 93	-360	- 16	- 21	- 9	- 3	-149	- 86	-175	-1,270
	South	-112	- 13	- 9	- 15	-385	-284	-807	- 25	+ 7	- 9	- 50	-304	-251	-181	-2,430
	Wales	+158	+ 37	+ 18	- 19	+ 24	+366	+198	- 76	- 26	- 2	+ 30	-125	+162	+ 79	+ 962
England and Wales		- 7	- 12	- 6	- 6	- 80	+ 36	-130	- 25	- 18	+ 2	+ 9	- 51	+ 6	- 47	- 317
Rural Districts	North	- 1	- 58	- 4	- 28	+ 94	+197	- 21	- 61	- 25	+ 41	- 33	+161	+ 91	+ 99	+ 452
	Midlands	- 67	- 8	- 28	- 45	-421	- 99	-686	- 99	- 18	+ 15	+ 31	-109	- 29	-109	-1,702
	South	-122	- 60	- 23	- 66	-570	-248	-1041	- 74	- 8	+ 29	- 3	-202	-298	-298	-2,932
	Wales	- 66	- 57	- 1	- 29	-221	+656	-197	- 92	- 37	- 9	- 50	-212	+117	+222	+ 24
England and Wales		- 64	- 38	- 18	- 44	-310	+ 19	-556	- 83	- 19	+ 10	- 1	- 87	- 25	- 68	-1,284
Rates per cent. of those for England and Wales.																
All Areas	North	121	106	114	119	141	136	130	130	97	111	106	115	116	117	122
	Midlands	83	91	83	94	74	82	83	81	89	94	101	98	97	87	89
	South	79	104	103	88	79	49	78	91	129	93	92	85	80	88	82
	Wales	153	96	129	78	94	189	106	68	55	91	95	93	108	115	107
London		126	128	160	103	113	44	105	101	145	73	94	85	88	99	95
County Boroughs	North	123	118	146	120	154	138	144	174	127	107	108	117	115	121	129
	Midlands	116	93	134	110	101	81	104	105	129	101	96	108	104	94	102
	South	63	73	34	86	72	60	73	123	163	98	83	90	71	94	80
	Wales	173	72	117	48	103	144	116	154	68	70	75	100	74	119	105
England and Wales		117	104	131	111	127	112	123	146	129	102	100	111	105	110	115
Other Urban Districts	North	126	98	74	133	131	134	122	88	60	111	110	112	122	113	118
	Midlands	69	85	77	95	67	83	79	89	66	93	101	92	90	81	84
	South	30	94	74	83	52	49	54	83	111	107	88	83	71	80	70
	Wales	199	116	151	87	103	190	111	50	58	98	107	93	118	109	112
England and Wales		96	95	83	104	90	106	93	83	71	102	102	97	101	95	96
Rural Districts	North	99	74	89	81	112	135	99	60	60	134	92	109	110	111	106
	Midlands	58	96	20	69	47	82	61	34	71	88	108	94	97	88	79
	South	24	73	34	55	29	56	40	51	87	124	99	86	77	67	63
	Wales	59	75	97	80	72	218	89	39	40	93	88	88	113	124	100
England and Wales		60	83	49	70	61	103	68	45	69	108	100	95	97	93	84

The favourable experience of the Midlands applies to almost every cause shown, but is chiefly due to bronchitis and pneumonia, diarrhoea, and convulsions. The South records numerically unimportant excesses from whooping cough and overlying, but the great advantage held by it as regards bronchitis and pneumonia, convulsions, premature birth, atrophy, and diarrhoea reduces its total mortality to a figure much below that of any other part of the country. If London is excluded from the comparison, the experience of the South is much more favourable, mainly in consequence of rather high mortality in London from diarrhoea and infectious and respiratory diseases. The London diarrhoeal mortality, exceeded in 1920 by that of the towns, large and small, of the North, was the highest of all in the corresponding tables for 1917–1919. The principal feature of the Welsh figures is, as usual, the enormous excess of mortality from convulsions.

Turning now to the lower section of Table XXXVII we find that the mortality ascribed to convulsions is nearly four times as heavy in Wales as in the South of

England, while that in the North is nearly three times as great. The probable unreality of these differences, which were of very similar dimensions in the corresponding tables for 1917-1919, was pointed out in the Report for 1917, where the low rates of mortality from tubercle and overlying in Wales were also commented upon. The low Welsh mortality from syphilis is also a feature in all four tables, and generally speaking the differences brought out appear to be very constant.

The causes of death accounting for the differences in the mortality of the first four weeks of life (Table XXIX, also pages xlv-xlvii and 120-4) may now be referred to. They are chiefly premature birth, atrophy debility and marasmus, and convulsions, and in minor degree, bronchitis, diarrhoea, and congenital malformations. The departure, both absolutely and proportionally, in the case of each population dealt with in Table 18 from the average mortality of England and Wales from the first three of these causes is shown in the following table :—

TABLE XXXVIII.—COMPARISON OF MORTALITY (DEATHS per 100,000 BIRTHS) of the FIRST FOUR WEEKS of LIFE, 1920.

		Differences from Rates for England and Wales.					Rates per cent. of those for England and Wales.				
		Convulsions.	Premature Birth.	Atrophy Debility and Marasmus.	Other Causes.	All Causes.	Convulsions.	Premature Birth.	Atrophy Debility and Marasmus.	Other Causes.	All Causes.
All Areas.	North	+ 85	+236	+ 89	+140	+550	133	114	117	113	116
	Midlands ..	- 46	- 23	- 2	- 99	-170	82	99	100	91	95
	South	-118	-251	-143	- 69	-581	54	85	73	94	83
	Wales	+245	-111	+103	- 10	+227	196	93	120	99	106
London..	-121	-283	-180	- 7	-591	53	83	66	99	83
County Boroughs.	North	+ 82	+283	+ 10	+195	+570	132	117	102	118	116
	Midlands ..	- 62	+127	- 22	- 46	- 3	76	108	96	96	100
	South	- 86	-186	-177	- 41	-490	66	89	66	96	86
	Wales	+154	+ 11	- 78	- 2	+ 85	160	101	85	100	102
	England and Wales	+ 23	+177	- 22	+ 86	+264	109	111	96	108	108
Other Urban Districts.	North	+ 76	+181	+191	+110	+558	130	111	136	110	116
	Midlands ..	- 46	-117	- 30	-136	-329	82	93	94	88	91
	South	-130	-260	-120	-118	-628	49	84	77	89	82
	Wales	+212	-122	+183	- 21	+252	183	93	135	98	107
	England and Wales	+ 10	- 41	+ 52	- 40	- 19	104	97	110	96	99
Rural Districts.	North	+109	+175	+158	+ 16	+458	143	111	130	101	113
	Midlands ..	- 26	- 89	+ 68	-117	-164	90	95	113	89	95
	South	-113	-200	- 50	-198	-561	56	88	90	82	84
	Wales	+365	-176	+ 88	+ 8	+285	243	89	117	101	108
	England and Wales	+ 28	- 61	+ 65	- 91	- 59	111	96	112	92	98

The excess of North over South was greatest in 1920 in the smaller towns, whereas in each of the three previous years for which comparison can be made it had been greatest in the rural districts, where in 1920 it was least. This is mainly due to a notable decrease in the Northern rural districts, which, after furnishing the highest of the Northern rates in the three previous years, now return the lowest.

It will be seen that each of the causes specified in the table contributes to the excess mortality of the North and to the favourable position of the South, and that this holds good for each class of area in both cases.

In proportion to the mortality attributed to it convulsions is the chief contributor of these three causes to the difference. While its share in the mortality of the whole country is seven per cent. it accounts for 18 per cent. of the difference between North and South. Atrophy, with a share of 15 per cent. in mortality, accounts for 21 per cent. of the difference; and prematurity, to which 46 per cent. of the total mortality was attributed, for 43 per cent.

As in previous years the Northern rural mortality from injury at birth is especially high (Table 18), though the excess over the general average is only 33 per cent., whereas in 1919 it was no less than 72 per cent. Northern mortality from this cause is high also in other classes of area, as is also rural mortality in general, though the excess in the latter case is less. The London rate from this cause has steadily declined from 143, the highest returned, in 1916 to 86 in 1920.

The enormous excess of mortality attributed to convulsions in Wales is a constant feature of the table, but it is greater in 1920 in the smaller towns and much greater in the rural districts than in any of the three preceding years. Whereas this form of return is rapidly passing out of use in the country at large, a higher mortality, 6·2 per 1,000 births, was attributed to it in the Welsh rural districts in 1920 than in any of the three previous years.

As in the three previous years mortality attributed to syphilis is in considerable excess in the North, and that to overlying in the South (Table 18).

Mortality in the Quinquennium 1916–20.—Special Tables (Nos. 19–21) relating to the infant mortality of the quinquennium 1916–20 will be found on pages 52–59. The last of the three compares the mortality of this quinquennium with that of the preceding one, published in the Report for 1915, and with that of the previous decennium, distinguishing three groups of ages and the chief causes of death in infancy.

The features of this table (No. 21) correspond in general with those already noted in dealing with the records of the year. The principal causes showing decline for the whole first year of life, and the extent of this per cent. of the earliest of the three periods compared (1901–10), are as follows:—tuberculosis, 61 (tuberculous meningitis, 44; abdominal tuberculosis, 72; other tuberculous diseases, 63); diarrhoea and enteritis, 54; overlying, 53; convulsions, 52; erysipelas, 50; meningitis (not tuberculous), 47; rickets, 44; atrophy debility and marasmus, 39; whooping cough, 39; diphtheria and croup, 35; measles, 31; gastritis, 28; bronchitis, 23; congenital malformations, 13; premature birth, 4; and pneumonia, 4; while three show increases as follows:—atelectasis, 3; injury at birth, 35; syphilis, 38. It seems impossible, however, to say whether any significance attaches to these increases in view of the great reductions under the less definite forms of return. Syphilis may well be less concealed now than formerly under such terms as atrophy, but injury at birth might perhaps have been expected to have been less subject to evasion. The chief increase from syphilis, on the other hand, is shown for 1916–20, when there is evidence that for a time at least there was some increase in mortality from this cause, particularly in 1917 (Table 15).

If the causes are arranged in accordance with the importance of their several contributions to the total decline their order naturally is very different. The chief are as follows, with the decline in deaths per thousand births in each case:—diarrhoea, 11·13; convulsions, 7·35; atrophy debility and marasmus, 6·71; tubercle, 3·17; bronchitis, 2·35; whooping cough, 1·90; meningitis (not tuberculous), 0·94; overlying, 0·92; measles, 0·80; premature birth, 0·76; congenital malformations, 0·59; gastritis, 0·55; pneumonia (all forms), 0·42, and all other causes jointly, 0·02.

The very much smaller decline in mortality attributed to pneumonia than to bronchitis—4 per cent. as against 23—may be noted in association with the fact that the bronchitis pneumonia ratio is regularly lower for London than for any of the other populations dealt with in Table 18. There is evidently a tendency, following London's lead, to reduce the proportion of such deaths returned as bronchitis. For the two causes jointly the reduction is only 13 per cent., which is much less than for any other cause at all comparable in numerical importance except premature birth. This seems significant as an indication where further improvement may be sought. (Cf. page xlix.)

A table similar to No. 21, published in the Report for 1915, enables the comparison to be carried back cause by cause to the decade 1891–1900, so that the share of each cause in the total decline in infant mortality, which set in after that period, may be gauged. But in this case the impossibility of allowing for certain changes in classification, dating from about 1901, makes the comparison less precise; and in any case the constant transfer, which still continues, of death assignments from less to more definite headings, makes it impossible to measure precisely the extent

of the decline in any instance. But we can be certain that as returned for the more definite causes it is in most cases much understated.

Mortality at ages over one year.—In the absence of estimates of the ages of the population in the various sections of the country, the tables in the reports for the years 1911–14 showing mortality at different ages and standardized mortality at all ages by sex for the different classes of areas, urban and rural, cannot be included for 1920. Table XXXIX, however, gives the crude and standardized rates for sexes and persons for the whole country, as well as the mortality per million living at different ages, for 1919 and 1920, and, in order to provide means of comparison with the most recent pre-war experience, for 1911–14. Males aged 15–45 have had again to be dealt with as forming a single large age group in preparing the figures for 1919 and 1920.

TABLE XXXIX.—ENGLAND AND WALES : MORTALITY from ALL CAUSES per MILLION POPULATION, 1911–1914, 1919, and 1920.

	Males.			Females.			Persons.		
	1911–14.	1919.	1920.	1911–14.	1919.	1920.	1911–14.	1919.	1920.
All Ages :									
Crude	14,870	15,022	13,413	13,041	12,544	11,456	13,926	13,701	12,388
Standardized (A	14,962	14,825	13,411	12,335	11,862	10,909	13,571	13,262	12,097
(B	16,080	16,159	13,752	13,892	13,658	11,872	14,949	14,866	12,805
0-	40,228	32,360	35,719	33,647	26,118	28,539	36,957	29,267	32,171
5-	3,276	3,381	3,158	3,221	3,385	3,085	3,248	3,383	3,122
10-	1,953	2,218	1,873	2,051	2,274	1,989	2,002	2,246	1,931
15-	2,910	?	?	2,662	3,382	2,705	2,785	?	?
20-	3,681	?	?	3,091	4,185	3,279	3,370	?	?
25-	4,822	?	?	3,976	5,119	3,918	4,378	?	?
35-	8,167	?	?	6,556	6,196	5,406	7,333	?	?
15-45	5,175	6,643	4,846	4,286	4,945	4,019	4,713	5,701	4,403
45-	15,023	14,465	13,269	11,522	10,693	9,454	13,203	12,472	11,249
55-	30,500	27,843	25,162	23,162	22,021	19,431	26,627	24,845	22,216
65-	64,597	63,432	56,102	51,584	51,215	45,335	57,350	56,730	50,248
75-	139,355	153,756	130,498	119,280	128,427	112,384	127,412	138,484	119,630
85 and upwards	271,185	292,516	235,351	244,078	292,382	246,117	253,709	292,430	242,183

A. English Standard (Population of England and Wales, 1901). B. International Standard.

Owing to the extent to which the rates for 1919 in the above table are swollen by the final wave of the great influenza epidemic, chief interest attaches to comparison age by age of mortality in 1920 with that of the years immediately preceding the outbreak of war. The mortality of males was lower at every age group in 1920 than in 1911–14, and that of females at all except 15–25 and 85 and upwards. The improvement shown for males at 15–45 bears out what has already been said in reference to the ratio shown for the same group in Table XVII. Whether the standard of comparison used is the contemporary mortality of women of the same age, or that of men of the same age before the war, no evidence is furnished by these tables that the health of war veterans *en masse* has deteriorated by reason of their service. It is true that, compared with 1911–14, more improvement is shown for males of over 45 than for those aged 15–45, but this applies also to females, in whose case large decreases set in first at age 35–45. It is worthy of note that the improvement now recorded should be largely confined to the second half of life, from 45, or more probably 35, upwards, which participated to such a comparatively slight extent in the fall of the death-rate prior to the period covered by the table.

Tables 6–8, which extend the comparison, age by age, back to the commencement of registration, show this still more clearly. If we compare the rates for females

in Table 7, which alone contains the full range of age groups throughout, we find that at all ages under 35 the rates for 1920 are no lower than those of several other recent years, but that for the four decennia of age 35–75 they are considerably lower than any previously recorded. And yet the table shows how much less has been the fall at these later ages throughout the whole period covered. Table 6 shows that the case with males is generally similar, and the greater recent fall in their mortality in extreme old age already referred to adds their rate at 85 and upwards to the number of those which were lower in 1920 than in any previous year.

To this list should also be added the period 0–5 for both sexes, although the rates recorded in Tables 6 and 7 both show an increase for 1920. At this age the fluctuations of the birth-rate since 1914 have made the ordinary crude statement as contained in these tables a very unreliable index of the mortality of the last six years included in them. While the birth-rate was falling the proportion of infants under one year of age in the whole 0–5 group was abnormally low, and this circumstance had of itself a considerable effect in lowering the mortality of the whole group. With the sudden increase of the birth-rate in 1920 the position was reversed; the proportion of young infants, with their high death-rate, became abnormally large, so that the crude rate for 1920 overstates mortality at 0–5 as those for the four preceding years understated it. When due allowance is made for these changes in the composition of the age group, as in Table XL, it is seen that for each sex, as shown by the standardized rates, mortality was considerably lower in 1920 than in any previous year. This holds good, moreover, even if excess mortality (over that of 1917) attributed in 1918 and 1919 to influenza and pneumonia is deducted from the records for those years.

TABLE XL.—ENGLAND AND WALES, 1911–1920 : COMPARISON of CRUDE and STANDARDIZED DEATH-RATES at AGE 0–5.

			Males.		Females.		Both Sexes.	
			Crude.	Standardized.	Crude.	Standardized.	Crude.	Standardized.
1911.	46·2	46·7	39·3	39·9	42·8	43·3
1912	35·5	36·5	29·6	30·5	32·6	33·5
1913	39·9	40·3	32·9	33·3	36·5	36·8
1914	39·1	39·2	32·7	32·8	35·9	36·0
1915	41·9	42·0	34·3	34·4	38·1	38·2
1916	32·5	34·0	26·5	27·9	29·5	31·0
1917	31·7	34·1	26·2	28·3	29·0	31·2
1918	38·5	42·5	33·8	37·1	36·2	39·8
1919	32·4	36·4	26·1	29·3	29·3	32·9
1920	35·7	31·7	28·5	25·9	32·2	28·8

Mortality at 1–5.—Table XLI shows that the standardized, as well as the crude, death-rate of this age group in 1920 was lower for each sex than the very low figures recorded for 1919. As in all probability the lowest rate hitherto attained for the two sexes jointly was 12·65 in 1916 the 1920 rate of 12·53 is presumably the lowest yet reached. It is almost 20 per cent. below the average of the last four pre-war years.

The upper part of the table shows that the fall is common to the last three of the four years of life dealt with, but that at 1–2 there has been an increase in the mortality of both sexes. This is entirely accounted for by increase in deaths from measles and whooping cough, which caused twice as much mortality at this age in 1920 as in 1919. From causes other than these the mortality has fallen from 21·17 in 1919 to 19·71 in 1920. In fact, measles alone more than accounts for the increase, the death-rate from other causes, including whooping cough, having fallen from 22·38 to 21·82.

The rates shown in the table for the whole group 0-5 in 1920 must be somewhat too low for fair comparison with other years. This results from understatement of the mortality of the first year as 88·69 deaths per 1,000 living at this age on June 30. Normally this rate exceeds the infant death-rate (standardized if necessary) by about 8 or 9 per 1,000, but for 1920 the excess compared with the standardized rate is only 4. This is a result of the irregularity of the birth-rate, which, in 1919, had the opposite effect of swelling the corresponding excess to 14 per 1,000.

But as understatement from this cause applies to both crude and standardized rates the considerable difference between the two must have another origin, and shows the necessity for standardization of the 0-5 rate during a period of fluctuating birth-rate. In 1919, as a result of the birth-rate fall which came to an end during the course of that year, the crude rate understated the true mortality. But in 1920, the birth-rate having greatly increased and with it the proportion in the whole 0-5 group of infants under one year of age with a naturally high mortality (from 18 per cent. as estimated in 1919 to 26 per cent. in 1920), the crude rate overstates the true mortality, and has to be diminished on standardization. The necessity of applying this process may be seen from the fact that although the mortality of 1920 was lower than that of 1919 for each of the five years except the second the crude rate shows a considerable increase. The standardized rate, the fall in which accords with the movement in the rates for the separate years, shows that mortality at 0-5 was probably lower in 1920 than ever before, notwithstanding the apparent rise shown in Table 8.

TABLE XLI.—ENGLAND AND WALES.—MORTALITY per 1,000 living in each of the FIRST FIVE YEARS OF LIFE, 1911-14, 1919, and 1920.

Year of Life.		Males.				Females.				Persons.			
		1911-14.	1919.	1920.	1920 Per cent. of 1911-14.	1911-14.	1919.	1920.	1920 Per cent. of 1911-14.	1911-14.	1919.	1920.	1920 Per cent. of 1911-14.
0-1	132·06	121·36	100·52	76·1	104·47	91·62	76·41	73·1	118·40	106·72	88·69	74·9
1-2	35·12	26·04	27·72	78·9	32·43	22·95	25·34	78·1	33·79	24·51	26·54	78·5
2-3	13·71	12·33	11·01	80·3	13·37	11·75	10·49	78·5	13·54	12·05	10·76	79·5
3-4	8·26	8·10	7·15	86·6	8·13	8·17	7·03	86·5	8·19	8·14	7·09	86·6
4-5	6·08	6·29	5·87	96·5	6·05	6·38	5·68	93·9	6·07	6·34	5·77	95·1
0-5	Crude ..	40·23	32·36	35·72	88·8	33·65	26·12	28·54	84·8	36·96	29·27	32·17	87·0
	Standard- ized.*	40·71	36·38	31·71	77·9	34·17	29·31	25·91	75·8	37·45	32·86	28·82	77·0
1-5	Crude ..	15·85	12·57	12·42	78·4	15·03	11·78	11·65	77·5	15·44	12·18	12·04	78·0
	Standard- ized.*	15·79	13·19	12·93	81·9	14·99	12·31	12·13	80·9	15·39	12·75	12·53	81·4

* Based on the constitution of the population in 1901.

The tabulation of deaths of infants by separate months of age, which has been carried out for the first year of life since 1905, has been continued for 1919 and 1920 throughout the second year of life, with distinction of sex, legitimacy, class of area, and section of the country. The result for 1920 is shown in Table XLII, which also gives the corresponding facts for each year of life from the second to the fifth. Mortalities for the second year of life only are given in Table XLIII. This has not been extended beyond the second year owing to the difficulty of framing the estimates of local populations required for the purpose. The estimates for the first two years have been arrived at by deduction of deaths from births, without any allowance for migration. Migration, of course, becomes of increasing importance with increase of age, and it has, therefore, been thought best to limit these local population estimates to the first two years of life.

TABLE XLII.—DEATHS during 1920 in each MONTH of the SECOND YEAR of LIFE ;
and in each YEAR of LIFE from Age 1 to Age 5.

		Month of Life.												Year of Life.			
		13th.	14th.	15th.	16th.	17th.	18th.	19th.	20th.	21st.	22nd.	23rd.	24th.	2nd.	3rd.	4th.	5th.
All Areas	North	865	853	685	674	588	566	513	418	424	375	385	373	6,719	2,593	1,805	1,534
	Midlands	475	423	427	381	330	324	287	256	241	214	187	210	3,755	1,640	1,303	1,089
	South	437	306	310	292	235	244	268	190	187	181	161	180	2,991	1,305	980	866
	Wales	175	136	139	137	102	107	90	89	86	71	74	70	1,276	562	392	376
	England and Wales	1,952	1,718	1,561	1,484	1,255	1,241	1,158	953	938	841	807	833	14,741	6,100	4,480	3,865
London		274	192	194	194	154	160	183	118	118	115	92	100	1,894	837	572	495
County Boroughs	North	531	525	432	407	371	356	300	247	258	228	224	233	4,112	1,536	1,004	842
	Midlands	221	213	205	167	152	165	126	112	101	106	98	97	1,763	735	585	423
	South	46	31	41	37	26	29	26	26	27	25	26	26	366	163	123	102
	Wales	32	35	25	17	23	22	21	14	16	13	18	22	258	105	81	81
	England and Wales	830	804	703	628	572	572	473	399	402	372	366	378	6,499	2,539	1,793	1,448
Other Urban Districts	North	240	260	178	191	175	159	145	120	128	99	129	102	1,926	757	593	497
	Midlands	154	136	159	142	123	96	102	92	93	80	52	71	1,300	600	483	468
	South	67	60	52	41	36	37	39	33	26	20	26	32	469	183	177	183
	Wales	104	70	82	85	60	66	48	54	55	43	40	35	742	336	222	220
	England and Wales	565	526	471	459	394	358	334	299	302	242	247	240	4,437	1,876	1,475	1,368
Rural Districts	North	94	68	75	76	42	51	68	51	38	48	32	38	681	300	208	195
	Midlands	100	74	63	72	55	63	59	52	47	28	37	42	692	305	235	198
	South	50	23	23	20	19	18	20	13	16	21	17	22	262	122	108	86
	Wales	39	31	32	35	19	19	21	21	15	15	16	13	276	121	89	75
	England and Wales	283	196	193	203	135	151	168	137	116	112	102	115	1,911	848	640	554

TABLE XLIII.—MORTALITY during 1920 per 1,000 POPULATION aged 1-2 Years,
in each MONTH of the SECOND YEAR of LIFE.

		Month of Life.												Second Year of Life.		
		13th.	14th.	15th.	16th.	17th.	18th.	19th.	20th.	21st.	22nd.	23rd.	24th.	Both Sexes.	Males.	Females.
England and Wales.	All Infants	M 3·9 F 3·1 P 3·4	M 3·3 F 3·0 P 3·1	M 3·0 F 2·6 P 2·8	M 2·8 F 2·5 P 2·7	M 2·3 F 2·2 P 2·3	M 2·4 F 2·0 P 2·2	M 2·1 F 2·1 P 2·1	M 1·8 F 1·6 P 1·7	M 1·8 F 1·6 P 1·7	M 1·4 F 1·6 P 1·5	M 1·4 F 1·5 P 1·5	M 1·5 F 1·5 P 1·5	— — 26·5	27·7 — —	— 25·3 —
	Legitimate	M 3·8 F 3·1 P 3·4	M 3·1 F 2·9 P 3·0	M 3·0 F 2·5 P 2·8	M 2·7 F 2·5 P 2·6	M 2·3 F 2·1 P 2·2	M 2·4 F 2·0 P 2·2	M 2·0 F 2·0 P 2·0	M 1·8 F 1·7 P 1·7	M 1·8 F 1·6 P 1·7	M 1·4 F 1·5 P 1·5	M 1·4 F 1·4 P 1·4	M 1·5 F 1·5 P 1·5	— — 26·0	27·2 — —	— 24·8 —
	Illegitimate	M 4·5 F 4·9 P 4·6	M 5·6 F 4·0 P 4·7	M 4·1 F 3·1 P 3·6	M 3·9 F 3·4 P 3·7	M 3·1 F 2·9 P 3·0	M 3·3 F 3·0 P 3·2	M 3·0 F 2·8 P 2·9	M 2·1 F 1·5 P 1·8	M 2·0 F 1·7 P 1·9	M 1·5 F 2·4 P 2·0	M 1·7 F 2·0 P 1·9	M 1·5 F 1·7 P 1·6	— — 34·9	36·3 — —	— 33·4 —
	All Areas	M 4·5 F 3·7 P 3·1	M 4·4 F 3·6 P 2·2	M 3·5 F 2·5 P 2·2	M 3·5 F 2·9 P 2·1	M 3·0 F 2·6 P 1·7	M 2·9 F 2·8 P 1·7	M 2·7 F 2·2 P 1·9	M 2·2 F 1·9 P 1·3	M 2·2 F 1·6 P 1·3	M 1·9 F 1·4 P 1·3	M 2·0 F 1·2 P 1·1	M 1·9 F 1·2 P 1·3	34·7 21·5 21·2	36·9 22·2 21·8	32·5 20·9 20·5
	Wales	M 3·9 F 3·1 P 3·1	M 2·9 F 2·2 P 2·2	M 3·0 F 2·2 P 2·2	M 3·0 F 2·1 P 2·1	M 2·2 F 1·7 P 1·7	M 2·3 F 1·7 P 1·7	M 1·9 F 1·9 P 1·9	M 1·9 F 1·3 P 1·3	M 1·9 F 1·3 P 1·3	M 1·5 F 1·3 P 1·3	M 1·6 F 1·1 P 1·1	M 1·5 F 1·3 P 1·3	27·6 21·2 21·2	28·7 21·8 21·8	26·6 20·5 20·5
London		M 4·7 F 3·7 P 3·1	M 3·2 F 3·6 P 2·4	M 3·2 F 3·5 P 2·2	M 3·2 F 2·9 P 2·1	M 2·5 F 2·6 P 1·4	M 2·6 F 2·8 P 1·5	M 3·0 F 2·2 P 1·4	M 1·9 F 1·9 P 1·4	M 1·9 F 1·7 P 1·4	M 1·9 F 1·8 P 1·3	M 1·5 F 1·7 P 1·4	M 1·6 F 1·7 P 1·4	31·2 30·1 19·3	32·0 31·7 20·5	30·2 28·5 18·0
County Boroughs	North	M 5·3 F 3·7 P 2·4	M 5·3 F 3·6 P 1·6	M 4·2 F 3·5 P 2·2	M 4·0 F 2·9 P 1·9	M 3·6 F 2·6 P 1·4	M 3·5 F 2·8 P 1·5	M 2·9 F 2·2 P 1·4	M 2·4 F 1·9 P 1·4	M 2·5 F 1·7 P 1·4	M 2·2 F 1·8 P 1·3	M 2·2 F 1·7 P 1·4	M 2·3 F 1·7 P 1·4	40·4 30·1 19·3	43·4 31·7 20·5	37·4 28·5 18·0
	Midlands	M 3·8 F 4·2 P 4·5	M 4·2 F 3·0 P 4·4	M 3·0 F 2·0 P 3·7	M 2·0 F 2·7 P 3·3	M 2·7 F 2·6 P 3·0	M 2·6 F 2·8 P 3·0	M 2·5 F 2·1 P 2·5	M 2·1 F 1·7 P 2·1	M 2·1 F 1·9 P 2·1	M 2·0 F 1·5 P 2·0	M 2·0 F 2·1 P 2·0	M 2·0 F 2·0 P 2·0	34·6 30·6 34·6	36·9 32·6 36·9	32·3 28·6 32·3
	South	M 3·8 F 4·5 P 2·9	M 4·0 F 3·5 P 2·8	M 2·8 F 3·6 P 2·5	M 3·0 F 2·4 P 2·4	M 2·8 F 1·8 P 2·1	M 2·5 F 1·4 P 1·9	M 2·3 F 1·4 P 1·8	M 1·9 F 1·4 P 1·6	M 2·0 F 1·2 P 1·6	M 1·6 F 0·8 P 1·3	M 2·0 F 0·8 P 1·3	M 1·6 F 0·8 P 1·3	30·3 19·4 13·4	32·3 19·7 13·2	28·3 19·2 13·6
	Wales	M 4·5 F 4·5 P 2·9	M 3·0 F 3·5 P 2·8	M 2·0 F 3·6 P 2·5	M 2·7 F 2·6 P 2·4	M 2·7 F 2·6 P 2·1	M 2·6 F 2·8 P 1·9	M 2·1 F 2·3 P 1·8	M 2·3 F 2·4 P 1·6	M 2·4 F 1·8 P 1·6	M 1·8 F 1·7 P 1·3	M 1·7 F 1·5 P 1·3	M 1·5 F 1·5 P 1·3	31·8 23·5 23·5	32·7 24·3 24·3	30·8 22·7 22·7
	England and Wales	M 4·5 F 3·7 P 3·1	M 4·4 F 3·6 P 2·2	M 3·5 F 2·5 P 2·2	M 3·5 F 2·9 P 2·1	M 3·0 F 2·6 P 1·7	M 2·9 F 2·8 P 1·7	M 2·7 F 2·2 P 1·9	M 2·2 F 1·9 P 1·3	M 2·2 F 1·6 P 1·3	M 1·9 F 1·4 P 1·3	M 2·0 F 1·2 P 1·1	M 1·9 F 1·2 P 1·3	34·7 21·5 21·2	36·9 22·2 21·8	32·5 20·9 20·5
Other Urban Districts	North	M 3·4 F 1·9 P 1·9	M 2·4 F 1·4 P 0·9	M 2·7 F 1·3 P 0·9	M 2·7 F 1·5 P 0·7	M 1·5 F 1·1 P 0·7	M 1·8 F 1·3 P 0·7	M 2·4 F 1·2 P 0·7	M 1·8 F 1·1 P 0·5	M 1·3 F 1·0 P 0·6	M 1·3 F 0·6 P 0·8	M 1·1 F 0·8 P 0·8	M 1·3 F 0·9 P 0·8	24·1 14·1 9·8	24·1 14·3 10·4	24·1 13·9 9·3
	Midlands	M 1·9 F 1·4 P 0·9	M 1·4 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	19·2 14·1 9·8	20·0 14·3 10·4	18·3 13·9 9·3
	South	M 2·8 F 2·2 P 1·7	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8
	Wales	M 2·8 F 2·2 P 1·7	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8
	England and Wales	M 2·4 F 1·7 P 1·6	M 1·7 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8
Rural Districts	North	M 3·4 F 1·9 P 1·9	M 2·4 F 1·4 P 0·9	M 2·7 F 1·3 P 0·9	M 2·7 F 1·5 P 0·7	M 1·5 F 1·1 P 0·7	M 1·8 F 1·3 P 0·7	M 2·4 F 1·2 P 0·7	M 1·8 F 1·1 P 0·5	M 1·3 F 1·0 P 0·6	M 1·3 F 0·6 P 0·8	M 1·1 F 0·8 P 0·8	M 1·3 F 0·9 P 0·8	24·1 14·1 9·8	24·1 14·3 10·4	24·1 13·9 9·3
	Midlands	M 1·9 F 1·4 P 0·9	M 1·4 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	M 1·3 F 1·3 P 0·9	19·2 14·1 9·8	20·0 14·3 10·4	18·3 13·9 9·3
	South	M 2·8 F 2·2 P 1·7	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8
	Wales	M 2·8 F 2·2 P 1·7	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	M 2·2 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8
	England and Wales	M 2·4 F 1·7 P 1·6	M 1·7 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	M 1·6 F 1·6 P 1·6	16·2 16·5 16·5	16·5 16·5 16·5	15·8 15·8 15·8

Comparison of Tables XXIX and XLIII might seem to suggest discontinuity of the records, the rate rising abruptly from 2·26 deaths per 1,000 births in the twelfth month (Table XXIX) to 3·4 per 1,000 living, in the thirteenth (Table XLIII). But the facts as shown in Tables XXVIII and XLII show that this apparent rise is entirely due to the change in the basis of comparison, the numbers falling with almost complete regularity from the tenth to the fifteenth month. This is of some interest as pointing to a high degree of accuracy in the statement of ages, as otherwise it might be anticipated that the number returned as of twelve months of age would be unduly high.

Table XLIII shows that the decline of mortality during the first year of life (Table XXIX) continues throughout the second. It is rapid during the earlier months of the year, but slows off greatly towards its close; and the excess in mortality of male infants which is found in the earlier months of the second year of life as well as in the first year, disappears in the latter half of the second year.

The decline of mortality with advancing age is naturally less regular for the sectional populations dealt with, as the data are in many cases scanty, but on the whole it applies all round with considerable regularity. For instance, the ratio of mortality in the North to that in the South, or in the county boroughs to that in the rural districts, remains much the same at the end of the year as at its beginning. The percentage ratio of the higher to the lower mortality in each case is as follows for each quarter of the second year of life :—

				North to South.	County Boroughs to Rural Districts.	All Urban Areas to Rural Districts.
12-15 months	165	221	182
15-18	171	227	195
18-21	158	186	169
21-24	157	214	175
Second Year	164	214	181

The differences here shown are very greatly in excess of those set forth in Table XXV for the first year of life. As against an excess for the North over the South of 51 per cent. in the first year we have one of 64 per cent. in the second and as against an excess for the county boroughs over the rural districts of 37 per cent. in the first year we have one of no less than 114 per cent. in the second year. The influence of environment is thus seen to be exceptionally great at this age. Although no rates are available for the succeeding years of early childhood the numbers of deaths shown for them in Table XLII appear to indicate that this influence reaches its maximum in the second year. Thus deaths in the North are more than twice those in the South in the second year, but less than twice in each of the three succeeding years, so presumably the difference in death-rates is greatest in the second year; and deaths in the county boroughs are more than three times those in the rural districts in the second year but less than three times in the third, fourth and fifth years.

Curiously enough the relative effect of the two environmental factors dealt with is reversed in 1920 as compared with 1919. In the earlier year the Northern excess was 92 per cent., and that for the county boroughs only 77, but in 1920 the former has fallen to 64 per cent. and the latter risen to 114.

The extent of these environmental differences suggests that this age still affords much scope for further reduction of mortality even though that already secured must, in the light of Table 8, be recognised as enormous.

The excess of mortality in all urban over that in rural areas is shown for comparison with Table XXVI, where the same excess is stated for the different periods of the

first year. The urban excess remains at a very high level throughout the whole of the second year and does not vary much with age as in the first year. It is much greater than that for any portion of the first year and in both years of life it is much greater than it was in 1919, in which it was exceptionally low for the first, and presumably, therefore, also for the second year.

In each class of area considered separately, the mortality of the South is less than half that of the North, but for the smaller towns the Welsh rate is the highest of all.

The mortalities of legitimate and illegitimate children in the second year are compared for the first time in these Reports in Table XLIII. It will be seen that the large excess shown for the illegitimate at the beginning of the year has practically disappeared by its close.

Mortality of the Aged.—It has already been seen from Tables XXXIX and 6-8 that the death-rate of both sexes was exceptionally low in 1920 at the higher as well as at other ages. For males the rates at 65-75 and at 85 and upwards are the lowest recorded in Table 6, while a lower rate at 75-85 has only been recorded twice. For females the position is much the same except that the rate for ages 85 and upwards is higher than that of seven previous years. These rates are subject to modification by the results of the new census when known, but there can be little doubt that mortality in 1920 was very low in old age as well as at other periods of life.

The principal causes to which mortality at ages over 70 is attributed are set out in Table XLIV in comparison with corresponding figures for other recent years. In making these comparisons the rapidly declining vogue of "old age" as a form of death return causes a considerable difficulty. The proportion of deaths so certified at over 70 years of age has fallen, mainly during the earlier part of the decennium, from 28·9 per cent. in 1911 to 21·2, the lowest figure yet reached, in 1920, with, of course, a corresponding increase in the proportions and death-rates assignable to defined causes. Notwithstanding this the rates shown in the table for 1920 are the lowest of the decennium for bronchitis, pneumonia, Bright's disease and "other causes," while for none of the other causes distinguished in the table—influenza, cancer, and diseases of the heart and blood vessels—was the rate high as compared with other recent years except for cancer, and even in its case there has been little movement since 1913. These statements hold good in the main for both sexes but the decline shown applies more particularly to males.

The first part of the table shows that the share of mortality assigned to diseases of the heart and blood vessels has been gradually increasing. It is larger for each sex in 1920 than in any of the nine preceding years. Moreover its increase has generally corresponded to the decrease ascribed to "old age," so it may probably be assumed that the decline in mortality ascribed to "old age" is due largely to transference to disease of the circulatory system. Up to 1915 there may have been transference also to respiratory disease, the share of which in the total was at that time increasing. Since then, however, the proportion of deaths assigned to respiratory disease has declined while that assigned to circulatory has continued to increase.

TABLE XLIV.—ENGLAND AND WALES, 1911–1920.—MORTALITY OVER 70 YEARS of AGE in each YEAR from the CHIEF CAUSES OF DEATH.

	Deaths from each Cause per 1,000 Total Deaths.						Mortality per 1,000 Living.					
	1911 –15.	1916.	1917.	1918.	1919.	1920.	1911 –15.	1916.	1917.	1918.	1919.	1920.
MALES.												
Influenza (10)	15	23	18	41	31	13	1·8	2·9	2·2	4·6	3·7	1·3
Cancer (39–45)	79	78	80	84	81	96	9·5	9·9	10·0	9·4	9·6	9·8
Heart Disease (79)	138	151	150	146	149	151	16·5	19·2	18·7	16·4	17·7	15·2
Disease of Blood Vessels (64, 81–3)	139	143	154	149	155	171	16·6	18·2	19·2	16·7	18·3	17·3
Bronchitis (89, 90)	136	143	138	131	149	132	16·2	18·2	17·2	14·7	17·7	13·4
Pneumonia (91, 92)	34	35	36	39	30	33	4·1	4·5	4·4	4·3	3·5	3·4
Bright's Disease (120)	30	29	28	27	25	28	3·6	3·7	3·5	3·0	3·0	2·9
Old Age (154)	237	215	215	204	208	197	28·3	27·4	26·9	22·8	24·7	19·9
Other Causes	192	183	181	179	172	179	22·9	23·2	22·6	19·8	20·3	17·9
All Causes	1,000	1,000	1,000	1,000	1,000	1,000	119·5	127·2	124·7	111·7	118·5	101·1
FEMALES.												
Influenza (10)	19	29	22	44	33	14	1·9	3·1	2·3	4·1	3·5	1·3
Cancer (39–45)	85	84	87	94	86	100	8·9	9·2	9·0	8·8	9·0	9·2
Heart Disease (79)	143	156	155	151	159	169	15·0	17·1	16·1	14·1	16·8	15·5
Disease of Blood Vessels (64, 81–3)	132	132	142	146	148	160	13·8	14·5	14·8	13·7	15·6	14·7
Bronchitis (89, 90)	147	157	154	142	163	139	15·4	17·2	15·9	13·4	17·1	12·8
Pneumonia (91, 92)	33	34	33	34	29	30	3·4	3·7	3·4	3·2	3·0	2·7
Bright's Disease (120)	22	20	20	18	18	20	2·3	2·2	2·0	1·7	1·9	1·8
Old Age (154)	263	241	241	229	233	224	27·5	26·4	25·1	21·5	24·5	20·6
Other Causes	156	147	146	142	131	144	16·3	16·3	15·2	13·3	13·8	13·3
All Causes	1,000	1,000	1,000	1,000	1,000	1,000	104·5	109·7	103·8	93·8	105·2	91·9
PERSONS.												
Influenza (10)	17	26	20	43	32	13	1·9	3·0	2·2	4·3	3·6	1·3
Cancer (39–45)	82	81	84	89	84	99	9·1	9·5	9·4	9·1	9·3	9·4
Heart Disease (79)	141	154	153	149	155	161	15·6	18·0	17·2	15·1	17·1	15·4
Disease of Blood Vessels (64, 81–3)	135	137	148	147	151	165	14·9	16·0	16·6	14·9	16·7	15·8
Bronchitis (89, 90)	142	151	146	137	157	136	15·7	17·7	16·5	13·9	17·3	13·0
Pneumonia (91, 92)	33	34	34	36	29	31	3·7	4·0	3·8	3·7	3·2	3·0
Bright's Disease (120)	26	24	23	22	21	23	2·8	2·8	2·6	2·3	2·4	2·2
Old Age (154)	251	229	230	218	222	212	27·8	26·8	25·8	22·1	24·6	20·3
Other Causes	173	164	162	159	149	160	19·2	19·2	18·3	15·8	16·5	15·4
All Causes	1,000	1,000	1,000	1,000	1,000	1,000	110·7	117·0	112·4	101·2	110·7	95·8

Centenarians.—Among the deaths registered during the year there were 55 of reputed centenarians, 16 of whom were males and 39 females. In the preceding three years the numbers were 73, 60 and 76 respectively. Particulars of the ages returned and of the classes of area concerned are given in Table XLV.

TABLE XLV.—ENGLAND AND WALES, 1920.—DEATHS OF CENTENARIANS.

	Males.					Females.							
	Age.					Age.							
	100 and over.	100.	101.	102.	105.	100 and over.	100.	101.	102.	103.	104.	105.	106.
London.. ..	2	1	—	1	—	5	3	1	—	1	—	—	—
County Boroughs	2	1	1	—	—	7	4	1	1	—	—	—	1
Other Urban Districts	5	1	3	1	—	12	7	2	1	—	1	—	1
Rural Districts	7	5	—	—	2	15	7	4	1	2	—	1	—
All areas	16	8	4	2	2	39	21	8	3	3	1	1	2

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 140–241 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate; and at pages 242–259 the deaths in these areas are shown by cause but not by age for each quarter of the year. So far as they relate to the whole country these tables include all deaths registered during the year; but deaths of non-civilians are excluded from all tables relating to portions of the country (see page x). A condensed table, stating, by ages, the causes of these latter deaths, will be found on page 260. The tables on pages 140–259 include the full International List of Causes of Death with certain sub-divisions introduced for reasons stated in the “Manual of the International List” (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board in 1911. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows:—

Short List of Registrar-General and of Local Government Board.	Corresponding Number.	
	Detailed International List.	Abridged International List.
1. Enteric fever	1	1
2. Small-pox	5	4
3. Measles	6	5
4. Scarlet fever	7	6
5. Whooping cough	8	7
6. Diphtheria and croup	9	8
7. Influenza	10	9
8. Erysipelas	18	12 in part.
9. Phthisis (pulmonary tuberculosis) ..	28, 29	13
10. Tuberculous meningitis	30	14
11. Other tuberculous diseases	31–35	15
12. Cancer, malignant disease	39–45	16
13. Rheumatic fever	47	37 in part.
14. Meningitis	61	17
15. Organic heart disease	79	19
16. Bronchitis	89, 90	20, 21
17. Pneumonia (all forms)	91, 92	22, and 23 in part.
18. Other diseases of respiratory organs	86–88, 93–98	23 in part.
19. Diarrhoea and enteritis, ages stated	104, 105	25, and 37 in part.
” ” ages unstated	104	25
20. Appendicitis and typhlitis	108	26
21. Cirrhosis of liver	113	28
21A. Alcoholism	56	37 in part.
22. Nephritis and Bright’s disease	119, 120	29
23. Puerperal fever	137	31
24. Other accidents and diseases of preg- nancy and parturition.	134–136, 138–141	32
25. Congenital debility and malformation, including premature birth.	150, 151	33
26. Violent deaths, excluding suicide ..	164–186	35
27. Suicide	155–163	36
28. Other defined diseases	2–4, 11–17, 19–27, 36–38, 46, 48–55, 57–60, 62–78, 80–85, 99–103, 105–107, 109–112, 114–118, 121–133, 142–149, 152–154.	37 <i>plus</i> detailed list Nos. 2–4, 11–17, 19, 64, 65, 102, 103, 109, 128–132, 154; and <i>less</i> de- tailed list Nos. 47, 56, and, where ages are stated, 105.
29. Diseases ill-defined or unknown ..	187–189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list previously used, are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 277–403 deaths of civilians are shown for different classes of area in various sections of the country, for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, age, and the short list of causes as above. For all other administrative areas the deaths are shown on pages 404–502 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths and death-rates of the year are shown in Tables 9 and 10 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the figures for each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. Similar tables (Nos. 14 and 15) state the mortality of infants under one year of age from various causes during the past 15 years in proportion to births.

1. **Enteric Fever.**—The deaths classified to this heading during 1920 numbered 537, of which 4 occurred amongst the non-civilian population. The resultant mortality, 14 per million living, is for the sixth year in succession the lowest ever recorded in this country. The following table shows that the reduction is no longer due, as it was to some extent during the war, to decrease by foreign service of the most susceptible elements of the population. For each sex the crude rate in 1920 remains unaltered by standardization, as was the case before the war, though during its progress the reduction in the number of young adult civilian males contributed to the fall in the crude rate, as shown by the excess in the standardized rates for males for those years.

TABLE XLVI.—ENTERIC FEVER.—MORTALITY PER MILLION LIVING, 1901–1920.

	Crude Rates.			Standardized Rates.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
1901–10 (Total Population) ..	109	74	91	109	74	91
1911–14 ..	60	39	49	60	39	49
1915 (Civil Population) ..	43	29	35	46	29	38
1916	37	25	30	41	25	32
1917	33	24	28	44	23	33
1918	29	25	26	35	25	30
1919 (Total Population) ..	18	13	16	19	13	16
1920	16	12	14	16	12	14

The death-rate of 1920 is only about one-quarter of what it was even ten years ago. Its distribution throughout the country is outlined in Table XLVII.

TABLE XLVII.—ENTERIC FEVER, 1920.—MORTALITY (UNSTANDARDIZED) PER MILLION CIVILIAN POPULATION.

Class of Area.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	11	—	11
County Boroughs	17	9	14	13	14
Other Urban Districts	27	9	11	17	16
Rural Districts	29	10	9	7	14
All Areas	22	9	11	13	14

As in the five preceding years, mortality was at its maximum in the smaller towns ; and as in each year but one (1917) from 1911 onwards, it was lower in London than in any other class of area. Of the four sections of the country distinguished, the Midlands, as also in each of the eight preceding years, returned the lowest rate. That for the North was much the highest, showing some increase on 1919, whereas other sections record a decrease, which in the case of Wales is very large. The North has returned the highest rate in each year of the decade 1911–20 except 1919, when that of Wales was slightly higher.

Table XLVIII, which is founded in part on the returns of notified cases issued as a separate publication (Reports on Public Health and Medical Subjects, No. 6) by the Ministry of Health, shows, when compared with the similar tables in the Reports for 1911–13, that the decline in mortality is almost entirely due to a decline in the prevalence of the disease. The fatality per 1,000 cases in those years varied from 176 to 194.

In 1919 it was 153, and in 1920 178, but the rate for the latter year excludes non-civilians, cases occurring in the services not having been tabulated in 1920. For all five years cases notified to port sanitary authorities (chiefly imported from abroad) are excluded, as their local distribution cannot be shown in Table XLVIII. Exclusion of non-civilian cases and deaths in 1919 raises the rate for that year to 167. It thus appears that any decline in the fatality of reported cases is but slight. Their number, however, has fallen from 13,730 in 1911 to 2,994 in 1920, or from 13,852 to 3,109 if port cases are included. The figures for the earlier year, however, include non-civilian cases, which are excluded from those for the later.

Table XLVIII shows that the comparatively high mortality of the North was due to high fatality of the cases notified, the frequency of these being but slightly in excess of the average for the whole country. Case mortality was lowest in the South, where a higher proportionate number of cases than in the North yielded only half the death-rate (Table XLVII). Whether this contrast is due to the prevalence of a severer type of disease in the North, or to greater completeness of notification or efficiency of treatment in the South, the tabulated figures afford no certain means of deciding. The fact, however, that it is, broadly speaking, a new feature of the returns (see Reports for 1911–13) appears to favour the first explanation as against the two latter.

Table 13 shows that the highest mortalities returned by any administrative counties were 49 per million in Westmorland and 43 in the East Riding of Yorkshire. But the deaths on which these rates are based number only 3 in the former case and 7 in the latter. The highest rates for county boroughs were returned by Tynemouth (95), Hastings (84), Wakefield (75), and Salford (59), the corresponding deaths numbering 6, 5, 4 and 14 respectively.

TABLE XLVIII.—ENTERIC FEVER, 1920.—PREVALENCE AND FATALITY.*

Class of Area.	Cases per 1,000,000 Population.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ..	—	—	88	—	88	—	—	122	—	122
County Boroughs	74	58	89	36	69	225	163	153	368	202
Other Urban Districts.	100	59	114	85	86	271	155	97	204	189
Rural Districts	112	79	81	48	83	258	122	114	150	162
All Areas ..	88	64	93	64	80	248	146	117	210	178

* Excluding port cases and non-civilian cases and deaths.

4. **Malaria.**—The number of deaths allocated to this cause has largely increased during the last few years, and in 1920 amounted to 250 as against an average of 60 in 1911–15 and 62, 126, 197 and 268 in the four succeeding years. At first sight

these figures may seem alarming, but the fact that of the 250 decedents in 1920 only 10 were women is sufficient evidence that in these fatal cases infection was incurred abroad. This subject was discussed at some length in the report for 1918.

5. **Small-pox.**—The deaths certified as due to this cause in 1920 numbered 30. In addition to these the death of one male, aged 51, ascribed by the certifying practitioner to influenza, and so classified, accordingly, in this Report, was regarded by the Ministry of Health as very definitely ascribable to hæmorrhagic small-pox. This is the largest number of deaths so returned in any year since 1905, when 116 occurred. Nearly all of the deaths took place in the first half of the year, only one occurring in the third quarter, and none in the fourth (page 242). The vaccinal condition of both fatal and non-fatal cases is described in the Report of the Chief Medical Officer of the Ministry of Health.

6. **Measles.**—The deaths registered from this cause numbered 7,190, against 3,534 in 1919. They correspond to a death-rate of 191 per million total population at all ages. At ages under 15 years, for which comparison is unaffected by the calculation of the rate upon civilian population only during the war, the mortality was 657 per million living at those ages. Although this is double the phenomenally low rate returned in 1919, it is lower than that shown in Table 12 for any other year, except 1916. The distribution of this mortality throughout the country cannot be satisfactorily studied in the absence of estimates of the ages of the people in different localities, for, stated in terms of population at all ages, a low rate may mean either comparative freedom from fatal disease or a small proportion of children in the population, and *vice versa*; but as the calculation cannot be made on the basis of the child population until the tabulation of ages recorded at the recent census is completed it is given in Table XLIX in the form of crude death-rates at all ages, and this course has been followed in other similar cases.

TABLE XLIX.—MEASLES, 1920.—CIVILIAN MORTALITY PER MILLION LIVING AT ALL AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	227	—	227
County Boroughs	245	225	134	382	233
Other Urban Districts	214	150	75	413	183
Rural Districts	200	114	47	167	122
All Areas	229	165	143	329	192

As in each year since 1911, mortality was higher in the North than elsewhere in England. In 1911 the South, and in 1912 and 1920 Wales, returned the highest rate. As in each of the last ten years (for which alone the comparison can be made), and probably many more, it was highest in the great towns. Sometimes the London rate is highest, and sometimes that of the county boroughs, but 1919 provides the only instance out of the ten in which the rates for both London and the county boroughs have not been in excess of those for either the smaller urban or the rural districts. The only mortality in excess of 1 per 1,000 returned in Table 13 for any area is that of 1,188 per million for Wigan, but it is remarkable the next highest is that for Barnsley, 725 per million. In 1918 Barnsley returned the phenomenally high rate of 4,915, and it might have been thought that after such a visitation the susceptible material would have been exhausted for some time to come. Yet in 1919 the Barnsley mortality was 677, and in 1920, 725, only two other county boroughs in the former year, and one in the latter, returning higher rates. Amongst the administrative counties Monmouth and Glamorgan returned the highest rates—530 and 405 respectively.

7. **Scarlet Fever.**—The deaths allocated to this disease during 1920 numbered 1,430. They correspond to a rate of 38 per million total population at all ages, and of 116 per million at ages under 15 years.

Table 12 shows that for five years in succession each of these rates has been much lower than any recorded before 1916, the mortality being now trifling compared with that prevalent a generation ago.

TABLE L.—SCARLET FEVER, 1920.—CIVILIAN MORTALITY PER MILLION LIVING AT ALL AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	46	—	46
County Boroughs	45	52	12	79	45
Other Urban Districts	44	23	14	72	33
Rural Districts	65	19	12	49	31
All Areas	47	32	27	66	38

Table L shows that the mortality was highest in Wales and lowest in the South where (outside London) it was quite trifling. Contrary to the usual experience rural mortality in the North was considerably higher than urban. The county boroughs returning the highest rates were Merthyr Tydfil (223), Stoke-on-Trent (165), Bootle (143), and Darlington (137), while amongst the administrative counties Durham (119), which headed the list in 1918 and 1919, now comes second only to Westmorland (147). Three of the four neighbouring county boroughs, Birkenhead, Bootle, St. Helens and Liverpool, which have been noted in previous reports as returning especially high rates for several years past, figure again amongst the areas of high mortality, but the Birkenhead rate (27) was below the average for county boroughs.

TABLE LI.—SCARLET FEVER, 1920.—PREVALENCE AND FATALITY.*

	Cases per 10,000 Population.					Death per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London *..	—	—	51	—	51	—	—	9	—	9
County Boroughs	33	40	20	52	35	14	13	6	15	13
Other Urban Districts.	31	26	20	48	29	14	9	7	15	11
Rural Districts	33	17	14	32	22	20	11	8	16	14
All Areas ..	32	28	32	44	32	15	11	8	15	12

* Excluding port cases and non-civilian cases and deaths.

Table LI shows that as in 1919 the increase of mortality which occurred in 1920 was entirely due to increased prevalence of the disease, the fatality of notified cases having fallen from 20 per 1,000 in 1918, and 15 in 1919, to 12. But the cases notified increased from 49,637 in 1918 to 82,800 in 1919 and 119,490 in 1920, or rather more in the latter year if non-civilian cases could be included. This rate of prevalence is the highest recorded since 1915, but the fatality was lower in 1920 than in any of the previous nine years, which alone can be compared. The highest fatality-rate for these years (20) was recorded so recently as 1918. Both prevalence and fatality were lowest for every class of area in the South and generally speaking highest in the North and in Wales, so that where the disease was most prevalent it was also most fatal. On the other hand high prevalence in London was accompanied by low fatality.

8. Whooping Cough.—The deaths allocated to this heading numbered 4,401, 1,969 of males and 2,432 of females. The excess of females is shown by Table 9 to be a constant feature of this disease. The corresponding rates of mortality are 117 per million total population at all ages, and 406 at ages under 15 years. These rates, though considerably above the phenomenally low level attained in 1919, are shown by Table 12 to be very much below any returned prior to 1917. The lowest rates returned in the nineteenth century were between two and three times as great.

TABLE LII.—WHOOPING COUGH, 1920.—CIVILIAN MORTALITY PER MILLION LIVING AT ALL AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	172	—	172
County Boroughs	152	140	103	102	141
Other Urban Districts	103	99	88	128	101
Rural Districts	75	89	60	64	76
All Areas	125	110	121	102	118

The excess of urban over rural mortality, normal to this disease but interrupted in 1919, is restored for 1920, but there is comparatively little difference as between the sections of the country distinguished.

Table LIII shows that as usual the proportion of total deaths occurring in the first year of life declined with increasing urbanization.

TABLE LIII.—WHOOPING COUGH, 1920.—DEATHS UNDER ONE YEAR OF AGE PER CENT. OF THOSE AT ALL AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	45	—	45
County Boroughs	47	40	38	43	44
Other Urban Districts	54	48	55	58	53
Rural Districts	58	59	62	64	60
All Areas	50	47	48	56	49

The constancy with which this rule applies may be seen from the following comparison between different classes of areas in each of the last ten years.

TABLE LIV.—WHOOPING COUGH.—DEATHS UNDER ONE YEAR OF AGE PER CENT. OF THOSE AT ALL AGES, 1911–1920.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
London	42	45	41	45	42	44	36	30	34	45
County Boroughs	42	43	44	44	43	41	34	35	35	44
Other Urban Districts	48	50	47	50	45	47	43	38	43	53
Rural Districts	55	54	58	56	50	53	51	42	48	60

The proportion of infantile to total deaths naturally fell with the decline in the birth-rate, and has risen again with its rise, but there is no year in which it is not higher in the rural districts than in the smaller towns or in these than in the county boroughs. And the same difference was shown in the Report for 1911 to have held good in earlier years between the registration counties classified as mainly rural and as mainly urban respectively.

Table 13 shows that no administrative county suffered an outstandingly high mortality, the highest rate returned being less than twice the average. The highest rates for county boroughs are returned by Gloucester (625) and Darlington (396).

9. **Diphtheria and Croup.**—The 5,666 deaths in 1920 from diphtheria and croup, of which all but 25 were allocated to diphtheria, correspond to a death-rate of 150 per million total population. This rate is rather over the recent average; but mortality from this cause, which declined rapidly during the first decade of this century from the level maintained throughout the later decades of the preceding

one, has varied little during the past ten years. The rate for children under 15 years of age was 496 per million, which though higher than those for the four preceding years, compares favourably with all but nine out of the fifty years covered by Table 12, and is lower than any recorded prior to 1909.

TABLE LV.—DIPHtheria AND CROUP, 1920.—CIVILIAN MORTALITY PER MILLION LIVING AT ALL AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	229	—	229
County Boroughs	120	176	132	188	142
Other Urban Districts	142	152	153	184	152
Rural Districts	135	105	93	220	121
All Areas	129	147	172	196	151

The increase of mortality with urbanization in the Midlands and South and the absence of this feature in the North are quite characteristic of recent experience. In this as in many other respects the rural districts of the North, as a whole, fail to share the favourable conditions enjoyed by those lying to the south of them.

Table LVI shows how far variation in mortality has been due to variation in prevalence and in fatality respectively.

TABLE LVI.—DIPHtheria, 1920.—PREVALENCE AND FATALITY.*

	Cases per 10,000 Population.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ..	—	—	31	—	31	—	—	74	—	74
County Boroughs	14	21	21	24	18	85	82	63	78	80
Other Urban Districts.	14	19	21	17	18	99	79	71	107	85
Rural Districts	15	13	12	20	14	88	80	78	110	86
All Areas ..	14	18	24	20	18	90	80	72	101	82

* Excluding port cases and non-civilian cases and deaths.

There were proportionately fewer cases of the disease notified in the North than in the South of England, but their fatality was higher, 9·0 as against 7·2 per cent. In London, on the other hand, the high mortality appears to have been entirely due to wide prevalence of the disease, its fatality there being below the average. In both these respects the experience of the years 1911–13 and 1918–20, for which alone similar tabulation has been carried out, is identical. The greater apparent severity of the type of disease prevalent in the North of England may therefore be accepted as a more or less permanent feature. The question whether it may not be in some degree a result of greater resort to bacteriological means of diagnosis in the South was discussed in the Report for 1911. Every one of the fatality-rates in the table except that for the Welsh county boroughs is lower than the corresponding rates for 1919, each of which was also lower than (or in one case as low as) that for 1918, the difference being greatest in the North. For the whole country the rate has fallen from 11·0 in 1918 to 8·2 deaths in 1920 per cent. of cases notified. These two rates, however, represent the extremes for the ten years 1911–20, which alone can be compared in this respect. In other words, the fatality of Diphtheria cases as notified remains fairly constant from year to year at about 10 per cent.

Table 13 shows that the administrative counties returning the highest mortalities were Denbigh, Carmarthen, Huntingdon, Cumberland and London. The County Boroughs returning the highest rates were, in order, Bootle, Nottingham, Ipswich, and Merthyr Tydfil.

It will be seen that, after definite male excess for the first two years, approximate equality for the sexes, though with a tendency to male excess in most years, was the rule up to 1910, when a period of definite male excess set in. This may have been contributed to during the years of war by the conditions of military service (in England and Wales), but it commenced before the outbreak of war, and remained in 1920 at the highest level attained in any year, 1917 excepted.

14. Dysentery.—The deaths allocated to this cause numbered 254—155 of males and 99 of females—but in addition to these the deaths of 3 males and 6 females occurring in lunatic asylums from ulcerative colitis, and classed under the International Rules to 104G, “ulceration of intestines,” were presumably of the same nature. Of the 254 deaths classed to dysentery 7 occurred amongst non-civilians. The remainder yield a death-rate of 7 per million civilians, 8 for males and 5 for females. These figures are shown by Table 10 to be quite normal as compared with pre-war experience, the increase associated with the war having completely disappeared.

Of the 155 deaths of males 39, or 25 per cent., occurred in lunatic asylums, as against 78 out of the 99 deaths of females, or 79 per cent. These are for both sexes the smallest numbers of asylum deaths from dysentery in any of the seven years, commencing with 1911, for which tabulation by cause and place of deaths has been carried out. The increase in this mortality during the war, which commenced in 1915, thus came to an end in 1919. The fact that there were twice as many deaths of female as of male inmates also represents a return to pre-war conditions. In 1918, when the mortality was almost at its maximum, more deaths of males than of females were reported from asylums, but before the war, as in 1920, there were twice as many deaths of female inmates. Another factor, however, in the increase of this mortality associated with the war remains in operation. The number of deaths of males returned from hospitals suddenly increased from 13 in 1914 to 139 in 1915, and has since remained much above the dozen or so usual before that date. In 1919 the number was 95, and in 1920, 66. That these deaths terminated imported cases of the disease may be inferred from the fact that the number of deaths of females reported from hospitals—seven in 1920—has remained trifling throughout. The course of mortality returned from private houses has been similar to that of the hospital mortality, though the fluctuations are less in extent. But the deaths of males remain rather above the pre-war figures (excluding 1911, when there was probably confusion with diarrhoea) while those of females are below them—a circumstance which again seems to point to imported cases as the main factor in the mortality outside the asylums. These inferences from the death returns are in harmony with the results of investigation by the Ministries of Health and Pensions of the 1,353 cases of the disease notified during the year.

20c. Vaccinia.—Nine deaths, all of infants under one year of age, have been classed to this cause in 1920 as against one only in 1919. In addition to these, eight deaths were ascribed to septicæmia, one to cellulitis, and one to erysipelas, resulting from contamination of vaccination wounds, all but one of these decedents also being infants. Even in the case of the deaths allocated to vaccinia it is in most cases difficult to infer from the death certificate to what extent death was regarded as directly consequent upon vaccination. Such returns as “marasmus, probably increased by early vaccination,” “status lymphaticus, vaccination,” “measles, vaccinia and enteritis,” have been classed to vaccinia, though it may well be doubted whether in the case of any of them vaccination was regarded by the framer of the certificate as the primary cause of death. In only four cases does it appear that this view was definitely taken.


28–35. Tuberculosis.—The deaths assigned to tuberculous affections in the aggregate numbered 42,545—22,918 of males and 19,627 of females—or 3,767 fewer than those so classified in the previous year. The crude mortality, which in the case of this disease is little affected by standardization (Table LVII) amounted to 1,131 per million, a rate much below that of any previous year, the lowest hitherto recorded having been 1,257 in 1919 and 1,352 in 1913 (Table 10). The proportion of the total death-rate due to this cause was 9·1 per cent.

During the five years 1915–19 the male population was so greatly affected by the war that for these years, as pointed out in previous reports, the movement of tubercle mortality has to be measured by the experience of females alone. Fortunately

their mortality, in recent English experience, bears a fairly constant ratio to that of males; and the return to more normal population conditions in 1920 has rendered it possible once more to determine the latter, and thus to confirm the parallelism of movement for the two sexes, and the reliability of the female rate as an index of what occurred during the war. In the past two years this rate has fallen more rapidly than in any previous similar period of which we have record. Not only is the absolute fall greater, but, as compared with the lower level of mortality prevalent at the present day, the relative fall is naturally very much greater than would have resulted from an equal absolute fall at an earlier period, had it ever occurred. The death-rate recorded in 1920 is 27 per cent. below that of 1918, which represents a rate of reduction never previously approached.

It is true that, as was shown in last year's Report, the fall since 1918 is largely due to the effect of the great influenza epidemic of that year in temporarily arresting a fall which had already commenced, and substituting a continuation of the rise of the previous four years, which, so far as 1918 is concerned, might with more justice be attributed to the activity of influenza than of tuberculosis. But even if on this account we avoid the comparison with 1918 we find that the reduction during the three years since 1917 amounts to 24 per cent., which also represents a much more rapid reduction than had ever been recorded before. So great, in fact, has been the fall that it has not only wiped out the whole of the preceding rise from the previous low record of 1912 to 1917, but has restored the general continuity in the decline of mortality which has been such a marked feature of the records of the past half century. This is most clearly shown, of course, when the short-period fluctuations are smoothed away, as may be done by plotting the mortality quinquennially instead of annually; but it is sufficiently apparent in Diagram III. And of course such uniformity of the average annual decrement of mortality represents an ever increasing acceleration of the rate of fall when measured in proportion to the total extent of mortality remaining. It is to this continued increase in the relative rate of fall that we must look for evidence of the effect of the anti-tuberculosis measures of recent years, for the fall itself dates back much further than the commencement on a national scale of such purposeful efforts to bring it about.

DIAGRAM III.—ENGLAND AND WALES.—TUBERCULOSIS (ALL FORMS) AND PHTHISIS (28 AND 29A). STANDARDIZED MORTALITY IN EACH YEAR, 1860–1920.



A similar want of correspondence in time between a recent phase in the history of the disease and the human agency to which it has been attributed may be noted in regard to the rise which occurred during the war, and which has naturally been

regarded as its result. For it will be noted that this rise, for the record of which we have to look to female mortality alone, actually commenced in 1914 before the war could have had any effect (though little stress need be laid on so small a movement as it then amounted to) ; and it came to an end towards the close of 1917, when the present fall set in, although this movement was temporarily masked by the effects of influenza in the latter part of 1918. It becomes difficult to regard simply as a consequence of the war a movement which came to an end fully a year before its close, though possibly, when we bear in mind the simultaneous experience of other belligerent nations, we may regard as of chief significance the fact that the rise did, in the main, occur during the war.

The suggestion that the present fall is, in part, but a reflex of the rise due to influenza, invalids having been carried off then who would otherwise have survived to die a little later, is such a reasonable one that it may be well to repeat the criticism applied to it a year ago. As it was only deaths from phthisis which were increased by the epidemic it is only in the mortality from this form of the disease that any resultant decrease could be expected. But the present decline has been fully shared in by the mortality of females from non-pulmonary tubercle, which now stands 24 per cent. below the average for the ten years 1911–20, whereas the decline for pulmonary tubercle from the same average is only 15 per cent. This points to an all-round improvement which cannot be due to the cause suggested ; but the latter may none the less have had some effect, especially as the decline since 1918 is rather greater for the pulmonary form.

Table LVII analyses the fall in mortality by sex and age, and shows that with the return of the young adult males to civil life, and their consequent reinclusion in the table, the slight reduction of the male death-rate on standardization, which was normal before the war, has been largely re-established in place of considerable increase as in the case of the depleted war population.

TABLE LVII.—ENGLAND AND WALES : MORTALITY FROM TUBERCULOSIS (ALL FORMS) PER MILLION POPULATION, 1912–14, 1919 AND 1920.

		Males.			Females.			Persons.		
		1912–14	1919	1920	1912–14	1919	1920	1912–14	1919	1920
All Ages	{ Crude	1,569	1,429	1,279	1,167	1,109	996	1,361	1,258	1,131
	{ Standardized ..	1,546	1,425	1,268	1,168	1,112	1,000	1,347	1,261	1,128
0–..	2,063	1,377	1,327	1,701	1,193	1,097	1,883	1,286	1,213
5–..	566	463	426	572	507	437	569	485	432
10–..	442	455	392	685	683	583	564	569	487
15–..	927	?	?	1,214	1,445	1,300	1,071	?	?
20–..	1,478	?	?	1,326	1,518	1,418	1,398	?	?
25–..	1,774	?	?	1,369	1,354	1,251	1,561	?	?
35–..	2,233	?	?	1,405	1,285	1,138	1,804	?	?
15–45	1,681	1,696	1,468	1,342	1,380	1,256	1,505	1,521	1,354
45–..	2,437	2,183	2,043	1,208	1,093	965	1,798	1,607	1,472
55–..	2,283	1,879	1,657	1,004	935	780	1,608	1,393	1,206
65–..	1,421	1,300	1,121	767	740	675	1,057	992	879
75–..	649	573	521	496	525	421	558	544	461
85 and upwards	260	126	400	246	332	277	251	258	322

The reduction in mortality, as compared with the previous low-water mark of 1912–14, is almost universal throughout the table, the only exception of any importance applying to females aged 15–25. This represents the continuance of a tendency towards earlier mortality amongst women which was a feature of the rise during the war, and appeared to indicate war work as its probable cause. It is not impossible, of course, that the death-rate of these young women during 1920 should still be swollen by infection contracted under war conditions ; but the transfer in 1916 of the maximum mortality of women from age 35–45, as in the preceding quarter

century, to 20–25, or even earlier, 15–20, in 1917, has now been maintained for five years, and the excess at 20–25 is so definite that it seems likely to continue for some considerable time longer. This is a very marked and sudden change in a feature of the disease which appeared to be stable, and to which much significance had been attributed ; and it will be of interest when the new census results are available to ascertain its distribution throughout those parts of the country hitherto characterized by early and late mortality, and to find whether the movement is shared by the other sex.

28 and 29. **Chronic and Acute Phthisis.**—These headings in the International List of causes of death in use for 1911–20 include acute miliary tuberculosis in addition to the deaths so classified prior to 1911. The addition under this heading in 1920 amounts to 678 deaths, and the total contents of the headings to 33,469 deaths, of which 24,339 were returned as pulmonary tuberculosis, 6,203 as “ phthisis,” and the remainder as acute forms of the disease. In comparison with those for 1919 these numbers show a continuance of the transfer from the less to the more definite form of return. The 33,469 deaths form 79 per cent. of the total deaths allocated to tuberculosis, the mortality amounting to 889 per million total population, or 7·2 per cent. of the death-rate from all causes.

TABLE LVIII.—ENGLAND AND WALES: MORTALITY FROM PHTHISIS (28 AND 29) PER MILLION POPULATION, 1912–14, 1919 AND 1920.

				Males.			Females.			Persons.		
				1912–14	1919	1920	1912–14	1919	1920	1912–14	1919	1920
All Ages	Crude	1,210	1,140	1,015	869	871	775	1,034	996	889
	Standardized	1,179	1,116	983	849	842	752	1,005	971	861
0–..	339	234	248	290	237	214	315	235	231
5–..	142	129	106	191	166	141	166	147	124
10–..	191	203	165	420	436	354	306	320	259
15–..	724	?	?	1,002	1,212	1,068	864	?	?
20–..	1,319	?	?	1,184	1,341	1,283	1,248	?	?
25–..	1,639	?	?	1,255	1,243	1,132	1,438	?	?
35–..	2,105	?	?	1,290	1,165	1,032	1,683	?	?
15–45	1,530	1,512	1,304	1,204	1,232	1,117	1,361	1,357	1,204
45–..	2,305	2,037	1,920	1,104	978	849	1,680	1,478	1,353
55–..	2,132	1,728	1,522	885	798	656	1,473	1,249	1,077
65–..	1,290	1,150	983	642	581	528	929	838	735
75–..	544	458	387	371	328	290	441	380	329
85 and upwards	188	42	240	183	142	138	184	106	176

Table LVIII repeats so closely for phthisis the features already noted as applying, in Table LVII, to tuberculosis in general that no special comment is here required. The estimated proportions of the total numbers of both sexes living at the ages of high mortality are now rather larger than in 1901, and the crude mortality is reduced accordingly on standardization. As with tuberculosis in general the age of highest mortality for females is now very definitely 20–25. The change, pointed out in previous Reports, from a curve of age distribution of mortality with a single peak at 35–40, as met with up to 1915, through a transition stage of two peaks, at 20–25 and 35–40, in 1916 and 1917, to a simple curve again with one peak only at 20–25 in 1918, has been fully maintained in 1920, notwithstanding the reversion towards normal in the conditions of life for women.

30. **Tuberculous Meningitis.**—Mortality from this form of the disease further declined in 1920, the crude death-rate recorded, 95 per million persons living, being once more the lowest yet reached (Table 10). Up to 1914 the lowest rate recorded for persons of both sexes was 126, in that year. The decline to 95 now must be partly due to the reduced proportion of young children in the population, but if for this reason the comparison is restricted to the first five years of life, in which over 50 per

cent. of all the deaths returned occur, it is found that the low records established in 1919 of 641 and 558 deaths per million males and females have been further reduced to 594 and 520 respectively. The disease is, for the time being at least, steadily tending towards extinction, and this the more definitely because of similar movement of the mortality ascribed to other forms of meningitis. Table 10 shows that the rates have fallen from 178 per million for tuberculous and 175 for other forms of meningitis in 1906 to 95 and 90 in 1920.

31. Tubercle of the Peritoneum and Intestines.—A still more striking fall has occurred in this case—from 94 per million in 1918, and a minimum till then of 89 in 1912, to 58 in 1920. And here again the movement of the rate for children aged 0–5 shows that reduction in births is not the explanation. The mortality at this age in 1918, 480 per million for males and 372 for females, which was lower than any previously recorded, has been reduced to 309 and 235 in 1920.

Taking all forms of non-pulmonary tuberculosis jointly, Table 10 shows a reduction of mortality from 497 per million in 1906 to 338 in 1914 and 259 in 1920, but some part of this must be due to the reduced proportion of children in the population.

37. Syphilis.—The crude total mortality directly attributed to this cause of death, 54 per million living, is slightly higher than in the previous year (Table 10). This increase is, however, entirely due to the increased number of births in 1920. Over two-thirds of the deaths directly attributed to this disease being those of infants under one year of age, the increase of births in 1920 had the effect of raising the number of such deaths from 1,217 in 1919 to 1,443 in 1920, though stated per thousand births the corresponding rate fell from 1.76 in 1919 to 1.51 in 1920. At later ages also there has been a corresponding reduction, deaths at ages over one year falling from 640 in 1919 to 580 in 1920, so evidently the crude rate of 54 per million for 1920 in Table 10 represents a lower mortality than that of 53 per million in 1919.

The more comprehensive death-rate obtained by including deaths from tabes dorsalis, general paralysis of the insane, and aneurysm, as well as those directly attributed to syphilis, stands at the same level as in 1919, 136 per million. In 1917 it was 176 per million, and in 1912, the year before the commencement of the increase in syphilis mortality so returned, which is shown in Table 10 to have affected the years 1913–18, it was 162. So far, therefore, as the returns have any significance as an index to the relative mortality due to the disease in different years, they point rather to decrease than to increase. Table 10 shows that mortality from general paralysis of the insane in 1920 was less than two-thirds of the corresponding rate three years earlier. The rate from tabes has also fallen considerably during the last five years, but as it had been increasing up to 1916 it is the same for 1920 as for 1905 and 1906. The rate from aneurysm has likewise shown a definite reduction since 1915, but was a trifle higher in 1920 than in 1919.

The following extract from Table 10 shows how the considerable fall since 1917 (understated as explained above owing to increase of births in 1920) is made up:—

	1915.	1916.	1917.	1918.	1919.	1920.
Syphilis	53	55	61	58	50	54
Tabes dorsalis	21	23	22	20	18	16
General paralysis	62	58	65	56	44	40
Aneurysm	31	28	28	24	24	26
	167	164	176	158	136	136

How far this movement may be attributable to the recent improvements in our equipment for treating venereal disease is not a matter for discussion here.

39–45. Cancer.—The deaths ascribed to cancer during 1920 number 43,687—19,659 of males, including 86 non-civilians, and 24,028 of females. For both sexes these numbers are the highest yet recorded.

Of these deaths, 31,091 were referred to carcinoma, 2,272 to sarcoma, and 10,324 to "cancer" not otherwise defined. This carcinoma figure is the highest and the "cancer" figure is the lowest recorded in Table 9. The sarcoma returns have been almost stationary for the last few years.

Table LIX shows the standardized death-rate from malignant disease for each sex and the group rates for persons of different ages from which these are derived, but the precise rates shown will be subject to modification when the age returns of the 1921 Census have been tabulated. As here shown, the standardized rates for both sexes increased somewhat in 1920; but while that for males is definitely higher than in the four years before the war, that for females is not.

TABLE LIX.—ENGLAND AND WALES: MORTALITY from CANCER per MILLION POPULATION, 1911-14, 1919, and 1920.

			Males.			Females.			Persons.		
			1911-14.	1919.	1920.	1911-14.	1919.	1920.	1911-14.	1919.	1920.
All Ages	Crude ..		934	1,090	1,097	1,134	1,194	1,219	1,037	1,145	1,161
	Stan- dardized.		914	943	959	994	986	993	955	964	975
0-	25	16	22	20	18	18	22	17	20
15-	44	?	?	35	32	32	39	?	?
25-	111	?	?	156	152	151	135	?	?
35-	280	?	?	564	512	492	427	?	?
40-	634	?	?	1,136	1,091	1,028	894	?	?
15-45	179	178	177	299	292	283	241	241	234
45-	1,285	1,305	1,361	1,913	1,913	1,917	1,611	1,631	1,659
50-	2,266	2,373	2,344	2,860	2,659	2,750	2,576	2,522	2,556
55-	3,698	3,731	3,817	4,008	3,962	3,903	3,861	3,850	3,861
60-	5,595	5,630	5,783	5,334	5,404	5,422	5,456	5,513	5,598
65-	7,279	7,835	7,989	6,557	6,720	6,946	6,885	7,238	7,434
70-	9,193	8,650	9,008	8,294	8,081	8,045	8,679	8,328	8,469
75-	10,033	11,152	10,930	9,534	9,746	10,087	9,739	10,313	10,430
80-	9,170	10,638	11,403	9,236	10,150	10,969	9,210	10,337	11,136
85 and upwards			8,376	9,565	7,285	9,297	10,809	10,417	8,970	10,361	9,273

It will be seen that the comparatively low rates for persons of less than 45 years of age show no increase during the decennium. In fact, for females, in whose case separate statement of the rate for each age group is possible, the 1920 rate is lower than that for 1911-14 at each age under 45. After this age the movement is irregular for both sexes, some age groups returning a higher, and some a lower rate in 1920 than in 1911-14. This tendency to greater increase with advancing age has been a marked feature of the returns for many years, especially of those for females (*see* Report for 1909, page lxxxi). It receives added interest from the theory recently advanced by Dr. Brownlee* that cancer mortality at any age varies directly (under different conditions of environment in the same region) with the physiological age of the populations compared. This may be supposed to be decreasing at all or most periods of life as length of life increases, with resultant postponement of cancer mortality. Cancer as returned is certainly now more a disease of old age (measured in years) than it was formerly, but it is possible that this may be largely the result of improvement in diagnosis.

The recent movement of cancer mortality will be better appreciated from the following statement of standardized rates, derived from Table LIX and its predecessors, with important modifications for males and females (but not for persons) in 1911 and 1912, in consequence of the change introduced in 1913 in the method of calculating these rates for the sexes. (Report for 1913, page xx.)

* Medical Research Council, Special Report Series, No. 60.

TABLE LX.—CANCER: STANDARDIZED DEATH-RATES PER MILLION LIVING, 1911-20.

				Males.	Females.	Persons.
1911	871	953	912
1912	898	983	941
1913	936	1,023	980
1914	952	1,018	985
1915	921*	1,015	969*
1916	952*	1,012	982*
1917	980*	1,005	991*
1918	953*	986	969*
1919	943	986	964
1920	959	993	975

* Civilians only.

The rates which apply to civilians only cannot be fairly compared with the rest, being somewhat in excess of those for the total population for reasons stated in previous reports. But the difficulty does not apply to females, and for males the rates of the last two years may be compared with those recorded before the war.

TABLE LXI.—ENGLAND AND WALES, 1920.—SITES of FATAL CANCER—MALES.

		All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
All Deaths.																	
Total	..	19,659	53	68	138	281	363	693	1,342	2,092	2,832	3,369	3,375	2,557	1,617	697	182
39	Lip ..	249	—	—	—	—	1	4	12	15	22	24	24	53	53	28	13
	Tongue ..	1,133	—	—	1	7	33	100	156	220	197	209	104	68	31	6	6
	Mouth ..	560	1	3	2	4	7	23	29	73	96	113	96	57	37	16	3
	Jaw ..	507	2	3	4	11	9	41	56	88	90	80	57	31	22	4	4
	Pharynx ..	248	—	—	2	2	1	7	21	28	51	39	37	36	18	3	3
40	Esophagus ..	1,299	—	—	—	7	2	32	90	191	238	262	237	139	63	34	4
	Stomach ..	4,083	—	—	3	49	101	183	315	461	586	745	725	500	300	95	20
	Liver and gall bladder ..	1,847	5	1	10	22	24	51	99	167	232	312	373	258	196	91	6
	Mesentery and peritoneum ..	97	3	1	4	4	5	7	9	10	14	12	11	9	6	2	—
41	Intestines ..	2,239	2	3	7	31	46	81	125	203	277	364	423	332	227	90	28
	Rectum ..	2,103	—	1	10	32	34	58	129	216	290	357	352	326	195	81	22
43	Breast ..	35	—	—	—	—	—	1	2	8	2	4	6	2	6	4	—
44	Penis and scrotum ..	210	—	—	—	2	4	9	17	17	30	35	31	25	27	10	3
	Other skin ..	492	1	2	—	4	10	13	21	29	46	56	58	81	75	62	34
	Larynx ..	619	—	—	1	2	3	15	54	81	126	118	107	70	31	7	4
	Lung and pleura ..	309	1	4	13	12	14	22	27	40	62	47	39	18	6	4	—
	Pancreas ..	414	—	—	—	8	11	12	36	42	75	84	61	45	25	13	2
	Kidneys and suprarenal glands ..	203	17	7	4	4	8	13	16	28	29	39	13	18	3	2	2
	Bladder ..	639	2	—	2	4	8	19	30	51	75	118	114	117	68	23	8
45	Prostate ..	638	—	—	1	—	1	3	9	27	45	119	135	136	106	49	7
	Testes ..	101	2	1	4	22	13	7	11	8	3	12	6	7	3	2	—
	Brain ..	42	3	2	4	6	6	4	6	2	1	4	3	1	—	—	—
	Bones (jaw excepted) ..	308	3	18	32	14	16	22	18	32	28	35	43	29	9	7	2
	Other specified organs ..	686	6	16	28	25	23	46	67	86	104	100	90	58	24	7	6
	Abdominal cavity, organ unspecified ..	111	1	2	2	3	2	2	5	10	17	8	19	23	12	5	—
	Other and undefined ..	487	4	4	4	12	7	17	53	55	75	75	83	56	28	9	5
Deaths in Institutions.																	
Total	..	6,198	22	28	65	150	164	289	493	770	939	1,094	1,014	643	355	138	34
39	Lip ..	80	—	—	—	—	1	1	4	6	7	10	12	14	16	5	4
	Tongue ..	407	—	—	—	—	5	9	26	59	77	75	88	37	25	5	1
	Mouth ..	208	—	1	1	2	3	7	13	33	38	37	33	23	10	5	2
	Jaw ..	180	1	—	3	6	3	3	16	22	27	36	26	19	9	8	1
	Pharynx ..	79	—	—	1	2	1	3	6	10	16	13	8	15	1	2	1
40	Esophagus ..	439	—	—	—	4	1	13	37	69	96	75	90	30	18	6	—
	Stomach ..	1,073	—	—	2	27	44	78	112	151	158	208	153	90	41	6	3
	Liver and gall bladder ..	364	3	—	5	13	9	19	27	47	47	69	59	41	17	8	—
	Mesentery and peritoneum ..	27	—	1	2	—	3	2	1	5	4	4	2	1	1	1	—
41	Intestines ..	811	2	2	5	13	28	40	49	90	107	135	166	96	54	22	2
	Rectum ..	654	—	—	6	11	12	28	49	80	97	113	109	80	46	19	4
43	Breast ..	6	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—
44	Penis and scrotum ..	92	—	—	—	1	—	2	7	8	14	18	17	10	10	3	2
	Other skin ..	172	—	1	—	2	4	8	10	17	18	22	31	18	21	10	—
	Larynx ..	220	—	—	—	2	2	7	15	28	48	41	39	28	9	1	—
	Lung and pleura ..	98	—	—	6	8	5	7	15	13	18	14	8	3	1	—	—
	Pancreas ..	166	—	—	—	7	6	4	19	22	30	37	17	14	7	3	—
	Kidneys and suprarenal glands ..	78	8	3	3	3	1	9	10	12	11	12	2	4	—	—	—
45	Bladder ..	223	1	—	1	3	3	8	16	21	31	47	40	27	17	6	2
	Prostate ..	224	—	—	1	—	1	2	2	15	22	46	49	41	32	11	2
	Testes ..	26	—	—	1	9	2	—	2	2	2	5	—	2	1	—	—
	Brain ..	22	—	1	2	5	5	2	2	2	—	—	2	1	—	—	—
	Bones (jaw excepted) ..	108	1	5	8	10	8	12	4	12	9	15	6	4	2	—	—
	Other specified organs ..	249	3	8	14	14	13	18	35	25	34	37	26	14	6	2	—
	Abdominal cavity, organ unspecified ..	22	—	2	1	—	2	1	2	3	2	1	2	4	2	—	—
	Other and undefined ..	170	3	4	3	8	2	6	14	22	24	33	29	11	9	2	—

Notwithstanding the slight increase for each sex in 1920, there would appear from Table LX to have been no further growth of cancer mortality during the past six years. Up to 1914 the rates for males were increasing rapidly in continuation of experience before 1911, and up to 1913 those for females, but since those years no further increase seems to have occurred. It would be unsafe to say more than this at present, pending recalculation of the rates in the light of the 1921 Census results. When these are obtainable it will also be possible to compare the records of cancer mortality for various sections of the population.

The parts of the body affected by fatal cancer in 1920 are shown in Tables LXI and LXII in greater detail than that provided by the international classification, six out of its seven headings (Nos. 39–45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths returned from institutions are separately tabulated.

TABLE LXII.—ENGLAND AND WALES, 1920.—SITES of FATAL CANCER—FEMALES.

	All Ages.	0–	5–	15–	25–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–
All Deaths.																
Total	24,028	51	45	112	500	740	1,368	2,188	2,675	3,068	3,338	3,335	2,907	2,179	1,070	452
39 Lip	17	—	—	—	—	—	—	1	1	1	2	—	3	5	2	2
Tongue	113	—	—	1	3	5	6	9	16	9	14	19	10	12	5	4
Mouth	67	—	1	—	3	2	1	7	11	14	5	5	10	5	2	1
Jaw	172	3	1	3	5	8	5	14	17	20	23	22	27	14	7	3
40 Pharynx	88	—	1	3	2	7	7	13	12	12	11	6	4	4	6	—
Esophagus	443	—	—	1	4	14	38	43	62	59	65	58	46	29	17	7
Stomach	3,580	—	1	5	43	79	132	209	337	439	559	630	556	378	158	54
Liver and gall bladder ..	2,465	5	2	6	16	18	66	124	208	271	376	467	414	311	131	50
41 Mesentery and peritoneum ..	251	2	—	—	4	11	14	27	26	41	36	33	22	22	8	5
Intestines	2,991	1	1	9	47	42	94	181	255	325	422	522	475	364	178	75
Rectum	1,538	—	—	4	34	44	61	112	140	168	216	248	225	171	81	34
42 Ovary and fallopian tube ..	603	—	5	7	39	32	57	73	106	87	81	44	37	22	12	1
Uterus	4,090	—	—	5	127	182	381	560	579	602	559	445	326	229	70	25
Vagina and vulva	312	—	—	2	6	7	16	27	23	41	45	42	36	39	21	7
43 Breast	4,488	—	—	2	76	195	349	567	611	641	567	431	389	343	206	111
44 Skin	385	2	1	5	10	5	9	14	18	28	40	50	52	60	55	36
Larynx	177	—	—	—	11	7	16	26	21	35	28	17	10	4	2	—
Lung and pleura	191	—	4	4	8	9	14	21	24	38	19	20	17	9	4	—
Pancreas	387	—	—	2	6	7	12	26	41	54	60	56	60	33	27	3
Kidneys and suprarenal glands ..	174	23	10	3	9	9	10	15	14	12	25	16	14	7	5	2
45 Bladder	259	—	—	—	1	8	4	12	18	36	34	44	47	31	18	6
Brain	42	1	4	3	3	5	4	7	5	5	—	2	2	—	1	—
Bones (jaw excepted)	278	6	6	23	16	10	18	22	35	25	24	32	27	14	16	4
Other specified organs	474	4	4	20	21	19	35	47	54	52	60	67	41	26	18	6
Abdominal cavity, organ unspecified	231	2	2	1	—	5	5	15	22	27	37	34	33	28	13	7
Other and undefined	212	2	2	3	6	10	14	16	19	26	30	25	24	19	7	9
Deaths in Institutions.																
Total	5,448	24	18	38	206	240	418	530	708	733	744	681	528	354	161	65
39 Lip	8	—	—	—	—	—	—	1	1	—	1	—	2	2	—	1
Tongue	21	—	—	—	1	1	1	5	5	5	5	1	3	2	1	—
Mouth	18	—	—	—	2	2	—	6	5	1	1	—	—	—	—	—
Jaw	58	1	1	—	3	5	1	5	8	8	6	11	4	4	—	—
40 Pharynx	18	—	—	—	1	4	4	1	2	3	2	—	—	—	—	—
Esophagus	97	—	—	—	1	5	14	15	19	12	16	4	9	1	1	—
Stomach	622	—	—	3	19	25	41	56	91	99	94	88	52	37	12	5
Liver and gall bladder ..	361	2	—	1	7	6	14	25	36	48	60	66	47	30	15	4
41 Mesentery and peritoneum ..	60	2	—	—	—	4	5	8	9	10	5	8	5	2	1	1
Intestines	802	—	1	5	26	18	39	68	93	111	135	128	86	58	26	8
Rectum	419	—	—	—	12	21	18	40	46	44	64	59	65	36	10	4
42 Ovary and fallopian tube ..	218	—	1	3	20	11	30	29	35	24	36	12	14	2	1	—
Uterus	1,091	—	—	5	52	59	137	134	151	152	135	117	76	48	19	6
Vagina and vulva	82	—	—	—	4	—	6	8	7	13	13	8	8	10	5	—
43 Breast	841	—	—	1	21	39	60	75	120	126	89	101	76	67	41	25
44 Skin	110	2	—	2	3	2	5	5	4	9	13	17	14	20	8	6
Larynx	36	—	—	—	4	—	4	5	5	6	4	3	1	3	1	—
Lung and pleura	56	—	2	—	3	6	4	10	7	6	3	6	6	3	—	—
Pancreas	124	—	—	2	5	5	8	7	19	15	15	15	15	9	8	1
Kidneys and suprarenal glands ..	57	12	3	2	5	8	4	3	3	5	6	1	3	1	1	—
45 Bladder	63	—	—	—	2	1	3	4	13	10	10	10	14	6	—	—
Brain	21	—	4	1	1	4	2	4	2	1	—	—	2	—	—	—
Bones (jaw excepted)	75	1	3	9	5	5	6	6	11	6	5	7	4	1	4	2
Other specified organs	116	2	2	4	10	10	11	13	8	8	15	4	4	5	2	1
Abdominal cavity, organ unspecified	38	1	1	—	—	1	—	6	4	5	7	3	5	3	1	1
Other and undefined	36	1	—	—	1	—	3	2	3	5	8	3	6	4	—	—

A few only of the most important sites have been selected for incorporation in Table LXIII, which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LXIV and LXV, which compare the returns of deaths at various ages in private houses with those occurring in institutions. The principal features of all these tables remain very much the same year after year; for instance, the differences between the sexes. The mortality of females from cancer of the upper portion of the alimentary canal, that above the stomach, is a small fraction only of that of males, but females suffer more from intestinal cancer. Disease of the stomach and rectum attacks males principally, but not at all with the overwhelming

It cannot be assumed, however, that the institutional deaths are a fair sample of the whole. That they are subject to some selection by age is shown by the fact that the average age at death is lower in institutions than elsewhere.* Moreover, it is very possible that there may be greater relative frequency of cancer of certain sites amongst that section of the population which chiefly furnishes the deaths reported from institutions. The tables, however, are of interest as showing, in institutional and private practice respectively, the chance of fatal cancer at any given age in either sex affecting any particular organ (Table LXIV); and the chance of death from cancer of any organ occurring at any given age (Table LXV). The principal features in these tables also recur with regularity from year to year.

TABLE LXV.—ENGLAND AND WALES, 1920.—SITES OF FATAL CANCER: PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE SAME SITE AT ALL AGES.

				0—	25—	35—	45—	55—	65—	75—	85—	All Ages.
				<i>Males.</i>								
Tongue..	{ Instn. Private	— 0·1	— 0·1	3·4 3·6	20·9 23·6	37·4 36·5	30·7 25·9	7·4 9·5	0·2 0·7	100·0 100·0
Œsophagus	{ Instn. Private	— —	0·9 0·3	3·2 2·3	24·1 20·3	39·0 38·3	27·3 29·8	5·5 8·5	— 0·5	100·0 100·0
Stomach	{ Instn. Private	0·2 —	2·5 0·7	11·4 5·4	24·5 17·0	34·1 32·1	22·6 32·6	4·4 11·6	0·3 0·6	100·0 100·0
Liver and gall bladder	..		{ Instn. Private	2·2 0·5	3·6 0·6	7·7 3·2	20·3 12·9	31·8 28·9	27·5 35·8	6·9 17·7	— 0·4	100·0 100·0
Intestines	{ Instn. Private	1·1 0·2	1·6 1·3	8·4 4·1	17·1 13·2	29·8 27·9	32·4 34·6	9·4 16·9	0·2 1·8	100·0 100·0
Rectum	{ Instn. Private	0·9 0·3	1·7 1·4	6·1 3·6	19·7 14·9	32·2 30·2	28·9 33·8	9·9 14·6	0·6 1·2	100·0 100·0
Skin	{ Instn. Private	0·4 0·5	1·1 0·7	5·3 5·0	13·3 11·2	25·4 22·8	30·3 26·3	19·7 27·8	4·5 5·7	100·0 100·0
Other organs	{ Instn. Private	4·1 3·0	3·6 1·3	7·0 5·3	19·8 16·4	32·4 30·6	24·6 30·0	8·0 12·2	0·5 1·2	100·0 100·0
All sites	{ Instn. Private	1·9 1·1	2·4 1·0	7·3 4·5	20·4 16·1	32·8 31·0	26·7 31·7	8·0 13·5	0·5 1·1	100·0 100·0
				<i>Females.</i>								
Œsophagus	{ Instn. Private	— 0·3	1·0 0·9	19·6 9·5	35·0 20·5	28·9 27·8	13·4 26·3	2·1 12·7	— 2·0	100·0 100·0
Stomach	{ Instn. Private	0·5 0·1	3·1 0·8	10·6 4·9	23·6 13·5	31·0 27·2	22·5 35·3	7·9 16·5	0·8 1·7	100·0 100·0
Liver and gall bladder	..		{ Instn. Private	0·9 0·5	1·9 0·4	5·5 3·0	16·9 12·9	29·9 25·6	31·3 36·5	12·5 18·9	1·1 2·2	100·0 100·0
Intestines	{ Instn. Private	0·7 0·2	3·2 1·0	7·1 3·6	20·1 12·6	30·7 22·9	26·7 35·7	10·5 20·9	1·0 3·1	100·0 100·0
Rectum	{ Instn. Private	— 0·4	2·9 2·0	9·3 5·9	20·5 14·8	25·8 24·6	29·5 31·2	11·0 18·4	1·0 2·7	100·0 100·0
Uterus	{ Instn. Private	0·5 —	4·8 2·5	18·0 12·2	26·1 28·5	26·2 29·2	17·7 19·3	6·1 7·7	0·6 0·6	100·0 100·0
Breast	{ Instn. Private	0·1 0·0	2·5 1·5	11·8 12·2	23·2 27·0	25·6 27·2	21·0 17·6	12·8 12·1	3·0 2·4	100·0 100·0
Skin	{ Instn. Private	3·6 1·5	2·7 2·5	6·4 2·5	8·2 8·4	20·0 16·7	28·1 25·8	25·5 31·7	5·5 10·9	100·0 100·0
Other Organs	{ Instn. Private	5·2 3·4	5·9 2·7	14·0 8·3	23·5 19·8	24·5 27·1	18·5 23·9	7·8 13·0	0·6 1·8	100·0 100·0
All sites	{ Instn. Private	1·5 0·7	3·8 1·6	12·1 7·8	22·7 19·5	27·0 26·5	22·2 27·1	9·5 14·7	1·2 2·1	100·0 100·0

* In 1920 the proportion of deaths at each age-period per 1,000 at all ages was in excess for institutional deaths up to age 65 for both males and females, and for other deaths at all higher ages. (Table LXV.)

TABLE LXVI.—ENGLAND AND WALES, 1920.—TUMOURS NOT RETURNED AS MALIGNANT.

Part affected.		All Ages.		0—		15—		35—		45—		55—		65—		75—	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
<i>Tumours classed with other disease of organ affected.</i>																	
74C. Cerebral tumour..	Cyst	9	6	2	—	3	2	1	2	2	1	—	—	—	1	1	—
	Glioma	67	56	8	9	24	11	11	12	12	14	8	4	3	4	1	2
	Other benign ..	7	3	—	—	4	3	—	—	2	—	—	—	—	—	—	—
	Nature unstated ..	395	410	60	37	78	98	80	82	108	100	50	62	19	26	—	5
	Total (74C)	478	475	70	46	109	114	92	96	124	115	59	66	22	31	2	7
129. Uterine tumour ..	Fibroid	—	276	—	—	—	22	—	76	—	103	—	37	—	20	—	18
	Fibro-myoma .. .	—	28	—	—	—	3	—	9	—	11	—	1	—	2	—	2
	Myoma	—	20	—	—	—	1	—	10	—	5	—	4	—	—	—	—
	Polypus	—	13	—	—	—	5	—	—	—	2	—	—	—	1	—	1
	Other benign .. .	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nature unstated ..	—	8	—	—	—	1	—	1	—	2	—	2	—	4	—	—
	Total (129)	—	348	—	—	—	32	—	100	—	123	—	45	—	27	—	21
131. Ovarian tumour ..	Cyst	—	242	—	—	—	42	—	43	—	36	—	47	—	42	—	32
	Cyst-adenoma .. .	—	6	—	—	—	1	—	1	—	1	—	—	—	1	—	2
	Fibroid	—	5	—	—	—	—	—	2	—	2	—	—	—	—	—	—
	Papilloma	—	5	—	—	—	—	—	1	—	1	—	3	—	—	—	—
	Other benign .. .	—	6	—	—	—	—	—	2	—	2	—	1	—	1	—	—
	Nature unstated ..	—	45	—	1	—	1	—	6	—	7	—	9	—	14	—	7
	Total (131)	—	309	—	1	—	44	—	55	—	49	—	60	—	59	—	41
In 63. Spinal cord ..	Glioma	4	1	2	—	—	—	2	—	—	—	—	1	—	—	—	—
	Other benign .. .	4	2	—	1	1	—	1	—	2	—	—	—	—	—	—	1
	Nature unstated ..	9	11	—	—	3	—	—	—	2	—	2	3	—	3	—	1
„ 75. Eye	Glioma	2	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—
	Other benign .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nature unstated ..	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—
„ 86. Nose	Polypus	6	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
	Nature unstated ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
„ 87. Larynx	Papilloma	3	4	2	3	—	—	—	—	1	—	—	1	—	—	—	—
	Other benign .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nature unstated ..	8	1	2	—	—	—	1	1	1	—	1	1	—	1	2	—
„ 88. Thyroid	Adenoma	1	7	—	—	—	2	—	—	—	—	1	4	—	1	—	—
	Cyst-adenoma .. .	1	2	—	—	—	1	—	—	—	1	1	—	—	—	—	—
	Fibro-adenoma .. .	—	3	—	—	—	—	—	—	—	—	2	—	—	—	—	1
	Cyst	1	3	—	—	1	—	—	—	—	—	2	—	—	—	—	3
	Other benign .. .	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated ..	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
„ 98. Lung	Non-malignant ..	1	2	—	—	1	—	—	—	1	—	1	1	—	—	—	—
	Nature unstated ..	10	6	—	—	1	1	—	—	6	1	1	2	1	2	1	—
„ 99. Parotid	Non-malignant ..	1	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—
	Nature unstated ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
„ 101. Oesophagus ..	Nature unstated ..	8	3	—	—	—	—	1	1	1	2	3	—	2	—	1	—
„ 110. Intestine .. .	Papilloma or villous	2	4	—	—	—	—	—	—	—	—	—	1	2	—	—	2
	Polypus	1	4	—	—	—	—	—	—	1	—	—	1	—	—	—	—
	Other benign .. .	—	4	—	—	—	—	—	—	—	—	—	—	—	3	—	—
	Nature unstated ..	20	14	—	—	1	—	1	—	1	3	6	3	4	2	7	6
„ 115. Liver	Non-malignant ..	4	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
	Nature unstated ..	8	9	2	—	—	—	1	1	—	—	2	2	3	4	—	2
„ 118. Pancreas .. .	Cyst	4	9	—	—	—	2	—	2	—	3	3	1	—	—	—	—
	Nature unstated ..	1	5	—	—	—	—	—	—	1	1	—	—	—	2	—	1
„ 122. Kidney	Cyst	3	1	—	—	2	—	1	—	—	—	—	—	—	1	—	—
	Other benign .. .	3	1	1	—	—	—	—	—	1	—	—	—	2	—	—	—
	Nature unstated ..	6	8	1	1	1	1	—	—	1	—	1	1	2	2	2	3
„ 124. Bladder .. .	Papilloma or villous	80	26	—	—	2	1	7	2	11	2	16	5	23	3	21	13
	Other benign .. .	4	1	—	—	—	—	—	—	—	—	1	1	—	—	2	—
	Nature unstated ..	15	5	—	—	—	—	—	—	4	1	3	1	7	—	1	3
„ 126. Prostate .. .	Adenoma	71	—	—	—	—	—	—	—	2	—	14	—	37	—	18	—
	Fibro-adenoma .. .	5	—	—	—	—	—	—	—	—	—	1	—	1	—	3	—
	Nature unstated ..	7	—	—	—	—	—	—	—	—	—	2	—	3	—	2	—
„ 132. Broad ligament	Cyst	—	6	—	—	—	1	—	3	—	—	—	—	—	2	—	—
	Other benign .. .	—	5	—	—	—	1	—	1	—	2	—	1	—	—	—	—
„ 133. Breast	Non-malignant ..	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nature unstated ..	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2
„ 146. Skull	Non-malignant ..	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	Nature unstated ..	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Other sites	Non-malignant ..	12	17	—	—	5	3	—	2	—	2	5	1	—	4	1	5
	Nature unstated ..	9	6	2	1	—	1	1	2	4	1	2	—	—	—	—	1
	Total	318	189	14	8	20	16	19	20	41	25	66	39	94	33	64	48
<i>Tumours not classed with other disease of organ or part of body affected.</i>																	
46. Pituitary body ..	Non-malignant ..	2	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	Nature unstated ..	3	4	—	—	2	—	1	—	2	—	1	—	—	—	—	—
Mediastinum	Non-malignant ..	3	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
	Nature unstated ..	43	26	1	—	5	1	2	5	13	3	12	7	8	7	2	3
Abdomen	Non-malignant ..	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Nature unstated ..	16	53	—	—	—	1	1	4	1	5	4	11	7	12	3	20
Other ill-defined sites	Non-malignant ..	4	9	—	1	1	—	1	1	1	1	1	1	1	1	1	4
	Nature unstated ..	11	7	—	—	1	1	2	1	2	2	2	2	—	2	—	1
Site not stated .. .	Angioma	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Other benign .. .	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Nature unstated ..	—	3	—	—	—	—	—	—	—	—	—	2	—	—	—	1
	Total (46)	82	110	1	1	10	4	7	13	18	13	20	25	18	23	8	31
Total, all tumours ..		878	1,431	85	56	139	210	118	284	183	325	145	235	134	173	74	148
„ benign tumours ..		307	799	17	15	47	103	26	175	38	194	55	125	75	94	49	93
„ nature unstated ..		571	632	68	41	92	107	92	109	145	131	90	110	59	79	25	55

46. **Other Tumours (situation undefined).**—This title includes only tumours not ascertained to be malignant, and (excepting only tumours of the pituitary body, for which there is no appropriate local heading) of which the situation either cannot be ascertained or is of an ill-defined nature. Other benign tumours, *i.e.*, those returned as affecting the various organs, are classified in the International List under the organ

concerned; but in order to secure a comprehensive presentation of all deaths attributed to tumours, all those not returned as due to cancer are assembled in Table LXVI from the various headings to which that list of causes of death allocates them. It will be convenient, therefore, to deal here not only with tumours of undefined situation (46), but with all other tumours not returned as malignant.

The table includes 2,309 deaths, of which 1,106 were returned as due to tumours of non-malignant nature, and 1,203 as due to tumours the nature of which had not been ascertained. It will be seen that, even if all the latter could be assumed to have been malignant, the mortality from cancer would be increased by less than 3 per cent. Of these 1,203 cases of undetermined nature no less than 805 were cerebral tumours, respecting which in the majority of cases, even in institutional practice, no further information can be furnished in response to inquiry as to their nature.

The age distribution of the deaths from tumour of unstated nature is sufficient in itself to show that a great many of them were non-malignant, for it does not at all resemble that of cancer mortality. A large proportion of the deaths from cerebral tumour occur before middle age, so it seems probable that these at least are very largely of a non-malignant nature. But out of the 398 tumours of undetermined nature affecting organs other than the brain over 80 per cent. occurred at ages over 45 years as against 90 per cent. for cancer and 65 per cent. for benign tumours, so most of these tumours may have been malignant.

While the mortality from tumours of doubtful nature does not differ greatly in the two sexes, growths of known non-malignant nature caused the deaths of nearly three times as many females as males. This is due to the comparatively large number of deaths from uterine and ovarian tumour in Table LXVI. Apart from these two organs, the male mortality considerably exceeds the female, as a result of the comparative frequency among males of fatal non-malignant tumours of the bladder and prostate.

56. Alcoholism.—This heading in the International List of causes of death excludes organic disease attributed to alcoholism, therein differing from the "alcoholism, delirium tremens," of the list in use prior to 1911. The effect of the change may be gathered from comparison of the number of deaths (216) from alcoholism in the new list on page 146 with that (577) of deaths referred to the same heading in the old list in Table 9.

In order that this change in classification might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the deaths in certification of which any mention of alcohol appears have been assembled in Table LXVII. These deaths make up a total of 719, or only 142 in excess of the 577 referable to the old heading, the difference being accounted for mainly by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it. The causes most frequently associated in death certification with mention of alcoholism, with the number of deaths in the case of each, were:—Violence, 130; cirrhosis of the liver, 128; organic heart disease, 62; lobar pneumonia, 34; cerebral hæmorrhage, 22; bronchitis and neuritis, 14 each.

From alcoholism in both the wider and the narrower sense indicated above, and from each of the forms of organic disease chiefly associated with alcohol, there has been a considerable increase of mortality in 1920. From a total of close on 2,000 annually before the war these deaths, as classified in Table 9, fell continuously to 339 in 1918, increasing since to 384 in 1919, and 577 in 1920.

The death-rate for each sex, however, is shown by Table 10 to have remained the same in 1919 as in 1918, with an increase of about 50 per cent. in 1920.

It seems impossible to avoid associating this remarkable movement with the institution of war restrictions upon the sale of alcohol, followed later by their relaxation (so far as hours of sale are concerned, though the restriction imposed by increased taxation remains). As the result of the latter further increase may be anticipated in 1921 if the association is real, both because the relaxation was not complete throughout 1920, and because of the delay which must presumably occur before such changes affect the death-rate from chronic alcoholism. But, on the other hand, such further increase in 1921 will probably be lessened by the effect of industrial depression in reducing consumption of alcohol.

TABLE LXVII.—ENGLAND AND WALES, 1920.—DEATHS from or CONNECTED with ALCOHOLISM.

	All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
56. Deaths attributed directly to alcoholism ..	166	50	1	—	12	2	44	10	58	23	41	8	10	6	—	1
Deaths of which alcoholism was recorded as a secondary cause :—																
4. Malaria	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
9A. Diphtheria	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
10. Influenza	7	—	—	—	—	—	2	—	1	—	3	—	1	—	—	—
14. Dysentery	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
18. Erysipelas	3	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
28, 29. Phthisis	4	1	—	—	1	—	1	—	1	1	1	—	—	—	—	—
37, 38. Venereal diseases	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
39-45. Cancer	2	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—
52. Addison's disease	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
60. Encephalitis	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—
64. Cerebral hemorrhage, apoplexy ..	16	6	—	—	—	—	5	1	4	5	4	—	2	—	1	—
65. Softening of brain	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
69. Epilepsy	6	—	—	—	1	—	4	—	—	—	—	—	1	—	—	—
73B. Neuritis	7	7	—	—	—	—	—	4	1	2	3	—	3	1	—	—
Other diseases of the nervous system ..	5	—	—	—	—	—	—	—	3	—	—	—	2	—	—	—
77. Pericarditis	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
79A. Valvular disease of the heart ..	7	5	—	—	—	—	3	2	—	—	2	2	2	—	—	1
79B. Fatty degeneration of the heart ..	12	6	—	—	—	—	2	4	5	—	3	2	2	—	—	—
79C. Other organic disease of the heart ..	18	14	—	—	—	—	5	3	6	4	6	3	1	4	—	—
81. Diseases of the arteries, atheroma, aneurysm, etc.	6	1	—	—	—	—	—	—	1	4	—	—	2	—	—	—
82A. Cerebral embolism and thrombosis ..	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
83B. Varix	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
89, 90. Bronchitis	11	3	—	—	—	—	3	—	1	2	5	—	2	—	—	1
91. Broncho-pneumonia	7	1	—	—	—	—	2	—	2	1	1	—	2	—	—	—
92A. Lobar pneumonia	28	6	—	—	1	3	9	—	10	3	7	—	1	—	—	—
93. Pleurisy	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
96. Asthma	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
98A. Fibroid disease of lung	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Other diseases of the respiratory system ..	4	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
100A. Tonsillitis	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
102. Perforating ulcer of stomach	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
103. Other diseases of the stomach	9	3	—	—	—	—	3	1	4	2	2	—	—	—	—	—
104, 105. Diarrhoea and enteritis	2	2	—	—	—	—	—	1	2	—	—	1	—	—	—	—
108. Appendicitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
109A. Hernia	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
109B. Intestinal obstruction	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
113B. Cirrhosis of the liver	95	33	1	—	1	2	9	9	33	12	35	5	13	5	3	—
Other diseases of the digestive system ..	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
119, 120. Acute nephritis, Bright's disease ..	4	5	—	—	—	—	—	2	3	2	1	1	—	—	—	—
144. Phlegmon, acute abscess	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
155-163. Suicide	15	1	1	—	—	1	2	—	9	—	3	—	—	—	—	—
169. Accidental drowning	7	1	3	—	2	—	1	—	1	—	1	—	—	—	—	—
172. Injury by fall	53	11	1	—	2	3	11	3	14	2	18	2	6	1	1	—
175. Injury by crushing (vehicles, railways, etc.) Other violence	11	2	—	—	1	—	3	1	4	—	2	—	1	1	—	—
	22	7	1	—	2	—	6	—	8	4	4	—	1	1	—	2
Total	546	173	8	—	24	11	125	43	179	68	152	27	53	19	5	5

Table LXVIII shows how general has been the increase in 1920 in mortality ascribed to various forms of alcoholic disease. The figures for males are not fully comparable at different dates owing to increase in their numbers since the end of the war. Return from foreign service explains the increase of deaths of males in 1919, while their mortality remained as in 1918. But, although the war reduction of mortality is overstated by a comparison of deaths for males, and not for females, the reduction shown for females is much the greater. Evidently no confirmation is to be found in the death returns of the suggested increase during the war in the drinking habits of women.

It is of interest to compare the returns of alcohol consumed at different dates with the changes recorded in mortality ascribed to alcohol. The following figures, derived from the eleventh Report of the Commissioners of Customs and Excise (Table 7 of that Report), show millions of proof gallons of spirits and standard barrels of beer retained for consumption in the United Kingdom in each calendar year 1914 to 1919, these figures, of course, taking into account change in alcoholic strength.

	1914.	1915.	1916.	1917.	1918.	1919.
Spirits	32	35	28	19	15	22
Beer	34	29	27	16	13	22

Even allowing for the decreased number of consumers, it is evident that consumption reached its lowest level in 1917 and 1918, which accords well with a minimum mortality in 1918 and 1919. On the other hand, the decline in mortality from 53 per million in 1914 to 43 (civilians only) in 1915 is not to be accounted for by the figures of consumption ; and the reduction in recorded mortality is far greater than that in

consumption. So, notwithstanding the significantly close association in movement of the two sets of figures, it seems possible that some other influence than mere reduction in the amount of alcohol consumed may have contributed to the fall in mortality.

TABLE LXVIII.—ENGLAND and WALES.—DEATHS in each year 1916–20 from the CAUSES principally associated in certification with ALCOHOLISM per cent. of the corresponding average NUMBERS so associated in 1911–14.

Cause of Death.	Males.					Females.					Both Sexes.				
	1916.	1917.	1918.	1919.	1920.	1916.	1917.	1918.	1919.	1920.	1916.	1917.	1918.	1919.	1920.
56. Deaths attributed directly to alcoholism	58	30	15	22	41	52	36	9	12	22	56	33	13	18	34
64. Cerebral hæmorrhage, apoplexy ..	57	49	17	17	46	41	10	12	7	15	49	28	14	12	29
73b. Neuritis	27	35	15	12	27	37	20	4	6	10	34	24	7	7	15
79. Organic heart disease	50	38	19	35	39	49	45	8	18	35	49	40	14	28	37
89, 90. Bronchitis	105	73	41	45	50	85	23	15	15	23	100	56	32	35	41
92A. Lobar pneumonia	49	35	23	16	25	50	47	20	—	20	49	38	22	13	24
113b. Cirrhosis of the liver	86	57	37	45	61	77	47	23	19	22	82	52	30	32	42
119, 120. Acute nephritis, Bright's disease	56	21	12	29	12	41	29	3	6	15	49	25	7	18	13
155–186. Violence	67	36	22	39	74	65	38	23	27	46	66	36	22	36	67
Other causes	61	31	33	31	39	60	40	19	19	15	60	34	28	27	30
Total	62	37	23	29	45	56	37	14	14	22	60	37	19	23	36

60. **Encephalitis.**—Deaths returned under this heading have increased from an average of 317 in 1911–17 to 366 in 1918, 663 in 1919, and 861 in 1920, as a result of the inclusion here of deaths from encephalitis lethargica, which began to be recorded in 1918. These deaths are made the subject of special investigation by the Ministry of Health, and it is stated in the Report of the Chief Medical Officer that of 844 authentic cases notified during the year 416 died, 400 of the deaths being registered during 1920. This leaves a balance of about 450 other deaths from encephalitis in 1920, as against the average of 317, mainly certified as cerebral abscess and as encephalitis, in 1911–17. This increase is mainly due to the fact that a number of deaths outside the certified cases investigated by the Ministry have been attributed to this cause in the death registers. The number registered as due to “encephalitis lethargica” was 471, and nine others were returned as “meningitis lethargica,” “epidemic encephalitis,” and in other ways indicating that the same disease was meant. In addition to these the increase since the commencement of the epidemic in 1918 of deaths attributed to meningitis not regarded as of the epidemic type continues, whereas the numbers attributed to cerebral abscess and cerebritis are much as in 1913, which happens to be the only year before 1918 for which an analysis of the heading has been made.

TABLE LXIX.—DEATHS allocated to 60. ENCEPHALITIS.

	1913.	1918.	1919.	1920.
Cerebral abscess	199	163	180	186
Cerebritis	20	26	28	28
Encephalitis	110	161	161	167
Encephalitis lethargica	—	4	290	471
Epidemic encephalitis, meningitis lethargica, etc. ..	—	12	4	9
Total	329	366	663	861

61A. **Cerebro-Spinal Fever.**—The mortality attributed to this cause, which suddenly assumed large proportions in 1915, continues to decline from the maximum then reached, but has not nearly regained the level prevailing up to that date (Table 10). The largest numbers of deaths so classified in any one year prior to 1915 were 163 in 1913 and 194 in 1914. In 1915 the number was 1,974, since when it has gradually dropped to 412 in 1920.

Amongst the 559 cases verified by the Ministry of Health during the year 395 deaths occurred. The Report of the Chief Medical Officer contains further particulars of the behaviour of this disease during 1920 and previous years.

63B. **Poliomyelitis, Polioencephalitis.**—Deaths from poliomyelitis and polioencephalitis have hitherto been merged with those from many other forms of disease under title 63, “Other diseases of the spinal cord.” They have for the past nine years, however, been distinguished in a table in the text of the report which is reproduced below for 1920. Since 1918 a separate title, 63B, has been assigned to this disease in the full tabulation of causes of death, but as the text tables hitherto published have included all deaths for which this cause was certified, whereas the figures on page 148 exclude 18 deaths assigned, under the rules for classification, to some other cause of death mentioned on the certificate, the text table is continued in order to afford means of comparison with the records of previous years.

STATEMENT.

	All Ages.	Under 1 month.	1-3 months.	3-6 months.	6-12 months.	1-	2-	3-	4-	5-	10-	15-	20-	25-	35-	45-	55-	65- and up.
Males	87	—	—	4	13	6	7	5	4	13	7	12	3	6	4	1	1	1
Females	65	—	1	2	7	4	3	2	3	15	9	5	3	5	2	1	3	—

Of these deaths 115 were assigned to poliomyelitis, 32 to polioencephalitis, and 5 to polioencephalomyelitis.

These numbers are greatly in excess of the deaths which occurred amongst the certified cases of the disease verified by the Ministry of Health. The latter numbered but 28 deaths from poliomyelitis and 18 from polioencephalitis. To some extent this great discrepancy is explained by the fact that a few deaths are certified every year as resulting from an attack of poliomyelitis in the more or less remote past. But this alone will not explain the difference, for of the registered deaths 48 were attributed definitely to acute poliomyelitis and 16 to acute polioencephalitis, while in some other cases it is evident that an acute condition is meant. It would seem that a number of deaths must be referred to these causes without the disease having been notified during life, and it follows that the only reliable fatality figures obtainable are those published in the Report of the Chief Medical Officer, based as these are upon the deaths occurring amongst notified and verified cases.

As from the commencement of 1921 steps have been taken to ascertain the cause of such discrepancies between the results of notification and of death certification. All deaths attributed to encephalitis lethargica, poliomyelitis, and polioencephalitis are now communicated as soon as possible after occurrence to the medical department of the Ministry of Health for comparison with its records of deaths derived from notification.

91-92. **Pneumonia.**—The total deaths assigned to pneumonia in its various forms numbered 37,149—21,608 of males and 15,541 of females. Table 9 shows that these are the lowest numbers recorded during the past 15 years for females and for persons of both sexes, notwithstanding increase of population. The deaths of males in 1912 and 1913 were rather fewer. The corresponding death-rates are 1,206 and 788 per million living of each sex, and 987 per million of both sexes. That of females is definitely lower than for any earlier year in Table 10, comparing with a previous lowest of 829 in 1917, but for males the rate is much the same as in 1912 and 1913.

The proportion of total pneumonia deaths referred to broncho-pneumonia in 1920 was the highest, and that to “pneumonia” not otherwise defined the lowest, during the twenty years 1901–20, for which alone distinction between the forms of pneumonia has been recorded. The proportion for each form of certification to the total for all forms was shown for each year 1901–10 in Table XXXVII of the Report for 1910. This table is brought up to date in Table LXX.

Comparison of the two tables shows a sudden increase in the proportion for lobar pneumonia from 13·3 per cent. in 1910 to 19·8 in 1911, with a corresponding decrease for undefined pneumonia from 42·6 to 35·8 per cent. This is mainly due to the fact that from 1911 onwards certain deaths have been allocated to lobar pneumonia where it is felt that the form of certificate fairly warrants this interpretation, although the actual term “lobar” is not employed. This fact helps to explain the exceptionally large increase for lobar and decrease for undefined pneumonia in 1911–15, and it shows that the table somewhat exaggerates the increase during the twenty years in precision of certification. This increase still continues, though at a much decreased

rate. A temporary setback, due to the influenza epidemic of 1918-19, has now been recovered from, but though indefinite certifications were fewer in 1920 than ever before, the proportion of the total ascribed to the lobar form of disease was higher in 1916 and 1917, notwithstanding absence from the country at that date of many males at ages particularly susceptible to the lobar form of the disease.

TABLE LXX.—ENGLAND AND WALES.—PROPORTION of DEATHS from various FORMS OF PNEUMONIA PER CENT. of TOTAL PNEUMONIA DEATHS.

	Lobar Pneumonia.	Broncho- Pneumonia.	Pneumonia not otherwise defined.
1901-05	8·4	42·1	49·5
1906-10	12·3	43·9	43·8
1911-15	21·1	46·5	32·4
1916-20	22·2	46·0	31·8
1911	19·8	44·4	35·8
1912	20·8	46·4	32·8
1913	21·0	47·2	31·8
1914	22·0	46·9	31·1
1915	21·6	47·4	31·0
1916	22·9	45·1	32·0
1917	22·9	46·0	31·1
1918	22·1	42·4	35·5
1919	20·4	48·5	31·1
1920	22·6	50·2	27·2

This rather suggests that the real share of broncho-pneumonia in the total mortality may have increased somewhat during the past few years ; and this surmise appears to receive some confirmation from the fact that the proportion of total pneumonia to bronchitis mortality, which had been increasing since 1861-70, decreased somewhat in 1911-20. The following statement shows the percentage proportion of deaths ascribed to pneumonia (all forms) to deaths ascribed either to bronchitis or pneumonia in the last six decades :—

1861-70.	1871-80.	1881-90.	1891-1900.	1901-10.	1911-20.
38	31	33	40	52	50

However this may be, the broad inference from the upper part of Table LXX is very plainly that undefined pneumonia has decreased mainly by reason of transference to lobar. If so, we may probably infer that the deaths still ascribed to undefined pneumonia are also mainly due to the lobar form. Evidence in favour of this was adduced in the Report for 1910 (*see* Diagram VI) from comparison of the age mortalities from bronchitis and the three subdivisions of pneumonia, and from their ratios of male to female mortality at different ages.

Further confirmation of this is obtainable by comparison of the deaths occurring in each quarter of the year, and of the ratio of male to female mortality in each quarter during the past ten years. Table LXXI shows that the seasonal distribution of mortality from bronchitis and broncho-pneumonia and from lobar and undefined pneumonia is very similar in each case, but that there is considerable divergence between the two types.

In all four cases most deaths occur in the first and fewest in the third quarter ; but whereas in the first two cases the excess is almost four to one, in the latter two it is only about two to one, undefined being naturally somewhat nearer to the bronchial type of distribution than lobar pneumonia. Clearly in this matter also undefined behaves like lobar pneumonia. There is little difference between the mortalities of the second and fourth quarters ; but except from lobar pneumonia in the case of males, greater mortality in the fourth quarter is the usual rule, though single years provide many exceptions.

TABLE LXXI.—ENGLAND AND WALES, 1911-20.—QUARTERLY DISTRIBUTION of DEATHS from BRONCHITIS and PNEUMONIA. Deaths in each Quarter per 1,000 in Year.

		1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.
Bronchitis	M.	406	219	116	259	1,000
	F.	434	205	95	266	1,000
	P.	420	212	106	262	1,000
Broncho-Pneumonia ..	M.	405	227	116	252	1,000
	F.	401	226	113	260	1,000
	P.	404	226	114	256	1,000
Lobar Pneumonia ..	M.	300	274	169	257	1,000
	F.	318	258	154	270	1,000
	P.	307	268	163	262	1,000
Undefined Pneumonia ..	M.	330	256	153	261	1,000
	F.	339	234	145	282	1,000
	P.	333	247	150	270	1,000

It is evident from Table LXXI that concentration of mortality upon the winter half of the year is more pronounced for females than for males in all cases except that of broncho-pneumonia, where there is little difference. Table LXXII shows that the male share in the total mortality is under the yearly average in the two winter quarters and over it in the others in the cases of bronchitis and of lobar and undefined pneumonia, but that broncho-pneumonia shows little variation throughout the year in regard to this matter. Here, again, undefined conforms to the type of lobar rather than of broncho-pneumonia, though it seems curious that bronchitis should also do so. In regard to sex incidence at all seasons jointly, however, the gradation is regular from bronchitis at one end of the scale, with practically equal numbers of deaths of males and females, to lobar pneumonia at the other, with its great excess in deaths of males. As in other matters undefined is here also intermediate in type between lobar and broncho-pneumonia, but approximates much more closely to that of the former.

TABLE LXXII.—ENGLAND AND WALES, 1911-20.—RATIO of MALES to FEMALES dying from BRONCHITIS and PNEUMONIA in each QUARTER. Deaths of each Sex per 1,000 of both Sexes.

		1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.
Bronchitis	M.	480	513	545	490	497
	F.	520	487	455	510	503
	P.	1,000	1,000	1,000	1,000	1,000
Broncho-pneumonia ..	M.	537	537	542	528	535
	F.	463	463	458	472	465
	P.	1,000	1,000	1,000	1,000	1,000
Lobar pneumonia..	M.	610	638	645	612	624
	F.	390	362	355	388	376
	P.	1,000	1,000	1,000	1,000	1,000
Undefined pneumonia ..	M.	587	615	607	575	594
	F.	413	385	393	425	406
	P.	1,000	1,000	1,000	1,000	1,000

134-141. **The Puerperal State.**—The number of deaths assigned to pregnancy or childbirth was 4,144 (Table LXXVI), corresponding to a rate of 4·33 per 1,000 births. It will be seen from Table 9 that this number is 202 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi and xxx). Deducting these 202 deaths, which are those allocated to puerperal nephritis and albuminuria, formerly not distinguished as puerperal, the

mortality amounted to 4·12 per 1,000 births, as against an average rate of 3·78 in the ten years immediately preceding and 4·12 in 1919. Inclusion of the 1,086 deaths in Table LXXVII raises the proportion to 5·46 deaths stated to have been caused by or associated with pregnancy and childbirth for every 1,000 births.

The rate of 4·12 deaths, definitely assigned to pregnancy or childbirth under the old classification per thousand living births, can be compared with a series of similar rates reaching back to 1876, though comparison of the data for different years suggests that the figures from about 1890 onwards are more inclusive than those relating to earlier dates. Of these it is the highest since 1905, but prior to that year higher rates were the rule, the highest of all, 6·51, having been experienced in 1893. From that date the mortality declined until it reached 3·57 in 1908, since when it stood at between 3½ and 4 deaths per 1,000 births until 1919. The lowest level reached was 3·55 in 1918, so the increase to 4·12 in 1919 and 1920 has been sudden as well as considerable. The extent of this increase during the last two years is greatly exaggerated in Table 10, which shows a 48 per cent. excess for 1920 over 1918, by the fact that as the rates there given are based on population no allowance is made for the increased number of births in 1920. For this reason Table LXXIII, in which deaths are measured in terms of births, is especially necessary at the present time. It reduces the excess for 1920 over 1918 to just one-third that shown in Table 10—16 instead of 48 per cent.

TABLE LXXIII.—MORTALITY OF WOMEN IN CHILDBIRTH per THOUSAND CHILDREN BORN ALIVE, distinguishing SEPTIC and OTHER CAUSES, 1891–1920. (Classification as in use before 1911.)

Deaths per 1,000 Births.			Deaths per 1,000 Births.			Deaths per 1,000 Births.					
Year.	Sepsis.	Other Causes.	Total Child-birth.	Year.	Sepsis.	Other Causes.	Total Child-birth.	Year.	Sepsis.	Other Causes.	Total Child birth.
1891-95	2·60	2·89	5·49	1909	1·56	2·14	3·70	1915	1·56	2·38	3·94
1896-1900	2·12	2·57	4·69	1910	1·42	2·14	3·56	1916	1·47	2·40	3·87
1901-05	1·95	2·32	4·27	1911	1·52	2·15	3·67	1917	1·39	2·27	3·66
1906-10	1·56	2·18	3·74	1912	1·47	2·31	3·78	1918	1·35	2·20	3·55
1911-15	1·50	2·31	3·81	1913	1·34	2·37	3·71	1919	1·76	2·36	4·12
1916-20	1·59	2·29	3·88	1914	1·63	2·32	3·95	1920	1·87	2·25	4·12

When distinction is made between deaths ascribed to septic and to other causes it is seen that the increase is almost entirely due to the former. While the rate from non-septic causes is below the average for the previous ten years, 2·29 per 1,000 births, that for sepsis is higher in 1919, and still more so in 1920, than in any of the preceding ten years.

As it used to be commonly noted, at a time when erysipelas was much more frequently returned as a cause of death than now, that its mortality tended to rise and fall with that from puerperal sepsis (the years 1874, 1875, and 1893 furnish notable examples of exceptionally high rates from both causes), it is of interest to note that the erysipelas mortality of 1920 is the highest since 1915 (Table 10). This may or may not be significant. Deaths attributed to erysipelas have been rapidly diminishing during the past fifteen years, while puerperal sepsis has remained almost unchanged; but, on the other hand, the last previous exacerbation of erysipelas mortality in 1914–15 corresponded with a fairly definite increase in that from puerperal sepsis.

The first section of the table shows that towards the close of last century the mortality ascribed to childbirth under both the headings dealt with was falling rapidly. The fall continued during the first few years of the present century, the commencement of which was marked by the passage of the Midwives Act, but during the past ten years it has been succeeded by a slight rise, chiefly manifest during the last two.

The 1,086 deaths not ascribed to, but associated with, childbirth are also above the average in relation to births. The influenza epidemic increased these deaths to such an extent that 1918 and 1919 have to be left out of account in making a comparison, but the rate for 1920, 1·13 per 1,000 births, compares with 0·98 for the seven years 1911–17.

The distribution throughout the country of the mortality ascribed to childbirth is outlined in Table LXXIV.

TABLE LXXIV.—DISTRIBUTION throughout ENGLAND AND WALES of MORTALITY OF WOMEN in CHILDBIRTH, per THOUSAND CHILDREN BORN ALIVE, distinguishing SEPTIC and OTHER CAUSES, 1920.

			North.	Midlands.	South.	Wales.	England and Wales.
London	{	Sepsis.. . . .	—	—	1·78	—	1·78
		Other causes..	—	—	1·61	—	1·61
		All causes ..	—	—	3·39	—	3·39
County Boroughs	{	Sepsis.. .. .	2·04	1·82	1·67	1·98	1·93
		Other causes..	2·63	1·98	2·81	3·81	2·49
		All causes ..	4·67	3·80	4·48	5·79	4·42
Other Urban Districts ..	{	Sepsis.. .. .	2·08	1·57	1·62	1·67	1·76
		Other causes..	2·99	2·33	2·33	3·60	2·70
		All causes ..	5·07	3·90	3·95	5·27	4·46
Rural Districts	{	Sepsis.. .. .	1·87	1·57	1·42	2·22	1·68
		Other causes..	3·13	2·66	2·63	3·55	2·86
		All causes ..	5·00	4·23	4·05	5·77	4·54
All Areas	{	Sepsis.. .. .	2·03	1·66	1·67	1·89	1·81
		Other causes..	2·81	2·29	2·10	3·63	2·52
		All causes ..	4·84	3·95	3·77	5·52	4·33

There is little difference; on the whole, between town and country, though there is some general tendency for septic mortality to increase, and non-septic to decrease, with urbanization. There is much more difference between the parts of the country compared than between the classes of area. Wales returns the highest rate in consequence of a uniformly high death-rate from non-septic causes. Then comes the North, which yields the highest rate from sepsis, and then, at a long interval, the Midlands and South.

The non-septic rate is lowest in London, where alone it falls below the septic. This was the case also in 1919, and, in fact, the general distribution is very similar to that in 1919, the first year for which the table was prepared.

As in that year, mortality from sepsis is much more evenly distributed than that from other causes. The former ranges from 1·42 in the southern rural districts to 2·22 in the rural districts of Wales ; while the latter varies between 1·61 in London and 3·81 in the Welsh County Boroughs.

The records of cases of puerperal fever notified are collated with those of births and deaths in Table LXXV.

TABLE LXXV.—PUERPERAL FEVER, 1920.—PREVALENCE and FATALITY.

	Cases notified per 10,000 Births.					Deaths per 1,000 Cases notified.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	38	—	38	—	—	473	—	473
County Boroughs ..	41	38	24	25	38	495	473	688	778	508
Other Urban Districts	28	25	22	20	25	738	628	729	845	706
Rural Districts .. .	20	23	20	16	21	944	693	708	1,364	812
All Areas	34	29	29	20	30	595	568	567	950	597

Notification is evidently much less complete in the country than in the town, for the proportion to births of notified cases is very much lower, whereas that of

deaths is not (Table LXXIV). In the rural districts of the North deaths almost equalled notified cases, and in those of Wales they were in considerable excess of them.

Table LXXVI gives the particulars of the deaths assigned to the puerperal state, and in the case of headings "other accidents of pregnancy," "other accidents of childbirth," and "puerperal fever" amplifies the information on page 162 by giving details of the causes comprised by those titles.

Table LXXVII shows the causes of deaths stated to have been complicated by the existence of the puerperal state. The cause of death most largely represented in this table is, as usual, heart disease. Next to this come pneumonia, influenza, tuberculosis, and Bright's disease.

TABLE LXXVI.—ENGLAND and WALES, 1920.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages						
		15–	20–	25–	30–	35–	40–	45 and up-wards.
134A. Abortion.. .. .	111	3	11	18	25	33	20	1
B. Hæmorrhage of pregnancy	73	—	5	9	9	31	16	3
C. Uncontrollable vomiting	34	2	4	11	5	6	6	—
D. Ectopic gestation	79	—	9	20	19	21	10	—
E. Other accidents of pregnancy :—								
Hydatid mole	12	1*	—	2	2	5	1	1
Vesicular mole	1	—	—	—	1	—	—	—
Uterine mole	1	—	—	—	1	—	—	—
Myxoma of chorion	1	—	1	—	—	—	—	—
Retroversion of gravid uterus ..	1	—	—	—	—	1	—	—
Hydramnios	2	—	—	—	1	1	—	—
Pregnancy apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	1	—	—	—	1	—	—	—
Embolism, thrombosis	1	—	—	1	—	—	—	—
Phlebitis	1	—	—	—	—	1	—	—
Bronchitis	2	—	—	1	—	1	—	—
Pyelitis	3	—	—	1	1	1	—	—
(b) Without stated secondary cause ..	6	—	—	2	—	3	1	—
135. Placenta prævia	253	—	9	38	62	81	58	5
Other puerperal hæmorrhage	268	1	28	67	58	82	30	2
136. Other accidents of childbirth :—								
Contracted pelvis	62	—	13	18	13	13	5	—
Craniotomy	6	—	1	2	2	—	1	—
Embryotomy	2	—	—	—	—	1	1	—
Cæsarean section	37	1	2	9	13	11	1	—
Perforation, rupture of Cæsarean scar	2	—	1	—	1	—	—	—
Instrumental delivery	11	—	3	3	3	1	1	—
Manipulative operation	1	—	—	—	—	—	1	—
Rupture of uterus	39	2	4	6	8	11	8	—
Rupture of uterus and vagina ..	1	—	—	—	—	1	—	—
Rupture of vagina	1	—	1	—	—	—	—	—
Rupture of vagina and perineum ..	1	—	1	—	—	—	—	—
Rupture of perineum	1	—	1	—	—	—	—	—
Rupture of bladder	1	—	—	—	—	1	—	—
Laceration of uterus	5	—	—	2	—	3	—	—
Laceration of broad ligament ..	1	—	—	—	1	—	—	—
Laceration of perineum	1	—	—	—	—	1	—	—
Malpresentation	24	1	—	8	2	7	6	—
Locked twins	1	—	—	—	1	—	—	—
Inversion of uterus	10	3	2	2	3	—	—	—
Sub-involution of uterus	1	—	—	—	—	—	1	—
Inertia of uterus	4	—	2	—	1	1	—	—
Hour-glass contraction of uterus ..	2	—	—	—	—	—	2	—
Abnormal fœtus	8	—	2	2	2	—	2	—
Difficult and prolonged labour ..	55	1	9	10	14	15	5	1

* Aged 14 years.

TABLE LXXVI.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Childbirth apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	12	—	2	4	2	3	1	—
Meningitis	4	—	1	1	1	—	1	—
Cerebral hæmorrhage	1	—	—	—	—	—	1	—
Chorea	1	—	1	—	—	—	—	—
Pericarditis	1	—	—	—	1	—	—	—
Acute myocarditis	1	—	—	—	—	1	—	—
Acute endocarditis	3	—	1	1	1	—	—	—
Dilatation of heart	3	—	—	—	1	1	—	1
Tachycardia	1	—	—	—	—	1	—	—
Bronchitis	4	—	1	2	—	1	—	—
Broncho-pneumonia	13	—	1	3	3	4	2	—
Pneumonia (type not stated) ..	43	1	6	9	11	9	7	—
Pleurisy	2	—	—	1	1	—	—	—
Congestion of lungs	1	—	—	1	—	—	—	—
Gastritis	3	—	2	—	1	—	—	—
Diarrhœa and enteritis	9	—	2	2	2	2	1	—
Intestinal obstruction	1	—	—	—	1	—	—	—
Intestinal paralysis	2	—	—	1	—	—	1	—
Acute yellow atrophy of the liver	5	—	—	1	2	2	—	—
Jaundice	3	—	—	—	3	—	—	—
Suppression of urine	1	—	—	—	—	—	1	—
Pyelitis, pyelonephritis	4	—	—	3	—	1	—	—
Retention of urine	1	—	—	—	1	—	—	—
Abscess of vagina	1	—	—	—	—	1	—	—
(b) Without stated secondary cause..	21	—	3	4	4	8	2	—
137. Puerperal fever :—								
streptococcal infection	9	—	—	2	6	1	—	—
pneumococcal infection	2	—	1	—	1	—	—	—
staphylococcal infection	1	—	—	1	—	—	—	—
gonococcal infection	7	1	3	1	1	1	—	—
septic phlebitis, septic thrombosis ..	29	—	2	7	4	8	8	—
septic pneumonia	12	—	1	2	6	3	—	—
septic endocarditis	2	—	—	1	1	—	—	—
septicæmia	959	22	165	258	240	190	75	9
sepsis	84	1	16	27	17	16	7	—
septic intoxication, sapræmia	78	3	12	18	15	20	9	1
pelvic peritonitis	16	—	2	5	7	1	1	—
peritonitis	151	9	27	35	46	21	12	1
salpingitis	13	1	3	3	6	—	—	—
metritis	8	—	4	1	2	—	—	1
endometritis	17	—	3	2	5	3	3	1
parametritis	14	—	4	1	6	1	2	—
perimetritis	11	—	2	4	2	2	1	—
erysipelas	8	—	1	2	—	3	2	—
pyæmia	43	1	5	17	9	7	4	—
pelvic cellulitis	37	1	5	7	10	10	3	1
cellulitis	3	—	1	1	1	—	—	—
pelvic abscess	12	1	1	2	2	6	—	—
blood poisoning	3	—	—	—	1	—	2	—
other specified septic conditions ..	12	—	1	5	1	4	1	—
“ puerperal fever ”	199	1	35	56	46	40	19	2
138A. Puerperal nephritis and uræmia ..	159	2	26	39	34	40	17	1
B. Puerperal albuminuria and Bright's disease	43	1	8	13	9	8	4	—
C. Puerperal convulsions	547	37	120	130	138	73	48	1
139A. Puerperal phlegmasia alba dolens and phlebitis	54	—	3	6	13	22	10	—
B. Puerperal embolism and sudden death ..	293	4	36	61	75	72	41	4
140. Puerperal insanity	40	—	8	14	10	7	1	—
141. Puerperal diseases of the breast ..	10	1	1	3	2	2	1	—
Total	4,144	102*	625	989	1,000	928	464	36

* Including one aged 14 years

The deaths from influenza, 158 in number, show a remarkable increase over the numbers so returned before the great epidemic. In 1917, for instance, there were only 18 such deaths, and for the seven years 1911–17 the largest number was 65 in 1915, a year of higher influenza mortality than 1920. This seems to be fully accounted for by the change in age distribution of influenza mortality since the great epidemic (page lxviii). The deaths from this cause of females aged 15–45 numbered only 767 in 1915, as against 1838 in 1920, although the total for females of all ages was higher in 1915. This ratio is very similar to that of influenza deaths associated with childbirth in the two years.

TABLE LXXVII.—ENGLAND and WALES, 1920.—DEATHS of WOMEN NOT CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Cause of Death.	All Ages.	Ages.						
		15–	20–	25–	30–	35–	40–	45 and up-wards.
Enteric fever	2	—	—	1	1	—	—	—
Malaria	2	—	—	—	1	—	1	—
Small-pox	1	1	—	—	—	—	—	—
Measles	3	—	1	—	2	—	—	—
Scarlet fever	14	—	3	4	5	1	1	—
Whooping-cough	1	—	—	—	—	1	—	—
Diphtheria	3	—	1	—	2	—	—	—
Influenza	158	2	34	50	38	22	12	—
Erysipelas	1	—	—	—	—	1	—	—
Pyæmia, septicæmia	1	—	—	—	—	1	—	—
Tetanus (bacillary)	2	—	—	—	—	2	—	—
Pulmonary tuberculosis	55	—	9	18	16	11	1	—
Phthisis (not defined as tuberculous)	18	1	1	5	5	4	2	—
Acute phthisis	16	1	5	6	1	2	1	—
Acute miliary tuberculosis	4	—	—	4	—	—	—	—
Tuberculous meningitis	1	—	1	—	—	—	—	—
Tuberculosis of peritoneum and intestines	1	—	—	—	1	—	—	—
Other forms of tubercle	1	—	—	—	1	—	—	—
Syphilis	3	—	1	1	—	1	—	—
Gonococcus infection	4	—	3	1	—	—	—	—
Cancer	13	—	—	3	2	5	2	1
Rheumatic fever	16	—	5	1	6	3	1	—
Osteo-arthritis	1	—	—	—	—	1	—	—
Diabetes	4	—	—	1	—	1	2	—
Exophthalmic goitre	5	—	1	1	1	1	1	—
Addison's disease	1	—	—	—	—	—	1	—
Leucocythæmia	1	—	—	—	—	1	—	—
Anæmia	29	—	3	7	6	8	3	2
Purpura	1	1	—	—	—	—	—	—
Hæmophilia	1	—	1	—	—	—	—	—
Occupational lead poisoning	1	—	—	—	—	—	1	—
Encephalitis	1	—	—	—	1	—	—	—
Meningitis	2	—	—	1	—	—	1	—
Cerebral hæmorrhage	2	—	—	1	1	—	—	—
Hemiplegia	3	—	1	—	—	2	—	—
Epilepsy	7	—	—	1	2	3	—	1
Chorea	7	1	4	2	—	—	—	—
Cerebral tumour	1	—	—	—	1	—	—	—
Disease of the ears	2	—	—	2	—	—	—	—
Acute myocarditis	3	—	—	—	3	—	—	—
Infective endocarditis	5	—	1	1	1	1	1	—
Acute endocarditis	12	—	3	—	5	3	1	—
Valvular disease	152	—	19	34	38	41	18	2
Fatty degeneration of the heart	15	—	—	3	3	2	6	1
Other organic disease of the heart	73	1	5	16	16	19	15	1
Angina pectoris	1	—	—	—	—	1	—	—
Cerebral embolism and thrombosis	1	—	—	—	—	1	—	—
Phlebitis	1	—	—	—	1	—	—	—
Varix	3	—	1	—	1	—	1	—
Other diseases of the circulatory system	2	—	1	—	—	1	—	—
Laryngitis	1	—	—	—	1	—	—	—
Diseases of the thyroid body	3	—	—	1	—	2	—	—
Bronchitis	27	1	1	7	5	9	4	—

TABLE LXXVII.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up- wards.
Broncho-pneumonia	30	—	4	5	8	7	6	—
Lobar pneumonia	97	2	12	29	24	22	8	—
Pneumonia (type not stated) ..	63	3	10	15	21	7	7	—
Pleurisy	5	—	—	—	1	4	—	—
Pulmonary congestion	1	—	—	—	—	—	1	—
Asthma	13	—	1	1	4	6	1	—
Diseases of the teeth and gums ..	2	—	—	—	—	2	—	—
Tonsillitis	5	—	—	1	—	4	—	—
Ludwig's angina	1	—	1	—	—	—	—	—
Perforating ulcer of stomach ..	14	2	2	5	2	2	1	—
Inflammation of stomach	4	1	—	—	1	1	1	—
Diarrhoea and enteritis	17	1	2	8	4	2	—	—
Appendicitis	14	1	7	4	2	—	—	—
Hernia	1	—	—	—	—	—	1	—
Intestinal obstruction	20	—	1	7	7	2	3	—
Acute yellow atrophy of the liver ..	13	—	2	4	4	—	3	—
Cirrhosis of the liver	3	—	—	—	1	2	—	—
Biliary calculi	1	—	—	—	—	—	1	—
Other diseases of the liver	5	—	3	—	—	2	—	—
Peritonitis	2	—	—	—	1	—	1	—
Bright's disease	47	1	2	6	11	24	3	—
Other diseases of the kidney and annexa ..	2	—	1	—	—	1	—	—
Calculi of the urinary passages ..	1	—	—	1	—	—	—	—
Diseases of the bladder	1	—	—	1	—	—	—	—
Uterine tumour (non-cancerous) ..	17	—	—	3	5	7	2	—
Ovarian cyst, tumour (non-cancerous) ..	7	—	1	1	1	1	3	—
Other diseases of the female genital organs ..	1	—	—	1	—	—	—	—
Carbuncle, boil	1	1	—	—	—	—	—	—
Diseases of the bones	2	—	—	1	1	—	—	—
Congenital malformation of heart ..	1	—	—	1	—	—	—	—
Violence	7	—	2	1	4	—	—	—
Total	1,086	21	156	267	269	247	118	8

Anæsthetics.—Deaths during or connected with the administration of an anæsthetic have all, from 1911 onwards, been classified to the condition for which the anæsthetic was administered. In order, however, to continue the information previously afforded as to such cases a secondary tabulation is now made of all deaths on the certificates relating to which any mention is made of the administration of an anæsthetic. These are classified in Table LXXVIII according to sex and age and to the nature of anæsthetic, while the list appended to the table shows the condition for which the anæsthetic was administered and the sex and age of the patient, but not the kind of anæsthetic. Causes of death in this list are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased, ages of males being printed thus (3), and of females thus (3).

TABLE LXXVIII.—ENGLAND and WALES, 1920.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.		Age.																	
		All Ages.	0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	65-
Chloroform..	{M. F.	55 33	5 1	1 —	1 1	1 —	1 2	4 2	5 1	3 1	2 1	4 6	3 3	6 4	1 3	5 3	6 2	4 —	3 3
Delayed chloroform poisoning*	{M. F.	3 5	— —	1 —	— —	1 —	— —	— —	1 1	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	— —
Chloroform and ether	{M. F.	53 32	3 —	2 —	1 2	2 —	2 1	3 2	3 2	1 1	3 4	1 1	7 4	4 2	5 1	7 3	1 3	4 2	4 4
Chloroform and ether; delayed chloroform poisoning	M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ether	{M. F.	37 34	7 1	— —	1 2	— 1	— —	2 1	2 —	1 3	1 3	1 2	2 3	1 4	— 3	2 5	6 1	7 3	4 2
Gas and ether	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
A.C.E. mixture	{M. F.	4 3	1 —	— —	— —	— —	— —	1 1	2 1	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
A.C.E. mixture; delayed chloroform poisoning	F.	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Nitrous oxide	{M. F.	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— 1	3 —	— —
Cocaine	{M. F.	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —
Ethyl chloride	{M. F.	1 4	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
Delayed ethyl chloride poisoning	F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stovaine	{M. F.	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —
Scopolamine	F.	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Kind not stated*	{M. F.	52 32	9 —	2 1	3 1	1 1	1 2	1 2	2 2	1 —	1 3	1 2	3 5	4 3	1 2	4 2	1 1	9 2	8 3
Total	{M. F.	214 162	26 2	6 1	6 6	4 3	4 7	10 10	16 8	6 6	7 11	7 12	15 17	15 14	8 11	20 14	15 8	28 10	21 12

* The deaths under anæsthetics of kind not stated include those of 1 male from 'post anæsthetic poisoning', of 1 male and 1 female from acetonaemia, and of 3 males and 6 females from acidosis.

CONDITIONS FOR WHICH ANÆSTHETICS WERE ADMINISTERED IN THE ABOVE CASES.

7. Scarlet fever (10). **9.** Diphtheria—tracheotomy (3, 4, 2). **20.** Septicæmia (46, 64, 18); septicæmia—opening up abscess of leg (12). **24.** Tetanus (53). **28.** Pulmonary tuberculosis—puncture for spinal fluid (6); examination of passages leading to bladder (35). **31.** Tuberculous peritonitis (20, 5). **32.** Operation on spine (3); tuberculous caries of vertebræ, operation on cerebro-spinal abscess (6). **33.** Tuberculosis of knee (47). **34.** Tuberculous glands (8); tuberculous glands of neck (14, 3, 15); tuberculous epididymis (6); tuberculous disease of foot, amputation of leg (63); amputation of tuberculous fingers (71); tuberculous tibia, amputation of leg (24). **35.** Disseminated tuberculosis (16, 18). **37.** Syphilis, operation on—nose (47), glands of groin (34). **38.** Gonorrhœa, abscess of testicle (46). **39-45.** Cancer of—lip (47, 60); tongue (47, 48, 50); tongue, operation on glands of neck (56, 65); mouth (48); jaw (56, 71); tonsil (50); œsophagus (54, 62); stomach (66); colon (66, 65); hepatic flexure (76); sigmoid flexure (71); intestine (59, 64, 44, 52); rectum (63, 71); ovary (53, 59); uterus (29, 42, 62); breast (34, 45); larynx (55, 69); prostate (60); testes (62); bone in face (52); ear (74); neck (2). **46.** Keloid of hand (33); cyst of neck (60). **51.** Exophthalmic goitre (21, 22). **53.** Hodgkin's disease, removal of neck glands (7). **61.** Cerebro-spinal meningitis, administration of anti-meningococcic serum (0); meningitis, lumbar puncture (51). **66.** Stretching of congenitally paralysed legs (5). **75.** Dacryocystitis, removal of nasal obstruction (65); operation on tear sac (43). **76.** Mastoid disease (16, 17, 4, 4); middle ear disease (4, 22). **79.** Chronic myocarditis, paracentesis (9). **83.** Hæmorrhoids (35, 38); varicose veins (57). **84.** Operation on enlarged thymus gland (3); adenitis of neck (23); septic glands of neck (0); removal of glands and abscesses (48). **86.** Adenoids (10, 13, 13, 2, 14); operation on nasal septum (33, 41). **87.** Laryngitis, tracheotomy (51); removal of epiglottis (51). **88.** Goitre (45). **92.** Pneumonia, type not stated (3). **93.** Empyema (1, 1, 19, 30, 47, 48, 70); pleural effusion (4). **98.** Abscess of lungs (23, 23); removal of pus from lungs (4). **99.** Extraction of teeth (45, 50, 30, 46, 47, 54). **100.** Enlarged tonsils (2, 3, 8, 17, 11, 19, 27, 30); enlarged tonsils and adenoids (8, 8, 10, 11, 25, 2, 3, 4, 4, 4, 5, 5, 7, 10, 12); enlarged tonsils and adenoids, and deviated nasal septum (13); Ludwig's

angina (42, 57, 28) ; post-pharyngeal abscess (1). **101.** Stricture of œsophagus (47). **103.** Gastritis (62). **104.** Duodenal ulcer (31). **108.** Appendicitis (5, 7, 10, 12, 12, 12, 14, 28, 32, 37, 39, 57, 58, 58, 65, 2, 6, 10, 12, 15, 30, 32, 51) ; appendicitis and ovaritis (23) ; removal of appendix and stone in ureter (23). **109.** Hernia (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 30, 32, 37, 66, 67, 68, 70, 44, 47, 57, 66, 66) ; intestinal obstruction (0, 28, 56, 58, 2, 23, 53, 58, 72, 81) ; intussusception (0, 0) ; volvulus (48, 78, 46). **110.** Fistula of intestine (12) ; adhesions of intestine (27) ; adhesions of intestine, exploratory operation (52) ; enteroptosis, cœcoplexy, coloplexy, gastropexy (43). **114.** Gallstones (54, 66, 66, 39, 57). **115.** Empyema of gall bladder (67). **117.** Peritonitis (51, 41). **118.** Pancreatitis (35, 48, 57, 45). **120.** Bright's disease, decapsulation of kidney (37). **122.** Removal of cystic kidney (35) ; pyelitis and pyonephrosis (38) ; pyonephrosis (63) ; hæmaturia, cystoscopy (1) ; nephrectomy (65). **123.** Calculus of kidney (34) ; calculus, pyonephrosis (51). **124.** Retention of urine (47) ; sinus of bladder (53). **125.** Perineal abscess (43) ; stricture of urethra (43, 43, 44, 46, 58). **126.** Enlarged prostate (74). **127.** Hydrocele (57, 64) ; paraphimosis (16). **129.** Fibroid tumour of uterus (34, 35, 38, 45, 46, 48, 49). **130.** Inversion of uterus (22) ; prolapse of uterus (35) ; prolapse of uterus, hysteroplexy (40) ; retroversion and prolapse of uterus (31) ; pelvic peritonitis (46). **131.** Cyst of ovary (27, 39) ; adenomatous cyst of ovary (60). **132.** Salpingitis (39) ; salpingitis, salpingectomy (23). **133.** Abscess of breast (26, 31). **134.** Miscarriage (35) ; miscarriage, curettage (44) ; incomplete abortion (32) ; "ruptured pregnancy" (40). **136.** Childbirth (27, 32, 36) ; instrumental delivery (21, 27, 29, 35) ; craniotomy (41) ; malpresentation (45) ; difficult labour (24) ; ruptured uterus, hysterectomy (38). **137.** Septic incomplete miscarriage (31) ; puerperal salpingitis (31) ; curettage (24) ; exploration and douching of uterus (32) ; instrumental delivery (26). **138.** Puerperal eclampsia (28, 33). **141.** Operation on breast (38). **143.** Carbuncle (32). **144.** Cellulitis (38, 63) ; cellulitis of leg (61) ; abscess below jaw (57). **146.** Osteomyelitis (2, 10) ; sequestrotomy of phalanges of thumb (32) ; necrosis of jaw (75) ; ethmoiditis (35). **147.** Ankylosis of hip joint (11) ; removal of cartilage from knee joint (28). **148.** Amputation of two fingers (cause necessitating amputation not stated) (52). **149.** Torticollis (5) ; tenotomy of tendon Achilles (8) ; transplantation of tendon of foot (8) ; ruptured tendon of finger (25). **150.** Circumcision (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 2, 10, 40) ; pyloric stenosis (0) ; cleft palate (0, 2) ; cleft palate and hare-lip (0, 0) ; talipes equino-varus (0) ; nævus of scalp (0). **155-186.** Various forms of violence (0, 4, 17, 23, 23, 28, 29, 30, 31, 31, 32, 33, 33, 35, 35, 35, 36, 38, 39, 43, 46, 47, 47, 52, 54, 54, 55, 64, 82, 4, 34, 40, 59, 65). **189.** Exploratory operation (29) ; operation nature not stated (73) ; examination as to future operation (72) ; cause not stated (46).

The total number of deaths in Table LXXVIII (366) is considerably higher than in any of the nine preceding years, for which alone the complete figures are available, certain causes—strangulated hernia and cancer—having till 1911 been preferred in tabulation to the anæsthetic used. This number has hitherto been very constant, having varied only between 261 in 1915 and 306 in 1916. The chief increase in any one age group is in infancy, 28 such deaths having been reported in 1920 at ages under one year, as against 11 in 1919. Of the 26 male infants 11 were being operated on for hernia or intestinal obstruction, 8 for phimosis, and 3 for cleft palate.

It must not be assumed that in all the cases tabulated death has been due to the anæsthetic, though in many, owing to the nature of the condition occasioning its administration, there may be strong presumption of this. In many others, however, it is impossible to distinguish between deaths from other causes during the administration of an anæsthetic and deaths ascribable to the anæsthetic itself.

The nature of the anæsthetic was stated in only 77 per cent. of the cases. In 33 per cent. of those in which it was stated chloroform is recorded as the only anæsthetic administered, and in 34 per cent. as administered in combination with some other agent, so that in only 33 per cent. of these cases was chloroform not used. The proportion for chloroform alone is the lowest, while that for chloroform in combination is the highest, for any of the ten years compared. As the same statement has applied for several years there seems to be a progressive tendency at present towards increasing mixture of other anæsthetics with chloroform.

84A. Status Lymphaticus.—In addition to the 143 deaths primarily classified to status lymphaticus (page 152), its presence was noted in the case of 37 deaths under anæsthetics which were referred to the condition leading to the administration of the anæsthetic.

The sex and age distribution of these was as follows :—

	All Ages.	0—	5—	10—	15—	20—	25—	35—
Males	24	15	1	4	—	2	1	1
Females	13	6	2	2	1	—	—	2

In 7 of the cases the nature of the anæsthetic was not stated ; in 14 of the remainder it was chloroform only, in 7 chloroform and ether, in 5 ether, in 2 A.C.E. mixture, in 1 ether and oxygen, and in 1 ethyl chloride.

The excess in deaths of males is considerably greater than for deaths listed to 84A. This must be mainly due to the much greater frequency of operations upon male children, of whom 46 died under anæsthetics at less than five years of age, as against 19 females. Of these 46, 22 were operated on for hernia or phimosis (Table LXXVIII).

155-163. **Suicide.**—The deaths allocated to this heading numbered 3,425—2,427 (including 66 non-civilians) of males and 998 of females. These numbers include only the deaths definitely attributed to suicide. In addition to them 1,165 others, 834 of males and 331 of females, were returned under “open verdicts,” signifying that it could not be determined whether the violence which caused death resulted from accident, homicide, or suicide (*see* page 504). These deaths have all been classed as due to accident, but it is to be remembered that a number of them must have been due to suicide. The great bulk of them, 673 of males and 218 of females, are cases of drowning returned by coroners’ juries as “found drowned.”

Mortality from suicide fell suddenly during the war for both sexes, but particularly for males, to a rate below any recorded for many years past. The lowest point was reached for each sex in 1917, and in the two succeeding years the rates for each increased. This increase has not continued during 1920, the standardized rate for males being 123, against 126 in the previous year, and for females 45, against 46. The rate for males in 1901-10 was 157, and for females 47. For both sexes these were the highest rates recorded in any decennium, suicide having been gradually on the increase during the half-century preceding the war.

189. **Ill-defined Causes of Death.**—This heading in the International List of Causes of Death, to which 1,734 deaths have been allocated, excludes the ill-defined diseases of infancy and old age, which furnish the great majority of the deaths so classified in the Tables—Nos. 9 and 10—comparing mortality from year to year according to the list of causes in use before 1911. In this more comprehensive sense the deaths from ill-defined causes in 1920 numbered 33,954, and Table 9 shows that this figure compares with 50,529 (out of a somewhat larger total of deaths from all causes) fifteen years earlier. The decrease is due almost entirely, and in almost equal amounts, to fall in the number of deaths ascribed to old age and to atrophy debility and marasmus of infants. As, however, the latter heading contributes only 7,851 to the total of indefinitely certified deaths in 1920, as against 25,120, or 74 per cent. of the total, attributed to old age, its decline is much the more rapid, amounting to 51 per cent. in the fifteen years, as against 24 for old age.

Inquiries sent to medical practitioners and coroners requesting further information as to indefinitely certified deaths amounted to 6,402, and to these 5,452 replies were received, with results to classification the most important of which are set out in Table LXXIX.

Reference to this table will demonstrate the ambiguity of certain forms of return which to the minds of the practitioners using them may be perfectly definite, because always used by them in a certain definite sense. This meaning, however, may be quite different from that associated with the same term in the minds of other practitioners.

For example, basal or basic meningitis might seem to imply the type of sporadic meningococcal infection, known as “posterior basal meningitis.” But the table shows that out of 67 cases in which the meaning of the term was ascertained, the reference in 31 was to tuberculous meningitis, and in only 18 to meningococcal infection. Even “posterior basal” meningitis itself, though recognized in the Nomenclature of the Royal College of Physicians as descriptive of one variety of meningococcal infection, proves on inquiry to be applied not infrequently to meningitis of totally different origin. This shows the danger of using a term indicating locality of incidence in any other than its primary local sense. Although the secondary application may be

definitely specified by authority, as in this case, the anatomical significance of such terms is always liable to assert itself in the minds of some of their users, notwithstanding any such limitation.

The term "cerebro-spinal meningitis" is another case in point. By a commonly observed convention, though in this instance without the sanction of authority, this term is generally used to imply cerebro-spinal fever, and the table shows that it did so in 142 out of 175 instances in 1920. Others, however, use the term in its literal sense, applying it to any meningitis affecting both cerebral and spinal meninges. This explains why nine deaths so certified proved to be attributed to tubercle, and 24 to other causes of meningitis apart from the meningococcus. Yet the practitioner who observes the common convention is naturally surprised, if not annoyed, at receiving an inquiry regarding what is, to him, a perfectly definite certificate.

TABLE LXXIX.—ENGLAND AND WALES, 1920.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	50	48	Diphtheria 10, Laryngismus stridulus 8, Laryngitis 25.
Membranous laryngitis ..	30	28	Diphtheria 19, Laryngitis 7.
Pyæmia, septicæmia, etc. ..	216	161	Diseases of the teeth and gums 13, Tonsillitis 5, Puerperal fever 17, Diseases of the skin 9.
Tuberculosis	253	250	Pulmonary tuberculosis 113, Acute phthisis 46, Acute miliary tuberculosis 11, Tuberculosis of peritoneum 15, Disseminated tuberculosis 41, Other forms of tubercle 19.
Cancer (part or organ not stated)	957	892	Part or organ stated in 889 cases.
Tumour, growth, etc.	603	414	Syphilis 8, Cancer 320.
Rheumatism	61	54	Rheumatic fever 24, Chronic rheumatism 14, Osteo-arthritis 2.
Basal or basic meningitis ..	78	67	Tuberculous meningitis 31, Cerebro-spinal fever 18, Meningitis—other forms 6.
Cerebro-spinal meningitis ..	186	175	Tuberculous meningitis 9, Cerebro-spinal fever 142.
Paraplegia	112	66	Syphilis 6, Diseases of the spinal cord 32, Cerebral hæmorrhage, apoplexy 12.
General paralysis (outside asylums).	74	70	Diseases of spinal cord 9, Cerebral hæmorrhage, apoplexy 4, General paralysis of the insane 40.
Paralysis	70	59	Diseases of the spinal cord 12, Cerebral hæmorrhage, apoplexy 21.
Acute primary pneumonia ..	93	91	Broncho-pneumonia 11, Lobar pneumonia, 73.
Fibroid phthisis	108	95	Pulmonary tuberculosis 64, Fibroid disease of lung 23.
Hæmoptysis	42	30	Pulmonary tuberculosis 16.
Stomatitis	43	43	Thrush, aphthous stomatitis 24.
Stricture of œsophagus ..	58	35	Cancer 26.
Hæmatemesis	25	24	Cancer 6, Gastric ulcer 9, Cirrhosis of liver 2.
Pyloric obstruction, stenosis, etc.	40	34	Cancer 17, Gastric ulcer 13.
Jaundice	56	37	Cancer 21, Diseases of liver 13.
Peritonitis	231	127	Tuberculosis of peritoneum, etc., 14, Cancer 4, Gastric ulcer 14, Appendicitis 28, Intestinal obstruction 5, Diseases of female genital organs 11, Puerperal fever 12.
Pemphigus (of infants) ..	128	110	Syphilis 54.
Hydrocephalus	107	105	Tuberculous meningitis 14, Congenital hydrocephalus 69.
Violence	282	280	Precise form of suicide 24, Injury by fall 59, Injury in mines and quarries 33, Injury by machines 7, Injury by crushing 46.
Ascites, dropay	32	28	Diseases of the heart 14, Cirrhosis of liver 4.
Syncope, heart failure (ages 1-70).	130	109	Diseases of the heart 64.
Operation	250	244	Cancer 31, Hernia, intestinal obstruction 20, Uterine tumour 22, Congenital malformations 9, Violence 9.
Other indefinite forms of certificate.	1,137	992	—
Total	5,452	4,668	—

Two other notable cases of a similar nature are those of "general paralysis" and "fibroid phthisis." The first is so frequently used as a contraction for general paralysis of the insane that to most practitioners probably it implies this disease. Others, however, take the term literally, applying it to any paralysis of a widespread or general nature, and so we find that in only 40 out of 70 cases of its use was the specific disease referred to. "Fibroid phthisis" is used both to describe pulmonary tuberculosis of a particular type and to imply non-tuberculous fibroid disease of the lung. The adherents of both usages are each persuaded of the universality of their own, and the inquiries made elicit in not very dissimilar proportions remonstrances based on the ground (*a*) that fibroid phthisis always, and (*b*) that it never, implies tubercle. The conclusion to be drawn from these ambiguities seems to be that the use of terms as names for diseases in any other than their primary meaning is best avoided.

Certification of Causes of Death.—Before 1911 a section of this report dealt annually with the numbers of deaths uncertified and the numbers on which inquests had been held, but from that date onwards annual treatment of the subject has been discontinued and more complete examination at intervals of five years substituted. Under this scheme the facts as recorded for 1920 have now to be dealt with.

TABLE LXXX.—ENGLAND and WALES : CERTIFIED and UNCERTIFIED DEATHS, and INQUEST CASES, in 1878–1910 and in 1915 and 1920.

				Proportion per 100 Deaths.		
				Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.
1878	90·15	5·00	4·85
1879	90·25	5·05	4·70
1880	90·79	4·94	4·27
1881	90·35	5·54	4·11
1882	90·80	5·30	3·90
1883	90·86	5·44	3·70
1884	91·05	5·31	3·64
1885	91·21	5·32	3·47
1886	91·25	5·34	3·41
1887	91·13	5·58	3·29
1888	91·33	5·59	3·08
1889	91·48	5·61	2·91
1890	91·54	5·62	2·84
1891	91·73	5·52	2·75
1892	91·60	5·70	2·70
1893	91·72	5·76	2·52
1894	91·19	6·30	2·51
1895	91·68	6·00	2·32
1896	91·53	6·26	2·21
1897	91·69	6·25	2·06
1898	91·92	6·19	1·89
1899	91·86	6·29	1·85
1900	91·81	6·27	1·92
1901	91·52	6·67	1·81
1902	91·52	6·68	1·80
1903	91·40	6·91	1·69
1904	91·85	6·53	1·62
1905	91·52	6·86	1·62
1906	91·64	6·83	1·53
1907	91·59	6·96	1·45
1908	91·52	7·04	1·44
1909	91·61	7·03	1·36
1910	91·35	7·27	1·38
1915	91·67	6·96	1·37
1920	92·14	6·65	1·21

Of the 466,130 deaths registered in England and Wales during 1920, the causes of 429,456, or 92·1 per cent., were certified by registered medical practitioners; inquests were held respecting 31,011, or 6·7 per cent.; while the causes of the remaining 5,663, or 1·2 per cent., were uncertified. These proportions may be seen from Table LXXX to have changed but little during the present century; and indeed throughout the whole period of 43 years covered by the table the proportion of deaths of which the cause was certified by medical practitioners has remained remarkably constant, slowly increasing from 90 to 92 per cent. But whereas at the commencement of the period the balance of 10 per cent. was made up in almost equal proportions by inquest cases and uncertified deaths, at its close the former are about

5½ times as numerous as the latter, which now form only 1·21 per cent. of the total deaths, a lower proportion than any previously recorded. But it may be noted that this fall has not of recent years been due to a larger proportion of inquests, for these also have diminished somewhat as compared with ten years ago, but to increase of medically certified deaths. The decrease in the frequency of inquests is apparently not to be accounted for by the decline in mortality from violence shown in Table 10, for this has been about the same as that of mortality from all causes, the proportion of violent deaths, 3·8 per cent. of the total, being much the same now as ten years earlier. During the war this proportion was considerably increased by deaths from war wounds, reaching a maximum of 4·85 per cent. in 1916.

The facts recorded as to the 31,011 deaths on which inquests were held are summarized in Table LXXXI.

Over half the inquests held—55 per cent.—were upon persons who were returned as having died violent deaths. Inquests were held upon nearly all such deaths, practically all suicides and over 96 per cent. of other violent deaths being thus investigated. The proportion was highest in London and the county boroughs and lowest in the rural districts.

The other causes of death most frequently investigated by inquest, and the percentage in each case of total deaths so classified were:—lack of care (in early infancy), 97; status lymphaticus, 69; tetanus, 54; septicæmia, 44; fatty degeneration of the heart, 35; alcoholism, 32; aneurysm, 26; ill-defined causes, 23. Of the 102 deaths for which no statement of cause whatever was received 70, or 69 per cent., had been the object of inquests. This list is almost exactly the same, even as regards the order of the various causes, as in 1915.

The causes, other than violence, leading to most inquests were:—heart disease, (Nos. 77–80), 3,369; pneumonia, 1,330; cerebral hæmorrhage, 780; bronchitis, 612; tuberculosis, 501; convulsions, 463; arterio-sclerosis, 453; ill-defined causes (largely heart failure), 433. This list, again, is almost the same as for 1915, but the numbers in each case are smaller, the total deaths investigated, other than those from violence, having decreased from 18,315 in 1915 to 13,975 in 1920, mainly as the result of decrease in the total deaths occurring.

Most of the chief causes dealt with in Table LXXXI however, show some decrease in the proportion of inquests to deaths as compared with 1915 as well as a larger decrease in the number of inquests. In exception to this rule increases in frequency may be noted for violence (other than suicide), tetanus, and lack of care.

Fully twice as many inquests were held on males as on females. This is mainly due to the great excess of deaths from violence amongst males, but of deaths from all other causes 3·8 per cent. were investigated by inquest in the case of males and only 2·4 per cent. in that of females. Considerable excess for males in the proportion of inquests to deaths is the rule for almost all causes except those mainly or exclusively affecting young children; alcoholism, cirrhosis of the liver and aneurysm being the only other exceptions in the table. On the other hand most of the causes in the table which specially affect infants show a higher proportion of inquests on females, the excess being very considerable in the cases of injury at birth and atelectasis. The proportion of deaths from all causes during the first year of life on which inquests were held was 4·5 per cent. for boys and 4·7 for girls. As the female excess appears to be a constant feature, the difference, though small, may not be without some significance as pointing to the possibility of a higher rate of infanticide for females. It may be compared with the especially high mortality of female illegitimate infants in the first day of life (Report for 1916, Table XXII.).

Amongst the civilian population the proportion of deaths investigated by inquest declines with decreasing urbanization from 8·7 per cent. in London to 5·8 in the rural districts. If we exclude deaths from violence, upon nearly all of which inquests are held in all classes of area, this difference is greatly accentuated, the proportion then ranging from 5·2 per cent. in London to 2·1 in the rural districts. This rule applies with but few minor exceptions to every defined cause of death in Table LXXXI. The greatest differences apply to broncho-pneumonia, alcoholic cirrhosis of the liver, lobar pneumonia, cerebral hæmorrhage, and the puerperal state, for all of which more than five times as many inquests in proportion to deaths are recorded for London as for the rural districts. Very similar differences were noted in 1915, so their constancy may be accepted. On the other hand London in both years recorded few inquests on deaths from alcoholism, but in view of the London excess for alcoholic cirrhosis of the liver this probably implies merely that the more indefinite term is less used in London verdicts.

TABLE LXXXI.—ENGLAND AND WALES : INQUEST CASES REGISTERED in 1920,
PROPORTIONS of INQUEST CASES per 1,000

International List Numbers.		Numbers of Inquest Cases.							
		Total.	Males.	Females.	Non-Civilians.	Civilians.			
						London.	County Boroughs.	Urban Districts.	Rural Districts.
1-19	Infectious Diseases	252	148	104	1	55	104	73	19
20-59	Other General Diseases	1,424	980	444	5	269	570	389	191
60-76	Nervous Diseases (including Diseases of Organs of Special Sense).	1,941	1,139	802	5	358	863	476	239
77-85	Circulatory Diseases	4,322	2,787	1,535	14	950	1,653	1,131	574
86-98	Respiratory Diseases	2,248	1,417	831	4	589	1,058	425	172
99-118	Digestive Diseases	955	570	385	6	180	376	254	139
119-127	Male Genito-urinary Diseases	247	247	—	2	66	101	52	26
119-133	Female Genito-urinary Diseases	175	—	175	—	44	69	40	22
134-141	The Puerperal State	182	—	182	—	45	76	45	16
150-153	Malformations ; Infantile Diseases	1,181	674	507	—	215	489	310	167
154	Old Age	380	185	195	—	20	173	98	89
155-186	Violence	17,036	12,113	4,923	218	2,148	5,839	5,471	3,360
187-189	Ill-defined and unstated Causes	503	321	182	3	16	202	138	144
	Other defined Causes	165	113	52	—	30	63	42	30
	Total	31,011	20,694	10,317	258	4,985	11,636	8,944	5,188
6	Measles	40	23	17	—	13	17	7	3
10	Influenza	89	54	35	—	10	41	31	7
20B	Septicæmia	248	184	64	—	22	89	91	46
24	Tetanus	81	69	12	1	9	18	29	24
28 & 29	Phthisis	360	253	107	—	106	151	68	35
30-35	Other Tuberculous Diseases	141	95	46	1	27	50	47	16
39-45	Cancer	254	153	101	1	54	110	57	32
56	Alcoholism	70	53	17	2	3	35	22	8
61	Meningitis	83	56	27	1	16	38	18	10
64A	Apoplexy	180	101	79	—	29	71	50	30
64E	Cerebral Hæmorrhage	780	461	319	2	199	318	189	72
69	Epilepsy	228	137	91	2	33	90	62	41
70 & 71	Convulsions	463	257	206	—	46	253	103	61
77	Pericarditis	63	43	20	—	13	31	9	10
79A	Valvular Disease of Heart	1,324	861	463	5	335	486	326	172
79B	Fatty Degeneration of Heart	788	444	344	4	204	255	232	93
78 & 79c	Other Organic Disease of Heart	1,067	679	388	—	157	432	294	184
80	Angina Pectoris	127	98	29	1	13	56	39	18
81A	Aneurysm	249	191	58	1	70	113	48	17
81B	Arterial Sclerosis	453	327	126	2	113	185	113	40
84A	Status Lymphaticus	99	58	41	—	20	39	28	12
89, 90	Bronchitis	612	346	266	1	142	323	96	50
91	Broncho-Pneumonia	405	241	164	—	154	166	69	16
92A	Lobar Pneumonia	495	353	142	1	133	261	82	18
92B	Pneumonia, undefined	430	285	145	2	112	170	98	48
93	Pleurisy	74	48	26	—	9	29	25	11
94	Pulmonary Congestion, Pulmonary Apoplexy	115	67	48	—	24	55	22	14
104 & 105	Diarrhœal Diseases	251	148	103	—	55	98	69	29
108	Appendicitis	49	30	19	—	9	21	13	6
109	Hernia, Intestinal Obstruction	156	99	57	—	37	62	34	23
113A	Cirrhosis of Liver (not returned as Alcoholic).	38	26	12	—	9	16	9	4
113B	Cirrhosis of Liver (returned as Alcoholic)	23	14	9	—	9	8	5	1
120	Bright's Disease	306	188	118	2	93	120	58	33
150	Congenital Malformations	177	111	66	—	43	59	43	32
151A	Premature Birth	266	148	118	—	38	132	65	31
151B	Atrophy, Debility, and Marasmus of Infants.	131	73	58	—	15	58	38	20
152B	Atelectasis	124	63	61	—	34	59	22	9
152c	Injury at Birth	123	71	52	—	17	52	33	21
153	Lack of Care (0-3 months)	309	178	131	—	59	105	99	46
155-163	Suicide	3,423	2,425	998	66	469	1,051	1,129	708
164-186	Violence apart from Suicide	13,613	9,688	3,925	152	1,679	4,788	4,342	2,652
187-189E	Ill-defined Causes	433	271	162	3	9	184	118	119
189F	Cause not stated	70	50	20	—	7	18	20	25

classified by SEX, AGE, NATURE of AREA, and ASSIGNED CAUSE of DEATH ; and
TOTAL DEATHS registered from the same cause.

Inquest Cases per 1,000 Deaths registered from the same cause.								Ages.											International List Numbers.
Total.	Males.	Females.	Non-Civilians.	Civilians.				0—	1—	5—	15—	25—	35—	45—	55—	65—	75 and up-wards		
				London.	County Boroughs.	Urban Districts.	Rural Districts.												
8	9	7	5	12	9	7	4	29	59	47	13	14	25	21	25	12	7	1-19	
14	19	8	14	21	16	12	10	66	51	111	127	118	180	306	264	162	39	20-59	
41	48	34	29	77	53	30	24	445	47	54	104	112	180	277	357	241	124	60-76	
63	83	44	119	105	75	51	38	71	25	39	108	160	370	769	1,097	1,120	563	77-85	
28	32	22	24	54	32	17	14	527	161	146	49	79	158	275	295	333	225	86-98	
32	36	29	71	51	35	26	26	186	63	100	41	50	90	139	136	107	43	99-118	
24	24	—	43	50	29	16	12	2	2	3	5	10	26	54	65	56	24	119-127	
24	—	24	—	47	28	16	15	2	2	3	9	13	36	29	36	34	11	119-133	
44	—	44	—	110	52	32	19	—	—	—	35	90	56	1	—	—	—	134-141	
35	35	36	—	58	39	29	26	1,161	14	3	1	—	1	1	—	—	—	150-153	
14	17	13	—	9	22	11	12	—	—	—	—	—	—	—	6	121	253	154	
969	972	962	760	980	981	969	958	933	1,309	1,636	1,734	1,611	2,101	2,526	2,257	1,592	1,337	155-186	
257	289	215	600	262	335	201	239	57	11	9	10	29	45	110	135	90	7	187-189	
39	49	27	—	61	46	29	31	10	9	30	20	14	14	18	18	21	11	Other Causes.	
67	86	46	178	87	70	59	58	3,489	1,753	2,181	2,256	2,300	3,282	4,526	4,691	3,889	2,644	Total	
6	6	5	—	13	6	3	3	13	22	5	—	—	—	—	—	—	—	6	
8	10	7	—	7	10	9	4	2	2	13	10	8	14	13	17	7	3	10	
437	501	318	—	449	449	476	368	6	4	26	22	18	32	51	45	36	8	20B	
544	595	364	1,000	600	600	558	471	1	4	17	13	7	8	11	14	5	1	24	
11	14	7	—	22	12	7	7	6	7	15	34	50	70	92	58	22	6	28 & 29	
16	20	11	26	28	15	15	10	18	21	39	24	9	6	11	9	4	—	30-35	
6	8	4	12	10	8	4	3	1	4	1	8	9	18	65	72	56	20	39-45	
324	319	340	500	176	438	286	211	—	—	—	1	4	14	26	20	4	1	56	
28	35	20	125	55	32	20	19	17	4	24	11	7	8	2	7	3	—	61	
51	63	41	—	121	68	37	34	—	—	—	2	3	13	36	60	39	27	64A	
41	54	30	167	104	50	29	17	1	1	4	20	23	76	177	233	164	81	64E	
104	119	87	500	156	123	81	84	3	1	6	41	55	51	25	28	11	7	69	
76	73	79	—	135	107	48	49	418	37	4	1	1	1	—	—	1	—	70 & 71	
175	211	128	—	197	217	96	182	4	1	3	3	3	6	8	12	17	6	77	
54	74	36	102	114	58	42	33	—	1	9	53	70	133	236	336	309	177	79A	
347	422	282	800	545	367	311	206	—	1	1	2	20	58	149	230	228	99	79B	
44	59	30	—	46	59	37	32	1	3	8	33	44	89	167	257	316	149	78 & 79c	
123	143	85	500	127	160	106	87	—	—	—	—	1	7	36	40	36	7	80	
258	244	317	71	380	291	182	148	—	—	—	1	5	36	62	78	50	17	81A	
43	54	28	182	83	52	33	18	—	—	—	2	7	26	85	115	136	82	81B	
692	682	707	—	667	780	651	600	61	17	15	3	3	—	—	—	—	—	84A	
16	18	14	53	29	21	8	9	94	23	4	—	4	22	57	98	164	146	89, 90	
22	23	19	—	55	20	13	7	228	54	29	3	5	11	21	28	16	10	91	
58	66	46	18	106	73	33	16	72	34	41	20	34	57	69	78	61	29	92A	
43	48	36	43	90	42	32	31	87	31	54	13	21	39	62	60	45	18	92B	
56	61	47	—	45	64	60	43	2	6	7	4	5	10	19	7	9	5	93	
98	124	76	—	153	142	59	54	34	5	4	4	4	8	21	14	12	9	94	
21	22	20	—	37	20	19	17	111	21	27	5	7	11	21	27	18	3	104 & 105	
19	22	17	—	31	25	14	12	1	3	17	8	5	4	2	5	3	1	108	
37	47	27	—	67	45	25	26	21	11	14	7	5	12	19	29	26	12	109	
24	24	23	—	40	32	16	13	—	—	—	—	1	5	13	14	4	1	113A	
180	147	273	—	300	216	132	43	—	—	—	—	1	2	11	5	4	—	113B	
29	33	24	77	66	33	17	15	—	—	4	5	7	39	64	79	77	31	120	
42	47	35	—	84	40	30	38	157	14	3	1	—	1	1	—	—	—	150	
15	15	16	—	21	20	12	10	266	—	—	—	—	—	—	—	—	—	151A	
17	16	19	—	18	21	15	14	131	—	—	—	—	—	—	—	—	—	151B	
83	72	98	—	150	106	50	32	124	—	—	—	—	—	—	—	—	—	152B	
106	96	122	—	159	125	84	85	123	—	—	—	—	—	—	—	—	—	152C	
969	967	970	—	983	963	980	939	309	—	—	—	—	—	—	—	—	—	153	
999	999	1000	1,000	1,000	999	999	1,000	—	—	15	245	424	653	858	727	381	120	155-163	
962	965	953	688	974	978	962	947	933	1,309	1,621	1,489	1,187	1,448	1,668	1,530	1,211	1,217	164-186	
233	259	200	600	167	316	179	214	17	11	9	6	24	41	100	132	88	5	187-189E	
686	794	513	—	1,000	857	769	521	40	—	—	4	5	4	10	3	2	2	189F	

TABLE LXXXII.—ENGLAND AND WALES: UNCERTIFIED DEATHS REGISTERED in
and PROPORTIONS of UNCERTIFIED DEATHS per 1,000

International List Numbers.		Numbers of Uncertified Deaths.							
		Total.	Males.	Females.	Non-Civilians.	Civilians.			
						London.	County Boroughs.	Urban Districts.	Rural Districts.
1-19	Infectious Diseases	137	82	55	—	3	42	50	42
20-59	Other General Diseases	166	92	74	1	5	57	58	45
60-76	Nervous Diseases (including Diseases of Organs of Special Sense).	983	543	440	—	12	303	372	296
77-85	Circulatory Diseases	804	439	365	—	22	233	292	257
86-98	Respiratory Diseases	483	268	215	—	20	160	194	109
99-118	Digestive Diseases	165	98	67	—	4	45	75	41
119-127	Male Genito-urinary Diseases	12	12	—	—	2	5	2	3
119-133	Female Genito-urinary Diseases	13	—	13	—	1	3	8	1
134-141	The Puerperal State	12	—	12	—	—	4	3	5
150-153	Malformations; Infantile Diseases	832	474	358	—	26	344	272	190
154	Old Age	920	442	478	—	27	226	311	356
155-186	Violence	45	31	14	5	—	5	19	16
187-189	Ill-defined and unstated Causes	1,084	600	484	1	17	259	430	377
	Other defined Causes	7	3	4	—	—	3	2	2
	Total	5,663	3,084	2,579	7	139	1,689	2,088	1,740
6	Measles	35	22	13	—	1	10	13	11
8	Whooping Cough	26	17	9	—	1	6	12	7
9A	Diphtheria	22	11	11	—	—	6	6	10
9C	Croup	6	4	2	—	—	2	3	1
10	Influenza	39	22	17	—	—	17	11	11
28 & 29	Phthisis	65	34	31	—	2	29	20	14
30-35	Other Tuberculous Diseases	10	5	5	—	—	2	6	2
39-45	Cancer	41	24	17	1	2	8	18	12
61	Meningitis	6	1	5	—	—	1	2	3
64A	Apoplexy	121	55	66	—	4	30	44	43
64E	Cerebral Hæmorrhage	160	76	84	—	2	56	63	39
66	Paralysis	25	6	19	—	2	6	8	9
69	Epilepsy	74	43	31	—	1	18	28	27
70 & 71	Convulsions	576	352	224	—	3	188	219	166
79A	Valvular Disease of Heart	149	67	82	—	1	46	66	36
79B	Fatty Degeneration of Heart	29	16	13	—	—	9	7	13
77, 78, 79C	Other Organic Disease of Heart	533	293	240	—	18	159	176	180
80	Angina Pectoris	29	22	7	—	—	10	14	5
81B	Arterial Sclerosis	22	19	3	—	—	4	9	9
89, 90	Bronchitis	304	159	145	—	11	105	119	69
91	Broncho-pneumonia	32	19	13	—	1	12	17	2
92B	Pneumonia, undefined	57	38	19	—	4	13	22	18
96	Asthma	38	23	15	—	2	11	15	10
103A	Inflammation of the Stomach	23	11	12	—	1	11	10	1
102, 103B	Other Disease of Stomach	32	20	12	—	—	9	13	10
104 & 105	Diarrhœal Diseases	77	48	29	—	—	20	39	18
109	Hernia, Intestinal obstruction	18	8	10	—	2	2	6	8
120	Bright's Disease	19	9	10	—	2	5	9	3
150	Congenital Malformations	37	18	19	—	2	16	9	10
151A	Premature Birth	549	315	234	—	14	236	180	119
151B	Atrophy, Debility, and Marasmus of Infants.	179	97	82	—	9	64	61	45
152B	Atelectasis	33	24	9	—	—	10	15	8
152C	Injury at Birth	8	4	4	—	1	6	1	—
153	Lack of Care (0-3 months)	7	4	3	—	—	4	2	1
169	Drowning	12	12	—	5	—	1	2	4
188A	Syncope (age 1-70)	62	36	26	1	3	16	23	19
189A	Heart Failure (age 1-70)	788	434	354	—	11	203	315	259
187, 188B, 189B-E	Other Ill-defined Causes	206	119	87	—	3	40	87	76
189F	Cause not stated	28	11	17	—	—	—	5	23

1920, classified by SEX, AGE, NATURE of AREA, and ASSIGNED CAUSE OF DEATH ;
TOTAL DEATHS registered from the same cause.

Uncertified Deaths per 1,000 Deaths registered from the same cause.								AGES.										International List Numbers.
Total.	Males.	Females.	Non-Civilians.	Civilians.				0-	1-	5-	15-	25-	35-	45-	55-	65-	75 and upwards.	
				London.	County Boroughs.	Urban Districts.	Rural Districts.											
4	5	4	-	1	4	5	9	33	39	29	3	4	7	13	2	7	-	1-19
2	2	1	3	0	2	2	2	11	8	14	11	18	16	25	27	22	14	20-59
21	23	19	-	3	18	23	29	508	69	18	18	18	25	47	93	121	66	60-76
12	13	11	-	2	11	13	17	3	2	8	17	32	49	119	185	247	142	77-85
6	6	6	-	2	5	8	9	89	61	20	9	11	15	36	59	105	78	86-98
6	6	5	-	1	4	8	8	58	16	19	6	4	8	14	15	16	9	99-118
1	1	-	-	2	1	1	1	-	-	-	-	-	1	3	5	3	-	119-127
2	-	2	-	1	1	3	1	-	-	-	-	2	1	5	2	2	1	119-133
3	-	3	-	-	3	2	6	-	-	-	-	6	6	-	-	-	-	134-141
25	25	25	-	7	28	25	30	825	3	2	-	2	-	-	-	-	-	150-153
35	40	31	-	12	29	34	49	-	-	-	-	-	-	-	2	287	631	154
3	2	3	17	-	1	3	5	6	2	3	2	5	5	1	5	3	13	155-186
554	541	571	200	279	430	628	625	59	33	29	18	39	100	192	323	262	29	187-189
2	1	2	-	-	2	1	2	1	-	1	-	-	-	1	2	1	1	Other Causes.
12	13	11	5	2	10	14	19	1,593	233	143	84	141	233	456	720	1,076	984	Total
5	6	4	-	1	3	6	12	10	24	1	-	-	-	-	-	-	-	6
6	9	4	-	1	3	9	12	19	6	1	-	-	-	-	-	-	-	8
4	4	4	-	-	3	3	11	1	3	16	1	-	-	-	-	1	-	9A
333	400	250	-	-	286	429	250	1	4	1	-	-	-	-	-	-	-	9c
4	4	3	-	-	4	3	6	2	1	7	1	4	6	10	2	6	-	10
2	2	2	-	0	2	2	3	1	1	6	9	12	13	16	5	1	1	28 & 29
1	1	1	-	-	1	2	1	1	2	2	1	1	1	1	1	-	-	30-35
1	1	1	12	0	1	1	1	-	-	-	-	2	2	4	13	12	8	39-45
2	1	4	-	-	1	2	6	-	3	-	1	-	-	2	-	-	-	61
34	35	34	-	17	29	32	48	-	-	2	-	2	5	17	34	42	19	64A
8	9	8	-	1	9	10	9	-	-	1	1	2	6	15	42	60	33	64E
11	6	15	-	10	8	11	16	-	-	1	-	-	-	3	3	8	10	66
34	37	30	-	5	25	37	55	3	1	4	11	13	11	8	10	10	3	69
94	100	86	-	9	80	102	134	505	64	6	-	1	-	-	-	-	-	70 & 71
6	6	6	-	0	5	8	7	-	-	4	4	9	11	23	30	44	24	79A
13	15	11	-	-	13	9	29	-	-	-	-	-	3	4	14	4	4	79B
22	25	18	-	5	21	22	31	1	1	4	10	21	26	81	124	168	97	77, 78 79c
28	32	20	-	-	29	38	24	-	-	-	-	-	2	3	7	15	2	80
2	3	1	-	-	1	3	4	-	-	-	-	-	1	-	2	10	9	81B
8	8	8	-	2	7	10	12	67	22	4	1	5	8	13	41	80	63	89, 90
2	2	2	-	0	1	3	1	7	16	5	-	-	-	1	-	1	2	91
6	6	5	-	3	3	7	12	13	15	9	5	2	1	5	1	4	2	92B
21	22	20	-	9	18	26	29	-	1	-	1	-	1	4	9	14	8	96
8	8	9	-	5	11	10	2	7	2	5	1	1	-	1	2	2	2	103A
13	14	12	-	-	11	17	21	3	-	2	2	1	3	6	5	8	2	102, 103B
7	7	6	-	-	4	11	11	42	11	10	3	1	1	5	1	1	2	104 & 105
4	4	5	-	4	1	4	9	2	3	-	-	-	2	-	5	3	3	109
2	2	2	-	1	1	3	1	-	-	-	-	1	1	6	6	4	1	120
9	8	10	-	4	11	6	12	30	3	2	-	-	-	-	-	-	-	150
32	32	31	-	8	35	32	37	549	-	-	-	-	-	-	-	-	-	151A
23	21	27	-	11	23	24	32	179	-	-	-	-	-	-	-	-	-	151B
22	27	14	-	-	18	34	29	33	-	-	-	-	-	-	-	-	-	152B
7	5	9	-	9	14	3	-	8	-	-	-	-	-	-	-	-	-	152C
22	22	22	-	-	37	20	20	7	-	-	-	-	-	-	-	-	-	153
6	8	-	96	-	2	3	10	-	1	2	2	4	3	-	-	-	-	169
305	305	306	500	750	222	377	297	-	-	1	1	2	5	10	29	14	-	188A
728	699	766	-	550	672	761	749	-	14	17	14	35	84	153	270	201	-	189A
362	386	333	-	100	192	473	524	46	18	10	3	2	9	28	23	41	26	187, 188B, 189B-E.
275	175	436	-	-	-	192	48	13	1	1	-	-	2	1	1	6	3	189F

The proportion of deaths investigated by inquest at various ages may be seen from Table LXXXIII, which for the sake of convenience deals also with uncertified deaths.

TABLE LXXXIII.—ENGLAND AND WALES, 1920. INQUESTS AND UNCERTIFIED CASES per cent. of TOTAL DEATHS (from all causes) registered at the same ages.

	Inquests.			Uncertified Cases.
	Total.	Deaths from Disease.	Deaths from Violence.	Total.
All Ages	6·7	3·0	3·7	1·2
0-	4·6	3·4	1·2	2·1
1-	6·0	1·5	4·5	0·8
5-	11·4	2·9	8·5	0·8
15-	10·7	2·5	8·2	0·4
25-	9·1	2·7	6·4	0·6
35-	10·0	3·6	6·4	0·7
45-	10·1	4·5	5·6	1·0
55-	7·7	4·0	3·7	1·2
65-	5·0	3·0	2·0	1·4
75 and up. ..	3·3	1·6	1·7	1·2

As was the case in 1915 the maximum proportion is attained in later childhood and fairly well maintained throughout the working period of life, falling away greatly in old age. This distribution is mainly due to the fact that deaths from violence calling for inquests are relatively commonest at 5-25, their proportion to the total thereafter continuously declining with age. Deaths from disease of the type occasioning inquests are, on the other hand, relatively commonest in later middle life. In old age, as in infancy, the proportion of deaths on which inquests are held is small.

Uncertified Deaths.—Table LXXXII provides a summary of the facts as to uncertified deaths similar to that supplied by Table LXXXI for inquests.

The causes to which the largest numbers of these deaths were attributed by the informants, and the percentage for each cause of the total uncertified deaths from all causes, are as follows:—old age 16·2; heart failure (at ages 1-70) 13·9; heart disease (Nos. 77-80) 13·1; convulsions 10·2; and premature birth 9·7, so that these five forms of return account for over 63 per cent. of the total. The position in 1915 was very similar.

The forms of return contributed to in largest degree by these uncertified deaths, with the proportion in each case of uncertified per thousand total deaths so classified were:—heart failure 728; croup 333; syncope 305; and convulsions 94. It will be seen from these figures, which again are very similar to those for 1915, to what a large extent the maintenance of certain unsatisfactory forms of death return is accounted for by these uncertified cases.

The proportion of uncertified to total deaths, unlike that for inquests, is little greater for males than for females, and no sex differences of real significance for individual causes are to be found in the table.

Amongst the civilian population the proportion of uncertified deaths rises with decreasing urbanization from 2 per thousand in London to 19 in the rural districts. This contrast again repeats the experience of 1915, when the range was even greater—from 1 in London to 22 in the rural districts. The reasons for a maximum proportion in the rural districts are obvious, but it is somewhat surprising that absence of certification should be so much commoner in other towns than in London. Evidently coroners in the provincial towns allow a number of deaths to remain uninvestigated which would be subjected to inquest in London, especially north of the Thames, where, as appears from Table LXXXIV, inquests were more frequent than in any

other registration county. And whereas all deaths from violence for the certification of which a medical practitioner had not made himself responsible were subjected to inquest in London, a small residuum, increasing in importance from county boroughs to rural districts, was not submitted to such investigation elsewhere. The maximum proportion, however, of such deaths, that for the rural districts, has fallen from 13 per thousand in 1915 to 5 in 1920.

The ages at which deaths are most frequently left uncertified may be seen from Table LXXXIII. From a maximum of 2·1 per cent. in infancy the proportion sinks to a minimum of 0·4 per cent. at 15–25, thereafter gradually rising again with further increase of age. Probably this variation with age, which was the same in 1915, may be taken as representing that in the value ordinarily attached to human life at various ages. The uncertified mortality in infancy may be seen from Table LXXXII to be attributed in 77 per cent. of its total extent—precisely the same proportion as in 1915—to the three headings, convulsions, premature birth, and atrophy debility and marasmus.

Table LXXXIV shows the proportions of inquests and uncertified deaths in each registration county in 1920. A statement based upon administrative areas would be preferable but cannot be provided. Questions of certification are, of course, connected with the area in which deaths occur, whereas the deaths shown in these Reports for administrative areas are tabulated according to the area in which the deceased resided. Re-tabulation by administrative area of occurrence for the sole purpose of comparing the various areas in regard to certification would involve a quite prohibitive amount of labour. On the other hand the information was readily available in regard to registration counties, and these have, therefore, been used for the purposes of this table.

TABLE LXXXIV.—INQUEST CASES and UNCERTIFIED DEATHS in 1920. PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

Except in the case of England and Wales as a whole, the figures in this Table are based upon numbers published in the Registrar-General's Quarterly Returns.

Registration County.	Inquest Cases.		Uncertified Deaths.		Registration County.	Inquest Cases.		Uncertified Deaths.	
	Number	Per 100 Deaths.	Number	Per 100 Deaths		Number	Per 100 Deaths.	Number	Per 100 Deaths
England & Wales ..	31011	6·65	5663	1·21					
England :—									
Bedfordshire ..	97	4·38	41	1·85	Oxfordshire ..	114	5·40	37	1·75
Berkshire ..	181	5·18	87	2·49	Rutlandshire ..	10	4·93	11	5·42
Buckinghamshire ..	95	4·52	45	2·14	Shropshire ..	145	4·59	87	2·75
Cambridgeshire ..	111	4·52	46	1·87	Somersetshire ..	376	6·54	38	0·66
Cheshire ..	811	7·05	51	0·44	Staffordshire ..	1222	6·81	183	1·02
Cornwall ..	268	6·47	41	0·99	Suffolk ..	283	6·43	79	1·79
Cumberland ..	200	5·24	87	2·28	Surrey ..	831	8·09	30	0·29
Derbyshire ..	388	6·02	169	2·62	Sussex ..	561	7·05	27	0·34
Devonshire ..	584	6·52	92	1·03	Warwickshire ..	809	4·91	440	2·67
Dorsetshire ..	140	5·51	38	1·50	Westmorland ..	32	3·92	17	2·08
Durham ..	1006	4·82	652	3·12	Wiltshire ..	160	5·23	42	1·37
Essex ..	931	6·25	248	1·67	Worcestershire ..	263	6·34	80	1·93
Gloucestershire ..	655	7·73	33	0·39	Yorks East Riding	457	6·60	50	0·72
Hampshire ..	696	6·41	98	0·90	" North "	388	6·56	54	0·91
Herefordshire ..	76	5·44	36	2·58	" West "	3122	7·39	184	0·44
Hertfordshire ..	145	4·68	48	1·55					
Huntingdonshire ..	22	3·71	14	2·36	Wales :—				
Kent ..	714	6·12	230	1·97	Anglesey ..	13	2·66	13	2·66
Lancashire ..	4447	6·44	1114	1·61	Brecknockshire ..	37	4·99	6	0·81
Leicestershire ..	322	5·61	96	1·67	Cardiganshire ..	39	3·15	36	2·91
Lincolnshire ..	386	5·41	100	1·40	Car-mar-thenshire ..	116	5·23	33	1·49
London —North of					Carnarvonshire ..	70	3·50	38	1·90
Thames	3476	9·90	11	0·03	Denbighshire ..	73	3·53	40	1·93
" South of					Flintshire ..	42	4·69	23	2·57
Thames	1641	7·11	100	0·43	Glamorganshire ..	1362	8·77	31	0·20
Middlesex ..	763	6·38	15	0·13	Merionethshire ..	33	3·92	10	1·19
Monmouthshire ..	407	7·19	41	0·72	Montgomeryshire ..	33	3·98	21	2·53
Norfolk ..	408	7·04	73	1·26	Pembrokeshire ..	58	5·23	38	3·43
Northamptonshire ..	192	4·61	98	2·35	Radnorshire ..	6	2·82	11	5·16
Northumberland ..	719	6·83	194	1·84					
Nottinghamshire ..	459	5·13	152	1·70					

It will be seen that the proportions of inquests ranged from 9·9 per cent. of total deaths in London north of the Thames to well under 5 per cent. in most of the Welsh and some of the English rural counties. Comparing the proportions with those for 1915, the chief reductions, in counties where at least 2,500 deaths occurred, were for the East Riding of Yorkshire—2·30 per cent. ; South London—1·73 per cent. ; Kent—1·73 per cent. ; and North London—1·61 per cent., of total deaths. The chief increases are for Dorset—1·03 ; Norfolk—·99 ; Monmouth—·96 ; and Northampton—·50 per cent. On the whole the relative frequency of inquests remains fairly constant, a slight decrease being recorded for most of the counties, as for England and Wales.

The proportions of uncertified to total deaths show great local variations, even between adjoining counties. The highest proportions, for counties returning at least 2,500 deaths, are those for Durham—3·12 ; Shropshire—2·75 ; Warwick—2·67 ; Derby—2·62 ; Berkshire—2·49 ; Northampton—2·35 ; and Cumberland—2·28 per cent. At the opposite end of the scale come North London—·03 ; Middlesex—·13 ; Glamorgan—·20 ; Surrey—·29 ; Sussex—·34 ; Gloucester—·39 ; South London—·43 ; Cheshire and the West Riding of Yorkshire—·44 per cent. of total deaths. Compared with 1915 the chief increases in uncertified deaths are shown for Leicester—·68 per cent. of all deaths registered ; Berkshire—·44 ; North Riding of Yorkshire—·41 ; and Devonshire—·30 per cent. The chief decreases amongst the larger counties are : Kent—·91 per cent. of total deaths ; Warwick—·49 ; Worcester—·47 ; Cumberland—·45 ; Norfolk—·43 ; Stafford—·42 ; and Nottingham—·40. While there is perhaps a greater decline on the whole amongst counties returning high rates the movements shown are very irregular and by no means all indicative of a general tendency towards a uniformly low proportion of uncertified deaths.

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM.

The number of deaths in public institutions for the sick or infirm was 113,917. Of these 54,531 occurred in Poor Law institutions (workhouses and workhouse infirmaries), 9,294 in lunatic asylums, and 50,092 in hospitals. In addition to these 4,295 occurred at addresses known as those of nursing homes, but it is probable that many more deaths in nursing homes were not recognized as such.

All of these numbers except the last are lower than those for the previous year, which were in turn lower than for 1918, when the highest total yet reached, 151,791 for the grouped institutions, was recorded. But as total deaths have decreased to almost the same extent the proportion occurring in institutions, 24·44 per cent., is almost as high as in 1918, when it was 24·81. The decrease is much the greatest in the case of lunatic asylums, the 9,294 deaths in which compare with 13,464 in 1919 and 21,733 in 1918.

TABLE LXXXV.

Public Institutions.	Percentage of Total Deaths.			Rate per 1,000 living.		
	Ten years, 1910-19.	1919.	1920.	Ten years, 1910-19.	1919.	1920.
Poor Law Institutions	11·32	11·31	11·70	1·66	1·55	1·45
Lunatic and Idiot Asylums	2·65	2·67	1·99	0·39	0·37	0·25
Hospitals.. .. .	8·78	10·07	10·75	1·17	1·38	1·33
Total	22·75	24·05	24·44	3·22	3·30	3·03

The number of deaths occurring in institutions, and their proportion to the total deaths registered, have been increasing for many years, but their growth during the last few years preceding 1918 was particularly rapid. During 1911-13 the number was almost stationary, averaging 105,840 per year, or 20·9 per cent. of the total deaths. In 1914 the proportion rose to 22·3 per cent., and in 1915 to 22·5, while in 1916 and 1917 it was 24·35 and 26·25 respectively.

The detailed table of deaths in various classes of institutions showing cause of death, sex, and class of area will be found on pages 261-275.

UNITED KINGDOM.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the 100 years 1821–1921 this number has increased by about 126 per cent., the sum of the provisional census figures for Great Britain and of the estimated population of Ireland in June, 1921, amounting to 47,263,530.

The populations of the several divisions of the United Kingdom in 1920 are estimated as follows :—

TABLE LXXXVI.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1920.

	Persons.	Males.	Females.
England and Wales'	37,524,000	17,866,000	19,658,000
Scotland.. .. .	4,864,396	2,337,784	2,526,612
Ireland	4,485,000	2,269,000	2,216,000

Marriages.

The marriages in the United Kingdom during the year 1920 numbered 453,651, corresponding to a rate of 19·3 persons married per 1,000 of the total population.

This rate was 0·4 per 1,000 above the corresponding rate in 1919, and 4·0 per 1,000 above the average rate in the ten years 1910–1919.

TABLE LXXXVII.

	Marriages, 1920.	Persons Married per 1,000 living.	
		Ten Years, 1910–1919.	1920.
England and Wales	379,982	16·1	20·2
Scotland.. .. .	46,843	14·2	19·3
Ireland	26,826	10·6	12·0
United Kingdom	453,651	15·3	19·3

Births.

The births registered in the United Kingdom in the year 1920 numbered 1,193,864, and were in the proportion of 25·4 per 1,000 of the total population.

This rate was 6·4 per 1,000 above the corresponding rate in 1919, and 3·4 per 1,000 above the average in the ten years 1910–1919.

TABLE LXXXVIII.

	Births, 1920.	Births per 1,000 living.	
		Ten Years, 1910–1919.	1920.
England and Wales	957,782	21·8	25·5
Scotland.. .. .	136,546	23·8	28·1
Ireland	99,536	21·7	22·2
United Kingdom	1,193,864	22·0	25·4

Deaths.

The deaths registered in the United Kingdom in the year 1920 numbered 600,847, and were in the proportion of 12·8 per 1,000 of the total population.

This rate was 1·5 per 1,000 below the corresponding rate in 1919, and 2·0 per 1,000 below the average in the ten years 1910–1919.

TABLE LXXXIX.

	Deaths, 1920.	Deaths per 1,000 living.	
		Ten Years, 1910–1919.	1920.
England and Wales	466,130	14·5	12·4
Scotland.. .. .	68,179	15·4	14·0
Ireland	66,538	17·0	14·8
United Kingdom	600,847	14·8	12·8

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom.

TABLE XC.

	Deaths under 1 year per 1,000 Births.	
	1910–1919.	1920.
England and Wales	103	80
Scotland	108	92
Ireland	90	83
United Kingdom	102	82

In Table 25 (pages 62 and 63) the population, marriages, births, deaths, and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1920 this register was increased by the addition of 218 entries of birth and 3,091 entries of death.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1919 by 2,183,876, this addition raising the total of names in the indexes, which at the end of 1920 embraced a period of 83½ years, to 140,047,335 (Table 22).

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared in the Department :—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1920, eighteen persons, on prosecution by order of the Registrar-General, were convicted under the Perjury Act, 1911, of offences in connection with registration. The offences for which convictions were obtained were as under :—

(a) Giving a false age when registering the death of an old age pensioner	7
(b) Registering the births of illegitimate children as legitimate ..	3
(c) Using as true a falsified certificate of birth	4
(d) Falsely registering the births of adopted children	2
(e) Giving false information as to relationship when registering a birth	1
(f) Aiding and abetting in the case of (e)	1

In addition to the above cases proceedings were taken by Chief Constables in cases reported through the Registrar-General for offences including bigamy and the giving of a false age upon notice of marriage.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix–xxxii of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

Table XCI affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866. It will be observed that the numbers of searches, etc.,

TABLE XCI.

Years.			Total Searches.	Gratuitous Searches.	Searches paid for by Fees.	Certificates Issued.	Amount Received.		
							£	s.	d.
1866 (52 weeks)	12,135	—	12,135	10,017	1,860	15	6
1875 (52 weeks)	26,356	—	26,356	20,282	3,879	15	6
1885 (52 weeks)	36,450	—	36,450	27,682	5,317	13	6
1895 (52 weeks)	53,289	—	53,289	35,727	7,200	12	6
1905 (52 weeks)	65,142	—	65,142	50,310	9,611	9	0
1906 (52 weeks)	64,340	—	64,340	49,429	9,458	6	0
1907 (52 weeks)	69,249	—	69,249	53,058	10,194	9	0
1908 (53 weeks)	72,370	—	72,370	54,870	10,550	8	0
1909 (52 weeks)	132,169	58,626*	73,543	54,674	10,568	8	0
1910 (52 weeks)	126,716	51,347	75,369	57,019	10,939	5	6
1911 (52 weeks)	140,496	65,491	75,005	56,347	10,875	6	0
1912 (52 weeks)	149,752	69,151	80,601	61,143	11,752	6	0
1913 (52 weeks)	242,457	163,142	79,315	60,356	11,613	19	0
1914 (53 weeks)	188,040	104,593	83,447	65,817	12,482	11	6
1915 (52 weeks)	202,939	118,788	84,151	69,746	13,007	10	0
1916 (52 weeks)	303,334	197,669	105,665	88,265	16,379	17	0
1917 (52 weeks)	272,199	177,403	94,796	80,374	14,859	14	0
1918 (52 weeks)	255,462	146,504	108,958	90,898	16,889	0	0
1919 (52 weeks)	301,913	170,670	131,243	107,067	20,017	14	6
1920 (53 weeks)	284,194	149,447	134,747	108,684	20,415	0	0

* Including some searches made in 1908.

in 1920 has declined from the maximum attained in 1916, owing to falling off in the number of gratuitous searches. The number of paid searches was higher than ever before.

The 149,447 gratuitous searches during 1920 include 90,791 searches made for the purpose of verifying the ages of persons claiming old age pensions, 57,656 made to assist dependents of men serving with H.M. Forces to produce evidence of marriage and of the births of children in connection with claims to Naval and Military Pensions, Separation Allowances, etc., and to verify the ages of certain classes of youths and men in connection with service in the Army, Navy, and Royal Air Force, and 1,000 made for other public purposes.

METEOROLOGY OF THE YEAR 1920.*

A DULL YEAR.

Conspicuous occurrences of the weather of 1920 were the wet Spring, the rain and low temperature of July and August, the damp and misty September, the brilliance of October, the wintry spell during the second week of December, and the abnormally mild weather which set in just before Christmas. Other notable events were the widespread thunderstorms of June and July, with their accompanying heavy rains, and the floods which occurred in Lancashire and Lincolnshire in May.

January was a mild, wet and windy month. During the first ten days comparatively cold weather prevailed and at only a few places did the mean temperature equal or exceed the normal, but the mild weather which set in during the week which ended on the 17th more than compensated for this cold spell. Except in the North and North-West, February was dry and generally mild. Commonly the coldest weather of the month occurred during the first week and it was also cold about the 22nd. During the night of the 19th-20th there was a widespread fall of snow; and on several days there were wet fogs and mists, the fog experienced in London on the 25th and 27th being denser than on any previous occasion during the winter. Like the three months which preceded it, March was notable for its unusual mildness. There was also a marked absence of cold, drying winds, and during the greater part of the month there was a preponderance of winds from Westerly or South-Westerly quarters, winds which were, moreover, frequently accompanied by copious precipitation in the form of snow, sleet, hail and rain. Occasionally this precipitation was accompanied by a good deal of electrical disturbance, especially in the Western districts and in Ireland. A decided decrease of temperature marked the opening day of April and the month throughout was unsettled, inclement and showery. The weather of May was somewhat variable and for the most part it was cool and rainy, there being no really hot days until after the 20th. Soon after this date a warm thundery type of weather became general. The thunderstorms of the 29th covered a large area in the North of England. The centres of the very heavy rainfall were near Preston and in the middle of Lincolnshire. The flood which swept away many houses in Louth was associated with heavy rainfall over the basin of the little river Leed. At Elkington Hall, three miles west of Louth, 4·6 in. of rain fell in three hours. Among the notable features of June were the frequent thunderstorms which occurred between the 10th and 20th, and the almost entire absence of very hot days. During this thunderstorm period the weather in Scotland was much finer than over England and at Deerness (Orkney) the sunshine recorded during the week which ended on the 19th was very remarkable, the total for this week being 112 hours, equal to 16 hours a day and 87 per cent. of the possible. July was dull, wet and cool. In Scotland only once during the past sixty years has a colder July been experienced. At Southport it was the dulllest July on record, reports from many other stations also emphasising the unfavourable character of the month. Like June and July, August was characterised by dull, cool weather and a general absence of any really hot days, a prominent feature of the month being the few occasions on which the maximum temperature touched or exceeded the normal. Ground frosts, moreover, although not very severe, were experienced at an abnormally large number of stations. In many respects the weather was more nearly normal in September than was the case during the three previous months. There was, however, much precipitation in the form of dew, wet fogs and mists which were especially prevalent from the 8th to 14th and from the 19th to 29th. The outstanding characteristic of October was the abundant

* Furnished by the Director of the Meteorological Office.

sunshine in the East and South of England. After the 5th very pleasant conditions set in and a spell of summer-like weather, which synchronised with "St. Luke's Summer," was widely experienced. Over a large part of the country, moreover, there was no cloud from the 24th to the 30th, these and the previous sunny days, combined with unusually bright moonlight nights, making the month the most brilliant October experienced for very many years. November was mostly fine, but with much fog. A notable feature of the month was the great contrast it presented to November, 1919, a month memorable for its record frost and snow. Outstanding features of the weather in December were the wintry spell which occurred during the second week, and the unusual warmth which set in just before Christmas. Other notable events were the gales which were experienced all over the British Isles on the 3rd, and the fogs which were very general between the 6th and 9th.

FURTHER INFORMATION.—A description of the weather of each month appears in the Quarterly Return of the Registrar-General. Tables relating to meteorological elements are given in the present report (Tables 26-28) and values of rainfall and mean temperature at certain large towns are to be found in Table V in the Quarterly Return.

Charts showing the distribution of pressure, temperature, sunshine and rainfall for the year, together with summaries of the observations at numerous stations will be found in the Annual Summary of the Monthly Weather Report issued by the Meteorological Office.

A list of the publications of the Meteorological Office will be found in "List M" issued by H.M. Stationery Office.

TABLES.

T A B L E S.

NOTE.—The following tables are temporarily discontinued :—

No. in Report for 1914.	Description.
2—4	Estimated Populations in the middle of the year by sexes and ages : England and Wales and Main Divisions, Urban and Rural Aggregates in Administrative Counties, and County Boroughs.*
16—18	Mortality by Sex and Age : Main Divisions of England and Wales, Administrative Counties, and County Boroughs.
24—28	Mortality from Several Causes by Sex and Age : England and Wales, Main Divisions, London, County Boroughs, Other Urban Districts, and Rural Districts.
34—36	Army : Strength and Mortality. Navy : Mortality in Service Afloat. Merchant Service : Numbers and Mortality of Masters and Seamen.

Tables showing the mortality of Infants and Young Children during the Quinquennium 1916-20 are included in the present Report (Tables 19-21).

Death-rates from 1915 to 1918 relate to civilians only. Those for 1919 and 1920 relate to the total population in the country as regards England and Wales, but to civilians only as regards localities.

* The estimated population by sex and age in England and Wales as a whole in 1920 is given in the Review.

TABLE 1.—UNITED KINGDOM : POPULATION of its several DIVISIONS ESTIMATED to the in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES.* AREA 37,340,338 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,494	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,324,425	21,995,632	23,328,793	36,189,685	17,503,377	18,686,308
1912	45,508,243	22,087,258	23,420,985	36,382,456	17,596,806	18,785,650
1913	45,713,370	22,188,270	23,525,100	36,606,226	17,705,259	18,900,967
1914	46,089,249	22,373,515	23,715,734	36,960,684	17,877,052	19,083,632
1915	43,735,300¶	19,688,000¶	24,047,300¶	35,358,896*	15,993,554*	19,365,342*
1916	43,053,100¶	18,853,100¶	24,206,000¶	34,500,000*	15,000,000*	19,500,000*
1917	42,279,100¶	17,954,900¶	24,324,300¶	33,711,000*	14,085,300*	19,625,700*
1918	42,041,700¶	17,625,200¶	24,416,500¶	33,474,700*	13,777,100*	19,697,600*
1919	46,082,077	21,749,937	24,332,140	36,800,000	17,180,655	19,619,345
1920	46,873,396	22,472,784	24,400,612	37,524,000	17,866,000	19,658,000

* The estimates of the population of England and Wales up to the year 1910 have been made by means of the rates the returns of births, deaths, and migration; while the estimates for 1915 and 1916 are mainly based upon the results any necessary adjustments for the armed forces. The figures for males included in the estimates for 1915-18 relate to been taken into account in framing the estimate for 1920. In calculating rates for leap years for England and Wales Ireland have been supplied by the Registrars-General for those parts of the United Kingdom. The estimates for

¶ Excluding larger rivers, lakes, and tideways.

† Land only to high water mark.

‡ The figures for males included in these estimates relate to civilians only. These estimates which have been prepared in this office must be regarded as approximate only.

MIDDLE of each of the YEARS 1871-1920, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,070,466 ACRES.‡			IRELAND.* AREA 20,371,125 ACRES.‡			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,741,077	2,301,023	2,440,054	4,384,710	2,189,429	2,195,281	1912
4,728,132	2,296,535	2,431,597	4,379,012	2,186,476	2,192,536	1913
4,747,167	2,307,582	2,439,585	4,381,398	2,188,881	2,192,517	1914
4,770,798**	2,313,280**	2,457,518	4,337,000††	2,139,000††	2,198,000	1915
4,794,708**	2,319,142**	2,475,566	4,367,000††	2,165,000††	2,202,000	1916
4,810,338**	2,321,000**	2,489,338	4,380,000††	2,176,000††	2,204,000	1917
4,812,274**	2,308,620**	2,503,654	4,399,000††	2,188,000††	2,211,000	1918
4,820,077**	2,314,282**	2,505,795	4,462,000††	2,255,000††	2,207,000	1919
4,864,396**	2,337,784**	2,526,612	4,485,000††	2,269,000††	2,216,000	1920

of increase in the various intercensal periods as shown by the several enumerations; those for 1911-14 are based upon obtained under the National Registration Act, 1915, and those for 1917-20 upon natural increase and migration, with civilians only; those for 1919 and 1920 include the armed forces at home. The results of the Census of 1921 have and the United Kingdom the mid year population has been increased by $\frac{1}{805}$ part. The estimates for Scotland and 1911-20 are subject to revision.

‡ Excluding inland water, tidal water, and foreshore.

† Land and inland water.

†† The movements of the military are taken into account in this estimate.

** No allowance made for movement of Scottish troops over seas.

TABLE 2.—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS,
1838-1920.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1838-1920	17,209,244	64,947,750	58,293,337*	29,719,178*	28,574,159*	3,097,764*	1,581,454*	1,516,310*	40,251,322	20,671,322	19,580,000
1841-1850	1,355,497	5,488,736	?	?	?	?	?	?	3,769,396	1,909,125	1,860,271
1851-1860	1,601,731	6,471,650	6,048,479	3,092,436	2,956,043	423,171	216,356	206,815	4,210,715	2,138,536	2,072,179
1861-1870	1,769,624	7,500,096	7,043,090	3,593,097	3,449,993	457,006	234,028	222,978	4,794,498	2,459,489	2,335,009
1871-1880	1,960,543	8,588,782	8,161,584	4,157,433	4,004,151	427,198	217,485	209,713	5,178,311	2,679,416	2,498,895
1881-1890	2,047,428	8,890,238	8,471,116	4,312,689	4,158,427	419,122	214,040	205,082	5,244,770	2,698,316	2,546,454
1891-1900	2,394,105	9,155,153	8,773,351	4,462,939	4,310,412	381,802	194,932	186,870	5,575,375	2,865,226	2,710,149
1901-1910	2,640,515	9,298,209	8,927,791	4,547,445	4,380,346	370,418	188,886	181,532	5,248,774	2,706,356	2,542,418
1911-1920	3,075,903	8,096,222	7,706,457	3,936,257	3,770,200	389,765	199,049	190,716	5,188,052	2,684,511	2,503,541
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707
1913	286,583	881,890	843,981	429,657	414,324	37,909	19,502	18,407	504,975	261,687	243,288
1914	294,401	879,096	841,767	428,303	413,464	37,329	18,881	18,448	516,742	267,359	249,383
1915	360,885	814,614	778,369	396,825	381,544	36,245	18,380	17,865	562,253†	292,381†	269,872
1916	279,846	785,520	747,831	382,886	364,945	37,689	19,251	18,438	508,217†	265,030†	243,187
1917	258,855	668,346	631,189	322,392	308,797	37,157	18,969	18,188	498,922†	262,215†	236,707
1918	287,163	662,661	621,209	317,801	303,408	41,452	21,311	20,141	611,861†	314,704†	297,157
1919	369,411	692,438	650,562	334,772	315,790	41,876	21,469	20,407	504,203	258,089	246,114
1920	379,982	957,782	912,835	468,022	444,813	44,947	22,948	21,999	466,180	240,302	225,828

* 1845-1920 only.

† Including non-civilian deaths in England and Wales, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 3.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and DEATH-RATES, and INFANT MORTALITY, 1838-1920.

(Rates for the years 1911-20 that are based upon population are subject to slight revision when revised estimates have been prepared).

YEAR.	MARRIAGES.			BIRTHS.							DEATHS.									
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.*	Females married per 1,000 single and widowed, aged 15 years and upwards.*	Per 1,000 living at all ages.	Legitimate.		Illegitimate.			Births of males per 1,000 births of females.	Crude rates per 1,000 living.			Standardized rates per 1,000 living.†			Ratio of Standardized Male to Female mortality, the latter taken as 1,000.†	Deaths of Infants under 1 year per 1,000 births.		
					Per 1,000 total population.	Per 1,000 married women, aged 15-45.*	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15-45.*	Per 1,000 total births.		Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1920	16.0	?	?	30.2	28.5†	?	1.5†	?	50†	1,041	18.8	20.0	17.7	18.2	19.6	17.0	1,157	141	—	—
1841-1850	16.1	—	—	32.6	—	—	—	—	—	1,049	22.4	23.1	21.6	21.6	22.5	20.7	1,085	153	—	—
1851-1860	16.9	59.3	51.7	34.1	31.9	281.0	2.2	13.3	65	1,046	22.2	23.1	21.4	21.2	22.1	20.3	1,092	154	—	—
1861-1870	16.6	60.9	51.8	35.2	33.1	287.3	2.1	18.2	61	1,042	22.5	23.7	21.4	21.3	22.6	20.2	1,119	154	—	—
1871-1880	16.2	59.7	50.7	35.4	33.6	295.5	1.8	15.1	50	1,038	21.4	22.7	20.1	20.3	21.8	19.0	1,150	149	—	—
1881-1890	14.9	53.7	45.3	32.4	30.9	274.6	1.5	12.6	47	1,037	19.1	20.3	18.1	18.6	20.0	17.3	1,154	142	—	—
1891-1900	15.6	53.6	44.9	29.9	28.7	250.3	1.2	9.6	42	1,036	18.2	19.3	17.1	18.1	19.5	16.7	1,167	153	—	—
1901-1910	15.5	51.6	43.2	27.2	26.1	221.6	1.1	8.2	40	1,038	15.4	16.4	14.4	15.2	16.6	13.9	1,190	128	—	—
1911-1920	16.6	?	?	21.8	20.8	?	1.0	?	48	1,044	14.3	16.0	13.0	13.7	15.3	12.3	1,245	100	96	194
1841-1845	15.7	—	—	32.3	—	—	—	—	—	1,052	21.4	22.1	20.6	20.6	21.6	19.8	1,089	148	—	—
1846-1850	16.5	—	—	32.8	30.6	—	2.2	—	67	1,045	23.3	24.1	22.6	22.4	23.4	21.6	1,084	157	—	—
1851-1855	17.1	59.2	52.1	33.9	31.7	281.3	2.2	18.1	66	1,046	22.7	23.5	21.8	21.7	22.7	20.7	1,097	156	—	—
1856-1860	16.7	59.5	51.3	34.4	32.2	280.8	2.2	18.5	65	1,046	21.8	22.6	21.0	20.7	21.6	19.9	1,090	152	—	—
1861-1865	16.8	61.3	52.2	35.1	32.9	285.1	2.2	18.8	64	1,043	22.6	23.7	21.5	21.4	22.6	20.3	1,113	151	—	—
1866-1870	16.4	60.5	51.5	35.3	33.2	289.4	2.1	17.6	58	1,041	22.4	23.7	21.2	21.2	22.6	20.0	1,130	157	—	—
1871-1875	17.1	63.1	53.6	35.5	33.7	294.6	1.8	15.9	52	1,039	22.0	23.3	20.7	20.9	22.4	19.5	1,149	153	—	—
1876-1880	15.3	56.4	48.0	35.3	33.6	296.3	1.7	14.4	48	1,038	20.8	22.1	19.5	19.8	21.3	18.4	1,158	145	—	—
1881-1885	15.2	55.1	46.7	35.5	31.9	282.4	1.6	13.5	48	1,038	19.4	20.5	18.3	18.7	20.1	17.5	1,151	139	—	—
1886-1890	14.7	52.4	44.0	31.4	29.9	267.1	1.5	11.8	46	1,036	18.9	20.0	17.8	18.5	20.0	17.2	1,163	145	—	—
1891-1895	15.1	52.6	44.0	30.5	29.2	258.3	1.3	10.1	42	1,036	18.7	19.8	17.7	18.5	20.0	17.2	1,161	151	—	—
1896-1900	16.1	54.5	45.6	29.3	28.1	242.9	1.2	9.2	41	1,035	17.7	18.8	16.6	17.6	19.1	16.2	1,178	156	—	—
1901-1905	15.6	52.3	43.7	28.2	27.1	230.5	1.1	8.4	39	1,037	16.0	17.1	15.0	16.0	17.4	14.6	1,192	138	—	—
1906-1910	15.3	50.9	42.6	26.3	25.2	212.9	1.1	8.1	40	1,039	14.7	15.6	13.8	14.4	15.8	13.2	1,196	117	113	224
1911-1915	16.4	54.4	45.5	23.6	22.6	189.7	1.0	7.8	43	1,038	14.3	15.4	13.2	13.8	15.2	12.5	1,218	110	105	210
1916-1920	16.8	?	?	20.1	19.0	?	1.1	?	54	1,051	14.4	16.6	12.7	13.7	15.5	12.1	1,281	90	85	179
1871	16.7	61.8	52.5	35.0	33.0	288.4	2.0	16.9	56	1,035	22.6	23.9	21.3	21.4	22.9	20.1	1,141	158	—	—
1872	17.4	64.3	54.6	35.6	33.7	294.9	1.9	16.6	54	1,041	21.3	22.6	19.9	20.2	21.7	18.8	1,153	150	—	—
1873	17.6	64.9	55.2	35.4	33.6	294.1	1.8	15.8	52	1,039	21.0	22.4	19.8	20.0	21.5	18.6	1,155	149	—	—
1874	17.0	62.9	53.4	36.0	34.2	299.8	1.8	15.6	50	1,037	22.2	23.6	20.9	21.1	22.6	19.7	1,147	151	—	—
1875	16.7	61.8	52.5	35.4	33.7	295.4	1.7	14.5	48	1,043	22.7	24.1	21.4	21.6	23.2	20.2	1,149	158	—	—
1876	16.5	60.9	51.8	36.3	34.6	304.1	1.7	14.6	47	1,038	20.9	22.3	19.6	19.9	21.4	18.4	1,163	146	—	—
1877	15.7	58.0	49.3	36.0	34.3	301.1	1.7	14.6	47	1,036	20.3	21.7	18.9	19.4	21.0	17.9	1,172	136	—	—
1878	15.2	55.9	47.5	35.6	33.9	298.8	1.7	14.4	47	1,042	21.6	22.9	20.3	20.5	22.0	19.1	1,151	152	—	—
1879	14.4	52.8	44.9	34.7	33.0	291.1	1.7	14.2	48	1,036	20.7	22.0	19.6	19.9	21.4	18.5	1,155	135	—	—
1880	14.9	54.7	46.6	34.2	32.6	287.0	1.6	14.1	48	1,036	20.5	21.8	19.3	19.5	21.0	18.2	1,154	153	—	—
1881	15.1	55.6	47.3	33.9	32.2	284.9	1.7	14.1	49	1,039	18.9	20.0	17.8	18.2	19.6	17.0	1,154	130	—	—
1882	15.5	56.7	48.1	33.8	32.2	283.9	1.6	13.8	49	1,038	19.6	20.7	18.5	18.8	20.2	17.6	1,145	141	—	—
1883	15.5	56.4	47.8	33.5	31.9	281.9	1.6	13.4	48	1,035	19.6	20.8	18.5	19.0	20.4	17.7	1,153	137	—	—
1884	15.1	54.8	46.3	33.6	32.0	283.7	1.6	13.2	47	1,041	19.7	20.8	18.5	19.0	20.4	17.7	1,152	147	—	—
1885	14.5	52.4	44.2	32.9	31.3	277.6	1.6	13.0	48	1,040	19.2	20.3	18.2	18.7	20.0	17.4	1,151	138	—	—
1886	14.2	51.1	43.1	32.8	31.2	278.0	1.6	12.8	47	1,038	19.5	20.6	18.5	19.0	20.4	17.7	1,155	149	—	—
1887	14.4	51.5	43.3	31.9	30.4	269.9	1.5	12.4	48	1,039	19.1	20.2	18.1	18.6	20.0	17.3	1,152	145	—	—
1888	14.4	51.4	43.2	31.2	29.8	265.0	1.4	11.7	46	1,033	18.1	19.2	17.0	17.7	19.2	16.4	1,168	136	—	—
1889	15.0	53.2	44.7	31.1	29.7	265.1	1.4	11.5	46	1,038	18.2	19.3	17.2	17.9	19.2	16.6	1,159	144	—	—
1890	15.5	54.6	45.8	30.2	28.9	258.2	1.3	10.7	44	1,033	19.5	20.8	18.3	19.3	21.0	17.8	1,181	151	—	—
1891	15.6	54.6	45.7	31.4	30.1	268.8	1.3	10.6	42	1,038	20.2	21.5	19.0	20.0	21.7	18.5	1,174	149	—	—
1892	15.4	53.8	45.0	30.4	29.1	259.3	1.3	10.1	42	1,035	19.0	20.0	18.0	18.8	20.2	17.5	1,158	143	—	—
1893	14.7	51.1	42.7	30.7	29.4	260.4	1.3	10.3	42	1,038	19.2	20.3	18.1	18.9	20.4	17.6	1,157	159	—	—
1894	15.0	52.0	43.5	29.6	28.3	249.4	1.3	9.9	43	1,036	16.6	17.6	15.6	16.4	17.7	15.2	1,165	137	—	—
1895	15.0	51.6	43.2	30.3	29.0	254.5	1.3	9.9	42	1,034	18.7	19.7	17.7	18.5	19.9	17.3	1,155	161	—	—
1896	15.7	53.9	45.1	29.6	28.3	247.8	1.3	9.7	42	1,036	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	16.0	54.5	45.6	29.6	28.4	246.4	1.2	9.5	42	1,037	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	16.2	55.0	46.0	29.3	28.1	243.0	1.2	9.3	42	1,032	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	16.5	55.6	46.5	29.1	27.9	241.0	1.2	8.9	40	1,039	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	16.0	53.7	44.9	28.7	27.6	236.8	1.1</													

TABLE 4.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838-1920, and in each YEAR 1911-1920.

Period.	Persons married per 1,000 Living.				Births per 1,000 Living.				Deaths per 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1920	12·8	16·6	16·2	18·5	32·1	32·0	30·4	29·9	22·0	19·1	17·8	19·4
1841-50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851-60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861-70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871-80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881-90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891-1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901-10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1911-20	12·4	17·5	18·4	17·8	22·4	22·3	21·7	20·9	17·2	13·6	11·8	15·0
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	22·9	16·0	13·3	15·5	13·6
1912	9·9	16·5	18·2	17·7	24·5	24·0	23·9	23·2	15·9	12·8	11·1	13·6
1913	13·5	14·4	18·1	16·5	24·0	24·9	24·4	23·0	16·2	13·3	12·3	13·4
1914	11·2	17·6	17·6	17·2	23·9	24·5	24·4	22·4	16·0	13·5	12·4	14·0
1915*	12·1	20·9	21·9	22·5	24·1	22·9	20·9	19·5	20·1	15·4	12·1	15·1
1916*	14·5	15·9	14·3	14·8	20·8	22·3	21·0	19·4	16·4	14·4	11·4	15·3
1917*	11·0	13·6	14·7	15·7	19·3	18·5	17·2	16·2	19·3	14·8	10·8	13·0
1918*	14·2	14·4	16·7	15·9	17·5	18·2	17·8	17·1	16·4	13·8	13·0	27·0
1919*	13·0	21·7	22·5	21·5	15·7	15·9	18·5	23·7	21·2	11·8	9·6	12·4
1920	14·8	23·3	23·2	19·5	29·0	26·6	24·3	22·0	14·7	12·7	9·9	12·2

* The marriage- and birth-rates in 1915-19 are calculated upon total populations specially estimated for the purpose; the death-rates in 1915-18 relate to deaths of civilians only, and are calculated upon estimated civilian populations. Rates for the years 1911-20 are subject to slight revision when revised estimates of population have been prepared.

TABLE 5.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1920.

Registration Division.	Registration County.	All Religious Denominations.	Established Church.	Other Religious Denominations.														
				All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	Others.
	England and Wales...	33,998	16,140	17,858	1,475	4,206	3,041	2,784	1,960	1,256	991	450	198	59	48	42	174	1174
I.	London	1,422	637	785	114	107	139	156	44	30	10	50	17	6	7	1	12	92
II.	Surrey	593	281	312	37	62	65	69	18	4	—	13	2	1	—	1	5	35
	Kent	921	523	398	38	100	71	104	27	13	—	9	2	1	1	3	9	20
	Sussex	745	437	308	37	52	72	67	11	7	—	10	3	—	1	7	5	36
	Hampshire	879	470	409	33	80	83	63	56	29	—	8	4	—	1	2	5	45
	Berkshire	429	276	153	16	38	26	30	25	—	—	4	1	—	—	1	1	11
III.	Middlesex	507	207	300	41	47	53	64	23	5	3	18	2	1	2	2	7	32
	Hertfordshire	368	204	164	16	32	46	44	12	—	—	1	—	—	1	2	2	8
	Buckinghamshire	340	201	139	7	27	21	47	21	—	—	—	—	—	—	2	14	6
	Oxfordshire	406	272	134	14	42	25	30	9	5	—	2	—	—	1	—	—	16
	Northamptonshire	539	326	213	10	52	45	65	16	3	—	—	1	1	—	—	5	15
IV.	Huntingdonshire	131	80	51	2	14	6	23	4	—	—	—	—	—	—	—	2	2
	Bedfordshire	286	142	144	4	54	16	44	17	—	—	—	—	—	1	—	2	6
	Cambridgeshire	357	198	159	6	37	21	55	24	8	—	1	—	—	—	1	1	5
	Essex	927	471	456	42	74	125	88	33	18	1	9	5	3	2	2	6	48
	Suffolk	734	509	225	13	37	59	61	30	5	—	3	3	—	—	—	1	13
V.	Norfolk	992	714	278	14	61	34	47	85	19	—	2	2	1	1	1	2	9
	Wiltshire	572	333	239	9	51	48	61	44	7	—	1	—	—	—	—	3	15
	Dorsetshire	463	314	149	14	49	37	14	19	2	—	3	—	—	—	—	1	10
	Devonshire	1,061	563	498	28	133	94	72	10	94	—	5	8	—	1	—	2	51
	Cornwall	612	258	354	11	165	19	10	14	126	—	—	—	—	—	2	2	5
VI.	Somersetshire	957	563	394	18	125	83	62	28	40	—	2	4	1	1	1	2	26
	Gloucestershire	789	438	351	19	69	76	78	25	26	2	5	4	1	1	3	5	37
	Herefordshire	320	231	89	9	15	13	16	23	—	2	—	—	—	—	1	—	10
	Shropshire	547	322	225	14	49	47	19	66	11	11	2	—	—	1	—	—	5
	Staffordshire	956	392	564	52	180	61	44	111	68	2	7	7	1	3	—	7	21
VII.	Worcestershire	378	242	136	18	28	13	18	23	4	—	4	3	1	1	7	2	14
	Warwickshire	738	380	353	51	83	61	67	21	14	2	6	5	1	2	—	6	39
	Leicestershire	606	314	292	21	83	36	70	48	9	—	1	4	—	—	—	1	19
	Rutlandshire	78	56	22	2	4	4	7	4	—	—	—	—	—	—	—	—	1
	Lincolnshire	1,077	670	407	17	186	25	33	95	33	—	1	3	1	—	—	5	8
VIII.	Nottinghamshire	639	313	326	16	100	27	47	56	48	—	2	4	1	1	—	5	19
	Derbyshire	570	227	343	23	98	41	30	72	50	—	3	3	2	—	1	2	18
	Cheshire	785	273	507	39	141	77	34	70	44	19	33	11	2	2	—	3	32
	Lancashire	2,908	879	2,029	318	444	232	186	187	172	32	72	46	24	6	3	22	235
	West Riding	2,293	753	1,540	98	496	212	188	213	218	—	11	17	7	7	1	15	107
IX.	East Riding (with York)	485	260	225	19	86	24	10	58	10	—	6	1	1	1	—	4	5
	North Riding	557	282	275	31	129	28	13	50	6	1	4	4	—	—	—	2	7
	Durham	781	296	485	65	126	29	28	115	48	1	35	4	—	1	—	8	25
	Northumberland	508	196	312	43	61	19	10	49	39	—	77	1	1	1	—	1	10
	Cumberland	347	188	159	14	55	19	5	27	8	—	16	1	—	—	—	2	12
X.	Westmoreland	148	85	63	3	28	8	5	11	2	—	1	1	—	—	—	—	4
	Monmouthshire	505	184	321	16	48	63	108	25	9	41	—	—	—	1	—	2	8
	Glamorganshire	1,129	263	866	28	76	240	231	15	16	211	8	9	1	—	—	6	25
	Carmarthenshire	330	94	236	3	6	94	62	—	1	64	—	—	—	—	—	1	4
	Pembrokeshire	286	136	150	6	11	50	50	1	—	81	—	—	—	—	—	—	1
XI.	Cardiganshire	327	119	208	1	13	70	35	—	—	77	—	12	—	—	—	—	—
	Brecknockshire	215	104	111	3	9	36	30	3	—	30	—	—	—	—	—	—	—
	Radnorshire	74	34	40	1	3	4	22	4	—	6	—	—	—	—	—	—	—
	Montgomeryshire	215	76	139	1	28	29	18	5	—	58	—	—	—	—	—	—	—
	Flintshire	149	89	110	7	21	21	4	7	3	42	5	—	—	—	—	—	—
XII.	Denbighshire	279	86	193	4	28	35	24	5	2	86	7	—	—	—	—	—	2
	Merionethshire	243	62	181	1	20	44	22	1	—	92	1	—	—	—	—	—	—
	Carnarvonshire	371	108	263	7	35	55	29	—	—	131	4	—	—	—	—	—	—
	Anglesey	124	54	70	1	7	10	15	—	—	86	1	—	—	—	—	—	—

TABLE 6.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1920.*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1920	19.6	61.0	5.8	3.3	7.8				17.8	32.5	67.3	145.6	298.6	155
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20	15.3	37.5	3.5	2.2	6.4				14.9	29.4	64.8	145.6	277.4	112
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15	15.2	40.6	3.4	2.0	3.1	3.9	5.0	8.3	15.1	30.8	65.9	143.5	279.5	121
1916-20	15.5	34.1	3.6	2.4	7.6				14.7	28.2	63.8	147.6	275.3	101
1871	22.9	71.7	8.3	4.4	6.4	9.2	11.1	14.4	20.0	33.9	67.5	145.2	312.8	172
1872	21.7	67.6	7.0	4.1	6.0	8.7	10.3	14.0	19.4	32.5	65.5	140.3	292.0	162
1873	21.5	66.4	6.0	3.7	5.3	7.5	9.5	13.6	19.8	34.1	70.9	150.6	324.9	164
1874	22.6	71.8	7.4	3.9	5.3	7.5	9.6	14.3	20.9	35.8	71.4	146.4	322.8	165
1875	23.2	71.9	6.9	3.8	5.6	7.6	9.7	15.0	21.5	37.7	74.3	165.0	363.8	173
1876	21.4	67.6	6.3	3.5	5.3	7.3	9.3	13.8	19.9	34.3	67.2	145.8	302.6	160
1877	21.0	63.9	6.1	3.5	4.9	7.0	9.1	13.7	19.7	34.7	68.2	145.8	324.9	150
1878	22.0	71.2	6.6	3.6	4.9	6.8	8.8	13.6	20.0	35.1	69.5	154.8	353.9	166
1879	21.4	63.3	6.3	3.3	4.7	6.4	8.6	13.3	20.4	36.8	74.0	168.7	365.5	150
1880	21.0	69.2	6.4	3.3	4.5	6.1	7.9	12.5	19.1	33.7	68.1	145.8	310.9	167
1881	19.6	56.6	5.8	3.2	4.5	6.1	8.3	13.0	19.3	34.0	67.7	144.8	293.5	143
1882	20.2	63.5	6.3	3.2	4.6	5.9	8.2	12.6	19.0	33.8	66.2	139.3	287.1	153
1883	20.4	61.0	6.2	3.3	4.7	6.2	8.3	13.0	19.7	35.1	70.1	149.1	302.2	151
1884	20.4	64.9	5.8	3.2	4.5	6.0	8.0	12.7	19.4	33.5	68.3	142.2	290.1	160
1885	20.0	60.6	5.1	2.9	4.3	5.8	8.0	12.6	19.3	34.4	71.3	151.5	316.2	151
1886	20.4	64.5	4.8	2.8	4.3	5.7	7.6	12.1	19.2	34.7	72.8	163.4	339.1	163
1887	20.0	62.5	5.1	2.9	4.2	5.4	7.3	11.9	18.7	35.0	72.1	149.4	310.1	158
1888	19.2	57.7	4.7	2.7	4.0	5.4	7.1	11.7	19.0	34.4	71.6	144.5	304.7	150
1889	19.2	61.8	4.7	2.6	3.9	5.1	7.0	11.3	18.3	33.4	68.5	138.9	298.6	157
1890	21.0	62.9	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.3	316.5	165
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.2	3.5	2.0	3.0	3.9	5.0	8.1	14.8	29.7	63.5	136.0	271.3	142
1912	14.2	35.5	3.1	1.8	2.8	3.5	4.7	8.0	14.7	30.0	64.2	138.7	267.2	106
1913	14.9	39.9	3.2	1.9	2.7	3.5	4.6	8.1	15.1	30.9	65.0	141.4	263.7	120
1914	15.1	39.1	3.4	2.0	3.0	3.8	5.0	8.5	15.5	31.4	65.7	141.3	277.4	116
1915†	16.5	41.9	3.7	2.3	3.8	5.9	6.1	9.0	15.3	31.7	70.9	159.6	311.5	123
1916†	15.4	32.5	3.2	2.2	7.1				14.4	29.4	68.3	158.0	303.4	102
1917†	15.9	31.7	3.2	2.1	8.5				14.4	29.4	67.1	157.5	302.1	108
1918†	19.8	38.5	5.3	3.4	14.7				16.8	29.6	64.7	139.5	246.7	108
1919	14.8	32.4	3.4	2.2	6.6				14.5	27.8	63.4	153.8	292.5	100
1920	13.4	35.7	3.2	1.9	4.8				13.3	25.2	56.1	130.5	235.4	90

* For the purposes of this table, the populations shown in Table 1 have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the populations for 1915-20. The rates for 1911-20 are subject to revision when revised estimates of population have been prepared.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes.

† Civilians only.

TABLE 7.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1920.*—FEMALES.

Year.	Deaths of Females per 1,000 living at subjoined Ages.														Deaths of Fe- male Infants under 1 year of age per 1,000 Female Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
1838-1920	17.0	51.9	5.7	3.4	4.8	5.8	7.1	9.7	14.1	26.6	57.3	129.0	272.3	127	
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137	
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139	
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139	
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134	
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128	
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138	
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114	
1911-20	12.3	31.2	3.5	2.3	3.2	3.7	4.6	6.5	11.3	22.7	51.2	122.9	260.9	89	
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133	
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142	
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141	
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137	
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136	
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142	
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138	
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130	
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125	
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131	
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135	
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141	
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124	
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105	
1911-15	12.5	33.8	3.3	2.1	2.7	3.1	4.0	6.6	11.7	23.6	52.6	123.5	253.0	97	
1916-20	12.1	28.2	3.6	2.5	3.6	4.3	5.2	6.5	10.9	21.9	49.9	122.3	268.8	79	
1871	20.1	62.4	7.5	4.5	6.6	8.2	9.7	12.2	15.9	28.5	60.4	133.6	276.4	143	
1872	18.8	58.5	6.5	4.0	6.2	7.6	9.3	11.8	15.1	26.6	56.6	124.7	269.0	136	
1873	18.6	56.4	5.6	3.6	5.5	6.8	8.6	11.4	15.6	28.3	61.9	135.2	303.5	134	
1874	19.7	61.4	7.1	3.9	5.7	7.3	9.2	12.2	15.9	29.2	61.6	134.0	290.0	136	
1875	20.2	61.2	6.4	3.8	5.7	7.3	9.3	12.4	17.0	31.1	65.7	148.8	330.3	143	
1876	18.4	57.3	5.9	3.6	5.2	6.7	8.3	11.7	15.4	27.9	58.4	128.7	287.0	132	
1877	17.9	53.6	5.6	3.6	5.1	6.3	8.2	11.3	15.3	27.7	58.9	129.1	291.6	122	
1878	19.1	61.1	6.1	3.6	5.2	6.3	8.0	11.3	15.4	29.2	61.7	140.5	312.7	138	
1879	18.5	52.9	5.8	3.4	4.9	6.0	8.0	11.3	16.0	30.7	66.6	150.2	328.7	121	
1880	18.2	59.2	6.0	3.3	4.8	5.9	7.6	10.6	14.7	27.5	58.2	129.1	274.9	138	
1881	17.0	48.0	5.7	3.2	4.7	6.0	7.9	11.0	14.9	28.0	58.4	126.4	263.8	117	
1882	17.6	54.4	6.0	3.3	4.7	5.9	7.9	11.0	15.0	27.6	56.9	124.1	256.0	128	
1883	17.7	51.1	5.8	3.4	4.9	6.1	8.1	11.1	15.6	28.8	60.2	134.2	277.0	123	
1884	17.7	54.9	5.8	3.4	4.7	5.9	7.8	10.9	15.3	27.5	57.7	126.8	247.4	133	
1885	17.4	51.0	5.1	3.1	4.5	5.7	7.7	10.8	15.2	28.7	62.0	133.2	282.8	124	
1886	17.7	54.2	4.8	3.1	4.4	5.3	7.2	10.4	15.0	29.1	63.2	136.5	302.1	135	
1887	17.3	52.7	5.1	3.0	4.2	5.4	7.0	10.3	15.2	28.8	62.2	131.6	272.1	131	
1888	16.4	48.0	4.7	2.9	4.0	5.1	6.9	9.9	14.5	27.9	60.1	130.0	270.1	122	
1889	16.6	51.9	4.7	2.8	3.9	4.9	6.5	9.8	14.3	27.4	58.7	126.5	260.3	129	
1890	17.8	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136	
1891	18.5	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133	
1892	17.5	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132	
1893	17.6	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143	
1894	15.2	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124	
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144	
1896	15.7	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134	
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141	
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145	
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148	
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139	
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136	
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118	
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118	
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131	
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115	
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120	
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104	
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107	
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97	
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94	
1911	13.0	39.3	3.4	2.1	2.7	3.2	4.1	6.6	11.4	23.0	50.9	116.6	233.1	117	
1912	11.8	29.6	3.1	2.0	2.7	3.1	4.0	6.4	11.2	22.8	51.9	119.4	246.6	84	
1913	12.2	32.9	3.1	2.0	2.6	3.0	3.9	6.5	11.5	23.2	51.5	118.3	242.6	96	
1914	12.4	32.7	3.3	2.2	2.7	3.0	3.9	6.7	11.9	23.6	52.0	122.7	253.8	93	
1915	13.2	34.3	3.7	2.3	3.0	3.2	4.0	6.8	12.2	25.1	56.5	139.6	287.5	96	
1916	11.7	26.5	3.0	2.2	2.9	3.2	3.8	6.3	11.1	23.0	53.1	132.6	283.2	80	
1917	11.4	26.2	3.0	2.2	3.1	3.3	3.7	6.0	10.6	22.2	50.2	126.8	280.6	85	
1918	14.6	33.8	5.6	3.9	6.0	7.7	9.3	8.6	12.9	22.9	49.6	112.6	242.7	86	
1919	11.9	26.1	3.4	2.3	3.4	4.2	5.1	6.2	10.7	22.0	51.2	128.4	292.4	78	
1920	10.9	28.5	3.1	2.0	2.7	3.3	3.9	5.4	9.5	19.4	45.3	112.4	246.1	69	

* See Note * to Table 6.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 8.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1920.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1920	18.2	56.4	5.7	3.3	7.4				15.8	29.4	61.9	136.1	282.2	141
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20	13.7	34.4	3.5	2.2	5.4				13.0	25.9	57.3	132.0	266.8	100
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15	13.8	37.2	3.3	2.1	2.9	3.5	4.5	7.4	13.3	27.0	58.5	131.6	262.4	110
1916-20	13.7	31.2	3.6	2.4	6.1				12.7	25.0	56.1	132.4	271.1	90
1871	21.4	67.0	7.9	4.4	6.5	8.7	10.4	13.3	17.9	31.1	63.7	138.8	290.4	158
1872	20.2	63.0	6.7	4.1	6.1	8.1	9.8	12.8	17.2	29.4	60.7	131.6	277.8	150
1873	20.0	61.4	5.8	3.6	5.4	7.1	9.0	12.5	17.6	31.0	66.1	142.0	311.8	149
1874	21.1	66.6	7.3	3.9	5.5	7.4	9.4	13.2	18.3	32.3	66.2	139.5	302.6	151
1875	21.6	66.5	6.6	3.8	5.6	7.4	9.5	13.6	19.1	34.2	69.8	156.0	343.2	158
1876	19.9	62.4	6.1	3.6	5.2	7.0	8.8	12.7	17.5	31.0	62.4	136.2	293.0	146
1877	19.4	58.8	5.8	3.6	5.0	6.7	8.6	12.5	17.4	31.0	63.2	136.5	304.4	136
1878	20.5	66.2	6.4	3.6	5.0	6.5	8.4	12.4	17.6	32.0	65.3	146.8	328.5	152
1879	19.9	58.1	6.0	3.3	4.8	6.2	8.3	12.3	18.1	33.6	70.0	158.3	342.9	135
1880	19.5	64.2	6.2	3.3	4.7	6.0	7.7	11.5	16.8	30.4	62.7	136.5	288.8	153
1881	18.2	52.3	5.7	3.2	4.6	6.0	8.1	11.9	17.0	30.8	62.7	134.5	275.2	130
1882	18.8	58.9	6.1	3.3	4.7	5.9	8.1	11.7	17.0	30.5	61.2	130.8	267.9	141
1883	19.0	56.0	6.0	3.4	4.8	6.2	8.2	12.0	17.5	31.8	64.7	140.7	286.6	137
1884	19.0	59.9	5.8	3.3	4.6	6.0	7.9	11.7	17.3	30.4	62.6	133.5	263.6	147
1885	18.7	55.8	5.1	3.0	4.4	5.8	7.8	11.6	17.2	31.4	66.2	141.1	295.4	138
1886	19.0	59.3	4.8	2.9	4.4	5.5	7.4	11.2	17.0	31.8	67.5	143.8	316.0	149
1887	18.6	57.6	5.1	2.9	4.2	5.4	7.2	11.1	16.9	31.7	66.6	139.3	286.4	145
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	42.8	3.4	2.1	2.9	3.5	4.5	7.3	13.0	26.2	56.5	124.5	246.6	130
1912	13.0	32.6	3.1	1.9	2.8	3.3	4.3	7.2	12.9	26.2	57.3	127.2	253.9	95
1913	13.5	36.5	3.1	1.9	2.6	3.3	4.2	7.3	13.2	26.8	57.4	127.6	251.9	108
1914	13.7	35.9	3.4	2.1	2.8	3.4	4.4	7.6	13.6	27.3	58.1	130.2	262.2	105
1915†	14.8	38.1	3.7	2.3	3.3	4.1	4.9	7.8	13.7	28.3	62.9	147.7	296.0	110
1916‡	13.4	29.5	3.1	2.2	5.3				12.7	26.1	59.9	142.8	290.4	91
1917‡	13.5	29.0	3.1	2.1	5.6				12.4	25.7	57.7	139.0	288.3	96
1918‡	17.1	36.2	5.4	3.6	10.2				14.7	26.1	56.4	123.3	244.1	97
1919	13.3	29.3	3.4	2.2	5.7				12.5	24.8	56.7	138.5	292.4	89
1920	12.1	32.2	3.1	1.9	4.4				11.2	22.2	50.2	119.6	242.2	80

* See note * to Table 6.

† The death-rates in this column are standardized to the sex and age constitution of the population as enumerated in 1901.

‡ Civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906-1920.—MALES, FEMALES, AND PERSONS.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
All Causes	M	274233	269259	268714	265203	249016	272512	250232	261687	267359	292381	265030	262215	314704	258089	240302
	F	257048	254962	251742	252800	234231	255298	236707	243288	249383	269872	243187	236707	297157	246114	225*28
	P	531281	524221	520456	518003	483247	527810	486939	504975	516742	562253	508217	498922	611861	504203	466130
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M	9	6	7	18	14	13	4	6	2	7	11	3	1	18	12§
	F	12	4	5	3	5	10	5	4	2	6	7	—	1	10	18
	P	21	10	12	21	19	23	9	10	4	13	18	3	2	28	30§
Diarrhoeal diseases... (104 and 105, 1911 list approx.)*	M	21024	9390	14446	9444	9946	24848	6290	14103	12773	10981	7895	7087	6531	5807	6474
	F	18748	7893	12433	8024	8217	21707	5096	11634	10458	8884	6580	5966	5388	4596	4941
	P	39772	17283	26879	17468	18163	46555	11386	25737	23231	19865	14475	13053	11919	10403	11415
Venereal diseases	M	961	968	949	986	971	1060	1115	1209	1248	1108	1171	1276	1193	1124	1175
	F	801	725	788	738	703	820	787	903	925	805	806	891	842	777	884
	P	1762	1693	1737	1724	1674	1880	1902	2112	2173	1913	1977	2167	2037	1901	2059
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153	931	896	1218	1794
	P	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153	931	896	1218	1794
Pneumonia (all forms) ...	M	23626	26413	23671	25734	22541	21605	21323	21495	22961	27907	21835	23658	33487	22046	21648
	F	18199	20554	18108	20374	17219	16152	16101	16120	17153	21060	16219	16265	26298	17074	15660
	P	41825	46967	41779	46108	39760	37757	37424	37615	40114	48967	38054	39923	59785	39120	37308
Septicæmia, pyæmia ...	M	348	366	335	291	238	299	317	286	352	346	270	268	271	280	375
	F	285	238	225	199	180	164	187	179	201	199	172	147	162	159	233
	P	633	604	560	490	418	463	504	465	553	545	442	415	433	439	608
Phthisis (28 and 29A, 1911 list)	M	22645	22647	22423	21936	20530	21575	21154	20596	21412	23156	22848	23274	24369	19248	17869
	F	17101	17192	17076	16703	15804	16819	16106	15599	16414	17626	17918	19058	20967	16735	14919
	P	39746	39839	39499	38639	36334	38394	37260	36195	37826	40732	40766	42332	45336	35933	32788
Tuberculosis (all forms) ...	M	31449	31166	31182	30216	28458	29207	27801	27649	28071	30332	29724	30357	31025	24549	22915
	F	25392	24935	24898	24209	22859	23881	22243	21815	22214	23940	24131	25574	27046	21761	19627
	P	56841	56101	56080	54425	51317	53088	50044	49464	50285	54272	53855	55931	58071	46310	42542
Cancer (all forms)... ..	M	13257	13199	13901	14263	14843	15589	16188	16918	17363	17421	17787	18145	18078	18723	19659
	F	18411	18546	18816	19790	19764	20313	21135	22021	22154	22426	22843	23013	23149	23421	24028
	P	31668	31745	32717	34053	34607	35902	37323	38939	39517	39847	40630	41158	41227	42144	43687
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia)	M	19636	18401	18456	17907	16624	16781	15164	15211	15197	15743	14857	14926	13997	12329	11950
	F	15778	15287	14851	14306	13487	13378	12050	12352	12044	12423	11417	11220	10696	9592	9603
	P	35414	33688	33307	32213	30111	30159	27214	27563	27241	28166	26274	26146	24693	21921	21553
Diseases of heart	M	23376	24265	23918	24089	23355	23539	24544	25738	25971	29471	28457	27358	25659	26377	25240
	F	25385	26703	25973	26829	25369	25933	27498	27919	29136	31737	30986	29210	27448	29336	27904
	P	48761	50968	49891	50918	48724	49472	52042	53657	55107	61208	59443	56568	53107	55713	53144
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia)	M	14254	14814	15114	15665	15270	16308	17510	18547	19396	20536	19933	20530	18894	20185	20065
	F	15797	16140	16222	16935	16458	17784	18722	19520	20426	21415	20523	20767	19795	21476	21166
	P	30051	30954	31336	32600	31728	34092	36232	38067	39822	41951	40456	41297	38689	41661	41231
Diseases of respiratory system (including croup but excluding pneumonia)	M	21814	24853	23031	23817	21013	21829	23141	23167	23484	29986	25351	25425	24504	25924	22497
	F	21543	25119	23124	24906	20339	21500	23238	22397	23482	29092	24502	23366	23119	25675	21045
	P	43357	49972	46155	48723	41352	43329	46379	45564	46966	58478	49853	48791	47623	51599	43542
Diseases of liver and gall bladder	M	2999	2920	2806	2873	2564	2582	2586	2717	2841	2650	2383	2002	1636	1486	1689
	F	3013	3004	2759	2618	2543	2685	2595	2739	2807	2558	2173	1693	1436	1492	1621
	P	6012	5924	5565	5491	5107	5267	5181	5456	5648	5208	4556	3695	3072	2978	3310
Diseases of digestive system†	M	15213	13435	14379	13942	13667	17148	13027	15776	16058	15706	14180	13201	12409	11601	13060
	F	14646	13266	14036	13095	13173	16218	12099	14481	14805	14241	12877	12125	11570	10737	11343
	P	29859	26701	28415	27037	26840	33366	25126	30257	30863	29947	27057	25326	23979	22338	24403
Nephritis and Bright's disease	M	7214	7417	7349	7601	7427	7637	7823	8373	8401	8758	8112	8088	7326	6730	6661
	F	6138	6460	6411	6739	6520	6892	6967	7227	7511	7568	6810	6452	6036	5832	5938
	P	13352	13877	13760	14340	13947	14529	14790	15600	15912	16326	14922	14540	13362	12562	12599
Diseases of generative and mammary organs	M	62	48	41	50	66	70	79	88	122	96	78	105	68	89	100
	F	1136	1114	1018	1015	950	1074	992	987	1005	1036	1078	1037	1001	1030	1155
	P	1198	1162	1059	1065	1016	1144	1071	1075	1127	1132	1156	1142	1069	1119	1255
Diseases of pregnancy and childbirth (not septic)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943	1885	1515	1457	1634	2148
	P	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943	1885	1515	1457	1634	2148
All diseases of pregnancy and childbirth	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038	2446	2353	2852	3942
	P	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038	2446	2353	2852	3942
Causes ill-defined or not specified	M	23906	23060	23307	23051	21499	22916	20087	19944	19007	19458	18702	17765	15835	16955	15579
	F	26623	25919	25912	26159	24452	25963	23242	22461	21668	23394	21779	20772	18609	20625	18375
	P	50529	48979	49219	49210	45951	48879	43329	42405	40675	42852	40481	38537	34444	37580	33954
Violent deaths	M	13670	13677	14017	13217	13125	14445	13922	13810	15473	17007	18446	17073	17542	13141	12602
	F	5903	5917	6109	5926	5598	6002	5989	5932	5967	6319	6180	6076	5439	5415	5225
	P	19573	19594	20126	19143	18723	20447	19911	19742	21440	23326	24626	23149	22981	18556	17827

* See note to Diarrhoea due to Food.

† Including some of the headings classed under Diarrhoeal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic) and Gastro-enteritis.

‡ The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

§ See "Small-pox" in the Review, with reference to a death not classed here as from small-pox.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.		Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
DETAILED HEADINGS.																	
Small-pox (For total Small-pox see page 10.)	Vaccinated ...	M	—	2	—	4	3	1	2	—	—	3	3	3	1	3	6
		F	—	—	—	1	—	2	2	2	1	2	2	—	—	3	7
		P	—	2	—	5	3	3	4	2	1	5	5	3	1	6	13
	Not Vaccinated.	M	1	1	—	4	1	4	2	5	1	4	6	—	—	9	5
		F	—	1	—	2	1	5	3	2	1	2	4	—	1	3	10
		P	1	2	—	6	2	9	5	7	2	6	10	—	1	12	15
	Doubtful ...	M	8	3	7	10	10	8	—	1	1	—	2	—	—	6	1‡
		F	12	3	5	—	4	3	—	—	—	2	1	—	—	4	1
		P	20	6	12	10	14	11	—	1	1	2	3	—	—	10	2‡
Cow-pox and other effects of vaccination.		M	12	7	4	4	3	10	5	3	3	9	3	7	4	2	9
	F	17	5	9	7	5	4	5	4	3	3	2	1	2	1	5	10
	P	29	12	13	11	8	14	10	7	6	11	4	9	5	7	19	
Chicken-pox ...		M	67	68	43	52	55	43	40	44	61	39	34	36	24	30	41
	F	39	52	50	42	42	37	36	39	61	53	31	33	30	25	30	
	P	106	120	93	94	97	80	76	83	122	92	65	69	54	55	71	
Measles (Morbili) ...		M	4748	6578	4135	6466	4305	6861	6652	5567	4701	8583	2881	5564	5147	1816	3760
	F	4696	6047	3876	6152	3997	6267	6203	5077	4443	7862	2532	4974	4640	1718	3430	
	P	9444	12625	8011	12618	8302	13128	12855	10644	9144	16445	5413	10538	9787	3534	7190	
German measles ...		M	14	25	11	21	7	11	10	13	13	32	49	68	44	16	12
	F	11	22	11	18	8	10	15	16	11	48	33	47	25	13	13	
	P	25	47	22	39	15	21	25	29	24	80	82	115	69	29	25	
Scarlet fever ...		M	1793	1644	1401	1662	1181	940	985	1060	1396	1226	696	398	507	566	695
	F	1682	1576	1426	1553	1189	952	1010	1040	1447	1180	685	370	513	655	735	
	P	3475	3220	2827	3215	2370	1892	1995	2100	2843	2406	1381	768	1020	1221	1430	
Typhus ...		M	5	13	8	11	5	4	7	2	2	5	4	1	2	1	—
	F	4	11	5	4	—	6	5	—	2	2	4	—	—	1	—	—
	P	9	24	13	15	5	10	12	2	4	9	4	1	3	1	—	
Plague ...		M	—	—	1	—	2	—	3	—	2	—	4	4	2	5	2
	F	—	—	—	—	3	—	—	—	1	—	1	—	2	—	1	
	P	—	—	1	—	5	—	3	—	3	—	5	4	4	5	3	
Relapsing fever ...		M	1	—	2	—	1	—	—	—	1	1	1	—	—	1	1
	F	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
	P	1	1	3	—	2	—	—	—	1	1	1	—	—	1	1	
Influenza ...		M	3124	4431	4842	4300	3253	2224	2678	3357	3095	5220	4276	3720	53864	23189	5628
	F	3186	4826	5270	4692	3251	2110	2674	3030	2858	5251	4506	3563	58446	21600	5030	
	P	6310	9257	10112	8992	6504	4334	5352	6387	5953	10471	8782	7283	112310	44789	10658	
Whooping cough ...		M	3717	4501	4339	3137	3862	3412	3729	2411	3596	3694	2681	1908	4391	1145	1969
	F	4596	5754	5512	4045	4935	4432	4678	3047	4444	4449	3394	2601	5506	1460	2432	
	P	8313	10255	9851	7182	8797	7844	8407	5458	8040	8143	6075	4509	9897	2605	4401	
Mumps ...		M	53	54	49	45	55	44	25	39	51	29	42	34	38	26	28
	F	57	64	64	48	59	47	21	22	53	31	31	29	42	29	28	
	P	110	118	113	93	114	91	46	61	104	60	73	63	80	55	56	
Diphtheria ...		M	2933	2785	2729	2521	2022	2429	2092	2150	2886	2852	2618	2191	2321	2347	2696
	F	3175	2947	2840	2714	2262	2469	2197	2292	2958	3004	2740	2283	2477	2536	2945	
	P	6108	5732	5569	5235	4284	4893	4289	4442	5844	5856	5358	4474	4798	4883	5641	
Cerebro-spinal fever ...		M	34	101	67	63	70	81	80	80	109	1347	845	1107	571	361	236
	F	37	60	49	67	62	53	62	83	85	627	369	424	241	212	176	
	P	71	161	116	130	132	134	142	163	194	1974	1214	1531	812	573	412	
Pyrexia (origin uncertain)		M	10	19	10	8	5	8	7	7	3	4	10	3	4	2	6
	F	19	20	16	5	7	6	6	4	6	1	5	3	8	4	6	
	P	29	39	26	13	12	14	13	11	9	5	15	6	12	6	12	
Enteric fever ...		M	1840	1373	1617	1270	1047	1419	926	907	1016	822	633	511	458	317	291
	F	1329	971	1034	872	842	997	674	598	689	566	489	466	492	260	246	
	P	3169	2344	2651	2142	1889	2416	1600	1505	1705	1388	1122	977	950	577	537	
Asiatic cholera ...		M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to food * ...		M	173	125	159	152	137	?	?	?	?	?	?	?	?	?	?
	F	131	92	137	122	114	?	?	?	?	?	?	?	?	?	?	?
	P	304	217	296	274	251	?	?	?	?	?	?	?	?	?	?	?

* From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

† The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

‡ See "Small-pox" in the Review, with reference to a death not classed here as from Small-pox.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920		
Infective enteritis, Epidemic diarrhoea.*	M F P	9620 8581 18201	2751 2319 5070	5443 4729 10172	2618 2245 4863	2975 2432 5407	11334 9885 21219	1428 1191 2619	4979 4273 9252	4413 3643 8056	3512 2791 6303	1953 1701 3654	1706 1456 3162	1560 1318 2878	1340 1121 2461	1375 1041 2416		
Diarrhoea (not otherwise defined). (For Diarrhoeal diseases—1911 List—see page 10.)	M F P	6156 5606 11762	2790 2348 5138	4173 3555 7728	2628 2313 4941	2626 2220 4846	6383 5678 12061	1336 1213 2549	3405 2838 6243	2822 2402 5224	2323 1950 4273	1765 1500 3265	1535 1385 2920	1364 1206 2570	1082 931 2013	1130 906 2036		
Dysentery	M F P	150 146 296	124 109 233	139 107 246	115 135 250	125 118 243	136 164 300	92 102 194	112 117 229	118 157 275	338 274 612	319 229 548	527 370 897	485 353 838	272 163 435	155 99 254		
Tetanus	M F P	200 54 254	176 50 226	139 41 180	167 63 230	153 44 197	158 45 203	145 47 192	146 43 189	160 37 197	127 29 156	133 33 166	147 32 179	126 30 156	121 34 155	116 33 149		
Malaria	M F P	55 15 70	62 6 68	49 7 56	69 11 80	44 7 51	52 6 58	49 9 58	49 9 58	56 4 60	55 10 65	59 3 62	122 4 126	188 9 197	264 4 268	240 10 250		
Rabies, Hydrophobia ...	M F P	— — —	— — —	— — —	— — —	1 — 1	1 — 1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —		
Glanders	M F P	1 — 1	4 — 4	7 — 7	4 — 4	1 — 1	3 — 3	— — —	2 — 2	2 1 3	— — —	3 — 3	— — —	— — —	— — —	— — —		
Anthrax (Splenic fever) ...	M F P	22 4 26	14 1 15	12 1 13	15 — 15	11 4 15	12 3 15	9 — 9	8 2 10	13 — 13	23 1 24	24 4 28	20 2 22	10 2 12	16 3 19	12 2 14		
Syphilis	M F P	937 781 1718	952 706 1658	939 763 1702	968 717 1685	957 682 1639	1052 798 1850	1093 768 1861	1187 882 2069	1235 911 2146	1090 794 1884	1153 791 1944	1252 875 2127	1171 823 1994	1102 755 1857	1154 869 2023		
Gonorrhoea. (For total Venereal diseases, see page 10.)	M F P	24 20 44	16 19 35	10 25 35	18 21 39	14 21 35	8 22 30	22 19 41	22 21 43	13 14 27	18 11 29	18 15 33	24 16 40	24 19 43	22 22 44	21 15 36		
Puerperal septicaemia, Puerperal septic intoxication	M F P	— 1225 1225	— 1056 1056	— 1030 1030	— 1063 1063	— 967 967	— 1017 1017	— 922 922	— 876 876	— 1101 1101	— 929 929	— 870 870	— 722 722	— 721 721	— 942 942	— 1432 1432		
Puerperal pyæmia	M F P	— 66 66	— 111 111	— 92 92	— 104 104	— 91 91	— 87 87	— 109 109	— 87 87	— 106 106	— 99 99	— 73 73	— 80 80	— 57 57	— 82 82	— 109 109		
Phlegmasia alba dolens ...	M F P	— 102 102	— 84 84	— 83 83	— 72 72	— 55 55	— 72 72	— 64 64	— 65 65	— 57 57	— 50 50	— 64 64	— 43 43	— 42 42	— 51 51	— 54 54		
Puerperal fever (not otherwise defined). (For total Puerperal septic diseases and for total diseases of Pregnancy and Child-birth, see page 10.)	M F P	— 247 247	— 214 214	— 190 190	— 190 190	— 161 161	— 163 163	— 192 192	— 156 156	— 165 165	— 189 189	— 146 146	— 86 86	— 76 76	— 143 143	— 199 199		
Infective endocarditis ...	M F P	230 230 460	212 261 473	251 270 521	253 273 526	246 276 522	267 323 590	308 316 624	284 312 596	328 323 651	250 284 534	264 251 515	259 263 522	273 274 547	444 262 706	573 422 995		
Pneumonia. (For Pneumonia (all forms) see page 10.)	Lobar† ...	M F P	3117 1874 4991	3341 2044 5385	3030 1788 4818	3719 2353 6072	3373 1904 5277	4681 2802 7483	4870 2928 7798	4961 2950 7911	5542 3297 8839	6462 4113 10575	5390 3321 8711	5897 3232 9129	8040 5184 13224	4846 3132 7978	5332 3099 8431	
		Broncho- ...	M F P	9057 8219 17276	11237 10080 21317	10270 8764 19034	10349 9446 19795	9308 8239 17547	8910 7854 16764	9052 8311 17363	9395 8352 17747	10018 8767 18785	12449 10780 23229	9224 7938 17162	10068 8294 18362	13413 11943 25356	10185 8794 18979	10305 8434 18739
			Epidemic†	M F P	4 2 6	2 4 6	3 1 4	9 2 11	6 3 9	?	?	?	?	?	?	?	?	?
	Not defined			M F P	11448 8104 19552	11833 8426 20259	10368 7555 17923	11657 8573 20230	9854 7073 16927	8014 5496 13510	7401 4862 12263	7139 4818 11957	7401 5089 12490	8996 6167 15163	7221 4960 12181	7693 4739 12432	12034 9171 21205	7015 5148 12163
		Erysipelas		M F P	642 564 1206	541 492 1033	443 393 836	523 490 1013	433 393 826	480 491 971	486 410 896	432 366 798	585 542 1127	586 486 1072	403 340 743	303 285 588	326 283 609	360 298 658
			Septicæmia, Septic intoxication (not puerperal).	M F P	235 204 439	273 169 442	251 165 416	210 159 369	173 127 300	217 130 347	248 142 390	234 135 369	281 157 438	275 161 436	224 139 363	221 122 343	207 119 326	245 133 378
	Pyæmia (not puerperal). (For total Septicæmia and Pyæmia, see page 10.)			M F P	113 81 194	93 69 162	84 60 144	81 40 121	65 53 118	82 34 116	69 45 114	52 44 96	71 44 115	71 38 109	46 33 79	47 25 72	64 43 107	35 26 61

* Including deaths from Diarrhoea due to food from 1911 onwards.

† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

‡ The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919	1920.
Phlegmon, Carbuncle (not anthrax).	M	511	471	436	494	422	438	447	423	521	509	441	499	498	530	590
	F	325	302	261	325	275	280	257	278	322	317	303	271	287	320	348
	P	836	773	697	819	697	718	704	701	843	826	744	770	785	850	938
Phagedæna ...	M	11	19	10	14	3	—	1	—	—	1	1	—	—	—	—
	F	13	10	21	14	2	—	—	1	1	2	1	3	—	—	—
	P	24	29	31	28	5	—	1	1	1	3	2	3	—	—	—
Other infective processes ...	M	130	136	131	151	145	158	113	147	140	142	107	110	111	105	123
	F	91	77	67	91	59	69	50	73	68	77	68	57	49	58	58
	P	221	213	198	242	204	227	163	220	208	219	175	167	160	163	181
Pulmonary tuberculosis (tuberculous phthisis).	M	10804	11299	11756	12111	11992	13335	14092	14350	15143	16497	17088	17510	19000	15405	14609
	F	7580	8069	8436	8545	8800	9937	10465	10544	11394	12414	12917	14089	15907	13197	11977
	P	18384	19368	20192	20656	20792	23272	24557	24894	26537	28911	30005	31599	34907	28602	26586
Phthisis (not otherwise defined). (<i>For Phthisis (28 & 29a), see page 10.</i>)	M	11841	11348	10667	9825	8538	8240	7062	6216	6269	6659	5760	5764	5369	3843	3260
	F	9521	9123	8640	8158	7004	6882	5641	5055	5020	5212	5001	4969	5060	3538	2942
	P	21362	20471	19307	17983	15542	15122	12703	11301	11289	11871	10761	10733	10429	7381	6202
Tuberculous meningitis ...	M	3117	3090	3057	2955	2889	2705	2578	2676	2482	2788	2590	2557	2283	1886	1885
	F	2987	2795	2811	2819	2582	2540	2423	2340	2185	2541	2390	2439	2096	1809	1700
	P	6104	5885	5868	5774	5471	5245	5001	1650	4667	5329	4980	4996	4379	3695	3585
Tuberculous peritonitis ...	M	1925	1787	1924	1833	1820	1718	1384	1634	1500	1635	1484	1573	1469	1032	924
	F	1932	1745	1859	1689	1734	1645	1348	1538	1450	1520	1602	1560	1456	1152	1071
	P	3857	3532	3783	3522	3554	3363	2732	3172	2950	3155	3086	3133	2925	2184	1995
Tabes mesenterica ...	M	660	531	554	488	424	421	269	338	284	263	238	224	173	122	107
	F	578	438	440	389	367	368	245	249	223	197	168	180	142	104	90
	P	1238	969	994	877	791	789	514	587	507	460	406	404	315	226	197
Lupus ...	M	22	28	18	23	15	13	17	10	16	19	25	27	23	26	20
	F	62	50	38	56	46	43	44	34	37	27	47	66	51	56	54
	P	84	78	56	79	61	56	61	44	53	46	72	93	74	82	74
Tubercle of other organs...	M	1022	957	978	1060	1243	896	881	842	873	852	977	1032	1066	913	916
	F	787	752	646	808	945	772	643	714	617	704	678	768	888	755	646
	P	1809	1709	1624	1868	2188	1668	1524	1556	1490	1556	1655	1800	1954	1668	1562
General tuberculosis ...	M	2033	2117	2209	1908	1523	1874	1515	1545	1498	1615	1555	1667	1641	1320	1190
	F	1921	1944	2022	1731	1361	1686	1427	1335	1279	1315	1315	1497	1444	1147	1146
	P	3954	4061	4231	3639	2884	3560	2942	2880	2777	2930	2870	3164	3085	2467	2336
Scrofula. (<i>For Tuberculosis (all forms), see page 10.</i>)	M	25	9	19	13	14	5	3	8	6	4	7	3	1	2	4
	F	24	19	6	14	20	8	7	6	9	10	13	6	2	3	1
	P	49	28	25	27	34	13	10	14	15	14	20	9	3	5	5
Parasitic diseases ...	M	176	139	130	120	103	135	97	116	111	86	83	71	66	63	56
	F	128	102	116	102	75	120	96	97	74	76	65	51	44	35	54
	P	304	241	246	222	178	255	193	213	185	162	148	122	110	98	110
Starvation ...	M	14	15	11	11	22	14	16	17	23	25	16	18	12	7	14
	F	12	6	4	11	7	5	15	6	6	13	15	12	1	4	2
	P	26	21	15	22	29	19	31	23	29	38	31	30	13	11	16
Scurvy ...	M	26	21	25	26	25	22	9	21	13	13	22	21	16	12	16
	F	25	20	25	21	19	23	17	22	10	20	17	16	29	8	15
	P	51	41	50	47	44	45	26	43	23	33	39	37	45	20	31
Alcoholism, Delirium tremens.	M	1341	1328	1112	998	862	990	964	1093	1150	870	646	383	244	288	430
	F	940	873	825	673	628	637	686	800	819	681	408	265	95	96	147
	P	2281	2201	1937	1671	1490	1627	1650	1893	1969	1551	1054	648	339	384	577
Opium, Morphia habit ...	M	5	5	3	8	4	6	9	6	7	11	11	8	4	5	2
	F	4	7	7	13	6	7	5	5	4	10	9	5	5	7	4
	P	9	12	10	21	10	13	14	11	11	21	20	13	9	12	6
Industrial poisoning.	By Lead ...	M	70	89	102	88	80	106	106	80	79	68	54	49	35	48
		F	4	3	3	3	6	4	—	1	—	—	1	2	—	5
		P	74	92	105	91	86	110	106	81	79	68	55	51	36	61
	By Phosphorus	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		P	—	1	—	—	—	2	4	—	4	4	24	8	4	2
	By Arsenic and other poisons	M	2	1	1	1	—	2	6	—	4	8	58	43	10	2
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		P	2	1	1	1	—	—	—	—	—	—	—	—	—	—
Rheumatic fever, Acute rheumatism.	M	1090	967	871	961	793	905	916	840	966	1030	877	673	723	686	975
	F	1129	1057	934	1009	887	1060	1051	930	1094	1121	1009	783	797	825	1149
	P	2219	2024	1805	1970	1680	1965	1967	1770	2060	2151	1886	1456	1520	1511	2124
Rheumatism of heart* ...	M	137	181	156	149	134	?	?	?	?	?	?	?	?	?	?
	F	196	234	207	208	184	?	?	?	?	?	?	?	?	?	?
	P	333	415	363	357	318	?	?	?	?	?	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

† The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Chronic rheumatism ...	M	146	172	195	167	140	152	148	170	182	186	208	217	185	189	165
	F	246	268	249	271	231	243	210	226	241	294	325	258	266	248	241
	P	392	440	444	438	371	395	358	396	423	480	533	475	451	437	406
Rheumatoid arthritis, Rheumatic gout.	M	259	299	245	295	294	309	318	312	325	419	373	408	382	417	386
	F	692	682	715	793	746	791	834	888	889	1034	1079	1030	1129	1130	1113
	P	951	981	960	1088	1040	1100	1152	1200	1214	1453	1452	1438	1511	1547	1499
Gout ...	M	366	362	333	320	307	324	275	302	287	305	279	248	199	198	176
	F	95	88	83	81	76	62	78	76	65	92	60	52	43	31	25
	P	461	450	416	401	383	386	353	378	352	397	339	300	242	229	201
Carcinoma ...	M	6963	6895	7476	7794	8370	9121	9954	10490	10994	10947	11146	11612	11458	12424	13635
	F	10202	10715	10907	11719	11950	12472	13543	14619	14797	14908	15272	15193	15622	16197	17456
	P	17165	17610	18383	19513	20320	21593	23497	25109	25791	25855	26418	26805	27080	28621	31091
Sarcoma ...	M	987	1034	1054	1073	1116	1223	1190	1273	1214	1245	1153	1176	1228	1216	1323
	F	908	813	842	901	957	923	971	1007	1015	969	936	943	947	1037	949
	P	1895	1847	1896	1974	2073	2146	2161	2280	2229	2214	2089	2119	2175	2253	2272
Cancer, Malignant disease (not otherwise defined). (For Cancer (all forms), see page 10).	M	5307	5270	5371	5396	5357	5245	5044	5155	5155	5229	5488	5357	5392	5083	4701
	F	7301	7018	7067	7170	6857	6918	6621	6395	6342	6549	6635	6877	6580	6187	5623
	P	12608	12288	12438	12566	12214	12163	11665	11550	11497	11778	12123	12234	11972	11270	10324
Rickets ...	M	778	707	697	664	617	543	434	560	528	524	508	483	387	279	313
	F	599	552	492	454	444	439	318	380	382	335	389	386	341	198	199
	P	1377	1259	1189	1118	1061	982	752	940	910	859	897	869	728	477	512
Purpura ..	M	110	145	148	159	147	164	117	171	153	156	138	169	134	120	111
	F	140	157	145	153	155	150	183	141	163	186	170	151	143	120	139
	P	250	302	293	312	302	314	300	312	316	342	308	320	277	240	250
Hæmophilia, Hæmorrhagic diathesis.	M	46	57	57	58	62	69	78	69	65	77	62	65	40	54	70
	F	38	46	24	33	23	33	44	34	44	35	37	31	26	31	21
	P	84	103	81	91	85	102	122	103	109	112	99	96	66	85	91
Anæmia, Leucocythæmia ...	M	894	1004	968	997	1115	1038	1087	1146	1237	1348	1308	1276	1187	1184	1334
	F	1166	1184	1207	1219	1304	1312	1382	1426	1575	1666	1671	1650	1357	1576	1595
	P	2050	2190	2175	2216	2419	2350	2469	2572	2812	3014	2979	2926	2544	2760	2929
Diabetes mellitus ...	M	1736	1738	1842	1898	1982	1936	2064	2122	2250	2335	2315	1929	1790	1896	1762
	F	1606	1622	1768	1800	1955	1917	1987	2187	2255	2323	2227	1887	1778	1960	1987
	P	3342	3360	3610	3698	3937	3853	4051	4309	4405	4658	4542	3816	3568	3856	3749
Premature birth ...	M	10767	10206	10553	10207	9816	9939	9670	9794	9724	8715	8282	7169	7426	8409	9714
	F	8294	8013	8118	8003	7758	7770	7449	7860	7620	6716	6345	5578	5709	6600	7586
	P	19061	18219	18671	18210	17574	17709	17119	17654	17344	15431	14627	12747	13135	15009	17300
Congenital hydrocephalus...	M	211	179	223	203	175	182	182	216	227	208	201	188	181	159	175
	F	166	150	156	126	127	146	116	135	127	148	139	145	125	97	139
	P	377	329	379	329	302	328	298	351	354	356	340	333	306	256	314
Other congenital defects ...	M	2579	2547	2661	2517	2538	2469	2468	2668	2582	2532	2433	2051	1854	2041	2767
	F	2084	1973	2075	2084	1953	1972	1899	2030	2049	1981	1912	1708	1476	1590	2208
	P	4663	4520	4736	4601	4491	4441	4367	4698	4631	4513	4345	3759	3330	3631	4975
Injury at birth ...	M	521	485	585	566	484	519	571	637	619	553	538	477	382	488	737
	F	345	331	357	390	362	385	366	426	402	377	366	291	278	286	427
	P	866	816	942	956	846	904	937	1063	1051	930	904	768	660	774	1164
Atelectasis ...	M	856	915	916	874	874	854	858	936	909	820	718	622	569	668	879
	F	602	638	681	632	679	637	607	610	614	530	516	452	406	459	622
	P	1458	1553	1597	1506	1553	1491	1465	1546	1523	1350	1234	1074	975	1127	1501
Want of breast milk ...	M	439	434	447	384	296	305	248	319	248	312	212	226	166	150	216
	F	322	322	331	285	245	248	154	215	225	195	149	146	111	112	135
	P	761	756	778	669	541	553	402	534	473	507	361	372	277	262	351
Teething ...	M	1201	1169	1078	994	896	774	664	810	719	857	713	590	521	440	418
	F	974	919	905	775	704	681	570	678	624	691	566	490	490	342	328
	P	2175	2088	1983	1769	1600	1455	1234	1488	1343	1548	1279	1080	1011	782	746
Meningitis, Inflammation of brain.	M	3301	2880	3016	2902	2653	2931	2228	2320	2377	2406	1998	1902	1849	1825	1833
	F	2696	2519	2500	2442	2353	2481	1923	2079	2025	2031	1743	1596	1597	1533	1549
	P	5997	5429	5516	5344	5006	5412	4153	4399	4402	4437	3741	3498	3446	3358	3382
Softening of brain ...	M	1156	1158	1183	1105	1075	951	792	720	703	714	633	657	562	496	384
	F	1073	1121	1147	1023	1002	966	817	738	745	747	645	662	594	567	443
	P	2229	2279	2330	2128	2077	1917	1609	1458	1448	1461	1278	1319	1156	1063	827
General paralysis of insane	M	1772	1775	1713	1817	1723	1751	1799	1724	1820	1818	1727	1940	1729	1336	1270
	F	568	557	504	546	490	435	458	399	423	428	368	422	341	272	234
	P	2340	2332	2217	2363	2213	2186	2257	2123	2243	2246	2095	2362	2070	1608	1504
Insanity (not puerperal) ...	M	952	960	941	995	940	1060	1119	991	985	1134	1166	1517	1458	1153	957
	F	1200	1249	1227	1176	1151	1421	1442	1293	1384	1496	1525	1633	1632	1325	1379
	P	2152	2209	2168	2171	2091	2481	2561	2284	2369	2630	2691	3150	3090	2478	2336

* The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
Chorea	M	37	38	41	38	31	37	38	33	36	43	26	19	26	25	46
	F	118	117	91	132	106	92	114	111	140	110	90	58	59	66	93
	P	155	155	132	170	137	129	152	144	176	153	116	77	85	91	139
Epilepsy	M	1482	1458	1382	1472	1396	1404	1434	1440	1521	1647	1763	2047	1945	1467	1154
	F	1315	1342	1304	1342	1286	1224	1323	1297	1289	1427	1479	1581	1570	1331	1057
	P	2797	2800	2686	2814	2682	2628	2757	2737	2810	3074	3242	3628	3515	2798	2211
Convulsions... ..	M	7101	6545	6568	5890	5315	5081	4453	4555	4155	4152	3607	3211	2890	2620	3107
	F	5427	5017	4936	4425	4081	3770	3174	3478	3024	3071	2558	2396	2142	1902	2266
	P	12528	11562	11504	10315	9396	8851	7627	8033	7179	7223	6165	5607	5032	4522	5373
Laryngismus stridulus ...	M	180	191	231	150	126	140	129	136	157	152	131	92	77	77	93
	F	125	124	112	120	110	103	53	103	94	91	81	97	64	56	86
	P	305	315	343	270	236	243	182	239	251	243	212	189	141	127	179
Locomotor ataxy	M	463	461	477	496	485	529	542	615	600	624	684	641	581	581	522
	F	99	123	106	123	95	105	122	117	120	110	101	116	103	82	87
	P	562	584	583	619	580	634	664	732	720	734	785	757	684	663	609
Paraplegia, Diseases of cord	M	1113	1030	1110	1156	1152	1122	999	946	1056	1108	1117	1021	1071	1067	959
	F	962	953	1003	948	949	863	787	874	898	908	928	904	883	875	820
	P	2075	1983	2118	2104	2101	1985	1786	1820	1954	2016	2045	1925	1954	1942	1779
Neuritis, Peripheral, Poly- neuritis.	M	128	140	132	126	113	121	92	116	122	139	94	101	69	66	74
	F	323	335	264	281	264	300	254	273	261	231	170	120	82	86	96
	P	451	475	396	407	377	421	346	389	383	370	264	221	151	152	170
Brain tumour (not specific)	M	383	383	371	392	403	360	397	395	452	508	527	472	422	466	478
	F	361	370	366	377	401	318	375	414	454	500	487	448	431	434	475
	P	744	753	737	769	804	678	772	809	906	1008	1014	920	853	900	953
Other diseases of nervous system. (For total dis- eases of nervous system, see page 10.)	M	1568	1382	1291	1368	1212	1294	1142	1220	1213	1298	1384	1306	1318	1150	1073
	F	1511	1430	1286	1371	1199	1300	1206	1176	1187	1273	1242	1187	1198	1069	1018
	P	3079	2812	2577	2739	2411	2594	2348	2396	2400	2571	2626	2493	2516	2219	2091
Otitis, Mastoid disease ...	M	648	601	578	647	579	601	581	673	660	700	656	584	523	610	678
	F	494	507	455	444	439	518	446	478	567	519	481	436	420	405	541
	P	1142	1108	1033	1091	1018	1119	1027	1151	1227	1219	1137	1020	943	1015	1219
Epistaxis, Diseases of nose	M	41	27	38	40	35	51	54	58	58	42	47	41	40	39	57
	F	26	39	35	41	35	67	40	48	55	43	31	34	30	45	31
	P	67	66	73	81	70	118	94	106	113	85	78	75	70	84	88
Ophthalmia, Diseases of eye	M	38	26	23	33	25	48	42	37	46	49	45	64	50	68	51
	F	37	34	19	21	37	47	32	40	52	32	37	42	24	41	52
	P	75	60	42	54	62	95	74	77	98	81	82	106	74	109	103
Valvular disease, Endocard- itis (not infective)*	M	7176	7454	7611	7799	7726	8310	9612	10369	10720	12074	12057	12078	11589	11939	11959
	F	8294	8872	8752	9236	9043	9948	11524	11936	12790	13907	13641	13360	13085	13714	13314
	P	15470	16326	16363	17035	16769	18258	21136	22305	23510	25981	25693	25438	24674	25653	25273
Pericarditis	M	237	273	237	224	247	309	269	251	262	277	217	187	204	157	203
	F	192	208	195	186	199	235	211	176	195	223	188	160	147	148	155
	P	429	481	432	410	446	544	480	427	457	500	405	347	351	305	358
Hypertrophy of heart† ...	M	152	149	181	135	141	?	?	?	?	?	?	?	?	?	?
	F	84	75	85	85	59	?	?	?	?	?	?	?	?	?	?
	P	236	224	266	220	200	?	?	?	?	?	?	?	?	?	?
Angina pectoris	M	576	612	617	629	716	711	738	772	785	847	721	637	640	722	687
	F	313	330	312	328	294	349	352	352	394	407	341	325	284	333	342
	P	889	942	929	957	1010	1060	1090	1124	1179	1254	1062	962	924	1055	1029
Dilatation of heart† ...	M	1551	1742	1670	1771	1586	?	?	?	?	?	?	?	?	?	?
	F	1576	1778	1685	1778	1609	?	?	?	?	?	?	?	?	?	?
	P	3127	3520	3355	3549	3195	?	?	?	?	?	?	?	?	?	?
Fatty degeneration of heart	M	1045	1124	1133	1069	1150	1217	1399	1509	1469	1509	1316	1182	914	1025	1040
	F	1275	1359	1417	1424	1267	1469	1712	1826	1800	1793	1700	1429	1086	1317	1215
	P	2320	2483	2550	2493	2417	2686	3111	3335	3269	3302	3016	2611	2000	2342	2255
Syncope, Heart disease (not specified).† (For total diseases of heart, see page 10.)	M	12639	12911	12469	12462	11789	12992	12526	12837	12735	14761	14146	13274	12312	12534	11351
	F	13651	14081	13527	13792	12898	13932	13699	13629	13957	15407	15116	13936	12846	13824	12878
	P	26290	26992	25996	26254	24687	26924	26225	26466	26692	30171	29262	27210	25158	26358	24229
Cerebral hæmorrhage, Cere- bral embolism	M	7007	7403	7891	7999	8017	8223	8724	9193	9493	10081	9730	10033	9145	9590	9634
	F	8774	9140	9529	9939	9869	10337	10981	11416	11888	12380	11832	12129	11499	12396	12286
	P	15781	16543	17420	17938	17886	18560	19705	20609	21381	22461	21612	22162	20644	21986	21920
Apoplexy, Hemiplegia ...	M	3949	3847	3696	3609	3303	3669	3454	3342	3244	3412	3326	3297	2798	2858	2445
	F	4881	4718	4473	4485	4081	4584	4355	3974	3982	4306	3902	3792	3506	3493	3040
	P	8830	8565	8169	8094	7384	8253	7809	7316	7226	7718	7228	7089	6304	6351	5485

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Aneurysm	M	882	941	867	946	898	935	962	921	902	896	800	770	696	711	782
	F	219	199	192	221	225	225	184	234	229	245	202	225	168	180	183
	P	1101	1140	1059	1167	1123	1160	1146	1155	1131	1141	1002	995	864	891	966
Senile gangrene	M	788	783	804	845	767	740	702	722	722	782	780	700	620	694	613
	F	630	662	652	706	640	654	577	600	635	634	633	617	536	587	586
	P	1418	1445	1456	1551	1407	1394	1279	1322	1357	1416	1413	1317	1156	1281	1199
Embolism, Thrombosis (not cerebral).	M	187	231	192	203	171	181	185	194	207	217	190	196	158	193	177
	F	258	285	281	269	230	269	243	248	288	230	202	193	185	179	214
	P	445	516	473	472	401	450	428	442	495	447	392	389	343	372	391
Phlebitis	M	45	46	40	55	37	53	67	48	61	71	74	53	48	49	57
	F	82	84	85	93	99	77	106	111	111	99	89	101	66	96	114
	P	127	130	125	148	136	130	173	159	172	170	163	154	114	145	171
Varicose veins	M	24	33	20	33	32	39	43	42	50	51	73	66	41	42	54
	F	87	70	67	79	74	89	107	117	119	91	93	78	90	83	103
	P	111	103	87	112	106	128	150	159	169	142	166	144	131	125	157
Other diseases of blood vessels. (<i>For total diseases of blood vessels, see page 10.</i>)	M	1372	1530	1604	1975	2045	2468	3373	4085	4717	5026	4960	5415	5388	6048	6303
	F	866	982	943	1143	1240	1549	2169	2820	3174	3430	3520	3632	3745	4462	4640
	P	2238	2512	2547	3118	3285	4017	5542	6905	7891	8456	8480	9047	9133	10510	10943
Laryngitis	M	578	633	512	566	485	538	481	454	495	550	448	412	357	344	383
	F	484	479	454	425	380	422	351	368	400	429	353	318	313	314	328
	P	1062	1112	966	991	865	960	832	822	895	979	801	730	670	658	711
Membranous laryngitis (not diphtheritic).	M	25	18	15	17	11	10	6	10	12	5	3	2	1	3	3
	F	15	11	16	14	7	9	3	5	7	4	5	1	4	2	4
	P	40	29	31	31	18	19	9	15	19	9	8	3	5	5	7
Croup (not spasmodic nor membranous).	M	259	196	167	130	49	43	28	15	15	17	24	12	18	13	10
	F	201	175	153	111	24	32	12	22	20	13	15	9	11	15	8
	P	460	371	320	241	73	75	40	37	35	30	39	21	29	28	18
Other diseases of larynx and trachea.	M	40	22	24	15	11	25	15	22	18	14	24	17	19	22	26
	F	21	21	14	13	10	11	11	18	15	18	13	15	16	13	10
	P	61	43	38	28	21	36	26	40	33	32	37	32	35	35	36
Bronchitis	M	17429	20423	18859	19404	17072	17616	18912	19153	19197	24554	21118	21137	20590	22075	18911
	F	18285	21781	19843	21414	17391	18406	20133	19401	20253	25513	21546	20520	20205	22765	18121
	P	35714	42204	38702	40818	34463	36022	39045	38554	39450	50067	42664	41657	40795	44840	37332
Emphysema, Asthma ...	M	920	1041	985	1089	965	1109	1219	1242	1329	1703	1431	1444	1392	1443	1185
	F	613	681	685	837	660	767	835	811	898	1148	896	840	955	1014	821
	P	1533	1722	1670	1926	1625	1876	2054	2053	2227	2851	2327	2284	2347	2457	2006
Pleurisy	M	738	733	709	815	760	832	867	787	872	891	856	938	847	766	784
	F	521	589	533	588	523	592	587	542	612	636	565	586	519	524	548
	P	1259	1322	1242	1403	1283	1424	1454	1329	1484	1527	1421	1524	1396	1290	1332
Fibroid disease of lung ...	M	408	490	415	420	339	253	239	250	260	218	207	227	180	189	177
	F	121	166	164	163	109	74	80	74	72	65	63	39	59	75	45
	P	529	656	579	583	448	327	319	324	332	283	270	266	239	264	222
Other diseases of respiratory system. (<i>For total diseases of respiratory system, see page 10.</i>)	M	1417	1297	1345	1361	1321	1403	1374	1234	1286	1434	1240	1236	1100	1069	1018
	F	1282	1216	1262	1341	1235	1187	1226	1156	1205	1266	1046	1039	1007	953	860
	P	2699	2513	2607	2702	2556	2590	2600	2390	2491	2700	2286	2274	2107	2022	1878
Tonsillitis, Quinsy... ..	M	207	206	200	221	174	226	187	246	301	273	223	185	205	284	257
	F	166	185	163	161	146	204	191	213	255	243	211	196	184	258	239
	P	373	391	363	385	320	430	378	459	556	516	434	381	389	542	496
Diseases of mouth, pharynx, oesophagus (not specific).	M	279	254	236	295	304	308	278	295	363	333	324	277	282	253	310
	F	276	260	276	268	319	250	264	290	349	295	290	237	248	242	246
	P	555	514	512	563	623	558	542	585	712	628	614	514	530	495	556
Gastric ulcer	M	667	655	674	688	773	760	871	882	1018	1001	999	988	1067	1001	1140
	F	1078	1120	1039	1040	1052	1009	971	912	1005	945	942	956	923	800	834
	P	1745	1775	1713	1728	1825	1769	1842	1794	2023	1946	1941	1944	1990	1801	1974
Gastritis, Gastric catarrh...	M	1664	1592	1630	1592	1613	1594	1412	1591	1545	1684	1548	1423	1270	1191	1398
	F	1738	1675	1833	1666	1575	1631	1396	1577	1695	1685	1580	1439	1308	1309	1347
	P	3402	3267	3463	3258	3188	3225	2808	3168	3240	3369	3128	2862	2578	2500	2745
Other diseases of stomach (not malignant).	M	291	232	269	252	328	315	359	333	371	344	355	254	251	236	248
	F	255	275	239	206	308	272	310	307	349	337	334	238	245	263	202
	P	546	557	508	458	636	587	669	640	720	681	689	492	496	499	450

* The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Hæmorrhage of intestines ...	M	353	477	462	485	552	561	649	687	726	693	659	618	562	575	638
	F	265	244	282	297	306	296	292	299	305	297	286	287	300	211	280
	P	618	721	744	782	858	857	941	986	1031	990	945	905	862	816	918
Enteritis (not epidemic) ...	M	2640	1910	2332	1994	1961	3078	1456	2286	2157	1848	1465	1468	1352	1165	1349
	F	2360	1777	2112	1714	1738	2786	1240	1911	1784	1702	1395	1292	1136	961	1100
	P	5000	3687	4444	3708	3699	5864	2696	4197	3941	3550	2860	2760	2488	2126	2449
Gastro-enteritis ...	M	2082	1337	1877	1567	1695	3492	1421	2746	2655	2605	2053	1760	1693	1645	1982
	F	1805	1113	1618	1333	1407	3062	1160	2313	2324	2144	1698	1546	1428	1342	1614
	P	3887	2450	3495	2900	3102	6554	2581	5059	4979	4749	3751	3306	3121	2987	3596
Appendicitis, Perityphlitis	M	1287	1161	1236	1279	1336	1597	1322	1387	1513	1441	1474	1389	1298	1278	1383
	F	857	808	900	997	1025	1132	1034	1141	1111	1062	1129	1053	1118	1149	1142
	P	2144	1969	2136	2276	2361	2729	2356	2528	2624	2503	2603	2442	2416	2427	2530
Hernia ...	M	738	702	652	695	642	708	710	780	737	897	838	983	943	777	795
	F	816	834	758	806	835	861	803	897	892	1010	1020	1273	1265	863	875
	P	1554	1536	1410	1501	1477	1569	1513	1677	1629	1907	1858	2256	2208	1640	1670
Intestinal obstruction ...	M	1336	1314	1301	1355	1205	1330	1232	1209	1243	1316	1312	1308	1389	1246	1310
	F	1309	1249	1352	1262	1297	1350	1260	1206	1210	1276	1157	1324	1459	1247	1225
	P	2645	2563	2653	2617	2502	2680	2492	2415	2453	2592	2469	2632	2848	2493	2535
Other diseases of intestines	M	128	131	149	147	179	237	228	243	232	273	226	257	222	239	250
	F	110	137	120	151	175	204	221	253	299	287	266	247	240	226	240
	P	238	268	269	298	354	441	449	496	531	560	492	504	462	465	490
Peritonitis (not puerperal)	M	391	308	345	282	223	236	197	236	219	225	218	185	167	144	171
	F	454	389	368	333	331	374	262	295	308	288	289	261	215	247	258
	P	845	697	713	615	554	610	459	531	527	513	507	446	382	391	429
Cirrhosis of liver ...	M	2117	2070	2060	2048	1827	1832	1898	2039	2092	1947	1690	1387	1034	874	1069
	F	1744	1833	1611	1481	1384	1457	1480	1519	1572	1364	1049	738	545	482	529
	P	3861	3903	3671	3529	3211	3289	3378	3558	3664	3311	2739	2125	1579	1356	1598
Other diseases of liver and gall bladder. (For total diseases of liver and gall bladder, see page 10.)	M	882	850	746	825	737	750	688	678	749	703	693	615	602	612	620
	F	1269	1171	1148	1137	1159	1228	1115	1220	1235	1194	1124	955	891	1010	1092
	P	2151	2021	1894	1962	1896	1978	1803	1898	1984	1897	1817	1570	1493	1622	1712
Other diseases of digestive system. (For total diseases of digestive system, see page 10.)	M	151	186	210	217	118	124	119	138	137	123	103	104	72	81	135
	F	144	196	217	240	116	102	100	128	112	112	107	83	65	97	120
	P	295	382	427	457	234	226	219	266	249	235	210	187	137	178	255
Diseases of spleen ...	M	27	21	22	24	15	17	12	19	29	24	35	15	17	18	18
	F	26	29	17	31	23	12	23	25	32	23	23	27	27	26	21
	P	53	50	39	55	38	29	35	44	61	47	58	42	44	44	39
Other diseases of lymphatic system.	M	240	227	241	258	320	295	326	334	380	379	377	300	336	309	343
	F	160	153	156	167	191	212	209	223	257	232	231	229	217	189	232
	P	400	380	397	425	511	507	535	557	637	611	608	529	553	498	575
Diseases of thyroid body ...	M	62	72	93	74	96	88	95	117	95	118	110	104	126	126	91
	F	421	455	456	535	555	622	619	631	716	680	685	641	609	728	686
	P	483	527	549	609	651	710	714	748	811	798	795	745	735	854	777
Diseases of suprarenal capsules.	M	116	83	97	109	96	104	99	108	95	102	100	102	95	66	94
	F	112	91	121	139	130	145	147	115	140	139	132	129	120	109	133
	P	228	174	218	248	226	249	246	223	235	241	232	231	215	175	227
Acute nephritis, Uræmia...	M	1716	1844	1975	1974	1897	1920	1936	2031	2153	2345	2241	2273	2058	1886	1831
	F	1554	1591	1723	1862	1698	1878	1760	1885	1979	2113	1918	1821	1739	1665	1743
	P	3270	3435	3698	3836	3595	3798	3696	3916	4137	4458	4159	4094	3797	3551	3574
Chronic Bright's disease, Albuminuria. (For total Nephritis and Bright's disease, see page 10.)	M	5498	5573	5374	5627	5530	5717	5887	6342	6243	6413	5871	5815	5268	4844	4830
	F	4584	4869	4688	4877	4822	5014	5207	5342	5532	5455	4892	4631	4297	4167	4195
	P	10082	10442	10062	10504	10352	10731	11094	11684	11775	11868	10763	10446	9565	9011	9025
Calculus (not biliary) ...	M	187	198	161	155	159	196	181	195	189	185	189	188	173	183	178
	F	77	80	74	86	80	73	89	73	65	85	81	71	71	66	91
	P	264	278	235	241	239	269	270	268	254	270	270	259	244	249	269
Diseases of bladder and of prostate.	M	2403	2203	2256	2203	2189	2514	2372	2370	2500	2723	2697	2891	2791	2880	2814
	F	238	238	249	239	221	257	246	233	261	287	255	261	247	231	239
	P	2641	2441	2505	2442	2410	2771	2618	2603	2761	3010	2952	3152	3038	3111	3053
Other diseases of urinary system	M	480	470	486	430	543	584	559	583	608	597	626	674	596	606	590
	F	151	139	124	133	169	181	206	205	246	212	191	195	176	203	222
	P	631	609	610	563	712	765	765	788	854	809	817	869	772	809	812
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	375	357	292	307	291	314	288	270	303	300	307	284	273	273	309
	P	375	357	292	307	291	314	288	270	303	300	307	284	273	273	309
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	46	51	31	33	23	24	12	12	18	18	15	8	11	8	11
	P	46	51	31	33	23	24	12	12	18	18	15	8	11	8	11

* The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906–1920.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Uterine tumour (not malignant).	M F P	— 353 353	— 327 327	— 358 358	— 293 293	— 312 312	— 324 324	— 326 326	— 316 316	— 298 298	— 328 328	— 320 320	— 331 331	— 308 308	— 313 313	— 348 348
Other diseases of uterus and vagina.	M F P	— 305 305	— 319 319	— 287 287	— 337 337	— 285 285	— 360 360	— 326 326	— 330 330	— 342 342	— 344 344	— 382 382	— 358 358	— 348 348	— 379 379	— 422 422
Disorders of menstruation	M F P	— 39 39	— 50 50	— 36 36	— 33 33	— 26 26	— 31 31	— 20 20	— 30 30	— 27 27	— 23 23	— 36 36	— 28 28	— 37 37	— 30 30	— 31 31
Other diseases of generative and mammary organs. (For total diseases of generative and mammary organs, see page 10.)	M F P	— 62 18 80	— 48 10 58	— 41 14 55	— 50 12 62	— 66 13 79	— 70 21 91	— 79 20 99	— 88 29 117	— 122 17 139	— 96 23 119	— 78 18 96	— 105 28 133	— 68 24 92	— 89 27 116	— 100 34 134
Abortion, Miscarriage ...	M F P	— 143 143	— 102 102	— 83 83	— 85 85	— 78 78	— 89 89	— 118 118	— 119 119	— 125 125	— 125 125	— 106 106	— 119 119	— 105 105	— 121 121	— 111 111
Puerperal mania ...	M F P	— 68 68	— 70 70	— 57 57	— 42 42	— 48 48	— 46 46	— 30 30	— 28 28	— 40 40	— 34 34	— 27 27	— 19 19	— 25 25	— 37 37	— 40 40
Puerperal convulsions ...	M F P	— 438 438	— 449 449	— 426 426	— 462 462	— 439 439	— 457 457	— 457 457	— 535 535	— 461 461	— 430 430	— 455 455	— 389 389	— 388 388	— 420 420	— 547 547
Placenta prævia, Flooding	M F P	— 618 618	— 608 608	— 560 560	— 574 574	— 612 612	— 557 557	— 610 610	— 616 616	— 595 595	— 556 556	— 526 526	— 418 418	— 375 375	— 423 423	— 594 594
Other accidents of pregnancy and childbirth. (For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page 10.)	M F P	— 850 850	— 826 826	— 840 840	— 787 787	— 740 740	— 748 748	— 797 797	— 789 789	— 819 819	— 798 798	— 771 771	— 570 570	— 564 564	— 633 633	— 856 856
Caries, Necrosis ...	M F P	— 262 198 460	— 205 177 382	— 198 150 348	— 106 81 187	— 43 23 66	— 400 287 687	— 422 293 715	— 437 304 741	— 475 311 786	— 460 313 773	— 469 310 779	— 494 327 821	— 425 291 716	— 510 358 868	— 484 366 850
Arthritis, Periostitis ...	M F P	— 111 92 203	— 139 110 249	— 164 88 252	— 154 102 256	— 128 105 233	— 400 287 687	— 422 293 715	— 437 304 741	— 475 311 786	— 460 313 773	— 469 310 779	— 494 327 821	— 425 291 716	— 510 358 868	— 484 366 850
Other diseases of locomotor system.	M F P	— 205 186 391	— 149 105 254	— 147 116 263	— 174 127 301	— 203 147 350	— 400 287 687	— 422 293 715	— 437 304 741	— 475 311 786	— 460 313 773	— 469 310 779	— 494 327 821	— 425 291 716	— 510 358 868	— 484 366 850
Ulcer, Bed-sore ...	M F P	— 157 305 462	— 144 341 485	— 129 307 436	— 152 278 430	— 149 310 459	— 145 269 414	— 144 280 424	— 149 283 432	— 194 350 544	— 178 534 512	— 135 284 419	— 166 310 476	— 135 235 370	— 114 235 349	— 124 225 349
Eczema ...	M F P	— 195 103 298	— 164 123 287	— 169 117 286	— 141 107 248	— 138 107 245	— 168 101 269	— 152 93 245	— 149 84 233	— 152 90 242	— 145 76 221	— 135 84 219	— 85 70 155	— 95 64 159	— 119 59 178	— 121 63 184
Pemphigus ...	M F P	— 134 110 244	— 123 100 223	— 135 114 249	— 113 101 214	— 113 91 204	— 66 66 132	— 68 52 120	— 72 70 142	— 77 69 146	— 61 52 113	— 87 73 160	— 68 60 128	— 52 53 105	— 73 54 127	— 72 55 127
Other diseases of the skin	M F P	— 110 101 211	— 129 122 251	— 111 108 219	— 111 124 235	— 113 120 233	— 124 145 269	— 124 128 252	— 137 150 287	— 164 167 331	— 153 147 300	— 138 162 300	— 132 167 299	— 134 118 252	— 133 127 260	— 175 161 336
Other specified diseases ...	M F P	— — —	— — —	— — —	— 3 2 5	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
Atrophy, Debility ...	M F P	— 8902 6998 15900	— 8340 6267 14607	— 8460 6460 14920	— 7872 6107 13979	— 7359 5686 13045	— 7818 6098 13916	— 6258 4644 10902	— 6683 4976 11659	— 6151 4475 10626	— 5626 4317 9943	— 5063 3596 8659	— 4223 3273 7496	— 3848 3002 6850	— 3934 2330 6764	— 4660 3191 7851
Old age ...	M F P	— 14210 18998 33208	— 13917 19001 32918	— 14058 18837 32895	— 14497 19478 33975	— 13438 18233 31671	— 14483 19358 33871	— 13275 18163 31488	— 12755 17046 29801	— 12327 16702 29029	— 13211 18494 31705	— 13026 17679 30705	— 12930 17016 29946	— 11427 15209 26636	— 12432 17345 29777	— 10382 14738 25120
Dropsy, Ascites, Anasarca	M F P	— 36 46 82	— 60 65 125	— 36 39 75	— 23 41 64	— 16 24 40	— 24 38 62	— 18 23 41	— 13 23 36	— 8 26 34	— 14 24 38	— 18 23 41	— 17 19 36	— 9 17 26	— 11 11 22	— 5 9 14
Tumour ...	M F P	— 28 40 68	— 33 60 93	— 32 52 84	— 41 56 97	— 28 48 76	— 52 68 120	— 71 72 143	— 52 81 133	— 88 88 176	— 87 114 201	— 88 106 194	— 84 90 174	— 93 86 179	— 95 97 192	— 82 109 191
Abscess ...	M F P	— 140 132 272	— 151 142 293	— 208 170 378	— 137 129 266	— 131 108 239	— 119 101 220	— 154 112 266	— 157 111 268	— 169 151 320	— 203 175 378	— 174 150 324	— 196 121 317	— 132 102 234	— 172 132 304	— 187 133 320

* The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Hæmorrhage	M	17	16	19	16	26	39	25	26	30	31	33	29	32	34	29
	F	15	19	16	17	26	24	21	25	23	22	19	27	22	21	35
	P	32	35	35	33	52	63	46	51	53	53	52	56	54	58	64
Sudden death (cause un- ascertained).	M	16	11	4	8	8	7	3	1	2	7	2	1	2	2	4
	F	8	8	11	11	6	2	1	1	2	1	1	3	2	4	2
	P	24	19	15	19	14	9	4	2	4	8	3	4	4	6	6
Other ill-defined causes ...	M	461	421	402	386	391	278	205	179	168	215	227	196	167	151	167
	F	326	291	277	272	243	187	150	136	161	190	154	165	125	132	119
	P	787	712	679	658	634	465	355	315	329	405	381	361	292	283	286
Causes not specified. (<i>For total causes ill-defined or not specified, see page 10</i>).	M	96	111	88	71	102	96	78	78	64	64	71	89	125	124	63
	F	60	66	50	48	78	57	56	62	40	57	51	58	44	50	39
	P	156	177	138	119	180	153	134	140	104	121	122	147	169	174	102
Violent Deaths:—																
In mines and quarries ...	M	1075	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172	1230	1125	1152	967
	F	2	—	—	—	—	—	—	—	—	—	—	—	1	1	1
	P	1077	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172	1230	1126	1153	968
Vehicles and horses ...	M	2133	2197	2131	1913	1987	2289	2364	2651	2783	3461	3290	3087	3578	2788	2847
	F	377	349	356	346	409	462	473	568	580	752	704	675	632	695	686
	P	2510	2546	2487	2259	2396	2751	2837	3219	3363	4213	3994	3762	4210	3483	3533
Ships, boats, and docks (not drowning).	M	268	246	275	263	252	301	337	325	312	507	334	336	326	295	300
	F	2	1	3	1	1	1	1	3	3	—	1	4	1	1	—
	P	270	247	278	264	253	302	338	328	315	507	335	340	327	296	300
Building operations ...	M	233	243	227	166	199	203	206	222	264	211	226	192	203	221	232
	F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	P	233	243	227	166	199	203	206	222	264	211	226	193	203	221	232
Machinery	M	227	237	217	205	198	249	225	250	201	305	289	320	325	269	282
	F	11	8	10	8	11	13	6	8	8	9	23	12	38	21	22
	P	238	245	227	213	209	262	231	258	209	314	312	332	363	290	304
Weapons and implements	M	103	79	91	99	78	81	102	128	154	182	171	139	155	127	106
	F	11	12	10	10	11	12	22	17	21	26	17	16	22	15	18
	P	114	91	101	109	89	93	124	145	175	208	188	155	177	142	124
Burns and scalds ...	M	1079	1103	1067	1088	995	1052	972	941	936	1031	1212	1184	1170	895	830
	F	1527	1507	1583	1571	1330	1395	1412	1260	1339	1465	1497	1713	1378	1290	1084
	P	2606	2610	2650	2659	2325	2447	2384	2201	2275	2546	2709	2897	2548	2185	1914
Poisons,poisonous vapours	M	341	329	362	368	322	215	220	201	207	193	182	203	184	160	173
	F	198	216	188	189	196	135	122	135	133	128	112	117	104	101	90
	P	539	545	550	557	518	350	342	336	340	321	294	320	238	261	263
Drowning	M	1970	1888	2063	1793	1871	2233	2053	1999	2111	2257	2343	2015	1704	1537	1520
	F	374	367	400	397	387	405	435	421	374	474	459	363	402	341	358
	P	2344	2255	2463	2190	2258	2638	2488	2420	2485	2731	2802	2378	2106	1878	1878
Suffocation	M	984	1039	936	822	788	755	801	772	809	599	508	515	385	383	423
	F	893	864	890	760	731	699	760	681	666	507	420	394	341	286	336
	P	1877	1903	1826	1582	1519	1454	1561	1453	1475	1106	923	909	726	669	759
Falls	M	1372	1460	1392	1339	1282	1519	1604	1539	1579	1662	1683	1471	1260	1301	1321
	F	1190	1270	1238	1271	1074	1313	1341	1432	1408	1444	1544	1343	1108	1164	1206
	P	2562	2730	2630	2610	2356	2832	2945	2971	2987	3106	3227	2814	2368	2465	2527
Weather agencies ...	M	215	127	176	144	136	456	193	172	195	186	248	222	124	131	68
	F	89	27	58	52	31	204	56	64	72	42	76	65	32	59	24
	P	304	154	234	196	167	660	249	236	267	228	324	287	156	190	92
Otherwise or not stated...	M	866	863	924	816	882	776	776	681	704	914	689	712	761	687	714
	F	288	268	280	272	383	302	286	245	240	304	252	261	255	284	256
	P	1154	1131	1204	1088	1265	1078	1062	926	944	1218	941	973	1016	971	970
Battle	M	1	2	1	—	—	1	1	1	671	2115	3909	3585	4290	695	229
	F	—	—	—	—	—	—	—	—	47	89	142	215	93	—	—
	P	1	2	1	—	—	1	1	1	718	2204	4051	3800	4383	695	229
Homicide	M	140	139	152	132	140	153	145	140	133	129	116	113	100	148	142
	F	144	126	159	155	147	128	173	180	154	142	141	142	112	149	146
	P	284	265	311	287	287	281	318	320	287	271	257	255	212	297	288
Suicide	M	2655	2632	2844	2683	2680	2655	2706	2596	2802	2029	2063	1740	1845	2340	2427
	F	797	901	934	894	887	933	902	918	922	937	792	755	920	1008	998
	P	3452	3533	3778	3577	3567	3588	3608	3514	3724	2966	2855	2495	2765	3348	3425
Execution. (<i>For total violent deaths, see page 10</i>).	M	8	9	12	19	16	16	10	18	16	8	11	9	7	12	21
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	8	10	12	19	16	16	10	18	16	8	11	9	7	12	21

* The deaths here shown include those of non-civilians, as in other years. The corresponding rates, however, relate to civilians only.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906-1920.—MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911. The rates for the years 1911-20 are subject to slight revision when revised estimates of population have been prepared.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
All Causes	M F P	16512 14495 15470	16046 14229 15108	15805 13867 14804	15480 13821 14623	14385 12674 13502	15569 13662 14585	14181 12566 13347	14780 12872 13795	14955 13068 13981	17732 13936 15653	16884 12437 14371	17767 12061 14445	21098 15086 17560	15022 12544 13701	13415 11456 12388
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M F P	1 1 1	0 0 0	0 0 0	1 0 1	1 0 1	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 — 0	0 0 0	1 1 1	1 1 1
Diarrhœal diseases... (104 and 105, 1911 list approx.)*	M F P	1265 1057 1158	559 440 492	848 685 763	550 439 493	575 445 507	1421 1162 1286	358 271 313	796 615 704	716 548 629	680 459 559	519 337 415	497 305 385	467 273 354	338 233 283	362 251 303
Venereal diseases	M F P	57 45 51	58 40 49	56 43 49	57 40 49	56 38 47	60 44 52	63 42 52	68 48 58	70 49 59	68 42 54	76 41 56	86 46 62	82 43 59	65 39 51	65 45 55
Puerperal septic diseases ...	M F P	— 93 48	— 82 41	— 77 39	— 78 40	— 69 36	— 72 37	— 68 35	— 62 32	— 76 39	— 66 35	— 58 33	— 47 27	— 46 27	— 62 33	— 92 47
Pneumonia (all forms) ...	M F P	1422 1026 1217	1574 1147 1353	1392 997 1188	1502 1114 1301	1302 932 1110	1234 864 1043	1208 854 1026	1214 853 1028	1284 899 1085	1687 1087 1359	1381 830 1070	1582 829 1144	2118 1335 1657	1283 870 1063	1209 794 991
Septicæmia, pyæmia ...	M F P	21 17 19	22 13 18	20 12 16	17 11 13	14 10 11	17 9 13	18 10 14	16 9 13	20 10 15	20 10 15	16 9 12	16 7 11	17 8 12	16 8 12	21 12 17
Phthisis (28 and 29A, 1911 list)	M F P	1364 964 1157	1349 959 1148	1318 941 1123	1280 913 1091	1186 855 1015	1233 900 1061	1199 855 1021	1163 825 989	1197 860 1022	1410 910 1136	1468 916 1156	1587 971 1228	1692 1065 1323	1120 853 978	997 757 872
Tuberculosis (all forms) ...	M F P	1895 1430 1654	1857 1390 1617	1834 1371 1595	1762 1323 1537	1644 1237 1434	1669 1277 1467	1575 1181 1372	1561 1154 1352	1570 1163 1360	1851 1235 1514	1912 1234 1529	2072 1303 1624	2153 1373 1692	1429 1108 1257	1278 996 1131
Cancer (all forms)... ..	M F P	798 1038 922	787 1035 915	818 1036 931	833 1082 962	856 1070 967	891 1086 992	917 1122 1023	955 1164 1064	971 1161 1069	1076 1158 1121	1163 1168 1166	1263 1173 1210	1280 1175 1218	1090 1194 1145	1097 1219 1161
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy hemiplegia)	M F P	1183 890 1032	1095 855 971	1085 820 947	1044 782 908	961 730 841	958 718 837	858 638 745	859 652 753	850 631 737	973 644 789	968 585 751	1031 572 763	981 543 723	716 489 594	666 488 574
Diseases of heart	M F P	1407 1436 1420	1445 1490 1468	1407 1431 1418	1405 1467 1437	1348 1373 1361	1346 1389 1367	1391 1460 1426	1454 1478 1466	1453 1526 1490	1819 1640 1721	1866 1585 1706	1913 1489 1666	1827 1393 1580	1536 1496 1514	1409 1415 1413
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia)	M F P	858 802 874	883 901 893	887 894 890	914 925 919	882 890 886	931 951 943	992 995 993	1048 1032 1040	1084 1070 1078	1269 1106 1180	1312 1050 1163	1442 1057 1219	1352 1005 1149	1173 1094 1132	1120 1073 1097
Diseases of respiratory system (including croup but excluding pneumonia)	M F P	1313 1214 1263	1481 1403 1440	1354 1274 1312	1392 1362 1375	1215 1101 1156	1246 1152 1198	1312 1234 1271	1309 1184 1243	1315 1230 1270	1822 1501 1648	1664 1253 1431	1774 1191 1435	1748 1174 1410	1509 1310 1402	1256 1069 1156
Diseases of liver and gall bladder	M F P	180 170 175	174 167 170	165 152 158	168 143 155	149 138 143	148 144 146	147 138 142	153 145 149	159 147 153	162 132 146	154 111 130	137 87 108	112 73 89	89 76 81	95 82 87
Diseases of digestive system †	M F P	914 826 870	800 741 769	846 773 807	814 716 763	791 712 750	980 868 921	740 704 688	891 764 828	900 775 835	952 736 833	906 659 766	895 619 735	853 586 697	678 548 609	730 573 646
Nephritis and Bright's disease	M F P	434 346 389	443 361 400	432 353 391	443 369 404	429 353 389	437 369 402	444 369 405	473 383 426	470 394 431	533 391 455	522 348 423	546 329 419	506 306 388	392 297 341	372 301 335
Diseases of generative and mammary organs	M F P	4 64 34	3 63 32	2 57 30	3 56 31	4 51 29	4 57 33	4 52 30	5 53 29	7 53 30	6 53 32	5 56 33	7 51 34	5 52 31	5 52 30	6 60 33
Diseases of pregnancy and childbirth (not septic)	M F P	— 120 62	— 115 60	— 108 56	— 106 54	— 104 53	— 101 52	— 106 56	— 110 58	— 107 54	— 101 56	— 95 54	— 77 46	— 74 44	— 83 43	— 109 58
All diseases of pregnancy and childbirth	M F P	— 213 110	— 197 101	— 185 95	— 184 94	— 173 89	— 173 89	— 174 91	— 172 90	— 183 93	— 167 91	— 153 87	— 124 73	— 120 71	— 145 76	— 201 105
Causes ill-defined or not specified	M F P	1440 1500 1475	1475 1447 1415	1379 1430 1413	1348 1432 1391	1243 1326 1288	1307 1389 1348	1140 1240 1188	1128 1199 1161	1062 1136 1103	1215 1207 1211	1238 1112 1171	1261 1057 1134	1146 945 1029	986 1057 1027	871 931 905
Violent deaths	M F P	823 332 571	816 329 565	822 336 572	773 324 543	759 305 522	826 322 565	788 316 545	780 314 538	865 312 581	853 326 564	890 316 567	876 307 549	829 276 502	764 275 503	705 265 474

* See note to Diarrhœa due to Food.
† Including some of the headings classed under Diarrhœal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis.
‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
DETAILED HEADINGS.																
Small-pox (For total Small-pox, see page 20).	Vaccinated ...	M	—	0	—	0	0	0	—	—	0	0	0	0	0	0
		F	—	—	—	0	0	0	0	0	0	0	—	—	0	0
		P	—	0	—	0	0	0	0	0	0	0	0	0	0	0
	Not Vaccinated	M	0	0	—	0	0	0	0	0	0	1	—	—	1	0
		F	—	0	—	0	0	0	0	0	0	0	—	0	0	1
		P	0	0	—	0	0	0	0	0	0	0	—	0	0	0
	Doubtful ...	M	0	0	0	1	1	0	—	0	—	0	—	—	0	0
		F	1	0	0	—	0	—	—	—	0	0	—	—	0	0
		P	1	0	0	0	0	—	0	0	0	0	—	—	0	0
Cow-pox and other effects of vaccination	M	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	P	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Chicken-pox ...	M	4	4	3	3	3	2	2	2	3	2	2	3	2	2	2
	F	2	3	3	2	2	2	2	2	3	3	2	2	2	1	2
	P	3	3	3	3	3	2	2	2	3	3	2	2	2	1	2
Measles (Morbilli) ...	M	286	392	243	377	249	392	377	314	263	530	187	384	365	106	210
	F	265	337	213	336	216	335	329	269	233	406	129	253	236	88	174
	P	275	364	228	356	232	363	352	291	247	462	155	308	289	96	191
German measles ...	M	1	1	1	1	0	1	1	1	1	2	3	4	2	1	1
	F	1	1	1	1	0	1	1	1	1	2	2	2	1	1	1
	P	1	1	1	1	0	1	1	1	1	2	2	3	2	1	1
Scarlet fever ...	M	108	98	82	97	68	54	56	60	78	71	44	26	33	33	39
	F	95	88	79	85	64	51	54	55	76	61	35	19	26	33	37
	P	101	93	80	91	66	52	55	57	77	66	39	22	29	33	38
Typhus ...	M	0	1	0	1	0	0	0	0	0	0	0	0	0	0	—
	F	0	1	0	0	—	0	0	—	0	0	—	—	0	—	—
	P	0	1	0	0	0	0	0	0	0	0	0	0	0	0	—
Plague ...	M	—	—	0	—	0	—	0	—	0	—	0	0	0	0	0
	F	—	—	—	—	0	—	—	—	0	—	0	—	0	—	0
	P	—	—	0	—	0	—	0	—	0	—	0	0	0	0	0
Relapsing fever ...	M	0	—	0	—	0	—	—	—	0	0	0	—	—	0	0
	F	—	0	0	—	0	—	—	—	—	—	—	—	—	—	—
	P	0	0	0	—	0	—	—	—	0	0	0	—	—	0	0
Influenza ...	M	188	264	285	251	188	127	152	190	173	319	278	257	3,359	1,350	314
	F	180	269	290	256	176	113	142	160	150	271	230	182	2,967	1,101	255
	P	184	267	288	254	182	120	147	174	161	293	251	213	3,128	1,217	283
Whooping cough ...	M	224	268	255	183	223	195	211	136	201	231	178	135	319	67	110
	F	259	321	304	221	267	237	248	161	233	230	174	133	280	74	123
	P	242	296	280	203	246	217	230	149	218	230	176	134	296	71	117
Mumps ...	M	3	3	3	3	3	3	1	2	3	2	3	2	2	2	2
	F	3	4	4	3	3	3	1	1	3	2	2	1	2	1	1
	P	3	3	3	3	3	3	1	2	3	2	2	2	2	1	1
Diphtheria ...	M	177	166	160	147	117	139	119	121	161	177	172	154	166	137	150
	F	179	164	156	148	122	132	117	121	155	155	140	116	126	129	149
	P	178	165	158	148	120	135	118	121	158	165	154	132	142	133	150
Cerebro-spinal fever ...	M	2	6	4	4	4	5	5	5	6	46	26	33	19	21	13
	F	2	3	3	4	3	3	3	4	4	32	19	22	12	11	9
	P	2	5	3	4	4	4	4	4	5	39	22	27	15	16	11
Pyrexia (origin uncertain)	M	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	F	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	P	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Enteric fever ...	M	111	82	95	74	60	81	52	51	57	43	37	33	29	18	16
	F	75	54	57	48	46	53	36	32	36	29	25	24	25	13	12
	P	92	68	75	60	53	67	44	41	46	35	30	28	26	16	14
Asiatic cholera ...	M	—	—	—	0	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	0	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to food* ...	M	10	7	9	9	8	?	?	?	?	?	?	?	?	?	?
	F	7	5	8	7	6	?	?	?	?	?	?	?	?	?	?
	P	9	6	8	7	7	?	?	?	?	?	?	?	?	?	?

* From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

† Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
Infective enteritis, Epidemic diarrhoea.*	M	579	164	320	153	172	648	81	281	247	219	129	121	113	78	77
	F	484	129	260	123	132	529	63	226	191	144	87	74	67	57	53
	P	530	146	289	137	151	586	72	253	218	178	105	94	86	67	64
Diarrhoea (not otherwise defined). (For Diarrhoeal diseases—1911 List—see page 20).	M	371	166	245	153	152	365	76	192	158	145	117	109	99	63	63
	F	316	131	196	126	120	304	64	150	126	101	77	71	61	47	46
	P	342	148	220	139	135	333	70	171	141	121	94	87	77	55	54
Dysentery	M	9	7	8	7	7	8	5	6	7	12	16	33	32	16	9
	F	8	6	6	7	6	9	5	6	8	14	12	19	18	8	5
	P	9	7	7	7	7	8	5	6	7	13	13	25	24	12	7
Tetanus	M	12	10	8	10	9	9	8	8	9	7	8	9	9	7	6
	F	3	3	2	3	2	2	2	2	2	1	2	2	2	2	2
	P	7	7	5	6	6	6	5	5	5	4	4	5	4	4	4
Malaria	M	3	4	3	4	3	3	3	3	3	3	2	6	6	15	13
	F	1	0	0	1	0	0	0	0	0	1	0	0	0	0	1
	P	2	2	2	2	1	2	2	2	2	2	1	3	3	7	7
Rabies, Hydrophobia ...	M	—	—	—	—	0	0	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	0	0	—	—	—	—	—	—	—	—	—
Glanders	M	0	0	0	0	0	0	—	0	0	—	0	—	—	—	—
	F	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—
	P	0	0	0	0	0	0	—	0	0	—	0	—	—	—	—
Anthrax (Splenic fever) ...	M	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
	F	0	0	0	—	0	0	—	0	—	0	0	0	0	0	0
	P	1	0	0	0	0	0	0	0	0	0	1	1	0	1	0
Syphilis	M	56	57	55	56	55	60	62	67	69	67	75	85	81	64	64
	F	44	39	42	39	37	43	41	47	48	41	40	45	42	38	44
	P	50	48	48	48	46	51	51	57	58	53	55	61	58	50	54
Gonorrhoea. (For total Venereal diseases, see page 20).	M	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal septicaemia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	69	59	57	58	52	54	49	46	58	48	44	37	37	48	73
	P	36	30	29	30	27	28	25	24	30	26	25	21	22	26	38
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	6	5	6	5	5	6	5	6	5	4	4	3	4	6
	P	2	3	3	3	3	2	3	2	3	3	2	2	2	2	3
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	5	5	4	3	4	3	3	3	3	3	2	2	3	3
Puerperal fever (not otherwise defined). (For total Puerperal septic diseases, and for total diseases of Pregnancy and Child-birth, see page 20).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	12	10	10	9	9	10	8	9	10	7	4	4	7	10
	P	7	6	5	5	4	5	5	4	4	5	4	3	2	4	5
Infective endocarditis ...	M	14	13	15	15	14	15	17	16	18	14	14	15	12	26	32
	F	13	15	15	15	15	17	17	17	17	15	13	13	14	13	21
	P	13	14	15	15	15	16	17	16	18	14	13	14	13	19	26
Pneumonia (For Pneumonia (all forms), see page 20).	Lobar†	M	188	199	178	217	195	267	280	310	380	331	385	474	282	298
		F	106	114	98	129	103	150	155	173	212	170	165	263	160	157
		P	145	155	137	171	147	207	216	239	288	240	257	350	217	224
	Broncho-	M	545	670	604	604	538	509	513	560	769	601	687	898	593	575
		F	463	563	483	516	446	420	441	442	459	406	423	606	448	428
		P	503	614	541	559	490	463	476	485	508	491	533	726	516	498
	Epidemic†	M	0	0	0	1	0	?	?	?	?	?	?	?	?	?
		F	0	0	0	0	0	?	?	?	?	?	?	?	?	?
		P	0	0	0	0	0	?	?	?	?	?	?	?	?	?
	Not defined	M	689	705	610	680	569	458	419	403	414	538	449	510	746	336
		F	457	470	416	469	383	294	258	255	267	318	254	241	466	209
		P	569	584	510	571	473	373	336	327	338	418	339	354	581	269
Erysipelas	M	39	32	26	31	25	27	28	24	33	35	26	20	21	21	23
	F	32	27	22	27	21	26	22	19	28	25	17	15	14	15	21
	P	35	30	24	29	23	27	25	22	30	30	21	17	17	18	22
Septicaemia, Septic intoxication (not puerperal).	M	14	16	15	12	10	12	14	13	16	16	13	13	13	14	18
	F	12	9	9	9	7	7	8	7	8	8	7	6	6	7	10
	P	13	14	12	10	8	10	11	10	12	12	10	9	9	10	14
Pyæmia (not puerperal), (For total Septicaemia and Pyæmia, see page 20).	M	7	6	5	5	4	5	4	3	4	4	3	3	4	2	3
	F	5	4	3	2	3	2	2	2	2	2	2	1	2	1	2
	P	6	5	4	3	3	3	3	3	3	3	2	2	3	2	3

* Including deaths from Diarrhoea due to food from 1911 onwards.

† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
Pneumonia, Carbuncle (not anthrax).	M F P	31 18 24	28 17 22	26 14 20	29 18 23	24 15 19	25 15 20	25 14 19	24 15 19	29 17 23	31 16 23	27 15 21	31 14 21	33 15 22	31 16 23	33 18 25
Phagedæna ...	M F P	1 1 1	1 1 1	1 1 1	1 1 1	0 0 0	— — —	0 — 0	— 0 0	— 0 0	0 0 0	0 0 0	— 0 0	— — —	— — —	— — —
Other infective processes...	M F P	8 5 6	8 4 6	8 4 6	9 5 7	8 3 6	9 4 6	6 3 4	8 4 6	8 4 6	8 4 6	6 3 5	6 3 4	7 2 4	6 3 4	7 3 5
Pulmonary tuberculosis (tuberculous phthisis).	M F P	651 427 535	673 450 558	691 405 574	707 467 583	693 476 581	762 532 643	799 556 673	810 558 680	847 597 718	1001 641 804	1091 661 848	1185 718 913	1309 808 1014	896 673 777	815 608 707
Phthisis (not otherwise defined). (<i>For Phthisis (28 & 29a), see page 20.</i>)	M F P	713 537 622	676 509 590	627 476 549	573 446 508	493 379 434	471 368 418	400 299 348	353 267 309	350 263 304	409 269 332	377 255 308	402 253 315	383 257 309	224 180 201	182 149 165
Tuberculous meningitis ...	M F P	188 168 178	184 156 170	180 155 167	172 154 163	167 140 153	155 136 145	146 129 137	151 124 137	139 114 126	171 131 149	168 122 142	177 124 146	160 106 128	110 92 100	105 86 95
Tuberculous peritonitis ...	M F P	116 109 112	106 97 102	113 102 108	107 92 99	105 94 99	98 88 93	78 72 75	92 81 87	84 76 80	101 78 89	96 82 88	108 79 91	102 74 85	60 59 59	52 54 53
Tabes mesenterica ...	M F P	40 33 36	32 24 28	33 24 28	28 21 25	24 20 22	24 20 22	15 13 14	19 13 16	16 12 14	16 10 13	16 9 12	16 9 12	13 7 9	7 5 6	6 5 5
Lupus ...	M F P	1 3 2	2 3 2	1 2 2	1 3 2	1 2 2	1 2 2	1 2 2	1 2 1	1 2 1	1 1 1	2 2 2	2 3 3	2 3 2	2 3 2	1 3 2
Tubercle of other organs...	M F P	62 44 53	57 42 49	58 36 46	62 44 53	72 51 61	51 41 46	50 34 42	48 38 43	49 32 40	53 36 44	63 35 47	70 39 52	72 45 56	53 38 45	51 33 42
General tuberculosis ...	M F P	122 108 115	126 108 117	130 111 120	111 95 103	88 74 81	107 90 98	86 76 81	87 71 79	84 67 77	99 68 82	99 67 81	112 78 92	112 73 89	77 58 67	66 58 62
Scrofula. (<i>For Tuberculosis (all forms), see page 20.</i>)	M F P	2 1 1	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0
Parasitic diseases ...	M F P	11 7 9	8 6 7	8 6 7	7 6 6	6 4 5	8 6 7	5 5 5	7 5 6	6 4 5	5 4 5	5 3 4	5 3 4	4 2 3	4 2 3	3 3 3
Starvation ...	M F P	1 1 1	1 0 1	1 0 0	1 1 1	1 0 1	1 0 1	1 1 1	1 0 1	1 0 1	2 1 1	1 1 1	1 1 1	1 0 0	0 0 0	1 0 0
Scurvy ...	M F P	2 1 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 0 1	1 1 1
Alcoholism, Delirium tremens.	M F P	81 53 66	79 49 63	65 45 55	58 37 47	50 34 42	57 34 45	55 36 45	62 42 52	64 43 53	53 35 43	40 21 29	26 14 19	17 5 10	17 5 10	24 7 15
Opium, Morphia-habit ...	M F P	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	1 0 0	0 0 0	0 0 0	1 1 1	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0
Industrial poisoning.	By Lead ...	M F P	4 0 2	5 0 3	6 0 3	5 0 3	5 0 2	6 0 3	6 0 3	5 0 2	4 0 2	4 0 2	4 0 2	3 0 1	3 0 1	3 0 2
		M F P	— — —	0 — —	— — —	— — —	— — —	0 0 —	— — —	0 0 —	0 0 —	2 2 —	1 2 —	0 0 —	0 — —	0 — —
		M F P	0 — 0	0 — 0	0 — 0	0 — 0	— — —	0 0 —	— — —	0 0 —	0 0 —	2 2 —	1 2 —	0 0 —	0 — —	0 — —
	By Arsenic and other poisons.	M F P	0 — 0	0 — 0	0 — 0	0 — 0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
		M F P	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
		M F P	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
Rheumatic fever, Acute rheumatism.	M F P	66 64 65	58 59 58	51 51 51	56 55 56	46 48 47	52 57 54	52 56 54	47 49 48	54 57 56	62 58 60	56 52 53	46 40 42	50 40 44	40 42 41	54 58 56
Rheumatism of heart* ...	M F P	8 11 10	11 13 12	9 11 10	9 11 10	8 10 9	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

† Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Chronic rheumatism ...	M	9	10	11	10	8	9	8	10	10	12	14	15	13	11	9
	F	14	15	14	15	12	13	11	12	13	15	17	13	14	13	12
	P	11	13	13	12	10	11	10	11	11	14	15	14	13	12	11
Rheumatoid arthritis, Rheumatic gout.	M	16	18	14	17	17	18	18	18	18	26	25	29	28	24	22
	F	39	38	39	43	40	42	44	47	47	53	55	52	57	58	56
	P	28	28	27	31	29	30	32	33	33	41	42	43	45	42	40
Gout ...	M	22	22	20	19	18	19	16	17	16	19	18	18	14	12	10
	F	5	5	5	4	4	3	4	4	3	5	3	3	2	2	1
	P	13	13	12	11	11	11	10	10	10	11	10	9	7	6	5
Carcinoma ...	M	419	411	440	455	483	521	564	592	615	678	729	810	814	723	761
	F	575	598	601	641	647	667	719	773	775	770	781	774	793	826	886
	P	500	508	523	551	568	597	644	686	698	728	759	789	802	778	826
Sarcoma ...	M	59	62	62	63	64	70	67	72	68	74	73	78	81	71	74
	F	51	45	46	49	52	49	52	53	53	50	48	48	48	53	48
	P	55	53	54	56	58	59	59	62	60	61	59	61	62	61	60
Cancer, Malignant disease (not otherwise defined). (For Cancer (all forms), see page 20).	M	320	314	316	315	309	300	286	291	288	324	361	375	385	296	262
	F	412	392	389	392	371	370	351	338	333	338	339	351	334	315	285
	P	367	354	354	355	341	336	320	316	311	332	348	360	354	306	275
Rickets ...	M	47	42	41	39	36	31	25	32	30	33	34	34	28	16	17
	F	34	31	27	25	24	23	17	20	20	17	20	20	17	10	10
	P	40	36	34	32	30	27	21	26	25	24	26	26	22	13	14
Purpura ...	M	7	9	9	9	8	9	7	10	9	9	8	11	9	7	6
	F	8	9	8	8	8	8	10	7	9	10	9	8	7	6	7
	P	7	9	8	9	8	9	8	9	9	10	8	9	8	7	7
Hæmophilia, Hæmorrhagic diathesis.	M	3	3	3	3	4	4	4	4	4	5	4	4	3	3	4
	F	2	3	1	2	1	2	2	2	2	2	2	2	1	2	1
	P	2	3	2	3	2	3	3	3	3	3	3	3	2	2	2
Anæmia, Leucocythæmia...	M	54	60	57	58	64	59	62	65	69	82	83	87	82	69	74
	F	65	66	66	67	71	70	73	75	83	86	85	84	69	80	81
	P	60	63	62	63	68	65	68	70	76	84	85	85	74	75	78
Diabetes mellitus ...	M	105	104	108	111	114	111	117	120	126	142	150	133	126	110	98
	F	91	91	97	98	106	103	105	116	118	120	114	96	90	100	101
	P	97	97	103	104	110	106	111	118	122	130	130	112	105	105	100
Premature birth ...	M	648	608	621	596	567	568	548	553	544	545	551	509	539	489	542
	F	468	447	447	437	420	416	395	416	399	347	324	284	290	336	385
	P	555	525	531	514	491	489	469	482	409	436	423	378	392	408	460
Congenital hydrocephalus	M	13	11	13	12	10	10	10	12	13	13	13	13	13	9	10
	F	9	8	9	7	7	8	6	7	7	8	7	7	6	5	7
	P	11	9	11	9	8	9	8	10	10	10	10	10	9	7	8
Other congenital defects	M	155	152	156	147	147	141	140	151	144	158	162	145	134	119	154
	F	118	110	114	114	106	106	101	107	107	102	98	87	75	81	112
	P	136	130	135	130	125	123	120	128	125	128	126	111	99	99	132
Injury at birth ...	M	31	29	34	33	28	30	32	36	36	35	36	34	28	28	41
	F	19	18	20	21	20	21	19	23	21	19	19	15	14	15	22
	P	25	24	27	27	24	25	26	29	28	26	26	23	20	21	31
Atelectasis ...	M	52	55	54	51	50	49	49	53	51	51	48	44	41	39	49
	F	34	36	38	35	37	34	32	32	32	27	26	23	21	23	32
	P	42	45	45	43	43	41	40	42	41	38	36	32	29	31	40
Want of breast milk ...	M	26	26	26	22	17	17	14	18	14	20	14	16	12	9	12
	F	18	18	18	16	13	13	8	11	12	10	8	7	6	6	7
	P	22	22	22	19	15	15	11	15	13	14	10	11	8	7	9
Teething ...	M	72	70	63	58	52	44	38	46	40	54	47	42	38	26	23
	F	55	51	50	42	38	36	30	36	33	36	29	25	25	17	17
	P	63	60	56	50	45	40	34	41	36	44	37	32	30	21	20
Meningitis, Inflammation of brain.	M	199	172	177	169	153	167	126	131	133	146	128	128	126	106	102
	F	152	142	138	133	127	133	102	110	106	105	89	81	81	78	79
	P	175	156	157	151	140	150	114	120	119	124	106	101	100	91	90
Softening of brain...	M	70	69	70	64	62	54	45	41	39	45	42	47	41	29	21
	F	61	63	63	56	54	52	43	39	39	39	33	34	30	29	22
	P	65	66	66	60	58	53	44	40	39	41	37	39	35	29	22
General paralysis of insane	M	107	106	101	106	100	100	102	97	102	111	109	126	111	78	71
	F	32	31	28	30	27	23	24	21	22	22	19	22	17	14	12
	P	68	67	63	67	62	60	62	58	61	62	58	65	56	44	40
Insanity (not puerperal)...	M	57	57	55	58	54	61	63	56	55	70	76	106	103	67	53
	F	68	70	68	64	62	76	77	68	73	77	78	83	83	68	70
	P	63	64	62	61	58	69	70	62	64	74	77	93	91	67	62

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†	1919.	1920.
Chorea	M	2	2	2	2	2	2	2	2	2	3	2	1	2	1	3
	F	7	7	5	7	6	5	6	6	7	6	5	3	3	3	5
	P	5	4	4	5	4	4	4	4	5	4	3	2	3	2	4
Epilepsy	M	89	87	81	86	81	80	81	81	85	101	115	143	139	85	64
	F	74	75	72	73	70	66	70	69	68	74	76	81	80	68	54
	P	81	81	76	79	75	73	76	75	76	86	93	107	104	76	59
Convulsions... ..	M	428	390	386	344	307	290	252	257	232	260	240	228	210	152	173
	F	306	280	272	242	221	202	168	184	158	159	131	122	109	97	115
	P	365	333	327	291	262	245	209	219	194	204	178	166	150	123	143
Laryngismus stridulus ...	M	11	11	14	9	7	8	7	8	9	10	9	7	6	4	5
	F	7	7	6	7	6	6	3	5	5	5	4	5	3	3	4
	P	9	9	10	8	7	7	5	7	7	7	6	6	4	3	5
Locomotor ataxy	M	28	27	28	29	28	30	31	35	34	39	45	45	42	34	29
	F	6	7	6	7	5	6	6	6	6	6	5	6	5	4	4
	P	16	17	17	17	16	18	18	20	19	21	23	22	20	18	16
Paraplegia, Diseases of cord	M	67	61	65	67	67	64	57	53	59	68	72	71	74	62	54
	F	54	53	56	52	51	46	42	46	47	47	47	46	45	45	42
	P	60	57	60	59	59	55	49	50	53	56	58	56	57	53	47
Neuritis, Peripheral, Polyneuritis.	M	8	8	8	7	7	7	5	7	7	9	6	7	5	4	4
	F	18	19	15	15	14	16	13	14	14	12	9	6	4	4	5
	P	13	14	11	11	11	12	9	11	10	10	8	6	4	4	5
Brain tumour (not specific)	M	23	23	22	23	23	21	22	22	25	30	33	30	28	27	27
	F	20	21	20	21	22	17	20	22	24	26	25	23	22	22	24
	P	22	22	21	22	22	19	21	22	25	28	28	26	24	24	25
Other diseases of nervous system. (For total diseases of nervous system, see page 20).	M	94	82	76	80	70	74	65	69	68	81	91	92	94	67	60
	F	85	80	71	75	65	70	64	62	62	66	64	60	61	54	52
	P	90	81	73	77	67	72	64	65	65	72	76	74	75	60	56
Otitis, Mastoid disease ...	M	39	36	34	38	33	34	33	38	37	40	38	36	31	36	38
	F	28	28	25	24	24	28	24	25	30	27	25	22	21	21	27
	P	33	32	29	31	28	31	28	31	33	33	30	28	25	28	32
Epistaxis, Diseases of nose	M	2	2	2	2	2	3	3	3	3	2	3	3	3	2	3
	F	1	2	2	2	2	4	2	3	3	2	2	2	2	2	2
	P	2	2	2	2	2	3	3	3	3	2	2	2	2	2	2
Ophthalmia, Diseases of eye	M	2	2	1	2	1	3	2	2	3	3	3	4	3	4	3
	F	2	2	1	1	2	3	2	2	3	2	2	2	1	2	3
	P	2	2	1	2	2	3	2	2	3	2	2	3	2	3	3
Valvular disease, Endocarditis (not infective).*	M	432	444	448	455	446	475	545	586	600	745	790	842	822	695	668
	F	468	495	482	505	489	532	612	632	670	718	698	681	664	699	675
	P	450	470	465	481	468	505	579	609	636	730	738	748	729	697	672
Pericarditis	M	14	16	14	13	14	18	15	14	15	16	13	12	13	9	11
	F	11	12	11	10	11	13	11	9	10	12	10	8	7	8	8
	P	12	14	12	12	12	15	13	12	12	14	11	10	10	8	10
Hypertrophy of heart† ...	M	9	9	11	8	8	?	?	?	?	?	?	?	?	?	?
	F	5	4	5	5	3	?	?	?	?	?	?	?	?	?	?
	P	7	6	8	6	6	?	?	?	?	?	?	?	?	?	?
Angina pectoris	M	35	36	36	37	41	41	42	44	44	52	47	45	46	42	38
	F	18	18	17	18	16	19	19	19	21	21	17	17	14	17	17
	P	26	27	26	27	28	29	30	31	32	35	30	28	27	29	27
Dilatation of heart† ...	M	93	104	98	103	92	?	?	?	?	?	?	?	?	?	?
	F	89	99	93	97	87	?	?	?	?	?	?	?	?	?	?
	P	91	101	95	100	89	?	?	?	?	?	?	?	?	?	?
Fatty degeneration of heart	M	63	67	67	62	66	70	79	85	82	93	86	83	65	60	58
	F	75	76	78	78	69	79	91	97	94	93	87	73	55	67	62
	P	68	72	73	70	68	74	85	91	88	93	86	77	59	64	60
Syncope, Heart disease (not specified).† (For total diseases of heart, see page 20).	M	761	769	733	727	681	742	710	725	712	913	930	931	881	730	634
	F	770	786	745	754	698	746	727	721	731	796	773	710	653	705	653
	P	766	778	739	741	690	744	719	723	722	849	841	803	755	716	644
Cerebral hæmorrhage, Cerebral embolism.	M	422	441	464	467	463	470	494	519	531	624	641	705	655	558	538
	F	495	510	525	543	534	553	583	604	623	639	608	618	584	632	623
	P	459	477	496	506	500	513	540	563	578	632	622	654	613	597	583
Apoplexy, Hemiplegia ...	M	238	229	217	211	191	210	196	189	181	212	220	233	201	166	136
	F	275	263	246	245	221	245	231	210	209	222	200	193	178	178	154
	P	257	247	232	228	206	228	214	200	196	218	208	210	188	173	146

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).
† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope Heart disease (not specified).
‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Aneurysm	M	53	56	51	55	52	53	55	52	50	52	50	51	46	41	44
	F	12	11	11	12	12	12	10	12	12	13	10	11	9	9	9
	P	32	33	30	33	31	32	31	32	31	31	28	28	24	24	26
Senile gangrene	M	47	47	47	49	44	42	40	41	40	49	52	50	45	40	34
	F	36	37	36	39	35	35	31	32	33	33	32	31	27	30	30
	P	41	42	41	44	39	39	35	36	37	40	41	39	35	35	32
Embolism, Thrombosis (not cerebral).	M	11	14	11	12	10	10	10	11	12	13	12	13	11	11	10
	F	15	16	15	15	12	14	13	13	15	12	10	10	9	9	11
	P	13	15	13	13	11	12	12	12	13	12	11	11	10	10	10
Phlebitis	M	3	3	2	3	2	3	4	3	3	4	5	4	3	3	3
	F	5	5	5	5	5	4	6	6	6	5	5	5	3	5	6
	P	4	4	4	4	4	4	5	4	5	5	5	5	3	4	5
Varicose veins	M	1	2	1	2	2	2	2	2	3	3	4	4	3	2	3
	F	5	4	4	4	4	5	6	6	6	5	5	4	5	4	5
	P	3	3	2	3	3	4	4	4	5	4	4	4	4	3	4
Other diseases of blood vessels. (<i>For total diseases of blood vessels, see page 20</i>).	M	83	91	94	115	118	141	191	231	264	312	328	382	388	352	352
	F	49	55	52	62	67	83	115	149	166	177	180	185	190	227	233
	P	65	72	72	88	92	111	152	189	213	238	244	268	272	286	291
Laryngitis	M	35	38	30	33	28	31	27	26	28	34	30	29	26	20	21
	F	27	27	25	23	21	23	19	19	21	22	18	16	16	16	17
	P	31	32	27	28	24	27	23	22	24	28	23	22	20	18	19
Membranous laryngitis (not diphtheritic).	M	2	1	1	1	1	1	0	1	1	0	0	0	0	0	0
	F	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	P	1	1	1	1	1	1	0	0	1	0	0	0	0	0	0
Croup (not spasmodic nor membranous).	M	16	12	10	8	3	2	2	1	1	1	2	1	1	1	1
	F	11	10	8	6	1	2	1	1	1	1	1	0	1	1	0
	P	13	11	9	7	2	2	1	1	1	1	1	1	1	1	0
Other diseases of larynx and trachea.	M	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis	M	1049	1217	1109	1133	986	1006	1072	1082	1074	1526	1390	1482	1477	1285	1056
	F	1031	1216	1093	1171	941	985	1069	1026	1061	1317	1102	1046	1026	1160	935
	P	1040	1216	1101	1152	963	995	1070	1053	1067	1412	1227	1228	1211	1218	992
Emphysema, Asthma ...	M	55	62	58	64	56	63	69	70	74	105	91	99	99	84	66
	F	35	38	38	46	36	41	44	43	47	59	46	43	48	52	42
	P	45	50	48	54	45	52	56	56	60	80	66	66	69	67	53
Pleurisy	M	44	44	42	48	44	48	49	44	49	53	54	61	54	45	44
	F	29	33	29	32	28	32	31	29	32	33	29	30	28	27	28
	P	37	38	35	40	36	39	40	36	40	42	40	43	39	35	35
Fibroid disease of lung ...	M	25	29	24	25	20	14	14	14	15	14	14	16	13	11	10
	F	7	9	9	9	6	4	4	4	4	3	3	2	3	4	2
	P	15	19	16	16	13	9	9	9	9	8	8	8	7	7	6
Other diseases of respiratory system. (<i>For total diseases of respiratory system, see page 20</i>).	M	85	77	79	79	76	80	78	70	72	88	81	85	77	62	57
	F	72	68	70	73	67	64	65	61	63	65	53	53	51	49	44
	P	79	72	74	76	71	72	71	65	67	76	65	66	62	55	50
Tonsillitis, Quinsy ...	M	12	12	12	13	10	13	11	14	17	16	13	12	13	17	14
	F	9	10	9	9	8	11	10	11	13	13	11	10	9	13	12
	P	11	11	10	11	9	12	10	13	15	14	12	11	11	15	13
Diseases of mouth, pharynx, oesophagus (not specific).	M	17	15	14	17	18	18	16	17	20	20	18	19	15	15	17
	F	16	15	15	15	17	13	14	15	18	15	15	12	13	12	12
	P	16	15	15	16	17	15	15	16	19	17	17	15	15	13	15
Gastric ulcer	M	40	39	40	40	45	43	49	50	57	58	61	64	71	58	64
	F	61	63	57	57	57	54	52	48	53	49	48	49	47	41	42
	P	51	51	49	49	51	49	50	49	55	53	54	55	57	49	52
Gastritis, Gastric catarrh...	M	100	95	96	93	93	91	80	90	86	105	102	100	92	69	78
	F	98	93	101	91	85	87	74	83	89	87	81	73	66	67	68
	P	99	94	99	92	89	89	77	87	88	95	90	85	77	68	73
Other diseases of stomach, (not malignant).	M	18	17	16	15	19	18	20	19	21	21	23	18	18	14	14
	F	14	15	13	11	17	15	16	16	18	17	17	12	12	13	10
	P	16	16	14	13	18	16	18	17	19	19	20	14	15	14	12

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Ulceration of intestines ...	M	21	28	27	28	32	32	37	39	41	39	40	39	36	33	36
	F	15	14	16	16	17	16	16	16	16	15	15	15	15	12	14
	P	18	21	21	22	24	24	26	27	28	26	26	25	24	22	24
Enteritis (not epidemic)	M	159	114	137	116	113	176	83	129	121	115	97	103	97	68	75
	F	133	99	116	94	94	149	66	101	93	88	71	66	58	49	56
	P	146	106	126	105	103	162	74	115	107	100	82	81	74	58	65
Gastro-enteritis ...	M	125	80	110	91	98	200	81	155	149	162	136	125	122	96	111
	F	102	62	89	73	76	164	62	122	111	87	79	72	68	82	
	P	113	71	99	82	87	181	71	138	135	134	108	98	93	81	96
Appendicitis, Perityphlitis	M	77	69	73	75	77	91	75	78	85	81	86	85	79	74	77
	F	48	45	50	55	55	61	55	60	58	55	58	54	57	59	58
	P	62	57	61	64	66	75	65	69	71	67	70	67	66	66	67
Hernia ...	M	44	42	38	41	37	40	40	44	41	55	55	68	67	45	44
	F	46	47	42	44	45	46	43	47	47	52	52	65	64	44	44
	P	45	44	40	42	41	43	41	46	44	53	53	66	65	45	44
Intestinal obstruction ...	M	80	78	77	79	70	76	70	68	70	80	84	90	96	73	73
	F	74	70	74	69	70	72	67	64	63	66	59	67	74	64	62
	P	77	74	75	74	70	74	68	66	66	72	70	77	83	68	67
Other diseases of intestines	M	8	8	9	9	10	14	13	14	13	17	14	17	15	14	14
	F	6	8	7	8	9	11	12	13	16	15	14	13	12	12	12
	P	7	8	8	8	10	12	12	14	14	16	14	15	13	13	13
Peritonitis (not puerperal)	M	24	18	20	16	13	13	11	13	12	14	14	13	11	8	10
	F	26	22	20	18	18	20	14	16	16	15	15	13	11	13	13
	P	25	20	20	17	15	17	13	15	14	14	14	13	11	11	11
Cirrhosis of liver ...	M	127	123	121	120	106	105	108	115	117	120	111	97	73	53	60
	F	98	102	89	81	75	78	79	80	82	70	54	38	28	25	27
	P	112	112	104	100	90	91	93	97	99	93	79	63	46	37	42
Other diseases of liver and gall bladder. (For total diseases of liver and gall bladder, see page 20).	M	53	51	44	48	43	43	39	38	42	42	43	40	39	36	35
	F	72	65	63	62	63	66	59	65	65	62	57	49	45	51	55
	P	63	58	54	55	53	55	49	52	54	53	51	45	43	44	45
Other diseases of digestive system. (For total diseases of digestive system, see page 20).	M	9	11	12	13	7	7	7	8	8	7	7	6	5	5	8
	F	8	11	12	13	6	5	5	7	6	6	5	4	3	5	6
	P	9	11	12	13	7	6	6	7	7	7	6	5	4	5	7
Diseases of spleen ...	M	2	1	1	1	1	1	1	1	2	1	2	1	1	1	1
	F	1	2	1	2	1	1	1	1	2	1	1	1	1	1	1
	P	2	1	1	2	1	1	1	1	2	1	2	1	1	1	1
Other diseases of lymphatic system.	M	14	14	14	15	18	17	18	19	21	23	23	20	23	18	19
	F	9	9	9	9	10	11	11	12	13	12	12	12	11	10	12
	P	12	11	11	12	14	14	15	15	17	17	17	15	16	14	15
Diseases of thyroid body	M	4	4	5	4	6	5	5	7	5	7	7	7	9	7	5
	F	24	25	25	29	30	33	33	33	38	35	35	33	31	37	35
	P	14	15	16	17	18	20	20	20	22	23	23	22	22	23	21
Diseases of suprarenal capsules.	M	7	5	6	6	6	6	6	6	5	6	6	7	6	4	5
	F	6	5	7	8	7	8	8	6	7	7	7	7	6	6	7
	P	7	5	6	7	6	7	7	6	6	7	6	7	6	5	6
Acute nephritis, Uræmia...	M	103	111	116	115	110	110	110	115	121	140	140	144	134	110	102
	F	88	89	95	102	92	101	93	100	104	109	98	93	88	85	88
	P	95	99	105	108	100	105	101	107	112	123	116	114	107	96	95
Chronic Bright's disease, Albuminuria. (For total Nephritis and Bright's disease, see page 20).	M	331	332	316	328	319	327	334	358	349	393	382	402	372	282	270
	F	258	272	258	267	261	268	276	283	290	282	250	236	218	212	213
	P	294	301	286	296	289	297	304	319	319	332	307	305	281	245	240
Calculus (not biliary) ...	M	11	12	9	9	11	10	11	11	11	11	11	12	11	11	10
	F	4	4	4	5	4	4	5	4	3	4	4	4	4	3	5
	P	8	8	7	7	7	7	7	7	7	8	7	7	7	7	7
Diseases of bladder and of prostate.	M	145	131	133	129	126	144	134	134	140	169	178	204	202	168	157
	F	13	13	14	13	12	14	13	12	14	15	13	13	13	12	12
	P	77	70	71	69	67	77	72	71	75	85	85	93	90	85	81
Other diseases of urinary system.	M	29	28	29	25	31	33	32	33	34	36	38	45	41	35	33
	F	9	8	7	7	9	10	11	11	13	11	10	10	9	10	11
	P	18	18	17	16	20	21	21	22	23	22	22	25	22	22	22
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	20	16	17	16	17	15	14	16	15	16	14	14	14	16
	P	11	10	8	9	8	9	8	7	8	8	9	8	8	7	8
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	3	2	2	1	1	1	1	1	1	1	0	1	0	1
	P	1	1	1	1	1	1	0	0	0	1	0	0	0	0	0

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906–1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Uterine tumour (not malignant)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	18	20	16	17	17	17	17	16	17	16	17	16	16	18
	P	10	9	10	8	9	9	9	9	8	9	9	10	9	9	9
Other diseases of uterus and vagina	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	18	16	18	15	19	17	17	18	18	20	18	18	19	21
	P	9	9	8	10	8	10	9	9	9	10	11	11	10	10	11
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	3	2	2	1	2	1	2	1	1	2	1	2	2	2
Other diseases of generative and mammary organs. (For total diseases of generative and mammary organs, see page 20).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	M	4	3	2	3	4	4	4	5	7	6	5	7	5	5	6
	F	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2
	P	2	2	2	2	2	3	3	3	4	3	3	4	3	3	4
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	6	5	5	4	5	6	6	7	7	5	6	5	6	6
	P	4	3	2	2	2	2	3	3	3	4	3	4	3	3	3
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	4	3	2	3	2	2	1	2	2	1	1	1	2	2
	P	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	25	23	25	24	24	24	28	24	22	23	20	20	21	28
	P	13	13	12	13	12	13	13	15	12	12	13	12	12	11	15
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	35	34	31	31	33	30	32	33	31	29	27	21	19	22	30
	P	18	18	16	16	17	15	17	17	16	16	15	12	11	11	16
Other accidents of pregnancy and childbirth. (For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page 20).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	48	46	46	43	40	40	42	42	43	41	39	29	29	32	43
	P	25	24	24	22	21	21	22	22	22	23	22	17	17	17	23
Caries, Necrosis ...	M	16	12	12	6	2	23	24	25	27	27	29	33	28	30	27
	F	11	10	8	4	1										
	P	13	11	10	5	2										
Arthritis, Periostitis ...	M	7	8	10	9	7	15	16	25	27	27	29	33	28	30	27
	F	5	6	5	6	6	19	20	16	16	16	16	17	15	18	19
	P	6	7	7	7	7	19	20	20	21	21	21	23	20	24	23
Other diseases of locomotor system	M	12	9	9	10	12	12	8	8	11	11	9	12	10	7	7
	F	10	6	6	7	8										
	P	11	7	7	8	10										
Ulcer, Bed-sore ...	M	9	9	8	9	9	8	8	8	11	11	9	12	10	7	7
	F	17	19	17	15	17	14	15	15	18	17	15	16	12	12	11
	P	13	14	12	12	13	11	12	12	15	14	12	14	11	9	9
Eczema ...	M	12	10	10	8	8	10	9	8	9	9	9	6	7	7	7
	F	6	7	6	6	6	5	5	4	5	4	4	4	3	3	3
	P	9	8	8	7	7	7	7	6	7	6	6	5	5	5	5
Pemphigus ...	M	8	7	8	7	7	4	4	4	4	4	6	5	4	4	4
	F	6	6	6	6	5	4	3	4	4	3	4	3	3	3	3
	P	7	6	7	6	6	4	3	4	4	3	5	4	3	3	3
Other diseases of the skin	M	7	8	7	6	7	7	7	8	9	9	9	9	9	8	10
	F	6	7	6	7	6	8	7	8	9	8	8	9	6	6	8
	P	6	7	6	7	7	7	7	8	9	8	9	9	7	7	9
Other specified diseases ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	0	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	0	—	—	—	—	—	—	—	—	—	—	—
Atrophy, Debility ...	M	536	497	498	459	425	447	355	377	345	352	336	300	278	229	261
	F	395	350	356	334	308	326	247	263	234	222	180	167	154	144	160
	P	403	421	424	395	364	385	299	318	291	282	254	214	207	185	209
Old age ...	M	856	829	835	850	776	826	754	723	688	826	866	917	829	724	580
	F	1071	1061	1040	1066	990	1038	970	914	877	955	904	867	772	884	748
	P	970	951	950	959	890	933	862	816	784	897	887	888	795	809	668
Dropsy, Ascites, Anasarca	M	2	4	2	1	1	1	1	1	0	1	1	1	1	1	0
	F	3	4	2	2	1	2	1	1	1	1	1	1	1	1	0
	P	2	4	2	2	1	2	1	1	1	1	1	1	1	1	0
Tumour ...	M	2	2	2	2	2	3	4	3	5	5	5	6	7	6	5
	F	2	3	3	3	3	4	4	4	5	6	5	5	4	5	6
	P	2	3	2	3	2	3	4	4	5	6	5	5	5	5	5
Abscess ...	M	8	9	12	8	8	7	9	9	0	12	11	13	9	10	10
	F	7	8	9	7	6	5	6	6	8	9	8	6	5	7	7
	P	8	8	11	8	7	6	7	7	9	10	9	9	7	8	9

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1906-1920.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.
Hæmorrhage	M	1	1	1	1	2	2	1	1	2	2	2	2	2	2	2
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
	P	1	1	1	1	1	2	1	1	1	1	1	2	2	2	2
Sudden death (cause unascertained).	M	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	F	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	P	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Other ill-defined causes ...	M	28	25	24	23	23	16	12	10	9	13	13	15	12	8	9
	F	18	16	15	15	13	10	8	7	8	10	10	7	7	11	6
	P	23	21	19	19	18	13	10	9	9	11	11	11	8	11	8
Causes not specified. (<i>For total causes ill-defined or not specified, see page 20</i>).	M	6	7	5	4	6	5	4	4	4	4	4	7	8	6	4
	F	3	4	3	3	4	3	3	3	2	3	3	3	3	4	2
	P	5	5	4	3	5	4	4	4	3	3	3	4	4	6	3
Violent Deaths:—																
In mines and quarries ...	M	65	65	67	80	75	85	68	66	89	73	78	87	81	67	54
	F	0	—	—	—	—	—	—	—	—	—	—	—	0	0	0
	P	31	31	33	39	36	41	33	32	43	33	34	36	33	31	26
Vehicles and horses ...	M	128	131	125	112	115	131	134	150	156	189	188	167	159	162	159
	F	21	19	20	19	22	25	25	30	30	39	36	34	32	35	35
	P	73	73	71	64	67	76	78	88	91	107	102	90	84	95	94
Ships, boats, and docks (not drowning).	M	16	15	16	15	15	17	19	18	17	19	20	21	18	17	17
	F	0	0	0	0	0	0	0	0	0	—	0	0	0	0	—
	P	8	7	8	7	7	8	9	9	9	9	9	9	7	8	8
Building operations ...	M	14	14	13	10	11	12	12	13	15	13	15	14	15	13	13
	F	—	—	—	—	—	—	—	—	—	—	—	0	—	—	—
	P	7	7	6	5	6	6	6	6	7	6	7	6	6	6	6
Machinery	M	14	14	13	12	11	14	13	14	11	19	19	22	23	16	16
	F	1	0	1	0	1	1	0	0	0	0	1	1	2	1	1
	P	7	7	6	6	6	7	6	7	6	9	9	10	10	8	8
Weapons and implements	M	6	5	5	6	5	5	6	7	9	8	7	6	7	7	6
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	3	3	3	3	2	3	3	4	5	4	4	3	3	4	3
Burns and scalds ...	M	65	66	63	64	57	60	55	53	52	66	76	78	78	52	46
	F	86	84	87	86	72	75	75	67	70	76	77	87	70	66	55
	P	76	75	75	75	65	68	65	60	62	71	76	84	73	59	51
Poisons, poisonous vapours	M	21	20	21	21	19	12	12	11	12	11	11	13	12	9	10
	F	11	12	10	10	11	7	6	7	7	7	6	6	5	5	5
	P	16	16	16	16	14	10	9	9	9	9	8	9	8	7	7
Drowning	M	119	112	121	105	108	128	116	113	118	124	135	124	108	89	85
	F	21	20	22	22	21	22	23	22	20	24	23	18	20	17	18
	P	68	65	70	62	63	73	68	66	67	69	72	63	57	51	50
Suffocation	M	59	62	55	48	46	43	45	44	45	37	33	36	28	22	24
	F	50	48	49	42	40	37	40	36	35	26	21	20	17	15	17
	P	55	55	52	45	42	40	43	40	40	31	27	27	22	18	20
Falls	M	83	87	82	78	74	87	91	87	88	100	107	100	87	76	74
	F	67	71	68	69	58	70	71	76	74	75	79	68	56	59	61
	P	75	79	75	74	66	78	81	81	81	86	91	82	69	67	67
Weather agencies ...	M	13	8	10	8	8	26	11	10	11	10	15	14	8	8	4
	F	5	2	3	3	2	11	3	3	4	2	4	3	2	3	1
	P	9	4	7	6	5	18	7	6	7	6	9	8	4	5	2
Otherwise or not stated	M	52	51	54	48	51	44	44	38	39	52	43	47	51	40	40
	F	16	15	15	15	21	16	15	13	13	16	13	13	13	14	13
	P	34	33	34	31	35	30	29	25	26	32	26	28	29	26	26
Battle	M	0	0	0	—	—	0	0	0	38	11	20	41	34	40	13
	F	—	—	—	—	—	—	—	—	2	5	7	11	5	—	—
	P	0	0	0	—	—	0	0	0	19	7	13	23	17	19	6
Homicide	M	8	8	9	8	8	9	8	8	7	7	7	6	6	9	8
	F	8	7	9	8	8	7	9	10	8	7	7	7	6	8	7
	P	8	8	9	8	8	8	9	9	8	7	7	7	6	8	8
Suicide	M	160	157	167	157	155	152	153	147	157	113	115	100	114	136	135
	F	45	50	51	49	48	50	48	49	48	48	41	38	47	51	51
	P	101	102	107	101	100	99	99	96	101	78	73	64	74	91	91
Execution. (<i>For total violent deaths, see page 20</i>).	M	0	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	F	—	0	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	0	0	0	1	0	0	0	0	0	—	0	0	0	0	1

* Based upon civilian deaths and civilian population.

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the POPULATION at ALL AGES from VARIOUS CAUSES, 1920.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	13,413	11,456	12,388	32	Tuberculosis of spinal column.	22	14	19
1	Enteric fever ...	16	12	14	33	Tuberculosis of joints	12	7	9
2	Typhus... ..	—	—	—	34	Tuberculosis of other organs.	18	15	16
3	Relapsing fever ...	0	—	0		A. Lupus	1	3	2
	A. Relapsing fever ...	0	—	0		B. Scrofula	0	0	0
	B. Mediterranean fever	0	—	0		C. Other tuberculosis included under 34.	17	12	14
4	Malaria	13	1	7					
5	Small-pox	1	1	1					
6	Measles... ..	210	174	191	35	Disseminated tuberculosis.	49	40	45
7	Scarlet fever ...	39	37	38					
8	Whooping cough ...	110	123	117	28-35	Tuberculosis (all forms)	1,279	996	1,131
9	Diphtheria, Croup ...	151	149	150	36	Rickets, Softening of bones.	18	12	15
	A. Diphtheria ...	150	149	150		A. Rickets	17	10	14
	B. Membranous laryngitis.	0	0	0		B. Other forms of bone softening.	1	2	1
	C. Croup	1	0	0					
10	Influenza	315	255	283	37	Syphilis	64	44	54
11	Miliary fever ...	—	—	—	38	Other venereal diseases	2	2	2
12	Asiatic cholera ...	—	—	—		A. Soft chancre ...	0	—	0
13	Cholera nostras ...	0	0	0		B. Gonococcus infection.	1	1	1
14	Dysentery	9	5	7		C. Purulent ophthalmia.	1	1	1
15	Plague	0	0	0					
16	Yellow fever ...	—	—	—	39	Cancer of the buccal cavity.	137	19	75
17	Leprosy	0	—	0					
18	Erysipelas	23	21	22	40	Cancer of the stomach, liver, &c.	418	333	373
19	Other epidemic diseases	5	4	4	41	Cancer of the peritoneum, intestines, and rectum.	247	242	245
	A. Mumps	1	1	1					
	B. German measles	1	1	1	42	Cancer of the female genital organs.	—	254	133
	C. Varicella... ..	2	2	2	43	Cancer of the breast ...	2	228	120
	D. Other diseases included under 19.	1	—	0	44	Cancer of the skin ...	39	20	29
20	Pyæmia, Septicæmia ...	23	12	18	45	Cancer of other or unspecified organs.	254	123	186
	A. Pyæmia	3	2	3					
	B. Septicæmia ...	20	10	15	39-45	Cancer (all sites) ...	1,097	1,219	1,161
	C. Vaccinia	0	0	0	46	Other tumours (situation undefined).	5	6	5
21	Glanders	—	—	—		A. Angioma	—	0	0
22	Anthrax (Splemic fever)	1	0	0		B. Adenoma	—	—	—
23	Rabies	—	—	—		C. Other tumours included under 46.	5	6	5
24	Tetanus	6	2	4	47	Rheumatic fever ...	54	58	56
25	Mycoses	1	1	1	48	Chronic rheumatism, Osteo-arthritis, Gout.	41	69	56
	A. Actinomycosis ...	1	1	1		A. Chronic rheumatism.	9	12	11
	B. Other mycoses ...	0	0	0		B. Osteo-arthritis ...	22	56	40
26	Pellagra	—	0	0		C. Gout	10	1	5
27	Beri-beri	0	—	0	49	Scurvy	1	1	1
28	Pulmonary tuberculosis (not acute).	935	699	811	50	Diabetes	98	101	100
	A. Pulmonary tuberculosis.	753	550	646	51	Exophthalmic goitre ...	3	24	14
	B. Phthisis (not defined as tuberculosis).	182	149	165	52	Addison's disease ...	5	7	6
29	Acute phthisis, Acute miliary tuberculosis.	80	76	78	53	Leucocythæmia, Lymphadenoma.	25	16	20
	A. Acute phthisis ...	63	57	60		A. Leucocythæmia (Leuchæmia).	13	10	11
	B. Acute miliary tuberculosis.	17	19	18		B. Lymphadenoma	12	6	9
28 & 29	Pulmonary tuberculosis (acute & chronic)	1,015	775	889	54	Anæmia, Chlorosis ...	61	71	66
30	Tuberculous meningitis	105	86	95	55	Other general diseases	13	11	12
31	Tuberculosis of peritoneum and intestines.	58	59	58		A. Diabetes insipidus	1	1	1
	A. Tabes mesenterica	6	5	5		B. Purpura	6	7	7
	B. Other peritoneal and intestinal tubercle.	52	54	53		C. Hæmophilia ...	4	1	2
						D. Other diseases included under 55.	2	2	2

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the POPULATION at ALL AGES from VARIOUS CAUSES, 1920—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	9	3	6	72	Chorea... ..	3	5	4
57	Chronic lead poisoning	3	0	2	73	Hysteria, Neuralgia, Neuritis.	6	6	6
	A. Occupational lead poisoning.	3	0	2		A. Hysteria, Neuralgia, Sciatica.	1	1	1
	B. Non-occupational lead poisoning.	—	—	—		B. Neuritis... ..	5	5	5
58	Other chronic occupational poisonings.	0	—	0	74	Other diseases of the nervous system.	53	47	50
59	Other chronic poisonings.	0	0	0		A. Idiocy, Imbecility	6	5	6
60	Encephalitis	26	20	23		B. Cretinism	1	1	1
61	Meningitis	90	68	78		C. Cerebral tumour	27	24	25
	A. Cerebro-spinal fever.	13	9	11		D. Other diseases included under 74.	19	17	18
	B. Posterior basal meningitis.	4	3	3	75	Diseases of the eyes and annexa.	2	1	- 2
	C. Meningitis—other forms.	73	56	64	76	Diseases of the ears ...	37	28	32
62	Locomotor ataxy ...	29	4	16		A. Mastoid disease	10	8	9
63	Other diseases of the spinal cord.	80	61	71		B. Other diseases of the ears.	27	20	23
	A. Diseases formerly classed to "Other nervous affections."	30	23	27	77	Pericarditis	11	8	10
	B. Poliomyelitis, Polioencephalitis.	4	3	4	78	Acute endocarditis ...	68	56	61
	C. Other diseases included under 63.	46	35	40		A. Acute myocarditis.	15	13	14
64	Cerebral hæmorrhage, Apoplexy.	576	650	614		B. Infective endocarditis.	32	21	26
	A. Apoplexy	89	99	94		C. Other acute endocarditis.	21	22	21
	B. Serous apoplexy and Œdema of brain.	2	3	2	79	Organic disease of the heart.	1,276	1,320	1,298
	C. Cerebral congestion.	2	2	2		A. Valvular disease	647	654	651
	D. Cerebral atheroma.	9	7	8		B. Fatty degeneration of the heart.	59	62	60
	E. Cerebral hæmorrhage.	474	539	508		C. Other organic disease of the heart.	570	604	587
65	Softening of brain ...	22	22	22	80	Angina pectoris	38	17	27
66	Paralysis without specified cause.	56	66	62	81	Diseases of the arteries, Atheroma, Aneurysm, &c.	387	238	309
	A. Hemiplegia	48	56	52		A. Aneurysm	44	9	26
	B. Paraplegia	3	4	4		B. Arterial sclerosis	338	226	279
	C. Other forms of paralysis.	5	6	6	82	C. Other diseases of arteries	5	3	4
67	General paralysis of the insane.	71	12	40		Embolism and thrombosis.	73	94	83
68	Other forms of mental alienation.	18	27	23		A. Cerebral embolism and thrombosis.	65	85	75
69	Epilepsy	64	53	58	83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	6	11	9
70	Convulsions (non-puerperal; 5 years and over).	1	1	1		A. Phlebitis	3	6	5
	A. Epileptiform convulsions.	0	0	0		B. Varix	3	5	4
	B. Others included under 70.	1	1	1		C. Pylephlebitis ...	0	0	0
71	Infantile convulsions (under 5 years of age).	194	130	161		D. Varicocele	0	—	0
	A. Convulsions with teething.	22	16	19	84	Diseases of the lymphatic system (Lymphangitis, &c.)	8	5	7
	B. Other infantile convulsions.	172	114	142		A. Status lymphaticus.	5	3	4
						B. Other diseases of the lymphatic system.	3	2	3

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the POPULATION at ALL AGES from VARIOUS CAUSES, 1920—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	12	12	12		C. Parotitis ...	1	1	1
	A. Functional disease of the heart.	9	10	10		D. Other diseases of mouth and annexa.	0	1	0
	B. Epistaxis ...	1	0	0	100	Diseases of the pharynx, Tonsillitis.	22	15	18
	C. Other diseases included under 85.	2	2	2		A. Tonsillitis ...	14	12	13
86	Diseases of the nasal fossæ.	3	1	2		B. Ludwig's angina	3	1	2
87	Diseases of the larynx	27	22	25	101	C. Other diseases of the pharynx.	5	2	3
	A. Laryngismus stridulus.	5	4	5		Diseases of the œsophagus.	2	1	2
	B. Laryngitis ...	21	17	19	102	Perforating ulcer of stomach.	64	42	52
	C. Other diseases of larynx.	1	1	1	103	Other diseases of the stomach.	92	78	85
88	Diseases of the thyroid body.	1	10	6		A. Inflammation of stomach.	78	68	73
89 & 90	Bronchitis ...	1,078	948	1,010		B. Other diseases included under 103.	14	10	12
	A. Bronchiectasis, Bronchial catarrh, &c.	22	13	17	104	Diarrhœa and enteritis	371	256	311
	B. Other bronchitis	1,056	935	993	& 105	A. Infective enteritis	75	51	63
91	Broncho-pneumonia...	576	427	498		B. Diarrhœa — not returned as infective.	63	46	54
92	Pneumonia, lobar and undefined.	630	361	489		C. Enteritis — not returned as infective.	75	56	65
	A. Lobarpneumonia	299	158	225		D. Gastro-enteritis — not returned as infective.	111	82	96
	B. Pneumonia (type not stated).	331	203	264		E. Dyspepsia — under 2 years.	9	5	7
91 & 92	Pneumonia (all forms)	1,206	788	987		F. Colic ...	2	1	2
93	Pleurisy ...	44	27	35		G. Ulceration of intestines.	5	8	6
	A. Empyema ...	17	7	12		H. Duodenal ulcer	31	7	18
	B. Other pleurisy ...	27	20	23	106	Ankylostomiasis ...	0	—	0
94	Pulmonary congestion, Pulmonary apoplexy.	30	31	31	107	Other intestinal parasites.	0	0	0
	A. Pulmonary apoplexy and infarction.	1	0	1	108	Appendicitis ...	78	58	67
	B. Pulmonary œdema and congestion.	25	25	25	109	Hernia, Intestinal obstruction.	116	105	111
	C. Hypostatic pneumonia.	4	6	5		A. Hernia ...	44	44	44
	D. Collapse of lung (3 months and over).	—	0	0		B. Intestinal obstruction.	72	61	67
95	Gangrene of the lung	2	1	2	110	Other diseases of the intestines.	14	12	13
96	Asthma ...	57	38	47	111	Acute yellow atrophy of the liver.	1	3	2
97	Pulmonary emphysema.	9	3	6	112	Hydatid of liver ..	0	1	1
98	Other diseases of the respiratory system.	18	6	12	113	Cirrhosis of the liver	66	30	46
	A. Fibroid disease of lung.	10	2	6		A. Cirrhosis of the liver not returned as alcoholic.	60	27	42
	B. Other diseases included under 98.	8	4	6		B. Cirrhosis of the liver returned as alcoholic.	5	2	3
99	Diseases of the mouth and annexa.	12	11	11		C. Diseases formerly classed to "Other diseases of liver and gall bladder."	1	1	1
	A. Diseases of the teeth and gums.	9	7	8					
	B. Thrush, Aphthous stomatitis.	2	2	2					

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the POPULATION at ALL AGES from VARIOUS CAUSES, 1920—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	12	29	21	131	Ovarian cyst, tumour (non-cancerous).	—	16	8
115	Other diseases of the liver.	20	23	22	132	Other diseases of the female genital organs.	—	11	5
116	Diseases of the spleen	1	1	1		A. Diseases of ovary (excluding ovarian tumour).	—	1	0
	A. Infarction of spleen.	—	—	—		B. Other diseases included under 132.	—	10	5
	B. Other diseases of the spleen.	1	1	1					
117	Peritonitis (cause unstated).	10	13	11	133	Non-puerperal diseases of the breast (non-cancerous).	0	2	1
118	Other diseases of the digestive system.	7	6	7	134	Accidents of pregnancy.	—	18	9
	A. Abdominal abscess, Subphrenic abscess.	1	1	1		A. Abortion ...	—	6	3
	B. Other diseases included under 118.	6	5	6		B. Hæmorrhage of pregnancy.	—	4	2
119	Acute nephritis ...	47	38	42		C. Uncontrollable vomiting.	—	2	1
120	Bright's disease ...	322	250	284		D. Ectopic gestation	—	4	2
	A. Bright's disease as in 1901 list.	267	208	236		E. Other accidents of pregnancy.	—	2	1
	B. Nephritis (unqualified), 10 years and over, and Uræmia.	55	42	48	135	Puerperal hæmorrhage	—	26	14
121	Chyluria ...	0	—	0	136	Other accidents of childbirth.	—	21	11
122	Other diseases of the kidney and annexa.	17	13	15	137	Puerperal fever ...	—	88	46
	A. Abscess of kidney	2	2	2	138	Puerperal albuminuria and convulsions.	—	38	20
	B. Cystic disease ...	1	1	1		A. Puerperal nephritis and uræmia.	—	8	4
	C. Suppression of urine.	1	0	0		B. Puerperal albuminuria and Bright's disease.	—	2	1
	D. Other diseases included under 122.	13	10	12		C. Puerperal convulsions.	—	28	15
123	Calculi of the urinary passages.	10	5	7	139	Puerperal phlegmasia alba dolens, embolism, and sudden death.	—	18	9
124	Diseases of the bladder	54	12	32		A. Puerperal phlegmasia alba dolens and phlebitis.	—	3	1
125	Diseases of the urethra, Urinary abscess, &c.	21	0	10		B. Puerperal embolism and sudden death.	—	15	8
	A. Perineal abscess	1	—	1	140	Puerperal insanity ...	—	2	1
	B. Other diseases of urethra, &c.	20	0	9	141	Puerperal diseases of the breast.	—	1	0
126	Diseases of the prostate.	103	—	49	142	Gangrene ...	39	33	37
127	Non-venereal diseases of male genital organs.	3	—	1		A. Senile gangrene	34	30	32
128	Uterine hæmorrhage (non-puerperal).	—	2	1		B. Noma, Gangrene of mouth.	2	1	2
	A. Menorrhagia ...	—	1	0		C. Noma pudendi ...	1	0	1
	B. Other uterine hæmorrhage.	—	1	1		D. Other gangrene	2	2	2
129	Uterine tumour (non-cancerous).	—	18	9	143	Carbuncle, Boil ...	11	5	8
130	Other diseases of the uterus.	—	11	5	144	Phlegmon, Acute abscess.	27	18	22
	A. Disorders of menstruation (except menorrhagia).	—	1	0		A. Phlegmon ...	19	12	15
	B. Other diseases included under 130.	—	10	5		B. Acute abscess ...	8	6	7

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the POPULATION at ALL AGES from VARIOUS CAUSES, 1920—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
145	Diseases of the integumentary system.	27	25	25	164	Poisoning by food ...	2	1	2
	A. Ulcer, Bedsore...	7	11	9	165	Other acute poisonings	4	3	3
	B. Eczema ...	7	3	5	166	Conflagration ...	2	2	2
	C. Pemphigus ...	4	3	3	167	Burns (conflagration excepted).	42	53	47
	D. Other diseases of the integumentary system.	9	8	8	168	Absorption of deleterious gases (conflagration excepted).	26	17	21
146	Diseases of the bones	21	11	16	169	Accidental drowning	85	18	50
147	Diseases of the joints	5	5	5	170	Injury by firearms ...	5	1	3
148	Amputations ...	—	0	0	171	Injury by cutting or piercing instruments.	1	0	1
149	Other diseases of locomotor system.	1	1	1	172	Injury by fall ...	95	61	77
150	Congenital malformations.	131	97	113	173	Injury in mines and quarries.	54	0	26
	A. Congenital hydrocephalus.	10	7	8	174	Injury by machines ...	18	1	9
	B. Phimosi ...	2	—	1	175	Injury by other crushing (vehicles, railways, landslides, &c.).	174	36	102
	C. Congenital malformation of heart.	53	36	44	176	Injury by animals ...	3	0	2
	D. Other congenital malformations.	66	54	60	177	Starvation ...	1	0	0
151	Premature birth, Infantile debility, Icterus, and Sclerema.	824	556	684	178	Excessive cold ...	2	1	1
	A. Premature birth	542	385	460	179	Effects of heat ...	1	1	1
	B. Infantile atrophy, debility, and marasmus.	254	156	203	180	Lightning ...	1	—	0
	C. Icterus neonatorum.	24	13	18	181	Electricity (lightning excepted).	1	—	1
	D. Sclerema and œdema neonatorum.	1	0	1	182	Homicide by firearms	0	1	0
	E. Want of breast milk.	3	2	2	183	Homicide by cutting or piercing instruments.	1	2	2
152	Other diseases peculiar to early infancy.	101	64	81	184	Homicide by other means.	6	5	6
	A. Diseases of umbilicus, &c.	10	9	9	185	Fractures (cause not specified).	2	1	1
	B. Atelectasis ...	49	32	40	186	Other violence ...	35	6	20
	C. Injuries at birth	41	22	31	155-186	All Violence ...	696	261	468
	D. Cyanosis neonatorum.	1	1	1	187	Dropsy ...	0	0	0
153	Lack of care ...	10	7	8	188	Syncope, Sudden death	7	4	5
154	Old age ...	610	785	702		A. Syncope (aged 1 year and under 70 years).	7	4	5
	A. Senile dementia	30	37	34		B. Sudden death not otherwise defined.	0	0	0
	B. Senile decay ...	580	748	668					
155	Suicide by poison ...	10	7	8	189	Ill-defined causes ...	55	36	47
156	Suicide by asphyxia ...	9	6	7		A. Heart failure (aged 1 year and under 70 years).	35	22	29
157	Suicide by hanging or strangulation.	32	8	19		B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	6	6	6
158	Suicide by drowning	27	20	24		C. Teething ...	1	0	1
159	Suicide by firearms ...	13	1	7		D. Pyrexia ...	0	0	0
160	Suicide by cutting or piercing instruments.	32	5	18		E. Other ill-defined deaths.	9	6	8
161	Suicide by jumping from high place.	3	2	3		F. Cause not specified.	4	2	3
162	Suicide by crushing ...	8	1	4					
163	Other suicides ...	1	1	1					
155-163	Suicide (all methods)	135	51	91					

TABLE 12.—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838-1920.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	Pyrexia. (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838-42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847-50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851-55	249	399	907		?	511	983			1,114	2,481		?	1,439
1856-60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861-65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866-70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871-75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876-80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881-85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886-90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891-95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896-1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901-05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906-10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1911-15	0	342	61	139	141	209	0	47	0	1,100	183	435	439	675
1916-20	0	205	32	142	143	156	0	23	0	648	93	435	437	496
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	1	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	1	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,170	158	424	430	703
1912	0	352	55	118	119	230	0	44	0	1,144	167	369	373	751
1913	0	291	57	121	122	149	0	41	0	943	174	384	387	488
1914	0	247	77	158	159	218	0	46	0	808	231	501	504	714
1915*	0	462	66	165	166	230	0	35	0	1,433	186	497	500	717
1916*	0	155	39	154	155	176	0	30	0	468	110	455	458	536
1917*	0	308	22	132	133	134	0	28	0	915	60	380	382	399
1918*	0	289	29	142	143	296	0	26	0	867	80	415	418	893
1919	1	96	33	133	134	71	0	16	0	326	101	433	435	241
1920	1	191	38	150	150	117	—	14	0	657	116	495	496	406

* Among civilian population only.

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs : MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES and from certain OTHER CAUSES, 1919 and 1920.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*													Mortality per 1,000 Births.										
	Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Group.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.
England and Wales	1	1	16	14	1,258	1,131	996	889	96	191	71	117	33	38	134	150	89	80	10.22	8.89	2.70	2.52	1.67	1.81
Administrative Counties (including London).	1	1	15	14	1,180	1,043	929	814	71	172	68	106	28	35	140	156	84	74	9.26	7.55	2.69	2.54	1.60	1.74
Bedfordshire...	—	—	15	10	1,108	917	815	701	10	49	91	39	30	15	106	113	81	56	4.42	2.82	3.53	1.95	2.06	1.30
Berkshire ...	—	—	6	10	996	922	803	765	22	71	61	25	6	10	83	101	56	48	2.28	1.31	1.63	1.31	1.63	1.53
Buckinghamshire	5	—	9	—	1,059	873	825	700	5	61	14	48	14	13	87	126	62	57	4.08	3.64	2.62	1.72	0.58	1.72
Cambridgeshire	—	—	—	—	975	834	753	686	40	70	55	78	48	16	119	39	59	50	5.02	1.47	0.50	1.84	1.50	2.21
Cheshire ...	—	3	8	16	985	926	752	727	52	93	47	82	45	42	110	96	83	72	6.50	5.90	2.90	3.13	1.50	2.42
Cornwall ...	—	—	23	16	1,409	1,226	1,135	989	46	35	23	103	7	6	222	199	79	60	8.64	4.01	3.91	3.58	0.62	1.14
Cumberland	—	—	10	14	1,087	928	782	672	364	294	121	117	10	14	238	284	105	90	7.87	9.79	2.13	4.39	1.49	2.87
Derbyshire ...	—	—	27	14	957	793	715	575	58	277	40	138	20	14	137	124	97	83	6.93	6.61	3.38	2.89	1.27	1.41
Devonshire ...	—	—	8	12	1,341	1,154	1,073	954	41	34	41	55	13	14	74	140	65	51	4.01	3.75	3.67	2.84	1.34	1.02
Dorsetshire ...	—	—	19	9	1,204	999	979	771	24	46	62	70	19	19	82	56	66	57	2.58	3.67	2.58	1.84	1.72	2.04
Durham ...	1	—	26	23	1,339	1,187	963	856	229	234	108	139	108	119	190	189	114	107	14.11	13.84	3.33	2.74	0.76	1.29
Ely, Isle of ...	15	—	14	14	1,082	876	878	726	44	96	29	192	15	27	59	68	85	69	8.05	7.24	2.42	3.90	0.81	1.11
Essex ...	—	7	13	9	1,081	828	840	635	55	88	47	105	16	24	134	172	66	59	6.92	4.84	2.99	2.04	1.63	1.61
Gloucestershire	—	—	3	3	979	974	760	748	6	135	91	58	3	15	87	83	75	56	6.82	3.13	3.79	2.74	0.57	1.18
Herefordshire	—	—	9	—	1,213	1,091	940	874	—	108	19	90	9	18	56	63	77	61	3.10	3.36	2.58	2.61	2.07	2.24
Hertfordshire	—	—	—	6	983	905	722	692	64	76	77	67	6	15	96	97	50	48	2.72	3.57	2.51	2.06	2.09	1.65
Huntingdonshire	—	—	—	—	1,102	1,050	812	755	—	55	290	18	—	18	193	313	77	65	1.55	1.55	2.31	0.78	2.31	—
Kent ...	2	1	16	6	1,268	1,031	1,013	794	62	90	61	92	19	13	155	149	69	58	6.99	4.82	2.49	0.82	1.57	1.41
Lancashire ...	—	1	21	30	1,021	985	805	758	78	190	52	92	43	30	134	116	94	91	11.09	11.09	3.19	2.94	1.98	2.04
Leicestershire	—	—	20	23	1,110	900	895	627	12	246	68	42	12	19	175	192	82	64	4.41	4.26	2.79	1.42	1.62	2.05
Lincolnshire, Holland	—	—	—	23	1,368	1,245	1,063	951	37	364	37	82	—	23	73	106	81	75	9.21	9.50	3.68	2.38	0.61	1.43
” Kesteven	—	—	27	—	1,085	886	793	640	27	265	36	137	18	—	255	164	76	68	5.81	2.66	1.45	3.04	0.97	1.90
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Lincolnshire, Lindsey	...	—	—	20	1,149	1,193	821	929	17	184	59	128	25	16	210	160	86	74	5.08	5.59	1.69	2.72	1.06	1.28
London ...	1	1	14	11	1,451	1,285	1,223	1,072	81	227	49	172	34	46	178	229	85	76	16.58	9.59	1.85	1.61	1.88	1.78
Middlesex ...	—	—	7	6	1,006	945	824	781	43	90	25	71	26	33	125	196	68	57	8.99	5.29	1.80	2.31	1.70	1.64
Monmouthshire	—	—	37	14	1,039	898	780	700	3	530	208	165	62	59	99	184	88	88	8.84	7.61	4.24	3.90	1.30	1.86
Norfolk ...	—	—	17	29	1,059	908	850	691	17	54	152	77	57	22	159	96	79	55	2.63	2.79	1.88	3.06	1.69	2.39
Northamptonshire	—	—	10	5	1,132	969	882	760	125	114	116	95	—	—	159	81	81	60	3.18	2.65	3.50	2.85	0.64	1.63
Northumberland	—	—	32	31	1,330	1,290	971	923	267	53	95	109	48	81	177	153	102	91	13.07	11.76	3.10	2.96	1.60	2.42
Nottinghamshire	—	3	8	8	1,059	965	778	695	33	355	66	80	16	24	76	130	95	85	8.53	7.32	2.40	2.54	2.80	2.03
Oxfordshire ...	—	—	8	8	1,096	820	840	690	16	8	192	69	—	—	128	84	68	52	1.92	3.43	3.36	1.25	1.92	1.87
Peterborough, Soke of	—	—	—	—	1,196	794	874	558	—	215	92	86	—	—	92	107	94	62	5.36	6.91	2.68	0.86	5.36	4.32
Rutlandshire...	—	—	—	—	771	775	474	554	—	55	—	111	—	—	178	—	90	63	4.10	5.04	—	—	—	—
Shropshire ...	—	—	9	4	932	827	741	595	35	100	13	133	30	21	104	91	74	66	3.99	5.05	3.28	1.85	1.17	1.18
Somersetshire	—	—	14	10	1,083	931	871	741	36	52	47	70	14	18	64	122	66	54	5.97	3.75	1.58	2.54	1.05	1.09
Southampton	—	—	22	19	1,029	869	839	659	2	68	52	113	2	14	102	101	64	51	3.39	2.46	1.70	2.37	1.17	1.51
Staffordshire...	—	—	9	13	1,017	957	768	687	107	177	126	190	9	32	114	129	90	86	8.08	7.80	2.65	3.13	1.79	1.29
Suffolk, East...	—	—	—	10	1,210	923	945	712	16	54	36	123	21	10	114	98	78	61	2.64	3.29	2.90	2.91	0.53	1.94
" West	19	—	—	18	1,265	1,015	991	821	38	37	113	9	19	9	66	65	66	52	4.38	3.00	2.19	2.62	1.09	1.12
Surrey ...	—	—	10	7	890	831	735	668	26	55	35	65	17	12	122	129	63	50	5.23	4.18	1.77	1.83	2.05	1.76
Sussex, East ...	—	—	4	—	1,124	887	808	701	4	125	48	32	—	16	105	117	62	46	5.24	1.98	1.75	2.78	1.46	2.18
" West...	—	—	6	16	1,217	719	1,002	561	24	16	48	38	—	11	119	120	57	49	3.86	4.17	1.93	0.78	1.93	2.35
Warwickshire	—	—	6	9	1,072	878	860	654	83	103	129	53	9	18	71	80	77	65	4.75	5.88	3.77	2.47	1.31	0.94
Westmorland	—	—	34	49	776	1,076	534	750	103	33	52	33	52	147	121	81	80	66	1.21	3.83	3.62	4.60	1.21	4.60
Wight, Isle of	13	—	25	24	1,177	1,121	990	956	—	130	125	130	—	—	138	71	59	51	2.30	3.85	1.53	2.20	—	1.65
Wiltshire ...	—	—	4	14	992	850	762	667	15	25	30	81	4	11	78	85	73	55	3.75	2.86	2.29	2.86	2.29	1.81
Worcestershire	—	—	11	3	1,062	1,012	853	774	39	117	67	77	21	30	92	114	73	63	4.64	4.95	2.22	3.26	2.22	1.27
Yorkshire, East Riding	—	—	20	43	1,173	1,017	812	775	33	130	46	56	20	12	85	93	75	67	3.62	3.89	2.89	2.59	2.17	0.52
" North	—	—	14	26	1,285	1,073	900	783	221	75	112	121	35	42	294	199	102	79	9.15	8.37	4.07	3.04	2.03	2.54
" West	1	—	29	31	1,150	994	820	709	116	340	70	72	17	32	130	127	100	92	10.45	13.61	3.17	3.12	1.51	2.14
Anglesey ...	—	—	—	—	1,681	1,374	1,387	1,138	—	—	—	20	—	—	231	216	89	80	4.44	5.95	2.22	3.40	1.11	—
Brecknockshire	—	—	109	—	1,451	1,262	1,142	864	18	282	91	116	—	33	109	116	79	87	5.88	4.81	5.04	3.43	2.52	2.75
Cardiganshire	—	—	18	17	2,236	1,942	1,789	1,613	—	35	107	139	36	17	54	87	80	75	5.41	4.85	5.41	0.97	1.08	1.94
Cardiganshire	—	—	18	11	1,461	1,166	1,194	1,194	12	171	94	80	29	11	183	337	89	95	9.13	12.31	3.42	3.42	1.14	1.14
Carmarthenshire	—	—	18	8	2,155	1,740	1,627	1,363	107	131	9	57	9	16	63	90	97	73	7.18	6.55	4.19	6.14	1.20	1.23
Carnarvonshire	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Denbighshire	—	—	7	7	1,206	1,017	938	811	120	279	176	60	78	80	247	339	108	87	7.02	9.59	3.16	2.47	1.05	3.84
Flintshire ...	—	—	11	2	1,052	1,080	873	882	—	89	210	30	63	99	63	129	88	73	4.78	4.43	1.59	2.42	1.59	1.61
Glamorganshire	—	—	24	17	1,083	1,021	848	779	45	405	151	129	23	96	148	205	95	91	10.86	8.53	3.75	3.83	1.72	1.50
Merionethshire	—	—	25	—	1,910	2,276	1,533	1,869	—	72	25	24	—	24	151	120	62	71	3.17	9.06	3.17	4.53	—	3.40
Montgomeryshire	—	—	—	20	1,394	1,282	1,066	1,065	20	14	—	—	—	—	82	16	65	65	3.33	3.56	4.44	4.45	3.33	3.56
Pembrokeshire	—	—	35	11	1,530	1,231	1,113	943	—	122	185	—	—	33	151	133	77	66	6.65	8.49	2.22	0.89	3.32	3.58
Radnorshire ...	—	—	—	—	1,101	1,533	766	929	—	186	—	46	48	—	96	46	57	83	—	2.13	10.34	2.13	—	4.26

* The rates shown in this table for 1919 are those given in the Report for that year, and are based upon estimates of population made before the results of the 1921 Census became available. Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES, &c., 1919 and 1920—*continued*.

Note.—The figures relate to the areas as constituted at the various dates.

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at All Ages.*												Mortality per 1,000 Births.											
		Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
		1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.
<i>County Boroughs.</i>																									
Barnsley	1	1	15	14	1,429	1,306	1,140	1,039	152	233	80	141	46	45	129	142	99	92	12.02	11.42	2.73	2.49	1.80	1.93	
Barrow in Furness	—	—	19	19	1,509	874	1,103	706	677	725	174	186	58	—	39	37	122	131	19.39	28.62	3.88	4.58	2.33	1.72	
Bath	—	—	14	27	1,277	1,225	978	794	475	229	41	148	27	—	41	27	99	76	3.73	5.58	3.73	4.57	1.07	2.03	
Birkenhead	—	—	30	—	925	806	774	689	—	103	—	15	—	15	61	44	43	53	—	4.51	1.50	3.12	1.50		
Birmingham	—	—	7	14	1,331	1,220	1,067	843	14	192	142	308	209	27	149	103	103	103	12.98	18.51	2.95	2.85	3.25	2.61	
Blackburn	—	—	10	1	1,358	1,093	1,162	918	217	158	66	200	51	120	147	224	89	83	10.50	9.76	1.73	1.40	1.12	2.12	
Blackpool	—	—	8	—	1,198	879	952	661	8	156	87	8	16	23	24	86	96	109	8.71	11.32	2.72	4.95	3.27	1.77	
Bolton	—	—	29	—	1,047	1,072	737	841	15	54	15	—	—	14	29	149	90	72	2.44	2.54	8.56	5.08	6.11	3.39	
Bootle	—	—	28	39	1,189	1,050	964	868	113	149	—	188	23	11	344	193	87	99	9.93	10.40	3.31	2.36	1.99	1.65	
Bournemouth	—	—	26	—	1,481	1,719	1,091	1,250	143	430	26	247	104	143	221	417	97	97	19.45	10.92	1.05	2.62	2.10	0.44	
Bradford	—	—	—	—	1,380	1,247	1,210	1,086	—	—	—	—	—	—	12	74	87	45	1.96	3.55	4.89	4.26	0.98	1.42	
Brighton	—	—	32	21	1,358	1,125	1,128	932	21	31	7	93	18	48	99	97	114	94	11.42	7.62	3.55	3.81	3.81	3.15	
Bristol	—	—	8	7	1,578	1,381	1,276	1,090	—	201	53	75	8	15	76	45	79	68	5.09	7.06	4.58	1.61	2.04	1.93	
Burnley	—	—	19	13	1,340	1,215	1,102	985	11	259	169	45	3	21	55	212	83	69	7.16	7.39	1.79	1.77	0.75	2.19	
Burton upon Trent	—	—	20	29	1,317	1,139	970	842	267	77	139	10	20	29	50	77	119	129	11.88	15.45	3.75	2.85	3.75	0.81	
Bury	—	—	—	—	1,195	1,391	986	941	105	143	—	61	63	20	42	164	89	68	4.83	3.07	7.24	—	—	0.77	
Canterbury	—	—	18	—	1,254	1,132	903	871	—	122	—	192	—	—	74	70	94	93	5.38	8.05	2.69	6.26	4.04	1.79	
Carlisle	—	—	—	—	1,393	767	1,258	597	—	128	22	170	—	—	9	43	59	61	5.17	8.43	—	8.43	2.58	—	
Chester	—	—	—	—	1,159	1,008	870	684	217	76	18	228	54	19	91	38	107	79	13.91	12.70	1.86	3.53	1.86	2.12	
Coventry	—	—	49	49	1,300	984	1,128	762	—	246	98	25	—	25	—	25	84	70	9.22	8.25	3.95	1.83	1.82	1.83	
Croydon	—	—	15	—	1,348	1,258	1,060	994	106	109	61	93	8	16	121	70	84	75	4.03	7.02	2.91	1.22	1.32	1.22	
Darlington	5	—	5	16	1,254	1,042	1,064	858	27	121	5	11	71	32	206	132	73	61	8.10	8.04	0.67	2.99	2.02	1.61	
Derby	16	—	16	15	1,296	1,263	968	928	125	107	31	396	94	137	—	—	138	92	19.05	9.29	3.66	2.32	1.47	1.74	
Dewsbury	—	—	8	—	1,146	918	936	780	153	69	48	8	8	46	81	77	95	77	3.73	5.30	4.56	1.25	2.49	0.94	
Dudley	—	—	76	18	925	932	755	713	113	238	57	91	38	55	227	91	110	109	12.31	17.91	6.63	3.89	—	2.34	
Eastbourne	—	—	36	—	1,055	819	889	694	204	214	259	—	—	36	37	71	100	106	7.54	13.30	2.26	2.89	2.26	2.31	
East Ham	—	—	—	—	1,074	768	888	599	—	—	21	56	—	56	21	37	60	58	5.98	2.03	2.99	1.01	—	—	
	—	—	21	28	893	1,099	748	911	83	118	83	104	7	7	201	125	69	60	12.76	5.90	1.93	1.07	2.71	1.07	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter	...	—	51	17	1,017	1,081	729	912	51	68	51	34	17	—	17	135	78	67	11·07	6·43	4·43	2·86	2·21	4·29
Gateshead	...	8	8	39	2,034	1,865	1,483	1,337	543	40	105	232	113	120	186	96	116	112	14·41	13·76	3·90	4·03	0·90	1·66
Gloucester	...	—	40	—	1,297	1,426	1,098	1,074	—	410	40	625	20	20	100	98	84	65	8·30	7·85	4·15	1·43	0·07	4·28
Great Yarmouth	...	—	19	18	1,488	1,362	1,130	1,165	94	108	226	72	—	—	113	72	104	63	16·73	2·56	—	2·56	0·98	1·92
Grimby	...	—	—	12	1,231	1,503	990	1,152	102	364	63	121	—	12	165	121	80	92	9·07	10·19	3·97	2·12	—	2·12
Halifax	...	—	10	—	1,326	967	1,051	738	10	80	98	60	20	10	187	60	95	99	6·47	4·97	7·19	4·47	4·31	1·49
Hastings	...	—	—	84	1,890	1,529	1,630	1,160	—	118	69	67	17	—	69	218	71	50	2·55	7·85	3·83	—	1·28	2·62
Huddersfield	...	—	36	18	1,282	1,139	988	879	27	90	53	63	—	63	71	152	98	81	7·71	4·76	4·04	4·28	0·67	1·90
Ipswich	...	—	—	—	1,333	1,285	1,000	1,045	—	176	103	63	13	13	218	327	70	72	7·71	1·99	4·20	3·48	0·10	2·99
Kingston upon Hull	...	—	21	28	1,523	1,317	1,087	984	93	284	236	42	29	21	129	87	110	98	11·80	21·71	2·78	2·11	1·56	1·99
Leeds	...	—	19	9	1,683	1,538	1,291	1,211	111	321	151	217	53	35	100	136	119	110	17·58	12·20	3·04	2·14	1·72	3·03
Leicester	...	—	17	13	1,457	1,463	1,212	1,179	4	373	64	102	8	8	140	165	99	90	14·57	10·84	3·97	3·22	2·12	1·69
Lincoln	...	—	17	—	1,271	1,056	990	775	—	495	99	313	—	16	99	82	79	79	5·24	8·25	2·62	2·75	1·75	2·75
Liverpool	...	—	—	10	1,777	1,722	1,447	1,399	131	478	66	284	96	87	274	230	109	113	15·99	18·05	1·87	2·12	1·50	1·68
Manchester	...	2	8	10	1,627	1,492	1,331	1,218	—	285	53	117	35	62	47	96	97	98	11·84	12·34	2·48	1·15	2·41	2·34
Middlesbrough	...	—	26	15	1,392	1,384	1,164	1,110	1604	335	63	190	94	46	283	91	139	136	25·77	24·60	1·98	2·48	1·42	2·26
Newcastle on Tyne	...	—	24	15	1,650	1,814	1,240	1,379	382	163	40	189	87	73	76	83	121	100	14·85	12·63	3·79	1·96	0·30	1·23
Newport (Mon.)	...	—	11	7	1,158	1,222	883	1,016	—	659	80	97	92	32	57	238	81	77	7·60	7·55	2·53	2·64	1·52	2·27
Northampton	...	—	11	11	1,574	1,214	1,293	1,072	22	164	90	98	—	—	112	98	84	74	2·88	6·23	2·16	0·44	—	2·22
Norwich	...	—	—	33	1,258	1,311	983	1,039	8	330	125	206	—	16	175	66	84	75	8·62	7·93	3·83	2·22	0·96	1·90
Nottingham	...	—	8	4	1,514	1,160	1,235	879	43	394	97	95	35	34	252	349	107	96	14·56	10·93	2·29	2·59	1·87	2·59
Oldham	...	—	36	7	1,293	1,402	995	1,104	174	41	36	115	102	41	160	108	95	107	8·74	12·87	4·81	2·69	2·62	4·19
Oxford	...	—	—	—	936	1,050	815	801	—	18	35	53	—	—	121	214	55	53	8·50	8·15	6·07	2·71	—	2·71
Plymouth	...	—	27	25	1,665	1,238	1,286	990	170	187	22	167	27	5	214	187	86	77	15·46	5·27	3·62	4·14	2·66	1·32
Portsmouth	...	—	9	8	1,268	1,156	987	929	53	153	89	179	4	13	178	192	74	61	7·01	3·53	3·31	1·69	1·75	0·77
Preston	...	—	17	—	1,322	1,329	972	934	222	118	43	84	17	17	162	109	108	101	15·82	6·37	1·92	4·36	2·40	3·02
Reading	...	—	22	—	1,051	1,025	897	862	—	120	—	98	11	—	99	55	69	65	5·65	7·02	0·63	3·07	0·63	3·51
Rochdale	...	—	11	43	1,444	1,475	1,177	1,161	178	76	111	130	33	33	44	76	125	92	9·17	6·18	6·88	4·64	1·53	3·09
Rotherham	...	—	29	29	1,405	997	1,072	821	1449	29	43	117	29	—	87	73	93	101	6·63	13·88	2·41	3·47	2·41	1·98
St. Helens	...	—	20	—	1,290	1,152	982	794	50	542	69	68	89	68	248	126	118	113	10·05	10·80	3·72	3·30	2·98	1·80
Salford	...	—	18	59	1,644	1,660	1,304	1,360	248	144	44	127	57	68	84	152	105	99	12·85	15·46	1·55	1·55	4·43	3·40
Sheffield	...	—	2	—	1,275	1,181	1,007	928	367	231	27	126	17	12	46	61	97	104	12·76	17·22	2·90	2·51	2·13	1·30
Smethwick	...	—	—	26	1,303	1,113	1,164	877	97	144	14	183	69	26	83	183	85	83	8·64	4·92	0·62	3·94	1·85	2·46
Southampton	...	—	40	7	1,420	1,315	1,230	1,151	8	172	32	202	—	—	143	187	74	68	8·26	13·73	0·79	3·97	1·18	2·14
Southend on Sea	...	—	—	—	1,380	1,335	1,249	1,190	119	11	71	78	24	—	143	89	59	52	8·59	7·24	0·78	4·31	3·13	1·08
Southport	...	—	14	14	1,226	891	927	669	14	28	43	42	14	—	86	28	90	54	15·80	3·14	3·39	3·97	3·39	2·38
South Shields	...	—	9	43	1,848	1,737	1,238	1,326	377	—	9	145	36	9	90	111	118	121	18·53	17·15	3·19	2·52	0·64	1·01
Stockport	...	—	24	16	1,043	1,251	860	1,034	8	337	64	217	48	56	72	241	98	97	7·10	8·97	3·55	3·11	1·52	2·07
Stoke on Trent	...	—	8	8	1,546	1,479	1,203	1,099	92	297	435	37	130	165	121	87	112	98	8·32	11·85	2·53	2·71	1·09	2·32
Sunderland	...	—	13	—	1,621	1,546	1,112	1,169	402	176	114	132	80	25	60	82	121	104	18·76	12·92	2·85	3·51	1·90	1·66

* The rates shown in this table for 1919 are those given in the Report for that year, and are based upon estimates of population made before the results of the 1921 Census became available. Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs: MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES, &c., 1919 and 1920—*continued*.

(*Note*.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at all Ages.*												Mortality per 1,000 Births.												
		Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.		
1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	1919.	1920.	
Tynemouth	52	95	1,879	1,791	1,345	1,395	483	32	190	95	17	69	79	128	95	16.63	10.97	2.56	4.70	1.92	1.04	
Wakefield	20	75	1,443	1,469	1,077	1,243	—	301	142	56	20	19	81	120	89	10.11	11.93	3.37	1.49	—	2.24	
Wallasey	—	22	1,027	1,090	775	899	—	56	—	124	52	11	94	67	79	72	4.22	5.30	3.52	3.18	1.41	1.59
Walsall	11	10	1,531	1,057	1,197	862	194	493	75	277	22	—	216	133	108	101	19.07	16.76	3.81	3.69	0.95	1.01
Warrington	13	—	1,588	1,197	1,267	862	307	257	—	64	67	26	160	103	96	91	11.49	13.70	3.63	3.09	1.81	1.77
West Bromwich	—	—	1,102	956	844	767	343	175	100	175	—	27	29	148	103	109	7.57	13.07	—	2.95	1.16	0.84
West Ham	13	24	1,462	1,303	1,167	1,091	69	129	52	212	21	26	236	238	86	74	15.40	9.46	0.99	1.03	1.41	0.62
West Hartlepool	15	29	1,450	1,287	1,068	833	31	278	76	249	29	107	88	112	103	8.94	9.61	1.79	2.75	2.39	1.83	
Wigan	34	44	1,259	1,065	1,041	855	69	1,188	46	111	103	11	160	155	117	127	18.58	15.82	3.33	2.88	2.38	0.72
Wolverhampton	—	—	1,321	1,071	1,148	896	81	360	81	204	41	68	20	29	102	87	20.75	8.28	2.90	2.41	0.48	0.69
Worcester	10	—	1,372	1,045	1,182	861	—	287	84	205	—	106	102	60	68	3.67	7.88	1.22	0.88	—	—	
York	—	27	1,436	1,158	1,140	907	—	36	40	12	27	36	148	131	100	63	18.26	6.44	2.28	1.38	—	3.22
Cardiff	15	25	1,639	1,605	1,296	1,336	—	324	176	110	201	95	78	115	95	84	16.68	9.83	2.38	2.89	3.44	1.35
Merthyr Tydfil	—	—	1,396	1,411	1,145	1,027	84	235	84	87	14	223	56	322	92	83	10.90	10.83	2.18	5.87	1.63	2.26
Swansea	—	—	1,443	1,400	1,194	1,197	6	367	62	101	19	13	174	184	104	89	10.19	9.75	4.60	4.63	1.31	2.44

* The rates shown in this table for 1919 are those given in the Report for that year, and are based upon estimates of population made before the results of the 1921 Census became available. Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 14.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1906–1920.

Cause of Death.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
ALL CAUSES	123,895	107,978	113,254	99,430	94,579	114,600	82,779	95,608	91,971	89,380	71,646	64,483	64,386	61,715	76,552
I. Common Infectious Diseases (5–9, 19C).	6,620	7,952	6,974	6,374	6,484	6,787	6,795	5,044	6,118	7,933	4,104	3,832	5,264	1,904	4,029
II. Tuberculous Diseases (28–35).	4,601	4,177	4,365	3,658	3,509	3,353	2,459	2,672	2,515	2,339	1,879	1,838	1,282	1,111	1,405
III. Diarrhoea and Enteritis (104) (d).	28,776	11,482	18,733	11,566	11,335	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319	6,039	7,641
IV. Developmental & Wasting Diseases (150, 151, 152B) (e, f).	40,957	38,771	39,837	38,109	36,300	36,452	32,969	34,624	33,207	30,365	27,978	24,426	23,541	25,973	31,115
V. Miscellaneous Diseases (Remainder).	42,941	45,596	43,345	39,723	36,951	36,108	33,822	36,230	34,834	37,010	29,372	27,502	27,980	26,688	32,362
Small-pox (5)	4	—	1	1	1	1	—	—	—	—	1	—	—	1	2
Chicken-pox (19C) ...	64	64	50	48	54	47	42	52	58	50	34	38	24	22	40
Measles (6)	2,111	2,753	1,778	2,674	1,879	2,785	2,533	2,147	1,879	3,367	1,127	1,825	1,510	650	1,532
Scarlet fever (7) ...	111	128	110	109	80	72	66	73	94	68	49	31	22	32	52
Whooping cough (8) ...	3,976	4,734	4,739	3,251	4,270	3,650	3,989	2,557	3,845	3,630	2,710	1,787	3,551	1,054	2,152
Diphtheria and Croup (9)	354	273	296	291	200	232	165	215	242	218	183	151	157	145	251
Erysipelas (18)	263	212	213	214	150	136	156	142	182	169	115	85	79	65	143
Tuberculous Meningitis (30).	1,374	1,333	1,378	1,231	1,177	1,091	926	901	866	888	762	716	548	484	639
Abdominal Tuberculosis (31).	1,914	1,573	1,718	1,457	1,392	1,313	868	1,106	986	868	623	633	403	323	367
Other Tuberculous Diseases (28, 29, 32–35).	1,313	1,271	1,269	970	940	949	665	665	663	583	494	489	331	304	399
Meningitis (not Tuberculous) (61) (a).	1,969	1,655	1,729	1,564	1,489	1,518	1,120	1,178	1,204	1,300	974	872	687	702	822
Convulsions (71) (b) ...	12,366	11,407	11,304	10,168	9,220	8,530	7,413	7,971	7,137	7,077	5,967	5,271	4,617	4,361	5,347
Laryngitis (87B)	155	155	148	151	134	179	141	139	150	138	119	104	66	71	117
Bronchitis (89,90) (c) ...	7,903	9,872	8,761	7,674	7,082	7,300	6,911	7,161	6,821	7,738	5,871	5,636	5,454	5,791	7,208
Pneumonia (all forms) (91, 92).	9,121	11,485	10,423	9,754	9,152	8,714	8,712	9,606	9,166	10,994	7,727	7,645	8,028	7,282	9,422
Diarrhoea and Enteritis (104) (d).	28,776	11,482	18,733	11,566	11,335	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319	6,039	7,641
Gastritis (103A)	1,619	1,409	1,608	1,474	1,409	1,447	1,146	1,427	1,426	1,452	1,263	1,080	959	897	1,216
Syphilis (37)	1,198	1,133	1,175	1,120	1,028	1,140	1,171	1,286	1,361	1,169	1,232	1,354	1,262	1,217	1,443
Rickets (36A)	559	465	428	434	392	346	300	387	343	316	325	276	230	164	207
Suffocation, including overlying (168 part).	1,624	1,659	1,540	1,361	1,285	1,224	1,348	1,226	1,233	1,020	742	704	557	525	593
Injury at Birth (152C) ...	866	816	941	955	844	904	937	1,063	1,051	930	904	768	660	774	1,164
Atelectasis (152B)	1,458	1,553	1,597	1,506	1,553	1,491	1,465	1,546	1,523	1,350	1,234	1,074	975	1,127	1,501
Congenital Malformations (150) (e).	4,638	4,462	4,714	4,513	4,425	3,241	3,161	3,462	3,420	3,384	3,295	2,875	2,426	2,722	3,882
Premature Birth (151A) ...	19,061	18,219	18,671	18,210	17,574	17,709	17,119	17,654	17,344	15,431	14,627	12,747	13,135	15,009	17,300
Atrophy, Debility, and Marasmus (151B–E) (f).	15,800	14,537	14,855	13,880	12,748	14,011	11,224	11,962	10,920	10,200	8,822	7,730	7,005	7,115	8,432
Other Causes	5,298	5,328	5,075	4,854	4,766	4,670	4,467	4,644	4,760	4,707	4,133	3,707	5,381	4,839	4,680

(a) Including encephalitis previous to 1911.

(b) Including teething without statement as to convulsions previous to 1911.

(c) Excluding bronchiectasis and bronchial catarrh previous to 1911.

(d) Including cholera nostras and food poisoning, but excluding dyspepsia and colic previous to 1911.

(e) Including icterus neonatorum, cyanosis neonatorum, and diseases of umbilicus, but excluding phimosis previous to 1911.

(f) Including dyspepsia, but excluding icterus neonatorum and sclerema and œdema neonatorum previous to 1911.

TABLE 15.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES, 1906-1920.

Cause of Death.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
	Proportion of Deaths to 1,000 Births.														
ALL CAUSES	132.50	117.62	120.43	108.73	105.44	130.06	94.85	108.41	104.62	109.72	91.21	96.48	97.16	89.13	79.93
I. Common Infectious Diseases (5-9, 19c).	7.08	8.67	7.41	6.97	7.22	7.69	7.79	5.71	6.97	9.00	5.21	5.74	7.95	2.75	4.20
II. Tuberculous Diseases (28-35).	4.92	4.54	4.65	4.00	3.91	3.81	2.81	3.02	2.86	2.88	2.39	2.75	1.94	1.61	1.47
III. Diarrhœa and Enteritis (104).*	30.77	12.51	19.92	12.65	12.64	36.20	7.72	19.32	17.40	15.14	10.58	10.30	9.54	8.72	7.98
IV. Developmental and Wasting Diseases (150, 151, 152B).*	43.80	42.23	42.36	41.68	40.46	41.37	37.78	39.26	37.77	37.27	35.61	36.55	35.52	37.52	32.48
V. Miscellaneous Diseases (Remainder).	45.93	49.67	46.09	43.43	41.21	40.99	38.75	41.10	39.62	45.43	37.42	41.14	42.21	38.53	33.80
Small-pox (5)	0.00	—	0.00	0.00	0.00	0.00	—	—	—	—	0.00	—	—	0.00	0.00
Chicken-pox (19c) ...	0.07	0.07	0.05	0.05	0.06	0.05	0.05	0.06	0.07	0.06	0.04	0.06	0.04	0.03	0.04
Measles (6)	2.26	3.00	1.89	2.92	2.09	3.16	2.90	2.43	2.14	4.13	1.43	2.73	2.28	0.94	1.60
Scarlet fever (7) ...	0.12	0.14	0.12	0.12	0.09	0.08	0.08	0.08	0.11	0.08	0.06	0.05	0.03	0.05	0.05
Whooping cough (8) ...	4.25	5.16	5.04	3.56	4.76	4.14	4.57	2.90	4.37	4.46	3.45	2.67	5.36	1.52	2.25
Diphtheria and Croup (9)	0.38	0.30	0.31	0.32	0.22	0.26	0.19	0.24	0.28	0.27	0.23	0.23	0.24	0.21	0.26
Erysipelas (18)	0.28	0.23	0.23	0.23	0.17	0.15	0.18	0.16	0.21	0.21	0.15	0.13	0.12	0.09	0.15
Tuberculous Meningitis (30).	1.47	1.45	1.47	1.35	1.31	1.24	1.06	1.02	0.99	1.09	0.97	1.07	0.83	0.70	0.67
Abdominal Tuberculosis (31).	2.05	1.71	1.83	1.59	1.55	1.49	0.99	1.25	1.12	1.07	0.79	0.95	0.61	0.47	0.38
Other Tuberculous Diseases (28, 29, 32-35).	1.40	1.38	1.35	1.06	1.05	1.08	0.76	0.75	0.75	0.72	0.63	0.73	0.50	0.44	0.42
Meningitis (not Tuberculous) (61).*	2.11	1.80	1.84	1.71	1.66	1.72	1.28	1.34	1.37	1.60	1.24	1.30	1.04	1.01	0.86
Convulsions (71)* ...	13.22	12.43	12.02	11.12	10.28	9.68	8.49	9.04	8.12	8.69	7.60	7.89	6.97	6.30	5.58
Laryngitis (87B) ...	0.17	0.17	0.16	0.17	0.15	0.20	0.16	0.16	0.17	0.17	0.15	0.16	0.10	0.10	0.12
Bronchitis (89, 90)* ...	8.45	10.75	9.32	8.39	7.90	8.28	7.92	8.12	7.76	9.50	7.47	8.43	8.23	8.36	7.53
Pneumonia (all forms) (91, 92).	9.75	12.51	11.08	10.67	10.20	9.89	9.98	10.89	10.43	13.50	9.84	11.44	12.11	10.52	9.84
Diarrhœa and Enteritis (104).*	30.77	12.51	19.92	12.65	12.64	36.20	7.72	19.32	17.40	15.14	10.58	10.30	9.54	8.72	7.98
Gastritis (103A) ...	1.73	1.53	1.71	1.61	1.57	1.64	1.31	1.62	1.62	1.78	1.61	1.62	1.45	1.30	1.27
Syphilis (37)	1.28	1.23	1.25	1.22	1.15	1.29	1.34	1.46	1.55	1.44	1.57	2.03	1.90	1.76	1.51
Rickets (36A)	0.60	0.50	0.46	0.47	0.44	0.39	0.34	0.44	0.39	0.39	0.41	0.41	0.35	0.24	0.22
Suffocation, including overlying (168 part).	1.74	1.81	1.64	1.49	1.43	1.39	1.54	1.39	1.40	1.25	0.94	1.05	0.84	0.76	0.62
Injury at Birth (152c) ...	0.93	0.89	1.00	1.04	0.94	1.03	1.07	1.21	1.20	1.14	1.15	1.15	1.00	1.12	1.22
Atelectasis (152B) ...	1.56	1.69	1.70	1.65	1.73	1.69	1.68	1.75	1.73	1.66	1.57	1.61	1.47	1.63	1.57
Congenital Malformations (150).*	4.96	4.86	5.01	4.94	4.93	3.68	3.62	3.93	3.89	4.15	4.19	4.30	3.66	3.93	4.05
Premature Birth (151A)	20.38	19.85	19.85	19.91	19.59	20.10	19.62	20.02	19.73	18.94	18.62	19.07	19.82	21.68	18.06
Atrophy, Debility, and Marasmus (151B-E).*	16.90	15.83	15.80	15.18	14.21	15.90	12.86	13.56	12.42	12.52	11.23	11.57	10.57	10.28	8.80
Other Causes	5.67	5.82	5.38	5.31	5.32	5.33	5.14	5.27	5.40	5.76	5.29	5.53	8.10	6.97	4.88

* See note to preceding table.

TABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1920.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																	
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
ALL CAUSES ...	M	39.69	18.25	14.02	10.18	7.88	90.02	38.26	17.30	13.17	9.71	7.60	86.04	68.97	37.52	31.29	19.83	13.60	171.21	
	F	30.43	13.00	10.86	8.38	6.64	69.31	29.18	12.24	10.15	7.85	6.37	65.79	55.64	28.27	25.23	19.05	12.18	140.37	
	P	35.18	15.69	12.48	9.30	7.28	79.93	33.83	14.83	11.70	8.81	7.00	76.17	62.46	32.99	28.32	19.45	12.90	156.12	
I. Common Infectious Diseases (5-9, 19C).	M	0.11	0.55	0.73	1.20	1.54	4.13	0.11	0.53	0.73	1.17	1.48	4.02	0.08	0.78	0.91	1.88	2.85	6.50	
	F	0.12	0.61	0.76	1.31	1.47	4.27	0.13	0.61	0.72	1.25	1.46	4.17	—	0.54	1.46	2.23	2.37	6.60	
	P	0.13	0.57	0.74	1.25	1.51	4.20	0.12	0.56	0.72	1.21	1.48	4.09	0.04	0.66	1.17	2.04	2.63	6.54	
Tuberculous Diseases (28-35).	M	0.04	0.20	0.45	0.50	0.47	1.66	0.04	0.20	0.43	0.47	0.46	1.60	0.04	0.34	1.10	0.78	0.79	3.05	
	F	0.03	0.16	0.32	0.42	0.33	1.26	0.03	0.16	0.31	0.35	0.32	1.17	—	0.19	0.68	1.30	0.78	2.95	
	P	0.03	0.18	0.40	0.45	0.41	1.47	0.03	0.18	0.36	0.43	0.39	1.39	0.02	0.26	0.89	1.05	0.78	3.00	
II. Diarrhoea and Enteritis (104).	M	1.03	2.73	2.95	1.60	0.94	9.25	1.00	2.56	2.69	1.46	0.89	8.60	1.66	6.28	8.36	4.40	1.92	22.62	
	F	0.70	1.66	2.24	1.26	0.78	6.64	0.68	1.50	1.98	1.15	0.74	6.05	1.09	4.86	7.24	3.59	1.77	15.55	
	P	0.87	2.21	2.60	1.44	0.86	7.98	0.84	2.04	2.36	1.31	0.81	7.36	1.38	5.58	7.81	4.00	1.85	20.62	
V. Developmental and Wasting Diseases (150, 151, 152B).	M	28.71	5.03	1.76	0.52	0.23	36.25	28.02	4.70	1.57	0.48	0.19	34.96	43.34	11.56	5.71	1.35	0.79	62.75	
	F	22.59	3.80	1.47	0.49	0.17	28.52	21.93	3.50	1.30	0.43	0.16	27.32	36.53	9.83	4.59	1.64	0.50	53.09	
	P	25.74	4.42	1.62	0.50	0.20	32.48	25.03	4.12	1.44	0.46	0.18	31.23	40.01	10.71	5.16	1.49	0.65	58.02	
V. Miscellaneous Diseases (Remainder).	M	9.80	9.74	8.13	6.36	4.70	38.73	9.09	9.31	7.75	6.13	4.58	36.86	23.85	18.56	15.21	11.42	7.25	76.29	
	F	6.99	6.77	6.07	4.90	3.89	28.62	6.41	6.47	5.84	4.67	3.69	27.08	18.02	12.85	11.26	10.29	6.76	59.18	
	P	8.41	8.31	7.12	5.66	4.30	33.80	7.81	7.93	6.82	5.40	4.14	32.10	21.01	15.78	13.29	10.87	6.99	67.94	
Small-pox (5) ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	0.00	—	—	0.00	0.00	—	0.00	—	—	0.00	0.00	—	—	—	—	—	—	
	P	—	0.00	—	—	0.00	0.00	—	0.00	—	—	0.00	0.00	—	—	—	—	—	—	
Chicken-pox (19C).	M	0.00	0.01	0.01	0.01	0.01	0.04	0.00	0.01	0.01	0.01	0.01	0.04	—	—	—	0.04	0.05	0.09	
	F	—	—	0.01	0.02	0.01	0.04	—	—	0.01	0.02	0.01	0.04	—	—	0.05	—	—	0.05	
	P	0.00	0.00	0.01	0.02	0.01	0.04	0.00	0.00	0.01	0.02	0.01	0.04	—	—	0.02	0.02	0.03	0.07	
Measles (6) ...	M	0.02	0.09	0.15	0.53	0.90	1.69	0.02	0.08	0.15	0.51	0.86	1.62	0.04	0.13	0.26	0.92	1.33	3.18	
	F	0.03	0.05	0.14	0.54	0.74	1.50	0.03	0.04	0.12	0.52	0.73	1.44	—	0.09	0.41	0.95	1.37	2.82	
	P	0.03	0.07	0.14	0.53	0.83	1.60	0.03	0.06	0.13	0.51	0.80	1.53	0.02	0.11	0.33	0.93	1.61	3.00	
Scarlet fever (7)	M	0.00	0.00	0.01	0.02	0.04	0.07	0.00	0.00	0.01	0.02	0.04	0.07	—	—	—	—	—	—	
	F	0.00	0.00	0.00	0.02	0.02	0.04	0.00	0.00	0.00	0.02	0.02	0.04	—	—	—	—	—	—	
	P	0.00	0.00	0.01	0.02	0.02	0.05	0.00	0.00	0.01	0.02	0.03	0.06	—	—	—	—	—	—	
Whooping cough (8).	M	0.08	0.43	0.52	0.56	0.46	2.05	0.08	0.42	0.52	0.55	0.44	2.01	—	0.65	0.61	0.83	0.83	2.92	
	F	0.09	0.54	0.58	0.66	0.58	2.45	0.10	0.55	0.57	0.62	0.57	2.41	—	0.36	0.95	1.19	0.91	3.41	
	P	0.09	0.48	0.55	0.61	0.52	2.25	0.09	0.48	0.54	0.59	0.50	2.20	—	0.51	0.78	1.00	0.87	3.16	
Diphtheria and Croup (9).	M	0.01	0.02	0.04	0.08	0.13	0.28	0.01	0.02	0.04	0.08	0.13	0.28	0.04	—	0.04	0.09	0.14	0.31	
	F	0.00	0.02	0.03	0.07	0.12	0.24	0.00	0.02	0.02	0.07	0.13	0.24	—	0.09	0.05	0.09	0.09	0.32	
	P	0.01	0.02	0.03	0.07	0.13	0.26	0.00	0.02	0.03	0.07	0.14	0.26	0.02	0.04	0.04	0.09	0.12	0.31	
Erysipelas (18)...	M	0.03	0.09	0.02	0.01	0.00	0.15	0.04	0.07	0.02	0.01	0.00	0.14	—	0.18	0.04	0.04	—	0.26	
	F	0.02	0.08	0.03	0.01	0.01	0.15	0.02	0.10	0.02	0.01	0.01	0.16	0.04	0.05	—	—	—	0.09	
	P	0.03	0.07	0.03	0.01	0.01	0.15	0.03	0.07	0.03	0.01	0.01	0.15	0.02	0.12	0.02	0.02	—	0.18	
Tuberculous Meningitis (30).	M	0.01	0.05	0.16	0.27	0.24	0.73	0.01	0.06	0.16	0.26	0.24	0.73	—	0.04	0.31	0.17	0.26	0.78	
	F	0.01	0.07	0.15	0.20	0.17	0.60	0.01	0.07	0.15	0.17	0.17	0.57	—	0.05	0.32	0.49	0.23	1.09	
	P	0.01	0.06	0.16	0.23	0.21	0.67	0.01	0.06	0.15	0.23	0.20	0.65	—	0.04	0.31	0.34	0.24	0.93	
Abdominal Tuberculosis (31).	M	0.01	0.09	0.16	0.10	0.09	0.45	0.01	0.09	0.15	0.09	0.08	0.42	0.04	0.13	0.35	0.35	0.31	1.18	
	F	0.01	0.04	0.09	0.11	0.06	0.31	0.01	0.04	0.08	0.09	0.06	0.28	—	0.05	0.18	0.40	0.23	0.86	
	P	0.01	0.07	0.13	0.10	0.07	0.38	0.01	0.07	0.11	0.09	0.07	0.35	0.02	0.09	0.27	0.37	0.27	1.02	
Other Tuberculous Diseases (28, 29, 32-35).	M	0.02	0.06	0.13	0.13	0.14	0.48	0.02	0.05	0.12	0.12	0.14	0.45	—	0.17	0.44	0.26	0.22	1.09	
	F	0.01	0.05	0.08	0.11	0.10	0.35	0.01	0.05	0.08	0.09	0.09	0.32	—	0.09	0.18	0.41	0.32	1.00	
	P	0.01	0.05	0.11	0.12	0.13	0.42	0.01	0.05	0.10	0.11	0.12	0.39	—	0.13	0.31	0.34	0.27	1.05	
Meningitis (not Tuberculous) (61).	M	0.06	0.16	0.23	0.32	0.20	0.97	0.06	0.16	0.23	0.31	0.20	0.96	0.09	0.17	0.35	0.22	0.17	1.00	
	F	0.05	0.09	0.20	0.24	0.17	0.75	0.05	0.08	0.20	0.24	0.17	0.74	—	0.40	0.18	0.23	0.14	0.95	
	P	0.06	0.13	0.22	0.27	0.18	0.86	0.06	0.12	0.21	0.27	0.19	0.85	0.04	0.29	0.27	0.22	0.16	0.98	
Convulsions (71)	M	3.05	1.52	0.91	0.56	0.33	6.37	2.98	1.48	0.86	0.53	0.31	6.16	4.19	2.40	2.00	1.26	0.70	10.55	
	F	2.07	1.06	0.77	0.51	0.34	4.75	2.06	0.99	0.72	0.48	0.32	4.57	2.73	2.36	1.73	1.09	0.68	8.59	
	P	2.56	1.30	0.84	0.54	0.34	5.58	2.54	1.24	0.79	0.50	0.32	5.39	3.47	2.38	1.87	1.18	0.69	9.59	
Laryngitis (87B)	M	0.01	0.02	0.04	0.02	0.03	0.12	0.01	0.02	0.05	0.01	0.03	0.12	—	—	—	0.04	0.05	0.09	
	F	0.02	0.01	0.03	0.															

TABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY
1920—continued.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		Sex.	All Infants.					Legitimate Infants.					Illegitimate Infants.						
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Gastritis (103A)	M	0.28	0.59	0.37	0.19	0.10	1.53	0.27	0.54	0.36	0.18	0.10	1.45	0.44	1.35	0.70	0.52	0.04	3.05
	F	0.20	0.31	0.31	0.12	0.06	1.00	0.19	0.28	0.29	0.12	0.06	0.94	0.36	0.82	0.64	0.23	0.18	2.23
	P	0.24	0.45	0.34	0.16	0.08	1.27	0.23	0.41	0.33	0.15	0.08	1.20	0.40	1.09	0.67	0.38	0.11	2.65
Syphilis (87) ...	M	0.53	0.71	0.26	0.10	0.06	1.66	0.44	0.52	0.18	0.05	0.04	1.23	2.31	4.57	2.05	1.05	0.48	10.46
	F	0.41	0.51	0.28	0.10	0.05	1.35	0.32	0.39	0.20	0.04	0.04	0.99	2.27	2.78	2.00	1.18	0.27	8.50
	P	0.47	0.61	0.27	0.10	0.06	1.51	0.38	0.45	0.19	0.05	0.04	1.11	2.29	3.70	2.02	1.11	0.38	9.50
Rickets (36A) ...	M	0.01	0.03	0.06	0.09	0.09	0.28	0.01	0.03	0.05	0.07	0.08	0.24	—	0.09	0.22	0.47	0.31	1.09
	F	0.00	0.01	0.04	0.04	0.06	0.15	—	0.00	0.04	0.04	0.05	0.13	0.05	0.09	0.09	0.05	0.22	0.50
	P	0.00	0.02	0.05	0.07	0.08	0.22	0.00	0.02	0.05	0.06	0.06	0.19	0.02	0.09	0.16	0.26	0.27	0.80
Suffocation, including over-lying (168 part)	M	0.29	0.20	0.10	0.04	0.01	0.64	0.24	0.19	0.09	0.04	0.01	0.57	1.44	0.39	0.22	—	—	2.05
	F	0.29	0.21	0.09	0.01	0.00	0.60	0.24	0.20	0.09	0.01	0.00	0.54	1.41	0.32	—	—	—	1.73
	P	0.30	0.20	0.09	0.03	0.00	0.62	0.23	0.19	0.09	0.03	0.04	0.58	1.42	0.36	0.11	—	—	1.83
Injury at Birth (152c).	M	1.47	0.03	0.00	—	—	1.50	1.44	0.03	0.00	—	—	1.47	2.10	0.04	—	—	—	2.14
	F	0.89	0.02	—	—	—	0.91	0.86	0.02	—	—	—	0.88	1.59	—	—	—	—	1.59
	P	1.20	0.02	0.00	—	—	1.22	1.16	0.02	0.00	—	—	1.18	1.85	0.02	—	—	—	1.87
Atelectasis (152B).	M	1.72	0.06	—	—	—	1.78	1.70	0.06	—	—	—	1.76	2.31	0.09	—	—	—	2.40
	F	1.29	0.04	—	—	—	1.33	1.27	0.04	—	—	—	1.31	1.81	0.05	—	—	—	1.86
	P	1.52	0.05	—	—	—	1.57	1.49	0.05	—	—	—	1.54	2.07	0.07	—	—	—	2.14
Congenital Malformations (150).	M	2.76	0.99	0.39	0.16	0.08	4.38	2.76	0.96	0.40	0.17	0.07	4.36	2.87	1.44	0.31	0.04	0.13	4.79
	F	2.47	0.63	0.36	0.18	0.07	3.71	2.47	0.61	0.34	0.17	0.07	3.66	2.73	1.09	0.68	0.27	—	4.77
	P	2.62	0.81	0.38	0.17	0.07	4.05	2.62	0.79	0.37	0.17	0.07	4.02	2.79	1.27	0.49	0.16	0.07	4.78
Premature Birth (151A)	M	18.05	1.53	0.17	0.02	0.02	19.79	17.61	1.46	0.15	0.01	0.01	19.24	27.18	3.01	0.61	0.09	0.09	30.98
	F	14.58	1.45	0.18	0.03	0.01	16.25	14.06	1.34	0.16	0.02	0.01	15.59	25.31	3.64	0.41	0.14	0.14	29.64
	P	16.26	1.49	0.17	0.02	0.02	18.06	15.87	1.40	0.16	0.02	0.01	17.46	26.27	3.32	0.51	0.11	0.11	30.32
Atrophy, Debility and Marasmus (151B-E).	M	6.18	2.45	1.20	0.34	0.13	10.30	5.95	2.22	1.02	0.30	0.11	9.60	10.98	7.02	4.79	1.22	0.57	24.58
	F	4.25	1.68	0.93	0.28	0.09	7.23	4.13	1.51	0.80	0.24	0.08	6.76	6.68	5.05	3.50	1.23	0.36	16.82
	P	5.24	2.07	1.07	0.31	0.11	8.80	5.05	1.88	0.91	0.27	0.10	8.21	8.88	6.05	4.16	1.22	0.47	20.78
Other Causes ...	M	2.06	1.07	1.16	0.86	0.55	5.70	1.59	1.05	1.08	0.89	0.56	5.17	11.10	1.93	1.61	1.20	0.57	16.41
	F	1.52	0.75	0.68	0.60	0.48	4.03	1.12	0.73	0.70	0.62	0.41	3.58	8.30	1.39	0.94	1.05	0.78	12.46
	P	1.75	0.94	0.93	0.74	0.52	4.88	1.38	0.93	0.90	0.74	0.44	4.39	9.77	1.65	1.29	1.15	0.63	14.49

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1920.—CLASSES OF ADMINISTRATIVE AREAS.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.	All Infants.						Legitimate Infants.						Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
III. Causes ...	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts
I. Common Infectious Diseases (5-9, 19 C).	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts
II. Tuberculous Diseases (28-35).	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts
III. Diarrhoea and Enteritis (104).	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts
IV. Developmental and Wasting Diseases (150, 151, 152 B).	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts
V. Miscellaneous Diseases (Remainder).	London
	County Boroughs
	Other Urban Districts
	Rural Districts
	All Urban Districts

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1920.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																				
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.						
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Small-pox (5) ...	{ London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chicken-pox (19 C) ...	{ London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles (6) ...	{ London ...	0.00	0.00	0.01	0.03	0.01	0.05	0.00	0.00	0.01	0.02	0.01	0.04	—	—	0.03	0.03	0.03	0.09	
	{ County Boroughs ...	0.00	0.00	0.02	0.04	0.01	0.07	0.00	0.00	0.03	0.03	0.01	0.07	—	—	0.07	—	—	0.13	
	{ Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.07	
	{ Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever (7) ...	{ London ...	0.00	0.00	0.01	0.02	0.03	0.06	0.00	0.00	0.01	0.02	0.03	0.06	—	—	—	—	—	—	
	{ County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Other Urban Districts ...	0.01	0.00	0.00	0.02	0.02	0.05	0.01	0.00	0.00	0.02	0.02	0.05	—	—	—	—	—	—	
	{ Rural Districts ...	0.00	0.00	0.01	0.01	0.01	0.03	0.00	0.00	0.01	0.01	0.01	0.03	—	—	—	—	—	—	
Whooping cough (8) ...	{ London ...	0.10	0.49	0.65	0.92	0.73	2.89	0.10	0.49	0.63	0.87	0.67	2.76	—	0.41	1.02	2.25	2.25	5.93	
	{ County Boroughs ...	0.08	0.52	0.58	0.60	0.56	2.34	0.09	0.52	0.56	0.59	0.54	2.30	—	0.53	0.92	0.79	0.93	3.17	
	{ Other Urban Districts ...	0.08	0.45	0.47	0.61	0.52	2.13	0.08	0.45	0.46	0.58	0.52	2.09	—	0.48	0.62	1.36	0.55	3.01	
	{ Rural Districts ...	0.11	0.49	0.59	0.38	0.30	1.87	0.11	0.48	0.59	0.39	0.29	1.86	—	0.58	0.69	0.19	0.58	2.04	
Diphtheria and Croup (9) ...	{ London ...	0.08	0.48	0.54	0.67	0.57	2.34	0.09	0.48	0.53	0.63	0.55	2.28	—	0.49	0.81	1.24	0.95	3.49	
	{ County Boroughs ...	0.01	0.07	0.06	0.12	0.25	0.51	0.01	0.07	0.06	0.13	0.25	0.52	—	0.20	—	—	0.21	0.41	
	{ Other Urban Districts ...	0.00	0.01	0.05	0.08	0.17	0.31	0.00	0.01	0.04	0.08	0.17	0.30	—	—	0.07	0.13	0.26	0.46	
	{ Rural Districts ...	—	0.01	0.03	0.07	0.08	0.20	0.01	0.01	0.03	0.06	0.09	0.20	0.07	—	0.07	0.13	0.26	0.46	
Total under 1 Year.	{ London ...	0.01	0.02	0.04	0.08	0.15	0.30	0.01	0.02	0.04	0.08	0.14	0.29	0.03	0.03	0.06	0.12	0.13	0.37	
	{ County Boroughs ...	0.01	0.02	0.04	0.08	0.15	0.30	0.01	0.02	0.04	0.08	0.14	0.29	0.03	0.03	0.06	0.12	0.13	0.37	
	{ Other Urban Districts ...	0.01	0.02	0.04	0.08	0.15	0.30	0.01	0.02	0.04	0.08	0.14	0.29	0.03	0.03	0.06	0.12	0.13	0.37	
	{ Rural Districts ...	0.01	0.02	0.04	0.08	0.15	0.30	0.01	0.02	0.04	0.08	0.14	0.29	0.03	0.03	0.06	0.12	0.13	0.37	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Erysipelas (18)
	London	0.02	0.12	0.02	0.01	0.17	0.03	0.11	0.03	—	0.01	0.18	—	—	—	—	—	—
	County Boroughs	0.02	0.06	0.03	0.01	0.14	0.02	0.06	0.03	0.02	0.01	0.14	—	0.06	—	0.07	—	0.20
	Other Urban Districts	0.05	0.07	0.02	—	0.15	0.05	0.07	0.02	0.01	—	0.15	—	0.21	—	—	—	0.21
Tuberculous Meningitis (30).
	London	0.01	0.06	0.03	0.01	0.14	0.02	0.08	0.03	—	0.01	0.14	0.09	0.10	—	—	—	0.19
	County Boroughs	0.01	0.06	0.03	0.01	0.14	0.02	0.08	0.03	0.01	0.00	0.15	—	0.11	0.03	0.03	—	0.17
	Other Urban Districts	0.03	0.09	0.02	0.00	0.15	0.03	0.09	0.02	0.01	0.00	0.15	—	0.11	0.03	0.03	—	0.17
Abdominal Tuberculosis (31).
	London	0.02	0.07	0.03	0.06	0.20	0.02	0.08	0.03	0.05	0.02	0.20	—	—	—	0.20	—	0.20
	County Boroughs	0.02	0.07	0.17	0.13	0.46	0.02	0.07	0.15	0.12	0.06	0.42	—	0.07	0.40	0.39	0.33	1.19
	Other Urban Districts	0.01	0.07	0.14	0.10	0.45	0.00	0.07	0.13	0.09	0.12	0.41	0.07	0.14	0.34	0.34	0.41	1.30
Other Tuberculous Diseases (28, 29, 32-35).
	London	—	0.06	0.07	0.09	0.26	—	0.06	0.07	0.07	0.03	0.23	—	0.10	0.10	0.48	0.10	0.78
	County Boroughs	0.01	0.07	0.13	0.11	0.41	0.01	0.07	0.13	0.10	0.07	0.38	0.03	0.09	0.32	0.34	0.32	1.10
	Other Urban Districts	0.01	0.06	0.12	0.12	0.44	0.01	0.06	0.10	0.11	0.13	0.41	—	0.17	0.37	0.35	0.29	1.18
Meningitis (not Tuberculous) (61).
	London	0.03	0.17	0.26	0.33	0.95	0.03	0.14	0.25	0.35	0.16	0.93	—	0.82	0.41	—	0.20	1.43
	County Boroughs	0.07	0.15	0.27	0.33	1.04	0.07	0.14	0.26	0.34	0.22	1.03	0.13	0.54	0.33	0.26	0.13	1.39
	Other Urban Districts	0.06	0.10	0.19	0.24	0.78	0.06	0.11	0.19	0.23	0.19	0.78	—	—	0.21	0.26	0.21	0.68
Convulsions (71)
	London	0.04	0.11	0.14	0.18	0.61	0.05	0.11	0.14	0.17	0.14	0.61	—	0.10	0.19	0.19	0.10	0.58
	County Boroughs	0.06	0.14	0.23	0.29	0.92	0.06	0.13	0.23	0.29	0.20	0.91	0.06	0.35	0.29	0.23	0.17	1.10
	Other Urban Districts	1.35	0.52	0.28	0.18	2.47	1.32	0.54	0.26	0.18	0.13	2.43	1.85	0.20	0.82	0.20	0.41	3.48
Laryngitis (87 B)
	London	2.79	1.47	1.00	0.61	6.27	2.75	1.42	0.95	0.57	0.37	6.06	3.70	2.44	1.98	1.45	0.99	10.56
	County Boroughs	2.66	1.46	0.90	0.57	5.94	2.62	1.39	0.83	0.53	0.34	5.71	3.28	2.73	2.46	1.57	0.62	10.66
	Other Urban Districts	2.84	1.21	0.82	0.57	5.77	2.77	1.12	0.78	0.56	0.32	5.55	4.19	2.82	1.35	0.68	0.49	9.54
Bronchitis (89, 90)
	London	2.50	1.32	0.85	0.53	5.54	2.47	1.27	0.79	0.49	0.32	5.34	3.25	2.25	2.02	1.33	0.75	9.60
	County Boroughs	0.02	—	0.03	0.01	0.07	0.03	—	0.03	0.01	0.01	0.08	—	—	—	—	—	—
	Other Urban Districts	0.02	0.01	0.07	0.01	0.11	0.02	0.01	0.07	0.01	0.03	0.14	—	—	0.06	—	0.07	0.13
Laryngitis (87 B)
	London	0.01	0.03	0.03	0.03	0.12	0.01	0.03	0.02	0.02	0.02	0.13	—	—	—	0.07	0.14	0.21
	County Boroughs	0.01	0.03	0.03	0.03	0.12	0.01	0.03	0.02	0.02	0.05	0.13	—	—	—	0.10	0.10	0.29
	Other Urban Districts	0.02	0.01	0.04	0.02	0.12	0.02	0.01	0.05	0.02	0.02	0.12	—	—	0.03	0.03	0.08	0.14
Bronchitis (89, 90)
	London	0.83	2.26	1.34	0.83	5.65	0.86	2.25	1.29	0.78	0.39	5.57	0.20	2.46	2.46	2.04	0.41	7.57
	County Boroughs	1.20	2.97	2.26	1.63	9.30	1.23	2.89	2.23	1.55	1.20	9.10	0.66	4.42	2.90	3.43	2.05	13.46
	Other Urban Districts	1.12	2.28	1.96	1.24	7.37	1.10	2.26	1.91	1.18	0.74	7.19	1.37	2.80	3.07	2.60	1.37	11.21
Bronchitis (89, 90)
	London	0.84	2.04	1.43	0.97	5.84	0.83	1.95	1.41	0.95	0.53	5.67	1.07	3.50	1.85	1.27	1.07	8.76
	County Boroughs	1.11	2.58	1.99	1.35	7.94	1.12	2.54	1.95	1.27	0.88	7.76	0.89	3.46	2.91	2.89	1.53	11.68
	Other Urban Districts	1.11	2.58	1.99	1.35	7.94	1.12	2.54	1.95	1.27	0.88	7.76	0.89	3.46	2.91	2.89	1.53	11.68

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1920.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Pneumonia (all forms) (91, 92).	{ London ...	1.23	3.11	3.09	2.75	2.44	12.62	1.19	3.08	3.02	2.72	2.36	12.37	2.04	4.09	4.92	3.27	4.29	18.61
	{ County Boroughs ...	0.80	2.45	2.96	3.17	2.71	12.09	0.81	2.43	2.86	3.03	2.64	11.77	0.46	2.90	5.08	6.15	4.09	18.68
	{ Other Urban Districts ...	0.60	1.76	2.17	2.17	2.00	8.70	0.60	1.74	2.11	2.11	1.96	8.52	0.55	2.12	3.42	3.68	2.80	12.57
	{ Rural Districts ...	0.47	1.23	1.55	1.42	1.30	5.97	0.43	1.17	1.44	1.41	1.26	5.71	1.07	2.15	3.51	1.65	2.04	10.42
	{ All Urban Districts ...	0.78	2.27	2.66	2.70	2.37	10.78	0.78	2.25	2.58	2.60	2.32	10.53	0.72	2.74	4.35	4.70	3.58	16.09
Diarrhoea and Enteritis (104).	{ London ...	0.82	2.36	3.23	1.77	0.80	8.98	0.77	2.04	2.56	1.46	0.72	7.55	2.04	10.02	19.02	9.00	2.66	42.74
	{ County Boroughs ...	1.08	2.80	3.31	1.78	1.16	10.13	1.06	2.57	2.98	1.61	1.06	9.28	1.52	7.59	10.16	5.28	3.30	27.85
	{ Other Urban Districts ...	0.83	1.96	2.36	1.27	0.76	7.18	0.81	1.83	2.20	1.21	0.75	6.80	1.30	4.72	5.39	2.60	0.96	14.97
	{ Rural Districts ...	0.59	1.48	1.37	0.89	0.55	4.88	0.57	1.46	1.31	0.84	0.55	4.73	0.97	1.75	2.44	1.76	0.58	7.50
	{ All Urban Districts ...	0.94	2.39	2.89	1.57	0.94	8.73	0.91	2.18	2.60	1.42	0.88	7.99	1.50	6.72	9.40	4.67	2.22	24.51
Gastritis (103 A)	{ London ...	0.11	0.26	0.17	0.09	0.06	0.69	0.10	0.25	0.16	0.08	0.06	0.65	0.20	0.62	0.41	0.41	—	1.64
	{ County Boroughs ...	0.26	0.55	0.43	0.19	0.07	1.50	0.26	0.52	0.41	0.19	0.06	1.44	0.33	1.06	0.86	0.33	0.13	2.71
	{ Other Urban Districts ...	0.25	0.46	0.32	0.16	0.10	1.29	0.24	0.43	0.29	0.14	0.09	1.19	0.41	1.08	0.96	0.55	0.21	3.21
	{ Rural Districts ...	0.27	0.38	0.33	0.14	0.09	1.21	0.25	0.33	0.33	0.14	0.10	1.15	0.59	1.36	0.10	0.19	—	2.24
	{ All Urban Districts ...	0.23	0.46	0.35	0.16	0.08	1.28	0.23	0.44	0.32	0.15	0.07	1.21	0.35	1.01	0.84	0.43	0.14	2.77
Syphilis (37)	{ London ...	0.39	0.70	0.26	0.12	0.05	1.52	0.32	0.54	0.20	0.02	0.04	1.12	2.04	4.71	1.64	2.45	0.20	11.04
	{ County Boroughs ...	0.65	0.90	0.43	0.13	0.09	2.20	0.54	0.66	0.29	0.07	0.06	1.62	2.97	6.07	3.43	1.39	0.66	14.52
	{ Other Urban Districts ...	0.43	0.50	0.20	0.09	0.04	1.26	0.36	0.39	0.13	0.05	0.03	0.96	1.99	2.73	1.64	0.75	0.34	7.45
	{ Rural Districts ...	0.27	0.21	0.12	0.05	0.03	0.68	0.16	0.17	0.09	0.02	0.03	0.47	1.85	1.07	0.68	0.58	0.10	4.28
	{ All Urban Districts ...	0.52	0.71	0.31	0.11	0.06	1.71	0.43	0.54	0.21	0.05	0.04	1.27	2.42	4.48	2.42	1.27	0.46	11.05
Rickets (36 A)...	{ London ...	0.01	0.02	0.04	0.07	0.07	0.21	—	0.01	0.03	0.07	0.05	0.16	0.20	0.20	0.20	0.41	0.42	1.43
	{ County Boroughs ...	0.01	0.02	0.08	0.08	0.08	0.27	0.01	0.02	0.06	0.07	0.06	0.22	—	0.07	0.33	0.53	0.46	1.39
	{ Other Urban Districts ...	—	0.02	0.03	0.04	0.10	0.19	—	0.02	0.04	0.04	0.09	0.19	—	—	—	0.14	0.07	0.21
	{ Rural Districts ...	—	0.02	0.04	0.05	0.05	0.16	—	0.01	0.04	0.05	0.04	0.14	—	0.19	0.10	—	0.20	0.49
	{ All Urban Districts ...	0.00	0.02	0.05	0.07	0.09	0.23	0.00	0.02	0.05	0.06	0.07	0.20	0.03	0.06	0.17	0.34	0.29	0.89
Suffocation, including overlying (168 part).	{ London ...	0.39	0.37	0.08	0.04	0.02	0.90	0.28	0.35	0.09	0.04	0.02	0.78	3.07	0.61	—	—	—	3.68
	{ County Boroughs ...	0.41	0.26	0.11	0.02	0.00	0.80	0.34	0.25	0.10	0.03	0.00	0.72	1.66	0.46	0.26	—	—	2.38
	{ Other Urban Districts ...	0.18	0.14	0.09	0.03	—	0.44	0.15	0.14	0.09	0.03	—	0.41	0.69	0.27	0.07	—	—	1.03
	{ Rural Districts ...	0.22	0.10	0.09	0.01	0.01	0.43	0.16	0.09	0.09	0.01	0.01	0.36	1.37	0.19	—	—	—	1.56
	{ All Urban Districts ...	0.31	0.23	0.10	0.03	0.00	0.67	0.26	0.22	0.09	0.03	0.00	0.60	1.45	0.40	0.14	—	—	1.99
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

TABLE 18.—INFANT MORTALITY in DIFFERENT PARTS of ENGLAND and WALES, 1920.

AREA.		Proportion of Deaths to 1,000 Births.																
		All Causes.						I.—Common Infectious Diseases (5—9, 19c)						II.—Tuberculous Diseases (28—35).				
		Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
All Areas	North ...	40.68	19.00	16.06	12.40	9.59	97.73	0.13	0.56	0.90	1.49	1.63	4.71	0.02	0.22	0.44	0.58	0.49
	Midlands ...	33.48	13.71	10.50	7.49	5.98	71.16	0.11	0.57	0.63	1.02	1.33	3.66	0.03	0.18	0.41	0.39	0.37
	South ...	29.37	13.43	10.06	7.15	5.39	65.40	0.12	0.63	0.71	1.10	1.40	3.96	0.03	0.14	0.37	0.41	0.35
	Wales ...	37.45	16.63	12.73	10.20	8.72	85.73	0.16	0.50	0.65	1.61	2.13	5.05	0.06	0.24	0.21	0.36	0.27
	England and Wales.	35.18	15.69	12.48	9.30	7.28	79.93	0.13	0.57	0.74	1.25	1.51	4.20	0.03	0.18	0.40	0.45	0.41
London	29.27	16.24	13.15	9.76	7.42	75.84	0.13	0.64	0.87	1.70	2.13	5.47	0.04	0.15	0.45	0.49	0.39
County Boroughs.	North ...	40.88	20.94	17.32	13.45	10.60	103.19	0.14	0.63	0.98	1.58	1.81	5.14	0.02	0.19	0.47	0.56	0.53
	Midlands ...	35.15	16.22	13.25	9.16	7.63	81.41	0.11	0.63	0.68	1.23	1.76	4.41	0.07	0.16	0.49	0.51	0.39
	South ...	30.28	12.86	9.68	6.71	4.72	64.25	0.09	0.50	0.66	0.63	0.89	2.77	0.06	0.06	0.41	0.48	0.25
	Wales ...	36.03	15.48	13.64	10.24	8.62	84.01	0.14	0.49	0.57	1.34	2.26	4.80	—	0.07	—	0.43	0.21
	England and Wales.	37.82	18.43	15.12	11.29	9.00	91.66	0.12	0.61	0.84	1.38	1.72	4.67	0.05	0.16	0.45	0.52	0.45
Other Urban Districts.	North ...	40.76	17.44	15.31	11.64	9.07	94.22	0.11	0.47	0.77	1.54	1.59	4.48	0.02	0.30	0.47	0.65	0.51
	Midlands ...	31.89	12.96	9.85	7.08	5.45	67.23	0.11	0.47	0.49	0.97	1.24	3.28	0.01	0.22	0.44	0.34	0.38
	South ...	28.90	11.10	7.06	4.73	3.84	55.63	0.14	0.69	0.52	0.69	0.82	2.86	0.03	0.21	0.19	0.34	0.45
	Wales ...	37.70	17.11	13.50	11.37	9.87	89.55	0.11	0.59	0.78	2.06	2.79	6.33	0.08	0.25	0.31	0.28	0.36
	England and Wales.	34.99	14.61	11.60	8.68	6.88	76.76	0.13	0.52	0.63	1.23	1.44	3.95	0.03	0.25	0.39	0.44	0.42
Rural Districts.	North ...	39.76	14.98	12.84	10.00	6.87	84.45	0.11	0.53	0.88	1.04	1.01	3.57	0.04	0.13	0.26	0.45	0.31
	Midlands ...	33.54	11.36	7.72	5.82	4.47	62.91	0.10	0.64	0.76	0.81	0.86	3.17	—	0.14	0.24	0.30	0.34
	South ...	29.57	9.27	5.85	3.54	2.38	50.61	0.11	0.61	0.61	0.32	0.50	2.15	—	0.07	0.31	0.23	0.20
	Wales ...	33.03	16.58	10.71	8.09	6.76	80.17	0.25	0.35	0.49	0.98	0.89	2.96	0.05	0.35	0.20	0.43	0.15
	England and Wales.	34.59	12.31	8.84	6.54	4.81	67.09	0.12	0.57	0.72	0.78	0.81	3.00	0.02	0.15	0.26	0.32	0.28
		III.—Diarrhoea and Enteritis (104).						IV.—Developmental and Wasting Diseases (150, 151, 152b).						V.—Miscellaneous Diseases (Remainder).				
All Areas	North ...	1.10	3.08	3.61	2.09	1.34	11.22	29.38	4.92	1.87	0.58	0.24	36.99	10.05	10.22	9.24	7.66	5.89
	Midlands ...	0.80	1.69	1.88	0.95	0.59	5.91	25.23	4.28	1.50	0.45	0.23	31.74	7.26	6.99	6.08	4.68	3.46
	South ...	0.64	1.74	2.18	1.17	0.58	6.31	21.60	3.99	1.55	0.48	0.14	27.76	6.98	6.93	5.25	3.99	2.92
	Wales ...	0.91	2.01	2.45	1.37	0.77	7.51	25.53	4.26	1.18	0.46	0.16	31.59	10.79	9.62	8.24	6.40	5.39
	England and Wales.	0.87	2.21	2.60	1.44	0.86	7.98	25.74	4.42	1.62	0.50	0.20	32.48	8.41	8.31	7.12	5.66	4.30
London	0.82	2.36	3.23	1.77	0.80	8.98	21.23	4.70	2.05	0.59	0.16	28.73	7.05	8.39	6.55	5.21	3.94
County Boroughs.	North ...	1.23	3.47	3.95	2.20	1.42	12.27	28.96	5.36	2.03	0.73	0.32	37.40	10.53	11.29	9.89	8.38	6.52
	Midlands ...	1.03	2.15	2.65	1.30	0.94	8.07	26.46	4.92	1.96	0.49	0.23	34.06	7.48	8.36	7.47	5.63	4.31
	South ...	0.57	1.54	2.02	1.01	0.63	5.77	22.22	3.56	1.30	0.44	0.12	27.64	7.34	7.20	5.29	4.15	2.83
	Wales ...	0.64	1.91	3.03	1.84	0.78	8.20	24.82	3.39	0.77	0.35	0.21	29.54	10.43	9.62	9.27	6.28	5.16
	England and Wales.	1.08	2.80	3.31	1.78	1.16	10.13	27.33	4.96	1.89	0.60	0.27	35.05	9.24	9.90	8.63	7.01	5.40
Other Urban Districts.	North ...	1.02	2.69	3.46	2.00	1.23	10.45	30.10	4.69	1.76	0.42	0.15	37.12	9.51	9.29	8.85	7.03	5.54
	Midlands ...	0.72	1.65	1.72	0.84	0.41	5.34	23.86	3.94	1.42	0.48	0.13	29.83	7.19	6.68	5.78	4.45	3.29
	South ...	0.52	1.22	1.31	0.72	0.36	4.13	21.21	3.33	1.05	0.40	0.16	26.15	7.00	5.65	3.99	2.58	2.05
	Wales ...	1.09	2.01	2.83	1.34	0.95	8.22	26.34	4.40	1.23	0.45	0.14	32.56	10.08	9.86	8.35	7.24	5.63
	England and Wales.	0.83	1.96	2.36	1.27	0.76	7.18	25.79	4.13	1.44	0.44	0.14	31.94	8.21	7.75	6.78	5.30	4.12
Rural Districts.	North ...	0.77	2.44	2.69	1.85	1.17	8.92	29.20	3.76	1.43	0.40	0.16	34.95	9.64	8.12	7.58	6.26	4.22
	Midlands ...	0.58	1.11	1.06	0.63	0.39	3.77	25.74	3.92	0.96	0.37	0.37	31.36	7.12	5.55	4.70	3.71	2.51
	South ...	0.34	0.85	0.57	0.27	0.25	2.28	22.62	3.24	1.04	0.29	0.09	27.28	6.50	4.50	3.32	2.43	1.34
	Wales ...	0.79	2.07	1.38	1.09	0.44	5.77	24.62	4.59	1.38	0.55	0.15	31.29	12.32	9.22	7.26	5.04	5.13
	England and Wales.	0.59	1.43	1.37	0.89	0.55	4.88	25.74	3.78	1.13	0.38	0.23	31.26	8.12	6.33	5.36	4.17	2.94
		Measles (6).						Whooping-cough (8).						Meningitis (not Tuberculous) (61).				
All Areas	North ...	0.04	0.06	0.21	0.71	0.91	1.93	0.08	0.48	0.62	0.66	0.54	2.38	0.06	0.19	0.27	0.35	0.26
	Midlands ...	0.02	0.07	0.09	0.4	0.73	1.33	0.08	0.48	0.50	0.50	0.48	2.04	0.05	0.08	0.18	0.26	0.12
	South ...	0.01	0.06	0.11	0.39	0.69	1.26	0.09	0.53	0.57	0.63	0.52	2.34	0.05	0.12	0.19	0.20	0.15
	Wales ...	0.03	0.11	0.17	0.77	1.37	2.45	0.11	0.38	0.43	0.68	0.55	2.15	0.07	0.07	0.20	0.26	0.23
	England and Wales.	0.03	0.07	0.14	0.53	0.83	1.60	0.09	0.48	0.55	0.61	0.52	2.25	0.06	0.13	0.22	0.27	0.18
London	0.02	0.08	0.15	0.65	1.12	2.02	0.10	0.49	0.65	0.92	0.73	2.89	0.03	0.17	0.26	0.33	0.16
County Boroughs.	North ...	0.04	0.08	0.23	0.70	0.92	1.97	0.09	0.54	0.66	0.73	0.64	2.66	0.07	0.21	0.30	0.35	0.26
	Midlands ...	0.04	0.07	0.10	0.59	1.05	1.85	0.07	0.51	0.51	0.49	0.51	2.09	0.05	0.09	0.25	0.34	0.12
	South ...	—	0.06	0.19	0.32	0.44	1.01	0.09	0.44	0.48	0.25	0.38	1.64	0.09	0.06	0.13	0.16	0.19
	Wales ...	0.07	0.07	0.14	0.71	1.77	2.76	0.07	0.43	0.35	0.50	0.28	1.63	0.21	0.14	0.28	0.50	0.42
	England and Wales.	0.04	0.08	0.18	0.63	0.94	1.87	0.08	0.52	0.58	0.60	0.56	2.34	0.07	0.15	0.27	0.33	0.22
Other Urban Districts.	North ...	0.04	0.05	0.17	0.77	0.98	2.01	0.07	0.39	0.56	0.68	0.51	2.21	0.04	0.18	0.26	0.33	0.29
	Midlands ...	0.02	0.05	0.09	0.33	0.61	1.10	0.09	0.41	0.37	0.52	0.52	1.91	0.05	0.08	0.15	0.24	0.13
	South ...	0.02	0.02	0.02	0.10	0.32	0.48	0.07	0.66	0.48	0.53	0.38	2.12	0.10	0.07	0.17	0.09	0.16
	Wales ...	0.03	0.17	0.22	0.98	1.78	3.18	0.06	0.42	0.47	0.92	0.75	2.62	0.06	0.03	0.14	0.19	0.14
	England and Wales.	0.03	0.06	0.12	0.51	0.81	1.53	0.08	0.45	0.47	0.61	0.52	2.13	0.06	0.10	0.19	0.24	0.19
Rural Districts.	North ...	0.04	0.02	0.22	0.60	0.71	1.59	0.04	0.44	0.62	0.37							

TABLE 18.—INFANT MORTALITY in DIFFERENT PARTS of ENGLAND and WALES, 1920—*continued*.

AREA.		Proportion of Deaths to 1,000 Births.																	
		Convulsions (71).						Bronchitis (89, 90).						Pneumonia (91, 92).					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas	North ...	3.41	1.75	1.14	0.81	0.50	7.61	1.39	3.22	2.65	1.82	1.34	10.42	0.72	2.31	3.01	3.35	2.85	12.24
	Midlands ...	2.10	1.10	0.70	0.43	0.25	4.58	0.90	2.13	1.62	1.08	0.69	6.42	0.62	1.70	2.05	1.90	1.78	8.05
	South ...	1.38	0.62	0.36	0.23	0.16	2.75	0.74	1.85	1.16	0.77	0.33	4.85	0.86	2.21	2.19	1.85	1.61	8.72
	Wales ...	5.01	2.40	1.78	0.80	0.55	10.54	1.28	2.60	2.01	1.31	1.04	8.24	0.61	1.99	2.32	2.69	2.53	10.14
	England and Wales.	2.56	1.30	0.84	0.54	0.34	5.58	1.06	2.48	1.88	1.27	0.84	7.53	0.72	2.07	2.44	2.45	2.16	9.84
London	1.35	0.52	0.28	0.18	0.14	2.47	0.83	2.26	1.34	0.83	0.39	5.65	1.23	3.11	3.09	2.75	2.44	12.62
County Boroughs.	North ...	3.38	1.78	1.20	0.81	0.52	7.69	1.44	3.45	2.62	1.96	1.57	11.04	0.78	2.69	3.37	3.80	3.28	13.92
	Midlands ...	1.91	1.08	0.84	0.37	0.27	4.50	0.89	2.47	1.91	1.33	0.90	7.50	0.85	2.33	2.64	2.52	2.25	10.59
	South ...	1.70	0.82	0.35	0.38	0.09	3.34	0.79	2.08	1.36	0.85	0.63	5.71	0.57	1.61	1.82	1.80	1.23	7.03
	Wales ...	4.10	1.98	1.20	0.35	0.42	8.05	1.41	2.48	2.40	1.55	0.99	8.93	1.06	2.26	2.76	3.04	2.26	11.38
	England and Wales.	2.79	1.47	1.00	0.61	0.40	6.27	1.20	2.97	2.26	1.63	1.24	9.30	0.80	2.45	2.96	3.17	2.71	12.09
Other Urban Districts.	North ...	3.32	1.91	1.08	0.72	0.46	7.49	1.41	2.98	2.86	1.70	1.13	10.08	0.69	1.96	2.76	3.10	2.57	11.08
	Midlands ...	2.10	1.15	0.63	0.52	0.25	4.65	0.97	1.97	1.59	1.01	0.60	6.14	0.58	1.59	1.94	1.78	1.74	7.63
	South ...	1.26	0.62	0.40	0.24	0.22	2.74	0.71	1.42	1.00	0.71	0.19	4.03	0.57	1.55	1.33	0.86	0.96	5.27
	Wales ...	4.68	2.43	2.09	0.86	0.56	10.62	1.39	2.59	2.01	1.51	1.17	8.67	0.42	2.04	2.54	2.89	2.79	10.68
	England and Wales.	2.66	1.46	0.90	0.57	0.35	5.94	1.12	2.28	1.96	1.24	0.77	7.37	0.60	1.76	2.17	2.17	2.00	8.70
Rural Districts.	North ...	3.65	1.30	1.06	1.03	0.51	7.55	1.15	2.88	2.29	1.59	0.90	8.81	0.55	1.63	2.21	2.11	1.85	8.35
	Midlands ...	2.30	1.06	0.62	0.39	0.22	4.59	0.83	1.91	1.24	0.83	0.53	5.34	0.37	0.98	1.40	1.23	1.19	5.17
	South ...	1.43	0.72	0.54	0.23	0.18	3.10	0.50	1.07	0.75	0.66	0.14	3.12	0.47	1.02	1.10	0.75	0.50	3.84
	Wales ...	6.21	2.67	1.63	0.99	0.64	12.14	0.99	2.71	1.73	0.79	0.84	7.06	0.64	1.73	1.63	2.07	2.27	8.34
	England and Wales.	2.84	1.21	0.82	0.57	0.33	5.77	0.84	2.04	1.43	0.97	0.56	5.84	0.47	1.23	1.55	1.42	1.30	5.97
		Syphilis (37).						Suffocation, including Overlying (168 pt.)						Injury at Birth (152c).					
All Areas	North ...	0.61	0.79	0.38	0.13	0.06	1.97	0.31	0.17	0.10	0.02	—	0.60	1.34	0.02	—	—	—	1.36
	Midlands ...	0.42	0.47	0.20	0.08	0.05	1.22	0.26	0.15	0.11	0.03	0.00	0.55	1.12	0.03	0.00	—	—	1.15
	South ...	0.39	0.59	0.23	0.10	0.06	1.37	0.36	0.31	0.09	0.03	0.01	0.80	1.10	0.03	—	—	—	1.13
	Wales ...	0.30	0.43	0.21	0.04	0.04	1.02	0.13	0.17	0.03	0.01	—	0.34	1.10	0.01	—	—	—	1.11
	England and Wales.	0.47	0.61	0.27	0.10	0.06	1.51	0.30	0.20	0.09	0.03	0.00	0.62	1.20	0.02	0.00	—	—	1.22
London	0.39	0.70	0.26	0.12	0.05	1.52	0.39	0.37	0.08	0.04	0.02	0.90	0.86	0.03	—	—	—	0.89
County Boroughs.	North ...	0.78	1.09	0.53	0.15	0.07	2.62	0.45	0.24	0.08	0.02	—	0.79	1.29	0.01	—	—	—	1.30
	Midlands ...	0.50	0.63	0.26	0.10	0.10	1.59	0.35	0.26	0.14	0.04	0.01	0.80	1.19	0.04	—	—	—	1.23
	South ...	0.41	0.78	0.38	0.16	0.13	1.86	0.41	0.38	0.22	—	—	1.01	1.20	—	—	—	—	1.20
	Wales ...	0.71	0.91	0.57	—	0.14	2.33	0.21	0.21	—	—	—	0.42	0.85	—	—	—	—	0.85
	England and Wales.	0.65	0.90	0.43	0.13	0.09	2.20	0.41	0.26	0.11	0.02	0.00	0.80	1.23	0.02	—	—	—	1.25
Other Urban Districts.	North ...	0.47	0.51	0.20	0.08	0.07	1.33	0.16	0.10	0.09	0.02	—	0.37	1.34	0.01	—	—	—	1.35
	Midlands ...	0.48	0.53	0.22	0.09	0.03	1.35	0.19	0.08	0.11	0.03	—	0.41	1.09	0.03	0.01	—	—	1.13
	South ...	0.43	0.50	0.21	0.09	0.03	1.26	0.30	0.29	0.07	0.03	—	0.69	1.29	0.02	—	—	—	1.31
	Wales ...	0.20	0.36	0.08	0.08	0.03	0.75	0.06	0.24	0.03	0.03	—	0.36	1.17	0.03	—	—	—	1.20
	England and Wales.	0.43	0.50	0.20	0.09	0.04	1.26	0.18	0.14	0.09	0.03	—	0.44	1.22	0.02	0.00	—	—	1.24
Rural Districts.	North ...	0.25	0.24	0.22	0.15	0.04	0.90	0.11	0.09	0.17	—	—	0.37	1.59	0.04	—	—	—	1.63
	Midlands ...	0.24	0.15	0.09	0.03	0.01	0.52	0.26	0.09	0.08	0.01	—	0.44	1.06	0.01	—	—	—	1.07
	South ...	0.32	0.29	0.07	0.02	0.07	0.77	0.32	0.16	0.02	0.02	0.02	0.54	1.44	0.07	—	—	—	1.51
	Wales ...	0.19	0.20	0.20	—	—	0.59	0.20	—	0.05	—	—	0.25	1.13	—	—	—	—	1.13
	England and Wales.	0.27	0.21	0.12	0.05	0.03	0.68	0.22	0.10	0.09	0.01	0.01	0.43	1.29	0.03	—	—	—	1.32
		Congenital Malformations (150).						Premature Birth (151A).						Atrophy, Debility, Marasmus (151 B-E).					
All Areas	North ...	2.83	0.82	0.40	0.19	0.07	4.31	18.72	1.73	0.20	0.02	0.01	20.68	6.13	2.32	1.27	0.37	0.16	10.25
	Midlands ...	2.56	0.90	0.38	0.16	0.09	4.09	16.13	1.34	0.18	0.03	0.03	17.71	5.22	2.00	0.94	0.26	0.11	8.53
	South ...	2.43	0.74	0.35	0.15	0.06	3.73	13.85	1.39	0.13	0.03	0.01	15.41	3.81	1.80	1.07	0.30	0.07	7.05
	Wales ...	2.66	0.65	0.33	0.16	0.06	3.86	15.25	1.37	0.20	—	—	16.82	6.27	2.18	0.65	0.30	0.10	9.50
	England and Wales.	2.62	0.81	0.38	0.17	0.07	4.05	16.36	1.49	0.17	0.02	0.02	18.06	5.24	2.07	1.07	0.31	0.11	8.80
London	2.45	0.74	0.40	0.15	0.07	3.81	13.53	1.63	0.12	0.02	0.02	15.32	3.44	2.26	1.53	0.42	0.07	7.72
County Boroughs.	North ...	2.77	0.92	0.39	0.21	0.08	4.37	19.19	1.79	0.21	0.02	—	21.21	5.34	2.58	1.43	0.50	0.24	10.09
	Midlands ...	2.37	1.01	0.33	0.13	0.06	3.90	17.63	1.60	0.20	0.03	0.01	19.47	5.02	2.25	1.43	0.33	0.16	9.19
	South ...	2.42	0.57	0.19	0.13	0.06	3.37	14.50	1.51	0.13	0.03	0.03	16.20	3.47	1.48	0.98	0.28	0.03	6.24
	Wales ...	2.12	0.57	0.21	0.07	0.07	3.04	16.47	1.55	0.07	—	—	18.09	4.46	1.13	0.49	0.28	0.14	6.50
	England and Wales.	2.57	0.90	0.35	0.17	0.07	4.06	18.13	1.69	0.19	0.02	0.01	20.04	5.02	2.31	1.35	0.41	0.19	9.28
Other Urban Districts.	North ...	3.08	0.71	0.45	0.16	0.06	4.46	18.17	1.83	0.15	0.02	0.03	20.20	7.15	2.12	1.16	0.24	0.06	10.73
	Midlands ...	2.50	0.81	0.50	0.20	0.07	4.08	15.19	1.19	0.17	0.01	0.01	16.57	4.94	1.93	0.75	0.27	0.05	7.94
	South ...	2.17	0.76	0.36	0.19	0.07	3.55	13.76	1.07	0.14	0.05	—	15.02	4.04	1.45	0.55	0.16	0.09	6.29
	Wales ...	3.15	0.64	0.31	0.17	0.08	4.35	15.14	1.45	0.22	—	—	16.81	7.07	2.31	1.01	0.28	0.06	10.42
	England and Wales.	2.71	0.75	0.43	0.18	0.07	4.14	15.95	1.41	0.16	0.02	0.01	17.55	5.76	1.95	0.85	0.24	0.06	8.86
Rural Districts.	North ...	2.42	0.70																

TABLE 19.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, in the QUINQUENNIAL, 1916-1920.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																	
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
ALL CAUSES	M	41.63	18.82	16.18	12.84	11.14	100.61	39.77	17.32	14.93	12.30	10.88	95.20	74.42	45.09	38.19	22.25	15.77	195.72	
	F	32.19	13.92	12.54	10.39	9.69	78.73	30.52	12.74	11.50	9.89	9.38	74.03	61.19	34.64	30.92	19.20	15.15	161.10	
	P	37.03	16.43	14.41	11.64	10.43	89.94	35.26	15.09	13.25	11.12	10.15	84.87	67.97	39.99	34.64	20.76	15.46	178.82	
I. Common Infectious Diseases (5-9, 19c).	M	0.10	0.57	0.88	1.46	2.07	5.08	0.10	0.58	0.84	1.41	2.03	4.96	0.09	0.60	1.38	2.16	2.62	6.85	
	F	0.13	0.69	0.82	1.41	2.03	5.08	0.13	0.69	0.79	1.39	2.00	5.00	0.09	0.66	1.33	1.92	2.59	6.59	
	P	0.11	0.63	0.85	1.43	2.06	5.08	0.11	0.63	0.82	1.40	2.03	4.99	0.07	0.62	1.35	2.06	2.62	6.72	
II. Tuberculous Diseases (28-35).	M	0.05	0.28	0.64	0.65	0.62	2.24	0.05	0.24	0.59	0.62	0.62	2.12	0.07	0.81	1.56	1.11	0.91	4.46	
	F	0.03	0.20	0.48	0.52	0.51	1.74	0.03	0.19	0.43	0.48	0.49	1.62	0.10	0.39	1.07	1.13	1.02	3.71	
	P	0.03	0.23	0.55	0.60	0.59	2.00	0.03	0.21	0.51	0.56	0.57	1.88	0.08	0.62	1.33	1.11	0.96	4.10	
III. Diarrhoea and Enteritis (104).	M	1.02	2.92	3.45	1.91	1.25	10.55	0.98	2.61	3.08	1.77	1.20	9.64	1.74	8.25	10.10	4.46	2.04	26.59	
	F	0.64	1.96	2.71	1.60	1.16	8.07	0.60	1.71	2.38	1.49	1.10	7.28	1.38	6.36	8.36	3.68	2.23	22.01	
	P	0.83	2.45	3.09	1.76	1.21	9.34	0.79	2.17	2.75	1.63	1.15	8.49	1.57	7.33	9.24	4.08	2.13	24.35	
IV. Developmental and Wasting Diseases (150, 151, 152b).	M	30.73	5.50	2.04	0.66	0.36	39.29	29.76	4.99	1.80	0.60	0.32	37.47	47.66	14.69	6.44	1.70	0.87	71.36	
	F	24.37	4.19	1.69	0.61	0.28	31.14	23.50	3.76	1.49	0.54	0.26	29.55	39.41	11.63	5.31	1.89	0.68	58.92	
	P	27.63	4.87	1.87	0.63	0.32	35.32	26.72	4.39	1.64	0.57	0.29	33.61	43.60	13.20	5.89	1.79	0.79	65.27	
V. Miscellaneous Diseases (Remainder).	M	9.73	9.55	9.17	8.16	6.84	43.45	8.88	8.90	8.62	7.90	6.71	41.01	24.86	20.74	18.71	12.82	9.33	86.46	
	F	7.02	6.88	6.84	6.25	5.71	32.70	6.26	6.39	6.41	5.99	5.53	30.58	20.21	15.60	14.85	10.58	8.63	69.87	
	P	8.43	8.25	8.05	7.22	6.25	38.20	7.61	7.69	7.53	6.96	6.11	35.90	22.65	18.22	16.83	11.72	8.96	78.38	
Small-pox (5)	M	—	0.00	—	—	0.00	0.00	—	0.00	—	—	0.00	0.00	—	—	—	—	—	—	
	F	—	0.00	—	—	0.00	0.00	—	0.00	—	—	0.00	0.00	—	—	—	—	—	—	
	P	—	0.00	—	—	0.00	0.00	—	0.00	—	—	0.00	0.00	—	—	—	—	—	—	
Chicken-pox (19c) ..	M	0.00	0.00	0.01	0.03	0.01	0.05	0.00	0.00	0.01	0.02	0.01	0.04	—	—	0.04	0.04	0.03	0.11	
	F	0.00	0.00	0.01	0.02	0.01	0.04	0.00	0.00	0.01	0.01	0.01	0.03	0.01	—	0.03	0.05	0.02	0.11	
	P	0.00	0.00	0.01	0.02	0.01	0.04	0.00	0.00	0.01	0.02	0.01	0.04	0.00	—	0.03	0.06	0.02	0.11	
Measles (6)	M	0.02	0.06	0.14	0.58	1.13	1.93	0.02	0.06	0.13	0.55	1.11	1.87	0.01	0.09	0.30	1.04	1.58	3.02	
	F	0.02	0.04	0.12	0.48	0.93	1.59	0.02	0.04	0.11	0.47	0.91	1.55	—	0.11	0.25	0.72	1.30	2.38	
	P	0.02	0.05	0.13	0.53	1.03	1.76	0.02	0.05	0.12	0.51	1.01	1.71	0.00	0.10	0.28	0.88	1.45	2.71	
Scarlet fever (7) ..	M	0.00	0.00	0.01	0.02	0.03	0.06	0.00	0.00	0.00	0.02	0.03	0.05	—	0.01	0.02	—	0.04	0.07	
	F	0.00	0.00	0.00	0.02	0.02	0.04	0.00	0.00	0.00	0.02	0.02	0.04	—	—	—	—	0.05	0.05	
	P	0.00	0.00	0.00	0.02	0.03	0.05	0.00	0.00	0.00	0.02	0.03	0.05	—	0.00	0.01	—	0.05	0.06	
Whooping cough (8) ..	M	0.07	0.49	0.69	0.76	0.77	2.78	0.07	0.50	0.67	0.75	0.76	2.75	0.07	0.47	0.98	0.95	0.83	3.30	
	F	0.10	0.63	0.67	0.84	0.96	3.20	0.10	0.64	0.65	0.83	0.95	3.17	0.08	0.51	0.99	1.09	1.13	3.80	
	P	0.08	0.56	0.68	0.80	0.87	2.99	0.08	0.56	0.66	0.79	0.87	2.96	0.07	0.49	0.98	1.03	0.97	3.54	
Diphtheria and Croup (9).	M	0.01	0.02	0.03	0.07	0.13	0.26	0.01	0.02	0.03	0.07	0.12	0.25	0.01	0.03	0.04	0.13	0.14	0.35	
	F	0.01	0.02	0.02	0.05	0.11	0.21	0.01	0.01	0.02	0.06	0.11	0.21	—	0.04	0.06	0.06	0.09	0.25	
	P	0.01	0.02	0.03	0.06	0.12	0.24	0.01	0.02	0.03	0.06	0.11	0.23	0.00	0.03	0.05	0.09	0.13	0.30	
Erysipelas (18) ..	M	0.03	0.08	0.02	0.01	0.00	0.14	0.03	0.07	0.02	0.01	0.00	0.13	0.02	0.12	0.04	0.04	—	0.22	
	F	0.02	0.06	0.02	0.01	0.01	0.12	0.02	0.06	0.02	0.01	0.01	0.12	0.05	0.04	0.04	0.03	0.01	0.17	
	P	0.03	0.07	0.02	0.01	0.00	0.13	0.03	0.07	0.02	0.01	0.00	0.13	0.03	0.09	0.05	0.03	0.00	0.20	
Tuberculous Meningitis (30).	M	0.01	0.07	0.24	0.30	0.29	0.91	0.01	0.06	0.23	0.30	0.30	0.90	0.01	0.14	0.42	0.28	0.31	1.16	
	F	0.01	0.06	0.19	0.26	0.24	0.76	0.01	0.06	0.18	0.24	0.24	0.73	0.02	0.03	0.34	0.45	0.31	1.15	
	P	0.01	0.06	0.21	0.29	0.27	0.84	0.01	0.06	0.20	0.28	0.27	0.82	0.01	0.09	0.39	0.36	0.31	1.16	
Abdominal Tuberculosis (31).	M	0.02	0.14	0.24	0.18	0.15	0.73	0.02	0.12	0.22	0.16	0.14	0.66	0.04	0.42	0.75	0.49	0.31	2.01	
	F	0.01	0.08	0.17	0.13	0.12	0.51	0.01	0.08	0.14	0.12	0.11	0.46	0.02	0.18	0.49	0.35	0.36	1.40	
	P	0.01	0.11	0.20	0.16	0.14	0.62	0.01	0.10	0.18	0.14	0.13	0.56	0.03	0.31	0.62	0.42	0.33	1.71	
Other Tuberculous Diseases (28, 29, 32-35).	M	0.02	0.07	0.16	0.17	0.18	0.60	0.02	0.06	0.14	0.16	0.18	0.56	0.02	0.25	0.39	0.34	0.29	1.29	
	F	0.01	0.06	0.12	0.13	0.15	0.47	0.01	0.05	0.11	0.12	0.14	0.43	0.06	0.18	0.24	0.33	0.35	1.16	
	P	0.01	0.06	0.14	0.15	0.18	0.54	0.01	0.05	0.13	0.14	0.17	0.50	0.04	0.22	0.32	0.33	0.32	1.23	
Meningitis (not Tuberculous) (61).	M	0.07	0.15	0.34	0.37	0.28	1.21	0.06	0.15	0.33	0.38	0.28	1.20	0.12	0.15	0.48	0.34	0.30	1.39	
	F	0.04	0.11	0.25	0.30	0.24	0.94	0.04	0.11	0.24	0.29	0.24	0.92	0.06	0.20	0.33	0.30	0.26	1.15	
	P	0.05	0.13	0.29	0.35	0.26	1.08	0.05	0.13	0.29	0.34	0.26	1.07	0.09	0.18	0.40	0.32	0.28	1.27	
Convulsions (71) ..	M	3.24	1.81	1.28	0.84	0.59	7.76	3.17	1.69	1.19	0.80	0.57	7.42	4.50	3.84	2.91	1.52	0.95	13.72	
	F	2.20	1.34	0.97	0.70	0.55	5.76	2.12	1.24	0.90	0.67	0.53	5.46	3.42	3.07	2.28	1.29	0.98	11.04	
	P	2.74	1.58	1.13	0.77	0.57	6.79	2.66	1.47	1.05	0.74	0.55	6.47	3.98	3.46	2.60	1.41	0.96	12.41	
Laryngitis (87b) ..	M	0.02	0.02	0.03	0.03	0.0.														

TABLE 19.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, in the QUINQUENNium, 1916-1920—*continued*.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																	
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Gastritis (103A)	..	M	0.27	0.65	0.41	0.22	0.11	1.66	0.27	0.59	0.38	0.20	0.12	1.56	0.44	1.47	1.02	0.45	0.06	3.44
		F	0.18	0.38	0.35	0.17	0.12	1.20	0.18	0.35	0.32	0.16	0.11	1.12	0.22	1.01	0.82	0.37	0.24	2.66
		P	0.23	0.52	0.38	0.19	0.12	1.44	0.22	0.48	0.35	0.18	0.11	1.34	0.33	1.25	0.92	0.41	0.15	3.06
Syphilis (37)	..	M	0.64	0.78	0.35	0.12	0.06	1.95	0.49	0.54	0.23	0.08	0.04	1.38	3.34	4.75	2.50	0.94	0.45	11.98
		F	0.44	0.55	0.33	0.12	0.06	1.50	0.33	0.38	0.21	0.07	0.04	1.03	2.34	3.52	2.42	0.97	0.42	9.67
		P	0.54	0.67	0.34	0.12	0.06	1.73	0.41	0.46	0.22	0.08	0.04	1.21	2.85	4.14	2.46	0.96	0.44	10.85
Rickets (36A)	..	M	0.01	0.04	0.08	0.12	0.13	0.38	0.01	0.03	0.07	0.11	0.12	0.34	0.01	0.17	0.26	0.33	0.26	1.03
		F	0.00	0.03	0.05	0.07	0.11	0.26	0.00	0.02	0.05	0.07	0.10	0.24	0.01	0.13	0.13	0.13	0.26	0.66
		P	0.01	0.03	0.07	0.10	0.11	0.32	0.01	0.03	0.06	0.09	0.10	0.29	0.01	0.15	0.20	0.23	0.26	0.85
Suffocation, including overlying (168 part)	..	M	0.37	0.27	0.15	0.05	0.02	0.86	0.31	0.26	0.14	0.04	0.02	0.77	1.54	0.49	0.33	0.11	0.04	2.51
		F	0.33	0.26	0.15	0.04	0.01	0.79	0.28	0.24	0.14	0.03	0.01	0.70	1.41	0.60	0.30	0.07	0.01	2.39
		P	0.36	0.27	0.15	0.04	0.01	0.83	0.29	0.26	0.14	0.04	0.01	0.74	1.48	0.54	0.32	0.09	0.02	2.45
Injury at Birth (152c)	..	M	1.34	0.02	0.00	—	—	1.36	1.27	0.02	0.00	—	—	1.29	2.52	0.02	0.01	—	—	2.55
		F	0.89	0.01	—	—	—	0.90	0.82	0.01	—	—	—	0.83	2.02	0.01	—	—	—	2.03
		P	1.11	0.02	0.00	—	—	1.13	1.05	0.02	0.00	—	—	1.07	2.28	0.01	0.00	—	—	2.29
Atelectasis (152b)	..	M	1.71	0.08	—	—	—	1.79	1.67	0.08	—	—	—	1.75	2.43	0.15	—	—	—	2.58
		F	1.28	0.06	—	—	—	1.34	1.25	0.05	—	—	—	1.30	1.72	0.22	—	—	—	1.94
		P	1.50	0.07	—	—	—	1.57	1.46	0.07	—	—	—	1.53	2.07	0.19	—	—	—	2.26
Congenital Malformations (150).	{	M	2.77	0.91	0.39	0.18	0.12	4.37	2.75	0.89	0.39	0.18	0.11	4.32	3.13	1.41	0.43	0.15	0.15	5.27
		F	2.40	0.67	0.35	0.17	0.09	3.68	2.38	0.65	0.35	0.17	0.09	3.64	2.64	1.03	0.44	0.23	0.06	4.40
		P	2.60	0.80	0.37	0.17	0.10	4.04	2.58	0.77	0.37	0.17	0.10	3.99	2.87	1.23	0.44	0.19	0.11	4.84
Premature Birth (151A)	{	M	19.42	1.61	0.18	0.03	0.01	21.25	18.79	1.51	0.17	0.02	0.01	20.50	30.34	3.39	0.45	0.08	0.04	34.30
		F	15.67	1.42	0.19	0.03	0.01	17.32	15.03	1.31	0.18	0.03	0.01	16.56	26.65	3.36	0.45	0.11	0.04	30.61
		P	17.58	1.52	0.19	0.03	0.01	19.33	16.96	1.41	0.17	0.03	0.01	18.58	28.55	3.37	0.45	0.09	0.04	32.50
Atrophy, Debility, and Marasmus (151 B-E).	{	M	6.83	2.90	1.47	0.45	0.23	11.88	6.55	2.51	1.24	0.40	0.20	10.90	11.76	9.74	5.56	1.47	0.68	29.21
		F	5.02	2.04	1.15	0.41	0.18	8.80	4.84	1.75	0.96	0.34	0.16	8.05	8.40	7.02	4.42	1.55	0.58	21.97
		P	5.95	2.48	1.31	0.43	0.21	10.38	5.72	2.14	1.10	0.37	0.18	9.51	10.11	8.41	5.00	1.51	0.64	25.67
Other Causes	..	M	2.04	1.15	1.37	1.24	1.06	6.86	1.57	1.09	1.29	1.21	1.06	6.22	10.23	2.64	2.47	1.69	1.21	18.24
		F	1.67	0.83	0.89	0.92	0.87	5.18	1.22	0.77	0.88	0.91	0.82	4.60	9.53	1.97	1.64	1.38	1.01	15.53
		P	1.88	0.99	1.16	1.07	0.92	6.02	1.41	0.92	1.07	1.04	0.95	5.39	9.94	2.31	2.06	1.54	1.09	16.94

TABLE 20.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, IN THE QUINQUENNIAL, 1916-1920.—
CLASSES OF ADMINISTRATIVE AREAS.

Proportion of Deaths to 1,000 Births.																				
Cause of Death.			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes	32.49	17.25	16.84	12.48	11.49	90.55	30.07	15.23	14.72	11.62	11.03	82.67	77.99	55.36	56.72	28.60	20.05	238.72
			39.28	18.79	16.98	14.02	12.61	101.68	37.57	17.28	15.58	13.35	12.22	96.00	69.81	45.60	41.98	25.92	19.59	202.90
			36.61	15.53	13.18	10.70	9.67	85.69	35.02	14.37	12.25	10.29	9.45	81.38	64.72	36.13	29.58	17.96	13.42	161.81
			36.54	13.34	10.52	8.59	7.29	76.28	34.79	12.37	9.99	8.34	7.14	72.63	64.78	28.92	19.16	12.77	9.64	135.27
			37.14	17.20	15.37	12.40	11.21	93.32	35.38	15.75	14.06	11.81	10.89	87.89	68.84	43.00	38.85	22.94	17.05	190.68
I. Common Infectious Diseases (5-9, 19 C).	0.09	0.59	0.97	1.82	2.87	6.34	0.09	0.58	0.91	1.71	2.76	6.05	—	0.65	1.87	3.93	5.37	11.82
			0.09	0.63	0.93	1.70	2.49	5.84	0.09	0.63	0.90	1.66	2.43	5.71	0.07	0.60	1.52	2.58	3.15	7.92
			0.11	0.62	0.77	1.26	1.88	4.64	0.11	0.63	0.72	1.24	1.86	4.56	0.10	0.66	1.40	1.51	2.07	5.74
			0.15	0.67	0.79	0.98	1.15	3.74	0.16	0.68	0.80	0.98	1.13	3.75	0.14	0.61	0.71	0.99	1.16	3.61
			0.10	0.62	0.87	1.54	2.28	5.41	0.10	0.63	0.83	1.50	2.23	5.29	0.08	0.64	1.53	2.32	3.00	7.57
II. Tuberculous Diseases (28-35).	0.03	0.26	0.71	0.71	0.71	2.42	0.03	0.24	0.66	0.66	0.67	2.26	0.22	0.66	1.57	1.65	1.43	5.53
			0.05	0.28	0.66	0.69	0.65	2.33	0.04	0.25	0.59	0.65	0.63	2.16	0.06	0.84	1.97	1.38	1.22	5.47
			0.03	0.21	0.51	0.55	0.56	1.86	0.03	0.21	0.46	0.53	0.53	1.76	0.07	0.42	1.05	0.92	0.93	3.39
			0.04	0.18	0.36	0.41	0.39	1.38	0.04	0.16	0.34	0.39	0.40	1.33	0.07	0.50	0.62	0.72	0.34	2.25
			0.03	0.25	0.60	0.64	0.62	2.14	0.03	0.23	0.55	0.60	0.60	2.01	0.09	0.64	1.51	1.23	1.13	4.60
III. Diarrhoea and Enteritis (104).	0.96	3.15	4.75	2.63	1.60	13.09	0.87	2.58	3.83	2.32	1.49	11.09	2.70	13.95	21.93	8.46	3.57	50.61
			0.99	3.03	3.90	2.29	1.56	11.77	0.94	2.70	3.47	2.12	1.49	10.72	1.82	8.94	11.62	5.32	2.90	30.60
			0.75	2.13	2.53	1.39	1.02	7.82	0.73	1.91	2.29	1.32	0.98	7.23	1.19	5.99	6.52	2.79	1.69	18.18
			0.62	1.56	1.62	0.95	0.66	5.41	0.59	1.46	1.53	0.89	0.65	5.12	1.15	3.35	2.99	1.82	0.83	10.14
			0.89	2.67	3.46	1.96	1.34	10.32	0.84	2.35	3.04	1.81	1.28	9.32	1.68	8.41	10.94	4.70	2.49	28.22
IV. Developmental and Wasting Diseases (150, 151, 152 B).	23.75	5.27	2.49	0.77	0.34	32.62	22.71	4.52	1.98	0.65	0.28	30.14	43.76	19.15	12.03	3.23	1.31	79.48
			29.11	5.29	2.11	0.73	0.38	37.62	28.17	4.78	1.86	0.65	0.34	35.80	45.95	14.38	6.72	2.23	0.91	70.19
			27.57	4.75	1.68	0.58	0.30	34.88	26.74	4.32	1.52	0.53	0.28	33.39	42.46	12.31	4.54	1.43	0.68	61.42
			27.48	4.08	1.40	0.48	0.24	33.68	26.57	3.75	1.27	0.46	0.24	32.29	41.56	9.57	3.43	0.94	0.46	55.96
			27.66	5.07	1.98	0.67	0.34	35.72	26.74	4.55	1.73	0.60	0.31	33.93	44.17	14.19	6.56	2.03	0.87	67.82
V. Miscellaneous Diseases (Remainder).	7.66	7.98	7.92	6.55	5.97	36.08	6.37	7.31	7.34	6.28	5.83	33.13	31.31	20.95	19.32	11.33	8.37	91.28
			9.04	9.56	9.38	8.61	7.53	44.12	8.33	8.92	8.76	8.27	7.33	41.61	21.91	20.84	20.15	14.41	11.41	88.72
			8.15	7.82	7.69	6.92	5.91	36.49	7.41	7.30	7.26	6.67	5.80	34.44	20.90	16.75	16.07	11.31	8.05	73.08
			8.25	6.85	6.35	5.77	4.85	32.07	7.43	6.32	6.05	5.62	4.72	30.14	21.86	14.89	11.41	8.30	6.85	63.31
			8.46	8.59	8.46	7.59	6.63	39.73	7.67	7.99	7.91	7.30	6.47	37.34	22.82	19.12	18.31	12.66	9.56	82.47

TABLE 20.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, in the QUINQUENNIAL, 1916-1920.—
CLASSES OF ADMINISTRATIVE AREAS—*continued*.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Other Tuberculous Diseases (28, 29, 32-35).	London	0.01	0.07	0.22	0.22	0.26	0.78	0.01	0.06	0.21	0.20	0.24	0.72	0.09	0.22	0.52	0.57	0.56	1.96
	County Boroughs	0.02	0.07	0.15	0.13	0.18	0.60	0.01	0.06	0.14	0.16	0.17	0.54	0.03	0.33	0.43	0.42	0.44	1.65
	Other Urban Districts...	0.01	0.06	0.12	0.10	0.16	0.48	0.01	0.06	0.11	0.13	0.14	0.45	0.03	0.13	0.21	0.25	0.25	0.87
	Rural Districts	0.02	0.05	0.10	0.10	0.11	0.38	0.02	0.04	0.09	0.09	0.12	0.36	0.05	0.16	0.20	0.21	0.09	0.71
	All Urban Districts	0.01	0.07	0.15	0.16	0.18	0.57	0.01	0.06	0.14	0.15	0.17	0.53	0.04	0.23	0.35	0.37	0.38	1.37
Meningitis (not Tuberculous) (61).	London	0.04	0.16	0.37	0.48	0.32	1.37	0.04	0.15	0.36	0.50	0.32	1.37	0.13	0.31	0.48	0.17	0.17	1.26
	County Boroughs	0.05	0.14	0.34	0.38	0.29	1.20	0.05	0.12	0.34	0.36	0.29	1.18	0.07	0.27	0.45	0.42	0.39	1.60
	Other Urban Districts...	0.06	0.12	0.27	0.31	0.26	1.02	0.06	0.14	0.26	0.32	0.26	1.02	0.10	0.04	0.39	0.30	0.27	1.10
	Rural Districts	0.05	0.13	0.20	0.23	0.17	0.78	0.05	0.13	0.19	0.23	0.17	0.77	0.07	0.16	0.32	0.28	0.18	1.01
	All Urban Districts	0.05	0.14	0.32	0.36	0.28	1.15	0.05	0.13	0.31	0.37	0.28	1.14	0.09	0.18	0.43	0.33	0.31	1.34
Convulsions (71)	London	1.44	0.70	0.55	0.32	0.28	3.29	1.44	0.66	0.51	0.31	0.27	3.19	1.40	1.48	1.18	0.52	0.52	5.10
	County Boroughs	2.95	1.75	1.30	0.90	0.66	7.56	2.89	1.64	1.21	0.86	0.63	7.23	4.19	3.67	2.85	1.63	1.11	13.45
	Other Urban Districts...	2.79	1.67	1.22	0.83	0.60	7.11	2.73	1.56	1.10	0.79	0.58	6.76	3.82	3.73	3.19	1.60	1.04	13.38
	Rural Districts	3.02	1.65	1.05	0.73	0.56	7.01	2.89	1.52	0.99	0.70	0.53	6.63	5.22	3.75	2.07	1.22	0.85	13.11
	All Urban Districts	2.66	1.56	1.15	0.78	0.58	6.73	2.61	1.46	1.06	0.75	0.55	6.43	3.63	3.38	2.75	1.46	1.00	12.22
Laryngitis (87 B)	London	0.02	0.00	0.02	0.02	0.02	0.08	0.02	0.00	0.03	0.01	0.02	0.08	—	—	—	0.09	—	0.09
	County Boroughs	0.01	0.01	0.03	0.04	0.04	0.13	0.01	0.01	0.03	0.03	0.05	0.13	—	0.04	0.04	0.06	0.03	0.17
	Other Urban Districts...	0.02	0.02	0.03	0.03	0.03	0.13	0.02	0.02	0.03	0.03	0.03	0.13	—	0.01	0.10	0.04	0.19	
	Rural Districts	0.01	0.03	0.03	0.03	0.03	0.13	0.01	0.02	0.03	0.03	0.04	0.13	—	0.06	0.07	0.05	0.05	0.23
	All Urban Districts	0.01	0.01	0.03	0.03	0.05	0.13	0.01	0.01	0.03	0.03	0.04	0.12	—	0.03	0.05	0.06	0.03	0.17
Bronchitis (89, 90)	London	0.71	1.88	1.55	1.02	0.76	5.92	0.72	1.82	1.46	0.97	0.74	5.71	0.57	2.92	3.22	2.05	1.09	9.85
	County Boroughs	1.06	2.61	2.32	2.01	1.56	9.56	1.07	2.54	2.24	1.94	1.51	9.30	0.87	3.96	3.74	3.19	2.41	14.17
	Other Urban Districts...	0.93	2.13	2.00	1.59	1.15	7.80	0.92	2.06	1.92	1.53	1.11	7.54	0.96	3.32	3.47	2.68	1.88	12.31
	Rural Districts	0.81	1.88	1.63	1.34	1.01	6.67	0.81	1.82	1.56	1.30	0.97	6.46	0.67	2.90	2.73	1.96	1.61	9.87
	All Urban Districts	0.95	2.29	2.07	1.69	1.27	8.27	0.96	2.22	1.99	1.62	1.23	8.02	0.86	3.54	3.56	2.81	2.00	12.77
Pneumonia (all forms) (91, 92).	London	1.00	2.47	3.17	3.14	3.33	13.11	0.94	2.38	3.01	3.07	3.25	12.65	2.14	4.27	6.14	4.36	4.71	21.62
	County Boroughs	0.58	1.99	2.92	3.57	3.59	12.65	0.58	1.93	2.80	3.48	3.52	12.31	0.51	3.02	5.12	5.18	4.93	18.76
	Other Urban Districts...	0.46	1.56	2.26	2.68	2.67	9.63	0.44	1.52	2.17	2.61	2.65	9.39	0.79	2.13	3.88	3.78	3.22	13.80
	Rural Districts	0.40	1.20	1.77	2.05	1.95	7.37	0.38	1.15	1.69	2.03	1.91	7.16	0.76	2.05	3.01	2.51	2.46	10.79
	All Urban Districts	0.59	1.88	2.68	3.13	3.18	11.46	0.58	1.83	2.57	3.06	3.10	11.14	0.86	2.82	4.75	4.47	4.17	17.07

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Diarrhoea and Enteritis (104)	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.96	3.15	4.75	2.63	1.60	13.09	0.87	2.58	3.83	2.32	1.49	11.09	13.95	21.93	8.46	3.57	50.61
		0.99	3.03	3.90	2.29	1.56	11.77	0.94	2.70	3.47	2.12	1.49	10.72	8.94	11.62	5.32	2.90	30.60
		0.75	2.13	2.53	1.39	1.02	7.82	0.73	1.91	2.29	1.32	0.98	7.23	5.99	6.52	2.79	1.69	18.18
		0.62	1.56	1.62	0.95	0.66	5.41	0.59	1.46	1.53	0.89	0.65	5.12	3.35	2.99	1.82	0.83	10.14
Gastritis (103 A)	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.89	2.67	3.46	1.96	1.34	10.32	0.84	2.35	3.04	1.81	1.28	9.32	8.41	10.94	4.70	2.49	28.22
		0.11	0.30	0.25	0.12	0.08	0.86	0.11	0.26	0.22	0.11	0.08	0.78	0.82	0.83	0.35	0.09	2.35
		0.26	0.60	0.45	0.23	0.12	1.66	0.26	0.58	0.40	0.21	0.12	1.57	1.14	1.18	0.55	0.19	3.26
		0.25	0.55	0.40	0.20	0.13	1.53	0.24	0.50	0.37	0.19	0.13	1.43	1.40	0.93	0.43	0.15	3.38
Syphilis (37) ..	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.20	0.47	0.31	0.16	0.10	1.24	0.19	0.41	0.30	0.16	0.10	1.16	1.39	0.53	0.21	0.12	2.62
		0.24	0.53	0.40	0.20	0.12	1.49	0.23	0.49	0.36	0.19	0.12	1.39	1.19	1.03	0.47	0.16	3.18
		0.55	0.86	0.45	0.16	0.05	2.07	0.40	0.54	0.24	0.09	0.03	1.30	6.84	4.36	1.57	0.44	16.52
		0.76	0.96	0.50	0.18	0.10	2.50	0.59	0.71	0.33	0.11	0.06	1.80	5.63	3.60	1.36	0.68	15.07
Rickets (36 A)	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.46	0.52	0.25	0.10	0.05	1.38	0.36	0.37	0.16	0.06	0.03	0.98	3.18	1.82	0.68	0.39	8.40
		0.28	0.26	0.13	0.05	0.03	0.75	0.19	0.16	0.10	0.02	0.02	0.49	1.84	0.64	0.41	0.14	4.95
		0.60	0.77	0.39	0.14	0.07	1.97	0.46	0.53	0.25	0.09	0.05	1.38	4.77	2.96	1.10	0.52	12.46
		0.01	0.05	0.11	0.11	0.12	0.40	0.00	0.03	0.10	0.10	0.10	0.33	0.47	0.35	0.44	0.44	1.74
Suffocation, including over-lying (168 part).	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.01	0.03	0.08	0.11	0.14	0.37	0.01	0.03	0.07	0.10	0.13	0.34	0.10	0.32	0.27	0.32	1.01
		0.00	0.03	0.05	0.09	0.11	0.28	0.00	0.03	0.04	0.09	0.10	0.26	0.09	0.07	0.18	0.15	0.49
		0.01	0.03	0.05	0.08	0.08	0.25	0.01	0.02	0.05	0.07	0.07	0.22	0.16	0.12	0.14	0.23	0.67
		0.01	0.03	0.07	0.10	0.13	0.34	0.01	0.03	0.06	0.09	0.12	0.31	0.01	0.22	0.26	0.26	0.90
Injury at Birth (152 C)	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.59	0.45	0.22	0.08	0.02	1.36	0.46	0.42	0.20	0.08	0.02	1.18	0.96	0.52	0.13	—	4.80
		0.45	0.34	0.19	0.05	0.02	1.05	0.37	0.32	0.18	0.05	0.02	0.94	0.57	0.40	0.10	0.04	2.95
		0.24	0.20	0.11	0.03	0.01	0.59	0.19	0.18	0.11	0.03	0.01	0.52	0.50	0.27	0.12	—	1.79
		0.24	0.16	0.10	0.02	0.01	0.53	0.19	0.15	0.10	0.02	0.01	0.47	0.37	0.14	—	0.05	1.45
Atelectasis (152 B) ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	0.38	0.30	0.16	0.05	0.01	0.90	0.32	0.28	0.15	0.04	0.01	0.80	0.60	0.36	0.11	0.02	2.72
		1.20	0.02	0.00	—	—	1.22	0.99	0.02	—	—	—	1.01	0.04	0.04	—	—	5.06
		1.06	0.02	—	—	—	1.08	1.02	0.02	—	—	—	1.04	—	—	—	—	1.69
		1.08	0.02	0.00	—	—	1.10	1.04	0.02	0.00	—	—	1.06	0.01	—	—	—	1.82
Congenital Malformations (150).	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	1.21	0.02	—	—	—	1.23	1.13	0.02	—	—	—	1.15	0.02	—	—	—	2.53
		1.09	0.02	0.00	—	—	1.11	1.03	0.02	0.00	—	—	1.05	0.01	0.01	—	—	2.23
		1.84	0.12	—	—	—	1.96	1.79	0.10	—	—	—	1.89	0.44	—	—	—	3.36
		1.55	0.08	—	—	—	1.63	1.52	0.07	—	—	—	1.59	0.25	—	—	—	2.47
Premature Birth (151 A) ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	1.37	0.05	—	—	—	1.42	1.35	0.05	—	—	—	1.40	0.10	—	—	—	1.79
		1.42	0.06	—	—	—	1.48	1.38	0.06	—	—	—	1.44	0.09	—	—	—	2.09
		1.51	0.08	—	—	—	1.59	1.48	0.07	—	—	—	1.55	0.21	—	—	—	2.31
		2.51	0.94	0.38	0.15	0.08	4.06	2.43	0.89	0.37	0.16	0.08	3.93	1.83	0.44	0.09	0.09	6.58
Premature Birth (151 A) ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	2.57	0.81	0.35	0.18	0.11	4.02	2.56	0.79	0.35	0.18	0.10	3.98	1.17	0.45	0.20	0.19	4.77
		2.67	0.77	0.40	0.17	0.10	4.11	2.68	0.74	0.39	0.17	0.10	4.08	1.29	0.50	0.18	0.06	4.67
		2.54	0.75	0.35	0.18	0.11	3.93	2.51	0.74	0.35	0.18	0.12	3.90	0.90	0.32	0.25	0.07	4.32
		2.61	0.81	0.37	0.17	0.10	4.06	2.59	0.78	0.37	0.17	0.10	4.01	1.32	0.47	0.18	0.12	4.99
Premature Birth (151 A) ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	15.58	1.52	0.17	0.03	0.01	17.31	14.89	1.38	0.14	0.03	0.00	16.44	4.01	0.74	0.09	0.04	33.79
		19.17	1.74	0.19	0.03	0.01	21.14	18.47	1.62	0.18	0.03	0.01	20.31	3.83	0.49	0.12	0.01	35.88
		17.13	1.48	0.19	0.03	0.01	18.84	16.56	1.39	0.18	0.03	0.01	18.17	27.04	3.08	0.41	0.12	30.72
		16.84	1.18	0.18	0.02	0.01	18.23	16.26	1.09	0.17	0.02	0.01	17.55	26.09	2.76	0.30	0.02	29.19
Premature Birth (151 A) ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	17.77	1.60	0.19	0.03	0.01	19.60	17.13	1.49	0.17	0.03	0.01	18.83	29.22	3.54	0.49	0.04	33.40

TABLE 20.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, IN THE QUINQUENNIAL, 1916-1920.—
CLASSES OF ADMINISTRATIVE AREAS—*continued*.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Atrophy, Debility, and Marasmus (151 B-E).	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	3.82	2.69	1.94	0.59	0.25	9.29	3.60	2.15	1.47	0.46	0.20	7.88	7.80	12.87	10.85	3.05	1.18	35.75
		5.82	2.66	1.57	0.52	0.26	10.83	5.62	2.30	1.33	0.44	0.23	9.92	9.54	9.13	5.78	1.91	0.71	27.07
		6.40	2.45	1.09	0.38	0.19	10.51	6.15	2.14	0.95	0.33	0.17	9.74	11.09	7.84	3.63	1.13	0.55	24.24
		6.68	2.09	0.87	0.28	0.12	10.04	6.42	1.86	0.75	0.26	0.11	9.40	10.69	5.82	2.81	0.67	0.37	20.36
		5.77	2.58	1.42	0.47	0.23	10.47	5.54	2.21	1.19	0.40	0.20	9.54	9.95	9.12	5.60	1.74	0.71	27.12
Other Causes ...	{ London County Boroughs Other Urban Districts... Rural Districts All Urban Districts	1.96	0.99	1.19	1.09	0.97	6.20	1.22	0.92	1.18	1.03	0.99	5.34	15.25	2.66	2.11	1.65	0.87	22.54
		1.82	1.06	1.22	1.12	1.01	6.23	1.45	0.95	1.13	1.11	1.00	5.64	8.73	2.38	2.42	1.59	1.31	16.43
		1.83	0.94	1.09	1.05	0.90	5.81	1.38	0.86	1.09	1.01	0.90	5.24	9.66	2.23	1.91	1.49	0.91	16.20
		1.99	0.97	1.06	1.07	0.91	6.00	1.55	0.86	1.02	1.06	0.90	5.39	9.41	2.14	1.76	1.47	1.16	15.94
		1.85	0.99	1.17	1.10	0.94	6.05	1.38	0.92	1.11	1.05	0.97	5.43	10.05	2.36	2.15	1.56	1.08	17.20

TABLE 21.—ENGLAND AND WALES.—MORTALITY of INFANTS AND YOUNG CHILDREN by AGE and CAUSE in the DECENNIUM, 1901-10, and in the QUINQUENNIA, 1911-15 and 1916-20.

Cause of Death.	Proportion of Deaths to 1,000 Births.												Death-rate per 1,000 living under 5 years of age.		
	Under 3 months.			3 to 6 months.			6 to 12 months.			Under 1 year.					
	1901- 10.	1911- 15.	1916- 20.	1901- 10.	1911- 15.	1916- 20.	1901- 10.	1911- 15.	1916- 20.	1901- 10.	1911- 15.	1916- 20.	1901- 10.	1911- 15.	1916- 20.
ALL CAUSES ..	66·34	59·23	53·46	24·92	19·74	14·41	36·29	30·59	22·07	127·55	109·56	89·94	45·95	37·19	31·21
I. Common Infectious Diseases (5-9, 19c).	1·13	0·99	0·74	1·43	1·18	0·85	5·53	5·25	3·49	8·09	7·42	5·08	6·70	5·85	4·28
II. Tuberculous Dis- eases (28-35).	0·80	0·43	0·26	1·59	0·89	0·55	2·78	1·76	1·19	5·17	3·08	2·00	2·88	1·98	1·49
III. Diarrhoea and En- teritis (104).*	5·58	5·56	3·28	6·97	6·35	3·09	7·92	7·33	2·97	20·47	19·24	9·34	6·18	5·54	2·63
IV. Developmental and Wasting Diseases (150, 151, 152B).*	37·70	34·58	32·50	3·57	2·58	1·87	2·07	1·55	0·95	43·34	38·71	35·32	10·93	8·88	7·87
V. Miscellaneous Dis- eases (Remainder).	21·13	17·67	16·68	11·36	8·74	8·05	17·99	14·70	13·47	50·48	41·11	38·20	19·26	14·94	14·94
Small-pox (5)	0·03	0·00	0·00	0·01	—	—	0·01	—	0·00	0·05	0·00	0·00	0·02	0·00	0·00
Chicken-pox (19c) ..	0·01	0·01	0·00	0·01	0·01	0·01	0·04	0·04	0·03	0·06	0·06	0·04	0·03	0·02	0·02
Measles (6)	0·06	0·09	0·07	0·18	0·19	0·13	2·32	2·66	1·56	2·56	2·94	1·76	2·60	2·93	1·86
Scarlet fever (7) ..	0·01	0·00	0·00	0·02	0·01	0·00	0·13	0·08	0·05	0·16	0·09	0·05	0·57	0·31	0·16
Whooping cough (8) ..	0·99	0·87	0·64	1·17	0·95	0·68	2·73	2·26	1·67	4·89	4·08	2·99	2·43	1·89	1·52
Diphtheria and Croup (9).	0·03	0·02	0·03	0·04	0·02	0·03	0·30	0·21	0·18	0·37	0·25	0·24	1·05	0·70	0·72
Erysipelas (18).. ..	0·17	0·11	0·10	0·05	0·04	0·02	0·04	0·03	0·01	0·26	0·18	0·13	0·07	0·05	0·03
Tuberculous Meningitis (30).	0·12	0·09	0·07	0·39	0·28	0·21	0·99	0·71	0·56	1·50	1·08	0·84	1·06	0·81	0·68
Abdominal Tuberculosis (31).	0·45	0·23	0·12	0·78	0·40	0·20	0·98	0·56	0·30	2·21	1·19	0·62	0·93	0·57	0·39
Other Tuberculous Dis- eases (28, 29, 32-35).	0·23	0·11	0·07	0·42	0·21	0·14	0·81	0·49	0·33	1·46	0·81	0·54	0·89	0·60	0·42
Meningitis (not Tuber- culous) (61).*	0·30	0·24	0·18	0·56	0·41	0·29	1·16	0·81	0·61	2·02	1·46	1·08	1·04	0·72	0·55
Convulsions (71)* ..	7·97	5·25	4·32	2·81	1·63	1·13	3·36	1·93	1·34	14·14	8·81	6·79	4·13	2·34	1·80
Laryngitis (87B) ..	0·04	0·04	0·03	0·04	0·03	0·03	0·11	0·10	0·07	0·19	0·17	0·13	0·20	0·15	0·13
Bronchitis (89, 90)* ..	3·68	3·13	3·13	2·62	2·06	1·98	4·00	3·11	2·84	10·30	8·30	7·95	3·54	2·59	2·48
Pneumonia (all forms) (91, 92).	2·19	2·21	2·29	2·59	2·47	2·50	6·29	6·22	5·86	11·07	10·90	10·65	5·38	4·97	5·03
Diarrhoea and Enteritis (104).*	5·58	5·56	3·28	6·97	6·35	3·09	7·92	7·33	2·97	20·47	19·24	9·34	6·18	5·54	2·63
Gastritis (103A)† ..	0·89	0·80	0·75	0·61	0·43	0·38	0·49	0·36	0·31	1·99	1·59	1·44	0·59	0·43	0·39
Syphilis (37)	0·80	0·99	1·21	0·30	0·28	0·34	0·15	0·15	0·18	1·25	1·42	1·73	0·33	0·34	0·40
Rickets (36A)	0·04	0·03	0·04	0·11	0·07	0·07	0·42	0·29	0·21	0·57	0·39	0·32	0·35	0·22	0·19
Suffocation, overlying (168 part).	1·24	1·01	0·63	0·39	0·30	0·15	0·12	0·09	0·05	1·75	1·40	0·83	0·44	0·32	0·18
Injury at Birth (152c).	0·84	1·13	1·13	0·00	0·00	0·00	0·00	0·00	—	0·84	1·13	1·13	0·21	0·25	0·25
Atelectasis (152B) ..	1·53	1·70	1·57	—	—	—	0·00	—	—	1·53	1·70	1·57	0·38	0·38	0·34
Congenital Malforma- tions (150).*	3·92	3·17	3·40	0·40	0·39	0·37	0·31	0·29	0·27	4·63	3·85	4·04	1·21	0·93	0·95
Premature Birth (151A)	19·83	19·45	19·10	0·22	0·20	0·19	0·04	0·04	0·04	20·09	19·69	19·33	4·94	4·40	4·22
Atrophy, Debility and Marasmus (151B-E; & 189B at Ages 1-5).*	12·42	10·26	8·43	2·95	1·99	1·31	1·72	1·22	0·64	17·09	13·47	10·38	4·40	3·17	2·36
Other Causes	2·97	2·73	2·87	1·28	1·02	1·16	1·85	1·61	1·99	6·10	5·36	6·02	2·98	2·56	3·15

* See Note to Table 14.

† Including some deaths in 1901-5 which in later years would have been classed to Other Causes (Other Diseases of Stomach).

TABLE 22.—ENGLAND AND WALES.—NAMES on the REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1871–1920.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial paid for by Fees.	
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*
						£ s. d.
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875 6 0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752 6 0
1913	30,074,360	59,651,409	36,731,695	126,457,464	79,315	11,613 19 0
1914	30,663,162	60,530,505	37,248,437	128,442,104	83,447†	12,482 11 6†
1915	31,384,932	61,345,119	37,810,690	130,540,741	84,151	13,007 10 0
1916	31,944,624	62,130,639	38,318,907	132,394,170	105,665	16,379 17 0
1917	32,462,334	62,798,985	38,817,829	134,079,148	94,796	14,859 14 0
1918	33,036,660	63,461,646	39,429,690	135,927,996	108,958	16,889 0 0
1919	33,775,482	64,154,084	39,933,893	137,863,459	131,243	20,017 14 6
1920	34,535,446	65,111,866	40,400,023	140,047,335	134,747†	20,415 0 0†

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 23.—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION; and BIRTHS and DEATHS, 1896–1920.

Year.	Islands in the British Seas.	Isle of Man.	Jersey.	Guernsey and adjacent Islands.				
Area in Acres }	189,346	141,263	28,717	19,366				
Enumerated Population.								
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,915	52,016	51,898	45,001				
1921	149,852	60,238	49,494	40,120				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651
1913	2,802	2,321	899	899	946	772	957	650
1914	2,851	2,227	899	815	998	811	954	601
1915	2,476	2,515	805	884	824	901	847	730
1916	2,232	2,215	728	864	744	740	760	611
1917	2,103	2,298	647	855	724	808	732	635
1918	1,958	2,711	535	908	710	1,120	713	683
1919	2,023	2,187	679	847	661	691	683	649
1920	2,749	1,849	900	777	897	742	952	330

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

TABLE 24.—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1901–1920.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries. (All Nationalities).*	Net Balance Outward on Total Movement to and from all Countries. (All Nationalities).*
	British Subjects.	Aliens.	Nationality not Distinguished.	Total.		
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734
1913	241,997	87,076	—	329,073	125,462	203,611
1914	63,334	28,212	—	91,546	200,234	108,688†
1915	24,733†	4,051	—	20,682†	15,465	36,147†
1916	8,175†	3,481	—	4,694†	6,526†	1,832
1917	448†	5,723†	—	6,171†	19,469†	13,298
1918	1,905	5,051†	—	3,146†	17,996†	14,850
1919	27,002	19,099†	—	7,903	144,739†	152,642
1920	172,747	18,573†	—	154,174	13,607†	167,781

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1901 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 25.—UNITED KINGDOM AND ITS SEVERAL DIVISIONS.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS, 1896–1920.

NOTE.—The diseases in this table correspond with those of the same name in the Short List of Causes of Death. (For contents of the several headings see pp. xxxiii and xxv of the Manual of the International List.)

Year	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer.	Malignant disease.		
UNITED KINGDOM.																				
1896	39,599,072	592,178	1,152,144	673,104	15.0	29.0	16.9	139	6,503	547	19,649	6,897	16,276	12,442	—	56,195	28,971	1896		
1897	39,987,294	606,172	1,157,224	704,470	15.2	28.9	17.6	150	6,504	38	15,837	5,815	16,159	10,355	—	58,590	30,290	1897		
1898	40,380,792	620,142	1,159,483	712,942	15.4	28.7	17.7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,306	1898		
1899	40,774,296	635,246	1,163,279	741,091	15.6	28.5	18.2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899		
1900	41,154,646	622,508	1,159,922	757,732	15.1	28.2	18.4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900		
1901*	41,538,211	626,702	1,162,975	710,811	15.1	28.0	17.1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*		
1902	41,892,680	633,224	1,174,639	691,155	15.1	28.0	16.5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902		
1903	42,246,591	632,892	1,183,627	667,988	15.0	28.0	15.8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903		
1904	42,611,375	626,176	1,181,803	707,278	14.7	27.7	16.6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,657	1904		
1905	42,980,788	630,180	1,163,535	669,638	14.7	27.1	15.6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905		
1906	43,361,077	651,684	1,170,622	681,343	15.0	27.0	15.7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906		
1907	43,737,834	664,456	1,148,624	678,851	15.2	26.3	15.5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,082	39,634	1907		
1908	44,123,819	638,560	1,173,784	675,185	14.4	26.5	15.3	118	3,271	18	11,372	3,280	12,940	7,158	—	54,089	40,642	1908		
1909	44,519,454	626,604	1,145,900	667,608	14.1	25.7	15.0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909		
1910	44,915,934	641,470	1,122,984	630,409	14.3	25.0	14.0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,134	1910		
1911*	45,324,425	660,520	1,104,746	672,017	14.6	24.4	14.8	125	3,044	28	14,482	2,636	11,006	6,398	—	52,378	44,432	1911*		
1912	45,508,243	679,246	1,096,562	631,466	14.9	24.0	13.8	95	2,028	26	15,651	2,742	10,879	5,598	—	50,934	46,252	1912		
1913	45,713,370	685,050	1,102,500	652,738	15.0	24.1	14.3	108	1,965	10	12,893	3,049	7,895	5,667	—	49,608	48,051	1913		
1914	46,089,249	706,248	1,101,836	661,644	15.3	23.9	14.4	104	2,217	5	11,605	4,165	10,133	7,194	—	50,782	48,712	1914		
1915§	48,735,300	842,544	1,024,378	720,035	18.2	22.1	16.0	110	1,797	15	19,261	3,782	11,786	7,134	—	54,575	48,964	1915§		
1916§	43,059,100	667,020	986,899	650,248	14.2	21.1	14.6	91	1,547	19	7,468	2,256	7,680	6,569	—	54,076	49,999	1916		
1917§	42,279,100	620,698	852,157	641,129	13.3	18.2	14.7	97	1,349	3	12,846	1,096	7,162	5,484	—	55,903	50,541	1917		
1918§	42,041,700	688,524	848,519	768,928	14.7	18.1	17.4	96	1,342	2	11,625	1,279	12,532	5,856	—	58,915	50,510	1918		
1919	46,082,077	881,482	888,031	657,964	18.9	19.0	14.3	90	849	28	4,690	1,706	4,623	5,952	—	47,713	51,665	1919		
1920	46,873,396	907,302	1,193,864	600,347	19.3	25.4	12.8	82	878	183	8,511	1,990	6,009	6,962	—	43,651	53,275	1920		
ENGLAND AND WALES.																				
1896	30,802,858	485,528	915,331	526,727	15.7	29.6	17.1	148	5,125	541	17,618	5,476	13,266	10,571	—	40,251	23,521	1896		
1897	31,158,245	498,290	921,633	541,487	16.0	29.6	17.4	156	4,851	25	12,711	4,577	11,431	8,753	—	41,642	24,443	1897		
1898	31,517,725	510,758	923,165	552,141	16.2	29.3	17.5	160	5,708	253	13,220	3,548	10,175	8,524	—	41,335	25,196	1898		
1899	31,881,365	524,668	928,646	581,799	16.5	29.1	18.2	163	6,304	174	9,998	3,722	10,129	10,301	—	42,408	26,325	1899		
1900	32,249,187	514,960	927,062	587,830	16.0	28.7	18.2	154	5,591	85	12,710	3,844	11,467	10,187	—	42,987	26,721	1900		
1901*	32,612,022	518,800	929,807	551,585	15.9	28.5	16.9	151	5,071	356	9,019	4,339	10,205	9,761	—	41,224	27,487	1901*		
1902	32,950,909	523,500	940,509	535,538	15.9	28.5	16.3	133	4,149	2,464	12,930	4,375	9,805	8,448	—	40,671	27,872	1902		
1903	33,293,321	522,206	948,271	514,628	15.7	28.5	15.5	132	3,347	760	9,150	4,158	9,522	6,544	—	40,132	29,089	1903		
1904	33,639,287	515,712	945,389	549,784	15.3	28.0	16.3	145	3,153	507	12,306	3,770	11,909	6,280	—	41,851	29,632	1904		
1905	33,988,844	521,484	929,293	520,031	15.3	27.3	15.3	128	3,052	116	11,076	3,834	8,709	5,962	—	38,950	30,221	1905		
1906	34,342,040	540,076	935,031	531,281	15.7	27.2	15.5	132	3,169	21	9,444	3,475	8,313	6,608	—	39,746	31,668	1906		
1907	34,698,905	552,842	918,042	524,221	15.9	26.5	15.1	118	2,344	10	12,625	3,220	10,255	6,132	—	39,839	31,745	1907		
1908	35,059,484	529,880	940,383	520,456	15.1	26.7	14.8	120	2,651	12	8,011	2,827	9,851	5,920	—	39,499	32,717	1908		
1909	35,423,305	521,088	914,472	518,003	14.7	25.8	14.6	109	2,142	21	12,618	3,215	7,182	5,507	1	38,639	34,053	1909		
1910	35,791,902	535,442	896,962	483,247	15.0	25.1	13.5	105	1,889	19	8,302	2,370	8,797	4,375	—	36,334	34,607	1910		
1911*	36,189,685	549,886	881,133	527,310	15.2	24.3	14.6	130	2,416	23	13,128	1,892	7,844	4,992	—	39,232	35,902	1911*		
1912	36,382,456	567,668	872,737	486,939	15.6	23.9	13.3	95	1,600	9	12,855	1,995	8,407	4,338	—	38,033	37,323	1912		
1913	36,606,226	573,166	881,890	504,975	15.7	24.1	13.8	108	1,505	10	10,644	2,100	5,458	4,494	—	37,055	38,939	1913		
1914	36,960,684	588,802	879,096	516,742	15.9	23.8	14.0	105	1,705	4	9,144	2,843	8,040	5,898	—	38,637	39,517	1914		
1915§	35,358,896	721,770	814,614	562,253	19.4	21.9	15.7	110	1,388	13	16,445	2,406	8,143	5,895	—	41,676	39,847	1915		
1916§	34,500,000	559,692	785,520	508,217	14.9	20.9	14.4	91	1,122	18	5,413	1,331	6,075	5,405	—	41,545	40,630	1916		
1917§	33,711,000	517,710	668,346	498,922	13.8	17.8	14.4	96	977	3	10,538	768	4,509	4,498	—	43,113	41,153	1917		
1918§	33,474,700	574,326	662,661	511,861	15.3	17.7	17.6	97	950	2	9,787	1,020	9,898	4,832	—	46,077	41,227	1918		
1919	36,800,000	738,822	692,438	504,203	19.7	18.5	13.7	89	577	28	3,534	1,221	2,605	4,916	—	36,662	42,144	1919		
1920	37,524,000	759,964	957,782	466,130	20.2	25.5	12.4	80	537	30	7,190	1,430	4,401	5,666	—	33,469	43,687	1920		

TABLE 25.—UNITED KINGDOM AND ITS SEVERAL DIVISIONS.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS, 1896-1920—continued.

NOTE.—The diseases in this table correspond with those of the same name in the Short List of Causes of Death. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

SCOTLAND. (Furnished by the Registrar-General, Scotland.)

1896	4,254,153	60,540	129,172	70,677	14.2	30.4	16.6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896	† Excluding acute military tuberculosis.
1897	4,299,132	62,100	128,877	79,144	14.4	30.0	18.4	138	655	10	2,056	716	2,877	812	—	7,200	3,212	1897	
1898	4,344,589	64,224	130,861	73,397	14.8	30.1	18.0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898	
1899	4,390,530	65,956	130,733	79,593	15.0	29.8	18.1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899	
1900	4,436,958	64,888	131,401	82,296	14.6	29.6	18.5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900	† No allowance made for movement of Scottish troops overseas.
1901*	4,479,104	62,774	132,192	80,107	14.0	29.5	17.9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*	
1902	4,507,220	63,826	132,267	77,941	14.2	29.3	17.3	113	552	80	1,388	524	1,765	787	—	6,572	3,711	1902	
1903	4,535,513	64,702	133,525	76,002	14.3	29.4	16.8	118	552	41	1,133	407	1,946	715	—	6,680	3,798	1903	
1904	4,563,985	64,542	132,603	77,981	14.1	29.1	17.1	123	410	185	1,512	277	2,405	750	—	6,788	3,920	1904	
1905	4,592,636	62,540	131,410	74,536	13.6	28.6	16.2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905	
1906	4,621,466	66,284	132,005	75,635	14.3	28.6	16.4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906	
1907	4,650,478	66,596	128,840	77,296	14.3	27.7	16.6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907	
1908	4,679,671	63,212	131,362	77,838	13.5	28.1	16.6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908	
1909	4,709,048	60,216	128,669	74,632	12.8	27.3	15.8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909	
1910	4,738,611	61,304	124,059	72,268	13.0	26.2	15.3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910	
1911*	4,751,132	63,688	121,850	71,732	13.4	25.6	15.1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*	
1912	4,741,077	65,012	122,790	72,340	13.7	25.9	15.3	105	196	17	1,983	439	1,427	824	—	5,306	5,195	1912	
1913	4,728,132	67,352	120,516	73,069	14.2	25.5	15.5	110	171	—	1,329	591	1,819	794	—	5,103	5,212	1913	
1914	4,747,167	70,056	123,934	73,557	14.8	26.1	15.5	111	225	1	1,458	815	1,342	901	—	4,917	5,388	1914	
1915	4,770,798†	72,466	114,181	81,631	15.1	23.9	17.1	126	171	2	2,221	950	2,820	836	—	5,291	5,291	1915	
1916	4,794,708†	62,338	109,942	70,640	13.0	22.8	14.6	97	149	1	1,603	588	718	813	—	5,126	5,431	1916	
1917	4,810,338†	60,842	97,441	69,483	12.5	20.1	14.3	107	94	—	1,804	212	2,128	648	—	5,073	5,544	1917	
1918	4,812,274†	69,058	98,554	78,372	14.1	20.2	16.0	100	125	—	1,198	168	1,603	756	—	5,217	5,472	1918	
1919	4,820,077†	88,274	106,268	75,149	18.0	21.7	15.4	102	83	—	899	222	1,573	727	—	4,294	5,657	1919	
1920	4,864,396†	93,686	136,546	68,179	19.3	28.1	14.0	92	96	152	816	245	628	724	—	4,194	5,765	1920	

IRELAND. (Furnished by the Registrar-General, Ireland.)

1896	4,542,061	46,110	107,641	75,700	10.2	23.7	16.7	95	716	4	516	752	1,010	745	—	9,051	2,437	1896	† Excluding acute military tuberculosis for years prior to 1911.
1897	4,529,917	45,782	106,664	83,839	10.1	23.5	18.5	109	998	3	1,070	522	1,851	790	—	9,748	2,635	1897	
1898	4,518,478	45,160	105,457	82,404	10.0	23.3	18.2	110	1,284	—	316	325	1,588	791	—	9,678	2,657	1898	
1899	4,502,401	44,622	103,900	79,699	9.9	23.1	17.7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899	
1900	4,468,501	42,660	101,459	87,606	9.5	22.7	19.6	109	769	1	640	245	689	726	—	10,076	2,717	1900	
1901*	4,447,085	45,128	100,976	79,119	10.1	22.7	17.8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*	† Movements of the military taken into account.
1902	4,434,551	45,898	101,863	77,676	10.4	23.0	17.5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902	
1903	4,417,757	45,984	101,831	77,358	10.4	23.1	17.5	96	480	40	686	210	1,062	670	—	9,559	3,048	1903	
1904	4,408,103	45,922	103,811	79,513	10.4	23.6	18.0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904	
1905	4,399,308	46,156	102,832	75,071	10.5	23.4	17.1	95	502	5	809	170	581	558	—	9,216	3,291	1905	
1906	4,397,571	45,324	103,536	74,427	10.3	23.5	16.9	93	394	—	388	149	929	602	—	8,933	3,481	1906	
1907	4,388,451	45,018	101,742	77,334	10.3	23.2	17.6	92	362	1	584	99	809	432	—	8,828	3,338	1907	
1908	4,384,664	45,468	102,039	76,891	10.4	23.3	17.5	97	338	—	858	72	945	490	—	8,511	3,314	1908	
1909	4,386,601	45,300	102,759	74,973	10.3	23.4	17.1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909	
1910	4,385,421	44,224	101,963	74,894	10.1	23.3	17.1	95	278	—	853	173	1,297	432	—	7,527	3,664	1910	
1911*	4,383,608	46,946	101,758	72,475	10.7	23.2	16.6	94	356	—	431	293	815	475	—	7,584	3,582	1911*	
1912	4,384,710	46,566	101,035	72,187	10.6	23.0	16.5	86	232	—	813	308	1,045	436	—	7,452	3,734	1912	
1913	4,379,012	44,532	100,094	74,694	10.2	22.8	17.1	97	239	—	920	358	618	879	—	7,366	3,900	1913	
1914	4,381,398	47,390	98,806	71,345	10.8	22.6	16.3	87	287	—	1,003	507	751	395	—	7,163	3,807	1914	
1915	4,337,000†	48,308	95,533	76,151	11.1	22.0	17.6	92	238	—	595	426	823	403	—	7,547	3,826	1915	
1916	4,367,000†	44,490	91,437	71,391	10.2	20.9	16.3	83	276	—	452	287	887	351	—	7,342	3,938	1916	
1917	4,380,000†	42,146	86,370	72,724	9.6	19.7	16.6	88	278	—	504	116	525	338	—	7,617	3,839	1917	
1918	4,399,000†	45,140	87,304	78,695	10.3	19.8	17.9	86	267	—	640	91	1,031	268	—	7,556	3,811	1918	
1919	4,462,000†	54,386	89,325	78,612	12.2	20.0	17.6	88	189	—	257	263	445	309	—	6,687	3,864	1919	
1920	4,485,000†	53,652	99,536	66,538	12.0	22.2	14.8	83	245	1	505	315	980	572	—	5,911	3,823	1920	

TABLE 26.—METEOROLOGICAL

Year	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910)	Fall of rain in Inches and Millimetres		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Satura- tion = 100)	Departure from Average of 50 Years (1861-1910)	Mean Temperature of the Air	Departure from Average of 50 Years (1861-1910)
	Miles	Miles	in.	mm.	mm.	%	%	° F.	° F.
1871 ...	1749	— 202	22·3	566	— 44	81	0	48·5	— 0·8
1872 ...	1998	+ 47	30·0	763	+ 153	82	+ 1	50·7	+ 1·2
1873 ...	1940	— 11	23·4	593	— 17	82	+ 1	48·9	— 0·6
1874 ...	1915	— 36	20·0	507	— 103	82	+ 1	49·3	— 0·2
1875 ...	1942	— 9	28·0	710	+ 100	80	— 1	49·2	— 0·3
1876 ...	2036	+ 85	24·1	612	+ 2	80	— 1	50·1	+ 0·6
1877 ...	2184	+ 233	27·3	693	+ 83	79	— 2	49·4	— 0·1
1878 ...	1880	— 71	29·0	736	+ 126	81	0	49·6	+ 0·1
1879 ...	1873	— 78	31·4	797	+ 187	83	+ 2	46·2	— 3·3
1880 ...	1928	— 23	29·7	754	+ 144	84	+ 3	49·4	— 0·1
1881 ...	2030	+ 79	25·7	653	+ 43	81	0	48·7	— 0·8
1882 ...	2151	+ 200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	557	— 53	82	+ 1	49·4	— 0·1
1884 ...	2034	+ 83	18·1	458	— 152	80	— 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	610	0	81	0	48·6	— 0·9
1886 ...	1962	+ 11	24·2	615	+ 5	81	0	48·7	— 0·8
1887 ...	1927	— 24	19·9	504	— 106	79	— 2	47·8	— 1·7
1888 ...	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	— 1·8
1889 ...	1934	— 17	23·3	591	— 19	83	+ 2	48·8	— 0·7
1890 ...	1946	— 5	21·9	555	— 55	81	0	48·6	— 0·9
1891 ...	1945	— 6	25·0	636	+ 26	82	+ 1	48·4	— 1·1
1892 ...	1863	— 88	22·3	567	— 43	80	— 1	48·1	— 1·4
1893 ...	1909	— 42	20·1	511	— 99	76	— 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	501	— 109	78	— 3	49·3	— 0·2
1896 ...	1932	— 19	22·4	569	— 41	79	— 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	562	— 48	79	— 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	479	— 131	78	— 3	51·3	+ 1·8
1899 ...	1911	— 40	22·3	567	— 43	77	— 4	50·6	+ 1·1
1900 ...	2050	+ 99	22·3	567	— 43	79	— 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	515	— 95	78	— 3	49·2	— 0·3
1902 ...	1933	— 18	19·3	491	— 119	80	— 1	49·2	— 0·3
1903 ...	2226	+ 275	35·5	903	+ 293	80	— 1	50·1	+ 0·6
1904 ...	1913	— 38	20·7	525	— 85	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	585	— 25	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	628	+ 18	79	— 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	565	— 45	81	0	49·7	+ 0·2
1908 ...	1932	— 19	23·8	604	— 6	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	— 0·6
1910 ...	2155	+ 204	28·1	713	+ 103	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	601	— 9	79	— 2	51·8	+ 2·3
1912 ...	2085	+ 134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ...	2030	+ 79	22·4	570	— 40	83	+ 2	51·3	+ 1·8
1914 ...	2087	+ 136	23·9	606	— 4	81	0	51·5	+ 2·0
1915 ...	1932	— 19	30·6	776	+ 166	82	+ 1	49·9	+ 0·4
1916 ...	2040	+ 89	29·8	757	+ 147	84	+ 3	49·9	+ 0·4
1917 ...	2059	+ 108	26·0	660	+ 50	82	+ 1	48·9	— 0·6
1918 ...	1993	+ 42	28·4	722	+ 112	82	+ 1	50·6	+ 1·1
1919 ...	1940	— 11	23·0	586	— 24	81	0	48·8	— 0·7
1920 ...	1918	— 33	21·5	546	— 64	82	+ 1	51·1	+ 1·6
Average 50 years (1861- 1910)	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1871--1920.

Mean Temperature of the Air in the Quarters ended the last day of								Year
March	Departure from Average of 50 Years (1861-1910)	June	Departure from Average of 50 Years (1861-1910)	September	Departure from Average of 50 Years (1861-1910)	December	Departure from Average of 50 Years (1861-1910)	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
40.2	+ 0.2	51.5	- 1.5	61.3	+ 0.8	41.8	- 2.5	1871
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.0	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	- 0.1	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 2.0	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.2	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.7	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.7	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.7	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	- 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	- 0.1	44.7	+ 0.4	1916
36.4	- 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	- 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	- 1.9	54.3	+ 1.3	60.2	- 0.3	42.5	- 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	- 1.4	45.4	+ 1.1	1920
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910).

TABLE 27.—QUARTERLY METEOROLOGICAL ELEMENTS, GREENWICH, 1920.

1st Quarter	2nd do.	3rd do.	4th do.	Temperature of								Vapour Pressure in millibars		Mass of Vapour in a Cubic Metre of Air		
				Air.			Evaporation		Dew Point		Air—Daily Range		Mean	Diff. from Normal of 60 years	Mean	Diff. from Normal of 60 years
				Mean of Maximum and Minimum	Diff. from Normal of 130 years	Diff. from Normal of 60 years	Mean of "Wet Bulb." Readings at 9 h. and 21 h.	Diff. from Normal of 60 years	Mean	Diff. from Normal of 60 years	Mean	Diff. from Normal of 60 years				
1920.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	mb.	mb.	grams	grams			
Year.	51.1	+2.4	+1.7	47.2	+0.7	44.3	+0.8	16.1	+0.3	10.1	+0.2	7.8	0.0			
First Quarter	44.3	+5.4	+4.5	40.8	+3.0	38.0	+2.8	14.2	+2.4	7.8	+0.8	6.1	+0.6			
Second do.	55.3	+2.9	+2.4	50.5	+1.4	46.5	+1.3	19.2	−0.7	10.8	+0.4	8.2	+0.4			
Third do.	59.1	−0.7	−1.3	54.5	−2.0	51.4	−1.6	17.6	−2.1	12.9	−0.7	9.7	−0.8			
Fourth do.	45.4	+1.7	+1.0	43.0	+0.4	41.4	+0.8	13.1	+1.4	9.0	+0.3	7.0	−0.1			

1st Quarter	2nd do.	3rd do.	4th do.	Degree of Humidity		Mean Air Pressure at Station level* in millibars		Mass of a Cubic Metre of Air		Rain		Readings of Thermometer on Grass			Lowest Reading at Night	Highest Reading at Night
				Mean of 9 h. and 21 h.		Mean	Diff. from Normal of 60 years	Mean	Diff. from Normal of 60 years	Amount in millimetres	Diff. from Normal of 86 years	Number of Nights it was				
				Mean of 9 h. and 21 h.	Diff. from Normal of 60 years							At or below 30°	Between 30° and 40°	Above 40°		
1920.	%	%	millibar	millibar	grams	grams	mm.	mm.						°F.	°F.	
Year.	82	0	1010.8	+1.9	1240	−1	546	−84	98	133	135	12.9	56.0			
First Quarter.	83	−1	1011.4	+2.6	1258	−6	108	−17	47	35	9	16.1	47.0			
Second do.	75	−2	1008.8	−0.4	1225	−7	130	−13	13	41	37	20.4	56.0			
Third do.	79	+2	1011.5	+1.9	1220	+6	211	+29	1	22	69	29.1	54.6			
Fourth do.	90	+1	1011.6	−3.5	1255	+2	97	−83	37	35	20	12.9	51.0			

In this Table + and − respectively signify that the numbers in the preceding column are *above* or *below* the average to the amount of the quantities to which the signs are affixed. Pressure is expressed in millibars [1000 mb. = 29.531 mercury inches]. Density is expressed in grams per cubic metre (2.294 grams per cubic metre = 1 grain per cubic foot).
* Height of barometer cistern above Mean Sea Level = 152 feet. (Average correction to Sea Level + 5.6 mb.)

TABLE 28.—ENGLAND AND WALES.—AIR TEMPERATURE, RAINFALL, and SUNSHINE DURING the YEAR 1920.*

District.	Air Temperature.						Rainfall.			Sunshine.	
	Highest.	Lowest.	Means of.				Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation from Normal.
			Daily Max.	Daily Min.	Daily Mean.	Deviation from Normal.					
	°F.	°F.	°F.	°F.	°F.	°F.	MM.	MM.		HR.	HR.
England, N.E. ...	79	9	54·8	42·3	48·6	+ 1·3	650	+ 15	185	3·57	−0·36
England, E. ...	84	2	56·7	42·6	49·7	+ 1·3	538	− 72	178	4·25	−0·07
Midland Counties ...	85	−1	55·9	42·1	49·0	+ 1·1	777	+ 93	197	3·21	−0·61
England, S.E....	84	10	57·1	44·1	50·6	+ 1·1	673	− 36	172	4·03	−0·46
England, N.W. ...	81	13	54·6	44·1	49·4	+ 1·2	987	+ 86	209	3·43	−0·46
England, S.W. ...	79	15	55·8	44·5	50·2	+ 0·7	1036	+ 35	203	3·65	−0·63
Mean ...	85	−1	55·8	43·3	49·6	+ 1·1	777	+ 20	191	3·69	−0·43

* The District known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

ENGLAND AND WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY
and DISTRICT, 1920.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
ENGLAND AND WALES.	379982	3. KENT— <i>cont.</i>		6. BERKSHIRE.	2906	11. NORTHAMPTONSHIRE— <i>cont.</i>	
I. LONDON.	49185	East Ashford ...	149	Newbury ...	197	Brixworth ...	111
Paddington ...	1985	Bridge ...	85	Hungerford ...	121	Wellingborough ...	664
Kensington ...	2123	Canterbury ...	230	Faringdon ...	103	Kettering ...	527
Hammersmith ...	1362	Blean ...	198	Abingdon ...	168	Thrapston ...	115
Fulham ...	1601	Faversham ...	248	Wantage... ..	111	Oundle ...	86
Chelsea ...	745	Milton ...	333	Wallingford ...	153	Peterborough ...	679
St. George, Hanover Square.	1494	Sheppey... ..	188	Bradfield ...	145		
St. Martin ...	1024	Thanet ...	689	Reading ...	957	12. HUNTINGDONSHIRE.	426
St. Marylebone ...	1585	Eastry ...	255	Wokingham ...	182	Huntingdon ...	163
Hampstead ...	861	Dover ...	456	Maidenhead ...	281	St. Ives ...	140
St. Pancras ...	2408	Elham ...	485	Easthampstead ...	116	St. Neots ...	123
Islington ...	3369	Romney Marsh... ..	54	Windsor... ..	372		
Hackney ...	2646					13. BEDFORDSHIRE.	1960
St. Giles ...	471	4. SUSSEX.	5655	7. MIDDLESEX.	11080	Bedford ...	605
Holborn ...	1083	Rye ...	92	Staines ...	370	Biggleswade ...	215
London City ...	524	Hastings ...	454	Uxbridge ...	614	Amphill ...	181
Shoreditch ...	1192	Battle ...	220	Brentford ...	2744	Leighton Buzzard	168
Bethnal Green ...	1124	Eastbourne ...	511	Willesden ...	1603	Luton ...	791
Whitechapel ...	569	Hailsham ...	145	Hendon ...	928		
St. George in the East.	352	Ticehurst ...	111	Barnet ...	695	14. CAMBRIDGESHIRE.	1943
Stepney ...	566	Uckfield ...	218	Edmonton ...	4126	Caxton ...	54
Mile End Old Town	1279	East Grinstead ...	165			Chesterton ...	305
Poplar ...	1604	Cuckfield ...	227	8. HERTFORDSHIRE.	2545	Cambridge ...	392
Southwark ...	2036	Lewes ..	170	Ware ...	173	Linton ...	76
St. Olave (Bermondsey).	1383	Newhaven ...	88	Bishop Stortford	207	Newmarket ...	243
Lambeth ...	3136	Brighton ...	1107	Royston ...	158	Ely ...	192
Wandsworth ...	4785	Steyning ...	820	Hitchin ...	338	North Witchford	197
Camberwell ...	2788	Horsham ...	245	Hertford ...	152	Whittlesey ...	74
Greenwich ...	1815	Petworth ...	60	Hatfield ...	96	Wisbech... ..	410
Lewisham ...	1840	Thakeham ...	81	St. Albans ...	363		
Woolwich ...	1435	East Preston ...	405	Watford... ..	732	15. ESSEX.	13303
		Westhampnett ...	248	Hemel Hempstead	184	West Ham ...	7508
		Chichester ...	108	Berkhampstead	142	Epping ...	299
		Midhurst ...	116			Ongar ...	77
		Westbourne ...	64			Romford ...	1479
2. SURREY.	8118			9. BUCKINGHAMSHIRE.	1721	Orsett ...	464
Epsom ...	627	5. HAMPSHIRE.	8662	Amersham ...	259	Billericay ...	176
Chertsey ...	418	Havant ...	113	Eton ...	349	Chelmsford ...	383
Guildford ...	667	Portsmouth ...	2269	Wycombe ...	475	Rochford ...	1008
Farnham ...	607	Alverstoke ...	279	Aylesbury ...	235	Maldon ...	183
Hambleton ...	180	Fareham ...	216	Winslow ...	56	Tendring ...	425
Dorking ...	130	Isle of Wight ...	694	Newport Pagnell	249	Colchester ...	438
Reigate ...	407	Lymington ...	147	Buckingham ...	98	Lexden ...	204
Godstone ...	238	Christchurch ...	864			Halstead ...	122
Croydon ...	2527	Ringwood ...	57	10. OXFORDSHIRE.	1671	Braintree ...	268
Kingston ...	1658	Fordingbridge ...	57	Henley ...	144	Dunmow ...	133
Richmond ...	659	New Forest ...	156	Thame ...	107	Saffron Walden...	136
		Southampton ...	1375	Headington ...	382		
		South Stoneham	555	Oxford ...	252	16. SUFFOLK.	3368
		Romsey ...	109	Bicester ...	101	Risbridge ...	124
		Stockbridge ...	40	Woodstock ...	110	Sudbury ...	229
		Winchester ...	383	Witney ...	175	Cosford ...	125
		Droxford ...	108	Chipping Norton	142	Bury St. Edmunds	258
		Catherington ...	27	Banbury ...	258	Mildenhall ...	68
		Petersfield ...	147			Stow ...	178
		Alresford ...	59	11. NORTHAMPTONSHIRE.	3855	Hartismere ...	176
		Alton ...	173	Brackley ...	76	Bosmere... ..	124
		Hartley Wintney	262	Towcester ...	97	Samford... ..	95
		Basingstoke ...	240	Potterspury ...	140	Ipswich ..	754
		Whitchurch ...	70	Hardingstone ...	112	Woodbridge ...	204
		Andover... ..	197	Northampton ...	1081	Plomesgate ...	156
		Kingsclere ...	65	Daventry ...	167	Blything ...	203
						Wangford ...	136
						Mutford ...	538

ENGLAND AND WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY and DISTRICT, 1920—*continued*.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
17. NORFOLK.	4410	20. DEVONSHIRE		23. GLOUCESTER-		28. WARWICK-	14138
		— <i>cont.</i>		SHIRE— <i>cont.</i>		SHIRE.	
Yarmouth ...	537	Plymouth ...	1240	Winchcomb ...	74	Kings Norton ...	3105
Flegg ...	85	East Stonehouse ...	133	Cheltenham ...	506	Birmingham ...	3575
Smallburgh ...	159	Devonport ...	753	Tewkesbury ...	88	Aston ...	3208
Erpingham ...	197	Tavistock ...	187			Meriden ...	131
Aylsham ...	128	Okehampton ...	124	24. HEREFORD-	1110	Atherstone ...	207
St. Faith's ...	115	Crediton ...	99	SHIRE.		Nuneaton ...	499
Norwich ...	1284	Tiverton ...	245	Ledbury... ..	146	Foleshill ...	301
Forehoe ...	91	South Molton ...	128	Ross	153	Coventry ...	1342
Henstead ...	72	Barnstaple ...	401	Hereford ...	490	Rugby	412
Blofield ...	97	Torrington ...	112	Weobley ...	59	Solihull ...	140
Loddon ...	100	Bideford ...	237	Bromyard ...	75	Warwick ...	607
Depwade ...	191	Holsworthy ...	78	Leominster ...	120	Stratford on Avon	211
Wayland ...	92			Kington ...	67	Alcester ...	208
Mitford ...	202	21. CORNWALL.	2964			Shipston on Stour	108
Walsingham ...	155					Southam ...	84
Docking ...	175	Stratton ...	69	25. SHROPSHIRE.	2441		
Freebridge Lynn	118	Camelford ...	53	Ludlow	135	29. LEICESTER-	5347
King's Lynn ...	208	Launceston ...	119	Clun	75	SHIRE.	
Downham ...	150	St. Germans ...	158	Church Stretton	50	Lutterworth ...	86
Swaffham ...	85	Liskeard ...	204	Cleobury Mor-	81	Market ...	170
Thetford ...	169	Bodmin ...	170	timer.		Harborough.	
		St. Columb ...	153	Bridgnorth ...	120	Billesdon ...	63
18. WILTSHIRE.	2697	St. Austell ...	399	Shifnal	98	Blaby	265
		Truro	274	Madeley	177	Hinckley ...	325
Swindon ...	782	Falmouth ...	241	Atcham	517	Market Bosworth	166
Cricklade... ..	97	Helston	216	Oswestry ...	286	Ashby dela Zouch	557
Malmesbury ...	93	Redruth... ..	454	Ellesmere ...	146	Loughborough ...	430
Chippenham ...	186	Penzance ...	449	Wem	105	Barrow upon Soar	262
Calne	66	Isles of Scilly ...	5	Whitchurch ...	109	Leicester ...	2788
Marlborough ...	79			Market Drayton...	128	Melton Mowbray	235
Devizes	196	22. SOMERSET-	4570	Wellington ...	270		
Melksham ...	211	SHIRE.		Newport... ..	144	30. RUTLAND-	148
Bradford on Avon	87	Williton ...	142			SHIRE.	
Westbury ...	83	Dulverton ...	36	26. STAFFORD-	15624	Oakham	87
Warminster ...	114	Wellington ...	165	SHIRE.		Uppingham ...	61
Pewsey	111	Taunton ...	441	Stafford	354		
Amesbury ...	85	Bridgwater ...	336	Stone	193	31. LINCOLN-	5641
Salisbury ...	334	Langport ...	114	Newcastle under	459	SHIRE.	
Wilton	89	Chard	234	Lyme.		Stamford ...	167
Tisbury	58	Yeovil	330	Wolstanton ...	1419	Bourne	153
Mere	26	Wincanton ...	142	Stoke upon Trent	2167	Spalding ...	261
19. DORSET-	2106	Frome	210	Leek	497	Holbeach ...	165
SHIRE.		Shepton Mallet...	121	Cheadle	268	Boston	396
Shaftesbury ...	100	Wells	218	Uttoxeter ...	149	Sleaford ...	235
Sturminster ...	75	Axbridge ...	421	Burton upon Trent	1016	Grantham ...	317
Blandford ...	120	Clutton ...	271	Tamworth ...	489	Lincoln ...	875
Wimborne ...	176	Bath	826	Lichfield ...	475	Horncastle ...	169
Poole	525	Keynsham ...	378	Cannock ...	599	Spilsby ...	212
Wareham... ..	185	Long Ashton ...	185	Wolverhampton	2036	Louth	235
Weymouth ...	379			Walsall	1454	Grimsby ...	1259
Dorchester ...	266	23. GLOUCESTER-	6825	West Bromwich	2247	Caistor ...	126
Sherborne ...	100	SHIRE.		Dudley	1802	Glanford Brigg...	667
Beaminster ...	73	Bristol	3870			Gainsborough ...	404
Bridport ...	107	ChippingSodbury	167	27. WORCESTER-	3331		
		Thornbury ...	187	SHIRE.		32. NOTTINGHAM-	8079
20. DEVONSHIRE	6536	Dursley	110			SHIRE.	
		Westbury on	242	Stourbridge ...	1164	East Retford ...	225
Axminster ...	147	Severn.		Kidderminster ...	468	Worksop ...	619
Honiton	185	Newent	73	Tenbury... ..	55	Mansfield ...	1520
St. Thomas ...	400	Gloucester ...	731	Worcester ...	582	Basford ...	1975
Exeter	578	Wheatenhurst ...	45	Upton on Severn	230	Nottingham ...	3135
Newton Abbot ...	779	Stroud	386	Evesham ...	193	Southwell ...	153
Totnes	406	Tetbury	54	Pershore ...	95	Newark ...	341
Kingsbridge ...	112	Cirencester ...	159	Droitwich ...	137	Bingham ...	111
Plympton St. Mary	192	Northleach ...	60	Bromsgrove ...	407		
		Stow on the Wold	73				

ENGLAND AND WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY AND DISTRICT, 1920—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
33. DERBYSHIRE.	5976	36. WEST RIDING— <i>cont.</i>		39. DURHAM— <i>cont.</i>		45. CARMARTHEN-SHIRE.	1543
Shardlow ...	794	Wharfedale ...	556	Auckland ...	1177	Llanelly ...	896
Derby ...	1430	Keighley ...	874	Teesdale... ..	188	Llandoverly ...	67
Belper ...	813	Todmorden ...	460	Weardale ...	127	Llandilofawr ...	269
Ashbourne ...	159	Saddleworth ...	159	Lanchester ...	1074	Carmarthen ...	311
Chesterfield ...	1797	Huddersfield ...	2056	Durham ...	927		
Bakewell ...	317	Halifax ...	2079	Easington ...	1169	46. PEMBROKE-SHIRE.	787
Chapel en le Frith	274	North Bierley ...	1386	Houghton le Spring.	632	Narberth ...	140
Glossop ...	259	Bradford ...	2925	Chester le Street	924	Pembroke ...	281
Hayfield ...	133	Bramley ...	870	Sunderland ...	2195	Haverford west ...	366
		Leeds ...	3280	South Shields	2194		
34. CHESHIRE.	9653	Hunslet ...	979	Gateshead ...	2411	47. CARDIGAN-SHIRE.	621
Stockport... ..	1991	Holbeck ...	491			Cardigan ...	105
Macclesfield ...	675	Dewsbury ...	2034	40. NORTHUMBER-LAND.	7584	Newcastle in Emlyn.	138
Bucklow ...	807	Wakefield ...	1444	Newcastle upon Tyne.	2965	Lampeter ...	69
Runcorn ...	487	Pontefract ...	1000	Tynemouth ...	2223	Aberayron ...	66
Northwich ...	687	Hemsworth ...	403	Castle Ward ...	443	Aberystwith ...	180
Congleton ...	379	Barnsley ...	1639	Hexham... ..	371	Tregaron ...	63
Nantwich... ..	822	Penistone ...	152	Haltwhistle ...	83	48. BRECKNOCK-SHIRE.	565
Chester ...	848	Wortley ...	387	Bellingham ...	42	Builth ...	69
Wirral ...	661	Ecclesall Bierlow	1970	Morpeth ...	990	Brecknock ...	117
Birkenhead ...	2296	Sheffield ...	3284	Alnwick... ..	197	Crickhowell ...	297
		Rotherham ...	1683	Belford ...	43	Hay ...	82
		Doncaster ...	1605	Berwick... ..	157		
		Thorne ...	209	Glendale ...	44	49. RADNOR-SHIRE.	151
		Goole ...	311	Rothbury ...	26	Knighton ...	93
		Selby ...	200			Rhayader ...	58
		Tadcaster ...	297	41. CUMBERLAND.	2712		
35. LANCASHIRE.	55465	37. YORKSHIRE, EAST RIDING.	5470	Alston ...	27	50. MONTGOMERY-SHIRE.	503
Liverpool ...	1642	York ...	1058	Penrith ...	171	Machynlleth ...	79
Toxteth Park ...	1327	Pocklington ...	110	Brampton ...	76	Newtown ...	177
West Derby ...	6797	Howden ...	113	Longtown ...	50	Forden ...	122
Prescot ...	1836	Beverley ...	257	Carlisle ...	750	Llanfyllin ...	125
Ormskirk... ..	1161	Sculcoates ...	2436	Wigton ...	215		
Wigan ...	2219	Hull ...	972	Cockermouth ...	728	51. FLINTSHIRE.	619
Warrington ...	1275	Pattingham ...	88	Whitehaven ...	564	Holywell ...	380
Leigh ...	1147	Skirlaugh ...	75	Bootle ...	131	Hawarden ...	239
Bolton ...	3320	Driffield ...	155				
Bury ...	1704	Bridlington ...	206	42. WESTMOR-LAND.	602	52. DENBIGH-SHIRE.	1364
Barton upon Irwell	1450			East Ward ...	116	Wrexham ...	927
Chorlton ...	4699	38. YORKSHIRE, NORTH RIDING.	4493	West Ward ...	64	Ruthin ...	85
Salford ...	2747	Scarborough ...	522	Kendal ...	422	St. Asaph ...	252
Manchester ...	1376	Malton ...	152	43. MONMOUTH-SHIRE.	4689	Llanrwst ...	100
Prestwich ...	2725	Easingwold ...	85	Chepstow ...	202	53. MERIONETH-SHIRE.	472
Ashton under Lyne	2101	Thirsk ...	105	Monmouth ...	283	Corwen ...	124
Oldham ...	2891	Helmsley ...	65	Abergavenny ...	289	Bala ...	53
Rochdale ...	1488	Pickering ...	103	Bedwellty ...	1373	Dolgelly... ..	110
Haslingden ...	1399	Whitby ...	190	Pontypool ...	621	Festiniog ...	185
Burnley ...	2773	Guisborough ...	565	Newport ...	1921		
Clitheroe ...	262	Middlesbrough	2173	44. GLAMORGAN-SHIRE.	12994	54. CARNARVON-SHIRE.	1102
Blackburn ...	2868	Stokesley ...	120	Cardiff ...	3241	Pwllheli... ..	127
Chorley ...	820	Northallerton ...	120	Pontypridd ...	3280	Carnarvon ...	284
Preston ...	1978	Bedale ...	70	Merthyr Tydfil...	1807	Bangor ...	314
Fylde ...	1543	Leyburn ...	52	Bridgend ...	1089	Conway ...	377
Garstang ...	118	Aysgarth ...	53	Neath ...	1262		
Lancaster... ..	729	Reeth ...	31	Pontardawe ...	364	55. ANGLESEY.	257
Lunesdale ...	51	Richmond ...	87	Swansea... ..	1813	Anglesey ...	84
Ulverston... ..	386			Gower ...	138	Holyhead ...	173
Barrow in Furness	633						
36. YORKSHIRE, WEST RIDING.	34361	39. DURHAM.	16103				
Sedbergh ...	25	Darlington ...	819				
Settle ...	140	Stockton ...	903				
Skipton ...	625	Hartlepool ...	1044				
Pateley Bridge ...	55	Sedgefield ...	319				
Ripon ...	153						
Great Ouseburn ...	82						
Knarsborough ...	449						
Wetherby ...	99						

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the YEAR 1920

NOTE.—Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters; the marriages of divorced persons are shown separately in the Table on next page.

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widowers.	Bachelors.	Widowers.
All Ages ...	379,982	344,684	35,298	318,881	25,803	20,872	14,426	379,982	339,753	40,229	318,881	20,872	25,803	14,426
13	—	—	—	—	—	—	—	1	1	—	1	—	—	—
14	—	—	—	—	—	—	—	3	3	—	3	—	—	—
15	1	1	—	1	—	—	—	30	30	—	28	2	—	—
16	10	10	—	10	—	—	—	256	256	—	253	3	—	—
17	207	207	—	206	1	—	—	1,801	1,801	—	1,778	23	—	—
18	1,535	1,535	—	1,523	12	—	—	8,344	8,343	1	8,247	96	1	—
19	5,067	5,067	—	5,029	38	—	—	17,547	17,537	10	17,337	200	9	1
20	10,973	10,965	8	10,807	158	7	1	26,299	26,237	62	25,860	377	60	2
Minors, not stated	—	—	—	—	—	—	—	2	2	—	2	—	—	—
Total under 21...	17,793	17,785	8	17,576	209	7	1	54,283	54,210	73	53,509	701	70	3
21	25,853	25,828	25	25,296	532	23	2	38,772	38,574	198	37,916	658	185	13
22	28,441	28,393	48	27,691	702	43	5	35,187	34,773	414	34,080	693	394	20
23	32,327	32,233	94	31,270	963	81	13	35,156	34,478	678	33,603	875	644	34
24	33,308	33,138	170	31,900	1,238	145	25	31,812	30,743	1,069	29,860	883	988	81
21 and under 25	119,929	119,592	337	116,157	3,435	292	45	140,927	138,568	2,359	135,459	3,109	2,211	148
25	31,862	31,631	231	30,195	1,436	199	32	28,380	26,973	1,407	26,005	968	1,263	144
26	28,805	28,445	360	26,901	1,544	307	53	23,831	22,154	1,677	21,229	925	1,489	188
27	25,262	24,809	453	23,307	1,502	378	75	20,154	18,306	1,848	17,425	881	1,602	246
28	21,555	20,903	652	19,378	1,525	519	133	17,060	15,048	2,012	14,085	963	1,716	296
29	17,940	17,210	730	15,767	1,443	578	152	13,269	11,335	1,934	10,476	859	1,624	310
25 and under 30	125,424	122,998	2,426	115,548	7,450	1,981	445	102,694	93,816	8,878	89,220	4,596	7,694	1,184
30	14,977	14,152	825	12,719	1,433	633	192	11,754	9,502	2,252	8,593	909	1,842	410
31	11,467	10,692	775	9,592	1,100	575	200	8,066	6,399	1,667	5,679	720	1,317	350
32	10,568	9,614	954	8,428	1,186	717	237	7,497	5,666	1,831	4,946	720	1,414	417
33	7,971	7,027	944	6,041	986	673	271	5,995	4,406	1,589	3,752	654	1,188	401
34	7,128	6,109	1,019	5,155	954	717	302	5,153	3,566	1,587	2,917	649	1,138	449
30 and under 35	52,111	47,594	4,517	41,935	5,659	3,315	1,202	38,465	29,539	8,926	25,887	3,652	6,899	2,027
35	6,346	5,248	1,098	4,353	895	787	311	4,656	3,160	1,496	2,461	699	1,060	436
36	5,285	4,311	974	3,523	788	678	296	3,920	2,557	1,363	1,921	636	919	444
37	4,537	3,495	1,042	2,818	677	690	352	3,300	2,147	1,153	1,526	621	703	450
38	4,473	3,413	1,060	2,655	758	712	348	3,228	1,997	1,231	1,368	629	751	480
39	3,868	2,834	1,034	2,190	644	629	405	2,788	1,648	1,140	1,121	527	654	486
35 and under 40	24,509	19,301	5,208	15,539	3,762	3,496	1,712	17,892	11,509	6,383	8,397	3,112	4,087	2,296
40	3,587	2,448	1,139	1,811	637	706	433	2,619	1,465	1,154	897	568	625	529
41	2,706	1,731	975	1,262	469	603	372	1,748	979	769	588	391	398	371
42	2,681	1,700	981	1,207	493	566	415	1,968	1,040	928	591	449	477	451
43	2,236	1,307	929	902	405	575	354	1,602	820	782	407	413	351	431
44	2,109	1,144	965	770	374	574	391	1,479	714	765	344	370	317	448
40 and under 45	13,319	8,330	4,989	5,952	2,378	3,024	1,965	9,416	5,018	4,398	2,827	2,191	2,168	2,230
45	2,164	1,111	1,053	753	358	624	429	1,395	648	747	294	354	327	420
46	1,733	859	874	575	284	486	388	1,242	595	647	268	327	247	400
47	1,637	752	885	493	259	505	380	1,165	535	630	214	321	227	403
48	1,658	691	967	447	244	538	429	1,125	469	656	193	276	230	426
49	1,580	616	964	376	240	506	458	1,003	380	623	131	249	191	432
45 and under 50	8,772	4,029	4,743	2,644	1,385	2,659	2,084	5,930	2,627	3,303	1,100	1,527	1,222	2,081
50	1,617	562	1,055	352	210	543	512	919	356	563	125	231	166	397
51	1,091	353	738	209	144	372	366	615	228	387	69	159	112	275
52	1,232	364	868	234	130	424	444	664	231	433	67	164	114	319
53	1,076	330	746	199	131	380	366	576	191	385	58	133	98	287
54	999	234	765	131	103	369	396	539	171	368	46	125	97	271
50 and under 55	6,015	1,843	4,172	1,125	718	2,088	2,084	3,313	1,177	2,136	365	812	587	1,549
55	927	211	716	133	78	331	385	502	141	361	37	104	76	285
56	978	198	780	105	93	348	432	409	111	298	27	84	73	225
57	828	155	673	87	68	311	362	366	94	272	21	73	47	225
58	786	132	654	71	61	306	348	376	84	292	20	64	49	243
59	706	99	607	53	46	255	352	343	87	256	19	68	44	212
55 and under 60	4,225	795	3,430	449	346	1,551	1,879	1,996	517	1,479	124	393	289	1,190
60	721	105	616	62	43	265	351	355	76	279	19	57	50	229
61	486	54	432	33	21	191	241	202	44	158	14	30	24	134
62	544	63	481	29	34	222	259	206	52	154	10	42	31	123
63	444	47	397	20	27	161	236	172	27	145	10	17	21	124
64	462	52	410	21	31	169	241	177	24	153	8	16	30	123
60 and under 65	2,657	321	2,336	165	156	1,008	1,328	1,112	223	889	61	162	156	733

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the YEAR 1920.
—continued.

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widowers.	Bachelors.	Widowers.
65	421	34	387	16	18	160	227	161	17	144	5	12	30	114
66	315	34	281	18	16	109	172	123	16	107	6	10	25	82
67	272	30	242	19	11	109	133	111	25	86	11	14	16	70
68	291	26	265	16	10	110	155	114	19	95	7	12	18	77
69	229	17	212	10	7	87	125	114	15	99	8	7	21	78
65 and under 70	1,528	141	1,387	79	62	575	812	623	92	531	37	55	110	421
70	208	14	194	11	3	76	118	63	6	57	4	2	9	48
71	124	8	116	7	1	47	69	44	5	39	2	3	4	35
72	128	14	114	10	4	47	67	45	7	38	2	5	6	32
73	104	7	97	3	4	47	50	24	3	21	2	1	1	20
74	85	1	84	—	1	31	53	28	2	26	1	1	4	22
70 and under 75	649	44	605	31	13	248	357	204	23	181	11	12	24	157
75	80	5	75	5	—	28	47	19	—	19	—	—	1	18
76	58	2	56	2	—	21	35	14	—	14	—	—	—	14
77	40	3	37	1	2	12	25	5	1	4	—	1	—	4
78	31	—	31	—	—	15	16	5	—	5	—	—	—	5
79	24	2	22	—	2	7	15	6	1	5	1	—	2	3
75 and under 80	233	12	221	8	4	83	138	49	2	47	1	1	3	44
80	16	—	16	—	—	6	10	4	—	4	—	—	—	4
81	10	—	10	—	—	5	5	—	—	—	—	—	—	—
82	9	—	9	—	—	5	4	2	—	2	—	—	—	2
83	7	—	7	—	—	1	6	1	—	1	—	—	—	1
84	1	—	1	—	—	—	1	2	—	2	—	—	—	2
85	3	—	3	—	—	1	2	—	—	—	—	—	—	—
86	4	—	4	—	—	1	3	—	—	—	—	—	—	—
87	1	—	1	—	—	—	1	—	—	—	—	—	—	—
88	1	—	1	—	—	—	1	—	—	—	—	—	—	—
89	1	1	—	—	1	—	—	—	—	—	—	—	—	—
90	2	—	2	—	—	—	2	—	—	—	—	—	—	—
91	1	1	—	1	—	—	—	1	—	1	—	—	1	—
80 and upwards	56	2	54	1	1	19	35	10	—	10	—	—	1	9
Full Age, not stated.	2,762	1,897	865	1,672	225	526	339	3,068	2,432	636	1,883	549	282	354

ENGLAND AND WALES.—MARRIAGES of DIVORCED PERSONS, 1920.

		Ages of Men.										All Ages.	Ages of Women.									
		Under 21.	21–	25–	30–	35–	40–	45–	55–	65 and upwards.	Full Age N.S.		Under 21.	21–	25–	30–	35–	40–	45–	55–	65 and upwards.	Full Age N.S.
Men	...	—	25	174	303	320	244	207	36	3	2	1,314	—	—	—	—	—	—	—	—	—	—
Women	...	—	—	—	—	—	—	—	—	—	—	1,056	—	70	274	297	209	119	78	5	—	4
Divorced Men and Spinsters.		—	24	143	226	239	172	147	26	2	2	981	36	240	324	199	110	46	24	—	—	2
Divorced Men and Widows.		—	1	27	66	71	56	44	6	1	—	272	—	8	59	71	53	47	33	1	—	—
Divorced Women & Bachelors.		3	65	208	212	143	91	61	10	—	2	795	—	65	234	232	148	72	40	2	—	2
Divorced Women & Widowers.		—	—	4	22	27	36	63	40	7	1	200	—	2	24	47	49	41	33	3	—	1
Divorced Men and Divorced Women.		—	—	4	11	10	16	16	4	—	—	61	—	3	16	18	12	6	5	—	—	1

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1920.

	AGES OF WIVES.																
	15	16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29	
16	—	2	4†	2	1	—	—	1	—	—	1	—	—	—	—	—	
17	1	12	47	42	39	24	—	14	12	6	5	2	2	—	—	—	
18	6*	27	152	470	352	219	—	135	69	36	24	20	3	6	6	5	
19	7	31	250	985	1,431	939	—	619	341	193	109	59	37	17	17	9	
20	2	30	263	1,103	2,332	2,819	—	1,837	1,084	654	351	179	112	71	55	23	
Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	4	38	318	1,615	3,436	4,878	—	6,842	3,463	2,160	1,188	736	419	245	183	101	
22	2	28	204	1,177	2,582	3,959	—	6,367	5,379	3,501	2,054	1,221	727	413	310	143	
23	4*	25	151	826	2,066	3,496	—	5,765	5,532	5,382	3,418	2,139	1,309	845	494	292	
24	1	18	125	594	1,509	2,684	—	4,544	4,819	5,388	4,902	3,233	1,961	1,203	896	457	
25	—	12	77	422	1,027	2,028	—	3,368	3,752	4,330	4,463	4,409	2,826	1,832	1,128	760	
26	2	4	59	309	790	1,434	—	2,537	2,696	3,410	3,635	3,693	3,541	2,331	1,490	962	
27	—	5	36	211	573	1,068	—	1,791	2,082	2,547	2,931	3,006	2,936	2,883	1,840	1,073	
28	—	8	28	166	410	717	—	1,347	1,521	1,924	2,140	2,241	2,276	2,216	2,258	1,349	
29	4†	3	21	101	284	506	—	934	1,136	1,368	1,578	1,750	1,705	1,687	1,717	1,670	
30	—	4	20	76	188	390	—	666	807	1,042	1,225	1,315	1,306	1,377	1,347	1,273	
31	—	—	8	39	108	230	—	495	566	671	827	915	950	1,022	1,011	917	
32	—	1	—	38	87	235	—	364	483	592	668	733	824	794	873	769	
33	—	3	6	26	59	117	—	229	301	441	447	487	528	602	568	618	
34	—	—	7	24	67	106	—	193	245	311	407	430	433	529	511	507	
35	—	1	4	18	44	86	—	142	188	261	298	441	367	374	403	428	
36	1	—	6	15	29	75	—	116	132	188	237	265	322	292	310	321	
37	—	1	5	12	26	44	—	85	100	141	173	216	223	285	238	271	
38	—	—	2	13	21	43	—	77	102	130	166	174	211	224	320	194	
39	—	—	1	10	20	34	—	46	59	93	108	129	151	171	189	242	
40	—	—	1	9	9	26	—	62	60	77	103	113	126	144	164	185	
41	—	—	1	2	9	20	—	34	40	45	47	87	102	89	105	112	
42	—	—	—	6	5	15	—	30	46	35	48	72	74	92	103	86	
43	—	2	1	4	3	14	—	11	26	46	37	47	58	67	73	74	
44	—	—	2	2	5	9	—	21	26	42	43	34	38	54	79	74	
45	—	1	—	1	8	7	—	15	30	20	24	35	50	45	61	64	
46	—	—	1	2	3	9	—	14	17	21	24	27	39	48	41	41	
47	—	—	—	3	2	2	—	12	17	17	17	24	29	33	41	34	
48	—	—	—	1	2	4	—	10	13	18	19	28	28	32	56	33	
49	—	—	—	1	3	3	—	8	8	10	12	18	22	22	29	35	
50	—	—	—	1	2	1	—	11	7	10	11	20	15	16	29	27	
51	—	—	—	1	1	3	—	2	4	3	9	11	9	16	14	14	
52	—	—	—	3	—	3	—	4	1	11	10	9	12	15	20	18	
53	—	—	—	3	1	3	—	5	5	3	7	11	9	9	15	17	
54	—	—	—	—	1	1	—	2	4	6	6	9	3	7	10	14	
55	—	—	—	1	2	1	—	1	4	2	5	7	5	11	9	7	
56	—	—	—	—	—	1	—	2	1	1	5	6	8	4	9	8	
57	—	—	—	—	—	—	—	1	—	1	4	7	2	4	7	9	
58	—	—	—	2	1	—	—	2	1	—	4	—	1	5	1	3	
59	—	—	—	—	—	2	—	3	2	3	2	2	3	4	5	5	
60	—	—	—	—	—	—	—	4	—	3	3	1	5	2	6	4	
61	—	—	—	—	—	1	—	1	1	—	1	2	3	4	1	3	
62	—	—	—	—	—	—	—	—	—	1	2	2	5	1	3	1	
63	—	—	—	—	—	1	—	1	1	3	3	—	1	2	2	1	
64	—	—	—	—	—	—	—	—	—	2	—	—	1	3	2	5	
65	—	—	—	—	—	—	—	—	1	1	—	—	1	2	1	2	
66	—	—	—	—	—	—	—	—	2	—	1	2	1	—	1	1	
67	—	—	—	—	—	—	—	—	—	—	2	1	1	—	1	1	
68	—	—	—	—	1	—	—	—	—	—	1	—	1	—	2	—	
69	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	
70 years and up- wards.	—	—	—	1	—	—	—	—	1	3	1	7	1	—	4	2	
Full Age, not stated.	—	—	1	7	8	42	2	2	—	3	5	3	9	4	2	5	
Total ...	34§	256	1,801	8,344	17,547	26,299	2	38,772	35,187	35,156	31,812	28,380	23,831	20,154	17,060	13,269	

The table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at marriage:—Thus: Of 26,299 *Wives* at the age of 20 and under 21 years, *twenty-four* married *Husbands* aged 17 and under 18 years, *two hundred and nineteen* married *Husbands* aged 18 and under 19 years, *nine hundred and thirty-nine* married *Husbands* aged 19 and under 20 years, &c. Read *horizontally* the table shows the number of *Husbands* at each age, with the ages of their *Wives* at marriage:—Thus: Of 10,973 *Husbands* aged 20 and under 21 years, *two* married *Wives* aged 15 years, *thirty* married *Wives* aged 16 years and under 17 years, *two hundred and sixty-three* married *Wives* aged 17 and under 18 years, &c.

* Including one aged 14 years. † Including one aged 13 years, and one aged 14 years. ‡ Including one aged 15 years. § Including one aged 13 years and three aged 14 years.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1920.—*continued.*

	AGES OF WIVES.																			
	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
19	7	2	3	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
20	20	8	9	3	3	4	1	3	1	—	—	1	—	—	—	—	—	—	—	—
Minors not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	69	43	25	19	13	13	13	4	8	1	2	—	2	—	1	—	—	—	1	—
22	123	65	62	25	28	17	8	10	9	3	1	—	5	2	—	—	—	—	—	1
23	210	107	81	74	28	17	6	12	6	7	3	3	2	5	1	1	—	—	—	—
24	339	196	154	73	66	41	25	18	15	7	7	2	4	2	—	1	1	1	—	1
25	525	275	178	111	104	78	36	26	24	18	11	5	2	3	3	2	1	1	1	—
26	692	352	274	148	128	93	82	25	36	16	12	4	6	5	1	3	2	—	2	1
27	745	449	346	211	166	116	70	48	32	26	21	11	6	4	3	1	3	—	1	—
28	995	512	464	308	216	129	86	55	60	34	23	13	15	8	5	3	4	2	1	—
29	1128	670	497	326	267	168	112	72	74	51	23	14	15	8	9	2	2	4	—	1
30	1261	699	523	351	297	219	175	107	83	57	63	22	21	14	10	11	3	5	2	3
31	922	842	559	386	272	231	142	110	58	49	26	29	29	9	6	10	5	2	5	1
32	833	711	717	515	353	266	187	137	115	74	54	29	41	17	13	7	4	6	2	—
33	626	493	551	542	356	245	198	142	114	73	64	25	28	31	13	7	6	7	4	1
34	525	383	465	404	437	309	204	141	132	104	82	28	51	14	23	11	14	8	6	4
35	436	339	405	349	351	371	253	201	158	115	96	53	49	28	22	21	7	12	5	—
36	362	280	341	302	286	288	299	179	162	116	104	46	67	29	34	25	16	9	6	6
37	297	244	282	226	209	239	227	273	195	139	104	65	59	40	28	19	10	25	9	11
38	250	240	227	255	217	231	223	212	246	189	129	81	78	56	35	30	19	15	22	14
39	210	157	201	203	202	209	193	197	206	209	171	118	86	50	50	43	25	18	17	11
40	245	163	211	172	163	190	183	144	166	173	191	111	81	66	50	59	25	26	25	15
41	136	136	133	129	114	164	123	141	139	156	126	100	100	56	50	55	30	20	17	14
42	119	115	145	130	107	130	139	117	153	130	120	100	140	109	78	60	37	27	40	18
43	71	77	92	114	117	102	120	103	124	108	108	84	99	95	74	69	54	43	35	15
44	84	64	89	83	105	93	111	90	100	102	102	76	79	99	105	60	59	57	34	20
45	83	81	83	91	87	115	99	100	101	87	122	77	93	96	87	96	67	47	49	40
46	60	55	62	58	70	74	107	68	72	84	77	70	79	72	64	69	84	56	37	29
47	61	42	33	64	60	79	70	102	79	55	76	64	80	63	64	57	67	77	55	39
48	47	41	41	54	52	62	51	58	97	63	80	60	76	71	72	76	70	70	82	45
49	47	41	38	41	37	58	81	59	60	87	69	57	74	62	63	60	56	63	61	77
50	40	27	39	45	44	56	45	49	81	78	106	58	61	70	64	74	50	67	67	71
51	33	25	23	26	18	29	30	35	35	46	53	45	43	34	55	37	45	44	54	58
52	27	20	29	19	23	31	29	34	52	48	59	40	78	45	36	49	64	48	56	55
53	16	14	13	27	26	28	27	40	28	43	49	24	38	57	45	33	49	39	37	40
54	13	14	16	15	28	29	21	27	23	42	42	27	37	43	55	37	49	42	47	35
55	13	9	13	16	16	18	21	26	29	32	27	27	24	36	41	41	47	37	42	36
56	15	15	15	14	15	20	22	17	17	25	45	21	38	37	30	32	47	36	39	52
57	7	10	6	9	13	7	14	24	27	18	33	22	34	32	32	19	36	42	39	33
58	10	9	12	9	11	14	13	18	24	21	24	18	20	31	17	34	27	35	42	33
59	8	5	7	3	5	12	10	14	15	18	17	20	21	19	21	23	28	27	30	42
60	13	5	8	10	10	10	14	12	9	19	10	7	22	13	22	30	24	28	21	37
61	2	3	4	5	4	5	4	7	8	9	12	6	8	12	12	26	11	16	20	22
62	5	9	2	6	2	6	6	5	19	16	13	8	26	14	17	17	15	12	15	15
63	3	2	4	4	3	5	9	4	4	4	10	10	9	13	12	7	10	17	18	18
64	5	5	3	6	7	5	6	5	3	7	8	6	8	4	13	12	13	13	16	12
65	4	2	2	2	3	9	2	6	4	6	14	8	4	5	13	17	12	10	11	16
66	2	—	2	—	4	3	7	5	2	2	8	3	8	11	9	9	8	6	5	12
67	1	2	1	—	2	5	2	5	3	3	3	3	4	2	7	3	8	12	5	9
68	2	1	2	2	2	1	3	3	3	4	4	5	4	1	3	6	10	7	11	5
69	—	—	—	—	1	3	3	1	4	4	3	1	3	6	2	9	3	10	10	10
70 years and up- wards.	3	2	3	7	3	9	7	8	10	9	18	15	10	7	8	16	15	19	25	23
Full Age, not stated	3	4	1	—	2	—	1	1	2	—	—	—	—	—	—	1	1	1	—	2
Total ...	11754	8,066	7,497	5,995	5,153	4,656	3,920	3,300	3,228	2,788	2,619	1,748	1,968	1,602	1,479	1,395	1,242	1,165	1,125	1,003

For the method of reading this table, see explanatory note on page 74.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1920.—continued.

		AGES OF WIVES.																				Full Age not stated	Total		
		50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69			70 & upws.	
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	
	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1,533	
	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5,067	
	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	10,973	
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	25,853	
	22	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	28,441	
	23	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	32,327	
	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	33,308	
	25	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	31,865	
	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30	28,803	
	27	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	25,262	
	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	21,553	
	29	1	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	28	17,940	
	30	1	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	14,977	
	31	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	11,467	
	32	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	10,568	
	33	1	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	7,971	
	34	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	11	7,128	
	35	3	1	—	—	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	11	6,346	
	36	8	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	5,283	
	37	4	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	6	4,537	
	38	12	2	2	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	7	4,473	
	39	8	1	4	2	2	3	—	2	—	4	1	—	—	—	—	—	—	—	—	—	12	3,868		
	40	16	4	6	5	3	1	2	1	—	1	—	—	—	1	1	—	—	—	—	—	—	8	3,587	
	41	13	8	8	2	3	1	—	—	2	1	—	—	—	—	—	—	—	—	—	1	6	2,706		
	42	13	11	10	3	1	3	1	2	—	1	1	—	—	1	—	—	—	—	—	—	—	9	2,681	
	43	11	14	8	8	4	3	1	2	1	1	—	—	2	1	—	1	2	—	1	—	—	8	2,236	
	44	22	7	15	5	5	5	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	5	2,109	
	45	32	11	10	13	10	5	5	2	4	2	1	—	—	—	—	—	—	—	—	—	—	5	2,164	
	46	34	14	7	6	8	8	6	3	2	3	—	—	1	2	—	1	—	—	—	—	—	4	1,733	
	47	20	20	27	14	11	5	7	5	—	2	3	1	—	—	—	—	—	—	—	—	—	4	1,637	
	48	40	23	20	11	13	12	6	3	3	2	—	—	1	—	—	3	1	—	1	—	—	3	1,658	
	49	56	27	23	22	8	11	16	14	12	4	2	4	4	2	1	3	1	—	—	—	—	8	1,580	
	50	65	47	38	27	20	14	9	10	6	10	12	—	3	—	—	1	1	2	—	1	3	6	1,617	
	51	41	42	32	35	14	16	15	11	8	4	4	4	2	1	—	—	1	—	—	—	2	4	1,091	
	52	54	35	52	36	16	17	15	13	14	5	4	3	4	1	1	1	1	2	—	—	1	9	1,232	
	53	45	38	44	46	35	26	18	11	13	11	4	3	1	4	4	3	—	1	—	2	—	6	1,076	
	54	49	31	37	34	44	25	13	5	13	14	9	2	2	3	4	1	—	1	1	3	—	3	999	
	55	44	32	30	39	40	32	20	15	18	9	8	6	6	3	6	4	1	—	—	1	1	6	927	
	56	35	27	46	41	43	38	39	30	16	18	9	4	4	7	7	4	1	3	—	1	4	4	979	
	57	39	35	35	24	25	30	21	33	21	18	13	6	7	6	5	7	3	3	—	—	1	1	828	
	58	38	18	24	22	36	25	28	23	28	24	9	10	8	2	1	—	—	2	1	4	3	786		
	59	22	20	17	24	24	29	27	25	27	39	18	8	13	6	6	8	2	—	2	3	10	—	706	
	60	34	24	28	20	21	36	28	16	30	30	24	7	7	7	13	11	9	7	6	3	5	3	721	
	61	19	22	20	12	19	14	19	17	18	17	26	22	14	7	4	3	6	4	4	3	2	1	486	
	62	19	13	24	18	25	16	21	14	20	13	28	16	12	12	10	11	8	9	3	2	4	1	544	
	63	12	14	21	20	10	15	10	13	20	19	28	8	14	23	13	11	6	5	5	4	5	1	444	
	64	19	17	10	21	20	17	17	7	18	16	19	16	16	15	15	10	11	5	8	3	12	—	462	
	65	14	10	12	14	13	23	12	13	14	17	17	13	22	12	12	16	6	3	5	7	6	2	421	
	66	8	5	8	7	10	17	10	12	8	10	16	11	11	9	10	13	11	11	7	2	4	1	315	
	67	10	8	7	3	8	11	7	10	14	9	14	11	12	7	5	7	13	9	10	1	10	—	272	
	68	9	8	10	5	8	8	11	9	11	9	17	9	6	8	14	4	9	11	19	10	12	—	291	
	69	7	2	4	4	7	8	5	7	9	4	7	9	7	6	5	9	3	3	9	12	25	1	229	
	70 years and up- wards.	37	14	18	25	26	26	16	29	27	24	37	28	24	19	33	26	25	32	26	55	150	4	938	
Full Age, not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	2648	2,762	
TOTAL ...		919	615	664	576	539	502	409	366	376	343	355	202	206	172	177	161	123	111	114	114	263	3068	379982	

For the method of reading this table, see explanatory note on page 74.
* Including one aged 15 years.

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED, 1920.

		AGES OF WIVES.															
		15	16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29
	16	—	2	4†	2	1	—	—	1	—	—	1	—	—	—	—	—
	17	1	12	47	42	39	24	—	14	12	6	4	2	2	—	—	—
	18	6*	27	152	470	352	218	—	134	68	33	23	20	3	6	5	3
	19	7	31	250	985	1,429	939	—	617	339	190	104	56	32	13	14	9
	20	2	30	263	1,100	2,332	2,813	—	1,825	1,065	637	336	163	97	54	42	16
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	4	38	316	1,613	3,433	4,861	—	6,793	3,421	2,104	1,113	671	367	209	138	69
	22	2	28	203	1,173	2,576	3,948	—	6,332	5,317	3,426	1,961	1,147	633	353	238	103
	23	4*	25	151	820	2,054	3,475	—	5,731	5,467	5,264	3,305	2,015	1,201	742	404	225
	24	1	17	124	592	1,499	2,668	—	4,491	4,748	5,302	4,743	3,107	1,771	1,069	760	360
	25	—	12	75	419	1,017	1,997	—	3,327	3,675	4,237	4,347	4,192	2,636	1,689	983	621
	26	2	3	57	301	777	1,416	—	2,485	2,621	3,299	3,509	3,519	3,320	2,120	1,321	813
	27	—	5	35	203	561	1,034	—	1,736	2,019	2,465	2,813	2,849	2,768	2,622	1,621	935
	28	—	8	26	159	393	693	—	1,274	1,455	1,832	2,021	2,099	2,128	2,013	1,993	1,153
	29	3†	3	19	96	266	471	—	883	1,074	1,299	1,471	1,621	1,553	1,534	1,516	1,417
	30	—	4	20	68	177	363	—	625	742	959	1,125	1,175	1,172	1,203	1,162	1,085
	31	—	—	6	38	98	210	—	456	524	606	740	812	837	902	853	779
	32	—	1	—	36	77	199	—	329	442	502	594	628	700	681	728	611
	33	—	3	5	22	47	100	—	196	258	379	374	405	432	461	460	491
	34	—	—	5	19	56	93	—	162	202	247	324	331	340	418	400	397
	35	—	—	2	14	37	66	—	104	155	197	228	336	282	284	287	324
	36	—	—	5	12	18	64	—	99	101	149	168	201	239	216	230	228
	37	—	1	4	10	25	35	—	54	77	106	124	160	148	206	169	183
	38	—	—	1	10	17	30	—	58	75	93	122	114	151	149	212	121
	39	—	—	1	9	18	28	—	37	45	66	74	80	106	118	122	143
	40	—	—	1	7	7	17	—	43	42	54	74	75	73	82	93	110
	41	—	—	1	2	4	13	—	25	25	24	29	56	57	45	68	47
	42	—	—	—	3	1	7	—	19	28	21	31	40	37	49	55	44
	43	—	2	1	3	1	8	—	7	19	26	16	27	25	39	44	36
	44	—	—	2	1	3	6	—	11	10	27	21	19	19	31	44	29
	45	—	1	—	1	5	3	—	9	14	15	12	17	27	16	24	30
	46	—	—	1	1	1	8	—	8	10	8	9	17	21	28	20	10
	47	—	—	—	1	1	1	—	9	9	6	8	14	10	21	14	15
	48	—	—	—	1	1	3	—	5	8	5	10	9	9	14	22	13
	49	—	—	—	—	1	1	—	1	1	4	4	7	6	8	7	15
	50	—	—	—	1	1	—	—	4	5	5	4	3	4	5	10	11
	51	—	—	—	1	1	2	—	—	3	1	3	3	3	5	4	4
	52	—	—	—	2	—	2	—	1	1	2	4	2	4	3	5	7
	53	—	—	—	2	1	1	—	1	1	1	1	4	1	4	6	5
	54	—	—	—	—	—	—	—	—	2	1	1	2	1	—	3	2
	55	—	—	—	—	2	1	—	—	—	1	2	2	4	2	3	4
	56	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—
	57	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1
	58	—	—	—	1	—	—	—	1	—	—	2	—	—	3	—	—
	59	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1
	60	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—
	61	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	64	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	70 years and up- wards.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Full Age, not stated.	—	—	1	7	8	42	2	2	—	2	4	3	6	4	1	3
TOTAL	...	32§	253	1,778	8,247	17,337	25,860	2	37,916	34,080	33,603	29,860	26,005	21,229	17,425	14,085	10,476

For the method of reading this table, see explanatory note on page 74.

* Including one aged 14 years.

† Including one aged 13 years, and one aged 14 years.

‡ Including one aged 15 years.

§ Including one aged 13 years, and three aged 14 years.

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED,
1920—continued.

		AGES OF WIVES.																				
		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	17	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	18	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	19	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	20	9	3	7	1	3	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
	Minors not stated.		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	46	30	11	10	7	10	6	2	2	1	1	—	2	—	—	—	—	—	1	—	
	22	82	51	37	17	16	11	4	8	4	3	1	—	1	1	—	—	—	—	—	1	
	23	166	78	55	38	15	11	2	5	3	2	—	2	—	2	—	1	—	—	—	—	
	24	236	141	107	44	37	23	13	7	6	3	5	2	1	—	—	—	1	1	—	1	
	25	386	202	113	77	58	42	14	17	12	13	6	2	1	1	1	—	—	—	1	—	
	26	524	254	199	102	78	52	46	17	13	10	4	2	3	3	—	2	1	—	1	—	
	27	584	348	254	143	100	67	43	31	18	14	11	7	3	1	2	—	1	—	—	—	
	28	793	410	341	209	128	69	40	33	38	14	14	7	5	4	3	1	2	2	1	—	
	29	927	510	371	221	178	100	71	42	39	24	11	6	8	4	3	—	2	1	—	—	
	30	1020	556	389	241	207	131	99	58	40	35	23	4	10	2	2	5	1	3	1	2	
	31	750	663	430	281	185	142	98	68	30	21	14	9	11	3	5	5	2	2	2	—	
	32	656	554	519	378	221	176	116	85	64	33	21	18	17	4	4	4	1	4	—	—	
	33	464	375	404	381	237	165	122	83	60	32	29	11	9	17	6	—	1	3	2	—	
	34	401	273	323	283	289	195	110	66	67	51	38	12	25	6	4	2	6	1	1	1	
	35	309	241	270	238	221	226	138	106	90	56	52	25	17	11	12	6	3	5	1	—	
	36	247	199	226	208	180	172	174	91	75	65	44	20	28	15	19	5	7	4	3	2	
	37	195	149	187	145	111	140	124	135	97	71	41	31	24	17	15	8	3	9	4	2	
	38	156	147	135	151	117	132	123	117	136	97	57	43	25	22	10	9	5	2	5	6	
	39	128	92	133	109	111	103	112	112	112	100	71	50	29	19	13	15	6	6	5	4	
	40	149	81	108	90	69	81	90	64	73	74	78	47	35	17	25	14	6	7	8	5	
	41	69	64	65	69	55	68	54	68	72	72	53	45	37	16	20	12	9	6	2	2	
	42	56	56	66	65	59	67	68	46	60	52	50	47	58	42	22	14	9	3	11	4	
	43	36	42	40	52	49	41	34	45	59	35	44	26	35	31	15	16	16	8	7	4	
	44	41	24	32	41	35	39	33	31	34	33	36	19	25	26	27	15	21	19	5	1	
	45	39	32	24	33	37	41	35	38	26	38	41	25	38	23	20	23	21	11	8	6	
	46	31	23	21	20	27	21	36	23	22	24	24	30	27	24	14	14	25	6	4	5	
	47	17	16	15	25	14	30	24	33	22	23	15	19	14	18	19	15	13	14	9	10	
	48	20	11	12	19	16	19	10	19	21	15	18	14	22	14	18	22	18	24	14	5	
	49	15	15	12	12	9	19	29	18	15	18	18	12	16	15	9	15	9	9	13	20	
	50	12	10	9	15	7	14	14	12	20	18	19	11	12	11	10	14	4	14	18	14	
	51	11	7	6	11	5	9	10	5	3	15	7	6	8	3	9	3	11	5	16	2	
	52	8	5	7	3	8	11	6	4	9	12	9	6	14	6	3	10	17	8	7	7	
	53	3	2	4	3	8	7	7	6	7	14	14	5	7	7	6	8	10	6	10	6	
	54	1	—	2	4	5	9	1	6	4	10	5	5	5	4	3	3	8	2	5	3	
	55	2	1	3	2	5	4	—	6	4	3	8	5	4	4	6	10	5	5	4	2	
	56	3	2	5	2	3	4	5	3	2	2	4	2	5	1	2	2	7	4	3	2	
	57	1	1	—	2	2	2	1	6	3	1	4	1	2	4	5	6	5	6	8	3	
	58	—	2	1	2	1	1	3	1	3	1	3	—	—	1	2	—	2	4	4	—	
	59	—	2	—	1	—	1	—	2	1	3	—	6	1	2	1	1	1	2	2	3	
	60	1	1	1	2	1	1	2	1	1	—	—	—	5	3	3	2	2	2	1	1	
	61	—	—	—	—	—	1	—	2	—	—	1	3	2	—	1	3	1	1	2	—	
	62	—	1	—	1	—	1	—	—	—	1	—	—	—	1	4	1	3	—	—	—	
	63	1	—	—	—	—	—	—	1	—	2	—	1	2	—	—	1	—	2	1	—	
	64	1	—	—	—	1	1	—	—	—	1	—	—	—	—	1	1	—	—	1	—	
	65	1	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	2	
	66	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	
	67	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	2	—	1	
	68	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	1	
	69	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	
	70 years and up- wards.	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—	—	—	2	
	Full Age, not stated.	—	2	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
TOTAL		8,593	5,679	4,946	3,752	2,917	2,461	1,921	1,526	1,368	1,121	897	588	591	407	344	294	268	214	193	131	

For the method of reading this table, see explanatory note on page 74.

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED, 1920—continued.

		AGES OF WIVES.																				70 & upws. Full Age, not stated.	Total.	
		50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69			
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11*	
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	206	
	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1,523	
	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5,029	
	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	10,807	
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	25,296	
	22	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	27,691	
	23	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	31,270	
	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	31,900	
25	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	30,195		
26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27	26,901		
27	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	23,307		
28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	19,378		
29	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	15,767		
30	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	12,719		
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	9,592		
32	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	8,128		
33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	6,041		
34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5,155		
35	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	4,353		
36	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	3,523		
37	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2,818		
38	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2,655		
39	1	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7	2,190		
40	1	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	1,811		
41	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1,262		
42	2	3	3	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7	1,207		
43	4	1	1	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	3	902		
44	2	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	770		
45	3	1	2	4	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	753		
46	5	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	575		
47	6	1	4	2	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	493		
48	4	5	2	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	447		
49	8	2	1	4	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4	376		
50	9	7	6	4	4	1	1	—	1	1	—	—	—	—	—	—	1	2	—	1	3	352		
51	7	4	2	4	2	3	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	209		
52	9	6	8	4	1	3	—	2	3	—	—	—	—	—	—	—	—	—	—	1	4	234		
53	5	5	4	5	4	3	3	—	—	—	—	1	—	—	—	—	—	—	—	—	1	199		
54	6	5	3	4	6	1	1	—	1	1	1	—	1	1	—	—	—	—	—	—	3	131		
55	3	4	3	3	6	2	1	2	3	—	1	—	—	—	—	—	—	—	—	—	1	133		
56	10	5	4	2	5	2	2	2	—	1	—	—	—	1	—	—	—	—	—	—	2	105		
57	4	2	1	3	1	2	1	3	1	—	—	1	—	—	—	—	—	—	—	—	—	87		
58	6	1	2	5	2	2	4	1	1	4	—	1	2	—	—	1	—	—	—	—	1	71		
59	1	1	1	1	1	3	3	1	1	6	—	—	1	—	—	—	—	—	—	—	—	53		
60	7	2	—	3	2	2	1	2	2	1	2	1	—	—	—	—	1	1	—	1	1	62		
61	1	—	1	1	—	1	—	1	1	—	—	2	1	1	1	—	—	—	—	—	—	33		
62	1	1	—	1	2	—	1	—	—	—	5	1	1	1	—	—	—	2	—	—	—	29		
63	—	—	1	—	—	—	1	1	—	1	2	—	—	—	1	—	—	1	—	—	—	20		
64	2	2	1	1	1	1	1	—	—	—	—	1	—	—	—	—	—	—	1	2	—	21		
65	—	—	—	1	—	1	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—	16		
66	1	—	—	—	1	1	1	—	—	—	2	—	3	2	1	—	—	1	—	—	—	18		
67	—	1	—	—	—	1	1	—	—	1	1	1	—	1	1	2	—	1	1	1	—	19		
68	—	—	1	—	—	—	—	—	1	—	—	—	—	1	1	—	2	2	3	1	1	16		
69	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	1	—	—	10		
70 years and up- wards.	—	1	2	1	—	1	1	—	1	1	2	2	1	1	3	1	2	1	2	5	4	40		
Full Age, not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,582	1,672		
TOTAL ...		125	69	67	58	46	37	27	21	20	19	19	14	10	10	8	5	6	11	7	8	12	1,883	318,881

For the method of reading this table, see explanatory note on page 74.
* Including one aged 15 years.

AGES OF WIVES.													AGES OF HUSBANDS.										
15—	16—	17—	18—	19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full age not stated.	Total.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									

For the method of reading this table, see explanatory note on page 74.

ENGLAND AND WALES—AGES of the WIDOWERS and WIDOWS who INTERMARRIED, 1920.

AGES OF WIVES.													AGES OF HUSBANDS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Full age not stated.	Total.	20— Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Full Age not stated.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	5	13	25	445	1,202	1,712	1,965	2,084	2,084	1,879	1,328	812	357	138	26	9	339	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</

For the method of reading this table, see explanatory note on page 74.

**ENGLAND AND WALES AND REGISTRATION COUNTIES.—AGES and CONDITION of MEN
and WOMEN who INTERMARRIED, 1920.**

Note.—The numbers in the second column indicate the following combinations :—1, bachelors with spinsters ;
2, bachelors with widows ; 3, widowers with spinsters ; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age. (not stated.)		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age. (not stated.)
England & Wales—																		
B. & S. . .	1	17,576	116,157	115,548	41,935	21,491	3,769	733	1,672	318,881	53,509	135,459	89,220	25,887	11,224	1,465	234	1,883
B. & W. . .	2	209	3,435	7,450	5,659	6,140	2,103	582	225	25,803	70	2,211	7,694	6,899	6,255	1,809	583	282
W. & S. . .	3	7	292	1,981	3,315	6,520	4,747	3,484	526	20,872	701	3,109	4,596	3,652	5,303	2,339	623	549
W. & W. . .	4	1	45	445	1,202	3,677	4,168	4,549	339	14,426	3	148	1,184	2,027	4,526	3,630	2,554	354
1. London	{ 1	1,983	13,964	14,239	5,759	3,401	725	175	114	40,360	6,204	17,420	11,241	3,383	1,632	254	61	165
	{ 2	14	414	1,042	924	1,003	362	114	17	3,890	8	320	1,099	1,037	1,004	301	91	30
	{ 3	1	44	239	398	918	689	578	49	2,916	93	422	656	572	736	296	92	49
	{ 4	—	8	62	142	481	598	707	21	2,019	1	22	139	275	668	536	356	22
2. Surrey	{ 1	243	2,137	2,601	1,099	622	111	25	40	6,878	868	2,699	2,139	729	346	41	13	43
	{ 2	1	61	140	106	99	42	7	12	468	1	38	128	124	122	33	9	13
	{ 3	—	4	42	84	155	113	92	14	504	17	87	107	83	118	61	16	15
	{ 4	—	—	5	18	70	66	99	10	268	—	3	20	39	85	73	37	11
3. Kent . .	{ 1	346	2,740	2,972	1,188	567	88	21	54	7,976	1,357	3,256	2,240	722	293	37	10	61
	{ 2	4	76	219	161	174	71	15	12	732	2	49	194	205	188	69	12	13
	{ 3	—	8	53	68	158	102	96	28	513	15	87	109	88	123	42	22	27
	{ 4	—	—	7	32	72	92	96	11	310	—	2	30	31	97	89	48	13
4. Sussex	{ 1	194	1,394	1,779	763	399	89	20	47	4,685	617	1,817	1,424	503	236	32	5	51
	{ 2	5	54	109	87	93	30	11	5	394	1	23	102	118	103	31	9	7
	{ 3	—	7	29	48	98	94	98	13	387	12	49	69	58	113	54	17	15
	{ 4	—	—	6	11	44	44	74	10	189	—	1	14	19	66	46	33	10
5. Hamp- shire.	{ 1	300	2,391	2,718	1,067	574	83	19	40	7,192	1,242	2,905	2,038	640	266	52	4	45
	{ 2	4	81	191	171	182	62	15	7	713	2	53	193	190	189	64	15	7
	{ 3	—	2	38	73	139	115	92	14	473	20	70	86	75	139	56	11	16
	{ 4	—	1	5	19	76	71	108	4	284	—	2	23	32	93	71	59	4
6. Berk- shire.	{ 1	80	714	948	431	221	34	7	4	2,439	301	950	753	272	141	12	1	9
	{ 2	2	25	57	48	47	14	3	2	198	—	11	49	67	52	13	3	3
	{ 3	—	—	12	20	41	44	33	3	153	3	23	28	20	46	25	5	3
	{ 4	—	1	4	9	32	27	40	3	116	—	2	11	19	31	28	22	3
7. Middle- sex.	{ 1	399	3,112	3,565	1,368	739	124	35	20	9,362	1,299	3,947	2,837	838	348	53	10	30
	{ 2	6	81	226	156	161	46	20	1	697	1	53	223	199	159	43	13	6
	{ 3	—	5	48	95	196	167	113	5	629	19	84	131	126	158	86	19	6
	{ 4	—	—	8	29	98	120	135	2	392	—	6	24	66	123	108	61	4
8. Hertford- shire.	{ 1	63	690	890	305	169	29	3	4	2,153	265	855	686	225	102	12	2	6
	{ 2	6	21	56	39	41	9	2	2	176	—	12	56	51	45	7	3	2
	{ 3	—	2	9	20	39	33	23	3	129	2	15	21	25	39	18	7	2
	{ 4	—	—	3	10	25	19	28	2	87	—	—	8	13	30	24	10	2
9. Bucking- hamshire.	{ 1	69	467	591	203	108	16	2	10	1,466	225	578	431	155	61	5	1	10
	{ 2	1	15	31	22	25	12	3	1	110	—	5	31	33	33	3	4	1
	{ 3	—	—	4	15	35	23	24	3	104	6	9	26	15	25	17	3	3
	{ 4	—	—	1	3	8	11	18	—	41	—	—	1	8	14	8	10	—
10. Oxford- shire.	{ 1	59	396	543	223	144	15	5	18	1,403	195	500	451	150	76	9	—	22
	{ 2	—	14	30	16	19	7	5	—	91	—	7	27	21	21	9	6	—
	{ 3	—	4	2	15	46	24	28	2	121	—	14	28	24	25	20	7	3
	{ 4	—	—	—	5	11	16	22	2	56	—	—	3	6	17	14	14	2
11. North- amptonshire.	{ 1	188	1,189	1,251	381	199	39	4	17	3,268	458	1,391	1,010	265	104	16	3	21
	{ 2	3	34	73	57	67	22	7	3	266	1	18	76	81	62	18	7	3
	{ 3	—	5	21	35	70	32	22	5	190	7	29	50	27	47	20	5	5
	{ 4	—	—	6	8	35	43	34	5	131	—	1	8	20	41	34	22	5
12. Hunting- donshire.	{ 1	28	120	129	56	32	2	—	2	369	71	147	106	25	17	1	—	2
	{ 2	2	4	6	5	11	1	—	1	30	—	6	8	6	8	1	—	1
	{ 3	—	—	2	4	8	4	3	—	21	1	4	3	2	6	3	2	—
	{ 4	—	—	—	1	—	—	4	—	6	—	—	—	1	1	1	3	—
13. Bedford- shire.	{ 1	81	547	674	215	103	10	4	6	1,640	233	660	526	149	59	6	1	6
	{ 2	—	19	39	29	27	12	2	—	128	—	10	34	39	32	9	4	—
	{ 3	—	2	8	22	35	34	20	3	124	3	14	24	12	40	21	7	3
	{ 4	—	—	6	12	21	9	18	2	68	—	—	9	13	19	14	12	1

ENGLAND AND WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1920—continued.

Note.—The numbers in the second column indicate the following combinations:—1, bachelors with spinsters; 2, bachelors with widows; 3, widowers with spinsters; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated)		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated)
14. Cam-bridgeshire.	1	102	529	640	233	108	22	4	7	1,645	269	676	469	145	64	10	3	9
	2	1	26	32	22	30	9	2	1	123	1	6	43	21	39	8	3	2
	3	—	—	7	15	36	20	20	8	106	2	11	24	13	36	8	4	8
	4	—	—	4	6	17	20	17	5	69	—	2	5	14	17	12	15	4
15. Essex ..	1	495	4,081	4,319	1,529	677	112	23	24	11,260	1,685	5,051	3,258	846	338	45	7	30
	2	3	121	276	195	188	73	25	1	882	3	77	270	223	210	72	21	6
	3	—	11	66	107	195	147	130	7	663	21	114	148	94	189	73	16	8
	4	—	1	6	40	146	136	158	11	498	1	2	26	82	170	122	84	11
16. Suffolk	1	109	950	1,021	459	233	22	3	45	2,842	428	1,130	846	265	113	12	—	48
	2	4	27	74	59	60	16	4	2	246	—	24	76	73	53	14	4	2
	3	—	1	8	33	55	36	33	5	171	5	22	38	32	40	23	5	2
	4	—	1	1	14	28	26	32	7	109	—	2	11	19	26	23	21	7
17. Norfolk	1	174	1,218	1,359	515	287	60	13	27	3,653	564	1,427	1,080	342	185	23	3	29
	2	2	29	99	88	80	30	9	1	338	—	20	97	94	94	23	7	3
	3	—	1	22	30	90	57	56	4	260	8	32	60	49	63	30	14	4
	4	—	—	2	11	37	41	65	3	159	—	—	9	24	49	28	45	4
18. Wilt-shire.	1	70	677	906	377	192	35	3	23	2,283	312	846	736	235	115	11	3	25
	2	—	21	50	32	39	17	3	2	164	—	12	47	50	35	15	2	3
	3	—	4	11	21	62	41	24	4	167	7	20	37	29	42	22	3	7
	4	—	—	1	5	23	20	32	2	83	—	—	7	7	23	16	28	2
19. Dorset-shire.	1	72	542	717	300	140	32	2	12	1,817	228	712	574	205	69	11	—	18
	2	—	24	28	28	27	21	1	2	131	1	9	44	38	20	13	3	3
	3	—	1	6	14	28	21	21	4	95	3	13	19	19	23	8	5	5
	4	—	—	4	3	11	21	22	2	63	—	1	6	10	19	11	14	2
20. Devon-shire.	1	256	1,697	2,151	799	449	88	16	55	5,511	812	2,091	1,693	555	268	23	5	64
	2	1	48	100	79	97	34	7	7	373	—	29	107	98	95	29	8	7
	3	—	1	31	48	155	83	97	17	432	14	53	83	73	118	53	19	19
	4	—	—	2	15	50	62	81	10	220	—	1	11	22	76	66	34	10
21. Cornwall	1	114	808	953	365	194	28	7	74	2,543	372	930	823	226	115	7	—	70
	2	1	16	37	32	27	15	2	11	141	1	9	34	41	28	14	1	13
	3	—	2	13	28	55	44	36	22	200	8	28	30	39	42	26	5	22
	4	—	—	—	7	16	24	25	8	80	—	—	6	9	26	18	13	8
22. Somerset-shire.	1	153	1,190	1,566	617	291	43	6	43	3,909	475	1,436	1,323	440	163	19	2	51
	2	3	30	89	41	46	14	3	1	227	1	20	72	61	54	12	4	3
	3	—	1	24	35	69	80	72	7	288	3	35	57	54	73	44	14	8
	4	—	1	3	18	27	38	55	4	146	—	1	12	25	34	38	31	5
23. Gloster-shire.	1	193	1,941	2,172	787	430	69	17	55	5,664	649	2,354	1,777	567	222	32	2	61
	2	2	42	132	104	100	27	18	4	429	—	30	102	133	114	26	18	6
	3	—	1	27	70	128	113	86	21	446	15	54	90	68	127	50	21	21
	4	—	—	10	20	65	86	93	12	286	—	1	25	38	94	69	46	13
24. Hereford-shire.	1	36	271	358	161	88	25	8	13	960	118	385	278	101	49	13	1	15
	2	—	13	12	12	27	3	4	2	73	—	3	23	19	17	6	3	2
	3	—	—	4	10	15	12	7	2	50	—	8	14	5	14	4	3	2
	4	—	1	—	4	4	8	9	1	27	—	1	2	3	8	4	8	1
25. Shrop-shire.	1	72	633	824	338	179	44	4	25	2,119	267	848	645	215	95	20	4	25
	2	—	21	39	22	38	9	4	6	139	—	10	34	43	30	11	4	7
	3	—	—	6	22	36	36	31	8	139	3	14	18	27	39	25	4	9
	4	—	—	2	3	4	12	18	5	44	—	—	1	4	13	11	10	5
26. Stafford-shire.	1	974	5,445	4,500	1,398	649	106	17	40	13,129	2,561	5,853	3,380	883	363	43	4	42
	2	7	144	318	193	257	76	24	11	1,030	1	92	339	257	234	73	22	12
	3	—	10	93	141	233	164	102	21	764	33	109	211	116	189	70	16	20
	4	1	4	23	76	187	212	175	23	701	—	9	70	109	204	173	111	25
27. Worcester-shire.	1	145	1,120	998	354	196	38	6	11	2,868	461	1,253	799	213	106	20	1	15
	2	—	25	53	33	42	15	2	6	176	—	18	61	45	31	11	4	6
	3	—	2	22	25	47	47	31	5	179	5	18	43	34	51	17	6	5
	4	—	1	3	10	21	31	39	3	108	—	2	8	14	23	33	25	3
28. Warwick-shire.	1	648	4,673	4,276	1,405	682	113	25	19	11,841	1,823	5,579	3,223	818	311	50	12	25
	2	7	130	272	201	233	78	19	4	944	1	79	290	249	209	83	29	4
	3	—	12	67	121	253	171	114	9	747	24	123	179	119	179	85	26	12
	4	—	2	22	42	191	160	186	3	606	1	4	55	104	188	145	106	3
29. Leicester-shire.	1	320	1,847	1,533	472	247	47	8	7	4,481	741	2,018	1,221	327	139	18	7	10
	2	4	57	115	72	64	21	7	—	340	—	25	121	98	71	17	8	—
	3	—	4	38	46	99	64	46	7	304	16	55	72	42	68	38	7	6
	4	—	—	5	24	45	64	76	8	222	—	—	18	31	58	56	52	7

ENGLAND AND WALES AND REGISTRATION COUNTIES—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1920—*continued*.

NOTE.—The numbers in the second column indicate the following combinations :—1, bachelors with spinsters; 2, bachelors with widows; 3, widowers with spinsters; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21–	25–	30–	35–	45–	55 years & upwards.	Full Age (not stated).		Under 21.	21–	25–	30–	35–	45–	55 years & upwards.	Full Age (not stated).
Rutland-shire.	1	4	31	55	17	17	—	1	2	127	13	47	41	20	4	—	—	2
	2	—	—	1	1	1	—	—	—	3	—	—	1	—	2	—	—	—
	3	—	—	—	2	5	1	4	1	13	—	4	1	3	1	2	—	2
	4	—	—	—	1	1	—	2	1	5	—	—	—	—	2	—	2	1
Lincoln-shire.	1	318	1,757	1,669	594	303	55	6	22	4,724	956	1,960	1,209	379	170	23	3	24
	2	6	62	119	71	92	27	8	7	392	2	48	102	117	83	18	15	7
	3	—	8	37	49	95	71	53	8	321	12	50	76	56	74	34	12	7
	4	—	—	3	16	47	51	85	2	204	—	—	16	28	54	51	53	2
Nottinghamshire.	1	567	2,933	2,171	637	343	48	10	56	6,765	1,520	3,033	1,576	400	151	22	3	60
	2	10	95	162	90	122	31	14	12	536	1	63	174	142	97	38	5	16
	3	—	8	56	69	133	77	51	24	418	21	73	83	72	106	29	10	24
	4	—	3	9	29	91	94	118	16	360	—	2	27	53	117	82	63	16
Derby-shire.	1	354	1,967	1,810	565	285	58	9	41	5,089	1,016	2,177	1,348	343	142	16	4	43
	2	3	63	107	73	82	27	6	2	363	2	34	122	90	83	21	9	2
	3	—	8	39	47	85	68	48	10	305	13	52	65	45	79	31	10	10
	4	—	1	8	21	48	57	69	15	219	—	3	23	26	60	50	42	15
Cheshire.	1	421	2,816	3,135	1,179	551	107	17	31	8,257	1,122	3,491	2,554	726	290	35	3	36
	2	5	88	186	125	111	39	7	4	565	1	42	196	138	140	30	13	5
	3	—	3	43	83	168	128	79	9	513	8	67	113	82	142	78	15	8
	4	—	1	9	25	87	93	97	6	318	—	1	20	46	108	92	45	6
Lancashire.	1	2,504	17,043	17,118	5,861	2,827	428	68	433	46,282	6,474	19,793	14,079	3,785	1,516	184	21	430
	2	30	516	1,113	892	897	296	67	50	3,861	13	293	1,136	1,072	983	238	73	53
	3	3	34	310	513	961	668	420	114	3,023	72	424	653	583	779	328	69	115
	4	—	8	72	199	605	701	647	67	2,299	—	18	196	299	754	579	384	69
West Riding.	1	2,052	11,286	9,987	3,303	1,541	277	41	77	28,564	5,620	12,308	7,473	2,095	845	116	16	91
	2	27	349	660	465	551	221	69	12	2,354	10	221	690	589	566	193	71	14
	3	2	31	212	325	597	486	307	19	1,979	68	249	451	333	529	268	59	22
	4	—	4	65	106	356	426	486	21	1,464	—	18	125	191	416	390	302	22
East Riding (with York).	1	266	1,678	1,614	584	298	49	9	14	4,512	855	1,925	1,164	371	151	22	1	23
	2	8	54	141	106	108	36	9	—	462	3	41	156	119	100	35	8	—
	3	1	4	26	46	83	76	49	1	286	10	47	63	50	70	35	10	1
	4	—	—	8	23	44	62	72	1	210	—	5	28	30	47	50	48	2
North Riding.	1	244	1,351	1,339	513	276	55	18	18	3,814	772	1,626	909	322	144	20	3	18
	2	4	39	91	72	78	20	8	1	313	2	28	101	85	65	26	5	1
	3	—	6	26	39	73	47	44	3	238	14	39	44	44	61	26	6	4
	4	—	—	4	7	32	33	50	2	128	—	2	10	16	34	34	30	2
Durham.	1	1,084	5,971	4,423	1,340	598	83	17	12	13,528	3,675	5,960	2,867	697	283	22	3	21
	2	20	204	358	239	267	86	18	4	1,196	4	164	392	277	267	62	23	7
	3	—	19	89	161	228	130	79	7	713	42	159	185	124	141	44	10	8
	4	—	4	32	62	208	197	155	8	666	—	14	66	105	240	141	92	8
Northumberland.	1	420	2,566	2,169	774	396	68	9	13	6,415	1,504	2,749	1,489	425	209	22	2	15
	2	4	85	156	147	113	37	6	—	548	—	56	196	150	118	19	9	—
	3	—	8	39	46	136	72	51	4	356	23	66	77	61	83	32	10	4
	4	—	1	12	36	63	77	71	5	265	—	4	37	38	89	53	39	5
Cumberland.	1	150	842	812	325	187	32	3	19	2,370	375	959	693	203	112	8	1	19
	2	1	16	28	30	33	9	4	1	122	—	8	32	41	28	8	4	1
	3	—	1	12	23	49	32	17	8	142	8	20	21	33	36	14	1	9
	4	—	—	1	11	29	15	21	1	78	—	—	11	10	32	13	10	2
Westmorland.	1	18	138	201	105	47	9	2	5	525	52	170	190	74	31	2	1	5
	2	1	5	4	5	5	3	1	—	24	—	3	8	6	5	2	—	—
	3	—	1	3	5	10	9	8	3	39	1	3	8	9	7	5	3	3
	4	—	—	1	1	4	1	3	4	14	—	—	2	—	4	1	3	4
Monmouthshire.	1	260	1,708	1,436	426	187	27	5	11	4,060	971	1,871	890	216	92	9	—	11
	2	1	34	73	58	77	31	5	2	281	1	19	75	73	81	20	10	2
	3	—	3	21	33	56	44	29	4	190	14	42	42	25	35	20	7	5
	4	—	1	3	16	47	51	38	2	158	—	4	11	22	49	43	26	3
Glamorganshire.	1	704	4,546	3,913	1,327	645	83	13	15	11,246	2,629	5,079	2,590	634	255	32	2	25
	2	4	110	204	167	192	69	17	2	765	5	90	233	177	185	52	19	4
	3	—	14	82	125	190	106	45	4	566	22	136	144	94	122	36	6	6
	4	—	1	11	40	111	152	98	4	417	—	8	34	74	132	119	46	4
Carmarthen-shire.	1	55	469	485	212	107	15	5	1	1,349	222	562	375	120	62	7	—	1
	2	—	9	15	15	18	5	—	1	63	—	5	20	16	18	2	1	1
	3	—	4	8	24	27	16	11	—	90	2	18	17	13	26	12	2	—
	4	—	—	3	1	11	16	10	—	41	—	1	4	6	12	11	7	—

ENGLAND AND WALES AND REGISTRATION COUNTIES.—AGES AND CONDITION of MEN and WOMEN who INTERMARRIED, 1920—*continued*.

NOTE.—The numbers in the second column indicate the following combinations :—1, bachelors with spinsters ; 2, bachelors with widows ; 3, widowers with spinsters ; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.									All Ages.	Ages of Women.								
		Under 21	21-	25-	30-	35-	45-	55 years & upwards.	Full Age, (not stated).	Under 21.		21-	25-	30-	35-	45-	55 years & upwards.	Full Age		
46. Pembrokeshire.	1	22	224	244	109	52	8	—	2	661	103	246	199	75	35	—	—			
	2	—	8	16	6	6	2	1	—	39	—	6	13	10	7	3	—			
	3	—	1	7	12	26	11	6	4	67	3	11	13	13	15	5	4			
	4	—	—	1	1	6	7	5	—	20	—	—	4	2	7	4	3			
47. Cardiganshire.	1	21	118	185	119	76	14	4	4	541	40	163	191	81	58	3	1			
	2	—	1	5	6	3	3	—	—	18	—	—	5	4	9	—	—			
	3	—	1	3	6	15	15	11	2	53	1	5	8	12	14	11	1			
	4	—	—	—	—	2	2	5	—	9	—	—	—	—	4	3	2			
48. Brecknockshire.	1	24	184	172	64	51	7	2	—	504	88	209	132	45	27	2	1			
	2	—	3	7	8	5	1	1	—	25	1	2	7	8	4	3	—			
	3	—	—	4	2	8	5	5	1	25	1	4	4	7	5	3	—			
	4	—	—	—	—	2	5	4	—	11	—	—	—	3	4	2	2			
49. Radnorshire.	1	4	35	45	22	14	7	—	2	129	12	44	43	18	10	—	—			
	2	—	1	3	1	4	—	—	—	9	—	1	2	4	—	2	—			
	3	—	—	—	2	3	3	2	1	11	—	1	4	3	3	—	—			
	4	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1			
50. Montgomeryshire.	1	11	98	159	97	56	12	1	2	436	39	159	139	57	33	5	1			
	2	—	4	4	4	6	1	—	1	20	—	—	7	7	4	1	—			
	3	—	—	1	4	8	16	8	—	37	—	4	9	8	8	6	1			
	4	—	—	—	—	1	4	5	—	10	—	—	—	1	1	4	4			
51. Flintshire.	1	19	176	228	85	31	3	—	3	545	79	219	176	40	24	3	—			
	2	—	2	6	5	11	2	1	—	27	—	2	7	4	12	1	—			
	3	—	1	1	5	8	9	3	—	27	—	4	7	6	7	3	—			
	4	—	—	—	2	6	8	4	—	20	—	—	1	5	5	7	2			
52. Denbighshire.	1	41	383	431	197	86	26	1	8	1,173	145	470	364	115	62	7	1			
	2	2	11	30	18	26	3	1	1	92	—	11	25	36	17	1	1			
	3	—	2	5	8	21	11	4	5	56	—	9	18	9	11	3	1			
	4	—	—	1	2	14	15	11	—	43	—	1	3	6	18	8	7			
53. Merionethshire.	1	11	83	156	83	48	14	4	9	408	30	131	144	57	32	4	1			
	2	—	1	4	3	5	1	—	1	15	—	1	3	4	6	—	—			
	3	—	—	1	8	8	6	8	1	32	—	1	9	6	8	5	2			
	4	—	—	—	2	5	3	6	1	17	—	—	1	1	6	7	1			
54. Carnarvonshire.	1	30	207	327	188	120	27	4	14	917	77	298	316	128	74	9	1			
	2	—	2	11	12	21	4	1	—	51	—	4	9	14	19	5	—			
	3	—	—	4	13	29	24	12	—	82	1	4	19	17	26	13	2			
	4	—	—	—	2	11	19	16	4	52	—	2	2	7	15	11	10			
55. Anglesey.	1	6	64	71	42	29	8	2	2	224	20	96	62	22	16	5	—			
	2	—	—	1	6	2	1	—	—	10	—	1	2	2	4	1	—			
	3	—	1	—	2	4	6	2	—	15	—	1	1	4	7	1	1			
	4	—	—	1	2	—	2	3	—	8	—	—	1	1	3	3	—			

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1920.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns. (See Section "Population" in Review). In the case of Districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths of civilians, in this as in other tables, have been transferred to the area of residence in accordance with the rules laid down in 1911 by the Local Government Board. Deaths of non-civilians have been excluded from all tables relating to administrative areas or groups of areas, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

Summary.

Area.¶			Estimated Popula- tion, Middle 1920.	BIRTHS (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
				Legitimate.		Illegitimate.		Total.	Rate per 1000 Total Popu- lation.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
All Areas	North ...	12,653,614	162,301	154,296	8,178	7,833	332,608	26.3	171,364	13.5†	32,507	98	
	Midlands ...	11,847,575	146,950	139,383	7,193	6,818	300,344	25.4	136,008	11.5†	21,372	71	
	South† ...	10,394,985	124,355	118,351	6,021	5,811	254,538	24.5	123,749	12.0†	16,647	65	
	Wales ...	2,627,826	34,416	32,783	1,556	1,537	70,292	26.7	33,559	12.8†	6,026	86	
	England and Wales.	37,524,000	468,022	444,813	22,948	21,999	957,782	25.5	464,680§	12.4	76,552	80	
London	4,479,730	59,349	56,290	2,497	2,393	120,529	26.9	57,232	12.8†	9,141	76	
County Boroughs	North ...	6,695,583*	87,523	83,688	4,427	4,166	179,804	26.9	95,204	14.2	18,554	103	
	Midlands ...	3,944,280*	52,493	49,845	2,284	2,152	106,774	27.1	48,344	12.3	8,693	81	
	South ...	1,345,584*	15,361	14,730	843	786	31,720	23.6	15,972	12.1†	2,038	64	
	Wales ...	531,800	6,914	6,745	249	245	14,153	26.6	6,628	12.5	1,189	84	
	England and Wales.	12,517,247*	162,291	155,008	7,803	7,349	332,451	26.6	166,148	13.3†	30,474	92	
Other Urban Districts	North ...	4,217,390*	52,512	49,895	2,522	2,474	107,403	25.5	55,207	13.1†	10,119	94	
	Midlands ...	4,663,040*	56,910	53,834	2,726	2,550	116,020	24.9	51,005	10.9†	7,800	67	
	South ...	2,587,217*	28,248	26,854	1,488	1,457	58,047	22.4	29,042	11.4†	3,229	56	
	Wales ...	1,265,365*	17,654	16,800	699	717	35,870	28.3	16,107	12.7†	3,212	90	
	England and Wales.	12,733,012*	155,324	147,383	7,435	7,198	317,340	24.9	151,361	11.9†	24,360	77	
Rural Districts	North ...	1,740,641*	22,266	20,713	1,229	1,193	45,401	26.1	20,953	12.1†	3,834	84	
	Midlands ...	3,240,255*	37,647	35,704	2,183	2,116	77,550	23.9	36,659	11.3†	4,879	63	
	South ...	1,982,454*	21,397	20,477	1,193	1,175	44,242	22.3	21,503	11.0†	2,239	51	
	Wales ...	830,661*	9,848	9,238	608	575	20,269	24.4	10,824	13.0†	1,625	80	
	England and Wales.	7,794,011*	91,058	86,132	5,213	5,059	187,462	24.1	89,939	11.6†	12,577	67	

County Boroughs.

Administrative Area.	Estimated Popula- tion, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegiti- mate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
Barnsley ...	53,800	866	758	69	54	1,747	32.5	781	14.5	228	131
Barrow in Furness ...	74,300	1,016	887	29	39	1,971	26.5	880	11.8	150	76
Bath ...	68,200	649	598	53	29	1,329	19.5	833	12.2	70	53
Birkenhead ...	145,900	2,060	1,992	84	77	4,213	28.9	2,040	14.0	435	103
Birmingham ...	926,000	12,296	11,821	444	450	25,011	27.0	11,475	12.4	2,086	83
Blackburn ...	128,600	1,391	1,307	75	54	2,827	22.0	1,797	14.0	309	109
Blackpool... ..	73,700	529	552	59	41	1,181	16.0	966	13.1	85	72
Bolton ...	180,900	2,037	1,988	118	89	4,232	23.4	2,541	14.0	417	99
Bootle ...	76,800	1,087	1,114	51	37	2,289	29.8	1,136	14.8	223	97
Bournemouth ...	81,000	672	618	57	63	1,410	17.4	954	11.8	64	45
Bradford ...	289,800	2,900	2,774	182	177	6,033	20.8	3,930	13.6	566	94
Brighton ...	134,000	1,492	1,398	123	102	3,115	23.2	1,734	12.9	212	68
Bristol ...	377,800	4,766	4,498	166	172	9,602	25.4	4,430	11.7	665	69
Burnley ...	104,500	1,137	1,155	80	87	2,459	23.5	1,491	14.3	317	129
Burton upon Trent	48,870	619	622	34	26	1,301	26.6	584	12.0	89	68
Bury ...	57,400	544	508	43	23	1,118	19.5	827	14.4	104	93
Canterbury ...	23,470	277	275	22	19	593	25.3	258	11.0	36	61
Carlisle ...	52,600	715	623	38	41	1,417	26.9	706	13.4	112	79
Chester ...	40,670	544	491	27	29	1,091	26.8	524	12.9	76	70
Coventry ...	128,800	1,645	1,520	56	57	3,278	25.5	1,277	9.9	247	75
Croydon ...	190,000	2,125	2,031	94	101	4,351	22.9	2,087	11.0	267	61
Darlington ...	65,700	873	776	32	42	1,723	26.2	825	12.6	158	92
Derby ...	130,700	1,545	1,534	76	51	3,206	24.5	1,384	10.6	246	77
Dewsbury... ..	54,700	601	603	49	31	1,284	23.5	785	14.4	140	109
Dudley ...	56,200	841	832	27	29	1,729	30.8	830	14.8	184	106
Eastbourne ...	53,400	482	438	34	32	986	18.5	526	9.9	57	58
East Ham ...	143,800	1,904	1,740	41	41	3,726	25.9	1,479	10.3	224	60
Exeter ...	59,200	649	672	43	36	1,400	23.6	739	12.5	94	67
Gateshead... ..	124,900	2,096	1,953	84	81	4,214	33.7	1,884	15.1	472	112

† Death-rates based upon estimated civilian populations as follows:—All areas, North 12,649,774; Midlands 11,833,083; South 1,0305,770; Wales 2,626,718; London 4,470,135; County Boroughs, South 1,321,531*; Total 12,493,194*; Other Urban Districts, North 4,215,431*; Midlands 4,658,833*; South 2,553,135*; Wales 1,264,565*; Total 12,691,967*; Rural Districts, North 1,738,760*; Midlands 3,229,970*; South 1,960,966*; Wales 830,353*; Total 7,760,049*.

‡ Including London.

§ The number of deaths differs from the total given elsewhere by excluding deaths of non-civilians.

|| For the limits of the four geographical divisions, see footnote in Section "Marriages" in review.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—cont.

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
Gloucester	51,200	723	625	30	24	1,402	27·4	674	13·2	91	65
Great Yarmouth	55,800	752	741	36	34	1,563	28·0	694	12·4	99	63
Grimsby	82,500	1,122	1,110	65	59	2,356	28·6	1,116	13·5	216	92
Halifax	100,300	961	927	64	61	2,013	20·1	1,437	14·3	200	99
Hastings	59,500	541	521	45	39	1,146	19·3	851	14·3	57	50
Huddersfield	111,500	1,037	949	52	64	2,102	18·9	1,500	13·5	171	81
Ipswich	79,400	971	931	47	61	2,010	25·3	947	11·9	144	72
Kingston upon Hull	288,500	4,091	4,026	214	192	8,523	29·5	3,898	13·5	834	98
Leeds	461,613*	5,393	5,202	352	284	11,231	24·3	6,592	14·3	1,233	110
Leicester	235,800	2,893	2,744	141	127	5,905	25·0	2,873	12·2	529	90
Lincoln	60,610*	716	649	44	46	1,455	24·0	731	12·1	115	79
Liverpool	807,000	12,303	11,717	508	511	25,039	31·0	12,891	16·0	2,840	113
Manchester	738,000	9,246	9,007	496	464	19,213	26·0	10,300	14·0	1,882	98
Middlesbrough	131,500	2,127	2,103	103	98	4,431	33·7	2,045	15·6	603	136
Newcastle upon Tyne	275,600	4,062	3,766	169	156	8,153	29·6	4,088	14·8	819	100
Newport (Mon.)	92,500	1,295	1,273	45	36	2,649	28·6	1,131	12·2	203	77
Northampton	91,400	1,153	1,007	48	40	2,248	24·6	1,053	11·5	166	74
Norwich	121,300	1,573	1,419	82	80	3,154	26·0	1,527	12·6	235	75
Nottingham	263,900	3,402	3,010	273	269	6,954	26·4	3,507	13·3	666	96
Oldham	147,600	1,617	1,526	93	105	3,341	22·6	2,150	14·6	358	107
Oxford	56,200	532	509	42	22	1,105	19·7	613	10·9	59	53
Plymouth	209,100	2,651	2,488	90	86	5,315	25·4	2,692	13·6†	409	77
Portsmouth	242,172*	3,195	3,038	136	151	6,520	26·9	2,680	11·7†	400	61
Preston	118,900	1,414	1,396	91	83	2,984	25·1	1,659	14·0	301	101
Reading	91,700	1,091	1,073	63	51	2,278	24·8	1,010	11·0	148	65
Rochdale	92,200	928	886	67	60	1,941	21·1	1,252	13·6	179	92
Rotherham	68,200	950	968	55	44	2,017	29·6	848	12·4	204	101
St. Helens... ..	103,300	1,670	1,533	79	52	3,334	32·3	1,419	13·7	378	113
Salford	236,700	3,158	3,017	144	149	6,468	27·3	3,168	13·4	640	99
Sheffield	492,700	6,475	6,076	273	303	13,127	26·6	6,624	13·4	1,371	104
Smethwick	76,400	1,019	948	33	32	2,032	26·6	841	11·0	168	83
Southampton	133,842*	1,537	1,580	83	77	3,277	24·5	1,608	12·0	224	68
Southend on Sea	89,900	911	849	46	52	1,858	20·7	986	11·0	97	52
Southport	71,800	608	548	47	58	1,261	17·6	945	13·2	68	54
South Shields	116,900	1,893	1,900	97	76	3,966	33·9	1,996	17·1	479	121
Stockport	124,700	1,365	1,396	64	73	2,898	23·2	1,681	13·5	281	97
Stoke on Trent	242,100	3,754	3,627	200	180	7,761	32·1	3,225	13·3	761	98
Sunderland	159,100	2,640	2,542	114	122	5,418	34·1	2,511	15·8	564	104
Tynemouth	63,100	908	917	45	44	1,914	30·3	969	15·4	182	95
Wakefield	53,100	669	613	29	30	1,341	25·3	734	13·8	119	89
Wallasey	89,000	940	880	37	29	1,886	21·2	981	11·0	136	72
Walsall	97,400	1,430	1,422	66	65	2,983	30·6	1,291	13·3	300	101
Warrington	77,700	1,156	1,023	44	39	2,262	29·1	949	12·2	205	91
West Bromwich	74,300	1,167	1,112	50	42	2,371	31·9	997	13·4	259	109
West Ham	302,400	4,805	4,647	149	122	9,723	32·2	3,888	12·9	716	74
West Hartlepool... ..	68,400	1,077	1,031	47	30	2,185	31·9	1,024	15·0	225	103
Wigan	90,100	1,387	1,259	56	80	2,782	30·9	1,450	16·1	352	127
Wolverhampton	102,700	1,399	1,394	57	49	2,899	28·2	1,290	12·6	253	87
Worcester... ..	48,800	555	534	31	22	1,142	23·4	632	13·0	78	68
York	83,800	1,052	999	67	57	2,175	26·0	980	11·7	138	63
Cardiff	200,600	2,508	2,491	91	97	5,187	25·9	2,429	12·1	435	84
Merthyr Tydfil	80,800	1,069	1,044	49	54	2,216	27·4	1,048	13·0	185	83
Swansea	157,900	2,042	1,937	64	58	4,101	26·0	2,020	12·8	366	89

Administrative Counties.

BEDFORDSHIRE.	205,387	2,287	2,048	141	134	4,610	22·4	2,171	10·6†	256	56
Total Urban Districts ...	125,474	1,400	1,236	81	85	2,802	22·3	1,326	10·6†	167	60
Total Rural Districts ...	79,913	887	812	60	49	1,808	22·6	845	10·7†	89	49
Urban Districts.											
Ampthill	2,244	20	24	—	1	45	20·1	27	12·0	1	22
Bedford, M.B.	39,860	368	324	34	37	763	19·1	422	10·6	49	64
Biggleswade	5,350	71	53	3	—	127	23·7	53	9·9	7	55
Dunstable, M.B.	8,870	93	79	4	6	182	20·5	111	12·5	12	66
Kempston	5,180	58	54	2	2	116	22·4	43	8·6†	3	26
Leighton Buzzard	6,770	78	73	3	5	159	23·5	89	13·1	9	57
Luton, M.B.	57,200	712	629	35	34	1,410	24·7	581	10·2	86	61
Rural Districts.											
Ampthill	19,060	210	207	9	18	444	23·3	212	11·1	22	50
Bedford	20,020	226	206	15	11	458	22·9	217	11·1†	21	46
Biggleswade	22,960	240	211	21	7	479	20·9	218	9·9†	28	58
Eaton Bray	3,721	49	36	—	6	91	24·5	40	10·7	6	66
Eaton Socon	3,302	37	32	7	2	78	23·6	34	10·3	2	26
Luton	10,850	125	120	8	5	258	23·8	124	11·4	10	39

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Plymouth 197,969; Portsmouth 229,250*; Bedfordshire 203,919; Total Urban Districts 125,293; Total Rural Districts 78,626; Kempston U.D. 4,999; Bedford R.D. 19,572; Biggleswade R.D. 22,121.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
BERKSHIRE.													
Total Urban Districts ...	198,290	2,175	2,127	139	140	4,581	23·1	2,056	10·4†	221	48		
Total Rural Districts ...	60,582*	662	678	49	44	1,433	23·7	687	11·3	67	47		
Urban Districts.													
Abingdon, M.B. ...	137,708*	1513	1,449	90	96	3,148	22·9	1,369	10·0†	154	49		
Maidenhead, M.B. ...	7,060	89	91	8	7	195	27·6	77	10·9	10	51		
Newbury, M.B. ...	16,350	190	195	5	15	405	24·8	155	9·5	20	49		
New Windsor, M.B. ...	12,140	132	120	15	8	275	22·7	172	14·2	11	40		
Wallingford, M.B. ...	14,112*	147	150	12	8	317	22·5	149	10·6	15	47		
Wantage ...	2,662	22	34	—	1	57	21·4	35	13·1	6	105		
Wokingham, M.B. ...	3,840	44	36	6	3	89	23·2	47	12·2	4	45		
Rural Districts.													
Abingdon ...	4,418	38	52	3	2	95	21·5	52	11·8	1	11		
Bradfield ...	10,090	124	109	8	7	248	24·6	86	8·5	9	36		
Cookham ...	14,220	159	151	9	8	327	23·0	133	9·4	11	34		
Easthampstead ...	13,170	134	115	8	6	263	20·0	124	9·4	17	65		
Faringdon (part of)† ...	18,490	186	162	8	10	366	19·8	182	10·4†	25	68		
Hungerford ...	9,960	132	145	6	17	300	30·1	120	12·0	14	47		
Newbury ...	8,210	97	87	8	8	200	24·4	99	12·1	13	65		
Wallingford ...	10,450	95	116	4	8	223	21·3	123	11·8	11	49		
Wantage ...	8,770	77	68	5	2	152	17·3	66	7·5	4	26		
Windsor ...	11,480	158	126	11	9	304	26·5	102	8·9	7	23		
Wokingham ...	14,798*	179	171	12	9	371	25·1	148	10·0	25	67		
BUCKINGHAMSHIRE.													
Total Urban Districts ...	232,728	2,516	2,433	142	128	5,219	22·4	2,462	10·7†	298	57		
Total Rural Districts ...	99,496	1,095	1,059	63	52	2,269	22·8	1,044	10·5	131	58		
Urban Districts.													
Aylesbury, M.B....	133,232	1,421	1,374	79	76	2,950	22·1	1,418	10·9†	167	57		
Beaconsfield ...	12,030	126	125	15	9	275	22·9	133	11·1	18	65		
Bletchley ...	3,481	25	32	—	1	58	16·7	27	7·8	3	52		
Buckingham, M.B. ...	5,400	78	60	2	2	142	26·3	61	11·3	5	35		
Chepping Wycombe, M.B.	3,064	26	21	2	—	49	16·0	38	12·4	1	20		
Chesham ...	21,900	255	255	4	13	527	24·1	215	9·8	26	49		
Eton ...	8,590	121	97	4	5	227	26·4	83	9·7	23	101		
Linslade ...	3,367	22	23	2	1	48	14·3	23	6·8	1	21		
Marlow ...	2,360	24	27	1	—	52	22·0	19	8·1	2	38		
Newport Pagnell...	4,942	60	65	6	4	135	27·3	74	15·0	10	74		
Slough ...	4,062	46	29	4	5	84	20·7	59	14·5	3	36		
Wolverton ...	16,190	172	200	13	11	396	24·5	170	10·5	21	53		
Rural Districts.													
Amersham ...	14,110	140	125	10	1	276	19·6	142	10·1	18	65		
Aylesbury ...	21,710	225	215	11	16	467	21·5	201	9·3	22	47		
Buckingham ...	18,720	165	170	11	9	355	19·0	180	11·1†	25	70		
Eton ...	7,340	89	73	5	4	171	23·3	106	14·4	10	58		
Hambleton ...	26,750	284	285	17	19	605	22·6	287	10·7	44	73		
Long Crendon ...	1,990	19	—	—	—	38	19·1	16	8·0	1	26		
Newport Pagnell...	3,712	53	41	3	5	102	27·5	48	12·9	5	49		
Wing ...	14,520	157	149	6	8	320	22·0	173	11·9	16	50		
Winslow ...	5,520	61	55	3	—	119	21·6	63	11·4	7	59		
Wycombe...	6,270	51	57	3	—	111	17·7	74	11·8	4	36		
CAMBRIDGESHIRE.													
Total Urban Districts ...	128,295	1,327	1,228	85	77	2,717	21·2	1,401	10·9	137	50		
Total Rural Districts ...	58,500	581	575	35	28	1,219	20·8	570	9·7	50	41		
Urban District.													
Cambridge, M.B....	69,795	746	653	50	49	1,498	21·5	831	11·9	87	58		
Rural Districts.													
Caxton and Arrington ...	58,500	581	575	35	28	1,219	20·8	570	9·7	50	41		
Chesterton ...	7,340	64	55	3	6	128	17·4	74	10·1	5	39		
Linton ...	23,740	236	220	8	14	478	20·1	256	10·8	25	52		
Melbourn...	9,810	117	81	13	6	217	22·1	122	12·4	9	41		
Newmarket ...	7,970	77	77	11	9	174	21·8	101	12·7	8	46		
Swavesey ...	18,520	232	196	14	13	455	24·6	235	12·7	39	86		
CHESHIRE.													
Total Urban Districts ...	2,415	20	24	1	1	46	19·0	43	17·8	1	22		
Total Rural Districts ...	624,775	6,954	6,461	346	314	14,075	22·5	7,246	11·6†	1,011	72		
Urban Districts.													
Alderley Edge ...	433,403*	5,000	4,643	227	217	10,087	23·3	5,307	12·2	791	78		
Alsager ...	191,372*	1,954	1,818	119	97	3,988	20·8	1,939	10·2†	220	55		
Altrincham ...	3,041	30	28	3	—	61	20·1	34	11·2	1	16		
Ashton upon Mersey ...	2,685	24	29	2	2	57	21·2	27	10·1	1	18		
Bollington ...	19,480*	208	209	13	9	439	22·5	242	12·4	29	66		
Rural Districts.													
...	7,750	98	89	2	2	191	24·6	70	9·0	8	42		
...	5,150	55	42	2	2	101	19·6	71	13·8	6	59		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Berkshire, 197,365; Total Rural Districts, 136,783*; Easthampstead R.D., 17,565; Buckinghamshire, 230,156; Total Rural Districts, 130,660; Aylesbury R.D., 16,148; Cheshire 624,359; Total Rural Districts, 190,956*.

‡ The remainder of Faringdon Rural District is in Gloucestershire; see page 95.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
CHESHIRE—cont.													
Bowdon	2,940	18	25	1	2	46	15·6	42	14·3	1	22		
Bredbury and Romiley ...	9,230	74	79	—	1	154	16·7	103	11·2	12	78		
Bromborough	2,617	18	29	—	—	47	18·0	26	9·9	6	128		
Buglawton	1,555	15	15	2	—	32	20·6	19	12·2	5	156		
Cheadle and Gatley ...	11,010	103	103	5	4	215	19·5	101	9·2	9	42		
Compstall	924	7	13	—	1	21	22·7	13	14·1	—	—		
Congleton, M.B.	11,780	159	146	4	5	314	26·7	141	12·0	17	54		
Crewe, M.B.	46,820	525	462	26	15	1,028	22·0	557	11·9	91	89		
Dukinfield, M.B....	19,760	286	237	14	16	553	28·0	301	15·2	62	112		
Ellesmere Port and Whitby	13,080	245	209	5	6	465	35·6	138	10·6	31	67		
Hale	9,170	88	71	2	—	161	17·6	92	10·0	7	43		
Handforth	896	16	7	—	—	23	25·7	8	8·9	1	43		
Hazel Grove and Bramhall	10,110	107	96	3	2	208	20·6	130	12·9	17	82		
Higher Bebington ...	1,754	32	27	2	1	62	35·3	22	12·5	2	32		
Hollingworth	2,481	36	24	1	—	61	24·6	40	16·1	8	131		
Hoole	5,950	56	57	5	5	123	20·7	47	7·9	6	49		
Hoylake and West Kirby	16,500	126	135	9	7	277	16·8	190	11·5	31	112		
Hyde, M.B.	33,940	372	350	19	19	760	22·4	474	14·0	84	111		
Knutsford	5,360	60	50	4	2	116	21·6	69	12·9	7	60		
Lower Bebington ...	14,800	209	174	11	3	397	26·8	150	10·1	29	73		
Lymm	5,240	58	68	—	1	127	24·2	57	10·9	5	39		
Macclesfield, M.B. ...	34,200	352	333	20	26	731	21·4	465	13·6	61	83		
Marple	6,610	62	51	1	3	117	17·7	76	11·5	6	51		
Middlewich	5,140	63	71	3	3	140	27·2	69	13·4	7	50		
Mottram in Longendale	2,919	25	19	3	1	48	16·4	24	8·2	2	42		
Nantwich	7,340	98	87	8	7	200	27·2	117	15·9	19	95		
Neston and Parkgate ...	5,080	76	62	2	5	145	28·5	69	13·6	13	90		
Northwich	18,430	251	227	11	11	500	27·1	208	11·3	26	52		
Runcorn	18,450	294	253	7	12	566	30·7	196	10·6	35	62		
Sale	16,310	160	149	8	9	326	20·0	168	10·3	18	55		
Sandbach	5,860	73	83	2	2	160	27·3	81	13·8	13	81		
Stalybridge, M.B. ...	25,670	269	271	17	16	573	22·3	381	14·8	69	120		
Tarporley	2,491	26	25	2	3	56	22·5	35	14·1	6	107		
Wilmslow	8,250	83	75	3	3	164	19·9	92	11·2	8	49		
Winsford	1,0960	127	148	5	10	290	26·5	146	13·3	32	110		
Yeardsley-cum-Whaley ...	1,670	16	15	—	1	32	19·2	16	9·6	—	—		
Rural Districts.													
Bucklow	23,150*	195	210	10	8	423	18·3	199	8·6	23	54		
Chester	13,280	113	108	7	4	232	17·5	127	9·9†	18	78		
Congleton... ..	13,170	154	147	9	10	320	24·3	132	10·0	16	50		
Disley	2,977	24	22	—	1	47	15·8	21	7·1	—	—		
Macclesfield	16,920	147	157	6	12	322	19·0	185	10·9	22	68		
Malpas	4,381	42	48	6	6	102	23·3	54	12·3	6	59		
Nantwich	24,890	279	248	25	14	566	22·7	297	11·9	35	62		
Northwich	24,260	331	261	18	8	618	25·5	234	9·6	21	34		
Runcorn	28,990	299	276	13	12	600	20·7	300	10·3	32	53		
Tarvin	13,250	137	130	16	10	293	22·1	144	10·9	17	58		
Tintwistle	2,044	24	21	1	2	48	23·5	31	15·2	2	42		
Wirral	24,060	209	190	8	10	417	17·3	215	8·9	28	67		
CORNWALL.													
Total Urban Districts ...	313,549	3,403	3,240	190	158	6,991	22·3	4,193	13·5†	416	60		
Total Rural Districts ...	137,183	1,479	1,377	83	78	3,017	22·0	1,976	14·4†	203	67		
	176,366	1,924	1,863	107	80	3,974	22·5	2,217	12·7†	213	54		
Urban Districts.													
Bodmin, M.B.	5,500	39	43	7	4	93	16·9	58	10·9†	8	86		
Callington	1,616	24	11	2	1	38	23·5	16	9·9	2	53		
Camborne	14,710	175	162	10	9	356	24·2	206	14·0	24	67		
Falmouth, M.B.	12,850	123	118	7	7	255	19·8	164	12·8	16	63		
Fowey, M.B.	1,997	17	23	—	1	41	20·5	39	19·5	4	98		
Hayle	1,004	11	9	2	1	23	22·9	25	24·9	1	43		
Helston, M.B.	2,605	33	32	3	1	69	26·5	39	15·0	2	29		
Launceston, M.B. ...	3,960	23	37	3	3	66	16·7	55	13·9	3	45		
Liskeard, M.B.	4,356	52	51	1	6	110	25·3	85	19·5	12	109		
Looe	2,648	15	13	1	—	29	11·0	39	14·7	2	69		
Lostwithiel, M.B. ...	1,298	13	8	—	—	21	16·2	22	16·9	4	190		
Ludgvan	2,066	29	24	2	1	56	27·1	34	16·5	1	18		
Madron	3,242	41	38	—	2	81	25·0	47	14·5	3	37		
Newquay	4,895	38	33	—	3	74	15·1	53	10·8	1	14		
Padstow	1,675	21	14	—	—	35	20·9	24	14·3	4	114		
Paul	5,430	73	60	7	2	142	26·2	86	15·8	9	63		
Penryn, M.B.	3,154	35	44	—	3	82	26·0	45	14·3	7	85		
Penzance, M.B.	11,700	127	91	9	11	238	20·3	180	15·4	20	84		

* Population adjusted to allow for changes in boundary.

† Death-rates based upon estimated civilian populations as follows:—Chester R.D., 12,864; Cornwall, 311,499; Total Urban Districts, 137,027; Total Rural Districts, 174,472; Bodmin M.B., 5,344.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS, in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
CORNWALL—cont.													
Phillack	3,417	40	31	2	2	75	21·9	68	19·9	6	80		
Redruth	9,980	113	108	5	3	229	22·9	152	15·2	15	66		
St. Austell	3,250	28	29	1	2	60	18·5	50	15·4	5	83		
St. Ives, M.B.	6,540	76	85	3	1	165	25·2	87	13·3	15	91		
St. Just	5,060	65	61	2	2	130	25·7	96	19·0	5	38		
Saltash, M.B.	3,593	37	37	1	3	78	21·7	44	12·2	5	64		
Stratton and Bude	3,126	21	24	2	—	47	15·0	28	9·0	1	21		
Torpoint	4,438	56	54	—	1	111	25·0	53	11·9	9	81		
Truro, M.B.	10,760	129	116	8	9	262	24·3	154	14·3	17	65		
Wadebridge	2,313	25	21	5	—	51	22·0	27	11·7	2	39		
Rural Districts.													
Bodmin	9,880	90	93	4	6	193	19·5	123	12·4	15	78		
Calstock	4,581	52	52	4	3	111	24·2	62	13·5	5	45		
Camelford	7,400	67	86	9	7	169	22·8	108	14·6	14	83		
East Kerrier	8,030	96	84	1	2	183	22·8	85	10·6	5	27		
Helston	16,030	179	170	9	7	365	22·8	213	13·3	21	58		
Holsworthy (part of)†	344	7	1	—	—	8	23·3	4	11·6	—	—		
Launceston	7,110	76	55	1	3	135	19·0	88	12·4	6	44		
Liskeard	14,490	175	142	9	5	331	22·8	156	10·8	11	33		
Redruth	16,860	208	187	17	9	421	25·0	269	16·0	30	71		
St. Austell	30,690	379	364	22	13	778	25·4	365	11·9	39	50		
St. Columb Major	11,270	109	120	8	10	247	21·9	133	11·8	14	57		
St. Germans	13,800	129	140	8	2	279	20·2	139	11·7‡	16	57		
Scilly, Isles of	1,708	15	12	—	—	27	15·8	13	7·6	1	37		
Stratton	4,831	60	58	2	3	123	25·5	56	11·6	5	41		
Truro	19,100	182	186	12	4	384	20·1	255	13·4	18	47		
West Penwith	10,242	100	113	1	6	220	21·5	148	14·5	13	59		
CUMBERLAND.													
Total Urban Districts	214,421	2,902	2,660	186	174	5,922	27·6	3,057	14·3	534	90		
Total Rural Districts	119,320	1,733	1,600	103	85	3,521	29·5	1,790	15·0	345	98		
Urban Districts.													
Arlecdon and Frizington	5,180	85	75	7	5	172	33·2	84	16·2	17	99		
Aspatria	3,494	48	55	3	3	109	31·2	36	10·3	5	46		
Cleator Moor	8,380	117	110	5	3	235	28·0	129	15·4	20	85		
Cockermouth	4,810	59	41	4	3	107	22·2	67	13·9	11	103		
Egremont... ..	6,640	94	88	3	3	188	28·3	99	14·9	26	138		
Harrington	4,386	74	69	5	2	150	34·2	65	14·8	12	80		
Holme Cultram	4,684	55	49	5	4	113	24·1	58	12·4	7	62		
Keswick	4,264	33	45	3	3	84	19·7	57	13·4	4	48		
Maryport	10,970	160	151	9	5	325	29·6	160	14·6	35	108		
Millom	8,670	113	127	7	4	251	29·0	120	13·8	22	88		
Penrith	8,170	90	98	18	13	219	26·8	119	14·6	13	59		
Whitehaven, M.B.	19,530	335	310	15	12	672	34·4	320	16·4	72	107		
Wigton	3,622	41	38	3	7	89	24·6	49	13·5	7	79		
Workington, M.B.	26,520	429	344	16	18	807	30·4	427	16·1	94	116		
Rural Districts.													
Alston with Garrigill	2,761	28	22	1	3	54	19·6	53	19·2	4	74		
Bootle	5,930	61	60	2	6	129	21·8	70	11·8	5	39		
Brampton... ..	8,010	72	74	9	5	160	20·0	110	13·7	10	63		
Carlisle	11,770	117	102	10	7	236	20·1	145	12·3	15	64		
Cockermouth	22,530	335	319	13	25	692	30·7	305	13·5	71	103		
Longtown... ..	6,270	92	66	5	3	166	26·5	80	12·8	12	72		
Penrith	11,980	130	105	17	16	268	22·4	165	13·8	15	56		
Whitehaven	14,640	200	175	14	12	401	27·4	186	12·7	37	92		
Wigton	11,210	134	137	12	12	295	26·3	153	13·6	20	68		
DERBYSHIRE.													
Total Urban Districts	581,374	7,676	7,177	363	356	15,572	26·8	6,657	11·5	1,295	83		
Total Rural Districts	301,703*	3,992	3,654	179	176	8,001	26·5	3,598	11·9	672	84		
Urban Districts.													
Alfreton	279,671*	3,684	3,523	184	180	7,571	27·1	3,059	10·9	623	82		
Alvaston and Boulton	20,470	287	280	12	7	586	28·6	229	11·2	47	80		
Ashbourne	1,605	25	21	1	1	48	29·9	11	6·9	4	83		
Bakewell	4,103	54	46	4	7	111	27·1	46	11·2	6	54		
Bakewell	2,925	36	22	5	2	65	22·2	29	9·9	4	62		
Baslow and Bubnell	810	3	4	—	—	7	8·6	15	18·5	1	143		
Belper	12,180	158	167	4	3	332	27·3	133	10·9	29	87		
Bolsover	11,500	198	192	11	6	407	35·4	131	11·4	23	57		
Bonsall	1,162	8	10	—	1	19	16·4	9	7·7	—	—		
Brampton and Walton	2,444*	25	27	3	1	56	22·9	27	11·0	8	143		
Buxton, M.B.	14,720	117	115	10	16	258	17·5	150	10·2	11	43		

* Population adjusted to allow for changes in boundary during the year.
† The remainder of Holsworthy Rural District is in Devonshire; see page 93.
‡ Death-rate based upon an estimated civilian population of 11,906.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
DERBYSHIRE—cont.													
Chesterfield, M.B. ...	43,941*	578	535	38	30	1,181	26·9	651	14·8	146	124		
Clay Cross ...	8,670	161	148	7	11	327	37·7	114	13·1	28	86		
Dronfield ...	4,411	56	50	2	1	109	24·7	62	14·1	12	110		
Glossop, M.B. ...	20,770	223	174	8	12	417	20·1	276	13·3	27	65		
Heage ...	3,766	56	43	—	1	100	26·6	29	7·7	3	30		
Heanor ...	21,590	301	267	6	11	585	27·1	213	9·9	41	70		
Ilkeston, M.B. ...	32,520	471	425	17	16	929	28·6	383	11·8	90	97		
Long Eaton ...	19,590	230	225	6	3	464	24·1	192	9·8	28	60		
Matlock ...	6,220	78	45	3	6	132	21·2	89	14·3	9	68		
Matlock Bath and Scarthin Nick.	1,696	20	9	1	2	32	18·9	28	16·5	4	125		
New Mills ...	8,520	79	79	8	8	174	20·4	100	11·7	11	63		
North Darley ...	3,190	32	36	3	—	71	22·3	38	11·9	2	28		
Ripley ...	13,380	183	158	1	4	346	25·9	139	10·4	20	58		
South Darley ...	734	4	7	—	1	12	16·3	9	12·3	1	83		
Swadlincote District ...	20,150	267	270	16	9	562	27·9	199	9·9	42	75		
Whittington and Newbold†	17,072*	301	248	7	15	571	33·4	251	14·7	66	116		
Wirksworth ...	3,564	41	51	6	2	100	28·1	45	12·6	9	90		
Rural Districts.													
Ashbourne ...	10,210	115	130	7	4	256	25·1	112	11·0	9	35		
Bakewell ...	19,560	211	190	11	12	424	21·7	267	13·7	25	59		
Belper ...	23,370	249	272	16	12	549	23·5	225	9·6	43	78		
Blackwell ...	41,710	698	613	32	44	1,387	33·3	508	12·2	165	119		
Chapel-en-le-Frith ...	15,790	147	126	5	7	285	18·0	159	10·1	13	46		
Chesterfield ...	76,238*	1,176	1,091	74	67	2,408	31·6	896	11·8	223	93		
Clowne ...	17,390	257	268	9	12	546	31·4	170	9·8	45	82		
Glossop Dale ...	3,790	27	29	1	—	57	15·0	34	9·0	1	18		
Hartshorn and Seals ...	8,590	113	109	3	2	227	26·4	60	7·0	9	40		
Hayfield ...	4,397	36	37	4	—	77	17·5	50	11·4	4	52		
Norton ...	4,524	54	36	3	1	94	20·8	46	10·2	4	43		
Repton ...	16,270	166	191	5	7	369	22·7	160	9·8	26	70		
Shardlow ...	33,840	386	394	12	11	803	23·7	318	9·4	52	65		
Sudbury ...	2,496	30	25	2	1	58	23·2	33	13·2	3	52		
Codnor Park and Shipley Civil Parishes administered by Rural District Council of Basford (Nottinghamshire).	1,496	19	12	—	—	31	20·7	21	14·0	1	32		
DEVONSHIRE.													
Total Urban Districts ...	416,575	4,267	4,086	213	226	8,792	21·1	5,292	12·8†	448	51		
Total Rural Districts ...	202,478	2,038	1,926	122	116	4,202	20·8	2,750	13·6†	226	54		
Urban Districts.	214,097	2,229	2,160	91	110	4,590	21·4	2,542	11·9†	222	48		
Ashburton ...	2,281	33	29	—	1	63	27·6	42	18·4	3	48		
Axminster ...	2,032	18	15	—	2	35	17·2	20	9·8	1	29		
Bampton ...	1,422	20	11	—	1	32	22·5	29	20·4	4	125		
Barnstaple, M.B. ...	14,240	171	174	10	9	364	25·6	195	13·7	16	44		
Bideford, M.B. ...	8,970	88	96	10	6	200	22·3	129	14·4	12	60		
Brixham ...	7,680	117	94	4	4	219	28·5	119	15·5	17	78		
Buckfastleigh ...	2,256	20	20	2	—	42	18·6	20	8·9	3	71		
Budleigh Salterton ...	2,416	11	20	—	1	32	13·2	29	12·0	—	—		
Crediton ...	3,458	36	35	3	2	76	22·0	53	15·3	7	92		
Dartmouth, M.B. ...	7,150	70	68	2	6	146	20·4	68	10·7†	8	55		
Dawlish ...	4,324	37	50	4	2	93	21·5	40	9·3	2	22		
Exmouth ...	12,810	109	94	5	6	214	16·7	186	14·5	12	56		
Great Torrington, M.B....	2,945	43	34	4	1	82	27·8	51	17·3	5	61		
Holsworthy ...	1,408	13	19	—	1	33	23·4	14	9·9	2	61		
Honiton, M.B. ...	3,019	38	24	3	2	67	22·2	35	11·6	5	75		
Ilfracombe ...	8,730	57	72	3	5	137	15·7	115	13·2	6	44		
Ivybridge ...	1,574	25	11	—	—	36	22·9	21	13·3	2	56		
Kingsbridge ...	2,889	28	25	1	1	55	19·0	46	15·9	3	55		
Lynton ...	1,734	12	20	1	1	34	19·6	14	8·1	3	88		
Newton Abbot ...	13,640	143	147	10	5	305	22·4	174	12·8	11	36		
Northam ...	5,750	67	48	3	1	119	20·7	72	12·5	4	34		
Okehampton, M.B. ...	3,384	37	43	—	2	82	24·2	51	15·1	5	61		
Ottery St. Mary ...	3,473	36	32	2	2	72	20·7	44	12·7	3	42		
Paignton ...	12,470	121	105	7	7	240	19·2	170	13·6	15	63		
Salcombe ...	1,988	18	17	2	—	37	18·6	20	10·1	—	—		
Seaton ...	1,840	20	17	—	2	39	21·2	27	14·7	1	26		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Devonshire, 415,024; Total Urban Districts, 201,698; Total Rural Districts, 213,326; Dartmouth M.B., 6370.

‡ Abolished on 9th November, 1920.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
DEVONSHIRE—cont.													
Sidmouth	4,937	45	49	—	1	95	19.2	68	13.8	5	53		
South Molton, M.B. ...	2,784	22	36	1	2	61	21.9	30	10.8	2	33		
Tavistock	4,258	32	31	5	1	69	16.2	68	16.0	9	130		
Teignmouth	9,360	88	76	5	3	172	18.4	127	13.6	6	35		
Tiverton, M.B.	9,640	102	98	8	9	217	22.5	114	11.8	16	74		
Torquay, M.B.	33,680	322	279	26	30	657	19.5	510	15.1	34	52		
Totnes, M.B.	3,936	39	37	1	—	77	19.6	49	12.4	4	52		
Rural Districts.													
Axminster	9,460	107	88	3	7	205	21.7	117	12.4	5	24		
Barnstaple	17,800	179	199	9	5	392	22.0	194	10.9	12	31		
Bideford	5,860	59	62	2	4	127	21.7	54	9.2	2	16		
Broadwood Widger ...	2,263	26	24	1	3	54	23.9	22	9.7	1	19		
Crediton	9,950	107	101	4	4	216	21.7	149	15.0	14	65		
Culmstock	3,114	31	38	2	1	72	23.1	40	12.8	3	42		
Holworthy (part of)† ...	6,700	75	58	6	1	140	20.9	92	13.7	9	64		
Honiton	8,860	89	79	5	5	178	20.1	107	12.1	12	67		
Kingsbridge	11,030	113	105	6	10	234	21.2	135	12.2	12	51		
Newton Abbot	19,430	208	208	7	14	437	22.5	235	12.1	20	46		
Okehampton	13,040	123	130	9	11	273	20.9	173	13.3	15	55		
Plympton St. Mary ...	21,450	226	224	5	6	461	21.5	242	11.7†	30	65		
St. Thomas	25,970	270	258	8	10	546	21.0	316	12.2	31	57		
South Molton	9,960	101	107	4	6	218	21.9	122	12.2	11	50		
Tavistock	14,940	157	150	4	4	315	21.1	146	9.8	7	22		
Tiverton	14,100	156	145	8	3	312	22.1	150	10.6	12	38		
Torrington	8,400	93	74	6	7	180	21.4	118	14.0	8	44		
Totnes	11,770	109	110	2	9	230	19.5	130	11.0	18	78		
DORSETSHIRE.													
Total Urban Districts ...	116,964	1,273	1,252	88	74	2,687	23.0	1,340	11.8†	163	61		
Total Rural Districts ...	103,381	1,051	1,057	47	56	2,211	21.4	1,226	12.1†	116	52		
Urban Districts.													
Blandford Forum, M.B....	3,171	28	47	4	3	82	25.9	43	13.6	8	98		
Bridport, M.B.	5,780	69	53	3	1	126	21.8	82	14.2	7	56		
Dorchester, M.B.	9,470	115	112	14	11	252	26.6	114	12.0	16	63		
Lyme Regis, M.B.	2,267	20	23	4	3	50	22.1	30	13.2	3	60		
Poole, M.B.	42,500	495	478	33	24	1,030	24.2	481	11.3	77	75		
Portland	12,480	115	117	7	7	246	19.7	91	9.6†	12	49		
Shaftesbury, M.B.	1,782	20	16	—	—	36	20.2	28	15.7	2	56		
Sherborne... ..	6,320	50	52	—	1	103	16.3	74	11.7	3	29		
Swanage	5,450	66	56	6	4	132	24.2	64	11.7	6	45		
Wareham, M.B.	1,981	23	20	1	2	46	23.2	33	16.7	2	43		
Weymouth and Melcombe Regis, M.B.	22,090	241	245	15	14	515	23.3	261	11.8	20	39		
Wimborne Minster	3,673	31	33	1	4	69	18.8	39	10.6	7	101		
Rural Districts.													
Beaminstor	8,260	78	98	2	3	181	21.9	115	13.9	9	50		
Blandford	8,060	85	89	6	8	188	23.3	103	12.8	7	37		
Bridport	6,690	84	55	2	3	144	21.5	93	13.9	13	90		
Cerne	4,421	42	49	2	3	96	21.7	63	14.3	7	73		
Dorchester	8,700	89	96	4	1	190	21.8	93	10.7	16	84		
Poole	7,220	86	70	2	8	166	23.0	74	10.2	7	42		
Shaftesbury	10,010	96	106	4	2	208	20.8	117	11.7	4	19		
Sherborne	5,410	58	53	4	1	116	21.4	63	11.6	7	60		
Sturminster	7,850	94	87	2	5	188	23.9	103	13.1	10	53		
Wareham and Purbeck ...	13,270	111	112	7	9	239	18.0	127	11.4†	12	50		
Weymouth	8,670	81	76	4	3	164	18.9	101	11.6	12	73		
Wimborne and Cranborne	14,820	147	166	8	10	331	22.3	174	11.7	12	36		
DURHAM.													
Total Urban Districts ...	941,146	15,139	14,433	717	713	31,002	32.9	13,013	13.8	3,324	107		
Total Rural Districts ...	505,722*	8,116	7,909	384	365	16,774	33.2	7,208	14.3	1,773	106		
Total Rural Districts ...	435,424*	7,023	6,524	333	348	14,228	32.7	5,805	13.3	1,551	109		
Urban Districts.													
Annfield Plain	16,620	266	258	16	12	552	33.2	215	12.9	69	125		
Barnard Castle	4,483	41	37	4	2	84	18.7	54	12.0	9	107		
Benfieldside	8,970	127	116	9	3	255	28.4	108	12.0	23	90		
Bishop Auckland	14,230	205	199	5	13	422	29.7	196	13.8	46	109		
Blaydon	33,100	561	517	37	27	1,142	34.5	432	13.1	134	117		
Brandon and Byshottles...	18,610	261	265	9	12	547	29.4	247	13.3	58	106		
Chester-le-Street	15,560	203	212	11	11	437	28.1	185	11.9	33	76		
Consett	12,144*	166	176	8	12	362	29.8	190	15.6	55	152		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Plympton St. Mary R.D. 20,679; Dorsetshire, 215,241; Total Urban Districts, 113,952; Total Rural Districts, 101,289; Portland U.D. 9,468; Wareham and Purbeck R.D., 11,178.

‡ The remainder of Holworthy Rural District is in Cornwall, see page 91.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
DURHAM—cont.													
Crook	12,730	174	185	11	7	377	29·6	145	11·4	25	66		
Durham, M.B.	17,160	241	226	17	13	497	29·0	254	14·8	52	105		
Felling	26,270	479	448	21	17	965	36·7	403	15·3	93	96		
Hartlepool, M.B....	20,990	355	342	16	17	730	34·8	327	15·6	87	119		
Hebburn	24,280	451	399	15	23	888	36·6	404	16·6	107	120		
Hetton	17,260	313	332	14	8	667	38·6	242	14·0	76	114		
Houghton-le-Spring	10,240	174	176	8	12	370	36·1	136	13·3	36	97		
Jarrow, M.B.	35,630	651	591	30	25	1,297	36·4	599	16·8	110	85		
Leadgate	5,200	75	82	3	3	163	31·3	70	13·5	16	98		
Ryton	14,280	210	201	7	8	426	29·8	141	9·9	27	63		
Seaham Harbour...	16,890	320	300	13	17	650	38·5	298	17·6	81	125		
Shildon	14,180	215	204	14	14	447	31·5	217	15·3	55	123		
Southwick on Wear	14,610	286	256	13	7	562	38·5	220	15·1	56	100		
Spennymoor	18,230	316	316	10	14	656	36·0	252	13·8	72	110		
Stanhope	1,897	15	22	1	—	38	20·0	30	15·8	4	105		
Stanley	25,110	398	438	17	17	870	34·6	352	14·0	103	118		
Stockton on Tees, M.B....	64,200	1,007	959	46	49	2,061	32·1	985	15·3	228	111		
Tanfield	10,410	161	186	8	5	360	34·6	116	11·1	32	89		
Tow Law	4,058	57	56	2	2	117	28·8	54	13·3	9	77		
Whickham	19,170	246	270	15	10	541	28·2	215	11·2	49	91		
Willington	9,210	142	140	4	5	291	31·6	121	13·1	28	96		
Rural Districts.													
Auckland	61,400	945	934	60	61	2,000	32·6	830	13·5	233	117		
Barnard Castle	11,460	160	133	15	10	318	27·7	155	13·5	35	110		
Chester-le-Street...	71,300	1,184	1,067	54	59	2,364	33·2	957	13·4	275	116		
Darlington	9,500	107	111	10	8	236	24·8	99	10·4	11	47		
Durham	31,360	531	474	25	21	1,051	33·5	435	13·9	110	105		
Easington... ..	75,100	1,404	1,248	57	60	2,769	36·9	1,064	14·2	316	114		
Hartlepool	3,608	36	28	—	2	66	18·3	26	7·2	5	76		
Houghton-le-Spring	27,280	519	474	26	18	1,037	38·0	377	13·8	114	110		
Lanchester	34,076*	510	498	27	19	1,054	30·9	447	13·1	115	109		
Sedgefield	37,070	566	549	21	28	1,164	31·4	491	13·2	127	109		
South Shields	18,980	251	232	4	9	496	26·1	232	12·2	46	93		
Stockton	14,580	200	215	5	13	433	29·7	190	13·0	51	118		
Sunderland	30,480	502	483	22	22	1,029	33·8	374	12·3	99	96		
Weardale	9,230	108	78	7	18	211	22·9	128	13·9	14	66		
ELY, ISLE OF.													
Total Urban Districts ...	36,941	430	377	40	34	881	23·8	484	13·1	68	77		
Total Rural Districts ...	36,093	423	430	33	29	915	25·4	387	10·7	56	61		
Urban Districts.													
Chatteris	5,060	67	56	12	4	139	27·5	64	12·6	11	79		
Ely	7,610	93	75	5	5	178	23·4	104	13·7	9	51		
March	8,940	101	94	4	5	204	22·8	101	11·3	17	83		
Whittlesey	4,201	48	43	2	3	96	22·9	61	14·5	8	83		
Wisbech, M.B.	11,130	121	109	17	17	264	23·7	154	13·8	23	87		
Rural Districts.													
Ely	12,850	144	156	13	9	322	25·1	169	13·2	19	59		
North Witchford	5,080	61	60	4	2	127	25·0	54	10·6	4	31		
Thorney	2,201	34	28	1	2	65	29·5	14	6·4	5	77		
Whittlesey	3,432	57	53	—	2	112	32·6	38	11·1	9	80		
Wisbech	12,530	127	133	15	14	289	23·1	112	8·9	19	66		
ESSEX.													
Total Urban Districts ...	634,966	7,442	7,168	281	251	15,142	23·8	6,501	10·3†	915	60		
Total Rural Districts ...	269,194	2,891	2,782	132	135	5,940	22·1	2,948	11·0	327	55		
Urban Districts.													
Barking Town	35,690	551	510	12	13	1,086	30·4	449	12·6	92	85		
Braintree	6,960	66	73	6	4	149	21·4	85	12·2	5	34		
Brentwood	6,860	79	64	3	4	150	21·9	82	12·0	9	60		
Brightlingsea	4,422	33	52	4	1	90	20·4	58	13·1	7	78		
Buckhurst Hill	4,881	68	40	7	2	117	24·0	46	9·4	3	26		
Burnham on Crouch	3,386	33	35	1	1	70	20·7	40	11·8	7	100		
Chelmsford, M.B.	20,620	234	198	13	6	451	21·9	193	9·4	25	55		
Chingford... ..	9,360	109	109	5	2	225	24·0	74	7·9	11	49		
Clacton	11,690	97	98	9	8	212	18·1	108	9·2	8	38		
Colchester, M.B....	43,140	501	514	23	26	1,064	24·7	446	10·7†	47	44		
Epping U.D.	4,145	48	37	—	5	90	21·7	49	11·8	6	67		
Frinton on Sea	1,986	11	12	—	—	23	11·6	8	4·0	—	—		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows—Essex, 902,352; Total Urban Districts, 633,158; Colchester M.B., 41,785.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
ESSEX—cont.													
Grays Thurrock ...	17,430	195	204	15	8	422	24.2	215	12.3	44	104		
Halstead ...	5,940	69	56	—	2	127	21.4	71	12.0	5	39		
Harwich, M.B. ...	12,230	185	187	6	5	383	31.3	136	11.5†	29	76		
Ilford ...	84,900	811	803	28	24	1,666	19.6	752	8.9	90	54		
Leyton ...	128,700	1,571	1,499	51	47	3,168	24.6	1,330	10.3	207	65		
Loughton ...	5,620	54	55	4	2	115	20.5	38	6.8	2	17		
Maldon, M.B. ...	6,350	67	74	3	3	147	23.1	63	9.9	6	41		
Romford ...	19,320	228	196	7	6	437	22.6	180	9.3	20	46		
Saffron Walden, M.B. ...	5,850	57	44	2	3	106	18.1	67	11.5	9	85		
Shoeburyness ...	6,140	91	82	2	3	178	29.0	46	7.5	9	51		
Tilbury ...	9,640	130	129	5	9	273	28.3	118	12.2	22	81		
Waltham Holy Cross ...	6,800	72	70	2	4	148	21.8	70	10.3	3	20		
Walthamstow ...	128,300	1,615	1,572	54	45	3,286	25.6	1,305	10.2	199	61		
Walton on the Naze ...	2,428	34	22	2	3	61	25.1	30	12.4	5	82		
Wanstead... ..	15,170	144	146	1	2	293	19.3	163	10.7	17	58		
Witham ...	3,664	37	43	2	3	85	23.2	33	9.0	4	47		
Wivenhoe... ..	2,344	22	29	—	—	51	21.8	33	14.1	5	98		
Woodford... ..	21,000	230	215	14	10	469	22.3	213	10.1	19	41		
Rural Districts.													
Belchamp... ..	4,167	50	44	2	1	97	23.3	60	14.4	2	21		
Billerica... ..	23,710	223	212	7	13	455	19.2	231	9.7	20	44		
Braintree... ..	18,700	186	183	12	5	386	20.6	217	11.6	25	65		
Bumpstead ...	2,387	24	28	—	6	58	24.3	27	11.3	3	52		
Chelmsford ...	24,160	289	292	15	11	607	25.1	289	12.0	41	68		
Dunmow ...	15,150	184	133	13	13	343	22.6	196	12.9	21	61		
Epping ...	14,270	162	153	6	6	327	22.9	146	10.2	6	18		
Halstead ...	9,710	84	89	—	1	174	17.9	109	11.2	6	34		
Lexden and Winstree ...	19,060	207	191	10	14	422	22.1	199	10.4	15	36		
Maldon ...	16,130	144	182	11	9	346	21.4	187	11.6	18	52		
Ongar ...	9,880	109	115	8	5	237	24.0	146	14.8	25	105		
Orsett ...	22,560	255	240	15	7	517	22.9	235	10.4	32	62		
Rochford ...	22,200	222	217	8	14	461	20.8	233	10.5	28	61		
Romford ...	29,120	324	320	11	10	665	22.8	242	8.3	43	65		
Saffron Walden ...	9,940	99	90	1	4	194	19.5	116	11.7	12	62		
Stansted ...	6,750	77	66	2	3	148	21.9	62	9.2	6	41		
Tendring ...	21,300	252	227	11	13	503	23.6	253	11.9	24	48		
GLOUCESTERSHIRE.													
Total Urban Districts ...	326,346	3,646	3,646	186	180	7,658	23.5	3,920	12.0	432	56		
Total Rural Districts ...	98,443	1,111	1,078	60	61	2,310	23.5	1,245	12.6	138	60		
	227,903	2,535	2,568	126	119	5,348	23.5	2,675	11.7	294	55		
Urban Districts.													
Awre ...	1,135	14	14	1	1	30	26.4	10	8.8	1	33		
Charlton Kings ...	4,289	51	52	2	—	105	24.5	59	13.8	9	86		
Cheltenham, M.B. ...	47,910	485	472	39	32	1,028	21.5	632	13.2	68	66		
Cirencester ...	7,390	91	88	4	5	188	25.4	78	10.6	9	48		
Coleford ...	2,740	34	44	1	2	81	29.6	36	13.1	3	37		
Kingswood ...	13,040	157	169	1	5	332	25.5	130	10.0	18	54		
Nailsworth ...	3,140	32	34	—	3	69	22.0	36	11.5	4	58		
Newnham ...	1,154	23	9	2	—	34	29.5	20	17.3	2	59		
Stow on the Wold ...	1,152	17	21	—	—	38	33.0	21	18.2	3	79		
Stroud ...	8,540	96	88	5	8	197	23.1	121	14.2	10	51		
Tetbury ...	1,565	23	15	2	1	41	26.2	21	13.4	1	24		
Tewkesbury, M.B. ...	4,629	75	52	2	4	133	28.7	61	13.2	7	53		
Westbury on Severn ...	1,759	13	20	1	—	34	19.3	20	11.4	3	88		
Rural Districts.													
Campden ...	5,390	51	60	—	3	114	21.2	71	13.2	9	79		
Cheltenham ...	5,070	48	52	2	2	104	20.5	57	11.2	6	58		
Chipping Sodbury ...	21,000	219	250	16	14	499	23.8	230	11.0	40	80		
Cirencester ...	11,790	150	137	8	5	300	25.4	150	12.7	15	50		
Dursley ...	12,410	114	143	9	6	272	21.9	131	10.6	11	40		
East Dean and United Parishes.	20,410	296	302	16	10	624	30.6	279	13.7	41	66		
Faringdon (part of)† ...	1,007	11	9	—	1	21	20.9	12	11.9	1	48		
Gloucester ...	12,940	128	134	2	4	268	20.7	112	8.7	10	37		
Lydney ...	9,760	122	133	7	5	267	27.4	119	12.2	15	56		
Marston Sicca ...	1,670	17	15	1	—	33	19.8	22	13.2	—	—		
Newent ...	6,510	68	61	7	3	139	21.4	78	12.0	12	86		
Northleach ...	7,500	94	75	3	7	179	23.9	95	12.7	10	56		
Pebworth... ..	3,173	34	47	1	2	84	26.5	39	12.3	4	48		

† Death-rate based upon an estimated civilian population of 11,777.

‡ The remainder of Faringdon Rural District is in Berkshire; see page 89.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
GLOUCESTERSHIRE—cont.													
Stow on the Wold (part of)†	6,150	70	63	6	2	141	22·9	83	13·5	3	21		
Stroud ...	28,440	259	252	12	9	532	18·7	309	10·9	22	41		
Tetbury (part of)‡	3,498	42	39	1	3	85	24·3	38	10·9	6	71		
Tewkesbury (part of)†	4,605	42	50	3	4	99	21·5	57	12·4	3	30		
Thornbury ...	18,620	212	189	11	12	424	22·8	214	11·5	20	47		
Warmley ...	18,570	214	207	4	7	432	23·3	187	10·1	26	60		
West Dean ...	14,560	192	182	9	11	394	27·1	172	11·8	26	66		
Wheatenhurst ...	6,110	77	73	3	3	156	25·5	86	14·1	7	45		
Winchcomb (part of)†	8,720	75	95	5	6	181	20·8	134	15·4	7	39		
HEREFORDSHIRE.													
Total Urban Districts ...	110,936	1272	1203	105	99	2,679	24·1	1,441	13·0	164	61		
Total Rural Districts ...	39,397	463	430	41	32	966	24·5	506	12·8	56	58		
Urban Districts.	71,539	809	773	64	67	1,713	23·9	935	13·1	108	63		
Bromyard... ..	1,522	12	13	4	3	32	21·0	17	11·2	1	31		
Hereford, M.B. ...	23,020	269	246	26	16	557	24·2	310	13·5	39	70		
Kington ...	1,683	20	15	1	1	37	22·0	16	9·5	—	—		
Ledbury ...	3,069	38	37	3	2	80	26·1	29	9·4	2	25		
Leominster, M.B. ...	5,500	61	51	4	5	121	22·0	68	12·4	7	58		
Ross ...	4,603	63	68	3	5	139	30·2	66	14·3	7	50		
Rural Districts.													
Bredwardine ...	1,934	27	13	—	2	42	21·7	34	17·6	5	119		
Bromyard... ..	7,570	83	82	9	8	182	24·0	101	13·3	10	55		
Dore ...	6,120	66	61	7	3	137	22·4	93	15·2	12	88		
Hereford ...	13,470	140	124	11	10	285	21·2	156	11·6	18	63		
Kington ...	4,796	44	49	8	3	104	21·7	61	12·7	6	58		
Ledbury ...	8,750	116	103	8	8	235	26·9	109	12·5	12	51		
Leominster ...	7,500	91	73	7	7	178	23·7	89	11·9	10	56		
Ross ...	9,960	128	116	6	12	262	26·3	136	13·7	14	53		
Weobley ...	6,310	65	90	4	8	167	26·5	89	14·1	10	60		
Whitchurch ...	1,637	10	15	1	—	26	15·9	15	9·2	2	77		
Wigmore ...	3,492	39	47	3	6	95	27·2	52	14·9	9	95		
HERTFORDSHIRE.													
Total Urban Districts ...	329,450	3,516	3,445	167	155	7,283	22·1	3,234	9·8	353	48		
Total Rural Districts ...	225,567*	2,454	2,382	116	109	5,061	22·4	2,222	9·9	250	49		
Urban Districts.	103,883*	1,062	1,063	51	46	2,222	21·4	1,012	9·7	103	46		
Baldock ...	2,460	28	35	3	2	68	27·6	29	11·8	4	59		
Barnet ...	11,670	115	103	5	4	227	19·5	113	9·7	7	31		
Bishop's Stortford ...	8,780	83	78	4	2	167	19·0	85	9·7	6	36		
Bushey ...	7,960	76	75	1	2	154	19·3	73	9·2	14	91		
Cheshunt ...	13,460	159	135	8	6	308	22·9	127	9·4	21	68		
Chorleywood ...	2,323	17	13	1	—	31	13·3	24	10·3	1	32		
East Barnet Valley ...	13,370	128	120	3	3	254	19·0	125	9·3	12	47		
Great Berkhamstead ...	7,210	76	70	5	7	158	21·9	83	11·5	8	51		
Harpenden ...	6,620	61	50	—	3	114	17·2	65	9·8	2	18		
Hemel Hempstead, M.B. ...	13,780	176	170	5	4	355	25·8	130	9·4	17	48		
Hertford, M.B. ...	10,420*	119	107	4	5	235	22·6	126	12·1	9	38		
Hitchin ...	12,656	131	133	9	14	287	22·7	163	12·9	17	59		
Hoddesdon ...	5,360	66	56	5	7	134	25·0	52	9·7	6	45		
Letchworth ...	10,080	134	129	7	3	273	27·1	80	7·9	12	44		
Rickmansworth ...	7,450	76	88	4	2	170	22·8	60	8·1	8	47		
Royston ...	3,773	33	38	4	2	77	20·4	50	13·3	6	78		
St. Albans, M.B....	25,420	264	260	13	16	553	21·8	233	9·2	15	27		
Sawbridgeworth ...	2,272	21	32	—	1	54	23·8	18	7·9	2	37		
Stevenage... ..	4,995	49	61	2	3	115	23·0	54	10·8	4	35		
Tring ...	4,250	64	52	4	5	125	29·4	57	13·4	9	72		
Ware ...	5,880	66	54	2	3	125	21·3	68	11·6	9	72		
Watford ...	45,378	512	523	27	15	1,077	23·7	407	9·0	61	57		
Rural Districts.													
Ashwell ...	3,601	33	47	—	1	81	22·5	54	15·0	6	74		
Barnet ...	4,447	46	52	5	1	104	23·4	32	7·2	3	29		
Berkhamstead ...	4,660	55	51	1	1	108	23·2	50	10·7	6	56		
Buntingford ...	4,847	47	60	3	7	117	24·1	55	11·3	7	60		
Hadham ...	5,440	60	60	3	2	125	23·0	64	11·8	5	40		
Hatfield ...	8,890	103	108	6	8	225	25·3	88	9·9	10	44		
Hemel Hempstead ...	6,780	76	76	3	4	159	23·5	69	10·2	7	44		
Hertford ...	7,370*	77	70	3	3	153	20·8	80	10·9	9	59		
Hitchin ...	13,484	148	156	7	8	319	23·7	141	10·5	12	38		

* Population adjusted to allow for changes in boundary during the year.

† The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Worcestershire; see page 112.

‡ The remainder of Tetbury Rural District is in Wiltshire; see page 111.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
HERTFORDSHIRE—cont.													
St. Albans	14,460	167	117	9	3	296	20·5	111	7·7	10	34		
Ware	11,180	102	122	6	3	233	20·8	129	11·5	13	56		
Watford	16,202	123	121	4	5	253	15·6	117	7·2	14	55		
Welwyn	2,522	25	23	1	—	49	19·4	22	8·7	1	20		
HUNTINGDONSHIRE.													
Total Urban Districts ...	23,690	274	261	25	22	582	24·6	298	12·6	31	53		
Total Rural Districts ...	30,608	339	316	23	29	707	23·1	406	13·3	53	75		
Urban Districts.													
Godmanchester, M.B. ...	2,023	31	19	4	2	56	27·7	33	16·3	1	18		
Huntingdon, M.B. ...	4,111	43	37	1	2	83	20·2	49	11·9	2	24		
Old Fletton	5,610	78	66	6	8	158	28·2	60	10·7	13	82		
Ramsey	5,100	51	69	6	7	133	26·1	74	14·5	8	60		
St. Ives, M.B.	2,802	24	29	2	—	55	19·6	40	14·3	4	73		
St. Neots	4,044	47	41	6	3	97	24·0	42	10·4	3	31		
Rural Districts.													
Huntingdon	6,600	82	78	6	8	174	26·4	85	12·9	13	75		
Norman Cross	5,490	62	61	4	8	135	24·6	66	12·0	8	59		
Oundle (part of)† ...	1,018	10	6	2	2	20	19·6	11	10·8	2	100		
St. Ives	9,490	105	89	6	5	205	21·6	135	14·2	16	78		
St. Neots—													
No. 1	2,341	23	25	1	1	50	21·4	41	17·5	8	160		
No. 2	339	4	5	—	—	9	26·5	7	20·6	1	111		
No. 3	2,233	25	23	—	—	48	21·5	24	10·7	2	42		
No. 4	1,887	15	15	4	2	36	19·1	26	13·8	2	56		
Thrapston (part of)† ...	806	9	11	—	2	22	27·3	6	7·4	1	45		
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	404	4	3	—	1	8	19·8	5	12·4	—	—		
KENT.													
Total Urban Districts ...	743,443*	8,703	8,357	430	399	17,889	24·1	8,179	11·2‡	1,476	58		
Total Rural Districts ...	324,600*	3,670	3,569	207	208	7,654	23·6	3,398	10·5‡	1,075	60		
Urban Districts.													
Ashford	14,350	155	149	8	5	317	22·1	182	12·7	21	66		
Beckenham	32,780	308	323	26	11	668	20·4	342	10·4	41	61		
Bexley	21,260	280	258	14	11	563	26·5	222	10·4	43	76		
Broadstairs and St. Peter's	11,110	86	74	4	6	170	15·3	110	9·9	11	65		
Bromley, M.B.	34,530	348	352	30	25	755	21·9	358	10·4	50	66		
Chatham, M.B.	42,730	594	564	30	25	1,213	28·4	514	12·4‡	86	71		
Cheriton	6,840	102	86	6	6	200	29·2	49	10·5‡	7	35		
Chislehurst	8,850	107	69	4	3	183	20·7	63	7·1	7	38		
Crayford, U.D. § ...	3,006*	29	35	1	—	65	21·6	33	11·0	5	77		
Dartford	26,140	262	261	11	10	544	20·8	200	7·7	24	44		
Deal, M.B.	12,130	166	128	12	5	311	25·6	160	13·2	10	32		
Dover, M.B.	39,680	569	497	22	29	1,117	28·2	479	12·1	84	75		
Erith	31,650	417	369	13	14	813	25·7	306	9·7	50	62		
Faversham, M.B. ...	10,780	133	143	2	7	285	26·4	130	12·1	11	39		
Folkestone, M.B. ...	33,290	317	355	26	26	724	21·7	345	10·4	39	54		
Foots Cray	8,850	86	80	3	2	171	19·3	91	10·3	7	41		
Gillingham, M.B. ...	53,670	662	659	21	16	1,358	25·3	514	10·8‡	77	57		
Gravesend, M.B. ...	31,050	395	396	14	17	822	26·5	355	11·4	53	64		
Herne Bay	10,090	75	83	3	5	166	16·5	92	9·1	14	84		
Hythe, M.B.	7,380	68	83	3	2	156	21·1	66	9·3‡	9	58		
Lydd, M.B.	2,203	38	19	1	1	59	26·8	22	10·0	2	34		
Maidstone, M.B. ...	37,620	415	411	22	18	866	23·0	397	10·6	49	57		
Margate, M.B.	27,570	270	266	15	19	570	20·7	297	10·8	39	68		
Milton Regis	7,460	94	85	2	5	186	24·9	75	10·1	11	59		
New Romney, M.B. ...	1,489	16	13	3	—	32	21·5	11	7·4	1	31		
Northfleet	15,750	185	250	9	7	451	28·6	212	13·5	28	62		
Penge	26,200	353	310	16	18	697	26·6	352	13·4	36	52		
Queenborough, M.B. ...	3,065	52	49	1	—	102	33·3	32	10·4	9	88		
Ramsgate, M.B.	29,820	398	379	28	19	824	27·6	399	13·4	58	70		
Rochester, M.B.	31,180	404	374	13	12	803	25·8	381	12·2	54	67		
Royal Tunbridge Wells, M.B.	34,210	309	300	22	25	656	19·2	450	13·2	41	63		
M.B.													
Sandgate**	2,528	40	26	1	2	69	27·3	23	11·0‡	1	14		
Sandwich, M.B.	3,122	37	38	1	1	77	24·7	41	13·1	6	78		
Sevenoaks	8,780	97	87	6	2	192	21·9	105	12·0	6	31		
Sheerness	18,520	222	229	7	10	468	25·3	169	10·4‡	26	56		
Sittingbourne	9,300	121	111	8	5	245	26·3	109	11·7	14	57		
Southborough	6,900	73	76	9	5	163	23·6	95	13·8	6	37		

* Population adjusted to allow for changes in boundary during the year.

† The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; see page 104.

‡ Death-rates based upon estimated civilian populations as follows:—Kent, 1,053,401; Total Urban Districts, 730,258*; Total Rural Districts, 323,143*; Chatham M.B., 41,603; Cheriton U.D., 4,651; Gillingham M.B., 47,519; Hythe M.B., 7,087; Sandgate U.D., 2,091; Sheerness U.D., 16,316.

§ Created on 1st October, 1920.

|| Excluding Civil Parish of Folkestone next Sandgate.

** Including Civil Parish of Folkestone next Sandgate.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
KENT—cont.													
Tenterden, M.B....	3,330	20	38	1	3	62	18·6	31	9·3	2	32		
Tonbridge ...	15,753	183	149	5	16	353	22·4	174	11·0	20	57		
Walmer ...	5,180	52	53	—	1	106	20·5	47	10·7†	4	38		
Whitstable ...	9,110	111	81	3	3	198	21·7	88	9·7	8	40		
Wrotham ...	4,187	54	49	4	2	109	26·0	58	13·9	5	46		
Rural Districts.													
Blean ...	8,250	67	78	2	4	151	18·3	89	10·8	9	60		
Bridge ...	11,160	118	136	5	6	265	23·7	109	9·8	16	60		
Bromley ...	25,360	235	287	13	13	548	21·6	269	10·6	31	57		
Cranbrook ...	12,690	144	124	12	12	292	23·0	162	12·8	16	55		
Dartford ...	46,374*	577	505	26	28	1136	24·5	382	8·2	56	49		
Dover ...	8,500	72	82	11	4	169	19·9	90	10·9†	15	89		
East Ashford ...	14,730	166	156	7	4	333	22·6	168	11·4	18	54		
Eastry ...	13,210	171	155	8	11	345	26·1	135	10·2	13	38		
Elham ...	7,800	62	84	5	5	156	20·0	104	13·3	5	32		
Faversham ...	14,110	166	175	11	12	364	25·8	137	9·7	22	60		
Hollingbourne ...	12,960	137	114	12	16	279	21·5	144	11·1	15	54		
Hoo ...	4,787	56	74	3	2	135	28·2	34	7·6†	6	44		
Isle of Thanet ...	11,950	100	119	9	5	233	19·5	106	9·4†	8	34		
Maidstone... ..	16,780	208	163	14	17	402	24·0	197	11·7	20	50		
Malling ...	24,960	339	325	19	20	703	28·2	261	10·5	40	57		
Milton ...	13,790	167	187	7	8	369	26·8	158	11·5	19	51		
Romney Marsh ...	2,976	31	37	1	3	72	24·2	26	8·7	5	69		
Sevenoaks... ..	23,200	252	235	13	17	517	22·3	249	10·7	23	44		
Sheppey ...	4,416	56	50	—	3	109	24·7	32	7·5†	3	28		
Strood ...	16,200	204	197	11	5	417	25·7	183	11·3	23	55		
Tenterden ...	5,690	63	50	1	—	114	20·0	62	10·9	8	70		
Tonbridge ...	17,097	193	171	15	9	388	22·7	202	11·8	19	49		
West Ashford ...	7,610	86	65	2	4	157	20·6	99	13·0	11	70		
LANCASHIRE.													
Total Urban Districts ...	1,747,436	19,502	18,540	880	845	39,767	22·8	22,041	12·6†	3,634	91		
Total Rural Districts ...	1,501,338*	16,933	16,060	777	746	34,516	23·0	19,258	12·8†	3,282	95		
Urban Districts.	246,098*	2,569	2,480	103	99	5,251	21·3	2,783	11·3†	352	67		
Abram ...	6,901	106	87	3	3	199	28·8	85	12·3	24	121		
Accrington, M.B. ...	44,340	377	440	26	25	868	19·6	606	13·7	84	97		
Adlington ...	4,443	59	46	1	1	107	24·1	62	14·0	11	103		
Ashton in Makerfield ...	22,640	360	302	17	19	698	30·8	295	13·0	77	110		
Ashton under Lyne, M.B.	43,920	579	483	35	31	1,128	25·7	647	14·7	138	122		
Aspull ...	7,940	100	126	7	3	236	29·7	144	18·1	26	110		
Atherton ...	20,100	215	264	7	6	492	24·5	248	12·3	54	110		
Audenshaw ...	8,030	84	78	4	1	167	20·8	106	13·2	22	132		
Bacup, M.B. ...	21,560	252	199	15	11	477	22·1	298	13·8	38	80		
Barrowford ...	5,700	64	59	1	4	128	22·5	72	12·6	10	78		
Billinge ...	5,220	70	58	4	1	133	25·5	45	8·6	12	90		
Blackrod ...	3,914	41	38	3	3	85	21·7	59	15·1	5	59		
Brierfield ...	8,430	80	82	5	5	172	20·4	98	11·6	15	87		
Carnforth ...	3,188	41	48	—	4	96	30·1	41	12·9	5	52		
Chadderton ...	29,200	334	336	7	12	689	23·6	352	12·1	68	99		
Chorley, M.B. ...	30,910	407	355	15	17	794	25·7	403	13·0	99	125		
Church ...	6,830	86	68	8	7	169	24·7	83	12·2	15	89		
Clayton le Moors ...	8,700	85	98	4	4	191	22·0	112	12·9	18	94		
Clitheroe, M.B. ...	12,320	110	100	7	6	223	18·1	149	12·1	22	99		
Colne, M.B. ...	25,100	244	246	16	16	522	20·8	316	12·6	48	92		
Crompton ...	15,130	187	178	9	9	383	25·3	198	13·1	28	73		
Croston ...	2,004	19	22	—	—	41	20·5	35	17·5	3	73		
Dalton in Furness ...	12,360	172	161	14	11	358	29·0	212	17·2	34	95		
Darwen, M.B. ...	38,440	405	405	14	21	845	22·0	510	13·3	79	93		
Denton ...	17,900	193	185	9	7	394	22·0	204	11·4	36	91		
Droylsden ...	14,000	162	160	11	5	338	24·1	157	11·2	26	77		
Eccles, M.B. ...	44,640	485	458	16	19	978	21·9	526	11·8	76	78		
Failsworth ...	17,200	213	210	12	5	440	25·6	190	11·0	41	93		
Farnworth ...	28,330	336	328	10	28	702	24·8	375	13·2	88	125		
Fleetwood ...	19,300	257	227	8	12	504	26·1	247	13·1†	61	121		
Formby ...	6,250	45	51	2	4	102	16·3	76	12·2	7	69		
Fulwood ...	6,690	45	46	2	1	94	14·1	83	14·1†	3	32		
Golborne ...	7,250	100	107	5	4	216	29·8	106	14·6	28	130		
Grange ...	2,046	12	15	1	1	29	14·2	20	9·8	1	34		
Great Crosby ...	13,450	118	143	9	10	280	20·8	133	9·9	18	64		

* Populations adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Walmer U.D., 4,396; Dover R.D., 8,222; Hoo R.D., 4,449; Isle of Thanet R.D., 11,259; Sheppey R.D., 4,266; Lancashire, 1,745,927; Total Urban Districts, 1,500,080; Total Rural Districts, 245,847; Fleetwood U.D., 18,833; Fulwood U.D., 5,899.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
LANCASHIRE—cont.													
Great Harwood ...	13,760	145	148	10	10	313	22·7	154	11·2	22	70		
Haslingden, M.B. ...	17,770	169	142	9	6	326	18·3	227	12·8	22	67		
Haydock ...	10,400	153	158	6	7	324	31·2	119	11·4	33	102		
Heysham ...	3,841	24	19	1	3	47	12·2	51	13·3	2	43		
Heywood, M.B. ...	27,110	298	273	18	27	616	22·7	415	15·3	71	115		
Hindley ...	23,910	325	298	9	11	643	26·9	366	15·3	95	148		
Horwich ...	15,720	174	144	7	3	328	20·9	193	12·3	31	95		
Hurst ...	8,210	106	73	1	2	182	22·2	83	10·1	15	82		
Huyton with Roby ...	5,170	50	42	2	1	95	18·4	57	11·0	10	105		
Ince in Makerfield ...	23,120	373	336	11	11	731	31·6	328	14·2	99	135		
Irlam ...	9,490	115	113	2	4	234	24·7	94	9·9	23	98		
Kearsley ...	9,770	107	116	7	7	237	24·3	124	12·7	28	118		
Kirkham ...	3,861	47	46	3	3	99	25·6	45	11·7	3	30		
Lancaster, M.B. ...	40,420	460	449	32	22	963	23·8	499	12·3	76	79		
Lathom and Burscough ...	7,650	97	97	2	2	198	25·9	98	12·8	16	81		
Lees ...	4,887	56	38	5	—	99	20·3	71	14·5	8	81		
Leigh, M.B. ...	46,180	594	575	35	17	1221	26·4	655	14·2	130	106		
Leyland ...	9,170	84	76	3	3	166	18·1	125	13·6	5	30		
Litherland ...	16,370	283	254	10	10	557	34·0	232	14·2	46	83		
Littleborough ...	11,610	112	109	7	5	233	20·1	159	13·7	15	64		
Little Crosby ...	1,106	7	8	1	—	16	14·5	10	9·0	1	63		
Little Hulton ...	8,030	105	88	3	3	199	24·8	86	10·7	16	80		
Little Lever ...	4,909	43	47	1	1	92	18·7	61	12·4	9	98		
Longridge ...	4,323	45	42	1	1	89	20·6	68	15·7	14	157		
Lytham ...	10,150	77	85	4	1	167	16·5	123	12·1	6	36		
Middleton, M.B. ...	28,740	328	312	8	6	654	22·8	357	12·4	59	90		
Milnrow ...	8,540	81	69	2	7	159	18·6	113	13·2	17	107		
Morecambe, M.B. ...	13,620	106	116	10	7	239	17·5	210	15·4	22	92		
Mossley, M.B. ...	12,910	146	145	10	12	313	24·2	176	13·6	28	89		
Nelson, M.B. ...	40,490	343	320	18	12	693	17·1	410	10·1	54	78		
Newton in Makerfield ...	18,950	290	223	9	4	526	27·8	239	12·6	62	118		
Norden ...	4,118	45	34	2	3	84	20·4	41	10·0	7	83		
Ormskirk ...	7,460	72	68	6	6	152	20·4	100	13·4	16	105		
Orrell ...	6,850	87	81	5	1	174	25·4	81	11·8	17	98		
Oswaldtwistle ...	15,310	166	162	9	10	347	22·7	188	12·3	24	69		
Padiham ...	12,650	138	129	15	6	288	22·8	161	12·7	24	83		
Poulton le Fylde ...	2,722	23	36	1	1	61	22·4	47	17·3	3	49		
Preesall ...	1,653	17	12	2	—	31	18·8	13	7·9	3	97		
Prescot ...	9,100	124	127	4	1	256	28·1	132	14·5	29	113		
Prestwich ...	18,820	140	150	2	9	301	16·0	186	9·9	21	70		
Radcliffe ...	25,120	250	248	12	10	520	20·7	325	12·9	60	115		
Rainford ...	3,501	43	46	2	1	92	26·3	56	16·0	10	109		
Ramsbottom ...	15,530	129	140	2	3	274	17·6	185	11·9	26	95		
Rawtenstall, M.B. ...	28,780	286	273	18	16	593	20·6	381	13·2	53	89		
Rishton ...	7,120	83	49	1	7	140	19·7	86	12·1	5	36		
Royton ...	17,480	226	203	12	11	452	25·9	237	13·6	43	95		
St. Anne's on the Sea ...	10,540	67	60	8	7	142	13·5	152	14·4	9	63		
Skelmersdale ...	6,750	99	81	3	6	189	28·0	75	11·1	18	95		
Standish with Langtree ...	7,370	87	60	6	2	155	21·0	95	12·9	21	135		
Stretford ...	46,720	406	434	11	15	866	18·5	490	10·5	48	55		
Swinton and Pendlebury	31,360	309	340	10	4	663	21·1	384	12·2	68	103		
Thornton ...	5,290	56	48	1	1	106	20·0	78	14·7	9	85		
Tottington ...	6,850	53	47	2	2	104	15·2	97	14·2	13	125		
Trawden ...	2,813	24	27	—	1	52	18·5	38	13·5	5	96		
Turton ...	12,260	110	94	3	6	213	17·4	172	14·0	18	85		
Tyldesley with Shakerley	16,050	211	193	9	8	421	26·2	211	13·1	47	112		
Ulverston ...	10,030	122	113	8	11	254	25·3	116	11·6	19	75		
Upholland ...	5,550	75	66	4	1	146	26·3	67	12·1	10	68		
Urmston ...	8,310	79	79	—	1	159	19·1	80	9·6	7	44		
Walton le Dale ...	12,320	154	132	7	7	300	24·4	157	12·7	19	63		
Wardle ...	4,545	43	33	3	8	87	19·1	55	12·1	7	80		
Waterloo with Seaforth ...	29,500	366	324	13	20	723	24·5	421	14·3	76	105		
Westhoughton ...	15,730	193	160	8	9	370	23·5	176	11·2	34	92		
Whitefield ...	6,990	65	56	2	3	126	18·0	93	13·3	9	71		
Whitworth ...	8,910	84	67	6	8	165	18·5	133	14·9	22	133		
Widnes, M.B. ...	35,142*	552	549	15	12	1,128	32·1	513	14·6	104	92		
Withnell ...	3,431	37	38	1	1	77	22·4	35	10·2	2	26		
Worsley ...	14,100	123	131	10	4	268	19·0	160	11·3	18	67		

* Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920--cont.

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rates per 1,000 Births.		
		M.	F.	M.	F.								
LANCASHIRE—cont.													
Rural Districts.													
Barton upon Irwell ...	10,160	113	108	4	2	227	22·3	112	11·0	9	40		
Blackburn... ..	10,190	88	78	2	1	169	16·6	105	10·3	10	59		
Burnley	19,440	179	194	9	7	389	20·0	237	12·2	26	67		
Bury	9,560	101	85	1	1	188	19·7	87	9·1	14	74		
Chorley	22,030	216	250	9	10	485	22·0	247	11·2	42	87		
Clitheroe	6,680	58	49	3	4	114	17·1	71	10·6	6	53		
Fylde	12,570	133	135	12	6	286	22·8	130	10·3	23	80		
Garstang	10,630	120	102	4	7	233	21·9	118	11·1	7	30		
Lancaster	9,270	93	105	4	3	205	22·1	114	12·3	11	54		
Leigh	10,750	135	139	4	3	281	26·1	127	11·8	22	78		
Limehurst	9,430	107	93	5	5	210	22·3	107	11·7†	18	86		
Lunesdale... ..	6,520	70	61	2	3	136	20·9	81	12·4	8	59		
Preston	23,100	212	205	12	11	440	19·0	245	10·6	36	82		
Sefton	5,730	55	54	2	2	113	19·7	81	14·1	5	44		
Ulverston	17,880	187	185	10	7	389	21·8	224	12·5	24	62		
Warrington	12,171*	145	134	5	4	288	23·7	142	11·7	23	80		
West Lancashire...	21,260	199	215	8	11	433	20·4	219	10·3	22	51		
Whiston	22,477*	279	222	4	10	515	22·9	264	11·7	41	80		
Wigan	6,250	79	66	3	2	150	24·0	72	11·5	5	33		
LEICESTERSHIRE.													
Total Urban Districts ...	260,211	3,110	2,958	128	137	6,333	24·3	2,860	11·0†	408	64		
Total Rural Districts ...	108,326*	1,329	1,270	44	57	2,700	24·9	1,193	11·0†	196	73		
Total	151,885*	1,781	1,688	84	80	3,633	23·9	1,667	11·0	212	58		
Urban Districts.													
Ashby de la Zouch ...	4,936	68	62	1	1	132	26·7	54	10·9	11	83		
Ashby Wolds	3,233	32	45	3	1	81	25·1	26	8·0	4	49		
Coalville	20,500	294	273	5	7	579	28·2	218	10·6	50	86		
Hinckley	13,797*	176	153	6	5	340	24·6	141	10·2	26	76		
Loughborough, M.B. ...	26,000	296	290	12	18	616	23·7	310	11·9	61	99		
Market Harborough ...	8,590	81	84	6	4	175	20·4	99	11·5	5	29		
Melton Mowbray	9,110	128	110	4	10	252	27·7	93	10·2	14	56		
Oadby	3,218	35	29	3	3	70	21·8	25	8·3†	5	71		
Quorndon	2,431	27	37	—	—	64	26·3	28	11·5	3	47		
Shepshead	5,590	63	68	—	3	134	24·0	67	12·0	5	37		
Thurmaston	2,221	30	26	—	—	56	25·2	26	11·7	3	54		
Wigston Magna	8,700	99	93	4	5	201	23·1	106	12·2	9	45		
Rural Districts.													
Ashby de la Zouch ...	17,060	235	222	17	12	486	28·5	208	12·2	38	78		
Barrow upon Soar	25,180	267	266	8	10	551	21·9	273	10·8	29	53		
Belvoir	3,202	40	30	1	2	73	22·8	39	12·2	6	82		
Billesdon	7,200	77	55	1	2	135	18·8	69	9·6	4	30		
Blaby	17,090	190	201	5	11	407	23·8	176	10·3	26	64		
Castle Donington	6,470	72	56	6	5	139	21·5	80	12·4	13	94		
Hallaton	1,717	20	17	1	1	39	22·7	26	15·1	4	103		
Hinckley	14,433*	159	179	5	4	347	24·0	138	9·6	19	55		
Loughborough	4,483	44	43	2	4	93	20·7	56	12·5	9	97		
Lutterworth	10,180	109	110	4	1	224	22·0	132	13·0	7	31		
Market Bosworth	23,030	336	297	20	9	662	28·7	237	10·3	43	65		
Market Harborough ...	7,490	76	67	5	2	150	20·0	89	11·9	4	27		
Melton Mowbray	14,350	156	145	9	17	327	22·8	144	10·0	10	31		
LINCOLNSHIRE													
(PARTS OF HOLLAND).													
Total Urban Districts ...	85,138	964	991	82	68	2,105	24·7	1,024	12·0	158	75		
Total Rural Districts ...	37,473	452	422	46	28	948	25·3	487	13·0	80	84		
Total	47,665	512	569	36	40	1,157	24·3	537	11·3	78	67		
Urban Districts.													
Boston, M.B.	16,070	197	200	22	13	432	26·9	243	15·1	43	100		
Holbeach	5,300	59	57	7	3	126	23·8	53	10·0	6	48		
Long Sutton	3,202	38	30	7	1	76	23·7	40	12·5	14	184		
Spalding	10,590	133	105	8	10	256	24·2	136	12·8	17	66		
Sutton Bridge	2,311	25	30	2	1	58	25·1	15	6·5	—	—		
Rural Districts.													
Boston	21,780	260	262	11	17	550	25·3	268	12·3	39	71		
Crowland	2,685	22	42	3	4	71	26·4	34	12·7	—	—		
East Elloe... ..	9,400	93	100	13	8	214	22·8	107	11·4	19	89		
Spalding	15,800	137	165	9	11	322	23·3	128	9·3	20	62		

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon civilian populations as follows :—Limehurst R.D., 9,179; Leicestershire, 260,017; Total Urban Districts, 108,132*; Oadby U.D., 3,024.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920.—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
LINCOLNSHIRE—cont.													
(PARTS OF KESTEVEN).	111,757*	1290	1,175	90	80	2,635	23·6	1,320	12·1†	179	68		
Total Urban Districts ...	42,832*	518	448	37	29	1,032	24·1	503	11·7	70	68		
Total Rural Districts ...	68,925*	772	727	53	51	1,603	23·3	817	12·3†	109	68		
Urban Districts.													
Bourne	4,288	42	46	4	3	95	22·2	63	14·7	7	74		
Bracebridge†	2,185*	25	27	3	1	56	25·6	38	17·4	5	89		
Grantham, M.B.	18,870	240	190	13	15	458	24·3	204	10·8	32	70		
Ruskington	1,089	20	10	4	—	34	31·2	21	19·3	3	88		
Sleaford	6,600	76	71	6	6	159	24·1	71	10·8	12	75		
Stamford, M.B.	9,800	115	104	7	4	230	23·5	106	10·8	11	48		
Rural Districts.													
Bourne	12,510	166	144	10	16	336	26·9	174	13·9	27	80		
Branston	16,585*	177	163	9	8	357	21·5	158	9·7†	23	64		
Claypole	7,840	96	81	7	5	189	24·1	112	14·3	12	63		
Grantham... ..	11,860	136	126	8	9	279	23·5	141	11·9	20	72		
Sleaford	18,720	174	192	18	12	396	21·2	220	13·1†	22	56		
Uffington	1,410	23	21	1	1	46	32·6	12	8·5	5	109		
(PARTS OF LINDSEY).													
Total Urban Districts ...	115,774	1,492	1,410	60	83	3,045	26·3	1,478	12·8	234	77		
Total Rural Districts ...	134,002	1,568	1,416	110	117	3,211	24·0	1,627	12·1	230	72		
Urban Districts.													
Alford	2,161	19	22	—	3	44	20·4	24	11·1	2	45		
Barton upon Humber ...	6,410	99	79	4	3	185	28·9	90	14·0	10	54		
Brigg	3,274	38	45	3	3	89	27·2	32	9·8	5	56		
Broughton	1,709	17	24	—	1	42	24·6	13	7·6	2	48		
Cleethorpe with Thrunscoe	27,080	374	339	18	14	745	27·5	300	11·1	46	62		
Crowle	2,985	52	34	—	4	90	30·2	63	21·1	10	111		
Gainsborough	19,630	260	242	10	12	524	26·7	244	12·4	40	76		
Horncastle	3,451	28	35	3	4	70	20·3	59	17·1	8	114		
Louth, M.B.	9,510	108	97	4	4	213	22·4	189	19·9	17	80		
Mablethorpe	1,969	12	6	1	—	19	9·6	19	9·6	—	—		
Market Rasen	2,147	18	18	1	—	37	17·2	23	10·7	3	81		
Roxby cum Risby	604	9	8	—	—	17	28·1	10	16·6	2	118		
Scunthorpe & Frodingham	27,260	395	384	10	30	819	30·0	326	12·0	81	99		
Skegness	4,453	32	44	2	4	82	18·4	45	10·1	3	37		
Winterton	1,705	21	16	4	1	42	24·6	25	14·7	3	71		
Woodhall Spa	1,426	10	17	—	—	27	18·9	16	11·2	2	74		
Rural Districts.													
Caistor	12,560	157	141	20	12	330	26·3	156	12·4	24	73		
Gainsborough	14,140	158	153	6	11	328	23·2	162	11·5	18	55		
Glanford Brigg	24,960	319	272	16	23	630	25·2	301	12·1	50	79		
Grimsby	12,120	158	145	2	9	314	25·9	123	10·1	27	86		
Horncastle	11,910	138	117	16	8	279	23·4	119	10·0	15	54		
Isle of Axholme	6,680	75	81	4	9	169	25·3	93	13·9	12	71		
Louth	17,110	177	175	14	20	386	22·6	238	13·9	24	62		
Sibsey	2,972	41	30	3	1	75	25·2	45	15·1	6	80		
Spilsby	20,840	216	198	21	18	453	21·7	267	12·8	40	88		
Welton	10,710	129	104	8	6	247	23·1	123	11·5	14	57		
GREATER LONDON.													
	7,452,825	95,122	90,244	3939	3747	193,052	25·9	87,832	11·8†	13,492	70		
LONDON.													
	4,479,730	59,349	56,290	2497	2393	120,529	26·9	57,232	12·8†	9,141	76		
Metropolitan Boroughs.													
City of London	13,850	89	77	8	9	182	13·1	203	14·7	13	71		
Battersea	167,400	2,263	2,246	77	83	4,669	27·9	2,079	12·4	386	83		
Bermondsey	118,600	2,043	1,980	57	53	4,113	34·7	1,700	14·3	348	85		
Bethnal Green	116,600	1,950	1,816	46	43	3,855	33·1	1,702	14·6	366	95		
Camberwell	256,600	3,737	3,582	117	121	7,557	28·3	3,336	12·5	535	71		
Chelsea	64,100	675	621	61	53	1,410	22·0	767	12·0	75	53		
Deptford	112,100	1,655	1,537	46	38	3,276	29·2	1,408	12·6	260	79		
Finsbury	75,800	1,263	1,142	58	41	2,504	33·0	1,160	15·3	193	77		
Fulham	157,700	2,132	1,989	91	116	4,328	27·4	1,819	11·5	319	74		
Greenwich	100,300	1,352	1,261	35	42	2,690	26·8	1,238	12·3	195	72		
Hackney	221,800	3,051	2,815	67	77	6,010	27·1	2,878	13·0	488	81		
Hammersmith	130,300	1,599	1,549	103	84	3,335	25·6	1,567	12·3†	222	67		
Hampstead	86,500	790	688	45	43	1,566	18·1	860	9·9	75	48		
Holborn	43,480	377	372	37	41	827	19·0	603	13·9	55	67		
Islington	329,600	4,638	4,502	162	170	9,472	28·7	4,529	13·7	684	72		
Kensington	176,300	1,890	1,856	139	135	4,020	22·8	2,210	12·5	334	83		
Lambeth	302,700	4,030	3,760	213	169	8,172	27·0	3,881	12·8	563	69		
Lewisham... ..	174,300	2,043	1,843	77	70	4,033	23·1	1,913	11·0	271	67		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows: Parts of Kesteven, 109,458*; Total Rural Districts, 66,826*; Branston R.D., 16,258*; Sleaford R.D., 16,748; Greater London, 7,450,130; London, 4,470,135; Hammersmith, 127,508.

‡ Abolished on 9th November, 1920.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
LONDON—cont.													
Paddington	144,500	1,663	1,506	125	129	3,423	23·7	1,711	11·8	267	78		
Poplar	161,700	2,745	2,602	66	57	5,470	33·8	2,355	14·6	451	82		
St. Marylebone	104,800	1,009	1,001	107	100	2,217	21·2	1,306	12·5	148	67		
St. Pancras	210,900	2,825	2,658	162	161	5,806	27·5	2,855	13·5	427	74		
Shoreditch	103,600	1,814	1,785	65	74	3,738	36·1	1,586	15·3	342	91		
Southwark	183,700	2,946	2,784	106	118	5,954	32·4	2,740	14·9	519	87		
Stepney	248,800	3,703	3,689	78	84	7,554	30·4	3,503	14·1	657	87		
Stoke Newington	52,200	618	564	24	17	1,223	23·4	685	13·1	98	80		
Wandsworth	329,100	3,613	3,372	131	118	7,234	22·0	3,571	10·9	462	64		
Westminster	142,400	976	1,036	121	100	2,233	15·7	1,580	11·3†	164	73		
Woolwich	140,000	1,860	1,657	73	68	3,658	26·1	1,487	10·9†	224	61		
MIDDLESEX.													
Total Urban Districts ...	1,248,428	14,632	13,950	643	617	29,842	23·9	12,271	9·8†	1,696	57		
Total Rural Districts ...	1,192,548	13,999	13,335	616	581	28,531	23·9	11,770	9·9†	1,639	57		
Urban Districts.	55,880	633	615	27	36	1,311	23·5	501	9·0	57	43		
Acton	61,400	758	723	34	26	1,541	25·1	674	11·0	101	66		
Brentford	17,110	246	235	11	12	504	29·5	198	11·6	40	79		
Chiswick	40,630	502	469	23	19	1,013	24·9	508	12·5	69	68		
Ealing, M.B.	67,400	661	625	41	34	1,361	20·2	673	10·0	64	47		
Edmonton	66,900	936	909	36	30	1,911	28·6	707	10·6	127	66		
Enfield	60,800	686	670	24	30	1,410	23·2	592	9·7	76	54		
Feltham	6,340	74	74	4	2	154	24·3	60	9·5	9	58		
Finchley	46,330	505	501	20	25	1,051	22·7	416	9·0	56	53		
Friern Barnet	17,340	184	191	2	6	383	22·1	140	8·1	13	34		
Greenford	1,427	19	25	2	1	47	32·9	12	8·4	1	21		
Hampton	10,500	87	91	5	2	185	17·6	110	10·5	3	16		
Hampton Wick	3,199	27	27	2	2	58	18·1	34	12·4†	1	17		
Hanwell	20,440	239	248	10	17	514	25·1	176	8·6	28	54		
Harrow-on-the-Hill	19,370	175	157	7	7	346	17·9	174	9·0	16	46		
Hayes	6,330	65	56	3	3	127	20·1	46	7·3	6	47		
Hendon	55,000	562	550	33	30	1,175	21·4	462	8·4	56	48		
Heston and Isleworth	46,860	529	498	27	20	1,074	22·9	458	10·1†	62	58		
Hornsey, M.B.	87,100	822	809	39	37	1,707	19·6	903	10·4	93	54		
Kingsbury	1,800	31	33	—	—	64	35·6	21	11·7	5	78		
Ruislip Northwood	8,910	90	84	2	2	178	20·0	68	7·6	5	28		
Southall Norwood	30,500	328	357	17	14	716	23·5	237	7·8	45	63		
Southgate... ..	38,690	330	352	8	9	699	18·1	355	9·2	24	34		
Staines	7,170	79	74	5	9	167	23·3	61	8·5	8	48		
Sunbury on Thames	5,290	70	67	6	6	149	28·2	58	11·0	12	81		
Teddington	20,880	249	210	14	14	487	23·3	207	9·9	29	60		
Tottenham	147,300	2,075	1,872	60	64	4,071	27·6	1,444	9·8	243	60		
Twickenham	34,370	391	365	23	28	807	23·5	363	10·6	47	58		
Uxbridge	12,870	140	142	7	12	301	23·4	129	10·0	25	83		
Wealdstone	13,370	151	148	8	5	312	23·3	115	8·6	23	74		
Wembley	15,980	173	143	6	3	325	20·3	130	8·1	13	40		
Willesden	165,400	2,156	2,032	111	97	4,396	26·6	1,681	10·2	275	63		
Wood Green	50,700	592	541	22	9	1,164	23·0	509	10·0	56	48		
Yiewsley	4,842	67	57	4	6	134	27·7	49	10·1	8	60		
Rural Districts.													
Hendon	17,280	178	157	6	5	346	20·0	141	8·2	16	46		
South Mimms	3,100	27	31	1	3	62	20·0	30	9·7	1	16		
Staines	24,900	300	282	16	21	619	24·9	214	8·6	26	42		
Uxbridge	10,600	128	145	4	7	284	26·8	116	10·9	14	49		
MONMOUTHSHIRE.													
Total Urban Districts ...	358,436	5,353	5,062	170	194	10,779	30·1	4,879	12·2	947	88		
Total Rural Districts ...	312,131*	4,844	4,586	145	170	9,745	31·2	3,850	12·3	872	89		
Urban Districts.	46,305*	509	476	25	24	1,034	22·3	529	11·4	75	73		
Abercarn	20,160	313	334	8	12	667	33·1	211	10·5	56	84		
Abergavenny, M.B.	8,960	116	119	4	7	246	27·5	112	12·5	14	57		
Abersychan	27,200	378	343	18	10	749	27·5	285	10·5	70	93		
Abertillery	38,910	644	594	17	21	1,276	32·8	471	12·1	143	112		
Bedwas and Machen	8,470	131	147	5	4	287	33·9	91	10·7	21	73		
Bedwellty... ..	30,990	547	509	18	21	1,095	35·3	366	11·8	97	89		
Blaenavon	12,620	170	145	6	4	325	25·8	206	16·3	34	105		
Caerleon	2,300	19	21	1	1	42	18·3	23	10·0	2	48		
Chepstow	5,065*	73	64	1	7	145	28·6	73	14·4	10	69		
Ebbw Vale	35,550	557	544	20	20	1,141	32·1	519	14·6	113	99		
Llanfrechfa Upper	4,719	64	72	1	4	141	29·9	49	10·4	8	57		
Llantarnam	7,420	129	120	4	4	257	34·6	101	13·6	11	43		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows: Westminster, 139,693; Woolwich, 135,904; Middlesex, 1,246,404; Total Urban Districts, 1,190,524; Hampton Wick U.D., 2,733; Heston and Isleworth U.D., 45,302.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
MONMOUTHSHIRE—cont.													
Monmouth, M.B. ...	5,150	65	60	7	1	133	25·8	79	15·3	14	105		
Mynyddislwyn ...	14,840	256	226	4	5	491	33·1	158	10·6	44	90		
Nantyglo and Blaina ...	16,600	243	214	7	11	475	28·6	221	13·3	56	118		
Panteg ...	11,060	139	142	3	4	288	26·0	116	10·5	22	76		
Pontypool ...	6,900	103	102	4	7	216	31·3	98	14·2	10	46		
Rhymney ...	11,770	201	188	3	8	400	34·0	178	15·1	43	108		
Risca ...	16,780	275	239	5	6	525	31·3	174	10·4	31	59		
Tredegar ...	25,200	403	387	9	13	812	32·2	310	12·3	71	87		
Usk ...	1,467	18	16	—	—	34	23·2	9	6·1	2	59		
Rural Districts.													
Abergavenny ...	9,150	99	83	3	5	190	20·8	109	11·9	11	58		
Chepstow ...	8,625*	102	88	10	8	208	24·1	116	13·4	18	87		
Magor ...	5,420	63	52	3	3	121	22·3	53	9·8	6	50		
Monmouth ...	6,440	69	71	2	3	145	22·5	79	12·3	11	76		
Pontypool ...	5,220	60	62	4	2	128	24·5	65	12·5	12	94		
St. Mellons ...	11,450	116	120	3	3	242	21·1	107	9·3	17	70		
NORFOLK.													
Total Urban Districts ...	312,821	3,644	3,366	279	232	7,521	24·0	3,657	11·7	417	55		
Total Rural Districts ...	60,081	685	636	65	51	1,437	23·9	681	11·3	74	51		
Urban Districts.	252,740	2,959	2,730	214	181	6,084	24·1	2,976	11·8	343	56		
Cromer ...	3,987	31	30	—	—	61	15·3	40	10·0	2	33		
Diss ...	3,475	29	42	6	7	84	24·2	51	14·7	8	95		
Downham Market ...	2,335	28	22	1	1	52	22·3	22	9·4	5	96		
East Dereham ...	5,640	72	53	4	5	134	23·8	83	14·7	7	52		
King's Lynn, M.B. ...	19,890	257	216	26	21	520	26·1	226	11·4	19	37		
New Hunstanton ...	3,036	11	17	—	1	29	9·6	23	7·6	2	69		
North Walsham ...	4,122	41	46	7	4	98	23·8	53	12·9	10	102		
Sheringham ...	3,612	35	39	3	—	77	21·3	44	12·2	3	39		
Swaffham ...	2,884	32	28	3	2	65	22·5	37	12·8	—	—		
Thetford, M.B. ...	4,663	46	57	5	5	113	24·2	41	8·8	7	62		
Walsoken ...	3,865	68	58	10	4	140	36·2	37	9·6	7	50		
Wells ...	2,572	35	28	—	1	64	24·9	24	9·3	4	63		
Rural Districts.													
Aylsham ...	16,130	193	178	18	16	405	25·1	193	12·0	27	67		
Blofield ...	12,180	121	102	7	7	237	19·5	127	10·4	13	55		
Depwade ...	18,910	229	206	10	9	454	24·0	230	12·2	24	53		
Docking ...	16,540	185	180	14	10	389	23·5	201	12·2	22	57		
Downham ...	14,560	174	188	16	16	394	27·1	181	12·4	30	76		
East and West Flegg ...	10,170	124	118	9	10	261	25·7	94	9·2	14	54		
Erpingham ...	17,060	205	166	15	7	393	28·0	203	11·9	27	69		
Forehoe ...	11,250	145	110	11	7	273	24·3	143	12·7	11	40		
Freebridge Lynn ...	11,650	107	116	7	6	236	20·3	119	10·2	5	21		
Henstead ...	9,810	115	111	4	9	239	24·4	118	12·0	8	33		
King's Lynn ...	900	14	9	1	1	25	27·8	11	12·2	2	80		
Loddon and Clavering ...	12,010	129	149	7	8	293	24·4	141	11·7	13	44		
Marshland ...	13,820	189	176	9	6	380	27·5	151	10·9	23	61		
Mitford and Launditch ...	17,750	215	208	16	21	460	25·9	194	10·9	15	33		
St. Faith's ...	10,810	128	93	9	9	239	22·1	132	12·2	19	79		
Smallburgh ...	13,580	130	141	14	10	295	21·7	162	11·9	14	47		
Swaffham ...	7,130	84	74	10	7	175	24·5	91	12·8	11	63		
Thetford ...	9,350	125	98	5	8	236	25·2	120	12·8	16	68		
Walsingham ...	16,030	194	156	15	7	372	23·2	188	11·7	28	75		
Wayland ...	13,100	153	151	17	7	328	25·0	177	13·5	21	64		
NORTHAMPTONSHIRE.													
Total Urban Districts ...	211,014	2,416	2,238	150	109	4,913	23·3	2,393	11·4†	293	60		
Total Rural Districts ...	96,429	1,072	991	61	34	2,158	22·4	1,018	10·6	138	64		
Urban Districts.	114,585	1,344	1,247	89	75	2,755	24·0	1,375	12·1†	155	56		
Brackley, M.B. ...	2,385	25	13	5	—	43	18·0	20	8·4	—	—		
Daventry, M.B. ...	3,496	37	54	1	4	96	27·5	43	12·3	2	21		
Desborough ...	4,131	50	35	2	—	87	21·1	28	6·8	5	57		
Finedon ...	3,984	52	56	8	1	117	29·4	52	13·1	7	60		
Higham Ferrers, M.B. ...	2,882	39	28	1	1	69	23·9	35	12·1	9	130		
Irthlingborough ...	4,880	56	47	3	3	109	22·3	41	8·4	4	37		
Kettering ...	29,800	329	309	16	14	668	22·4	328	11·0	35	52		
Oundle ...	2,672	17	17	1	1	36	13·5	25	9·4	6	167		
Raunds ...	3,808	38	38	3	1	80	21·0	45	11·8	5	63		
Rothwell ...	4,401	40	48	4	1	93	21·1	41	9·3	5	54		
Rushden ...	13,570	174	149	5	—	328	24·2	133	9·8	24	73		
Wellingborough ...	20,420	215	197	12	8	432	21·2	227	11·1	36	83		

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows :—Northamptonshire, 210,515 ; Total Rural Districts, 114,086.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
NORTHAMPTONSHIRE— <i>cont.</i>													
<i>Rural Districts.</i>													
Brackley	6,550	76	67	2	1	146	22·3	94	14·4	12	82		
Brixworth... ..	11,490	112	145	5	8	270	23·5	135	11·7	12	44		
Crick	2,377	27	21	—	1	49	20·6	27	11·4	1	20		
Daventry	14,050	166	158	9	9	342	24·3	159	11·7†	23	67		
Easton on the Hill ...	1,362	23	13	2	2	40	29·4	14	10·3	3	75		
Gretton	1,383	17	5	—	2	24	17·4	25	18·1	4	167		
Hardingstone	7,400	89	70	5	9	173	23·4	76	10·3	3	17		
Kettering... ..	12,570	140	148	14	8	310	24·7	150	11·9	23	74		
Middleton Cheney ...	2,476	22	39	4	1	66	26·7	23	9·3	2	30		
Northampton	7,320	73	48	4	3	128	17·5	61	8·3	7	55		
Oundle (part of)† ...	6,490	75	67	14	4	160	24·7	81	12·5	10	63		
Oxendon	3,961	52	45	2	3	102	25·8	51	12·9	6	59		
Potterspury	4,666	62	57	4	3	126	27·0	75	16·1	7	56		
Thrapston (part of)† ...	10,250	121	119	7	5	252	24·6	109	10·6	9	36		
Towcester	9,820	132	115	3	9	259	26·4	146	14·9	15	58		
Wellingborough	12,420	157	130	14	7	308	24·8	149	12·0	18	58		
NORTHUMBERLAND.													
Total Urban Districts ...	393,146	5,473	5,138	285	240	11,136	28·3	5,072	12·9	1,009	91		
Total Rural Districts ...	290,643	4,304	4,074	213	169	8,760	30·1	3,828	13·2	864	99		
<i>Urban Districts.</i>													
Alnwick	6,890	85	77	3	1	166	24·1	116	16·8	13	78		
Amble	4,780	59	58	3	5	125	26·2	52	10·9	5	40		
Ashington	29,310	535	512	27	20	1,094	37·3	411	14·0	140	128		
Bedlingtonshire	26,440	444	392	31	15	882	33·4	354	13·4	92	104		
Berwick upon Tweed, M.B.	12,260	136	134	13	11	294	24·0	163	13·3	21	71		
Blyth	31,900	492	467	22	12	993	31·1	426	13·4	112	113		
Cramlington	8,440	141	123	9	6	279	33·1	119	14·1	25	90		
Earsdon	11,230	166	167	7	14	354	31·5	159	14·2	33	93		
Gosforth	15,680	177	131	10	3	321	20·5	154	9·8	22	69		
Hexham	8,450	103	103	6	5	217	25·7	134	15·9	22	101		
Longbenton	13,690	207	190	6	9	412	30·1	149	10·9	31	75		
Morpeth, M.B.	7,540	109	95	12	8	224	29·7	124	16·4	22	98		
Newbiggin by the Sea ...	6,205	110	89	3	4	206	33·2	75	12·1	19	92		
Newburn	18,900	236	281	14	9	540	28·6	232	12·3	47	87		
Prudhoe	8,780	128	128	9	7	272	31·0	97	11·0	24	88		
Rothbury	1,214	14	9	1	—	24	19·8	21	17·3	1	42		
Seaton Delaval	7,800	116	104	4	5	229	29·4	94	12·1	17	74		
Seghill	1,954	27	33	—	3	63	32·2	28	14·3	7	111		
Wallsend, M.B.	43,130	698	712	22	25	1,457	33·8	643	14·9	163	112		
Weetslade... ..	6,970	125	112	4	3	244	35·0	88	12·6	23	94		
Whitley and Monkseaton	19,080	196	157	7	4	364	19·1	189	9·9	25	69		
<i>Rural Districts.</i>													
Alnwick	12,320	162	124	8	6	300	24·4	171	13·9	19	63		
Belford	4,905	42	47	8	3	100	20·4	51	10·4	3	30		
Bellingham	5,580	74	52	4	3	133	23·8	66	11·8	6	45		
Castle Ward	12,490	155	113	8	5	281	22·5	130	10·4	14	50		
Glendale	7,990	70	70	6	7	153	19·1	111	13·9	8	52		
Haltwhistle	9,290	124	107	8	9	248	26·7	108	11·6	13	52		
Hexham	21,820	215	241	13	17	486	22·3	274	12·6	30	62		
Morpeth	17,985	223	195	16	11	445	24·7	206	11·5	35	79		
Norham and Islandshires	5,410	59	70	1	5	135	25·0	64	11·8	10	74		
Rothbury... ..	4,709	45	44	—	5	94	20·0	63	13·4	7	74		
<i>Moot Hall and precincts</i>													
	4	—	1	—	—	1	250·0	—	—	—	—		
NOTTINGHAMSHIRE.													
Total Urban Districts ...	377,195	4,835	4,487	262	252	9,836	26·1	4,169	11·1	840	85		
Total Rural Districts ...	243,030	3,313	3,030	179	167	6,689	27·5	2,619	10·8	602	90		
<i>Urban Districts.</i>													
Arnold	11,850	168	157	7	11	343	28·9	135	11·4	29	85		
Beeston	12,500	147	135	8	12	302	24·2	116	9·3	19	63		
Carlton	18,500	239	219	10	11	479	25·9	192	10·4	34	71		
East Retford, M.B. ...	13,220	156	161	12	11	340	25·7	151	11·4	23	68		
Eastwood	5,100	70	67	3	6	146	28·6	73	14·3	18	123		
Hucknall	16,900	247	219	16	11	493	29·2	208	12·3	58	118		
Huthwaite	5,470	75	80	6	3	164	30·0	58	10·6	12	73		
Kirkby in Ashfield ...	17,280	246	211	10	10	477	27·6	180	10·4	41	86		
Mansfield, M.B.	44,390	656	575	28	32	1,291	29·1	415	9·3	135	105		
Mansfield Woodhouse ...	13,400	230	192	8	7	437	32·6	147	11·0	42	96		
Newark, M.B.	16,900	194	173	22	16	405	24·0	198	11·7	27	67		

† Death-rate based upon an estimated civilian population of 13,551.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; see page 97.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
NOTTINGHAMSHIRE—cont.													
Sutton in Ashfield ...	23,990	335	326	22	15	698	29.1	278	11.6	71	102		
Warsop ...	7,220	129	118	3	5	255	35.3	74	10.2	22	86		
West Bridgford ...	13,210	102	97	2	3	204	15.4	123	9.3	17	83		
Worksop ...	23,100	319	300	22	14	655	28.4	271	11.7	54	82		
Rural Districts.													
Basford ...	43,340	519	481	17	26	1,043	24.1	476	11.0	82	79		
Bingham ...	14,140	135	141	7	11	294	20.8	179	12.7	14	48		
Blyth and Cuckney ...	5,010	51	49	4	4	108	21.6	65	13.0	8	74		
East Retford ...	14,520	148	150	14	10	322	22.2	191	13.2	21	65		
Leake ...	3,677	38	24	2	—	64	17.4	46	12.5	4	63		
Misterton ...	4,086	52	52	5	2	111	27.2	45	11.0	7	63		
Newark ...	8,660	81	94	4	8	187	21.6	102	11.8	18	96		
Skegby ...	8,910	134	138	6	6	284	31.9	89	10.0	32	113		
Southwell ...	19,850	224	200	17	12	453	22.8	201	10.1	18	40		
Stapleford ...	11,570	138	125	7	6	276	23.9	152	13.1	34	123		
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	402	2	3	—	—	5	12.4	4	10.0	—	—		
OXFORDSHIRE.													
Total Urban Districts ...	130,487	1,558	1,445	97	104	3,204	24.6	1,563	12.0	166	52		
Total Rural Districts ...	34,905	437	376	29	22	864	24.8	433	12.4	41	47		
Urban Districts.	95,582	1,121	1,069	68	82	2,340	24.5	1,130	11.8	125	53		
Rural Districts.													
Banbury, M.B. ...	13,290	166	152	11	7	336	25.3	171	12.9	17	51		
Bicester ...	2,910	45	32	4	6	87	29.9	35	12.0	3	34		
Chipping Norton, M.B. ...	3,511	49	35	4	1	89	25.3	41	11.7	3	34		
Henley on Thames, M.B.	6,540	77	59	5	2	143	21.9	78	11.9	7	49		
Thame ...	2,885	30	26	1	3	60	20.8	40	13.9	6	100		
Wheatley ...	918	10	17	1	—	28	30.5	7	7.6	1	36		
Witney ...	3,349	39	35	2	2	78	23.3	39	11.6	3	38		
Woodstock, M.B. ...	1,502	21	20	1	1	43	28.6	22	14.6	1	23		
Rural Districts.													
Banbury ...	11,070	110	118	5	8	241	21.8	149	13.5	14	58		
Bicester ...	8,440	96	100	10	6	212	25.1	112	13.3	10	47		
Chipping Norton...	10,250	116	105	6	9	236	23.0	136	13.3	14	59		
Crowmarsh ...	4,925	68	54	3	3	128	26.0	49	9.9	5	39		
Culham ...	2,483	22	27	—	1	50	20.1	28	11.3	—	—		
Goring ...	3,134	35	25	3	1	64	20.4	45	14.4	8	125		
Headington ...	13,660	176	171	10	13	370	27.1	115	8.4	19	51		
Henley ...	10,440	119	110	4	11	244	23.4	98	9.4	11	45		
Thame ...	5,080	54	50	7	4	115	22.6	76	15.0	6	52		
Witney ...	15,900	191	201	15	18	425	26.7	199	12.5	25	59		
Woodstock ...	10,200	134	108	5	8	255	25.0	123	12.1	13	51		
PETERBOROUGH, SOKE OF.													
Total Urban District ...	46,574	555	510	45	48	1,158	24.9	573	12.3	72	62		
Total Rural Districts ...	35,280	420	395	30	40	885	25.1	446	12.6	59	67		
Urban District.	11,294	135	115	15	8	273	24.2	127	11.2	13	48		
Peterborough, M.B. ...	35,280	420	395	30	40	885	25.1	446	12.6	59	67		
Rural Districts.													
Barnack ...	1,894	23	11	1	4	39	20.6	32	16.9	3	77		
Peterborough ...	9,400	112	104	14	4	234	24.9	95	10.1	10	43		
RUTLANDSHIRE.													
Urban District ...	18,060	178	190	15	14	397	22.0	195	10.8	25	63		
Total Rural Districts ...	3,240	42	40	4	5	91	28.1	30	9.3	4	44		
Urban District.	14,820	136	150	11	9	306	20.6	165	11.1	21	69		
Oakham ...	3,240	42	40	4	5	91	28.1	30	9.3	4	44		
Rural Districts.													
Ketton ...	2,750	24	23	3	4	54	19.6	35	12.7	8	148		
Oakham ...	5,920	62	65	7	3	137	23.1	65	11.0	6	44		
Uppingham ...	6,150	50	62	1	2	115	18.7	65	10.6	7	61		
SHROPSHIRE.													
Total Urban Districts ...	240,487	2,854	2,641	229	219	5,943	24.7	2,952	12.3	395	66		
Total Rural Districts ...	111,808	1,369	1,319	120	113	2,921	26.1	1,415	12.7	191	65		
Urban Districts.	128,679	1,485	1,322	109	106	3,022	23.5	1,537	11.9	204	68		
Rural Districts.													
Bishop's Castle, M.B. ...	1,268	13	12	3	2	30	23.7	12	9.5	1	33		
Bridgnorth, M.B. ...	5,100	61	52	8	7	128	25.1	74	14.5	10	78		
Church Stretton ...	1,444	17	13	1	4	35	24.2	15	10.4	3	86		
Dawley ...	7,380	96	105	12	3	216	29.3	85	11.5	17	79		

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
SHROPSHIRE—cont.													
Ellesmere ...	1,837	20	20	2	2	44	24.0	24	13.1	3	68		
Ludlow, M.B. ...	5,590	77	65	13	9	164	29.3	81	14.5	14	85		
Market Drayton ...	4,654	56	45	8	9	118	25.4	64	13.8	9	76		
Newport ...	3,074	37	32	2	1	72	23.4	45	14.6	5	69		
Oakengates ...	11,390	152	154	11	7	324	28.4	123	10.8	19	59		
Oswestry, M.B. ...	9,750	124	117	11	5	257	26.4	120	12.3	14	54		
Shrewsbury, M.B. ...	30,810	364	335	23	26	748	24.3	374	12.1	49	66		
Wellington ...	8,070	96	81	8	9	197	24.4	94	11.6	11	56		
Wem ...	2,191	20	20	1	8	49	22.4	27	12.3	5	102		
Wenlock, M.B. ...	13,680	174	181	10	12	377	27.6	201	14.7	26	69		
Whitchurch ...	5,570	62	84	7	9	162	29.1	76	13.6	5	31		
Rural Districts.													
Atcham ...	21,730	232	215	16	26	489	22.5	237	10.9	35	72		
Bridgnorth ...	8,420	96	84	6	4	190	22.6	117	13.9	14	74		
Burford ...	1,253	21	7	—	1	29	23.1	9	7.2	1	34		
Chirbury ...	3,210	42	42	3	2	89	27.7	52	16.2	11	124		
Church Stretton ...	4,401	49	47	6	2	104	23.6	55	12.5	8	77		
Cleobury Mortimer ...	7,190	105	86	5	6	202	28.1	86	12.0	12	59		
Clun ...	6,150	59	84	5	2	150	24.4	71	11.5	5	33		
Drayton ...	7,080	78	68	3	9	158	22.3	88	12.4	4	25		
Ellesmere ...	7,880	104	66	7	7	184	23.4	76	9.6	10	54		
Ludlow ...	8,780	79	81	5	6	171	19.5	84	9.6	14	82		
Newport ...	5,740	71	63	9	2	145	25.3	74	12.9	14	97		
Oswestry ...	16,180	195	170	16	11	392	24.2	208	12.9	30	77		
Shifnal ...	7,570	96	78	8	8	190	25.1	106	14.0	7	37		
Teme ...	1,620	16	14	2	5	37	22.8	14	8.6	2	54		
Wellington ...	11,050	124	123	8	9	264	23.9	151	13.7	21	80		
Wem ...	8,440	89	75	6	6	176	20.9	85	10.1	12	68		
Whitchurch ...	1,985	29	19	4	—	52	26.2	24	12.1	4	77		
SOMERSETSHIRE.													
Total Urban Districts ...	384,640	4,022	3,857	183	201	8,263	21.5	4,629	12.0	449	54		
Total Rural Districts ...	160,977	1,591	1,579	67	83	3,320	20.6	1,960	12.2	178	54		
Urban Districts.	223,663	2,431	2,278	116	118	4,943	22.1	2,669	11.9	271	55		
Bridgwater, M.B....	15,890	214	192	6	8	420	26.4	211	13.3	26	62		
Burnham on Sea ...	4,916	39	27	1	—	67	13.6	52	10.6	4	60		
Chard, M.B. ...	4,313	43	36	1	4	84	19.5	48	11.1	4	48		
Clevedon ...	6,250	47	46	4	5	102	16.3	88	14.1	3	29		
Crewkerne ...	3,686	46	34	—	1	81	22.0	38	10.3	2	25		
Frome ...	10,440	100	107	4	4	215	20.6	116	11.1	17	79		
Glastonbury, M.B. ...	4,267	49	45	1	5	100	23.4	72	16.9	8	80		
Highbridge ...	2,410	26	34	—	2	62	25.7	36	14.9	7	113		
Ilminster ...	2,340	27	28	—	1	56	23.9	35	15.0	1	18		
Midsomer Norton ...	7,730	82	83	2	5	172	22.3	73	9.4	9	52		
Minehead ...	5,070	41	51	4	1	97	19.1	60	11.8	2	21		
Portishead ...	3,761	35	41	1	7	84	22.3	63	16.8	3	36		
Radstock ...	3,624	47	40	—	—	87	24.0	31	8.6	6	69		
Shepton Mallet ...	4,274	45	44	4	3	96	22.5	53	12.4	4	42		
Street ...	4,365	56	37	—	1	94	21.5	40	9.2	4	43		
Taunton, M.B. ...	23,160	235	238	11	18	502	21.7	266	11.5	25	50		
Watchet ...	1,815	17	17	1	—	35	19.3	23	12.7	4	114		
Wellington ...	7,180	57	58	5	4	124	17.3	83	11.6	6	48		
Wells, M.B. ...	4,278	31	48	1	2	82	19.2	61	14.3	4	49		
Weston super Mare ...	25,040	192	188	15	7	402	16.1	336	13.4	22	55		
Wiveliscombe ...	1,238	11	19	1	—	31	25.0	14	11.3	2	65		
Yeovil, M.B. ...	14,930	151	166	5	5	327	21.9	161	10.8	15	46		
Rural Districts.													
Axbridge ...	22,750	252	202	6	12	472	20.7	239	10.5	26	55		
Bath ...	14,510	165	151	11	10	337	23.2	154	10.6	16	47		
Bridgwater ...	17,200	205	183	8	11	407	23.7	225	13.1	26	64		
Chard ...	12,540	144	113	6	5	268	21.4	163	13.0	21	78		
Clutton ...	15,740	198	195	8	6	407	25.9	194	12.3	28	69		
Dulverton...	4,463	44	40	5	2	91	20.4	42	9.4	6	66		
Frome ...	10,610	133	129	4	5	271	25.5	122	11.5	15	55		
Keynsham ...	10,580	98	106	2	4	210	19.8	120	11.3	8	38		
Langport ...	12,400	136	127	5	7	275	22.2	150	12.1	16	58		
Long Ashton ...	17,370	170	177	12	7	366	21.1	215	12.4	18	49		
Shepton Mallet ...	9,550	91	91	5	4	191	20.0	101	10.6	10	52		
Taunton ...	16,820	185	176	10	14	385	22.9	209	12.4	22	57		
Wellington ...	5,750	66	55	5	2	128	22.3	80	13.9	5	39		
Wells ...	10,070	89	106	4	10	209	20.8	106	10.5	10	48		
Williton ...	13,410	115	108	7	7	237	20.8	146	12.8	11	46		
Wincanton ...	15,420	155	154	10	6	325	21.1	201	13.0	20	62		
Yeovil ...	16,480	185	165	8	6	364	22.1	202	12.3	13	36		

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
SOUTHAMPTON.	431,354*	5,175	4,821	285	282	10,563	24.5	4,433	10.7†	539	51
Total Urban Districts ...	201,445*	2,565	2,308	109	125	5,107	25.4	2,046	10.9†	271	53
Total Rural Districts ...	229,909*	2,610	2,513	176	157	5,456	23.7	2,387	10.6†	268	49
<i>Urban Districts.</i>											
Aldershot ...	28,430	421	375	20	20	836	29.4	230	10.9†	51	61
Alton ...	5,510	59	56	2	7	124	22.5	73	13.2	6	48
Andover, M.B. ...	8,470	104	91	6	5	206	24.3	96	11.3	12	58
Basingstoke, M.B. ...	12,640	162	131	7	11	311	24.6	138	10.9	23	74
Christchurch, M.B. ...	6,850	86	69	5	8	168	24.5	65	9.5	7	42
Eastleigh and Bishopstoke	15,630	175	159	4	7	345	22.1	135	8.6	6	17
Fareham ...	9,950	113	118	6	6	243	24.4	90	9.3†	6	25
Farnborough ...	12,400	175	163	3	6	347	28.0	109	11.5†	22	63
Fleet ...	3,606	34	37	2	—	73	20.2	40	11.1	4	55
Gosport and Alverstoke...	33,260	505	418	25	22	970	29.2	360	11.8†	49	51
Havant ...	4,359	46	30	1	2	79	18.1	46	10.6	3	38
Itchen† ...	19,745*	257	240	3	6	506	25.6	211	10.7	36	71
Lymington, M.B. ...	4,525	60	47	4	3	114	25.2	65	14.4	11	96
Petersfield ...	3,861	33	30	2	2	67	17.4	44	11.4	3	45
Romsey, M.B. ...	4,804	54	51	3	5	113	23.5	64	13.3	9	80
Warblington ...	3,945	39	49	2	—	90	22.8	35	8.9	3	33
Winchester, M.B. ...	23,460	242	244	14	15	515	22.0	245	10.4	20	39
<i>Rural Districts.</i>											
Alresford ...	7,200	88	77	4	5	174	24.2	82	11.4	7	40
Alton ...	15,560	210	213	10	13	446	28.7	154	10.9†	18	40
Andover ...	11,560	156	154	9	14	333	28.8	105	9.8†	11	33
Basingstoke ...	12,410	159	149	11	7	326	26.3	122	9.8	11	34
Catherington ...	3,710	32	28	1	—	61	16.4	41	11.1	2	33
Christchurch ...	5,080	52	58	2	2	114	22.4	50	9.8	9	79
Droxford ...	12,730	131	118	13	4	266	20.9	151	11.9	12	45
Fareham ...	16,168*	161	189	13	8	371	22.9	161	10.3†	29	78
Fordingbridge ...	6,100	67	67	2	5	141	23.1	63	10.3	4	28
Hartley Wintney ...	20,140	230	213	12	14	469	23.3	206	10.2	30	64
Havant ...	6,520	67	58	6	3	134	20.6	79	12.1	9	67
Hursley ...	4,438	55	49	4	4	112	25.2	55	12.4	11	98
Kingsclere ...	8,390	85	107	6	6	204	24.3	83	9.9	10	49
Lymington ...	12,400	136	121	3	3	263	21.2	121	9.8	8	30
New Forest ...	18,190	210	208	17	14	449	24.7	184	10.1	14	31
Petersfield ...	11,460	125	117	6	8	256	22.3	138	12.0	19	74
Ringwood ...	7,270	91	72	12	6	181	24.9	74	10.2	9	50
Romsey ...	6,920	76	61	3	7	147	21.2	90	13.0	8	54
South Stoneham ...	19,133*	209	198	15	9	431	22.5	175	9.1	17	39
Stockbridge ...	6,150	75	65	9	4	153	24.9	73	11.9	10	65
Whitchurch ...	6,280	87	67	8	8	170	27.1	74	11.8	11	65
Winchester ...	12,100	108	124	10	13	255	21.1	106	9.6†	9	35
<i>STAFFORDSHIRE.</i>											
Total Urban Districts ...	712,880	9,895	9,423	410	388	20,116	28.2	8,710	12.2†	1,734	86
Total Rural Districts ...	495,203	7,171	6,903	254	239	14,567	29.4	6,242	12.6	1,279	88
<i>Urban Districts.</i>											
Amblecote ...	3,209	38	38	3	1	80	24.9	37	11.5	7	88
Audley ...	14,820	195	198	11	13	417	28.1	164	11.1	32	77
Biddulph ...	7,980	106	110	7	4	227	28.4	74	9.3	11	48
Bilston ...	27,680	475	430	7	23	935	33.8	468	16.9	116	124
Brierley Hill ...	12,580	206	176	5	3	390	31.0	194	15.4	42	108
Brownhills ...	18,360	304	271	8	9	592	32.2	219	11.9	55	93
Cannock ...	32,380	476	473	19	16	984	30.4	367	11.3	86	87
Coseley ...	24,350	403	368	16	10	797	32.7	327	13.4	79	99
Darlaston ...	18,360	277	292	7	9	585	31.9	237	12.9	43	74
Heathtown or Wednes- field Heath	13,200	183	174	4	3	364	27.6	130	9.8	36	99
Kidsgrove... ..	9,530	138	117	5	5	265	27.8	102	10.7	22	83
Leek ...	17,340	195	206	15	15	431	24.9	205	11.8	42	97
Lichfield, M.B. ...	8,310	94	92	5	3	194	23.3	93	11.2	9	46
Newcastle under Lyme, M.B.	20,530	288	283	13	10	594	28.9	255	12.4	53	89
Perry Barr ...	2,725	34	38	—	5	77	28.3	37	13.6	8	104
Quarry Bank ...	7,900	106	121	3	3	233	29.5	106	13.4	25	107
Rowley Regis ...	40,390	575	598	20	15	1,208	29.9	525	13.0	111	92
Rugeley ...	4,603	60	63	4	2	129	28.0	50	10.9	11	85
Sedgley ...	17,430	260	223	9	6	498	28.6	225	12.9	45	90
Short Heath ...	4,476	76	70	2	3	151	33.7	59	13.2	14	93
Smallthorne ...	14,160	214	204	6	6	430	30.4	165	11.7	31	72
Stafford, M.B. ...	28,860	305	297	11	9	622	21.6	296	10.3	41	66
Stone ...	5,510	64	78	8	4	154	27.9	70	12.7	11	71

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Southampton 414,189*; Total Urban Districts 188,232*; Total Rural Districts 225,957*; Aldershot U.D., 21,197; Fareham U.D., 9,886; Farnborough U.D., 9,516; Gosport and Alverstoke U.D., 30,428; Alton R.D., 14,103; Andover R.D., 10,681; Fareham R.D., 15,578*; Winchester R.D., 11,074; Staffordshire, 711,715; Total Rural Districts, 216,512.

‡ Abolished on 8th November, 1920.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
STAFFORDSHIRE—cont.													
Tamworth, M.B....	8,060	111	93	3	9	216	26·8	111	13·8	21	97		
Tettenhall ...	5,500	56	58	3	—	117	21·3	61	11·1	4	34		
Tipton ...	34,310	589	534	13	13	1149	33·5	493	14·4	100	87		
Uttoxeter ...	5,360	59	76	4	3	142	26·5	67	12·5	7	49		
Wednesbury, M.B. ...	30,600	503	456	8	15	982	32·1	434	14·2	100	102		
Wednesfield ...	7,520	94	104	2	4	204	27·1	78	10·4	16	78		
Willenhall ...	19,790	277	278	13	6	574	29·0	251	12·7	39	68		
Wolstanton United ...	29,380	410	384	20	12	826	28·1	342	11·6	62	75		
Rural Districts.													
Blore Heath ...	2,261	24	28	3	3	58	25·7	26	11·5	7	121		
Cannock ...	21,560	285	256	17	15	573	26·6	231	10·7	57	99		
Cheadle ...	28,430	332	321	14	21	688	24·2	324	11·4	64	93		
Dudley ...	25	—	—	—	—	—	—	—	—	—	—		
Gnosall ...	4,618	61	54	2	3	120	26·0	59	12·8	7	58		
Kingswinford ...	22,080	335	294	14	19	662	30·0	327	14·8	75	113		
Leek ...	16,000	193	166	12	6	377	23·6	169	10·6	33	88		
Lichfield ...	29,370	376	380	23	17	796	27·1	287	10·2†	58	73		
Mayfield ...	3,908	41	37	2	4	84	21·5	37	9·5	5	60		
Newcastle under Lyme ...	6,299	90	63	6	4	163	25·9	67	10·6	15	92		
Seisdon ...	16,580	194	166	13	11	384	23·2	179	10·8	21	55		
Stafford ...	11,010	99	101	8	5	213	19·3	99	9·0	13	61		
Stoke upon Trent ...	5,030	76	73	4	4	157	31·2	67	13·3	8	51		
Stone ...	14,340	163	174	11	17	365	25·5	157	10·9	18	49		
Tamworth (part of)† ...	5,330	68	74	3	3	148	27·8	68	12·8	10	68		
Tutbury ...	8,870	86	100	7	5	198	22·3	88	9·9	15	76		
Uttoxeter ...	8,260	91	71	9	4	175	21·2	99	12·0	10	57		
Walsall ...	13,030	203	155	7	8	373	28·6	166	12·7	36	97		
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire)	676	7	7	1	—	15	22·2	18	26·6	3	200		
SUFFOLK, EAST.													
Total Urban Districts ...	205,927	2,476	2,359	163	163	5,161	25·1	2,247	11·0†	314	61		
Total Rural Districts ...	86,700	1,108	1,047	54	63	2,272	26·2	916	10·6	148	65		
	119,227	1,368	1,312	109	100	2,889	24·2	1,331	11·4†	166	57		
Urban Districts.													
Aldeburgh, M.B....	2,538	24	24	—	3	51	20·1	29	11·4	—	—		
Beccles, M.B. ...	6,980	87	77	6	3	173	24·8	84	12·0	19	110		
Bungay ...	3,099	29	33	4	8	74	23·9	46	14·8	4	54		
Eye, M.B....	1,781	24	16	—	3	43	24·1	23	12·9	1	23		
Felixstowe ...	9,390	101	100	2	12	215	22·9	90	9·6	16	74		
Halesworth ...	2,069	23	27	—	—	50	24·2	33	15·9	8	160		
Leiston cum Sizewell ...	4,631	54	56	2	—	112	24·2	37	8·0	4	36		
Lowestoft, M.B. ...	43,330	614	588	29	21	1252	28·9	435	10·0	80	64		
Saxmundham ...	1,346	18	18	—	2	38	28·2	12	8·9	—	—		
Southwold, M.B....	2,782	28	26	3	—	57	20·5	36	12·9	5	88		
Stowmarket ...	4,203	45	43	4	6	98	23·3	34	8·1	2	20		
Woodbridge ...	4,551	61	39	4	5	109	24·0	57	12·5	9	83		
Rural Districts.													
Blything ...	17,510	204	180	13	12	409	23·4	199	11·4	26	64		
Bosmere and Claydon ...	13,730	171	172	13	11	367	26·7	164	11·9	26	71		
East Stow ...	6,260	77	76	5	5	163	26·0	55	8·8	6	37		
Hartismere ...	10,760	132	99	12	12	255	23·7	119	11·1	16	63		
Hoxne ...	9,490	113	104	13	14	244	25·7	112	11·8	9	37		
Mutford and Lothingland	11,640	155	164	7	12	338	29·0	102	8·8	17	50		
Plomesgate ...	14,790	165	173	22	9	369	24·9	190	12·8	23	62		
Samford ...	14,550	146	131	2	8	287	19·7	159	12·8†	13	45		
Wangford... ..	4,537	41	56	11	5	113	24·9	49	10·8	8	71		
Woodbridge ...	15,960	164	157	11	12	344	21·6	182	11·4	22	64		
SUFFOLK, WEST.													
Total Urban Districts ...	108,387	1,254	1,237	95	85	2,671	24·6	1,267	11·7	139	52		
Total Rural Districts ...	41,285	479	477	34	28	1,018	24·7	461	11·2	48	47		
	67,102	775	760	61	57	1,653	24·6	806	12·0	91	55		
Urban Districts.													
Bury St. Edmunds, M.B.	15,920	175	199	16	11	401	25·2	182	11·4	10	25		
Glemsford ...	1,439	21	18	1	1	41	28·5	14	9·7	3	73		
Hadleigh ...	3,000	38	36	4	—	78	26·0	34	11·3	5	64		
Haverhill ...	4,106	52	44	2	3	101	24·6	36	8·8	6	59		
Newmarket ...	9,750	104	106	4	7	221	22·7	98	10·1	11	50		
Sudbury, M.B. ...	7,070	89	74	7	6	176	24·9	97	13·7	13	74		

† Death-rates based upon estimated civilian populations as follows:—Lichfield R.D., 28,205; Suffolk East, 203,752; Total Rural Districts, 117,052; Samford R.D., 12,375.

‡ The remainder of Tamworth Rural District is in Warwickshire; see page 110.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
SUFFOLK, WEST—cont.													
Rural Districts.													
Brandon	5,630	77	75	6	7	165	29·3	70	12·4	9	55		
Clare	7,330	86	77	11	5	179	24·4	111	15·1	12	67		
Cosford	10,310	111	113	5	12	241	23·4	122	11·8	14	58		
Melford	12,090	109	138	10	9	266	22·0	163	13·5	19	71		
Mildenhall	7,990	95	98	7	5	205	25·7	88	11·0	16	78		
Moulton	2,162	20	24	2	1	47	21·7	28	13·0	1	21		
Thedwastre	8,340	98	91	6	5	200	24·0	91	10·9	7	35		
Thingoe	13,250	179	144	14	13	350	26·4	133	10·0	13	37		
SURREY.													
Total Urban Districts ...	564,625	5,945	5,540	303	281	12,069	21·4	5,411	9·6†	615	51		
Total Rural Districts ...	163,220	1,557	1,513	105	83	3,258	20·0	1,483	9·2†	144	44		
Urban Districts.													
Barnes	33,740	367	378	12	20	777	23·0	384	11·4	52	67		
Beddington & Wallington	16,030	155	140	6	4	305	19·0	148	9·2	18	59		
Carshalton	13,920	136	122	2	9	269	19·3	108	7·8	12	45		
Caterham	11,680	106	95	8	3	212	18·2	85	8·1†	18	85		
Chertsey	14,860	191	156	11	4	362	24·4	151	10·2	16	44		
Coulsdon and Purley ...	20,970	157	131	6	9	303	14·4	141	6·7	8	26		
Dorking	7,890	79	74	9	5	167	21·2	100	12·7	9	54		
East and West Molesey...	7,130	97	72	1	4	174	24·4	77	10·8	5	29		
Egham	13,460	166	121	14	7	308	22·9	140	10·4	19	62		
Epsom†	18,730	152	126	12	6	296	15·8	127	6·8	14	47		
Esher and the Dittons ...	14,140	137	150	7	3	297	21·0	119	8·4	8	27		
Farnham	12,020	148	134	9	4	295	24·5	141	11·7	14	47		
Frimley	13,330	136	135	10	4	285	21·4	120	10·7†	10	35		
Godalming, M.B.	9,120	86	99	5	5	195	21·4	101	11·1	6	31		
Guildford, M.B.	24,530	275	273	11	17	576	23·5	242	9·9	19	33		
Ham	1,507	19	17	—	1	37	24·6	13	8·6	2	54		
Haslemere	3,721	42	36	2	2	82	22·0	37	9·9	2	24		
Kingston on Thames, M.B.	39,190	441	431	29	22	923	23·6	437	11·2	59	64		
Leatherhead	5,710	56	59	3	1	119	20·8	41	7·2	4	34		
Merton and Morden ...	17,310	204	198	4	4	410	23·7	146	8·4	27	66		
Mitcham	35,070	509	456	15	20	1,000	28·5	334	9·5	50	50		
Reigate, M.B.	28,560	271	275	16	9	571	20·0	280	9·8	24	42		
Richmond, M.B.	34,980	342	338	26	29	735	21·0	406	11·6	42	57		
Sarbiton	19,210	185	187	18	9	399	20·8	225	11·7	28	70		
Sutton	20,790	246	192	12	13	463	22·3	205	9·9	14	30		
The Maldens and Coombe	14,320	144	128	5	10	287	20·0	117	8·2	13	45		
Walton upon Thames ...	14,210	133	148	7	4	292	20·5	118	8·3	19	65		
Weybridge	6,470	35	58	2	7	102	15·8	61	9·4	7	69		
Wimbledon, M.B.	61,300	586	505	25	28	1,144	18·7	557	9·1	70	61		
Windlesham	4,667	54	49	—	2	105	22·5	47	10·1	3	29		
Woking	26,060	290	257	16	16	579	22·2	203	7·8	23	40		
Rural Districts.													
Chertsey	10,900	117	111	8	5	241	22·1	113	10·4	19	79		
Dorking	10,130	87	108	4	8	207	20·4	115	11·4	12	58		
Epsom	33,390	287	291	13	13	604	18·1	279	8·4	30	50		
Farnham	17,750	205	196	17	11	429	24·2	158	8·9	15	35		
Godstone	24,800	219	231	18	15	483	19·5	237	9·6	13	27		
Guildford	21,410	209	161	16	8	394	18·4	182	9·2†	15	38		
Hambledon	22,560	212	211	13	9	445	19·7	194	8·6	25	56		
Reigate	22,280	221	204	16	14	455	20·4	205	9·2	15	33		
SUSSEX, EAST.													
Total Urban Districts ...	121,813	1,094	1,101	71	76	2,342	19·2	1,343	11·0†	105	45		
Total Rural Districts ...	128,690	1,273	1,276	76	77	2,702	21·0	1,294	10·2†	129	48		
Urban Districts.													
Battle	2,873	31	20	1	3	55	19·1	31	10·8	3	55		
Bexhill, M.B.	17,570	140	122	10	9	281	16·0	172	9·8	12	43		
Burgess Hill	5,510	64	43	2	1	110	20·0	87	15·8	8	73		
Cuckfield	1,865	15	26	—	1	42	22·5	17	9·1	1	24		
East Grinstead	7,130	63	76	4	10	153	21·5	71	10·0	4	26		
Hayward's Heath	4,976	44	48	3	3	98	19·7	58	11·7	4	41		
Hove, M.B.	44,170	320	345	25	29	719	16·3	535	12·1	35	49		
Lewes, M.B.	10,630	123	106	2	6	237	22·3	108	10·2	10	42		
Newhaven	6,400	60	67	4	5	136	21·3	59	9·2	5	37		
Portslade by Sea	7,580	100	121	7	5	233	30·7	77	10·2	10	43		
Rye, M.B.	3,798	33	43	5	1	82	21·6	50	13·2	4	49		
Seaford	5,990	58	44	3	1	106	17·7	34	5·8†	5	47		
Uckfield	3,321	43	40	5	2	90	27·1	44	13·2	4	44		

† Death-rates based upon estimated civilian populations as follows:—Surrey, 722,915; Total Urban Districts, 561,378; Total Rural Districts, 161,537; Caterham U.D., 10,550; Frimley U.D., 11,213; Guildford R.D., 19,727; Sussex East, 248,121; Total Urban Districts, 121,673; Total Rural Districts, 126,448; Seaford U.D., 5,850.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
SUSSEX, EAST— <i>cont.</i>													
<i>Rural Districts.</i>													
Battle	6,170	55	70	4	7	136	22.0	63	10.2	5	37		
Chailey	12,480	150	136	5	2	293	23.5	120	9.6	9	31		
Cuckfield	16,260	169	154	5	12	340	20.9	174	10.7	14	41		
Eastbourne	5,590	54	59	1	1	115	20.6	58	10.4	6	52		
East Grinstead	13,410	150	148	10	4	312	23.3	130	9.7	13	42		
Hailsham	18,180	190	182	13	14	399	21.9	210	11.6	23	58		
Hastings	1,826	11	16	3	2	32	17.5	19	10.4	—	—		
Newhaven... ..	5,810	65	44	2	—	111	19.1	35	6.0	6	54		
Rye	6,780	82	47	7	9	145	21.4	71	10.5	6	41		
Steyning East	3,464	22	13	—	2	37	10.7	34	9.8	2	54		
Ticehurst	12,740	114	136	6	8	264	20.7	156	12.2	15	57		
Uckfield	25,980	211	271	20	16	518	19.9	224	9.4†	30	58		
SUSSEX, WEST.													
Total Urban Districts ...	89,654	857	827	60	62	1,806	20.1	1,048	11.7†	84	47		
Total Rural Districts ...	94,270	990	925	54	60	2,029	21.5	971	10.3	103	51		
<i>Urban Districts.</i>													
Arundel, M.B.	2,621	22	35	4	1	62	23.7	25	9.5	6	97		
Bognor	11,460	87	70	7	8	172	15.0	111	9.7	7	41		
Chichester, M.B.	12,320	142	128	8	11	289	23.5	148	12.0	13	45		
Horsham	11,310	120	125	9	10	264	23.3	126	11.1	12	45		
Littlehampton	8,670	82	75	4	12	173	20.0	101	11.6	9	52		
Shoreham by Sea	7,010	76	58	4	5	143	20.4	59	8.9†	9	63		
Southwick	4,773	66	45	5	4	120	25.1	44	9.2	5	42		
Worthing, M.B.	31,490	262	291	19	11	583	18.5	434	13.8	23	39		
<i>Rural Districts.</i>													
East Preston	7,050	75	59	6	2	142	20.1	57	8.1	5	35		
Horsham	21,050	211	200	14	9	434	20.6	210	10.0	21	48		
Midhurst	14,500	140	135	10	13	298	20.6	161	11.1	14	47		
Petworth	7,940	84	91	5	7	187	23.6	91	11.5	4	21		
Steyning West	9,760	119	91	5	1	216	22.1	105	10.8	16	74		
Thakeham	8,080	77	83	5	10	175	21.7	83	10.3	9	51		
Westbourne	8,760	106	96	3	8	213	24.3	111	12.7	16	75		
Westhampnett	17,130	178	170	6	10	364	21.2	153	8.9	18	49		
WARWICKSHIRE.													
Total Urban Districts ...	339,656	4,255	3,884	179	191	8,509	25.1	3,586	10.6†	551	65		
Total Urban Districts ...	148,712	1,819	1,622	85	88	3,614	24.3	1,581	10.6	234	65		
Total Rural Districts ...	190,944	2,436	2,262	94	103	4,895	25.6	2,005	10.5†	317	65		
<i>Urban Districts.</i>													
Bulkington	2,222	29	23	—	3	55	24.8	32	14.4	10	182		
Kenilworth	6,640	87	75	4	5	171	25.8	80	12.0	8	47		
Nuneaton, M.B.	42,060	613	567	26	19	1,225	29.1	397	9.4	101	82		
Royal Leamington Spa M.B.	28,430	350	274	24	25	673	23.7	382	13.4	44	65		
Rugby	25,040	269	231	9	13	522	20.8	232	9.3	23	44		
Stratford on Avon, M.B.	8,910	89	99	9	5	202	22.7	105	11.8	11	54		
Sutton Coldfield, M.B. ...	22,690	238	203	3	4	448	19.7	203	8.9	14	31		
Warwick, M.B.	12,720	144	150	10	14	318	25.0	150	11.8	23	72		
<i>Rural Districts.</i>													
Alcester	12,170	123	119	5	7	254	20.9	137	11.3	21	83		
Atherstone	20,830	359	319	12	14	704	33.8	239	11.5	52	74		
Brailes	5,630	56	44	3	3	106	18.8	66	11.7	5	47		
Coventry	5,090	53	50	1	1	105	20.6	15	3.1†	6	57		
Farnborough	1,385	11	15	2	—	28	20.2	13	9.4	—	—		
Foleshill	33,130	552	504	15	16	1,087	32.8	313	9.4	87	80		
Meriden	16,860	167	148	8	6	329	19.5	153	9.1	19	58		
Monks Kirby	1,494	20	11	1	2	34	22.8	17	11.4	4	118		
Nuneaton	3,345	58	55	1	4	118	35.3	43	12.9	8	68		
Rugby	19,220	256	224	8	12	500	26.0	214	11.1	24	48		
Solihull	20,740	189	185	8	5	387	18.7	224	10.8	17	44		
Southam	9,880	141	121	10	6	278	28.1	131	13.3	18	65		
Stratford on Avon	10,680	107	128	5	4	244	22.8	139	13.0	10	41		
Tamworth (part of) ‡ ...	17,880	231	229	11	14	485	27.1	166	9.3	32	66		
Warwick	12,610	113	110	4	9	236	18.7	135	10.7	14	59		
WESTMORLAND.													
Total Urban Districts ...	61,355	609	597	44	54	1,304	21.3	843	13.7	86	66		
Total Urban Districts ...	26,465	257	244	13	29	543	20.5	375	14.2	39	72		
Total Rural Districts ...	34,890	352	353	31	25	761	21.8	468	13.4	47	62		
<i>Urban Districts.</i>													
Ambleside... ..	2,304	18	23	—	1	42	18.2	27	11.7	5	119		
Appleby, M.B.	1,641	18	17	2	2	39	23.8	26	15.8	4	103		
Grasmere	855	4	10	1	1	16	18.7	13	15.2	—	—		

† Death-rates based upon estimated civilian populations as follows:—Uckfield R.D., 23,738; Sussex West, 183,578; Total Urban Districts, 89,308; Shoreham by Sea U.D., 6,664; Warwickshire, 339,368; Total Rural Districts, 190,656; Coventry R.D., 4,802.

‡ The remainder of Tamworth Rural District is in Staffordshire; see page 108.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
WESTMORLAND—cont.													
Kendal, M.B. ...	14,100	148	147	8	21	324	23·0	220	15·6	22	68		
Kirkby Lonsdale ...	1,369	11	11	—	1	23	16·8	16	11·7	—	—		
Shap ...	986	10	5	1	3	19	19·3	13	13·2	2	105		
Windermere ...	5,210	48	31	1	—	80	15·4	60	11·5	6	75		
Rural Districts.													
East Westmorland ...	10,570	115	123	8	5	251	23·7	143	13·5	18	72		
South Westmorland ...	18,360	175	165	15	11	366	19·9	245	13·3	23	63		
West Ward ...	5,960	62	65	8	9	144	24·2	80	13·4	6	42		
WIGHT, ISLE OF.													
Total Urban Districts ...	84,759	893	821	55	50	1,819	21·5	1,121	13·2	93	51		
Rural District ...	55,419	581	560	40	36	1,217	22·0	820	14·8	61	50		
Urban Districts.													
Cowes ...	9,920	93	97	5	3	198	20·0	129	13·0	9	45		
East Cowes ...	4,646	57	56	4	1	118	25·4	66	14·2	7	59		
Newport, M.B. ...	10,930	144	148	9	8	309	28·3	141	12·9	14	45		
Ryde, M.B. ...	10,390	97	98	5	14	214	20·6	182	17·5	11	51		
St. Helens ...	4,863	54	43	3	4	104	21·4	71	14·6	6	58		
Sandown ...	5,420	49	58	3	1	111	20·5	82	15·1	5	45		
Shanklin ...	4,291	38	25	5	4	72	16·8	63	14·7	4	56		
Ventnor ...	4,959	49	35	6	1	91	18·4	86	17·3	5	55		
Rural District.													
Isle of Wight ...	29,340	312	261	15	14	602	20·5	301	10·3	32	53		
WILTSHIRE.													
Total Urban Districts ...	289,844	3,297	2,962	175	199	6,633	22·9	3,128	11·0†	367	55		
Total Rural Districts ...	132,634	1,460	1,349	66	83	2,958	22·3	1,482	11·2	181	61		
Urban Districts.													
Bradford on Avon ...	157,210	1,837	1,613	109	116	3,675	23·4	1,646	10·9†	186	51		
Calne, M.B. ...	4,631	49	48	1	3	101	21·8	56	12·1	8	79		
Chippenham, M.B. ...	3,633	32	36	3	—	71	19·5	44	12·1	1	14		
Devizes, M.B. ...	7,710	70	84	2	2	158	20·5	70	9·1	11	70		
Malmesbury, M.B. ...	5,950	86	62	1	4	153	25·7	78	13·1	10	65		
Marlborough, M.B. ...	2,404	29	22	1	2	54	22·5	40	16·6	3	56		
Melksham... ..	4,123	30	34	5	4	73	17·7	46	11·2	4	55		
Salisbury, M.B. ...	3,576	46	34	—	1	81	22·7	35	9·8	1	12		
Swindon, M.B. ...	22,500	259	226	19	17	521	23·2	218	9·7	25	48		
Trowbridge ...	55,000	622	575	20	29	1,246	22·7	624	11·3	86	69		
Warminster ...	12,040	124	126	6	9	265	22·0	152	12·6	17	64		
Westbury... ..	5,390	56	48	4	11	119	22·1	62	11·5	7	59		
Wilton, M.B. ...	3,680	26	33	4	—	63	17·1	31	8·4	2	32		
Rural Districts.													
Amesbury ...	1,997	31	21	—	1	53	26·5	26	13·0	6	113		
Bradford on Avon ...	15,110	155	147	6	5	313	20·7	96	9·8†	19	61		
Calne ...	5,420	65	54	3	3	125	23·1	57	10·5	4	32		
Chippenham ...	4,553	41	43	2	5	91	20·0	48	10·5	5	55		
Cricklade and Wootton Bassett	14,330	181	158	13	10	362	25·3	177	12·4	18	50		
Devizes ...	10,590	136	130	8	6	280	26·4	127	12·0	19	68		
Highworth ...	12,190	146	120	4	9	279	22·9	137	11·2	17	61		
Malmesbury ...	15,780	200	149	17	16	382	24·2	160	10·1	22	58		
Marlborough ...	8,430	89	77	7	4	177	21·0	105	12·5	10	56		
Melksham... ..	4,121	51	41	8	5	105	25·5	45	10·9	5	48		
Mere ...	4,989	59	42	4	3	108	21·6	34	6·8	5	46		
Pewsey ...	4,618	52	43	2	4	101	21·9	52	11·3	5	50		
Ramsbury ...	12,940	177	156	10	14	357	27·6	124	10·5†	18	50		
Salisbury ...	6,203	66	62	5	7	140	22·6	68	11·0	4	29		
Tetbury (part of)† ...	10,050	113	94	6	6	219	21·8	100	10·0	9	41		
Tisbury ...	366	3	4	—	—	7	19·1	1	2·7	—	—		
Warminster ...	7,130	79	59	5	3	146	20·5	86	12·1	8	55		
Westbury and Whorwells-down	5,940	72	64	2	5	143	24·1	69	11·6	9	63		
Wilton ...	6,540	70	69	3	2	144	22·0	90	13·8	4	28		
WORCESTERSHIRE.													
Total Urban Districts ...	298,489	3,442	3,344	149	130	7,065	23·7	3,462	11·6	443	63		
Total Rural Districts ...	165,237*	1,963	1,893	87	72	4,015	24·3	1,938	11·7	235	71		
Urban Districts.													
Bewdley, M.B. ...	133,252*	1,479	1,451	62	58	3,050	22·9	1,524	11·4	153	52		
Bromsgrove ...	2,654	37	40	1	1	79	29·8	37	13·9	6	76		
Droitwich, M.B. ...	9,430	140	119	7	9	275	29·2	99	10·5	14	51		
Evesham, M.B. ...	3,883	49	36	3	3	91	23·4	60	15·5	4	44		
	8,560	100	104	4	3	211	24·6	80	9·3	8	38		

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Wiltshire, 283,372; Total Rural Districts, 150,738; Amesbury R.D., 9,769; Pewsey R.D., 11,809.

‡ The remainder of Tetbury Rural District is in Gloucestershire; see page 96.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
WORCESTERSHIRE—cont.													
Kidderminster, M.B. ...	27,230	309	289	15	18	631	23·2	351	12·9	51	81		
Lye and Wollescote ...	12,140	162	185	5	2	354	29·2	172	14·2	30	85		
Malvern ...	16,970	127	131	8	13	279	16·4	172	10·1	11	39		
North Bromsgrove ...	8,320	83	83	2	3	171	20·6	88	10·6	10	58		
Oldbury ...	37,220	540	487	19	9	1,055	28·3	441	11·8	88	83		
Redditch ...	16,360	165	171	5	5	346	21·1	163	10·0	20	58		
Stourbridge, M.B. ...	18,070	202	201	16	4	423	23·4	219	12·1	34	80		
Stourport ...	4,400*	49	47	2	2	100	22·7	56	12·7	9	90		
Rural Districts.													
Bromsgrove ...	16,740	182	164	6	7	359	21·4	176	10·5	13	36		
Droitwich ...	13,040*	123	124	5	7	259	19·9	159	12·2	13	50		
Evesham ...	9,600	105	106	4	7	222	23·1	100	10·4	9	41		
Feckenham ...	5,460	55	45	1	2	103	18·9	74	13·6	7	68		
Halesowen ...	28,460	396	431	9	4	840	29·5	314	11·0	51	61		
Kidderminster ...	7,460	77	80	2	2	161	21·6	93	12·5	9	56		
Martley ...	12,240	140	109	12	9	270	22·1	147	12·0	16	59		
Pershore ...	12,750	150	140	9	8	307	24·1	141	11·1	14	46		
Rock ...	2,150	15	16	2	1	34	15·8	30	14·0	2	59		
Shipston on Stour ...	4,230	40	41	4	2	87	20·6	54	12·8	4	46		
Stow on the Wold (part of)†	288	1	4	—	—	5	17·4	4	13·9	1	200		
Tenbury ...	4,400	49	35	1	—	85	19·3	53	12·0	4	47		
Tewkesbury (part of)† ...	2,098	11	20	1	2	34	16·2	23	11·0	3	88		
Upton on Severn ...	13,210	117	126	6	5	254	19·2	138	10·4	10	39		
Winchcomb (part of)† ...	105	—	1	—	—	1	9·5	—	—	—	—		
Civil Parishes of Redmarley d'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire)	1,021	18	9	—	2	29	28·4	18	17·6	2	69		
YORKSHIRE, EAST RIDING.													
Total Urban Districts ...	161,580	1,894	1,708	141	118	3,861	23·9	1,953	12·1‡	258	67		
Total Rural Districts ...	64,049	704	701	47	53	1,505	23·5	888	13·9	108	72		
Urban Districts.	97,531	1,190	1,007	94	65	2,356	24·2	1,065	11·0‡	150	64		
Beverley, M.B. ...	13,450	175	166	13	14	368	27·4	208	15·5	34	92		
Bridlington, M.B. ...	15,150	128	180	16	14	338	22·3	223	14·7	27	80		
Cottingham ...	5,104	51	42	—	2	95	18·6	60	11·8	4	42		
Filey ...	3,353	35	39	2	3	79	23·6	36	10·7	3	38		
Great Driffield ...	5,640	68	56	4	10	138	24·5	87	15·4	8	58		
Hedon, M.B. ...	1,323	18	9	—	—	27	20·4	24	18·1	2	74		
Hessle ...	6,050	70	63	5	1	139	23·0	72	11·9	8	58		
Hornsea ...	3,677	42	33	1	1	77	20·9	40	10·9	4	52		
Norton ...	3,820	49	59	4	2	114	29·8	50	13·1	7	61		
Pocklington ...	2,606	34	27	2	5	68	26·1	37	14·2	7	103		
Withernsea ...	3,876	34	27	—	1	62	16·0	51	13·2	4	65		
Rural Districts.													
Beverley ...	11,670	137	106	9	4	256	21·9	107	9·2	7	27		
Bridlington ...	7,750	85	68	8	3	164	21·2	99	12·8	23	140		
Driffield ...	11,510	152	134	12	11	309	26·8	132	11·5	16	52		
Eserick ...	5,830	65	59	8	5	137	23·5	59	10·1	8	58		
Howden ...	12,830	159	141	18	17	335	26·1	150	12·0‡	22	66		
Norton ...	5,280	69	54	12	5	140	26·5	64	12·1	7	50		
Pattingham ...	7,370	98	100	3	3	204	27·7	84	11·4	12	59		
Pocklington ...	10,730	129	110	15	9	263	24·5	132	12·3	18	68		
Riccall ...	5,260	57	58	2	1	118	22·4	46	8·7	9	76		
Sculcoates... ..	10,250	113	89	3	1	206	20·1	103	10·0	9	44		
Sherburn ...	2,041	38	20	2	5	65	31·8	18	8·8	3	46		
Skirlaugh ...	7,010	88	68	2	1	159	22·7	71	10·1	16	101		
YORKSHIRE, NORTH RIDING.													
Total Urban Districts ...	307,705	3,824	3,536	250	274	7,884	25·6	4,002	13·1‡	625	79		
Total Rural Districts ...	171,207*	2,346	2,130	136	155	4,767	27·8	2,329	13·6‡	421	88		
Urban Districts.	136,498*	1,478	1,406	114	119	3,117	22·8	1,673	12·3‡	204	65		
Eston ...	30,549	506	467	19	26	1,018	33·3	447	14·6	116	114		
Guiseborough ...	7,030	125	94	4	12	235	33·4	105	14·9	20	85		
Hinderwell ...	2,521	31	26	4	1	62	24·6	33	13·1	6	97		
Kirklington cum Upsland	232	3	4	—	—	7	30·2	3	12·9	—	—		
Loftus ...	8,980	152	107	7	8	274	30·5	100	11·1	20	73		
Malton ...	4,357	52	46	5	7	110	25·2	47	10·8	3	27		
Masham ...	2,033	22	27	5	2	56	27·5	32	15·7	6	107		

* Populations adjusted to allow for changes in boundary during the year.

† The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire; see page 96.

‡ Death-rates based upon estimated civilian populations as follows:—Yorkshire East Riding, 161,294; Total Rural Districts, 97,245. Howden R.D., 12,544; Yorkshire North Riding, 306,479; Total Urban Districts, 170,909*; Total Rural Districts, 135,570*.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
YORKSHIRE, NORTH RIDING— <i>cont.</i>													
Northallerton	4,716	58	47	7	4	116	24·6	70	14·8	11	95		
Pickering	3,416	29	33	10	9	81	23·7	50	14·6	5	62		
Redcar	13,699*	169	164	6	6	345	25·2	140	10·2	22	64		
Richmond, M.B.	3,728	59	44	4	3	110	29·5	53	15·5†	10	91		
Saltburn by the Sea	3,826	46	32	4	2	84	22·0	43	11·2	5	60		
Scalby	1,390	6	7	—	—	13	9·4	16	11·5	2	154		
Scarborough, M.B.	37,390	380	336	20	33	769	20·6	498	13·3	53	69		
Skelton and Brotton	15,630	226	237	14	16	493	31·5	191	12·2	31	63		
Thornaby on Tees, M.B.	19,880	330	306	17	17	670	33·7	332	16·7	88	131		
Whitby	11,830	152	153	10	9	324	27·4	169	14·3	23	71		
<i>Rural Districts.</i>													
Aysgarth	4,171	46	42	7	2	97	23·3	61	14·6	6	62		
Bedale	6,470	69	66	2	5	142	21·9	93	14·4	15	106		
Croft	2,183	21	27	3	1	52	23·8	30	13·7	5	96		
Easingwold	9,720	115	115	12	6	248	25·5	105	10·8	16	65		
Flaxton	9,700	92	79	5	6	182	18·8	86	8·9	8	44		
Guisborough	9,722*	136	106	6	8	256	26·3	108	11·1	17	66		
Helmsley	4,897	57	44	11	4	116	23·7	47	9·6	6	52		
Kirkby Moorside	4,731	42	41	6	11	100	21·1	70	14·8	5	50		
Leyburn	6,100	51	57	2	5	115	18·9	76	12·5	6	52		
Malton	5,740	50	51	8	6	115	20·0	85	14·8	6	52		
Middlesbrough	2,369	20	29	3	5	57	24·1	25	10·6	3	53		
Northallerton	7,460	85	83	8	9	185	24·8	99	13·3	13	70		
Pickering	5,890	65	72	6	3	146	24·8	86	14·6	11	75		
Reeth	2,357	19	21	—	2	42	17·8	27	11·5	1	24		
Richmond	9,150	96	92	2	5	195	21·3	92	11·2†	17	87		
Scarborough	6,080	69	50	3	3	125	20·6	71	11·7	2	16		
Startforth	4,634	56	52	3	2	113	24·4	79	17·0	9	80		
Stokesley	12,320	150	150	7	12	319	25·9	157	12·7	17	53		
Thirsk	12,200	129	129	11	12	281	23·0	152	12·5	26	93		
Wath	2,034	19	23	2	4	48	23·6	30	14·7	6	125		
Whitby	8,570	91	77	7	8	183	21·4	94	11·0	9	49		
YORKSHIRE, WEST RIDING.													
Total Urban Districts	1,506,467*	18,481	17,535	902	935	37,853	25·1	18,933	12·6†	3,472	92		
Total Rural Districts	1,105,243	13,119	12,534	622	655	26,930	24·4	14,224	12·9†	2,496	93		
<i>Urban Districts.</i>	401,224*	5,362	5,001	280	280	10,923	27·2	4,709	11·7	976	89		
Adwick le Street	11,780	195	161	—	9	365	31·0	86	7·3	24	66		
Altofts	5,080	68	51	1	2	122	24·0	42	8·3	11	90		
Ardsley	7,040	109	115	5	9	238	33·8	87	12·4	25	105		
Ardsley East and West	8,520	104	94	5	1	204	23·9	111	13·0	26	127		
Baildon	6,550	73	58	2	1	134	20·5	89	13·6	6	45		
Barkisland	1,595	13	17	—	—	30	18·8	18	11·3	—	—		
Barnoldswick	12,100	129	118	4	4	255	21·1	134	11·1	23	90		
Batley, M.B.	36,650	430	408	20	30	888	24·2	484	13·2	74	83		
Bentley with Arksey	13,000	230	196	11	7	444	34·2	133	10·2	40	90		
Bingley	19,060	193	177	11	14	395	20·7	262	13·7	34	86		
Birkenshaw	2,754	29	30	3	2	64	23·2	36	13·1	5	78		
Birstal	7,180	72	85	6	6	169	23·5	89	12·4	18	107		
Bolton upon Dearne	11,940	214	191	8	8	421	35·3	158	13·2	46	109		
Brighouse, M.B.	20,500	191	214	8	8	421	20·5	268	13·1	30	71		
Burley in Wharfedale	3,788	33	32	—	1	66	17·4	40	10·6	6	91		
Calverley	3,386	25	32	—	1	58	17·1	39	11·5	3	52		
Castleford	24,290	354	372	16	15	757	31·2	310	12·8	96	127		
Clayton	5,150	44	37	4	—	85	16·5	61	11·8	6	71		
Clayton West	1,993	17	21	2	—	40	20·1	18	9·0	4	100		
Cudworth	7,620	135	141	8	8	292	38·3	83	10·9	27	92		
Darfield	5,580	84	72	8	6	170	30·5	66	11·8	18	106		
Darton	11,340	178	178	11	3	370	32·6	153	13·5	38	103		
Denby and Cumberworth	3,675	30	34	2	1	67	18·2	33	9·0	5	75		
Denholme	2,981	27	28	1	2	58	19·5	41	13·8	5	86		
Dodworth	3,332	66	43	3	2	114	34·2	42	12·6	13	114		
Doncaster, M.B.	54,100	697	652	47	31	1,427	26·4	663	12·3	143	100		
Drighlington	4,143	42	33	2	3	80	19·3	59	14·2	6	75		
Earby	5,940	82	69	2	3	156	26·3	78	13·1	10	64		
Elland	10,720	96	93	6	8	203	18·9	165	15·4	25	123		
Emley	1,712	28	20	—	1	49	28·6	25	14·6	4	82		
Farnley Tyas	461	6	5	—	—	11	23·9	5	10·8	—	—		

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Richmond M.B., 3,430; Richmond R.D., 8,222; Yorkshire West Riding, 1,506,064*; Total Urban Districts, 1,104,840.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
YORKSHIRE, WEST RIDING— <i>cont.</i>													
Farsley	6,180	56	59	2	—	117	18·9	83	13·4	8	68		
Featherstone	14,870	244	228	8	10	490	33·0	254	17·1	65	133		
Flockton	1,398	16	11	—	—	27	19·3	9	6·4	1	37		
Garforth	3,920	44	40	2	—	86	21·9	48	12·2	8	93		
Gildersome	2,904	22	30	1	1	54	18·6	37	12·7	5	93		
Golcar	10,540	108	99	4	2	213	20·2	135	12·8	16	75		
Goole	19,080	314	277	16	17	624	32·7	276	14·5	48	77		
Greasbrough	3,178	33	46	—	—	79	24·9	36	11·3	10	127		
Greetland	4,422	29	31	1	4	65	14·7	51	11·5	1	15		
Guiselley	5,380	55	57	—	5	117	21·7	50	9·3	8	68		
Gunthwaite and Ingbirchworth	327	7	4	—	—	11	33·6	3	9·2	2	182		
Handsworth	15,870	224	224	7	10	465	29·3	199	12·5	46	99		
Harrogate, M.B.	34,370	272	280	30	37	619	18·0	422	12·3	36	58		
Haworth	6,700	64	49	—	1	114	17·0	104	15·5	11	96		
Hebden Bridge	6,590	60	49	2	1	112	17·0	91	13·8	8	71		
Heckmondwike	9,090	102	89	3	9	203	22·3	147	16·2	22	108		
Hipperholme	4,796	37	51	1	3	92	19·2	50	10·4	4	43		
Holme	352	3	4	—	—	7	19·9	6	17·0	—	—		
Holmfirth	10,550	103	99	5	9	216	20·5	146	13·8	20	93		
Honley	4,771	58	17	1	—	76	15·9	74	15·5	9	118		
Horbury	7,890	91	99	3	2	195	24·7	98	12·4	13	67		
Horsforth	9,380	85	80	1	4	170	18·1	101	10·8	17	100		
Hoyland Nether	14,980	225	209	11	11	456	30·4	197	13·2	44	96		
Hoyland Swaine	679	6	9	—	—	15	22·1	8	11·8	—	—		
Hunsworth	1,341	9	13	1	1	24	17·9	22	16·4	2	83		
Ilkley	8,550	61	81	5	4	151	17·7	91	10·6	7	46		
Keighley, M.B.	42,400	393	374	18	15	800	18·9	628	14·8	67	84		
Kirkburton	3,429	42	33	1	2	78	22·7	46	13·4	4	51		
Kirkheaton	2,728	26	33	—	1	60	22·0	37	13·6	5	83		
Knarborough	5,308	52	54	7	10	123	23·2	57	10·7	8	65		
Knottingley	6,710	102	115	7	8	232	34·6	117	17·4	22	95		
Lepton	3,207	23	30	—	2	55	17·1	47	14·7	3	55		
Linthwaite	9,940	104	107	5	4	220	22·1	139	14·0	20	91		
Luddenden Foot	2,861	31	23	1	—	55	19·2	42	14·7	1	18		
Marsden	6,010	65	55	3	1	124	20·6	80	13·3	9	73		
Meltham	5,070	42	46	2	2	92	18·1	66	13·0	5	54		
Methley	4,523	71	63	2	1	137	30·3	50	11·1	13	95		
Mexborough	15,390	215	242	8	7	472	30·7	197	12·8	50	106		
Midgley	1,994	17	13	1	1	32	16·0	28	14·0	7	219		
Mirfield	12,240	139	113	6	10	268	21·9	141	11·5	21	78		
Monk Bretton	5,090	78	87	4	5	174	34·2	64	12·6	21	121		
Morley, M.B.	24,220	274	237	17	9	537	22·2	307	12·7	46	86		
Mytholmroyd	4,189	25	33	2	1	61	14·6	36	8·6	4	66		
New Mill	4,487	55	47	2	4	108	24·1	56	12·5	6	56		
Normanton	15,890	206	222	11	10	449	28·3	219	13·8	46	102		
Oakworth	4,213	33	42	1	1	77	18·3	49	11·6	6	78		
Ossett, M.B.	14,910	194	182	12	11	399	26·8	207	13·9	45	113		
Otley	9,510	99	84	2	5	190	20·0	117	12·3	13	68		
Oxenhope	2,369	13	21	—	—	34	14·4	29	12·2	3	88		
Penistone	3,801	32	25	1	1	59	15·5	37	9·7	5	85		
Pontefract, M.B.	16,710	259	243	16	15	533	31·9	224	13·7†	64	120		
Pudsey, M.B.	14,480	135	137	1	8	281	19·4	178	12·3	23	82		
Queensbury	5,980	33	42	2	4	81	13·5	87	14·5	3	37		
Rawdon	3,768	35	40	—	2	77	20·4	35	9·3	5	65		
Rawmarsh	17,990	283	274	13	8	578	32·1	206	11·5	62	107		
Ripon, M.B.	8,260	100	84	11	10	205	24·8	111	13·4	22	107		
Rishworth	879	9	6	—	1	16	18·2	8	9·1	3	188		
Rothwell	15,300	217	181	6	5	409	26·7	186	12·2	34	83		
Royston	6,490	116	104	7	4	231	35·6	77	11·9	24	104		
Saddleworth	12,690	102	127	6	5	240	18·9	158	12·5	12	50		
Scammonden	390	2	1	—	—	3	7·7	2	5·1	—	—		
Selby	10,000	146	136	8	6	296	29·6	125	12·5	33	111		
Shelf	2,429	20	22	—	—	42	17·3	38	15·6	2	48		
Shelley	1,764	22	18	2	1	43	24·4	18	10·2	—	—		
Shepley	1,718	17	19	1	2	39	22·7	24	14·0	3	77		
Shipley	28,670	287	289	10	13	599	20·9	415	14·5	78	130		
Silsden	4,866	54	36	—	4	94	19·3	60	12·3	2	21		
Skelmanthorpe	3,948	47	51	—	1	99	25·1	43	10·9	7	71		
Skipton	12,040	115	101	10	6	232	19·3	164	13·6	24	103		
Slaithwaite	5,530	52	54	2	2	110	19·9	83	15·0	6	55		

† Death-rate based upon an estimated civilian population of 16,307.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
YORKSHIRE, WEST RIDING													
—cont.													
South Crosland ...	3,095	29	27	—	2	58	18·7	39	12·6	3	52		
Southowram ...	2,714	21	21	1	2	45	16·6	35	12·9	8	178		
Sowerby ...	3,204	35	15	—	3	53	16·5	53	16·5	3	57		
Sowerby Bridge ...	11,650	101	112	8	8	229	19·7	195	16·7	15	66		
Soyland ...	2,810	14	24	—	2	40	14·2	48	17·1	4	100		
Spenborough ...	31,500	320	280	14	14	628	19·9	384	12·2	52	83		
Springhead ...	5,033	49	42	4	2	97	19·3	68	13·5	7	72		
Stainland with Old Lindley	4,619	49	40	2	—	91	19·7	66	14·3	11	121		
Stanley ...	14,730	205	179	7	7	398	27·0	179	12·2	40	101		
Stocksbridge ...	9,100	118	130	4	1	253	27·8	101	11·1	28	111		
Swinton ...	13,920	221	211	8	15	455	32·7	187	13·4	41	90		
Thurlstone ...	2,721	29	28	3	—	60	22·1	30	11·0	4	67		
Thurnscoe ...	4,950	75	67	5	7	154	31·1	51	10·3	16	104		
Thurstonland† ...	2,499	13	7	—	—	20	8·0	15	6·0	—	—		
Tickhill ...	2,059	28	26	—	3	57	27·7	20	9·7	2	35		
Todmorden, M.B. ...	24,120	236	190	7	10	443	18·4	315	13·1	36	81		
Wath upon Dearne ...	12,840	177	187	11	11	386	30·1	162	12·6	51	132		
Whitley Upper ...	850	8	11	—	—	19	22·4	6	7·1	—	—		
Whitwood ...	5,960	103	93	5	9	210	35·2	77	12·9	28	133		
Wombwell ...	19,020	297	308	19	18	642	33·8	270	14·2	66	103		
Worsborough ...	13,730	216	205	14	14	449	32·7	176	12·8	51	114		
Yeadon ...	7,660	71	73	2	2	148	19·3	93	12·1	11	74		
Rural Districts.													
Barnsley ...	4,180	59	64	3	3	129	30·9	48	11·5	16	124		
Bishopthorpe ...	2,079	24	11	3	1	39	18·8	27	13·0	4	103		
Bowland ...	5,440	67	37	2	—	106	19·5	62	11·4	5	47		
Doncaster... ..	41,930	729	710	22	37	1,498	35·7	498	11·9	144	96		
Goole ...	8,280	104	104	9	4	221	26·7	91	11·0	11	50		
Great Ouseburn ...	10,870	118	115	10	9	252	23·2	140	12·9	15	60		
Halifax ...	6,400	58	45	5	—	108	16·9	91	14·2	7	65		
Hemsworth ...	47,760	778	736	32	51	1,597	33·4	601	12·6	172	108		
Hunslet ...	7,467*	87	85	5	3	180	24·1	75	10·0	11	61		
Keighley ...	6,870	54	53	1	2	110	16·0	68	9·9	12	109		
Kiveton Park ...	14,950	264	193	11	12	480	32·1	177	11·8	53	110		
Knarborough ...	8,580	68	71	8	7	154	17·9	84	9·8	15	97		
Pateley Bridge ...	7,050	52	69	6	4	131	18·6	101	14·3	14	107		
Penistone ...	5,650	80	66	4	2	152	26·9	81	14·3	17	112		
Pontefract ...	17,700	264	265	15	16	560	31·6	214	12·1	64	114		
Ripon ...	5,190	47	53	9	2	111	21·4	71	13·7	5	45		
Rotherham ...	37,880	596	586	30	25	1,237	32·7	458	12·1	128	103		
Sedbergh ...	3,875	36	25	3	2	66	17·0	61	15·7	3	45		
Selby ...	6,110	98	70	7	8	183	30·0	67	11·0	11	60		
Settle ...	15,000	144	153	11	6	314	20·9	185	12·3	24	76		
Skipton ...	18,860	186	170	5	8	369	19·6	206	10·9	19	51		
Tadcaster ...	28,050	379	355	21	28	783	27·9	309	11·0	58	74		
Thorne ...	10,930	147	143	14	12	316	28·9	118	10·8	16	51		
Todmorden ...	4,573	43	35	1	1	80	17·5	56	12·2	10	125		
Wakefield ...	17,700	277	207	11	14	509	28·8	195	11·0	45	88		
Wetherby ...	14,220	132	151	11	9	303	21·3	167	11·7	19	63		
Wharfedale :—													
North ...	3,846	27	34	2	—	63	16·4	33	8·6	1	16		
South ...	6,384	32	40	1	1	74	11·6	38	6·0	4	54		
Wortley ...	33,400	412	355	18	13	798	23·9	387	11·6	73	91		
ANGLESEY.													
Total Urban Districts ...	50,952	528	526	60	63	1,177	23·1	716	14·1	94	80		
Total Rural Districts ...	19,496	232	217	12	17	478	24·5	255	13·1	38	79		
	31,456	296	309	48	46	699	22·2	461	14·7	56	80		
Urban Districts.													
Amlwch ...	2,623	29	38	1	1	69	26·3	42	16·0	3	43		
Beaumaris, M.B....	1,725	16	14	1	3	34	19·7	26	15·1	5	147		
Holyhead ...	11,770	150	131	8	9	298	25·3	135	11·5	22	74		
Llangefni ...	1,679	16	21	1	2	40	23·8	18	10·7	5	125		
Menai Bridge ...	1,699	21	13	1	2	37	21·8	34	20·0	3	81		
Rural Districts.													
Aethwy ...	8,130	85	71	10	9	175	21·5	99	12·2	15	86		
Dwyran ...	2,876	28	23	3	1	55	19·1	41	14·3	4	73		
Twrcelyn ...	9,100	83	96	17	16	212	23·3	153	16·8	18	85		
Valley ...	11,350	100	119	18	20	257	22·6	168	14·8	19	74		

* Population adjusted to allow for changes in boundary during the year.
† A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
BRECKNOCKSHIRE.	60,472	726	648	46	36	1,456	24.1	770	12.8†	126	87
Total Urban Districts ...	17,685	231	198	7	7	443	25.0	230	13.2†	36	81
Total Rural Districts ...	42,787	495	450	39	29	1,013	23.7	540	12.6	90	89
Urban Districts.											
Brecknock† ...	5,590	71	48	3	4	126	22.5	70	13.1†	5	40
Brynmawr ...	8,120	125	101	3	3	232	28.6	99	12.2	26	112
Builth Wells ...	1,680	12	13	—	—	25	14.9	29	17.3	—	—
Hay ...	1,523	20	25	—	—	45	29.5	23	15.1	5	111
Llanwrtyd ...	772	3	11	1	—	15	19.4	9	11.7	—	—
Rural Districts.											
Brecknock :—											
Devynock ...	3,348	35	28	4	4	71	21.2	46	13.7	6	85
Llangorse ...	3,204	26	26	2	2	56	17.5	34	10.6	4	71
Merthyr Cynog ...	2,158	16	21	—	—	37	17.1	29	13.4	3	81
Builth ...	3,959	42	30	2	2	76	19.2	55	13.9	5	66
Crickhowell ...	8,100	110	106	8	7	231	28.5	114	14.1	23	100
Hay ...	4,138	34	28	6	4	72	17.4	40	9.7	4	56
Vaynor and Penderyn ...	5,740	68	63	1	4	136	23.7	97	16.9	22	162
Ystradgynlais ...	11,120	154	138	14	6	312	28.1	118	10.6	23	74
Civil Parish of Llanwrthwl administered by Rural District Council of Rhayader (Radnor)	368	3	4	1	—	8	21.7	1	2.7	—	—
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.)	652	7	6	1	—	14	21.5	6	9.2	—	—
CARDIGANSHIRE.	57,666	480	483	38	29	1,030	17.9	918	15.9	77	75
Total Urban Districts ...	16,592	123	119	8	9	259	15.6	259	15.6	15	58
Total Rural Districts ...	41,074	357	364	30	20	771	18.8	659	16.0	62	80
Urban Districts.											
Aberayron ...	1,243	9	6	1	1	17	13.7	34	27.4	—	—
Aberystwyth, M.B. ...	9,000	70	66	1	5	142	15.8	124	13.8	10	70
Cardigan, M.B. ...	3,446	26	22	4	2	54	15.7	60	17.4	4	74
Lampeter, M.B. ...	1,780	10	16	—	1	27	15.2	22	12.4	1	37
New Quay ...	1,123	8	9	2	—	19	16.9	19	16.9	—	—
Rural Districts.											
Aberayron ...	7,470	57	71	7	6	141	18.9	119	15.9	9	64
Aberystwyth :—											
North ...	6,857	58	67	4	7	136	19.8	109	15.9	13	96
South ...	5,053	36	40	1	2	79	15.6	70	13.9	4	51
Cardigan ...	3,072	26	21	1	—	48	15.6	48	15.6	2	42
Lampeter ...	3,465	42	32	—	1	75	21.6	53	15.3	5	67
Llandyssil ...	7,920	68	77	7	3	155	19.6	138	17.4	14	90
Tregaron ...	6,910	67	55	10	1	133	19.2	120	17.4	15	113
Civil Parish of Ysgubor y Coed administered by Rural District Council of Machynlleth (Montgomeryshire)	327	3	1	—	—	4	12.2	2	6.1	—	—
CARMARTHENSHIRE.	174,999	2,136	2,071	87	93	4,387	25.1	2,358	13.5	417	95
Total Urban Districts ...	73,112	881	889	35	35	1,840	25.2	978	13.4	188	102
Total Rural Districts ...	101,887	1,255	1,182	52	58	2,547	25.0	1,380	13.5	229	90
Urban Districts.											
Ammanford ...	7,030	77	74	5	3	159	22.6	75	10.7	13	82
Burry Port ...	5,930	91	81	3	4	179	30.2	71	12.0	16	89
Carmarthen, M.B. ...	10,060	80	105	5	7	197	19.6	151	15.0	23	117
Cwmamman ...	5,340	67	70	—	4	141	26.4	56	10.5	13	92
Kidwelly, M.B. ...	3,211	57	42	1	3	103	32.1	49	15.3	9	87
Llandilo ...	2,028	26	17	1	2	46	22.7	34	16.8	7	152
Llandovery, M.B. ...	1,931	16	17	2	1	36	18.6	28	14.5	1	28
Llanelly, M.B. ...	36,740	462	473	17	11	963	26.2	501	13.6	105	109
Newcastle Emlyn ...	842	5	10	1	—	16	19.0	13	15.4	1	63
Rural Districts.											
Carmarthen ...	24,040	264	300	15	15	594	24.7	334	13.9	52	88
Llandilo Fawr ...	21,720	287	223	15	20	545	25.1	304	14.0	61	112
Llandovery ...	6,860	85	78	1	5	169	24.6	97	14.1	8	47
Llanelly ...	34,480	489	453	14	14	970	28.1	408	11.8	79	81
Llanbythter ...	3,490	28	41	1	1	71	20.3	66	18.9	12	169
Newcastle in Emlyn ...	6,300	57	50	5	1	113	17.9	87	13.8	13	115
Whitland ...	4,997	45	37	1	2	85	17.0	84	16.8	4	47

† Death-rates based upon estimated civilian populations as follows :—Brecknockshire, 60,218 ; Total Urban Districts, 17,431 ; Brecknock U.D. 53 ‡ Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
CARNARVONSHIRE.													
Total Urban Districts ...	121,812	1,155	1,092	106	90	2,443	20·1	1,757	14·4	178	73		
Total Rural Districts ...	59,965	508	528	37	34	1,107	18·5	795	13·3	83	75		
Urban Districts.	61,847	647	564	69	56	1,336	21·6	962	15·5	95	71		
Bangor, M.B. ...	10,960	89	119	2	6	216	19·7	138	12·6	17	79		
Bethesda ...	4,120	30	39	4	1	74	18·0	76	18·4	4	54		
Bettws y Coed ...	871	5	7	—	—	12	13·8	15	17·2	—	—		
Carnarvon, M.B. ...	8,330	94	93	6	3	196	23·5	122	14·6	10	51		
Conway, M.B. ...	6,140	57	52	1	4	114	18·6	64	10·4	4	35		
Criccieth ...	1,806	14	8	1	—	23	12·7	33	18·3	2	87		
Llandudno ...	12,880	87	73	9	10	179	13·9	126	9·8	13	73		
Llanfairfechan ...	3,071	34	36	2	1	73	23·8	45	14·7	9	123		
Penmaenmawr ...	4,152	27	25	2	2	56	13·5	60	14·5	12	214		
Portmadoc ...	4,085	49	34	7	1	91	22·3	63	15·4	8	88		
Pwllheli, M.B. ...	3,550	22	42	3	6	73	20·6	53	14·9	4	55		
Rural Districts.													
Conway ...	8,170	101	79	6	8	194	23·7	93	11·4	13	67		
Geirionydd ...	4,081	37	34	5	1	77	18·9	72	17·6	7	91		
Glaslyn ...	2,986	26	24	4	—	54	18·1	37	12·4	3	56		
Gwyrfaï ...	24,180	257	219	25	23	524	21·7	426	17·6	39	74		
Lleyn ...	16,640	171	145	24	21	361	21·7	245	14·7	24	66		
Ogwen ...	5,790	55	63	5	3	126	21·8	89	15·4	9	71		
DENBIGHSHIRE.													
Total Urban Districts ...	150,515	1,769	1,635	116	128	3,648	24·2	2,013	13·4	317	87		
Total Rural Districts ...	52,332	511	486	43	38	1,078	20·6	658	12·6	79	73		
Urban Districts.	98,183	1,258	1,149	73	90	2,570	26·2	1,355	13·8	238	93		
Abergele and Pensarn ...	2,265	32	24	2	5	63	27·8	25	11·0	2	32		
Colwyn Bay and Colwyn	15,810	97	97	6	12	212	13·4	167	10·6	22	104		
Denbigh, M.B. ...	6,770	71	59	10	6	146	21·6	98	14·5	8	55		
Llangollen ...	3,321	27	31	3	1	62	18·7	42	12·6	4	65		
Llanrwst ...	2,344	33	29	3	—	65	27·7	41	17·5	8	123		
Ruthin, M.B. ...	2,762	30	25	3	3	61	22·1	36	13·0	3	49		
Wrexham, M.B. ...	19,060	221	221	16	11	469	24·6	249	13·1	32	68		
Rural Districts.													
Chirk ...	4,477	45	45	3	4	97	21·7	45	10·1	2	21		
Llangollen ...	3,613	38	45	2	3	88	24·4	55	15·2	8	91		
Llanrwst ...	4,308	49	48	7	2	106	24·6	62	14·4	12	113		
Llansilin ...	2,892	29	38	3	4	74	25·6	33	11·4	4	54		
Ruthin ...	9,110	92	67	1	8	168	18·4	121	13·3	12	71		
St. Asaph (Denbigh) ...	6,730	79	82	5	4	170	25·3	102	15·2	14	82		
Uwchaled ...	2,124	23	18	2	1	44	20·7	27	12·7	8	182		
Wrexham ...	63,200	880	789	48	63	1,780	28·2	895	14·2	177	99		
Civil Parishes of Llanellian yn Rhôs and Llansantffraid Glan Conway administered by Rural District Council of Conway (Carnarvonshire)	1,729	23	17	2	1	43	24·9	15	8·7	1	23		
FLINTSHIRE.													
Total Urban Districts ...	101,218	1,200	1,140	74	70	2,484	24·5	1,250	12·4	182	73		
Total Rural Districts ...	38,908	475	438	38	37	988	25·4	502	12·9	87	88		
Urban Districts.	62,310	725	702	36	33	1,496	24·0	748	12·1	95	64		
Buckley ...	6,750	84	94	4	7	189	28·0	77	11·4	15	79		
Connah's Quay ...	5,100	76	67	5	1	149	29·2	55	10·8	12	81		
Flint, M.B. ...	6,310	102	88	4	6	200	31·7	86	13·6	16	80		
Holywell ...	2,815	40	32	3	1	76	27·0	56	19·9	8	105		
Mold ...	4,651	58	58	6	8	130	28·0	57	12·3	13	100		
Prestatyn ...	2,952	20	13	3	1	37	12·5	38	12·9	3	81		
Rhyl ...	10,330	95	86	13	13	207	20·0	133	12·9	20	97		
Rural Districts.													
Hawarden ...	23,950	303	297	16	10	626	26·1	252	10·5	50	80		
Holywell:—													
Holywell ...	17,029	196	176	10	10	392	23·0	236	13·9	26	66		
Mold ...	8,601	95	97	4	4	200	23·3	102	11·9	10	50		
Overton ...	5,050	66	55	3	4	128	25·3	56	11·1	4	31		
St. Asaph (Flint) ...	7,680	65	77	3	5	150	19·5	102	13·8†	5	33		
GLAMORGANSHIRE.													
Total Urban Districts ...	815,255	11,932	11,227	446	418	24,023	29·5	9,895	12·1	2,176	91		
Total Rural Districts ...	593,235	8,918	8,426	312	308	17,964	30·3	7,403	12·5	1,675	93		
Urban Districts.	222,020	3,014	2,801	134	110	6,059	27·3	2,492	11·2	501	83		
Aberavon, M.B. ...	15,450	248	260	10	16	534	34·6	200	12·9	52	97		
Aberdare ...	55,400	750	698	13	25	1,486	26·8	697	12·6	146	98		
Barry ...	38,380	498	464	15	14	991	25·8	381	9·9	56	57		

† Death-rates based upon estimated civilian populations as follows:—Flintshire, 100,910; Total Rural Districts, 62,002; St. Asaph R.D., 7,372.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
GLAMORGANSHIRE—cont.													
Bridgend	9,180	118	104	3	9	234	25·5	86	9·4	20	85		
Briton Ferry	9,300	118	116	4	1	239	25·7	103	11·1	13	54		
Caerphilly	36,960	605	571	20	14	1210	32·7	420	11·4	95	79		
Cowbridge, M.B....	1,135	6	16	2	—	24	21·1	10	8·8	—	—		
Gelligaer	43,020	738	688	21	20	1,467	34·1	526	12·2	134	91		
Glyncoed	10,810	203	152	7	13	375	34·7	131	12·1	32	85		
Maesteg	28,980	451	424	19	20	914	31·5	367	12·7	95	104		
Margam	17,830	235	203	8	7	453	25·4	194	10·9	40	88		
Mountain Ash ...	43,530	672	656	25	21	1,374	31·6	546	12·5	124	90		
Neath, M.B.	19,060	251	273	16	13	553	29·0	233	12·2	38	69		
Ogmore and Garw ...	30,340	489	430	17	18	954	31·4	366	12·1	103	108		
Penarth	17,050	184	185	7	7	383	22·5	166	9·7	22	57		
Pontypridd	47,320	731	732	18	27	1,508	31·9	651	13·8	162	107		
Portcawl... ..	5,490	57	62	3	1	123	22·4	71	12·9	10	81		
Rhondda	164,000	2,564	2,392	104	82	5,142	31·4	2,255	13·8	533	104		
Rural Districts.													
Cowbridge	9,570	129	125	6	10	270	28·2	105	11·0	18	67		
Gower	9,270	96	105	3	1	205	22·1	110	11·9	15	73		
Llandaff and Dinas Powis	41,690	473	438	22	16	949	22·8	411	9·9	60	63		
Llantrisant and Llantwit-fardre	25,550	426	369	18	22	835	32·7	250	9·8	61	73		
Neath	48,430	717	681	29	23	1,450	29·9	563	11·6	134	92		
Penybont	27,810	390	333	16	12	751	27·0	310	11·1	62	83		
Pontardawe	34,790	447	442	24	21	934	26·8	441	12·7	86	92		
Swansea	24,910	336	308	16	5	665	26·7	302	12·1	65	98		
MERIONETHSHIRE.													
Total Urban Districts ...	17,990	173	184	19	12	388	21·6	335	18·6	34	88		
Total Rural Districts ...	23,750	207	229	28	31	495	20·8	360	15·2	29	59		
Urban Districts.													
Bala	1,375	15	12	2	1	30	21·8	34	24·7	1	33		
Barmouth... ..	2,019	17	17	1	1	36	17·8	38	18·8	5	139		
Dolgelley	1,946	27	27	3	1	58	29·8	26	18·5	4	69		
Ffestiniog... ..	8,190	70	92	12	5	179	21·9	147	17·9	19	106		
Mallwyd	704	5	10	1	—	16	22·7	10	14·2	1	63		
Towyn	3,756	39	26	—	4	69	18·4	70	18·6	4	58		
Rural Districts.													
Deudraeth	7,150	66	73	9	11	159	22·2	106	14·8	12	75		
Dolgelley	7,780	59	67	7	4	137	17·6	113	14·5	7	51		
Edeirnion... ..	4,755	31	55	3	5	94	19·8	67	14·1	6	64		
Penllyn	3,660	48	28	9	11	96	26·2	67	18·3	3	31		
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire)	405	3	6	—	—	9	22·2	7	17·3	1	111		
MONTGOMERYSHIRE.													
Total Urban Districts ...	18,274	195	183	10	18	406	22·2	249	13·6	20	49		
Total Rural Districts ...	32,440	322	319	37	39	717	22·1	468	14·4	53	74		
Urban Districts.													
Llanfyllin, M.B.	1,599	14	17	2	2	35	21·9	18	11·3	—	—		
Llanidloes, M.B.	2,531	17	24	1	—	42	16·6	36	14·2	—	—		
Machynlleth	1,844	18	24	3	1	46	24·9	35	19·0	5	109		
Montgomery, M.B. ...	940	21	8	—	2	31	33·0	15	16·0	3	97		
Newtown and Llanllwchaearn	5,630	62	50	2	6	120	21·1	69	12·1	4	33		
Welshpool, M.B....	5,670	63	60	2	7	132	23·3	76	13·4	8	61		
Rural Districts.													
Forden	5,560	64	55	8	11	138	24·8	70	12·6	13	94		
Llanfyllin... ..	11,970	114	116	14	9	253	21·1	179	15·0	15	59		
Machynlleth	3,800	31	30	2	2	65	17·1	67	17·6	8	123		
Newtown and Llanidloes	11,110	113	118	13	17	261	23·5	152	13·7	17	65		
PEMBROKESHIRE.													
Total Urban Districts ...	90,717	1,106	1,020	54	57	2,237	24·7	1,198	13·3†	148	66		
Total Rural Districts ...	40,015	514	494	26	24	1,058	26·4	505	12·8†	70	66		
Total Rural Districts ...	50,702	592	526	28	33	1,179	23·3	693	13·7	78	66		
Urban Districts.													
Fishguard... ..	2,990	43	29	1	3	76	25·4	38	12·7	6	79		
Haverfordwest, M.B. ...	5,790	68	72	5	4	149	25·7	83	14·3	4	27		
Milford Haven	7,740	128	101	7	2	238	30·7	93	12·0	20	84		
Narberth	1,137	14	15	—	—	29	25·5	19	16·7	4	138		

† Death-rates based upon estimated civilian populations as follows:—Pembrokeshire, 90,171; Total Urban Districts, 39,469.

POPULATIONS, BIRTHS, and CIVILIAN DEATHS in ADMINISTRATIVE AREAS, 1920—*cont.*

Administrative Area.	Estimated Population, Middle 1920.	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.			
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.								
PEMBROKESHIRE— <i>cont.</i>													
Neyland	2,691	38	43	3	5	89	33·1	37	13·7	5	56		
Pembroke, M.B.	15,430	187	188	8	5	388	25·1	183	12·3†	26	67		
Tenby, M.B.	4,237	36	46	2	5	89	21·0	52	12·3	5	56		
<i>Rural Districts.</i>													
Haverfordwest	21,100	269	255	15	13	552	26·2	259	12·3	36	65		
Llanfyrnach	2,332	25	18	—	—	43	18·4	38	16·3	7	163		
Narberth	10,860	119	93	4	9	225	20·7	169	15·6	16	71		
Pembroke... ..	8,540	103	94	5	5	207	24·2	104	12·2	10	48		
St. Dogmells	7,870	76	66	4	6	152	19·3	123	15·6	9	59		
RADNORSHIRE.													
Total Urban Districts	5,630	49	52	7	8	116	20·6	88	15·6	15	129		
Total Rural Districts	15,900	171	167	9	6	353	22·2	177	11·1	24	68		
<i>Urban Districts.</i>													
Knighton	1,685	12	16	4	2	34	20·2	28	16·6	4	118		
Llandrindod Wells	2,794	20	19	2	4	45	16·1	35	12·5	6	133		
Presteigne	1,151	17	17	1	2	37	32·1	25	21·7	5	135		
<i>Rural Districts.</i>													
Colwyn	2,040	15	21	—	1	37	18·1	17	8·3	1	27		
Knighton	4,121	48	46	3	—	97	23·5	47	11·4	7	72		
New Radnor	2,620	29	29	1	—	59	22·5	26	9·9	3	51		
Paincastle	2,183	27	22	2	—	51	23·4	20	9·2	5	98		
Rhayader	4,936	52	49	3	5	109	22·1	67	13·6	8	73		

† Death-rate based upon an estimated civilian population of 14,884.

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE ; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1920.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.													
DEATHS.								Deaths per 1,000 Births.			Deaths per 1,000 Births.		DEATHS.											
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.				Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.				

Summary.

3932	4305	5295	6321	5340	4123	3191	32507	41	98	All Areas.	65	176	357	298	389	627	521	397	235	2824
2967	3379	3709	4117	3155	2251	1794	21372	33	71	North	59	137	315	252	261	396	322	211	164	1921
2265	2513	2696	3419	2561	1821	1372	16647	29	65	Midlands	61	154	314	181	230	365	358	230	149	1827
730	888	1015	1169	894	717	613	6026	37	86	South*	68	144	58	68	84	95	72	36	32	448
9894	11085	12715	15026	11950	8912	6970	76552	35	80	Wales	62	156	1044	799	964	1483	1273	874	580	7017
										England and Wales.										
1043	1134	1352	1957	1585	1176	894	9141	29	76	London	64	197	144	81	89	201	219	137	94	963
										Co. Boroughs										
2081	2317	2951	3767	3113	2419	1906	18554	41	103	North	66	201	190	178	195	416	354	245	150	1728
1077	1249	1428	1732	1414	978	815	8693	35	81	Midlands	60	163	95	88	85	154	133	92	75	725
281	330	349	408	307	213	150	2038	30	64	South	60	154	38	20	40	50	46	35	22	257
145	161	204	219	193	145	122	1189	36	84	Wales	77	172	13	10	15	17	16	8	6	88
3584	4057	4932	6126	5027	3755	2993	30474	38	92	England and Wales.	64	184	336	296	335	637	549	380	253	2784
										Oth. Ur. Dsts.										
1254	1433	1691	1874	1644	1250	973	10119	41	94	North	62	153	99	75	135	147	125	115	69	763
1084	1247	1369	1504	1142	822	632	7800	32	67	Midlands	62	140	131	102	92	151	128	84	50	734
523	583	571	644	410	275	223	3229	29	56	South	59	123	77	40	57	71	60	37	21	363
368	439	545	614	484	408	354	3212	38	90	Wales	67	142	25	33	37	40	34	18	14	207
3229	3702	4176	4636	3680	2755	2182	24360	35	77	England and Wales.	62	141	332	250	321	409	347	254	154	2063
										Rural Dists.										
597	555	653	680	583	454	312	3834	40	84	North	71	137	68	45	59	64	42	37	16	33
806	883	912	881	599	451	347	4879	34	63	Midlands	55	107	89	62	84	91	61	35	39	461
418	466	424	410	259	157	105	2239	30	51	South	59	105	55	40	44	43	33	21	12	248
217	288	266	336	217	164	137	1625	38	80	Wales	65	134	20	25	32	38	22	10	12	159
2038	2192	2255	2307	1658	1226	901	12577	35	67	England and Wales.	61	117	232	172	219	236	158	103	79	1194

Greater London and Metropolitan Boroughs.

1641	1797	2155	2817	2269	1592	1221	13492	29	70	Greater London.	65	184	231	124	141	292	314	191	119	1411
										Met. Boro's.										
6	—	1	2	1	2	1	13	38	71	City of Lond.	250	250	4	—	—	—	—	—	—	3
41	53	44	88	71	47	42	386	30	83	Battersea	50	188	5	2	1	3	9	4	6	3
25	30	56	63	74	55	45	348	27	85	Bermondsey	100	167	7	2	—	—	2	3	1	1
32	39	39	76	77	53	50	366	29	95	Bethnal Gr.	22	112	—	1	1	4	3	1	—	1
60	78	76	108	103	64	46	535	28	71	Camberwell	38	176	2	4	3	9	11	8	5	4
9	9	16	20	15	3	3	75	24	53	Chelsea	18	149	1	1	—	7	6	—	2	1
28	38	32	73	51	21	17	260	30	79	Deptford	36	143	1	—	2	4	4	—	1	1
29	27	31	31	30	28	17	193	35	77	Finsbury	71	162	4	—	3	5	2	1	1	1
51	35	53	62	53	41	24	319	32	74	Fulham	39	101	5	1	2	2	6	4	1	2
14	26	31	42	36	30	16	195	26	72	Greenwich	104	234	4	1	3	5	1	3	1	1
50	48	73	108	97	62	50	488	28	81	Hackney	56	299	3	2	3	10	12	10	3	4
34	45	35	44	26	23	15	222	34	67	Hammers'th	80	219	6	6	3	10	7	7	2	4
19	10	15	14	4	5	8	75	28	48	Hampstead	102	159	6	1	2	3	—	1	1	1
5	6	7	15	10	9	3	55	22	67	Holborn	77	123	2	2	2	2	1	1	—	1
69	74	113	148	119	81	80	684	27	72	Islington	36	154	4	3	5	13	15	7	4	5
30	47	35	73	54	62	33	334	28	83	Kensington	88	285	10	8	6	13	16	17	8	7
72	61	69	129	97	67	68	563	25	69	Lambeth	37	183	5	5	4	17	18	9	12	7
36	45	56	63	36	24	11	271	34	67	Lewisham	82	313	4	3	5	17	13	4	—	4
43	43	31	55	39	38	18	267	34	78	Paddington	83	232	13	6	2	15	15	5	3	5
53	49	61	97	82	57	52	451	30	82	Poplar	114	285	6	4	4	6	7	2	3	3
18	17	28	30	26	16	13	148	28	67	St. Marylbne	82	164	6	4	7	9	4	3	—	3
47	58	60	81	80	55	46	427	28	74	St. Pancras	46	212	6	2	7	11	17	13	1	6
40	32	45	71	65	50	39	342	31	91	Shoreditch	79	216	3	1	7	3	6	6	—	3
40	53	79	116	85	80	66	519	29	87	Southwark	40	174	—	5	4	6	8	9	—	3
68	59	92	133	124	101	80	657	29	87	Stepney	68	185	6	4	1	3	9	4	—	3
7	13	20	28	14	5	11	98	33	80	Stoke New.	122	244	4	—	1	3	—	—	2	1
60	66	97	98	68	54	19	462	31	64	Wandswrth	92	225	13	4	6	6	14	7	6	5
26	37	24	32	19	17	9	164	39	73	Westminstr	90	199	8	8	4	8	10	5	1	4
31	36	33	57	29	26	12	224	27	61	Woolwich	57	156	6	1	1	7	3	3	1	2

* Including London.

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1920—*continued*.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
County Boroughs.																				
21	44	32	45	25	35	26	228	56	131	Barnsley	41	171	3	1	1	9	3	2	2	21
26	25	26	26	21	10	16	150	39	76	Barrow	15	118	1	—	—	3	2	1	1	8
14	17	8	9	10	8	4	70	29	53	Bath	49	98	2	1	1	1	—	2	1	8
44	46	47	112	59	73	54	435	33	103	Birkenhead	63	199	4	3	4	11	4	3	3	32
265	296	304	424	335	239	223	2086	35	83	Birmingham	59	206	23	13	17	46	35	25	25	184
48	48	56	59	41	30	27	309	54	109	Blackburn	109	279	4	4	6	6	5	7	4	36
7	13	19	21	18	3	4	85	33	72	Blackpool	50	160	3	2	—	5	4	—	2	16
38	45	81	109	53	51	40	417	39	99	Bolton	63	208	2	4	7	5	9	9	7	43
17	22	42	39	33	39	31	223	35	97	Bootle	11	136	—	—	1	3	2	5	1	12
7	22	15	7	3	4	6	64	31	45	Bo'nemo'th	33	75	2	1	1	2	—	1	2	9
70	96	115	114	94	48	29	566	47	94	Bradford	67	181	11	8	5	20	11	7	3	65
35	31	35	42	36	19	14	212	32	68	Brighton	62	164	6	1	7	4	12	5	2	37
108	102	107	133	98	70	47	665	33	69	Bristol	77	151	10	11	5	9	7	4	5	51
21	48	49	68	59	45	27	317	48	129	Burnley	66	240	1	8	2	10	12	6	1	40
18	16	21	14	7	9	4	89	42	68	Bu't'n-on-T.	33	100	—	1	1	2	—	2	—	6
17	15	14	23	17	11	7	104	41	93	Bury	61	106	—	2	2	—	—	2	1	7
1	4	8	11	4	4	4	36	22	61	Canterbury	73	122	1	—	2	2	—	—	—	5
9	16	19	21	23	16	8	112	31	79	Carlisle	38	76	—	2	1	—	1	1	1	6
6	9	16	21	12	7	5	76	28	70	Chester	36	54	—	2	—	—	—	1	—	3
43	38	39	54	33	26	14	247	37	75	Coventry	44	159	2	2	1	3	2	5	3	18
30	43	58	48	39	27	22	267	30	61	Croydon	77	236	2	6	7	12	8	7	4	46
12	17	34	28	35	19	13	158	37	92	Darlington	—	81	—	—	—	1	3	2	—	6
47	32	45	49	33	26	14	246	39	77	Derby	87	142	6	4	1	2	3	2	—	18
20	23	24	25	13	19	16	140	52	109	Dewsbury	63	138	1	2	2	1	2	2	1	11
17	30	36	30	32	15	24	184	48	106	Dudley	54	161	1	2	—	1	1	—	4	9
12	12	9	10	9	4	1	57	33	58	Eastbourne	106	152	3	1	3	1	2	—	—	10
29	29	39	54	42	19	12	224	26	60	East Ham	37	110	1	—	2	2	2	2	—	9
22	22	14	14	15	3	4	94	41	67	Exeter	114	177	5	2	2	2	1	1	1	14
50	72	73	85	80	50	62	472	46	112	Gateshead	67	194	2	4	5	9	5	3	4	32
18	19	10	19	13	5	7	91	34	65	Gloucester	19	93	—	—	1	—	3	1	—	5
15	14	22	18	8	12	10	99	33	63	Gt. Yarm'th	43	114	2	1	—	3	—	1	1	8
22	24	35	43	41	33	18	216	34	92	Grimsby	48	129	1	4	1	4	4	2	—	16
22	37	41	41	20	22	17	200	50	99	Halifax	64	168	3	1	4	6	1	2	4	21
8	11	7	10	11	6	4	57	23	50	Hastings	24	119	1	—	1	4	1	2	1	10
25	27	35	31	23	19	11	171	41	81	Hudd'srfield	43	138	1	—	4	6	2	3	—	16
17	18	31	39	19	15	5	144	33	72	Ipswich	46	120	1	—	4	4	2	2	—	13
92	107	135	183	154	96	67	834	39	98	Kingston-upon-Hull	49	185	3	9	8	25	17	9	4	75
144	160	218	257	192	146	116	1233	46	110	Leeds	88	272	14	21	21	43	35	22	17	173
54	63	99	97	99	64	53	529	37	90	Leicester	56	157	5	3	7	9	9	4	5	42
8	19	18	27	14	15	14	115	31	79	Lincoln	67	167	—	5	1	6	1	2	—	15
273	258	379	558	548	443	381	2840	36	113	Liverpool	55	253	23	13	20	69	71	40	22	258
224	233	301	389	329	243	163	1882	39	98	Manchester	65	222	27	11	24	48	48	32	23	213
77	54	89	114	109	83	77	603	50	136	Middlesbro'	85	214	9	3	5	7	7	5	4	43
98	104	140	159	134	101	83	819	42	100	Newcastle-on-Tyne	77	169	8	11	6	10	6	10	4	55
31	27	34	37	31	25	18	203	35	77	Newport (Mon.)	25	123	1	—	1	4	3	1	—	10
22	25	38	31	24	13	13	166	38	74	No'tham'ton	102	170	5	—	4	3	—	—	3	15
15	45	40	57	38	21	19	235	32	75	Norwich	56	142	2	5	2	5	5	3	1	23
58	103	105	124	122	94	60	666	38	96	Nottingham	61	142	7	13	13	16	14	9	5	77
44	51	55	84	64	39	21	358	45	107	Oldham	101	217	9	8	3	6	11	6	—	43
5	8	8	18	15	1	4	59	19	53	Oxford	78	297	1	3	1	6	5	—	3	19
56	62	67	82	65	47	30	409	35	77	Plymouth	57	227	2	3	5	9	9	7	5	40
46	55	67	98	54	51	29	400	26	61	Portsmouth	52	129	8	2	5	8	6	5	3	37
32	48	64	59	44	30	24	301	48	101	Preston	75	161	3	5	5	8	6	1	—	28
18	32	32	32	12	12	10	148	36	65	Reading	70	105	3	1	4	1	1	1	1	12
26	24	31	43	28	17	10	179	42	92	Rochdale	55	126	3	2	2	3	3	3	—	16
24	38	19	49	26	24	24	204	40	101	Rotherham	20	101	1	1	—	5	—	1	2	10
48	42	59	76	60	51	42	378	45	113	St. Helens	99	168	7	2	4	4	3	1	1	22
75	70	108	141	112	74	60	640	39	99	Salford	58	181	8	6	3	10	13	11	2	53
160	172	182	270	230	212	145	1371	39	104	Sheffield	76	207	11	14	19	23	27	16	9	119
28	24	22	30	30	19	15	168	36	83	Smethwick	62	200	1	1	2	3	2	4	—	13
32	19	29	45	49	28	22	224	24	68	Southa'pton	44	144	3	2	2	4	6	4	2	23
15	17	21	16	12	7	9	97	29	52	Southend-on-Sea.	31	92	1	—	2	1	—	3	2	9
9	12	11	15	7	10	4	63	25	54	Southport	38	133	1	1	2	5	3	2	—	14
60	54	78	77	85	76	49	479	48	121	S. Shields	64	254	2	7	2	11	6	6	10	44
31	40	53	53	42	26	36	281	43	97	Stockport	146	219	7	8	5	5	2	1	2	30
83	124	131	129	122	98	74	761	44	98	Stoke-on-T.	66	166	12	7	6	11	11	9	7	63
59	65	89	117	97	74	63	564	39	104	Sunderland	51	178	4	2	6	15	6	5	4	42
19	24	26	33	33	24	23	182	36	95	Tynemouth	79	213	2	3	2	6	1	3	2	19
13	24	19	27	14	11	11	119	42	89	Wakefield	51	153	1	—	2	2	1	3	—	9
23	20	19	19	28	21	6	136	33	72	Wallasey	45	121	2	—	1	1	4	—	—	8
40	45	51	52	54	29	29	300	46	101	Walsall	107	176	5	5	4	1	4	4	—	23

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1920—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
Administrative Counties—continued.																				
9	9	7	15	21	14	5	80	26	84	Lincs. Holl.	27	162	2	—	—	2	5	2	1	12
8	18	15	19	8	6	4	78	35	67	U.D.'s.	39	105	1	1	1	2	1	1	8	
										R.D.'s.										
10	16	16	7	4	10	7	70	41	68	Lincs. Kest.	—	76	—	—	—	2	2	1	—	5
18	18	21	18	19	8	7	109	36	68	U.D.'s.	87	192	3	2	4	4	3	1	3	20
										R.D.'s.										
26	34	34	46	30	36	28	234	31	77	Lincs. Linds.	35	91	—	2	3	4	1	2	1	13
47	40	54	43	17	19	10	230	44	72	U.D.'s.	53	115	4	5	3	8	2	1	3	26
										R.D.'s.										
232	278	305	308	259	146	111	1639	29	57	Middx.	67	156	35	20	25	39	35	22	11	187
8	10	10	10	7	3	9	57	21	43	U.D.'s.	16	48	—	—	1	1	1	—	—	3
										R.D.'s.										
93	121	151	172	119	112	104	872	37	89	Monmouth	63	137	3	7	10	8	8	3	4	43
7	13	15	14	11	8	7	75	34	73	U.D.'s.	82	143	1	—	3	1	2	—	—	7
										R.D.'s.										
12	14	15	11	2	9	11	74	29	51	Norfolk	52	78	2	3	1	—	—	2	1	9
72	66	58	56	35	26	30	343	32	56	U.D.'s.	56	84	9	6	7	2	2	4	3	33
										R.D.'s.										
21	30	31	24	13	6	13	138	38	64	Northants.	21	105	—	—	2	4	3	—	1	10
27	34	33	27	20	10	4	155	34	56	U.D.'s.	61	110	2	2	6	4	2	2	—	18
										R.D.'s.										
117	101	146	153	177	107	63	864	42	99	Northumb.	81	175	10	7	14	15	12	6	3	67
20	32	35	17	18	14	9	145	37	61	U.D.'s.	63	91	3	2	4	—	2	2	—	13
										R.D.'s.										
66	101	91	122	96	76	50	602	39	90	Notts.	52	136	6	8	4	8	9	9	3	47
43	38	36	39	22	38	22	233	37	76	U.D.'s.	95	167	8	2	6	3	6	1	2	28
										R.D.'s.										
11	8	5	9	6	2	—	41	28	47	Oxford	59	59	1	2	—	—	—	—	—	3
23	22	27	24	19	8	2	125	31	53	U.D.'s.	47	87	3	2	2	4	1	1	—	13
										R.D.'s.										
10	8	13	8	11	5	4	59	35	67	Peter. S. of	57	86	2	2	—	—	1	1	—	6
1	4	2	3	—	1	2	13	26	48	U.D.'s.	—	43	—	—	—	1	—	—	—	1
										R.D.'s.										
1	—	1	1	1	—	—	4	22	44	Rutland	—	—	—	—	—	—	—	—	—	—
3	6	2	4	2	3	1	21	36	69	U.D.'s.	150	200	1	2	—	1	—	—	—	4
										R.D.'s.										
21	22	40	41	32	18	17	191	28	65	Salop	47	112	2	6	3	9	3	1	2	26
27	40	33	42	23	20	19	204	33	68	U.D.'s.	23	84	—	4	1	9	—	2	2	18
										R.D.'s.										
31	31	26	37	19	15	19	178	27	54	Somerset	33	67	3	1	1	3	1	—	—	10
41	51	50	48	40	30	11	271	29	55	U.D.'s.	38	90	2	4	3	3	3	4	2	21
										R.D.'s.										
53	46	46	54	29	25	18	271	28	53	Southants.	56	132	5	3	5	9	5	2	2	31
56	56	51	45	28	19	13	268	30	49	U.D.'s.	63	96	9	5	7	5	1	4	1	32
										R.D.'s.										
163	178	204	237	198	159	140	1279	37	88	Staffs.	91	191	13	17	15	14	13	11	11	94
59	78	79	87	61	50	41	455	39	82	U.D.'s.	69	118	9	8	4	5	8	—	2	36
										R.D.'s.										
16	26	30	28	17	20	11	148	32	65	Suffolk, E.	26	94	—	2	1	3	1	3	1	11
36	34	25	28	12	18	13	166	33	57	U.D.'s.	57	100	7	3	2	6	2	1	—	21
										R.D.'s.										
10	11	6	12	5	2	2	48	27	47	Suffolk, W.	65	113	1	3	—	1	1	—	1	7
19	23	20	13	6	4	6	91	38	55	U.D.'s.	8	59	—	—	1	1	4	—	1	7
										R.D.'s.										
95	119	117	135	81	40	28	615	27	51	Surrey	70	132	23	8	10	15	13	4	4	77
26	34	33	22	13	11	5	144	29	44	U.D.'s.	59	117	5	2	4	3	5	2	1	22
										R.D.'s.										
20	18	16	25	12	7	7	105	23	45	Sussex, E.	41	122	3	2	1	5	3	2	2	18
28	26	25	30	10	3	7	129	29	48	U.D.'s.	65	124	5	2	3	6	1	—	2	19
										R.D.'s.										
22	14	9	18	10	6	5	84	25	47	Sussex, W.	57	98	2	3	2	3	1	1	—	12
19	24	23	20	7	3	7	103	33	51	U.D.'s.	105	123	6	3	3	1	—	—	1	14
										R.D.'s.										
34	42	36	51	35	20	16	234	31	65	Warwick	75	139	5	5	3	7	1	—	3	24
41	48	55	64	46	41	22	317	29	65	U.D.'s.	46	107	2	2	5	5	2	1	4	21
										R.D.'s.										
5	7	5	13	5	3	1	39	31	72	Westmorl.	71	119	1	—	2	—	1	1	—	5
7	9	11	7	9	2	2	47	35	62	U.D.'s.	71	107	1	—	3	1	1	—	—	6
										R.D.'s.										
15	13	5	7	8	8	5	61	27	50	Wight, I. of	26	105	2	—	—	2	2	1	1	8
10	4	6	6	3	2	1	32	33	53	U.D.'s.	69	69	1	—	1	—	—	—	—	2
										R.D.'s.										
29	38	32	26	25	16	15	181	33	61	Wilts	60	87	3	—	6	2	—	1	1	13
39	34	42	31	25	7	8	186	31	51	U.D.'s.	40	84	3	4	2	4	2	2	2	19
										R.D.'s.										
34	57	41	61	28	43	21	285	33	71	Worcester	101	182	3	7	6	9	1	2	1	29
19	29	29	30	18	22	11	158	25	52	U.D.'s.	50	75	3	—	3	3	—	—	—	9
										R.D.'s.										

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1920—*continued*.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
16	23	22	17	10	8	12	108	41	72	Yorks. E. R.	60	140	2	1	3	4	1	1	2	14
16	29	31	34	18	9	13	150	32	64	U.D.'s.	44	113	3	3	1	6	1	1	3	18
52	59	70	74	72	54	40	421	38	88	Yorks. N. R.	69	131	8	3	9	5	5	7	1	38
45	30	50	38	18	15	8	204	40	65	R.D.'s.	90	120	5	7	9	3	1	1	2	28
285	345	438	458	382	337	251	2496	40	93	Yorks. W. R.	55	149	21	21	28	40	28	33	19	190
109	135	159	195	166	122	90	976	37	89	U.D.'s.	59	118	10	14	9	14	7	9	3	66
7	1	5	12	5	4	4	38	27	79	Anglesey	103	172	1	—	2	2	—	—	—	5
10	10	14	9	7	1	5	56	49	80	U.D.'s.	74	85	5	—	2	1	—	—	—	8
3	3	6	9	7	7	1	36	27	81	Brecon	—	143	—	—	—	1	—	1	—	2
15	14	16	20	8	9	8	90	44	89	U.D.'s.	74	132	2	1	2	2	—	2	—	9
—	2	2	4	3	3	1	15	15	58	Cardigan	—	59	—	—	—	—	—	1	—	1
4	11	8	25	3	3	8	62	39	80	U.D.'s.	40	120	—	1	1	3	—	—	1	6
25	28	23	45	26	21	20	188	41	102	Carmarth.	29	86	2	—	—	3	—	1	—	6
29	38	39	42	38	21	22	229	42	90	U.D.'s.	64	136	1	2	4	4	1	—	3	15
8	10	14	17	10	13	11	83	29	75	Carnarvon	70	127	—	2	3	1	—	1	2	9
9	17	22	22	17	6	2	95	36	71	U.D.'s.	64	128	—	4	4	3	3	2	—	16
10	8	23	14	11	11	2	79	38	73	Denbigh	62	99	3	—	2	2	1	—	—	8
34	35	41	47	23	32	26	238	43	93	U.D.'s.	61	147	3	5	2	10	2	—	2	24
9	14	21	17	9	7	10	87	45	88	Flint	80	173	—	3	3	1	4	1	1	13
11	19	10	19	19	8	9	95	27	64	U.D.'s.	14	159	—	—	1	4	3	2	1	11
191	229	281	297	269	216	192	1675	39	93	Glamorgan	77	160	13	19	16	20	18	7	6	99
69	93	69	103	65	61	41	501	38	83	U.D.'s.	66	131	3	7	6	5	9	2	—	32
7	6	3	6	6	3	3	34	41	88	Merioneth	—	129	—	—	—	1	1	2	—	4
6	5	4	7	5	1	1	29	30	59	U.D.'s.	68	136	1	1	2	1	1	1	1	8
2	1	4	4	5	3	1	20	17	49	Montgom.	—	36	—	—	—	—	—	1	—	1
9	13	9	8	7	4	3	53	43	74	U.D.'s.	92	145	2	2	3	2	—	—	2	11
9	11	11	15	13	7	4	70	29	66	Pembroke	60	140	1	1	1	1	2	—	1	7
10	15	14	16	9	10	4	78	33	66	U.D.'s.	33	98	1	1	—	1	1	1	1	6
4	5	1	2	1	1	1	15	86	129	Radnor	200	200	2	1	—	—	—	—	—	3
4	5	5	4	5	—	1	24	40	68	U.D.'s.	267	400	1	1	2	1	—	—	1	6

Administrative Counties—continued.

ENGLAND AND WALES—DEATHS at EACH YEAR of AGE REGISTERED in the
YEAR 1920. (Total deaths registered.)

Age.	Persons.	Males.	Females.				Age.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	466,130	240,302	225,828	89,650	69,709	66,469	50	4,699	2,603	2,096	380	1,388	328
0	76,552	44,199	32,353	32,353	—	—	51	4,171	2,325	1,846	333	1,221	292
1	14,741	7,784	6,957	6,957	—	—	52	5,118	2,834	2,284	389	1,490	405
2	6,100	3,151	2,949	2,949	—	—	53	5,070	2,821	2,249	368	1,461	420
3	4,480	2,279	2,201	2,201	—	—	54	5,124	2,865	2,259	360	1,453	446
4	3,865	1,981	1,884	1,884	—	—	55	4,900	2,756	2,144	367	1,339	438
5	3,611	1,806	1,805	1,805	—	—	56	5,693	3,184	2,509	403	1,557	549
6	2,738	1,440	1,298	1,298	—	—	57	5,470	3,034	2,436	346	1,475	615
7	2,143	1,070	1,073	1,073	—	—	58	5,794	3,200	2,594	372	1,551	671
8	1,804	901	903	903	—	—	59	6,065	3,347	2,718	418	1,551	749
9	1,503	792	711	711	—	—	60	6,465	3,613	2,852	438	1,559	855
10	1,497	759	738	738	—	—	61	5,706	3,048	2,658	366	1,441	851
11	1,382	694	688	688	—	—	62	6,615	3,591	3,024	439	1,576	1,009
12	1,418	704	714	714	—	—	63	6,852	3,733	3,119	460	1,550	1,109
13	1,425	670	755	755	—	—	64	7,006	3,824	3,182	437	1,506	1,239
14	1,533	703	830	830	—	—	65	7,695	4,169	3,526	483	1,586	1,457
15	1,717	833	884	884	—	—	66	6,988	3,747	3,241	442	1,469	1,330
16	1,934	987	947	944	3	—	67	7,249	3,840	3,409	444	1,457	1,508
17	2,006	1,029	977	965	12	—	68	8,123	4,204	3,919	501	1,572	1,846
18	2,128	1,123	1,005	972	32	1	69	8,427	4,459	3,968	520	1,469	1,979
19	2,094	1,098	996	906	89	1	70	8,138	4,140	3,998	541	1,322	2,135
20	2,102	1,047	1,055	889	164	2	71	7,273	3,567	3,706	488	1,182	2,036
21	2,284	1,119	1,165	888	274	3	72	7,867	3,932	3,935	514	1,172	2,249
22	2,191	1,136	1,055	695	355	5	73	8,054	3,804	4,250	557	1,151	2,542
23	2,337	1,176	1,161	681	470	10	74	7,960	3,764	4,196	542	1,042	2,612
24	2,275	1,126	1,149	632	501	16	75	8,027	3,748	4,279	516	946	2,817
25	2,350	1,072	1,278	569	693	16	76	7,986	3,626	4,360	516	899	2,945
26	2,307	1,104	1,203	516	657	30	77	7,209	3,354	3,855	454	745	2,656
27	2,449	1,163	1,286	469	777	40	78	7,233	3,206	4,027	500	738	2,789
28	2,497	1,186	1,311	473	805	33	79	6,773	2,990	3,783	474	564	2,745
29	2,437	1,125	1,312	396	866	50	80	6,322	2,712	3,610	434	519	2,657
30	2,508	1,245	1,263	339	879	45	81	5,163	2,150	3,013	367	382	2,264
31	2,393	1,158	1,235	321	860	54	82	5,123	2,094	3,029	365	319	2,345
32	2,767	1,356	1,411	353	993	65	83	4,518	1,758	2,760	351	260	2,149
33	2,688	1,370	1,318	343	902	73	84	4,168	1,645	2,523	308	215	2,000
34	2,744	1,404	1,340	264	992	84	85	3,412	1,293	2,119	286	148	1,685
35	2,951	1,525	1,426	286	1,069	71	86	2,881	1,100	1,781	241	100	1,440
36	2,885	1,500	1,385	252	1,051	82	87	2,425	843	1,582	213	79	1,290
37	2,968	1,564	1,404	298	1,038	68	88	1,929	676	1,253	159	52	1,042
38	3,228	1,691	1,537	307	1,134	96	89	1,557	548	1,009	133	33	843
39	3,374	1,798	1,576	302	1,168	106	90	1,159	395	764	92	24	648
40	3,380	1,814	1,566	316	1,132	118	91	856	297	559	76	11	472
41	3,204	1,700	1,504	272	1,124	108	92	680	226	454	70	7	377
42	3,617	1,930	1,687	291	1,269	127	93	525	172	353	59	6	288
43	3,527	1,949	1,578	313	1,127	138	94	386	125	261	44	3	214
44	3,666	2,000	1,666	304	1,195	167	95	263	78	185	22	6	157
45	3,844	2,178	1,666	315	1,169	182	96	179	46	133	15	1	117
46	3,805	2,131	1,674	326	1,161	187	97	132	33	99	12	2	85
47	4,085	2,195	1,890	350	1,318	222	98	74	17	57	5	1	51
48	4,419	2,450	1,969	352	1,407	210	99	46	15	31	7	—	24
49	4,574	2,520	2,054	376	1,421	257	100 and over.	55	16	39	5	2	32

NOTE.—The 466,130 deaths at all ages include 821 cases (498 males and 323 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 39 cases (29 males and 10 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 31 cases (all males) the ages were stated to be unknown; these have been distributed to the particular ages with regard as far as possible to the cause of death.

Of the 225,828 deaths of females, 175 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 21 divorced women are included with the deaths of widows.

DEATHS at DIFFERENT AGES in GREATER LONDON and in METROPOLITAN BOROUGHs, 1920
(Civilian Population only).

Age.	Sex.	Greater London.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammer-smith.	Hampstead.	Holborn.
All Ages {	M	45,028	121	1073	891	904	1677	392	752	627	938	680	1459	780	392	352
	F	42,804	82	1006	809	798	1659	375	656	533	881	558	1419	787	468	251
Under 1 month {	M	3209	3	73	63	60	118	22	62	59	79	33	107	67	27	12
	F	2384	4	65	48	50	96	12	36	28	60	38	64	47	17	6
1-3 months {	M	1680	1	53	33	36	63	10	42	18	49	17	61	28	8	9
	F	1137	1	35	30	40	45	10	31	13	13	25	47	16	6	6
3-6 months {	M	1312	1	43	38	40	64	10	34	20	32	22	58	14	3	6
	F	957	—	28	36	37	39	5	17	10	21	14	39	12	1	4
6-12 months {	M	1549	1	49	62	55	58	4	19	23	41	32	63	18	7	7
	F	1264	2	40	38	48	52	2	19	22	24	14	49	20	6	5
Total under 1 year {	M	7750	6	218	196	191	303	46	157	120	201	104	289	127	45	34
	F	5742	7	168	152	175	232	29	103	73	118	91	199	95	30	21
1— {	M	1335	—	35	42	40	47	8	18	26	17	21	64	19	6	6
	F	1230	—	27	56	52	48	3	20	30	24	16	37	30	8	6
2— {	M	562	2	11	15	17	34	5	12	5	16	4	30	7	4	4
	F	590	—	19	24	15	20	1	9	11	10	9	29	12	—	4
3— {	M	462	—	11	12	15	16	—	9	6	9	9	22	5	2	5
	F	398	—	11	10	16	20	—	5	7	4	6	17	6	—	—
4— {	M	398	2	10	7	16	19	4	4	7	6	14	16	9	4	—
	F	339	—	10	11	12	10	2	12	5	6	6	16	7	2	—
Total under 5 years {	M	10507	10	285	272	279	419	63	200	164	249	152	421	167	61	49
	F	8299	7	235	253	270	330	35	149	126	162	128	298	150	40	31
5— {	M	1191	2	41	24	21	47	8	12	17	31	15	38	17	3	5
	F	1138	2	26	17	14	51	4	18	18	24	9	48	23	8	5
10— {	M	656	1	12	17	17	27	6	16	10	17	16	15	7	2	1
	F	719	1	22	17	17	22	2	13	12	29	9	14	12	6	4
15— {	M	923	1	16	20	17	38	5	19	15	21	16	19	19	4	5
	F	908	1	29	19	24	26	8	12	19	16	15	32	19	7	1
20— {	M	994	2	21	24	23	28	2	15	11	18	29	31	9	4	4
	F	1077	1	27	23	22	46	13	24	12	22	15	37	24	12	5
25— {	M	1051	4	22	17	19	40	—	16	12	13	34	37	25	11	6
	F	1174	1	23	36	22	50	3	22	14	15	13	47	21	12	8
30— {	M	1314	6	26	19	32	54	6	15	15	31	27	47	18	9	9
	F	1258	1	29	20	17	53	9	16	16	37	13	35	20	6	10
35— {	M	1636	5	38	25	36	71	12	28	23	31	21	48	30	9	11
	F	1423	3	34	24	27	44	21	28	13	37	20	52	29	15	6
40— {	M	1922	5	34	40	40	75	16	40	26	34	31	64	41	11	22
	F	1519	4	42	21	23	48	15	18	18	31	16	40	24	20	10
45— {	M	2456	14	54	52	49	91	20	38	42	51	43	68	54	18	28
	F	1856	3	31	40	36	64	14	27	19	43	27	61	33	24	13
50— {	M	2913	9	52	74	65	115	20	47	50	59	40	95	45	35	28
	F	2149	7	43	35	33	80	20	37	24	42	27	65	34	27	15
55— {	M	3113	8	88	53	71	107	23	54	52	69	33	97	53	32	23
	F	2488	8	48	40	46	92	32	42	36	48	34	90	37	27	22
60— {	M	3505	19	76	56	71	106	30	51	37	78	46	106	75	34	33
	F	2742	5	52	38	35	104	25	44	40	61	34	108	53	33	20
65— {	M	3672	11	94	63	64	113	51	49	45	67	47	110	63	45	38
	F	3358	13	68	54	51	129	31	40	53	75	30	95	55	36	20
70— {	M	3384	11	88	61	40	114	35	55	42	61	51	87	48	30	33
	F	3702	5	94	61	64	144	47	46	39	68	40	113	83	50	22
75— {	M	3040	7	59	45	32	115	36	52	45	63	36	107	59	40	32
	F	3848	8	88	40	55	160	38	49	34	67	56	117	79	56	27
80— {	M	1779	5	48	18	22	83	45	25	16	27	27	45	28	23	15
	F	2926	9	69	45	29	134	28	35	27	63	30	96	58	42	17
85— {	M	972	1	19	11	6	34	14	20	5	18	16	24	22	21	10
	F	2220	3	46	26	13	82	30	36	13	41	42	71	33	47	15

DEATHS at DIFFERENT AGES in METROPOLITAN BOROUGHs, 1920 (Civilian Population only)—*continued.*

Age.	Ser.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages {	M	2316	1029	1984	933	823	1271	679	1524	856	1505	1925	339	1730	820	810
	F	2213	1181	1897	980	888	1084	627	1331	730	1235	1578	346	1841	760	677
Under 1 month {	M	147	60	113	82	61	95	37	91	71	106	120	20	132	52	57
	F	109	52	89	55	56	68	26	74	46	66	99	20	91	35	43
1-3 months {	M	94	42	78	42	35	48	17	46	40	65	83	15	64	20	36
	F	54	31	51	21	20	49	13	35	31	51	50	13	34	12	21
3-6 months {	M	69	34	54	13	27	48	13	45	38	48	71	10	32	14	17
	F	50	20	43	23	12	34	13	35	27	37	53	4	36	5	12
6-12 months {	M	88	57	77	19	30	54	15	54	47	78	104	9	33	15	22
	F	73	38	58	16	26	55	14	47	42	68	77	7	40	11	16
Total under 1 year {	M	398	193	322	156	153	245	82	236	196	297	378	54	261	101	132
	F	286	141	241	115	114	206	66	191	146	222	279	44	201	63	92
1— {	M	102	36	81	7	22	61	11	50	54	59	73	8	40	9	23
	F	89	21	48	8	21	53	15	48	35	57	89	7	34	8	19
2— {	M	39	12	23	6	7	22	4	17	19	18	32	—	19	6	12
	F	47	15	26	7	12	26	3	16	18	24	33	6	18	8	13
3— {	M	32	3	22	6	3	20	5	14	9	17	30	6	10	5	12
	F	25	7	16	8	5	20	3	20	11	7	20	1	6	2	4
4— {	M	25	8	17	8	7	15	4	11	9	15	11	6	10	—	4
	F	18	6	15	6	6	18	2	11	3	10	13	2	10	2	6
Total under 5 years {	M	596	252	465	183	192	363	106	328	287	406	524	74	340	121	183
	F	465	190	346	144	158	323	89	286	213	320	434	60	269	83	134
5— {	M	70	20	47	28	27	28	8	35	20	43	59	9	51	5	20
	F	76	20	47	23	18	43	12	26	24	41	34	11	47	9	18
10— {	M	39	12	20	16	10	20	7	19	9	21	22	6	22	5	17
	F	48	7	27	15	10	12	7	20	13	22	31	2	24	7	11
15— {	M	33	16	45	21	13	34	14	20	21	32	44	8	43	6	20
	F	35	21	41	18	11	22	11	23	14	29	34	6	40	16	25
20— {	M	41	25	52	18	16	33	10	34	14	24	41	6	32	14	28
	F	49	34	44	18	20	24	11	25	14	31	36	7	50	17	19
25— {	M	48	18	41	21	23	39	10	27	18	28	53	13	47	24	23
	F	77	32	52	21	33	23	14	36	22	33	47	7	52	17	23
30— {	M	55	19	57	22	28	43	20	39	31	33	60	10	52	17	18
	F	61	27	56	36	21	31	17	34	18	41	52	6	50	25	18
35— {	M	78	30	68	48	28	66	20	58	17	57	79	13	64	28	29
	F	59	40	62	36	22	43	20	57	29	31	45	10	55	27	19
40— {	M	91	31	83	43	30	49	29	72	31	64	76	13	60	47	43
	F	90	43	71	36	35	41	25	43	33	55	68	10	63	35	25
45— {	M	120	53	118	46	38	58	43	93	49	93	117	18	96	50	49
	F	95	57	80	43	39	55	27	61	26	55	82	17	71	43	26
50— {	M	152	54	139	49	53	73	50	108	57	94	138	11	120	71	58
	F	117	44	104	43	50	44	40	62	38	67	74	17	105	55	31
55— {	M	159	67	135	61	53	100	49	117	56	98	153	19	126	82	62
	F	124	69	90	50	44	50	49	90	36	78	106	20	101	58	49
60— {	M	176	71	168	60	62	88	77	142	60	141	158	29	135	72	60
	F	124	86	144	53	53	72	44	82	50	55	98	22	105	76	37
65— {	M	217	89	149	85	74	93	76	130	67	115	169	27	145	84	55
	F	164	99	160	87	72	80	53	119	46	99	126	29	143	68	47
70— {	M	164	94	162	75	62	88	71	120	52	108	99	26	145	91	55
	F	200	133	163	100	74	72	58	112	61	84	108	34	186	67	54
75— {	M	140	98	114	78	60	52	41	101	33	93	81	27	121	56	46
	F	185	141	164	121	99	65	65	109	56	101	108	39	189	78	67
80— {	M	92	55	78	42	33	31	33	52	23	40	38	18	78	27	26
	F	135	78	139	76	74	48	54	91	17	63	50	30	158	40	42
85— {	M	45	25	43	37	21	13	15	29	11	15	14	12	53	20	16
	F	109	60	107	60	55	36	31	55	20	30	45	19	133	39	32

DEATHS at DIFFERENT AGES in COUNTY BOROUGHs, 1920 (Civilian Population only).

Age.	Sex.	Barnsley.	Barrow in Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages {	M	459	500	372	1095	6001	913	466	1280	625	449	1961	796	2256	746	315	428
	F	322	380	461	945	5474	884	500	1261	511	505	1969	938	2174	745	269	399
Under 1 month {	M	58	49	24	85	514	79	21	103	49	29	174	52	177	68	30	30
	F	39	28	15	52	351	73	18	61	32	15	107	49	140	50	25	16
1-3 months {	M	28	18	5	71	247	35	11	66	22	4	73	26	84	45	5	11
	F	17	8	4	41	177	24	10	43	17	3	41	16	49	23	9	12
3-6 months {	M	18	12	8	32	184	22	9	31	20	1	52	19	58	33	5	6
	F	7	9	2	27	151	19	9	22	13	2	42	17	40	26	2	11
6-12 months {	M	35	17	7	66	266	36	4	55	38	4	42	19	74	36	9	12
	F	26	9	5	61	196	21	3	36	32	6	35	14	43	36	4	6
Total under 1 year {	M	139	96	44	254	1211	172	45	255	129	38	341	116	393	182	49	59
	F	89	54	26	181	875	137	40	162	94	26	225	96	272	135	40	45
1— {	M	30	19	6	42	250	19	6	41	44	3	34	18	73	20	3	14
	F	21	19	3	43	246	14	8	27	37	2	31	21	42	14	7	11
2— {	M	8	7	4	18	86	10	2	8	22	1	22	10	25	7	6	6
	F	14	9	1	18	93	5	2	12	9	—	16	7	29	4	1	5
3— {	M	3	3	—	9	79	2	1	13	12	1	7	5	30	7	2	1
	F	7	5	—	16	72	2	2	16	8	3	15	6	25	7	—	3
4— {	M	6	3	1	8	74	9	2	12	3	3	12	7	18	6	3	4
	F	3	6	3	11	42	3	3	9	9	3	13	1	10	4	3	1
Total under 5 years {	M	186	128	55	331	1700	212	56	329	210	46	416	156	539	222	63	84
	F	134	93	33	269	1328	161	55	226	157	34	300	131	378	164	51	65
5— {	M	14	11	11	32	180	15	8	33	26	3	39	12	46	12	12	10
	F	9	8	5	27	166	15	12	24	17	4	32	9	56	12	6	7
10— {	M	7	6	3	24	87	13	5	23	12	2	26	11	35	12	7	5
	F	4	6	1	13	93	10	7	24	14	1	25	11	30	14	5	9
15— {	M	6	17	14	25	98	22	4	22	17	4	35	15	48	16	4	8
	F	4	6	11	19	101	14	8	26	17	2	48	20	50	14	5	5
20— {	M	5	13	5	34	118	21	10	24	18	4	33	10	51	6	8	8
	F	6	13	6	28	135	15	11	17	14	10	39	16	73	16	7	5
25— {	M	11	12	6	23	131	20	6	33	20	13	38	17	49	20	10	4
	F	6	18	7	26	165	29	13	42	16	19	59	16	60	20	8	9
30— {	M	10	20	9	21	162	31	17	28	12	10	58	23	60	20	5	9
	F	10	17	6	20	169	20	11	44	18	16	67	15	72	31	5	16
35— {	M	12	17	7	35	227	39	11	49	26	13	64	29	88	14	4	11
	F	12	9	9	39	191	38	15	40	17	23	60	32	70	23	10	14
40— {	M	16	29	11	48	298	40	18	42	32	21	90	32	75	30	13	19
	F	15	16	9	27	232	30	20	64	22	17	77	25	77	24	14	8
45— {	M	13	25	18	51	357	38	29	56	26	26	125	31	116	30	12	33
	F	14	18	17	33	239	29	18	71	17	19	105	37	93	30	15	20
50— {	M	35	38	14	69	368	48	33	93	37	26	132	45	129	49	18	22
	F	11	21	24	50	239	48	41	71	25	27	120	55	101	45	7	20
55— {	M	33	40	20	80	382	78	51	116	44	28	153	49	137	54	24	38
	F	11	24	28	48	326	58	31	83	12	43	149	64	122	64	13	31
60— {	M	29	28	29	78	422	85	53	103	39	36	180	71	162	66	29	48
	F	18	26	29	70	325	71	40	100	33	43	172	73	150	67	18	38
65— {	M	23	33	36	97	474	75	46	133	34	57	206	83	216	64	39	49
	F	15	22	44	58	426	83	52	117	31	40	178	82	155	55	26	48
70— {	M	25	38	48	76	416	94	45	92	35	57	156	60	179	65	22	39
	F	12	42	42	74	437	108	51	110	38	47	196	87	192	69	19	41
75— {	M	22	29	36	38	327	49	46	65	26	44	130	71	176	44	27	28
	F	21	20	79	69	411	87	62	112	34	61	183	101	193	50	24	33
80— {	M	9	11	30	20	185	26	23	29	7	40	49	56	82	17	12	11
	F	13	16	53	41	294	46	38	64	23	49	101	92	175	32	25	16
85— {	M	3	5	20	13	69	7	5	10	4	19	31	25	68	5	6	2
	F	7	5	58	34	197	22	15	26	6	50	58	72	127	15	11	14

DEATHS at DIFFERENT AGES in COUNTY BOROUGHs, 1920 (Civilian Population only)—
continued.

Age.	Sex.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.
All Ages {	M	118	354	271	668	1008	434	716	402	425	246	765	353	1012	335	346	605	699	394
	F	140	352	253	609	1079	391	668	383	405	280	714	386	872	339	348	511	738	457
Under 1 month {	M	6	31	19	71	72	38	75	41	47	19	49	30	103	32	32	49	59	19
	F	7	13	12	49	59	25	49	26	36	14	48	28	92	15	19	32	41	7
1-3 months {	M	4	12	16	27	33	18	34	12	19	7	28	7	46	9	7	28	21	5
	F	7	9	5	27	15	10	15	13	11	3	26	7	39	10	11	15	20	5
3-6 months {	M	2	14	5	19	21	22	23	8	17	3	29	7	44	9	6	21	13	5
	F	2	9	7	14	18	13	10	5	15	6	13	8	36	4	2	20	7	6
6-12 months {	M	7	18	6	22	31	21	20	23	17	4	16	7	65	4	12	26	20	8
	F	1	6	6	18	18	11	20	12	22	1	15	—	47	8	10	25	19	2
Total under 1 year {	M	19	75	46	139	157	99	152	84	100	33	122	51	258	54	57	124	113	37
	F	17	37	30	108	110	59	94	56	84	24	102	43	214	37	42	92	87	20
1— {	M	1	13	7	20	20	17	16	17	23	2	17	9	44	15	10	21	18	7
	F	3	15	9	19	14	16	16	22	20	4	15	3	49	15	5	30	13	6
2— {	M	1	6	1	5	11	4	7	6	10	—	8	1	14	7	2	14	6	2
	F	1	5	3	6	12	7	5	7	4	—	6	3	14	9	3	13	4	4
3— {	M	4	2	1	6	10	3	5	3	3	—	9	—	17	5	1	7	9	4
	F	2	7	1	8	6	7	2	3	1	—	11	2	7	7	3	10	7	4
4— {	M	1	1	3	8	9	3	7	2	4	1	5	1	6	3	—	5	5	—
	F	1	1	1	5	6	—	4	3	6	—	3	2	7	5	3	4	6	1
Total under 5 years {	M	26	97	58	178	207	126	187	112	140	36	161	62	339	84	70	171	151	50
	F	24	65	44	146	148	89	121	91	115	28	137	53	291	73	56	149	117	35
5— {	M	2	8	5	15	27	12	9	11	16	6	17	6	24	13	4	2	13	11
	F	7	8	5	8	37	12	16	10	12	4	16	9	16	12	10	15	11	9
10— {	M	—	5	4	7	17	5	10	3	4	4	13	1	21	3	5	5	6	2
	F	1	5	2	11	22	6	8	2	9	5	12	4	21	7	4	20	9	5
15— {	M	2	6	1	12	18	10	4	12	1	1	16	7	22	10	7	16	13	5
	F	2	7	6	11	16	15	15	6	9	6	17	10	25	9	10	20	21	6
20— {	M	2	5	8	14	22	7	11	13	11	7	33	8	28	11	6	15	9	4
	F	1	13	3	22	25	12	12	6	8	3	17	11	31	6	12	14	14	9
25— {	M	3	5	5	15	20	7	25	8	10	4	29	9	30	9	6	14	19	6
	F	5	11	5	15	25	10	30	11	11	10	27	11	25	7	8	15	22	13
30— {	M	1	14	10	29	26	15	19	10	7	3	24	7	22	7	7	18	16	15
	F	2	6	3	22	34	11	19	8	16	4	27	12	19	10	6	19	21	9
35— {	M	4	9	6	31	38	15	24	15	17	12	28	12	25	16	17	24	20	14
	F	10	13	8	21	35	17	18	15	14	7	27	14	25	13	13	22	24	7
40— {	M	2	14	11	47	47	17	29	17	19	5	44	7	38	7	11	23	27	12
	F	2	9	16	30	28	15	31	16	9	6	28	14	25	11	12	23	30	8
45— {	M	7	13	15	39	49	17	29	25	18	17	47	17	60	21	20	29	35	25
	F	3	18	11	29	51	17	32	15	9	12	37	16	43	17	14	21	37	23
50— {	M	2	21	15	45	52	21	37	24	22	9	59	17	68	19	14	31	46	21
	F	5	18	15	30	50	16	33	22	17	13	44	15	45	19	11	20	46	16
55— {	M	9	16	18	49	72	28	45	32	25	15	50	22	73	26	17	42	53	22
	F	9	32	13	35	56	26	29	35	21	16	47	23	43	18	16	23	41	25
60— {	M	7	28	24	39	72	39	57	30	26	16	64	28	63	15	20	41	71	35
	F	8	26	27	38	69	21	51	31	21	19	37	28	44	18	16	23	63	36
65— {	M	7	40	39	44	73	38	75	33	34	24	60	40	60	21	39	60	79	27
	F	10	26	17	35	83	26	68	22	31	32	50	29	64	22	29	25	71	43
70— {	M	15	30	18	39	101	34	53	28	32	27	42	45	55	27	29	47	62	42
	F	11	34	24	53	98	33	59	33	32	28	64	43	59	25	30	43	78	52
75— {	M	14	24	19	39	88	21	66	14	25	24	41	30	49	21	35	32	55	45
	F	13	23	19	43	127	38	61	34	35	37	57	35	47	31	43	23	70	63
80— {	M	10	7	11	16	46	17	27	13	14	25	29	24	29	16	22	19	18	41
	F	17	20	18	35	105	17	43	18	27	28	46	33	29	24	23	25	40	41
85— {	M	5	12	4	10	33	5	9	2	4	11	8	11	6	9	17	16	6	17
	F	10	18	17	25	70	10	22	8	9	22	24	26	20	17	35	11	23	57

DEATHS at DIFFERENT AGES in COUNTY BOROUGHs, 1920 (Civilian Population only)—
continued.

Age.	Sex.	Hudders- field.	Ipawich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middles- brough.	Newcastle upon Tyne.	Newport (Mon.).	Northamp- ton.	Norwich.	Notting- ham.	Oldham.
All Ages {	M	794	451	2087	3472	1431	394	6907	5460	1158	2263	635	581	758	1757	1100
	F	706	496	1811	3120	1442	337	5984	4840	887	1825	496	472	769	1750	1050
Under 1 month {	M	47	43	181	309	123	27	517	424	119	201	50	53	53	154	83
	F	40	23	153	213	93	18	393	334	101	141	42	32	47	112	67
1-3 months {	M	22	21	113	159	60	14	356	222	75	102	19	17	35	79	49
	F	9	18	70	98	37	13	202	167	39	57	18	14	22	45	35
3-6 months {	M	17	14	92	124	59	9	302	190	68	73	21	17	25	65	35
	F	6	5	62	68	40	5	246	139	41	61	10	7	13	57	29
6-12 months {	M	16	12	94	155	53	16	452	241	69	105	28	13	23	89	36
	F	14	8	69	107	64	13	372	165	91	79	15	13	17	65	24
Total under 1 year {	M	102	90	480	747	295	66	1627	1077	331	481	118	100	136	387	203
	F	69	54	354	486	234	49	1213	805	272	338	85	66	99	279	155
1— {	M	13	9	112	151	58	20	434	211	85	109	33	15	23	71	34
	F	17	6	68	104	39	15	416	179	62	80	20	—	17	61	24
2— {	M	9	8	27	56	27	6	158	82	19	41	12	5	8	32	13
	F	8	4	26	56	20	6	147	68	17	33	9	4	9	35	15
3— {	M	8	6	20	46	15	2	89	39	11	20	9	6	7	14	8
	F	8	3	26	40	12	5	88	45	14	23	6	9	8	29	4
4— {	M	3	4	22	45	10	3	70	41	10	16	8	5	7	21	7
	F	4	2	18	39	13	3	76	46	5	17	6	3	2	20	12
Total under 5 years {	M	135	117	661	1045	405	97	2378	1450	456	667	180	131	181	525	265
	F	106	69	492	725	318	78	1940	1143	370	491	126	82	135	424	210
5— {	M	21	9	58	86	37	8	178	132	27	55	25	8	21	65	34
	F	23	16	57	80	42	11	146	124	28	53	21	6	16	56	32
10— {	M	16	13	27	53	11	7	100	78	16	32	10	8	10	39	13
	F	11	9	40	64	22	3	102	90	11	37	11	9	8	28	13
15— {	M	10	1	47	79	28	11	125	118	20	44	14	14	14	32	26
	F	15	15	44	63	25	5	156	112	11	54	22	11	17	42	14
20— {	M	27	13	46	61	27	4	166	109	30	69	13	19	19	33	24
	F	11	16	65	88	44	9	144	118	19	37	10	15	15	38	23
25— {	M	16	12	53	80	29	10	163	114	27	57	24	20	10	28	18
	F	18	17	52	79	56	10	173	144	28	49	25	17	15	49	29
30— {	M	27	4	54	109	38	12	210	152	41	79	27	15	17	49	35
	F	16	19	66	114	49	9	187	150	19	56	19	13	25	47	36
35— {	M	34	22	73	109	52	10	266	205	38	85	20	14	17	52	38
	F	14	23	54	96	41	11	196	167	32	75	12	22	20	49	39
40— {	M	37	14	73	158	57	14	302	307	60	95	28	23	23	55	62
	F	34	12	77	100	53	13	213	189	33	71	20	15	23	75	50
45— {	M	43	14	117	156	68	18	373	324	62	117	28	26	32	79	71
	F	37	18	67	144	65	14	261	232	33	81	13	26	23	58	67
50— {	M	59	24	110	240	67	25	436	407	71	118	47	28	35	88	102
	F	45	20	74	188	58	12	273	256	36	114	28	19	31	77	68
55— {	M	74	19	114	224	104	24	424	416	59	142	35	38	44	107	84
	F	56	25	106	169	73	14	313	325	35	91	31	25	48	119	73
60— {	M	74	33	144	253	112	22	452	437	64	163	45	46	57	137	93
	F	55	35	98	198	93	18	349	345	40	109	29	24	56	121	79
65— {	M	80	38	151	279	123	41	468	454	80	181	44	45	80	156	93
	F	67	47	119	275	112	27	369	388	43	130	35	39	48	121	100
70— {	M	66	39	170	259	114	21	389	345	52	172	32	45	67	117	92
	F	70	38	121	263	130	29	429	420	63	146	20	45	74	147	96
75— {	M	44	36	106	167	83	41	289	256	36	118	41	55	60	105	30
	F	67	40	132	219	113	32	387	352	51	111	35	45	86	141	68
80— {	M	23	22	46	90	49	18	127	113	13	44	14	35	44	56	16
	F	40	46	88	178	88	27	238	205	27	79	22	34	68	96	36
85— {	M	8	21	37	24	27	11	61	43	6	25	8	11	27	34	4
	F	21	31	59	77	60	15	108	80	8	41	17	25	61	62	17

DEATHS at DIFFERENT AGES in COUNTY BOROUGHs, 1920 (Civilian Population only)—
continued.

Age.	Sex.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southamp- ton.	Southend on Sea.	Southport.	South Shields.	Stockport.
All Ages {	M	280	1310	1354	823	486	621	440	783	1662	3624	458	847	486	457	1051	834
	F	333	1382	1326	836	524	631	408	636	1506	3000	383	761	500	488	945	847
Under 1 month {	M	16	112	107	81	52	48	45	92	146	284	52	45	33	19	106	74
	F	5	73	61	63	30	33	36	57	107	230	22	35	20	13	86	50
1-3 months {	M	8	48	59	28	16	26	24	53	82	171	20	24	6	7	43	28
	F	10	34	39	31	16	17	25	23	59	99	10	21	10	8	34	25
3-6 months {	M	8	38	29	20	8	12	15	42	68	140	18	27	8	2	46	26
	F	7	27	25	24	4	16	11	18	44	90	12	22	4	5	39	16
6-12 months {	M	1	43	44	30	12	16	26	59	58	208	20	24	12	10	63	37
	F	4	34	36	24	10	11	22	34	76	149	14	26	4	4	62	25
Total under 1 year {	M	33	241	239	159	88	102	110	246	354	803	110	120	59	38	258	165
	F	26	168	161	142	60	77	94	132	286	568	58	104	38	30	221	116
1— {	M	1	36	46	29	10	17	10	36	53	207	14	41	3	3	56	29
	F	5	32	47	19	10	18	19	45	48	167	18	22	4	7	52	25
2— {	M	3	25	17	14	3	2	5	13	19	64	7	15	2	2	23	12
	F	—	16	15	10	4	8	5	15	26	54	9	10	2	1	17	10
3— {	M	—	11	12	11	4	7	3	8	12	37	6	8	—	2	17	6
	F	2	14	12	8	8	7	9	9	14	36	6	7	4	3	15	7
4— {	M	1	12	9	5	3	1	4	8	7	31	2	10	—	3	5	8
	F	2	7	16	5	1	7	5	9	12	24	4	4	1	—	6	6
Total under 5 years {	M	38	325	323	218	108	129	132	311	445	1142	139	194	64	48	359	220
	F	35	237	251	184	83	117	132	210	386	849	95	147	49	41	311	164
5— {	M	3	29	37	25	11	15	9	28	43	82	13	15	6	7	28	20
	F	10	26	42	19	11	12	5	24	40	77	9	21	8	5	29	32
10— {	M	2	20	11	11	6	11	8	17	32	41	5	15	5	5	18	19
	F	6	21	21	9	4	9	5	8	34	57	8	7	5	2	21	12
15— {	M	6	23	19	17	8	17	11	20	38	74	13	18	6	5	26	16
	F	9	34	16	12	12	14	5	18	36	71	6	18	2	6	26	15
20— {	M	12	28	27	16	15	17	13	11	39	64	10	22	12	6	39	14
	F	9	30	33	27	8	13	10	22	42	82	4	19	15	10	33	24
25— {	M	6	20	26	23	14	15	9	20	47	77	12	19	13	11	46	19
	F	7	44	39	22	13	20	16	18	51	83	10	23	21	8	23	21
30— {	M	4	33	36	19	15	16	13	22	52	106	15	20	15	11	38	21
	F	9	48	47	36	21	21	12	21	35	94	14	14	14	4	33	24
35— {	M	8	35	40	22	20	21	18	33	76	155	17	30	24	14	53	31
	F	7	42	53	31	20	18	18	25	52	106	13	23	24	14	32	39
40— {	M	11	53	56	37	19	28	15	40	107	172	22	31	32	21	35	38
	F	5	45	72	37	20	33	17	22	65	135	15	31	24	13	44	43
45— {	M	9	71	75	35	17	42	19	41	109	202	20	41	34	21	48	38
	F	15	69	52	32	21	29	16	27	77	108	20	37	14	21	37	34
50— {	M	15	70	78	52	27	45	21	38	98	223	29	64	26	36	54	59
	F	16	72	58	48	25	45	21	26	71	154	15	38	27	32	36	42
55— {	M	22	98	97	56	37	52	20	51	116	259	26	69	40	35	55	63
	F	10	73	72	52	30	44	21	35	100	144	16	38	33	45	45	58
60— {	M	21	101	99	70	30	58	36	45	131	258	34	59	43	47	48	56
	F	21	95	80	64	32	55	27	45	106	181	25	42	42	37	51	58
65— {	M	31	100	108	75	41	56	30	38	116	271	25	72	45	42	75	75
	F	31	118	92	74	44	51	29	38	113	230	23	56	41	52	65	80
70— {	M	28	94	116	52	36	49	40	38	96	228	30	57	35	54	56	62
	F	34	120	112	78	51	64	26	45	114	229	30	55	51	71	59	77
75— {	M	34	95	97	51	37	27	34	19	77	170	25	63	33	50	41	49
	F	40	140	133	57	50	41	23	25	100	213	55	77	59	57	35	63
80— {	M	17	77	70	29	29	18	10	10	30	73	14	32	34	33	24	24
	F	41	95	76	34	41	32	19	20	62	130	13	63	36	40	42	39
85— {	M	13	38	39	15	16	5	2	1	10	27	9	26	19	11	8	10
	F	28	73	77	20	38	13	6	7	22	57	12	52	35	30	23	22

DEATHS at DIFFERENT AGES in COUNTY BOROUGH, 1920 (Civilian Population only)—
continued.

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warring- ton.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolver- hampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Swansea.
All Ages {	M	1732	1346	556	429	486	697	524	537	2093	584	759	673	307	479	1358	570	1061
	F	1493	1165	413	305	495	594	425	460	1795	440	691	617	325	501	1071	478	959
Under 1 month {	M	196	119	39	37	34	93	46	54	164	56	62	55	19	36	107	45	88
	F	142	94	30	19	28	43	32	46	107	32	68	54	15	32	78	30	70
1-3 months {	M	68	75	23	22	11	30	25	31	81	25	42	28	8	11	51	28	36
	F	61	42	10	5	8	22	19	21	68	20	25	30	7	9	26	15	26
3-6 months {	M	71	57	17	10	19	23	19	23	77	17	28	14	7	20	43	20	32
	F	51	40	16	4	9	31	16	23	53	16	26	21	5	9	32	9	26
6-12 months {	M	96	83	25	13	11	35	25	33	86	29	57	31	10	9	56	21	50
	F	76	54	22	9	16	23	23	28	80	30	44	20	7	12	42	17	38
Total under 1 year {	M	431	334	104	82	75	181	115	141	408	127	189	128	44	76	257	114	206
	F	330	230	78	37	61	119	90	118	308	98	163	125	34	62	178	71	160
1— {	M	88	76	20	12	13	48	26	24	78	33	57	29	6	9	43	25	39
	F	76	59	21	8	9	32	15	14	84	25	46	29	13	10	35	23	40
2— {	M	33	26	12	6	4	21	13	10	43	13	20	6	3	4	16	11	12
	F	23	17	9	7	1	17	2	12	27	10	25	9	5	11	21	6	18
3— {	M	22	7	7	—	5	11	5	5	35	5	12	8	4	9	12	9	16
	F	21	18	1	5	1	8	3	7	31	6	12	10	3	2	12	11	6
4— {	M	14	8	5	3	3	6	4	4	16	7	13	6	1	5	13	7	8
	F	18	16	4	5	2	8	5	7	20	2	12	5	3	6	18	7	14
Total under 5 years {	M	588	451	148	103	100	267	163	184	580	185	291	177	58	103	341	166	281
	F	468	340	113	62	74	184	115	158	470	141	258	178	58	91	264	118	238
5— {	M	52	33	10	14	5	11	18	10	66	16	36	12	7	11	45	24	29
	F	42	42	11	3	7	21	18	26	58	11	28	21	4	9	24	22	24
10— {	M	28	26	11	6	9	8	9	12	32	6	10	8	4	3	14	10	18
	F	30	24	12	8	10	6	10	7	36	9	18	7	3	9	16	21	16
15— {	M	42	36	13	4	7	12	14	11	48	20	14	18	5	11	28	10	25
	F	49	25	8	11	7	8	17	8	53	15	16	17	4	13	41	13	27
20— {	M	39	38	21	5	12	18	16	14	52	19	13	17	4	9	48	21	24
	F	39	28	9	12	8	18	12	12	57	10	16	8	9	12	39	11	30
25— {	M	29	26	18	8	19	12	13	10	58	13	15	18	7	12	59	16	33
	F	46	50	10	12	15	19	15	16	37	17	18	6	9	10	47	14	31
30— {	M	43	35	22	16	11	18	8	13	72	23	19	18	4	12	59	11	24
	F	47	42	20	10	17	20	15	15	52	13	21	18	6	20	42	20	34
35— {	M	56	47	18	16	12	23	25	14	65	24	25	14	9	17	54	17	37
	F	66	42	16	13	22	20	16	12	57	16	14	19	6	26	30	25	37
40— {	M	73	46	33	15	27	21	28	28	78	22	24	27	11	20	59	26	44
	F	61	40	20	13	26	25	4	9	54	16	27	27	8	17	32	13	39
45— {	M	109	50	26	32	38	30	29	15	110	29	26	32	13	22	77	23	62
	F	61	43	14	17	28	12	21	15	73	22	24	32	15	21	50	36	44
50— {	M	104	69	33	39	33	30	28	32	146	19	39	39	21	24	77	36	73
	F	73	53	18	10	23	29	18	13	84	25	40	25	21	21	63	28	38
55— {	M	121	67	29	33	34	43	34	37	130	35	50	55	15	34	84	43	73
	F	85	66	19	11	32	40	29	19	90	20	33	38	15	24	69	17	35
60— {	M	106	89	37	38	40	59	33	36	145	42	61	51	24	47	114	40	76
	F	86	72	23	20	38	30	27	25	129	14	34	40	26	40	66	29	76
65— {	M	128	82	43	28	48	44	35	37	165	43	56	51	33	40	99	45	63
	F	89	69	29	26	42	40	29	35	133	32	48	32	22	37	72	28	65
70— {	M	104	116	43	27	41	38	38	28	138	37	43	49	31	49	83	37	73
	F	101	77	36	31	44	45	34	35	137	28	41	51	37	50	72	34	69
75— {	M	71	68	29	30	27	37	16	32	123	28	21	55	30	30	58	31	64
	F	86	76	29	20	46	38	27	25	128	23	39	44	38	44	68	27	75
80— {	M	27	52	13	9	15	19	13	16	55	20	12	22	24	21	42	11	45
	F	42	50	14	15	37	29	10	16	82	23	15	33	24	33	53	17	45
85— {	M	12	15	9	6	8	7	4	8	30	3	4	10	7	14	17	3	17
	F	22	26	12	11	19	10	8	14	65	5	1	21	20	24	23	5	36

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only).

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridge-shire.		Cheshire.		Cornwall.		Cumberland.		Derby-shire.		Devon-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	639	405	326	689	531	704	282	403	2692	999	914	1064	914	652	1882	1569	1300	1259
	F	687	440	361	680	513	714	288	428	2615	940	1062	1153	876	615	1716	1490	1450	1283
Under 1 month	M	46	33	20	44	47	55	21	29	235	62	66	72	80	58	167	162	60	61
	F	38	24	20	42	34	42	13	21	136	58	38	50	60	34	131	126	59	66
1-3 months	M	18	12	9	19	13	19	5	13	108	31	20	25	37	26	86	67	29	32
	F	24	4	4	8	11	11	2	4	63	6	17	13	20	11	53	52	17	14
3-6 months	M	17	5	1	10	11	10	5	6	68	17	14	24	39	13	57	54	20	13
	F	3	4	2	7	4	9	2	5	49	11	10	9	28	11	46	46	10	10
6-12 months	M	14	4	10	15	8	12	1	4	77	17	19	9	40	19	78	68	18	15
	F	7	3	1	9	3	9	1	5	55	18	19	11	41	17	54	48	13	11
Total under 1 year	M	95	54	40	88	79	96	32	52	488	127	119	130	196	116	388	351	127	121
	F	72	35	27	66	52	71	18	35	303	93	84	83	149	73	284	272	99	101
1—	M	11	3	5	12	7	5	1	7	58	14	15	22	34	14	79	63	13	14
	F	11	6	3	3	5	7	5	3	46	15	16	15	28	17	77	61	12	13
2—	M	5	4	3	3	—	2	1	4	30	7	6	6	14	7	43	26	7	4
	F	3	2	2	3	5	4	—	5	18	12	6	8	8	8	40	17	4	7
3—	M	3	2	1	3	3	3	—	1	20	7	5	6	14	5	29	21	7	6
	F	6	1	—	4	2	3	1	1	24	4	2	4	13	7	38	14	5	7
4—	M	5	3	1	3	2	5	2	2	18	6	5	2	8	5	26	13	11	3
	F	5	—	1	1	3	4	2	2	20	10	5	2	14	7	22	13	6	7
Total under 5 years	M	119	66	50	109	91	111	36	66	614	161	150	166	266	147	565	474	165	148
	F	97	44	33	77	67	89	26	46	411	134	113	112	212	112	461	377	126	135
5—	M	11	10	9	18	14	19	6	6	58	24	15	21	29	15	57	47	37	16
	F	21	5	2	14	13	11	4	7	57	10	20	18	25	16	61	45	28	22
10—	M	9	4	4	6	8	14	3	5	41	13	14	18	18	8	22	28	16	16
	F	4	3	6	4	12	9	1	5	38	7	6	10	13	5	30	30	19	20
15—	M	8	9	8	12	8	13	6	9	37	24	16	31	16	15	36	39	22	18
	F	12	7	5	13	11	14	—	5	55	16	16	20	17	9	46	23	16	18
20—	M	16	12	4	12	13	19	5	5	67	31	21	22	29	9	42	27	33	21
	F	16	7	5	19	16	10	4	11	66	18	24	21	33	18	32	34	29	37
25—	M	14	11	7	17	19	14	9	9	59	27	26	29	15	5	41	30	17	31
	F	20	11	6	22	15	17	6	12	69	24	29	33	29	17	44	45	39	39
30—	M	11	5	11	11	16	10	7	10	71	32	27	23	19	15	48	31	21	28
	F	9	7	12	17	12	16	5	11	60	19	23	23	19	21	46	37	40	19
35—	M	28	5	10	13	19	26	6	11	100	40	24	31	23	16	52	34	26	28
	F	22	15	7	23	12	29	11	8	82	36	26	33	22	20	49	56	39	29
40—	M	22	11	12	19	21	22	14	10	118	45	30	33	29	10	65	43	50	38
	F	22	15	12	20	16	16	5	13	103	27	29	32	25	19	51	48	42	33
45—	M	34	15	11	29	19	23	19	12	146	43	34	50	30	16	71	49	47	46
	F	27	13	8	24	27	23	15	17	130	39	34	38	34	21	88	52	55	49
50—	M	34	16	19	32	22	28	19	13	149	43	42	55	39	32	73	70	67	54
	F	31	10	18	30	28	27	16	18	139	35	51	52	36	28	81	70	68	57
55—	M	37	28	28	47	25	37	28	25	201	57	71	71	57	44	103	83	92	83
	F	42	19	25	29	24	40	14	17	154	58	57	67	46	40	89	80	72	53
60—	M	51	18	31	51	34	45	23	34	205	93	61	61	57	47	145	125	102	112
	F	56	26	30	42	24	48	29	17	192	66	89	83	63	39	116	100	100	91
65—	M	70	38	26	60	60	71	24	42	262	82	86	115	89	72	174	118	132	129
	F	57	40	22	53	44	52	28	42	273	99	88	96	70	53	123	106	135	142
70—	M	59	45	39	89	50	69	21	46	230	93	94	90	77	76	158	141	144	156
	F	73	64	51	75	36	75	37	40	257	107	121	147	97	56	142	122	162	140
75—	M	60	48	28	71	47	85	30	50	178	92	96	93	63	59	126	121	146	135
	F	76	65	59	75	63	97	36	65	266	105	130	136	64	59	124	117	187	164
80—	M	37	35	23	60	40	50	17	35	97	65	61	95	42	39	66	68	111	126
	F	61	53	35	81	54	83	27	53	165	81	102	125	45	48	82	86	157	137
85—	M	19	29	6	33	25	48	9	15	59	34	46	60	16	27	38	41	72	74
	F	41	36	25	62	39	58	24	41	98	59	104	107	26	34	51	62	136	98

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—*continued.*

Age.	Sex.	Dorset-shire		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	623	597	3888	3105	246	206	3342	1517	586	1351	239	509	1088	486	139	191	4064	1722
	F	717	629	3320	2700	238	181	3159	1431	659	1324	267	426	1134	526	159	215	4115	1676
Under month	M	48	38	444	391	20	20	272	103	36	100	18	38	66	35	9	18	322	117
	F	36	33	307	319	10	10	194	81	31	64	9	22	57	28	9	10	213	107
1-3 months	M	15	12	162	147	7	3	121	30	12	38	9	13	32	9	2	4	126	40
	F	18	9	124	110	3	4	61	24	11	23	5	6	18	8	3	3	87	36
3-6 months	M	12	5	153	145	7	5	61	26	10	12	5	13	18	8	3	5	82	28
	F	11	7	146	109	4	3	59	16	14	13	4	6	21	6	2	4	64	20
6-12 months	M	11	11	225	199	11	6	75	31	16	23	3	6	19	6	2	3	102	32
	F	12	1	212	131	6	5	72	16	8	21	3	4	19	3	1	6	79	21
Total under 1 year	M	86	66	984	882	45	34	529	190	74	173	35	70	135	58	16	30	632	217
	F	77	50	789	669	23	22	386	137	64	121	21	38	115	45	15	23	443	184
1—	M	4	6	189	147	4	5	83	20	13	19	6	6	11	6	2	—	90	28
	F	11	4	176	132	5	3	72	21	8	20	4	4	10	7	—	2	83	26
2—	M	2	2	71	69	2	2	30	8	4	10	2	3	7	6	1	1	47	14
	F	1	3	77	47	3	3	37	9	1	12	2	4	4	3	1	2	29	15
3—	M	1	3	58	38	1	—	22	10	3	9	1	2	8	2	1	—	32	10
	F	4	2	60	32	—	—	30	4	2	9	1	—	5	4	1	1	28	9
4—	M	3	3	43	34	—	—	35	6	5	6	1	—	8	3	4	—	41	10
	F	5	2	47	46	1	2	36	4	2	9	3	2	3	5	1	1	30	12
Total under 5 years	M	96	80	1345	1170	52	41	699	234	99	217	45	81	169	75	24	31	842	279
	F	98	61	1149	926	32	30	561	175	77	171	31	48	137	64	18	29	613	246
5—	M	6	4	112	108	5	2	97	23	17	26	7	5	22	12	5	3	109	25
	F	8	7	129	123	4	3	94	29	7	21	4	7	23	7	5	1	96	23
10—	M	14	9	76	65	6	2	51	28	10	10	3	6	18	9	1	1	48	33
	F	9	5	78	65	6	3	52	15	7	16	1	6	20	9	4	4	86	32
15—	M	9	12	109	86	5	4	65	29	15	20	2	9	28	12	3	5	85	29
	F	16	11	86	50	4	3	75	10	13	29	3	11	19	3	7	1	76	36
20—	M	10	17	90	70	4	4	84	22	8	36	11	12	28	8	3	3	93	43
	F	10	25	89	77	9	6	82	29	10	42	5	6	15	11	4	4	100	34
25—	M	15	19	78	67	4	3	75	28	13	27	7	8	29	14	—	2	87	41
	F	8	16	113	78	5	3	93	37	15	31	9	10	34	14	7	—	88	45
30—	M	17	18	99	77	5	3	99	31	10	29	3	6	24	8	1	5	102	47
	F	16	16	90	103	6	2	102	33	10	31	5	15	30	15	5	4	118	47
35—	M	21	18	116	80	5	7	111	40	13	37	6	12	26	13	4	1	146	49
	F	25	17	105	94	7	12	97	31	16	41	11	14	38	23	2	6	144	43
40—	M	18	9	131	90	11	7	135	38	24	48	9	9	41	18	4	4	146	52
	F	17	27	103	100	3	2	108	29	17	49	2	20	32	14	10	3	151	50
45—	M	26	20	178	102	8	11	190	53	27	47	10	21	50	13	3	6	187	77
	F	30	26	115	112	6	10	140	33	20	52	8	8	43	24	5	4	169	57
50—	M	36	32	168	126	12	2	198	57	33	73	15	26	53	25	5	10	218	75
	F	29	37	121	107	12	8	133	65	40	58	14	18	67	30	6	5	207	82
55—	M	51	34	201	150	14	6	208	88	33	85	14	25	85	29	9	20	245	79
	F	43	28	143	122	11	5	190	79	30	51	17	26	60	32	9	7	210	100
60—	M	45	45	249	177	10	13	266	113	50	108	17	43	81	43	12	14	298	103
	F	51	36	201	136	20	9	200	99	44	91	15	26	75	35	12	15	265	103
65—	M	63	52	311	210	16	20	274	172	63	148	25	60	112	51	16	15	362	153
	F	54	48	199	151	26	18	258	136	78	100	22	29	94	41	14	20	356	146
70—	M	64	78	271	214	33	20	267	159	52	137	22	59	110	47	12	13	370	168
	F	94	70	223	149	24	15	286	175	67	152	35	49	129	52	9	27	364	153
75—	M	54	80	215	179	20	26	270	183	55	146	16	59	107	46	14	24	355	221
	F	82	85	194	159	32	22	248	186	86	138	37	57	134	74	16	36	433	202
80—	M	49	47	96	93	20	19	159	136	41	99	17	38	63	40	11	20	223	153
	F	75	63	131	82	20	15	247	145	73	130	24	42	96	35	14	24	354	155
85—	M	29	23	43	41	15	16	94	83	23	58	10	30	42	23	12	14	148	95
	F	52	51	51	66	11	15	193	125	49	121	24	34	88	43	12	25	285	122

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—*continued.*

Age.	Sex.	Lancashire.		Leicester-shire.		Lincoln-shire, (Parts of Holland).		Lincoln-shire, (Parts of Kesteven).		Lincoln-shire, (Parts of Lindsey).		Middlesex.		Monmouth-shire.		Norfolk.		Northamptonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	9730	1382	614	827	254	288	269	401	774	806	5921	254	2054	274	300	1466	532	683
	F	9528	1401	579	840	233	249	234	416	704	821	5849	247	1796	255	381	1510	486	692
Under 1 month {	M	829	89	49	71	16	27	26	33	55	90	478	13	213	17	26	110	48	56
	F	596	76	38	51	9	14	16	24	39	51	337	15	152	18	15	86	34	38
1-3 months {	M	379	35	14	16	9	6	5	9	29	21	190	4	97	10	5	33	16	18
	F	266	23	13	11	6	13	2	9	17	22	118	6	75	4	6	23	8	9
3-6 months {	M	302	26	27	17	14	3	3	12	22	12	154	2	61	6	2	22	8	10
	F	213	22	4	11	7	5	1	7	8	5	105	5	58	5	—	13	5	10
6-12 months {	M	378	48	31	18	7	6	10	10	36	17	141	8	106	6	11	37	11	7
	F	319	33	20	17	12	4	7	5	28	12	116	4	110	9	9	19	8	7
Total under 1 year {	M	1888	198	121	122	46	42	44	64	142	140	963	27	477	39	44	202	83	91
	F	1394	154	75	90	34	36	26	45	92	90	676	30	395	36	30	141	55	64
1— {	M	326	27	23	20	5	9	9	4	25	25	100	4	117	10	5	16	10	8
	F	273	28	21	11	13	9	5	6	20	18	107	1	98	7	2	15	8	10
2— {	M	117	6	10	14	5	1	5	1	9	5	56	1	44	3	2	5	11	7
	F	111	21	11	11	1	4	2	4	14	5	51	—	51	4	1	5	7	2
3— {	M	99	14	7	7	3	2	2	5	4	6	52	3	39	1	5	6	6	3
	F	82	12	9	5	—	—	3	1	9	9	54	1	37	5	1	4	7	5
4— {	M	76	9	8	4	3	2	4	2	9	3	55	2	36	7	1	2	2	3
	F	89	6	9	5	—	—	5	1	9	4	45	—	42	1	2	7	3	4
Total under 5 years {	M	2506	254	169	167	62	56	64	76	189	179	1226	37	713	60	57	231	112	112
	F	1949	221	125	122	48	49	41	57	144	126	933	32	623	53	36	172	80	85
5— {	M	240	49	22	29	7	8	7	6	28	22	174	5	67	7	4	25	8	11
	F	244	40	22	20	2	5	5	14	19	18	158	7	68	3	4	30	7	12
10— {	M	162	17	9	13	4	1	1	6	12	11	90	3	36	3	2	22	9	4
	F	133	27	11	13	5	3	4	9	13	14	115	1	37	3	4	16	5	11
15— {	M	187	27	13	14	3	6	8	9	14	19	128	6	52	3	10	28	10	20
	F	213	30	21	19	6	9	3	9	18	25	112	8	41	6	3	30	11	8
20— {	M	196	31	10	9	5	11	8	7	21	7	142	3	64	4	6	27	11	12
	F	220	27	22	16	6	5	3	10	23	24	161	8	61	4	8	30	17	17
25— {	M	229	28	13	11	3	4	5	9	23	22	129	4	53	3	10	23	23	17
	F	292	42	9	23	4	3	8	8	24	26	159	6	59	12	10	38	19	19
30— {	M	254	30	16	15	8	7	6	5	19	22	210	7	59	13	4	18	19	13
	F	278	43	20	18	7	6	5	8	23	20	189	7	54	5	13	35	14	18
35— {	M	352	48	11	16	9	6	7	5	21	15	245	10	62	7	7	27	17	23
	F	313	41	17	28	8	10	8	7	24	16	226	3	60	9	10	42	22	12
40— {	M	354	59	20	29	12	5	6	8	30	13	278	14	81	8	7	34	13	20
	F	355	54	16	34	6	12	9	12	19	23	220	8	59	6	14	35	8	20
45— {	M	520	55	31	27	11	7	12	18	36	17	299	12	99	12	16	40	22	23
	F	408	51	29	26	8	11	6	9	16	28	215	9	61	8	16	42	19	21
50— {	M	604	93	24	41	15	9	10	15	35	26	362	19	106	18	17	58	31	26
	F	488	74	16	26	7	10	11	11	21	41	319	12	87	14	16	67	20	26
55— {	M	707	88	34	45	10	11	17	30	49	31	400	13	113	11	19	79	32	37
	F	616	73	34	40	5	7	9	16	36	37	332	17	69	11	18	66	25	35
60— {	M	807	124	39	60	12	18	20	24	61	61	469	20	120	22	16	100	30	37
	F	738	90	40	55	19	15	18	26	46	56	394	21	100	22	30	90	26	43
65— {	M	911	135	52	76	22	34	28	29	67	67	467	17	127	25	20	151	45	66
	F	888	133	46	66	13	18	19	38	61	55	454	20	113	15	31	121	31	64
70— {	M	721	118	50	97	23	29	23	41	53	79	442	29	136	21	38	157	48	75
	F	929	145	41	86	27	15	19	43	59	71	538	24	113	26	46	160	52	81
75— {	M	584	119	53	78	23	30	22	49	51	94	439	35	103	24	32	194	46	80
	F	760	140	48	90	29	33	29	40	55	92	548	23	89	18	41	187	54	87
80— {	M	286	75	36	60	15	24	18	44	35	66	271	15	39	19	23	151	38	61
	F	486	101	38	82	17	17	18	48	59	76	426	19	58	19	45	167	46	71
85— {	M	110	32	12	40	10	22	7	20	30	55	150	5	24	14	12	101	18	46
	F	218	69	24	76	16	21	19	51	44	73	350	22	44	21	36	182	30	62

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—*continued.*

Age.	Sex.	North-berland.		Notting-hamshire.		Oxford-shire.		Peter-borough, Soke of.		Rutland-shire.		Shropshire.		Somerset-shire.		South-ampton.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	2071	645	1373	794	227	565	250	59	19	79	708	800	888	1335	1009	1199
	F	1757	599	1246	756	206	565	196	68	11	86	707	737	1072	1334	1037	1188
Under 1 month	M	223	53	138	65	19	42	20	4	1	4	54	54	50	86	79	94
	F	141	34	120	52	5	30	11	3	1	7	29	46	38	56	66	69
1-3 months	M	92	8	78	27	7	14	4	2	1	2	19	24	19	30	25	22
	F	61	9	44	12	2	10	4	1	—	2	22	18	18	18	29	23
3-6 months	M	98	11	57	16	3	16	8	—	1	1	21	11	11	26	18	12
	F	79	7	39	6	3	3	3	—	—	1	11	12	8	14	11	16
6-12 months	M	102	15	59	33	2	5	5	1	—	1	19	23	17	18	30	24
	F	68	8	67	27	—	5	4	2	—	3	16	16	17	23	13	8
Total under 1 year	M	515	87	332	141	31	77	37	7	3	8	113	112	97	160	152	152
	F	349	58	270	97	10	48	22	6	1	13	78	92	81	111	119	116
1—	M	99	14	63	20	4	4	5	2	—	—	11	9	17	10	20	19
	F	66	12	52	21	—	4	4	1	—	—	17	14	13	17	28	8
2—	M	33	2	28	10	2	1	1	1	—	1	4	2	5	9	9	3
	F	28	4	21	7	—	1	2	—	—	1	8	7	4	4	5	9
3—	M	19	3	18	5	1	1	1	1	—	—	6	7	10	5	11	8
	F	20	5	19	4	1	2	4	—	—	—	6	2	7	8	3	4
4—	M	16	3	19	15	1	3	2	—	—	—	6	5	4	7	5	2
	F	12	2	14	3	2	2	—	—	—	—	7	3	—	4	10	6
Total under 5 years	M	682	109	460	191	39	86	46	11	3	9	140	135	133	191	197	184
	F	475	81	376	132	13	57	32	7	1	14	116	118	105	144	165	143
5—	M	63	10	36	22	3	9	3	—	1	1	12	16	16	29	29	22
	F	60	11	39	21	1	8	6	1	—	—	12	18	19	17	30	25
10—	M	31	15	24	16	4	1	5	—	—	1	6	10	19	17	12	16
	F	44	8	29	8	2	6	—	2	—	—	9	7	15	17	13	11
15—	M	59	10	45	17	—	4	3	1	—	3	9	13	26	20	14	21
	F	28	14	36	23	2	11	4	—	—	—	12	12	25	22	18	26
20—	M	45	17	32	9	6	10	3	1	1	2	10	18	14	19	19	23
	F	56	15	33	30	5	8	6	4	—	2	11	16	26	23	22	33
25—	M	54	10	30	13	4	9	6	—	2	1	16	10	13	22	22	22
	F	52	11	34	21	7	16	4	3	—	1	15	16	26	25	28	33
30—	M	66	14	31	11	7	11	4	4	2	3	17	16	28	28	29	23
	F	71	16	46	24	12	9	4	2	—	1	13	14	29	27	34	34
35—	M	63	16	39	31	5	9	8	1	—	—	26	15	17	22	33	30
	F	56	19	51	24	3	11	9	1	—	2	14	21	28	28	47	37
40—	M	67	23	46	18	6	13	9	1	—	1	23	19	36	37	30	27
	F	72	15	48	23	8	16	8	—	1	2	18	28	38	34	35	45
45—	M	85	24	60	23	6	20	8	5	1	1	29	22	53	33	56	49
	F	79	15	56	26	8	22	10	4	—	2	28	19	38	41	48	36
50—	M	96	30	65	23	15	20	16	—	—	3	30	50	50	59	66	52
	F	77	25	42	30	11	22	7	4	—	4	20	26	54	67	50	50
55—	M	120	35	77	42	10	31	18	3	1	6	37	50	65	94	63	74
	F	87	38	49	38	7	31	8	1	—	6	46	27	56	68	42	71
60—	M	133	54	89	65	22	29	19	7	1	1	45	56	70	130	76	84
	F	108	43	77	50	14	34	11	8	2	5	50	45	65	90	68	85
65—	M	159	62	97	68	20	69	24	6	3	8	68	77	72	142	79	132
	F	130	61	71	52	16	59	15	6	3	3	69	76	110	130	84	99
70—	M	140	65	92	72	19	63	32	8	1	7	92	86	92	146	108	133
	F	110	65	84	86	29	59	17	7	1	11	79	59	126	146	86	108
75—	M	111	77	89	80	28	75	16	4	2	14	60	91	92	150	87	147
	F	123	62	79	66	21	73	25	8	1	16	89	99	128	171	109	159
80—	M	69	41	35	56	18	56	25	5	—	12	56	62	56	113	52	87
	F	87	67	59	61	20	61	17	5	—	8	63	76	109	147	88	104
85—	M	28	33	26	37	15	50	5	2	1	6	32	54	36	83	37	73
	F	42	33	37	41	27	62	13	5	2	9	43	60	75	137	70	89

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—*continued.*

Age.	Sex.	Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.		Warwick-shire.		Westmor-land.		Wight, Isle of.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	3296	1330	417	683	238	401	2560	738	593	638	494	502	802	1047	175	239	391	165
	F	2946	1138	499	648	223	405	2851	745	750	656	554	469	779	958	200	229	429	136
Under 1 month	M	310	133	42	54	20	29	181	62	27	39	29	36	61	92	8	18	24	16
	F	235	83	30	41	7	33	150	31	27	40	16	30	48	52	9	9	9	4
1-3 months	M	144	60	14	23	6	9	92	16	11	20	10	8	33	32	7	6	5	3
	F	93	27	14	5	6	4	43	6	14	10	8	12	18	32	6	1	2	3
3-6 months	M	112	39	4	5	5	2	44	7	9	5	6	5	21	30	1	7	4	2
	F	86	22	13	7	—	4	37	6	3	5	4	2	14	16	4	2	4	1
6-12 months	M	157	55	13	19	1	3	39	9	7	5	7	5	24	35	3	3	6	3
	F	142	36	18	12	3	7	29	7	7	5	4	5	12	28	1	1	7	—
Total under 1 year	M	723	287	73	101	32	43	356	94	54	69	52	54	142	189	19	34	39	24
	F	556	168	75	65	16	48	259	50	51	60	32	49	92	128	20	13	22	8
1—	M	148	42	7	8	4	6	44	8	11	6	1	5	11	28	2	3	3	3
	F	140	39	7	8	4	6	37	11	9	8	6	4	15	26	2	1	3	2
2—	M	59	19	3	2	—	2	15	5	3	2	1	1	7	15	1	2	2	1
	F	54	20	4	6	—	1	18	5	1	5	—	—	6	7	3	1	4	1
3—	M	40	8	1	4	—	—	21	4	5	2	4	2	—	9	1	1	3	—
	F	38	23	4	9	—	2	9	5	6	5	1	—	3	6	2	2	2	2
4—	M	35	7	2	—	1	—	11	7	9	—	3	2	6	8	1	2	3	—
	F	25	16	3	1	1	1	17	5	4	1	3	2	7	9	1	2	1	—
Total under 5 years	M	1005	363	86	115	37	51	447	118	82	79	61	64	166	249	24	42	50	28
	F	813	266	93	89	21	58	340	76	71	79	42	55	123	176	28	19	32	13
5—	M	92	51	9	18	3	3	61	15	14	7	10	10	18	19	1	—	10	3
	F	105	24	8	11	4	6	59	19	15	10	9	9	21	26	1	4	9	1
10—	M	54	23	6	9	4	4	42	11	6	2	5	6	12	15	3	1	3	5
	F	64	12	11	8	4	7	42	14	7	4	6	5	10	14	3	7	8	—
15—	M	69	31	14	14	6	10	49	10	12	8	9	9	23	29	3	7	3	2
	F	84	17	8	7	4	10	57	15	13	17	7	7	16	23	3	3	4	3
20—	M	84	17	10	9	6	13	57	13	13	16	7	5	20	30	4	3	9	3
	F	79	31	18	16	6	7	69	15	11	12	7	7	22	15	5	4	4	3
25—	M	86	25	9	17	4	5	54	14	8	16	9	13	19	19	4	6	6	2
	F	81	22	14	14	5	9	70	21	20	15	7	7	28	28	6	7	9	4
30—	M	92	22	5	13	4	8	80	16	11	10	13	9	17	20	3	4	9	6
	F	83	20	13	19	1	5	83	21	18	20	16	20	25	20	7	8	18	4
35—	M	101	24	13	28	4	9	79	30	22	21	13	15	30	30	5	7	9	8
	F	65	39	16	17	5	9	85	17	15	24	24	7	20	21	2	4	15	5
40—	M	120	36	10	11	10	11	110	17	18	13	24	6	35	46	8	5	28	5
	F	99	31	14	20	5	8	95	32	24	26	13	11	23	45	7	10	13	5
45—	M	161	42	16	22	16	13	117	39	23	21	15	14	32	46	8	8	16	12
	F	119	37	15	28	5	8	132	33	36	31	25	15	28	32	4	7	23	3
50—	M	137	54	19	33	9	10	159	45	26	25	26	18	35	41	10	10	16	8
	F	109	45	20	20	5	15	142	38	34	27	24	19	34	38	6	10	18	3
55—	M	200	53	25	36	15	27	190	47	46	54	35	37	44	48	10	10	28	8
	F	132	42	16	31	12	12	156	43	49	35	24	27	33	49	17	19	27	4
60—	M	263	93	21	47	11	33	194	53	48	57	37	29	63	62	18	17	28	8
	F	170	60	31	31	17	28	186	52	56	44	34	41	52	54	13	18	33	7
65—	M	274	127	40	57	30	33	208	59	55	80	47	55	70	99	22	25	38	19
	F	225	120	40	51	22	41	274	57	58	67	62	38	66	92	21	19	40	16
70—	M	222	115	38	77	29	46	240	72	64	75	55	64	72	95	30	29	35	11
	F	231	105	39	67	30	41	273	61	86	61	75	48	84	96	25	29	36	15
75—	M	191	124	41	70	27	56	226	84	67	65	52	55	70	95	8	24	51	12
	F	253	121	57	77	39	50	310	91	79	74	70	55	76	93	21	32	51	22
80—	M	95	85	34	62	12	37	140	62	52	48	31	48	44	61	11	28	34	17
	F	147	88	40	73	22	40	276	77	71	61	60	57	72	77	19	13	44	14
85—	M	50	45	21	45	11	32	107	33	26	41	45	45	32	43	3	13	18	8
	F	87	58	46	69	16	51	202	63	87	49	49	41	46	59	12	16	45	14

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—continued.

Age.	Sex.	Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardigan-shire.		Carmarthenshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	718	815	1015	799	426	587	1216	874	7318	2469	128	222	125	285	129	299	480	671
	F	764	831	923	725	462	478	1113	799	6906	2240	127	239	105	255	130	360	498	709
Under 1 month {	M	63	66	78	48	32	46	100	72	617	241	6	20	6	28	1	14	38	64
	F	36	49	54	29	29	30	81	53	451	162	7	14	6	17	3	9	38	42
1-3 months {	M	16	16	31	14	7	20	44	21	266	116	9	5	8	10	3	14	28	27
	F	10	15	30	16	10	14	30	17	192	79	3	4	1	10	1	11	17	15
3-6 months {	M	10	18	19	8	6	16	42	13	212	111	3	3	3	4	2	—	15	16
	F	15	7	9	10	4	2	30	5	170	55	2	4	4	4	1	3	11	22
6-12 months {	M	12	11	42	18	11	14	50	14	332	131	5	2	6	11	2	4	22	25
	F	19	4	22	15	9	8	44	9	256	81	3	4	2	6	2	7	19	18
Total under 1 year {	M	101	111	170	88	56	96	236	120	1427	599	23	30	23	53	8	32	103	132
	F	80	75	115	70	52	54	185	84	1069	377	15	26	13	37	7	30	85	97
1— {	M	8	8	22	18	14	6	39	16	271	105	1	2	5	12	—	6	17	23
	F	17	10	19	12	13	8	42	9	248	113	2	5	5	7	3	5	12	18
2— {	M	5	6	13	5	1	3	28	10	106	44	2	1	2	6	1	1	7	11
	F	4	6	12	5	4	4	13	4	94	49	1	—	3	7	—	1	4	11
3— {	M	5	5	9	6	6	7	9	4	72	35	2	1	2	2	—	2	3	4
	F	5	4	13	2	4	—	8	3	82	29	1	—	—	1	1	—	6	7
4— {	M	3	3	8	4	—	2	9	2	78	25	1	—	1	—	—	3	3	5
	F	2	2	8	2	4	4	12	6	49	24	—	—	3	2	—	1	7	4
Total under 5 years {	M	122	133	222	121	77	114	321	152	1954	808	29	34	33	73	9	44	133	175
	F	108	97	167	91	77	70	260	106	1542	592	19	31	24	54	11	37	114	137
5— {	M	16	7	22	17	6	12	34	19	198	74	3	4	4	16	3	—	12	16
	F	18	11	28	14	3	9	30	16	183	77	2	6	3	6	1	6	12	25
10— {	M	11	13	18	9	7	8	23	9	121	33	—	1	—	5	4	—	7	11
	F	10	11	16	12	6	10	18	12	129	48	2	1	2	7	1	1	9	12
15— {	M	15	15	20	20	7	13	36	15	157	56	4	4	1	8	4	5	18	15
	F	20	11	14	15	9	13	22	12	132	40	2	3	2	3	3	9	18	20
20— {	M	11	20	26	19	14	15	27	21	146	42	6	7	3	9	3	11	14	21
	F	16	21	24	14	11	13	21	16	174	41	—	10	2	5	3	8	11	17
25— {	M	13	20	23	18	10	11	20	15	151	44	4	3	—	3	3	6	19	22
	F	23	17	28	18	16	15	28	18	202	57	4	7	—	11	3	6	18	30
30— {	M	19	14	22	22	12	17	35	16	178	59	2	6	3	5	3	9	19	19
	F	18	18	29	21	9	14	28	25	209	65	4	9	—	8	2	7	16	27
35— {	M	27	18	41	21	10	12	40	19	246	84	3	2	4	5	2	7	13	30
	F	24	18	34	27	14	16	39	30	233	76	4	9	4	9	1	9	14	18
40— {	M	23	29	43	31	3	14	55	26	252	77	5	6	3	9	4	3	19	15
	F	21	28	22	21	15	11	45	20	237	64	7	5	5	5	7	18	17	27
45— {	M	34	20	39	31	22	16	57	32	307	75	3	7	6	7	4	7	25	31
	F	33	36	43	21	16	15	35	27	306	82	4	10	1	8	5	9	13	24
50— {	M	40	22	47	41	17	18	60	31	389	101	9	7	5	15	7	15	29	25
	F	46	43	33	32	20	19	51	35	325	95	5	11	2	14	7	16	26	26
55— {	M	51	51	60	36	22	34	69	50	478	144	9	11	12	15	5	20	33	41
	F	43	34	44	43	21	27	56	41	391	101	10	9	14	17	7	15	32	37
60— {	M	50	65	73	78	33	33	69	57	599	163	11	21	10	20	9	24	30	39
	F	39	52	67	39	28	35	61	68	522	138	7	16	11	16	10	21	31	50
65— {	M	84	81	101	64	34	57	107	100	728	195	7	20	13	19	19	23	35	44
	F	61	70	68	64	42	47	106	78	623	182	9	19	5	15	8	39	37	45
70— {	M	62	98	101	91	56	57	92	84	570	190	12	23	15	24	15	39	31	55
	F	72	90	75	82	51	31	93	79	614	194	16	19	7	29	16	39	46	60
75— {	M	56	94	73	76	51	76	80	92	468	161	11	35	7	25	19	41	17	51
	F	88	122	104	89	46	42	99	88	556	188	13	30	11	22	21	44	41	68
80— {	M	52	54	53	60	30	47	63	86	273	101	4	22	5	17	13	26	18	35
	F	64	77	74	77	40	50	74	77	349	124	13	23	8	18	17	38	28	53
85— {	M	32	61	31	44	15	33	28	50	103	62	6	9	1	10	3	19	8	26
	F	60	75	53	45	38	41	47	51	179	76	6	21	4	8	7	38	15	33

DEATHS at DIFFERENT AGES in URBAN and RURAL AGGREGATES of ADMINISTRATIVE COUNTIES—1920 (Civilian Population only)—*continued.*

Age.	Sex.	Carnarvon-shire.		Denbigh-shire.		Flintshire.		Glamorgan-shire.		Merioneth-shire.		Montgomery-shire.		Pembroke-shire.		Radnor-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	382	479	308	705	242	380	4012	1324	153	182	126	230	239	336	44	102
	F	413	483	350	650	260	368	3391	1168	182	178	123	238	266	357	44	75
Under 1 month	M	22	21	16	63	27	27	417	136	4	10	7	14	15	18	6	11
	F	10	27	25	47	17	13	284	95	12	5	—	17	16	21	4	3
1-3 months	M	10	13	7	33	8	11	175	65	5	6	4	6	6	11	1	4
	F	7	9	7	14	9	8	122	38	1	1	—	2	9	5	1	—
3-6 months	M	6	11	6	15	3	11	153	33	3	3	4	4	5	4	—	5
	F	4	6	5	8	6	8	116	32	3	2	1	3	8	5	1	—
6-12 months	M	12	7	8	32	13	9	227	57	4	—	3	2	6	5	2	1
	F	12	1	5	26	4	8	181	45	2	2	1	5	5	9	—	—
Total under 1 year	M	50	52	37	143	51	58	972	291	16	19	18	26	32	38	9	21
	F	33	43	42	95	36	37	703	210	18	10	2	27	38	40	6	3
1—	M	7	7	8	19	5	10	215	48	3	1	1	—	4	6	—	2
	F	9	3	8	19	3	9	209	52	2	1	3	2	5	2	—	—
2—	M	1	4	7	12	3	6	107	13	—	1	2	—	4	1	1	—
	F	6	3	—	7	2	2	87	23	—	—	—	—	1	3	—	1
3—	M	3	4	1	11	1	—	64	13	—	2	—	1	3	4	—	1
	F	2	2	1	10	1	3	53	11	1	2	—	2	1	—	—	—
4—	M	1	1	1	10	1	2	60	9	1	2	1	—	1	1	1	—
	F	1	6	2	8	1	1	49	10	3	—	—	—	4	2	—	—
Total under 5 years	M	62	68	54	195	61	76	1418	374	20	25	22	27	44	50	11	24
	F	51	57	53	139	43	52	1101	306	24	13	5	31	49	47	6	4
5—	M	7	12	5	26	3	13	119	45	3	2	4	6	8	7	—	1
	F	11	4	7	33	5	10	154	42	2	3	1	6	5	3	1	2
10—	M	5	6	1	10	2	7	70	25	—	4	1	—	4	7	—	2
	F	4	11	4	12	2	3	87	23	1	2	2	6	5	7	1	2
15—	M	8	9	3	13	4	5	110	49	4	6	3	3	8	4	—	1
	F	9	8	11	19	6	7	82	39	8	11	4	7	5	10	2	1
20—	M	7	17	6	10	7	4	115	62	3	4	1	5	9	6	1	4
	F	8	18	9	17	5	11	110	49	1	2	3	8	6	12	—	3
25—	M	12	11	8	16	7	5	112	26	1	2	1	4	7	8	—	3
	F	14	8	8	22	3	14	132	40	4	5	7	4	10	10	1	2
30—	M	14	5	9	7	5	6	115	43	7	3	1	6	7	3	1	5
	F	10	14	6	23	5	5	126	38	6	2	2	8	10	9	3	3
35—	M	13	11	10	17	5	9	150	55	3	1	3	4	11	9	1	1
	F	8	12	8	23	6	9	124	48	4	8	5	6	11	10	—	7
40—	M	12	11	12	27	10	19	173	52	6	4	—	5	5	6	1	5
	F	24	20	11	23	8	14	156	42	6	8	7	6	9	17	1	4
45—	M	10	23	12	26	12	16	175	59	5	8	5	6	14	11	—	3
	F	23	15	13	22	9	14	142	46	10	6	8	8	12	12	3	2
50—	M	26	26	18	40	13	16	233	63	6	15	7	10	14	12	2	2
	F	18	30	18	28	18	12	181	37	8	9	4	9	17	10	1	5
55—	M	28	29	17	40	13	13	230	71	12	14	9	21	9	20	4	5
	F	21	22	10	34	15	21	140	67	14	8	12	15	14	29	1	6
60—	M	28	40	32	51	14	26	279	79	15	25	13	12	15	25	6	7
	F	31	30	25	40	24	23	152	66	17	11	7	11	14	21	6	4
65—	M	25	54	31	63	21	38	243	74	15	19	16	26	20	46	4	9
	F	26	47	31	57	19	34	188	91	15	17	12	16	22	28	3	5
70—	M	46	58	41	51	26	40	227	99	18	24	14	31	16	36	6	12
	F	35	55	46	52	33	32	202	72	19	22	7	20	26	38	6	7
75—	M	42	48	24	62	17	39	139	78	24	11	10	22	27	50	3	9
	F	54	63	35	47	31	47	170	73	18	19	17	28	25	43	5	5
80—	M	27	33	15	29	16	29	75	47	3	7	10	26	11	19	3	4
	F	38	45	31	33	20	33	84	54	18	21	13	29	16	31	4	8
85—	M	10	18	10	22	6	19	29	23	8	8	6	16	10	17	1	5
	F	28	24	24	26	8	27	60	35	7	11	7	20	10	20	—	5

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.				AGES AT DEATH.									
					All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	{ M F	240,302 225,828	19,492 14,202	8,958 6,068	6,881 5,069	8,868 7,014	44,199 32,353	7,784 6,957	3,151 2,949	2,279 2,201	1,981 1,884
1	Enteric fever	{ M F	291 246	— —	— —	— —	— —	— —	— —	— 1	3 1	1 1
2	Typhus	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3	Relapsing fever	{ M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Relapsing fever	{ M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Mediterranean fever	{ M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Malaria	{ M F	240 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Small-pox	{ M F	12* 18	— —	— 1	— —	— 1	— 2	— —	1 —	1 1	— —
6	Measles	{ M F	3,760 3,430	12 12	42 22	74 64	702 604	830 702	1,374 1,250	528 506	316 317	256 216
7	Scarlet fever	{ M F	695 735	2 2	2 1	3 2	26 14	33 19	66 58	72 64	84 72	85 89
8	Whooping cough	{ M F	1,969 2,432	39 44	213 251	257 273	498 577	1,007 1,145	513 656	198 269	103 163	68 90
9	Diphtheria, Croup	{ M F	2,709 2,957	4 1	8 11	21 12	106 88	139 112	247 221	254 273	334 322	374 357
	A. Diphtheria	{ M F	2,696 2,945	4 1	8 11	20 11	106 88	138 111	245 220	252 271	333 319	372 355
	B. Membranous laryngitis.	{ M F	3 4	— —	— —	— —	— —	— —	1 —	— —	— 2	2 —
	C. Croup	{ M F	10 8	— —	— —	1 1	— —	1 1	1 1	2 2	1 1	— 2
10	Influenza	{ M F	5,635* 5,030	23 22	73 37	94 49	124 108	314 216	113 118	57 66	60 59	29 45
11	Miliary fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras	{ M F	5 3	— —	— —	— —	— —	— —	— —	1 —	— —	— —
14	Dysentery	{ M F	155 99	— —	1 —	— —	— 1	1 1	2 —	1 —	— —	— —
15	Plague	{ M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy	{ M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas	{ M F	416 422	17 11	38 40	12 12	5 8	72 71	1 4	2 2	1 3	— 1

* The death of a male, aged 51 years, during the March quarter of the year, in the County Borough of East Ham, is regarded by the Ministry of Health as a death from small-pox, but in this report is classified to influenza in accordance with the medical certificate of the cause of death.

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered).

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
59,394 46,344	6,009 5,790	3,530 3,725	5,070 4,809	5,604 5,585	5,650 6,390	6,533 6,567	8,078 7,328	9,393 8,001	11,474 9,253	13,448 10,734	15,521 12,401	17,809 14,835	20,419 18,063	19,207 20,085	16,924 20,304	10,359 14,935	5,880 10,679	All Causes.
4 3	10 18	19 17	38 26	36 26	29 33	13 23	29 24	25 27	34 14	17 11	18 9	8 10	7 3	3 1	1 1	— —	— —	1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
— —	— —	— —	3 1	32 —	43 1	50 1	37 1	29 2	22 —	12 1	2 1	2 1	5 —	1 —	— —	— —	2 1	4
2 3	1 1	— —	— 1	1 3	— 1	1 1	— 1	1 3	2 2	1 1	2 1	1 —	— —	— —	— —	— —	— —	5
3,304 2,991	394 376	27 23	11 10	5 3	4 9	4 6	3 3	— 3	2 3	2 2	1 —	— 1	1 —	1 —	1 —	— —	— —	6
340 302	225 250	53 85	37 35	10 25	7 10	7 13	7 8	3 1	4 3	1 1	1 1	— 1	— —	— —	— —	— —	— —	7
1,889 2,323	75 100	4 2	— —	— —	— 3	— —	— 1	— —	— —	— —	— —	1 —	— 1	— —	— 1	— —	— 1	8
1,348 1,285	1,028 1,209	211 298	59 56	17 24	13 14	7 12	6 12	3 14	4 3	7 4	1 10	2 5	1 5	2 5	— 1	— —	— —	9
1,340 1,276	1,023 1,206	211 298	59 56	17 24	13 14	7 12	6 12	3 14	4 3	7 4	1 10	2 5	1 5	2 5	— 1	— —	— —	A
3 2	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
5 7	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
573 504	166 151	110 115	290 171	295 293	383 400	416 414	410 290	367 270	427 285	404 286	395 299	350 306	384 336	295 332	221 310	87 179	62 89	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
— 1	— —	1 1	— —	— —	1 —	1 —	— —	— —	— 1	— —	1 —	1 —	— —	— —	— —	— —	— —	13
4 1	1 —	1 —	2 —	13 2	26 5	21 2	18 3	17 5	13 11	9 8	7 7	7 10	8 14	4 13	3 11	— 3	1 4	14
— —	— —	— —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
76 81	3 5	10 6	7 9	9 12	5 12	9 17	14 21	24 22	26 23	40 25	41 28	31 31	35 28	35 41	33 37	12 13	6 11	18

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases {	M 82	1	4	6	15	26	13	6	3	3
		F 54	—	1	7	15	23	10	4	6	1
	A. Mumps ... {	M 16	—	1	—	1	2	2	1	2	1
		F 11	—	—	—	1	1	2	1	3	—
	B. German measles ... {	M 12	—	—	1	3	4	2	1	—	—
		F 13	—	1	1	—	2	4	2	—	1
	C. Varicella ... {	M 41	1	3	5	11	20	9	4	1	2
		F 30	—	—	6	14	20	4	1	3	—
	D. Other diseases in- cluded under 19. {	M 13	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia ... {	M 425	18	14	8	5	45	4	1	3	4
		F 249	17	9	1	10	37	8	1	1	1
	A. Pyæmia ... {	M 54	5	5	—	1	11	—	1	1	—
		F 43	6	2	—	1	9	1	—	—	—
	B. Septicæmia .. {	M 367	13	7	7	3	30	4	—	2	4
		F 201	10	6	1	6	23	7	1	1	1
	C. Vaccinia ... {	M 4	—	2	1	1	4	—	—	—	—
		F 5	1	1	—	3	5	—	—	—	—
	Glanders ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever) {	M 12	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—
23	Rabies ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
24	Tetanus ... {	M 116	11	3	—	1	15	—	—	1	1
		F 33	9	—	—	—	9	—	2	—	—
25	Mycoses ... {	M 27	—	—	—	—	—	—	—	—	—
		F 16	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ... {	M 25	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—
	B. Other mycoses ... {	M 2	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—
26	Pellagra ... {	M —	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—
27	Beri-beri ... {	M 4	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). {	M 16,752	—	6	19	44	69	78	48	27	25
		F 13,790	2	5	7	30	44	58	31	38	27
	A. Pulmonary tuber- culosis. {	M 13,491	—	6	17	40	63	69	43	24	23
		F 10,848	1	4	7	28	40	54	28	34	23
	B. Phthisis (not defined as tuberculous). {	M 3,261	—	—	2	4	6	9	5	3	2
		F 2,942	1	1	—	2	4	4	3	4	4
	Acute phthisis, Acute miliary tuberculosis. {	M 1,432	2	9	19	28	58	37	32	21	18
		F 1,495	—	5	12	31	48	35	25	19	22
28 & 29	A. Acute phthisis ... {	M 1,120	1	2	6	7	16	20	9	6	6
		F 1,129	—	1	4	6	11	8	10	9	9
	B. Acute miliary tuber- culosis {	M 312	1	7	13	21	42	17	23	15	12
		F 366	—	4	8	25	37	27	15	10	13
28 & 29	Pulmonary tuberculosis, acute and chronic. {	M 18,184	2	15	38	72	127	115	80	48	43
		F 15,285	2	10	19	61	92	93	56	57	49
30	Tuberculous meningitis {	M 1,885	3	27	80	250	360	233	171	121	102
		F 1,700	4	33	72	170	279	226	143	106	91

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peri- toneum and intestines.	M	1,031	4	46	79	94	223	148	69	45	29
		F	1,161	5	20	40	79	144	97	71	38	32
	A. Tabes mesenterica	M	107	—	11	20	20	51	22	9	4	—
		F	90	—	3	10	8	21	18	10	4	4
	B. Other peritoneal and intestinal tubercle	M	924	4	35	59	74	172	126	60	41	29
		F	1,071	5	17	30	71	123	79	61	34	28
32	Tuberculosis of spinal column.	M	396	—	—	—	—	—	1	1	8	8
		F	280	1	1	—	1	3	1	3	1	—
33	Tuberculosis of joints...	M	208	—	1	3	1	5	1	1	3	2
		F	138	—	—	3	2	5	3	—	—	1
34	Tuberculosis of other organs.	M	336	3	2	6	12	23	8	2	3	5
		F	283	—	2	1	4	7	8	5	3	2
	A. Lupus ...	M	20	—	—	—	—	—	1	—	—	—
		F	54	—	—	—	—	—	—	—	—	—
	B. Scrofula ...	M	4	1	—	—	—	1	1	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
	C. Other tuberculosis included under 34.	M	312	2	2	6	12	22	6	2	3	5
		F	228	—	2	1	4	7	8	4	3	2
35	Disseminated tuberculosis	M	878	3	11	20	47	81	63	21	34	23
		F	780	1	10	16	29	56	41	22	17	29
28-35	Tuberculosis (all forms)	M	22,918	15	102	226	476	819	569	345	262	212
		F	19,627	13	76	151	346	586	469	300	222	204
36	Rickets, Softening of bones.	M	323	3	16	30	89	138	104	34	19	4
		F	229	1	4	19	47	71	71	28	12	7
	A. Rickets ...	M	313	3	16	30	89	138	103	34	19	4
		F	199	1	4	19	45	69	71	28	12	7
	B. Other forms of bone softening.	M	10	—	—	—	—	—	1	—	—	—
		F	30	—	—	—	2	2	—	—	—	—
37	Syphilis ...	M	1,154	258	349	129	79	815	24	6	3	2
		F	869	192	235	132	69	628	24	7	1	1
38	Other venereal diseases...	M	42	11	8	1	1	21	2	—	—	—
		F	38	9	12	2	1	24	—	—	—	—
	A. Soft chancre ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Gonococcus infec- tion.	M	21	1	1	—	1	3	—	—	—	—
		F	15	—	1	—	—	1	—	—	—	—
	C. Purulent ophthal- mia.	M	20	10	7	1	—	18	2	—	—	—
		F	23	9	11	2	1	23	—	—	—	—
39	Cancer of the buccal cavity.	M	2,449	—	—	—	—	—	1	1	—	1
		F	369	—	—	—	1	1	1	—	1	—
40	Cancer of the stomach, liver, &c.	M	7,477	—	1	—	—	1	1	2	1	—
		F	6,576	—	—	—	2	2	1	1	—	1
41	Cancer of the peritoneum, intestines and rectum.	M	4,439	—	—	—	—	—	—	2	1	2
		F	4,780	1	—	—	—	1	1	—	1	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	5,005	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	35	—	—	—	—	—	—	—	—	—
		F	4,488	—	—	—	—	—	—	—	—	—
44	Cancer of the skin	M	702	—	—	—	—	—	—	1	—	—
		F	385	—	—	—	2	2	—	—	—	—
45	Cancer of other or un- specified organs.	M	4,557	3	—	2	2	7	10	7	9	6
		F	2,425	—	1	—	4	5	9	10	8	6

DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued.*

Local under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
514 382	101 119	83 97	89 124	48 70	29 80	35 64	26 59	25 38	23 43	19 26	12 17	12 25	9 8	4 6	2 —	— 3	— —	31
86 57	10 14	4 7	— 3	1 2	1 1	1 1	1 1	— —	— —	1 1	— 1	2 1	— —	— 1	— —	— —	— —	A
428 325	91 105	79 90	89 121	47 68	28 79	34 63	25 58	25 38	23 43	18 25	12 16	10 24	9 8	4 5	2 —	— 3	— —	B
18 8	29 21	41 26	47 30	42 18	49 20	26 13	21 17	30 18	20 20	13 20	20 10	16 20	14 20	6 13	1 4	1 1	2 1	32
12 9	13 11	20 5	33 9	20 7	17 5	7 5	8 11	11 10	8 6	11 10	14 6	8 15	10 8	7 10	6 6	3 5	— —	33
41 25	15 11	18 12	23 24	26 22	21 18	21 28	22 23	24 12	30 20	17 13	24 12	14 16	15 16	8 15	11 7	4 6	2 3	34
1 —	— —	— —	2 2	1 1	4 2	— 4	— 1	2 2	1 3	1 7	— 3	— 6	1 6	— 6	5 4	1 5	1 2	A
2 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	B
38 24	15 11	17 12	21 22	25 21	17 16	21 24	22 22	22 10	29 17	15 6	24 9	14 10	14 10	8 9	6 3	3 1	1 1	C
222 165	77 73	83 70	89 84	83 55	53 53	54 41	36 43	47 36	39 42	25 30	29 26	17 24	17 15	7 12	— 5	— 4	— 2	35
2,207 1,781	811 820	738 1092	1642 2311	2142 2415	1,940 2,276	1,993 1,861	2,268 1,784	2,233 1,442	2,088 1,157	1,750 883	1,312 579	883 514	585 358	207 210	84 94	25 38	10 12	28-35
299 189	11 8	1 —	2 2	— 3	— —	2 2	1 2	1 2	2 3	1 3	2 3	— 3	— 4	1 3	— —	— 1	— 1	36
298 187	11 7	1 —	2 1	— 1	— —	— —	1 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
1 2	— 1	— —	— 1	— 2	— —	2 2	— —	1 1	2 3	1 3	2 3	— 3	— 4	1 3	— —	— 1	— 1	B
850 661	1 7	2 2	9 8	9 18	11 17	20 12	47 20	34 22	34 30	41 17	36 17	33 19	17 11	8 7	2 —	— —	— 1	37
23 24	— 1	— —	— —	2 5	1 3	2 2	1 2	3 1	3 —	3 —	2 —	1 —	1 —	— —	— —	— —	— —	38
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
3 1	— 1	— —	— —	2 5	1 3	1 2	1 2	3 1	3 —	3 —	2 —	1 —	1 —	— —	— —	— —	— —	B
20 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
3 3	1 —	5 2	4 1	3 3	4 3	12 8	24 15	69 12	182 31	300 45	426 44	424 44	409 46	271 50	189 36	97 16	26 10	39
5 5	— 3	1 1	6 5	9 10	23 21	57 44	128 118	273 243	525 389	847 619	1,107 781	1,358 1,011	1,372 1,161	933 1,020	577 722	223 312	33 111	40
5 3	4 —	1 1	5 4	16 9	21 30	46 55	85 97	146 169	263 320	429 421	581 534	733 674	786 803	667 722	428 557	173 267	50 114	41
— —	— 1	— 4	— 3	— 11	— 42	— 130	— 221	— 454	— 660	— 708	— 730	— 685	— 531	— 399	— 290	— 103	— 33	42
— —	— —	— —	— 1	— 1	— 11	— 65	— 195	1 349	2 567	8 611	2 641	4 567	6 431	2 389	6 343	4 206	— 111	43
1 2	1 —	1 1	— —	— 5	3 4	3 6	14 5	22 9	38 14	46 18	76 28	91 40	89 50	106 52	102 60	72 55	37 36	44
39 38	26 16	28 16	45 28	50 31	40 26	72 55	112 89	182 132	332 207	462 253	640 310	759 317	713 313	578 275	315 171	128 111	36 37	45

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
39-45	Cancer (all sites) ... { M 19,659 F 24,028	3 1	1 1	2 —	2 9	8 11	12 12	13 11	11 10	9 7	
46	Other tumours (situation undefined). { M 82 F 110	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Angioma ... { M — F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Adenoma ... { M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	C. Other tumours in- cluded under 46. { M 82 F 109	— —	— —	— —	— —	— —	— —	— —	— —	— —	
47	Rheumatic fever ... { M 975 F 1,149	— —	— —	— —	1 —	1 —	4 1	3 1	8 4	16 10	
48	Chronic rheumatism, Osteo-arthritis, Gout. { M 727 F 1,379	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Chronic rheuma- tism. { M 165 F 241	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Osteo-arthritis ... { M 386 F 1,113	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	C. Gout ... { M 176 F 25	— —	— —	— —	— —	— —	— —	— —	— —	— —	
49	Scurvy ... { M 16 F 15	— —	— 1	3 —	1 3	4 4	4 4	— —	2 1	— 1	
50	Diabetes ... { M 1,762 F 1,987	— —	— —	— —	1 1	1 1	— 2	— —	2 3	5 2	
51	Exophthalmic goitre ... { M 46 F 464	— —	— —	— —	— —	— —	— —	— —	— —	— —	
52	Addison's disease ... { M 94 F 133	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	
53	Leucocythæmia, Lympha- denoma. { M 448 F 320	— —	— 2	4 —	4 2	8 4	4 2	3 2	5 5	6 3	
	A. Leucocythæmia (Leuchæmia). { M 237 F 195	— —	— 2	3 —	2 2	5 4	3 2	3 2	4 4	3 3	
	B. Lymphadenoma ... { M 211 F 125	— —	— —	1 —	2 —	3 —	1 —	— —	1 —	3 —	
54	Anæmia, Chlorosis ... { M 1,097 F 1,400	3 6	3 1	4 2	7 3	17 12	8 7	3 3	4 4	3 2	
55	Other general diseases ... { M 226 F 210	45 21	8 4	7 8	9 4	69 37	7 10	4 7	10 7	1 4	
	A. Diabetes insipidus { M 10 F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Purpura ... { M 111 F 139	13 9	4 4	2 7	7 3	26 23	4 8	1 7	5 4	1 4	
	C. Hæmophilia ... { M 70 F 21	24 11	3 —	3 —	1 —	31 11	1 —	2 —	4 1	— —	
	D. Other diseases in- cluded under 55. { M 35 F 38	8 1	1 —	2 1	1 1	12 3	2 2	1 —	1 2	— —	
56	Alcoholism (acute or chronic). { M 166 F 50	— —	— —	— —	— —	— —	— —	— —	— —	— —	
57	Chronic lead poisoning... { M 56 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Occupational lead poisoning. { M 56 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Non - occupational lead poisoning. { M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued*.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
53 51	32 20	36 25	60 42	78 70	91 137	190 363	363 740	693 1,368	1,342 2,188	2,092 2,675	2,832 3,068	3,369 3,338	3,375 3,335	2,557 2,907	1,617 2,179	697 1,070	182 452	}	39-45
— —	1 —	— 1	4 2	1 —	1 1	4 1	1 6	6 7	11 6	7 7	8 8	12 17	8 10	10 13	6 18	— 8	2 5		}
— — — — — —	— — — — 1 —	— — — — — 1	— — — — 4 2	— — — — 1 —	— — — — 1 1	— — — — 4 1	— — — — 1 6	— — — — 1 6	— 1 — — 6 6	— — — — 11 6	— — — — 7 7	— — — — 8 17	— — — — 8 10	— — — — 10 13	— — — — 6 18	— — — — — 8	— — — — 2 5	}	
— — — — — —	— — — — 1 —	— — — — — 1	— — — — 4 2	— — — — 1 —	— — — — 1 1	— — — — 4 1	— — — — 1 6	— — — — 1 6	— — — — 6 6	— — — — 11 6	— — — — 7 7	— — — — 8 17	— — — — 8 10	— — — — 10 13	— — — — 6 18	— — — — — 8	— — — — 2 5		}
32 16	145 163	187 239	119 151	66 93	63 70	54 62	58 70	57 59	40 57	46 52	29 32	30 23	25 28	15 11	6 14	2 5	1 4	}	
— — — — — —	1 — — — — —	2 1 — — — —	2 4 — — — —	1 4 — — — —	5 5 1 — — —	4 11 — 2 — —	12 19 4 — — —	17 27 1 2 — —	32 55 10 6 — —	49 83 10 6 — —	64 128 6 11 — —	101 166 23 27 — —	135 238 29 30 — —	130 250 26 46 — —	112 211 32 62 — —	47 125 18 33 — —	13 52 5 14 — —		}
— — — — — —	— — — — 1 —	— — — — 2 —	— — — — 2 3	— — — — 1 3	— — — — 4 5	— — — — 9 —	— — — — 19 —	— — — — 24 —	— — — — 49 —	— — — — 77 —	— — — — 115 —	— — — — 138 —	— — — — 202 —	— — — — 198 —	— — — — 146 —	— — — — 89 —	— — — — 35 —	}	
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —		}
10 10	1 1	1 2	1 —	— —	— 1	— —	1 —	1 —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	}	
8 8	22 27	36 40	55 56	68 68	66 85	74 52	82 70	81 80	108 97	123 155	179 224	232 264	266 312	198 236	109 136	38 51	17 26		}
— —	— —	— 1	1 13	2 25	4 35	2 40	4 48	8 58	7 62	7 64	6 53	2 32	3 21	— 6	— 4	— 1	— 1	}	
— 1	— 1	2 —	4 6	4 4	9 10	2 9	8 9	6 12	15 11	10 16	13 17	10 12	4 15	5 3	2 6	— 1	— —		}
26 16	34 13	30 22	32 19	23 20	22 22	29 26	27 20	31 22	40 27	33 22	35 25	34 22	28 21	16 15	5 6	3 2	— —	}	
18 15	17 9	14 17	16 10	13 5	12 17	17 16	7 13	18 15	26 14	20 16	14 16	19 11	15 11	8 9	2 1	1 —	— —		}
8 1	17 4	16 5	16 9	10 15	10 5	12 10	20 7	13 7	14 13	13 6	21 9	15 11	13 10	8 6	3 5	2 2	— —	}	
35 28	10 16	16 8	19 33	14 47	18 48	28 67	37 75	65 104	105 125	137 138	155 165	167 176	150 180	88 125	46 50	6 11	1 4		}
91 65	22 10	16 10	16 8	4 11	10 6	7 7	7 2	10 10	5 9	5 12	6 16	6 17	10 9	2 7	3 3	4 5	2 3	}	
— 37 46 38 12 16 7	1 15 9 4 — 2 1	1 7 9 6 — 2 1	1 9 5 2 3 4 —	— 2 9 2 2 — —	— 4 4 4 — 2 2	— 3 5 4 1 — —	— 2 2 3 — — —	— 5 8 3 — 2 2	— 1 8 1 — 3 —	— 2 4 — — 1 5	— 4 7 1 — 1 4	— 2 5 9 1 — 6	— 6 6 1 — 2 3	— 2 2 — 1 — 2	— 2 2 — — — 1	— 1 4 3 — — 1	— — 2 1 — — 2		}
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	}	
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —		}
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	}	
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —		}
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	}	
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —		}
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	}	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	} 58	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	} 59	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—		
54 41	40 36	23 29	58 33	36 32	41 22	34 22	33 34	31 27	29 29	28 26	21 17	14 14	12 8	5 10	5 8	— 6	1 2	} 60	
866 672	197 154	112 112	92 95	50 49	32 32	33 25	46 34	36 28	30 30	29 23	31 26	15 8	16 15	9 15	5 10	5 3	—		
91 69 55 41	44 21 7	25 21 2	31 29 —	14 12 —	8 8 —	3 4 —	8 4 —	2 2 —	6 2 —	3 2 —	1 — —	— 1 —	— 1 —	— — —	— — —	— — —	— — —	} A	
720 562	146 128	85 86	61 63	36 37	24 23	30 20	38 29	34 26	24 28	26 21	30 26	15 7	16 14	9 15	5 10	5 3	—		
—	—	—	1	1	3	7	15	38	70	88	101	81	61	37	12	4	3	} 62	
—	—	—	—	1	1	2	3	12	7	10	20	11	12	6	1	1	—		
39 24	16 19	20 15	36 19	35 16	19 41	43 34	53 61	70 74	94 79	110 87	141 127	198 123	221 145	162 167	124 97	45 54	19 19	} 63	
2 2	2 1	7 1	10 —	5 1	2 3	8 1	7 2	8 10	18 18	20 16	42 42	74 59	103 82	104 104	82 57	37 41	14 15		
36 20 1 2	12 13 2 5	6 8 7 6	10 4 16 15	3 3 27 12	2 2 15 36	2 1 33 32	2 1 44 58	2 1 60 63	1 — 75 61	— — 90 71	— 3 99 82	1 — 123 64	— — 118 63	1 — 57 63	— — 42 40	— — 8 13	— — 5 4	} B C	
20 16	1 6	7 7	18 13	20 12	37 19	50 48	107 105	228 256	365 512	626 800	963 1,127	1,385 1,512	1,805 2,055	1,880 2,167	1,628 2,103	798 1,319	380 712		
—	—	1	1	3	4	3	14	24	54	90	137	214	274	287	287	136	65	} A	
—	—	2	—	2	1	5	13	26	76	133	169	220	302	337	323	224	112		
4 2 10 5	— — — 1	— — — —	— — — 1	— — 1 —	— 2 — 1	— 1 — —	— — 2 —	1 — — —	2 2 1 —	2 3 1 3	2 3 1 4	2 2 4 4	2 6 1 1	4 11 2 2	8 4 6 6	5 8 — 5	4 5 — 4	} B C D	
—	—	—	—	—	—	—	1	—	2	4	12	20	29	29	34	18	10		
6 9	1 5	6 5	17 12	16 10	33 15	46 42	89 91	201 225	305 428	528 661	809 940	1,148 1,275	1,492 1,729	1,558 1,792	1,295 1,737	639 1,070	301 580	} E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	1	—	—	1	1	3	3	11	21	24	53	77	66	65	38	21	} 65	
—	—	1	—	—	—	2	4	9	8	17	28	42	59	66	97	69	41		
3 9	2 2	1 3	2 1	4 2	1 10	2 5	7 8	22 15	28 34	51 45	81 74	118 142	173 200	209 244	172 250	92 148	41 91	} 66	
2 5 1	1 — —	1 2 —	— 1 —	2 1 —	— 7 —	1 1 —	4 3 —	15 10 4	16 24 3	46 41 1	68 64 9	107 118 4	144 173 13	180 214 10	144 224 11	83 124 2	38 84 1		
—	—	—	—	—	2	2	4	1	6	3	5	8	11	12	12	6	2	} A B C	
—	1	—	2	1	1	1	3	3	9	4	4	7	16	19	17	7	2		
4	2	1	—	1	1	2	1	4	4	1	5	16	16	18	14	18	5		
—	—	1	8	6	23	107	231	252	247	166	131	44	32	15	4	1	2	} 67	
—	—	1	2	—	10	20	26	40	46	39	23	11	8	4	1	3	—		
—	—	—	6	5	12	12	19	19	25	38	49	41	47	25	12	4	1	} 68	
—	—	—	6	11	25	25	38	51	71	59	62	70	61	28	20	9	4		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	
69	Epilepsy ... { M F	1,152 1,048	6 12	7 4	9 3	8 4	30 23	9 11	1 7	10 7	13 4	
70	Convulsions (non-puer- peral; 5 years and over). { M F	28 25	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Epileptiform con- vulsions. { M F	8 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Others included under 70. { M F	20 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	71	Infantile convulsions (under 5 years). { M F	3,481 2,559	1,494 971	747 494	448 359	437 397	3,126 2,221	253 241	61 54	24 31	17 12
		A. Convulsions with teething. { M F	394 319	— —	3 1	61 38	205 166	269 205	110 103	15 9	— 2	— —
B. Other infantile con- vulsions. { M F		3,087 2,240	1,494 971	744 493	387 321	232 231	2,857 2,016	143 138	46 45	24 29	17 12	
72		Chorea ... { M F	46 93	— —	— —	— —	— —	— —	— —	1 —	1 —	2 3
		73	Hysteria, Neuralgia, Neuritis. { M F	98 131	— —	— —	— —	— —	— —	— —	— —	1 —
A. Hysteria, Neuralgia, Sciatica. { M F	17 28		— —	— —	— —	— —	— —	— —	— —	— —	— —	
B. Neuritis ... { M F	81 103		— —	— —	— —	— —	— —	— —	— —	1 —	— —	
74	Other diseases of the nervous system. { M F		950 940	8 4	4 5	12 5	19 14	43 28	27 15	14 14	10 9	13 10
	A. Idiocy, Imbecility { M F		106 106	— 1	1 1	2 4	7 7	10 13	9 6	7 10	4 5	3 6
	B. Cretinism ... { M F	21 25	— —	— 1	— —	2 2	4 3	6 2	— 1	— 1	1 1	
	C. Cerebral tumour ... { M F	478 475	— —	— 1	— —	2 1	2 2	3 —	2 2	4 3	5 2	
	D. Other diseases in- cluded under 74. { M F	345 334	8 3	3 2	8 1	8 4	27 10	9 7	5 1	2 —	4 1	
	75	Diseases of the eyes and annexa. { M F	31 29	— —	— —	2 1	— —	2 1	1 —	— 1	1 —	2 —
		76	Diseases of the ears ... { M F	678 541	4 2	8 10	23 17	53 28	88 57	39 29	15 6	18 11
	A. Mastoid disease ... { M F		186 154	— —	1 3	7 5	13 9	21 17	11 5	3 3	6 3	10 8
B. Other diseases of the ears. { M F	492 387		4 2	7 7	16 12	40 19	67 40	28 24	12 3	12 8	11 11	
77	Pericarditis ... { M F		204 156	3 —	2 1	2 —	3 1	10 2	2 2	1 1	— 3	3 1
	78		Acute endocarditis ... { M F	1215 1097	— —	1 2	— 5	1 2	2 9	1 1	5 4	1 3
A. Acute myocarditis { M F		262 247	— —	1 2	— 2	1 1	2 5	— —	1 1	— 2	2 1	
B. Infective endocar- ditis. { M F		573 422	— —	— —	— 1	— —	— 1	— —	— 2	— 1	— —	
C. Other acute endo- carditis. { M F		380 428	— —	— —	— 2	— 1	— 3	1 1	4 1	1 —	6 4	

t DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—continued.

AGES AT DEATH.																		International List Nos.	
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
63 52	47 33	54 43	107 71	96 84	95 87	78 84	80 70	93 85	63 78	64 66	70 74	75 61	63 54	49 50	35 36	16 9	4 11	}	69
—	16 19	3 3	— 2	1 1	1 1	2 —	— —	3 —	— —	— 2	1 2	— 1	— 1	— 2	— 1	1 —	— —		
—	1	—	—	1	1	1	—	2	—	—	1	—	—	—	—	1	—	}	A
—	15 19	3 3	— —	— —	— 1	— 1	— —	— 1	— —	— 1	1 1	— 1	1 —	2 —	1 —	— —	— —		
3,481 2,559	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	71
394 319	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3,087 2,240	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
4 3	12 21	10 20	9 30	6 10	— 5	— —	— 1	2 —	1 1	2 1	— —	— —	— —	— —	— —	— —	— —		
1 —	1 1	— 1	— 5	— 3	1 1	1 6	5 8	10 15	5 10	14 15	13 16	14 9	17 11	9 11	4 12	2 4	1 3	}	73
— —	— —	— 1	— 2	— 3	1 —	— 2	— 3	4 1	1 1	3 1	— 5	4 1	— 1	1 3	1 3	1 3	1 3		
1 —	1 1	— —	— 3	— —	— 1	1 4	5 5	6 14	4 9	11 14	13 11	10 8	17 10	8 8	3 9	1 3	— 3	}	B
107 76	51 43	49 29	49 41	40 40	32 44	49 46	53 59	69 77	80 88	87 76	76 62	47 61	58 59	51 54	27 37	17 25	8 23		
33 40 11 8 16 9 47 19	18 10 2 5 24 19 7 9	11 8 4 2 30 18 4 1	12 8 1 4 24 20 12 9	9 7 2 1 26 27 3 5	3 3 1 — 23 33 5 8	2 8 — 2 36 34 11 2	5 5 — 1 39 42 9 11	2 5 — 1 53 54 14 17	1 2 — — 56 65 23 21	3 2 — — 40 50 16 24	3 1 — 1 37 33 23 23	1 1 — — 19 29 27 31	1 3 — — 12 22 45 34	2 2 — — 10 9 39 43	— 1 — — 2 5 25 31	— — — — 1 17 17 24	}	74	
6 2	4 4	2 3	2 —	— 4	2 —	1 —	— 2	1 2	2 1	1 —	1 2	1 1	2 2	2 1	1 5	3 —			— —
181 122	91 105	82 89	67 45	60 39	36 23	34 12	25 19	22 20	31 12	15 17	6 11	7 11	11 7	4 5	3 3	2 —	1 1	}	76
51 36 130 86	31 33 60 72	27 28 55 61	19 14 48 31	16 14 44 25	6 6 30 17	9 1 25 11	5 4 20 15	5 2 17 18	7 2 24 10	2 5 13 12	3 7 3 4	1 1 6 10	1 1 10 6	2 — 2 5	1 — 2 3	— — 2 —			
16 9	14 15	16 29	8 10	11 8	9 11	3 4	11 10	12 3	23 6	15 3	16 14	14 10	19 7	9 9	6 7	— 1	2 —	}	77
17 22	46 58	43 67	50 90	122 100	145 85	146 86	121 90	119 104	89 88	100 102	143 129	24 23	26 18	12 17	8 7	1 8	3 3		
5 9 — 4 12 9	— 3 9 17 37 38	1 2 18 24 24 41	5 7 23 52 22 31	5 — 85 63 32 37	4 7 105 54 36 24	9 8 94 44 43 34	14 8 81 40 26 42	25 29 56 35 38 40	38 36 29 22 22 30	49 52 24 16 27 34	86 64 14 17 43 48	4 4 17 13 3 6	6 6 12 8 8 4	5 8 4 8 3 1	4 1 2 3 2 3	1 1 — 2 — 5	}	A B C	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M 22,843	—	—	—	2	2	5	4	7	16
		F 26,010	—	—	—	9	9	4	9	11	22
	A. Valvular disease ...	M 11,586	—	—	—	1	1	4	3	1	8
		F 12,891	—	—	—	4	4	1	5	8	17
	B. Fatty degeneration of the heart.	M 1,052	—	—	—	—	—	—	—	—	—
		F 1,221	—	—	—	—	—	—	—	—	1
	C. Other organic disease of the heart.	M 10,205	—	—	—	1	1	1	1	6	8
		F 11,898	—	—	—	5	5	3	4	3	4
80	Angina pectoris ...	M 687	—	—	—	—	—	—	—	—	—
		F 342	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M 6,932	—	—	—	—	—	—	—	—	—
		F 4,693	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M 782	—	—	—	—	—	—	—	—	—
		F 183	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M 6,063	—	—	—	—	—	—	—	—	—
		F 4,452	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M 87	—	—	—	—	—	—	—	—	—
		F 58	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M 1,295	3	—	—	1	4	4	1	1	1
		F 1,835	2	2	—	—	4	1	1	—	—
	A. Cerebral embolism and thrombosis.	M 1,157	—	—	—	1	1	3	—	1	—
		F 1,666	—	—	—	—	—	—	1	—	—
	B. Other embolism and thrombosis.	M 138	3	—	—	—	3	1	1	—	1
		F 169	2	2	—	—	4	1	—	—	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M 118	—	1	—	1	2	—	—	—	—
		F 221	—	—	—	—	—	—	—	—	—
	A. Phlebitis ...	M 57	—	1	—	1	2	—	—	—	—
		F 114	—	—	—	—	—	—	—	—	—
	B. Varix ...	M 55	—	—	—	—	—	—	—	—	—
		F 103	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M 5	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—
	D. Varicocele ...	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 132	17	18	25	11	71	10	5	3	2
		F 107	8	19	13	12	52	6	4	4	1
	A. Status lymphaticus	M 85	13	14	21	8	56	6	4	3	2
		F 58	5	16	11	5	37	4	1	2	1
	B. Other diseases of the lymphatic system.	M 47	4	4	4	3	15	4	1	—	—
		F 49	3	3	2	7	15	2	3	2	—
85	Hæmorrhage, other dis. of the circulatory system.	M 201	2	1	—	—	3	—	—	—	1
		F 241	—	1	—	—	1	—	—	—	—
	A. Functional disease of the heart.	M 163	—	—	—	—	—	—	—	—	—
		F 200	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 9	2	1	—	—	3	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—
	C. Other diseases included under §5.	M 29	—	—	—	—	—	—	—	—	1
		F 35	—	1	—	—	1	—	—	—	—
86	Diseases of the nasal fossæ.	M 48	5	7	7	2	21	—	—	1	—
		F 25	1	5	3	1	10	—	2	—	2

t DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
34 55	162 168	255 339	308 335	366 336	470 424	563 514	707 636	824 848	1,159 1,187	1,576 1,535	2,043 1,986	2,782 2,772	3,702 3,748	3,279 4,032	2,656 3,688	1,355 2,164	602 1,243	79
17 35	112 132	200 262	231 274	284 256	366 305	432 360	504 450	542 540	708 737	897 863	1,097 1,111	1,353 1,357	1,743 1,699	1,367 1,803	1,063 1,528	492 801	178 378	
— 1	— —	— —	— —	1 3	5 11	6 11	14 22	41 43	67 56	102 92	170 147	154 187	190 222	138 188	104 158	39 50	20 30	B
17 19	49 36	55 77	77 61	81 77	99 108	125 143	189 164	241 265	384 394	577 580	776 728	1,275 1,228	1,769 1,827	1,774 2,041	1,489 2,002	824 1,313	404 835	
— —	— —	— —	— —	— —	— 1	3 2	7 4	18 3	44 15	66 24	86 35	141 56	126 67	101 52	59 49	24 23	12 11	80
— —	3 —	— —	2 —	10 4	6 2	24 11	66 13	118 49	230 68	378 145	536 218	835 368	1,118 567	1,252 852	1,187 968	759 782	408 646	
— —	1 —	— —	2 —	5 1	1 1	17 4	42 2	72 17	116 11	137 24	132 30	104 21	72 26	47 18	22 11	8 16	4 1	A
— —	2 —	— —	— —	3 3	4 1	6 6	20 11	45 30	111 57	237 121	401 179	720 344	1,030 533	1,190 826	1,152 947	744 757	398 637	
— —	— —	— —	— —	2 2	1 1	1 1	4 4	1 3	3 4	— —	3 9	11 3	16 8	15 8	13 10	7 9	6 8	C
11 6	7 2	9 4	6 6	6 15	9 19	15 18	17 30	26 51	41 72	68 96	106 129	135 173	193 240	233 278	218 328	122 241	73 127	
5 1	6 1	6 1	3 4	4 7	8 12	12 12	12 18	18 38	27 58	58 84	83 111	117 157	173 224	227 267	214 316	114 231	70 124	A
6 5	1 1	3 3	3 2	2 8	1 7	3 6	5 12	8 13	14 14	10 12	23 18	18 16	20 16	6 11	4 12	8 10	3 3	
2 —	— —	1 —	1 —	— 4	— 3	3 7	2 11	11 16	11 12	10 21	19 28	14 30	18 25	12 34	10 19	2 7	2 4	83
2 —	— —	1 —	— —	— 2	— 1	— 4	— 7	6 9	4 8	5 11	10 19	8 10	10 13	3 18	5 9	2 2	1 1	
— —	— —	— —	1 —	— —	— —	2 2	2 4	4 7	7 4	4 10	9 9	5 19	7 11	8 16	5 10	— 5	1 3	B
— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	1 —	1 1	1 —	— —	— —	— —	
— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
91 67	4 11	6 4	5 —	2 —	3 2	1 1	— —	1 2	5 2	— 1	1 1	5 1	1 2	3 1	2 4	1 7	1 1	84
71 45	4 8	5 3	3 —	1 —	— 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
20 22	— 3	1 1	2 —	1 —	3 —	— 1	— —	1 2	5 2	— 1	1 1	5 1	1 2	3 1	2 4	1 7	1 1	B
4 1	— —	1 2	4 6	3 1	4 1	5 2	6 8	3 11	10 14	10 11	23 15	26 19	22 36	33 40	20 42	19 20	8 12	
— —	— —	1 —	3 4	2 1	1 1	3 2	6 7	3 8	7 14	8 6	16 11	22 17	21 28	29 36	17 39	17 17	7 9	A
3 —	— —	— 2	— —	— —	2 —	1 —	— —	— —	— —	— 1	1 —	— —	— —	1 1	— 1	— 1	1 —	
1 1	— —	— —	1 2	1 —	1 —	1 —	— 1	— 3	3 —	2 4	6 4	4 2	1 8	3 3	3 2	2 2	— 3	C
22 14	3 1	4 2	— 1	4 —	1 1	2 1	2 —	3 —	3 1	1 —	— —	— —	2 3	— 1	— —	1 —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	
87	Diseases of the larynx ... {	M	502	14	16	26	32	88	80	49	57	45
		F	424	10	12	21	40	83	54	45	50	45
	A. Laryngismus strid- ulus. {	M	93	7	6	6	11	30	19	9	10	5
		F	86	1	6	5	12	24	14	10	16	11
	B. Laryngitis ... {	M	383	7	10	20	21	58	60	39	46	37
		F	328	9	6	16	28	59	38	34	34	34
C. Other diseases of larynx. {	M	26	—	—	—	—	—	1	1	1	3	
	F	10	—	—	—	—	—	2	1	—	—	
88	Diseases of the thyroid body. {	M	24	—	—	—	—	—	1	—	—	—
		F	197	—	1	1	—	2	—	—	—	—
89 & 90.	Bronchitis ... {	M	19,312	595	1,422	1,054	1,150	4,221	675	145	87	66
		F	18,688	416	944	749	878	2,987	598	154	94	71
	A. Bronchiectasis, Bron- chial catarrh, &c. {	M	390	15	23	14	13	65	3	1	1	—
		F	264	11	19	7	7	44	6	3	1	2
	B. Other bronchitis ... {	M	18,922	580	1,399	1,040	1,137	4,156	672	144	86	66
		F	18,424	405	925	742	871	2,943	592	151	93	69
91	Broncho-pneumonia ... {	M	10,312	314	988	1,152	2,096	4,550	1,843	531	249	192
		F	8,435	230	655	775	1,561	3,221	1,575	466	278	189
92	Pneumonia, lobar and undefined. {	M	11,296	81	204	234	433	952	479	181	111	92
		F	7,106	65	133	177	324	699	373	159	103	79
	A. Lobar pneumonia... {	M	5,360	19	50	61	109	239	150	69	35	41
		F	3,105	13	40	40	79	172	91	59	40	27
	B. Pneumonia (type not stated). {	M	5,936	62	154	173	324	713	329	112	76	51
		F	4,001	52	93	137	245	527	282	100	63	52
93	Pleurisy ... {	M	785	—	2	2	8	12	28	15	10	10
		F	548	—	2	5	13	20	21	11	13	8
	A. Empyema ... {	M	309	—	—	—	5	5	26	13	9	8
		F	146	—	2	4	7	13	18	10	12	6
	B. Other pleurisy ... {	M	476	—	2	2	3	7	2	2	1	2
		F	402	—	—	1	6	7	3	1	1	2
94	Pulmonary congestion, Pulmonary apoplexy. {	M	542	40	22	20	25	107	11	3	3	1
		F	632	15	13	20	18	66	14	4	2	1
	A. Pulmonary apop- lexy & infarction. {	M	11	—	—	—	—	—	—	—	—	—
		F	8	—	—	1	—	1	—	—	—	—
	B. Pulmonary oedema and congestion. {	M	456	40	22	20	24	106	11	3	3	1
		F	493	15	13	16	17	61	14	4	1	1
C. Hypostatic pneu- monia. {	M	75	—	—	—	1	1	—	—	—	—	
	F	126	—	—	—	—	—	—	—	1	—	
D. Collapse of lung (3 months & over). {	M	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	3	1	4	—	—	—	—	
95	Gangrene of the lung ... {	M	38	—	—	—	—	—	—	—	—	1
		F	19	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M	1,028	1	2	4	1	8	1	6	4	2
		F	757	—	—	1	8	9	4	1	1	1
97	Pulmonary emphysema {	M	158	1	—	—	—	1	—	1	—	—
		F	64	2	—	—	—	2	—	—	—	—
98	Other diseases of the respiratory system. {	M	316	—	—	5	2	7	1	3	—	1
		F	125	—	—	4	3	7	1	2	—	1
	A. Fibroid disease of lung. {	M	178	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	1
	B. Other diseases in- cluded under 98. {	M	138	—	—	5	2	7	1	3	—	1
		F	79	—	—	4	3	7	1	2	—	—

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—continued.

AGES AT DEATH.																			International List Nos.		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.				
319 277	90 89	11 8	3 3	2 3	1 1	3 5	4 3	3 5	10 2	16 5	6 2	5 5	7 2	8 4	10 5	2 5	2 —	}	87		
73 75	18 11	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
240 199	70 78	9 8	3 3	1 3	1 1	2 5	3 2	3 3	8 2	14 3	5 1	4 1	6 2	5 4	6 5	2 5	1 —			}	A
6 3	2 —	1 —	— —	— —	— —	1 —	1 1	— 2	2 —	2 2	1 1	1 1	1 —	3 —	4 —	— —	1 —	}	B		
1 2	— —	— 4	5 3	1 4	— 4	— 2	— 4	1 11	1 15	2 19	2 19	5 30	2 28	3 22	— 16	1 12	— 2				
5,194 3,904	100 109	27 21	35 40	46 36	65 77	112 87	203 141	362 225	511 323	833 577	1,115 814	1,578 1,245	2,210 1,888	2,372 2,620	2,284 2,857	1,476 2,177	789 1,547			}	88
70 56	6 2	3 —	9 5	10 7	14 6	12 3	10 13	26 5	30 8	28 11	35 11	18 18	22 17	25 18	26 24	25 25	21 35	}	89 & 90		
5,124 3,848	94 107	24 21	26 35	36 29	51 71	100 84	193 128	336 220	481 315	805 566	1,080 803	1,560 1,227	2,188 1,871	2,347 2,602	2,258 2,833	1,451 2,152	768 1,512				
7,365 5,729	341 333	76 52	64 48	67 47	78 57	104 92	109 99	161 97	186 127	212 156	262 180	265 235	334 295	328 306	187 304	120 173	53 105			}	B
1,815 1,413	333 273	144 158	373 200	449 226	510 358	669 414	793 396	874 385	932 375	906 421	837 413	867 454	734 558	492 446	373 311	150 218	45 87	}	91		
534 389	155 105	73 79	179 106	257 116	280 195	355 213	444 216	497 212	504 201	453 215	429 190	430 217	346 249	215 189	146 119	48 68	15 26				
1,281 1,024	178 168	71 79	194 94	192 110	230 163	314 201	349 180	377 173	428 174	453 206	408 223	437 237	388 309	277 257	227 192	102 150	30 61			}	A
75 73	26 20	17 14	26 13	35 23	26 16	45 20	45 36	45 25	64 29	68 26	77 37	69 52	78 41	38 51	33 48	12 17	6 7	}	B		
61 59	19 13	9 6	16 7	23 9	13 2	31 4	17 8	18 7	19 2	23 4	22 8	12 7	15 6	7 3	3 1	— —	1 —				
14 14	7 7	8 8	10 6	12 14	13 14	14 16	28 28	27 18	45 27	45 22	55 29	57 45	63 35	31 48	30 47	12 17	5 7			}	94
125 87	2 10	4 1	7 2	4 3	6 7	6 9	7 8	17 11	19 12	22 22	30 16	33 27	36 45	61 74	66 105	52 106	45 87	}	95		
— 1	— —	1 —	1 —	— 1	1 —	1 1	1 —	1 —	2 —	— 1	— —	— —	— 1	1 1	1 2	— —	1 —				
124 81	2 10	3 1	6 2	4 2	5 6	5 7	6 8	15 11	17 10	17 19	25 14	29 24	31 36	46 57	49 73	40 74	32 58			}	B
1 1	— —	— —	— —	— —	— 1	— 1	— —	— —	— 2	5 2	5 2	4 3	5 8	14 16	16 29	12 32	12 29	}	C		
— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —				
1 —	— —	— —	— —	3 1	4 —	6 2	5 1	2 2	2 1	1 2	3 3	2 2	3 3	3 2	2 —	— —	1 —			}	96
21 16	9 2	4 1	4 8	10 14	14 19	18 22	47 46	57 41	88 49	109 60	133 69	140 98	159 113	120 94	62 63	24 29	9 13	}	97		
2 2	1 —	— —	— —	1 —	2 1	1 —	4 —	7 2	12 4	19 2	18 9	10 5	27 10	25 12	13 4	13 11	3 2				
12 11	1 3	2 3	4 3	4 2	8 2	11 7	17 10	30 6	26 8	58 11	47 8	39 14	25 15	17 7	12 9	3 3	— 3			}	A
— 1	— 1	— —	1 1	1 —	1 —	2 1	12 4	18 2	13 4	36 7	30 3	28 7	20 7	9 3	5 3	2 1	— 1	}	B		
12 10	1 2	2 3	3 2	3 2	7 2	9 6	5 6	12 4	13 4	22 4	17 5	11 7	5 8	8 4	7 6	1 2	— 2				

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—		
99	Diseases of the mouth and annexa.	M	218	34	26	10	4	74	4	2	3	2	
		F	198	21	15	3	12	51	10	4	1	2	
	A. Diseases of the teeth and gums.	M	159	13	8	2	4	27	3	2	3	2	
		F	135	4	4	1	9	18	9	4	—	1	
	B. Thrush, Aphthous stomatitis.	M	42	19	17	6	—	42	—	—	—	—	
		F	35	17	10	2	3	32	1	—	—	—	
	C. Parotitis ...	M	12	2	1	1	—	4	—	—	—	—	
		F	17	—	1	—	—	1	—	—	1	1	
	D. Other diseases of mouth and annexa.	M	5	—	—	1	—	1	1	—	—	—	
		F	11	—	—	—	—	—	—	—	—	—	
100	Diseases of the pharynx, Tonsillitis.	M	394	9	6	6	11	32	22	17	16	19	
		F	309	1	2	3	7	13	15	9	17	21	
	A. Tonsillitis ...	M	258	1	3	—	4	8	14	13	14	16	
		F	239	—	—	—	3	3	10	7	14	18	
	B. Ludwig's angina ...	M	55	2	—	2	1	5	2	1	—	—	
		F	28	1	1	1	1	4	2	—	2	—	
	C. Other diseases of the pharynx.	M	81	6	3	4	6	19	6	3	2	3	
		F	42	—	1	2	3	6	3	2	1	3	
	Diseases of the œsophagus	M	35	—	—	—	—	—	—	—	—	—	
		F	29	—	—	—	—	—	1	—	—	—	
102	Perforating ulcer of stomach.	M	1,141	—	1	—	1	2	—	—	1	—	
		F	834	—	—	2	—	2	—	—	—	—	
103	Other diseases of the stomach.	M	1,655	153	302	196	148	799	51	22	13	9	
		F	1,552	96	154	148	86	484	76	22	11	13	
	A. Inflammation of stomach.	M	1,406	137	286	184	143	750	48	19	11	6	
		F	1,350	92	145	143	86	466	74	19	11	9	
	B. Other diseases in- cluded under 103.	M	249	16	16	12	5	49	3	3	2	3	
		F	202	4	9	5	—	18	2	3	—	4	
104 & 105	Diarrhœa and enteritis ...	M	6,640	507	1,341	1,449	1,245	4,542	464	110	43	39	
		F	5,047	325	774	1,044	956	3,099	413	95	51	51	
	A. Infective enteritis...	M	1,343	83	283	361	353	1,080	132	26	4	14	
		F	1,015	45	136	277	277	735	120	27	16	12	
	B. Diarrhœa—not re- turned as infective.	M	1,125	91	225	292	244	852	81	19	7	3	
		F	903	49	151	202	169	571	70	14	9	11	
	C. Enteritis—not re- turned as infective.	M	1,349	118	284	292	208	902	95	22	17	11	
		F	1,100	77	165	173	181	596	75	18	11	6	
	D. Gastro-enteritis—not returned as infective.	M	1,984	180	473	453	420	1,526	148	41	15	11	
		F	1,616	134	284	356	311	1,085	138	35	14	22	
	E. Dyspepsia—under 2 years.	M	166	29	68	47	16	160	6	—	—	—	
		F	107	18	31	31	17	97	10	—	—	—	
	F. Colic ...	M	35	6	8	2	3	19	1	1	—	—	
		F	26	1	6	2	—	9	—	—	—	—	
	G. Ulceration of in- testines.	M	86	—	—	2	1	3	—	1	—	—	
		F	151	1	1	2	1	5	—	1	1	—	
	H. Duodenal ulcer ...	M	552	—	—	—	—	—	1	—	—	—	
		F	129	—	—	1	—	1	—	—	—	—	
	106	Ankylostomiasis...	M	1	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	5	—	—	—	—	—	2	—	1	—	
		F	8	—	—	—	—	—	2	2	—	—	
108	Appendicitis ...	M	1,389	—	1	1	3	5	6	16	27	30	
		F	1,142	—	—	—	—	—	3	13	12	23	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
122	Other diseases of the kidney and annexa. { M 285 F 270	— 2	4 2	1 2	3 1	8 7	4 2	3 —	1 2	— —	
	A. Abscess of kidney... { M 29 F 30	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	
	B. Cystic disease ... { M 16 F 29	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	C. Suppression of urine { M 13 F 5	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	
	D. Other diseases in- cluded under 122 { M 227 F 206	— 2	3 1	1 2	3 1	7 6	4 2	3 —	1 2	— —	
123	Calculi of the urinary passages. { M 178 F 91	— —	— —	— —	— —	— —	— —	— —	— —	— —	
124	Diseases of the bladder... { M 972 F 239	1 —	2 1	1 —	1 1	5 2	— —	— —	— 1	— —	
125	Diseases of the urethra, Urinary abscess, &c. { M 373 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Perineal abscess ... { M 21 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Other diseases of urethra, &c. { M 352 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	
126	Diseases of the prostate... { M 1,842 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
127	Non-venereal diseases of male genital organs. { M 45 F —	10 —	11 —	— —	— —	21 —	3 —	— —	— —	— —	
128	Uterine hæmorrhage (non- puerperal). { M — F 37	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Menorrhagia ... { M — F 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Other uterine hæmorrhage. { M — F 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	
129	Uterine tumour (non- cancerous). { M — F 348	— —	— —	— —	— —	— —	— —	— —	— —	— —	
130	Other diseases of the uterus. { M — F 207	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Disorders of men- struation (except menorrhagia). { M — F 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Other diseases in- cluded under 130. { M — F 193	— —	— —	— —	— —	— —	— —	— —	— —	— —	
131	Ovarian cyst, tumour (non- cancerous). { M — F 309	— —	— —	— —	— —	— —	— —	— —	— 1	— —	
132	Other diseases of the female genital organs. { M — F 215	— 2	— 2	— —	— 3	— 7	— —	— 1	— 1	— —	
	A. Diseases of ovary (ex- cluding ovarian tumour). { M — F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Other diseases in- cluded under 132. { M — F 204	— 2	— 2	— —	— 3	— 7	— —	— 1	— 1	— —	
133	Non-puerperal diseases of the breast (non-cancer- ous). { M 1 F 34	1 10	— 6	— 1	— —	1 17	— —	— —	— 1	— —	

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
16 11	2 4	5 1	4 8	10 7	8 11	9 13	15 27	23 21	23 33	13 23	33 24	26 24	24 18	36 17	24 14	7 9	7 5	122
— 1	1 1	1 —	1 —	3 —	— 2	2 1	4 4	4 —	6 8	1 1	— 4	3 2	1 1	1 3	1 1	— 1	— —	A
— —	— —	— —	1 —	1 —	— —	— —	— —	4 —	3 —	— —	3 —	1 —	2 —	1 —	— —	— —	— —	B
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	3 —	4 —	— —	2 —	C
15 10	1 3	4 1	2 8	6 7	8 9	7 10	11 20	15 17	14 20	12 19	29 16	20 18	21 15	31 11	19 11	7 7	5 4	D
— —	1 —	2 2	3 —	6 3	5 4	10 10	7 10	11 12	9 11	7 8	26 6	22 1	20 6	20 4	17 10	8 3	4 1	123
5 3	1 2	— 2	1 3	6 4	1 3	6 6	10 3	15 8	32 9	39 13	63 9	80 27	147 18	163 32	183 34	131 34	89 29	124
— —	— —	1 —	1 —	— —	4 —	8 —	14 —	26 —	38 —	46 1	54 1	47 —	61 —	32 2	34 —	6 —	1 —	125
— —	— —	1 —	— —	— —	1 —	— —	1 —	1 —	3 —	1 —	1 —	4 —	6 —	1 —	1 —	— —	— —	A
— —	— —	— —	1 —	— —	3 —	8 —	13 —	25 —	35 —	45 1	53 1	43 —	55 —	31 2	33 —	6 —	1 —	B
— —	— —	— —	— —	— —	— —	— —	3 —	2 —	3 —	31 —	76 —	182 —	336 —	393 —	437 —	268 —	111 —	126
24 —	1 —	— —	1 —	— —	— —	— —	1 —	— —	2 —	2 —	5 —	3 —	1 —	1 —	2 —	— —	2 —	127
— —	— —	— —	— 2	— 3	— 3	— 4	— 6	— 9	— 7	— 1	— —	— —	— —	— 1	— —	— 1	— —	128
— —	— —	— —	— 2	— 2	— 2	— 2	— 1	— 3	— 4	— 1	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	— —	— 1	— 1	— 2	— 5	— 6	— 3	— —	— —	— —	— —	— 1	— —	— 1	— —	B
— —	— —	— —	— —	— 2	— 10	— 20	— 45	— 55	— 76	— 47	— 15	— 30	— 13	— 14	— 12	— 6	— 3	129
— —	— —	— 2	— 6	— 6	— 18	— 19	— 25	— 24	— 35	— 14	— 13	— 11	— 10	— 9	— 7	— 5	— 3	130
— —	— —	— —	— 2	— —	— —	— 1	— 1	— 3	— 6	— 1	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— 2	— 4	— 6	— 18	— 18	— 24	— 21	— 29	— 13	— 13	— 11	— 10	— 9	— 7	— 5	— 3	B
— 1	— —	— —	— 9	— 6	— 12	— 17	— 25	— 30	— 28	— 21	— 29	— 31	— 31	— 28	— 18	— 17	— 6	131
— 9	— —	— —	— 5	— 26	— 38	— 34	— 36	— 31	— 21	— 5	— 6	— 1	— 3	— —	— —	— —	— —	132
— —	— —	— —	— —	— 2	— —	— —	— 4	— —	— 2	— 1	— 1	— —	— 1	— —	— —	— —	— —	A
— 9	— —	— —	— 5	— 24	— 38	— 34	— 32	— 31	— 19	— 4	— 5	— 1	— 2	— —	— —	— —	— —	B
1 18	— —	— —	— —	— —	— 1	— 2	— —	— —	— 1	— —	— —	— 4	— —	— 2	— 3	— 3	— —	133

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy { M F	— 329	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abortion ... { M F	— 111	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Hæmorrhage of pregnancy. { M F	— 73	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Uncontrollable vomiting. { M F	— 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Ectopic gestation ... { M F	— 79	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Other accidents of pregnancy. { M F	— 32	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 521	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 418	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever... { M F	— 1,730	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 749	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal nephritis and uræmia. { M F	— 159	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C Puerperal convulsions. { M F	— 547	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 347	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis. { M F	— 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal embolism and sudden death. { M F	— 293	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
134 141	All accidents of pregnancy and childbirth. { M F	— 4,144	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene ... { M F	690 657	9 3	2 1	1 —	— —	12 4	2 4	4 1	2 2	1 —
	A. Senile gangrene ... { M F	613 586	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gangrene of mouth. { M F	30 29	4 1	2 —	— —	— —	6 1	2 1	4 —	1 2	1 —
	C. Noma pudendi ... { M F	19 5	1 —	— —	1 —	— —	2 —	— 3	— 1	— —	— —
	D. Other gangrene ... { M F	28 37	4 2	— 1	— —	— —	4 3	— —	— —	1 —	— —
143	Carbuncle, Boil ... { M F	204 90	— 1	1 3	3 —	3 3	7 7	— 2	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	1	5	30	65	65	104	54	5	—	—	—	—	—	—	—	—	134
—	—	—	3	11	18	25	33	20	1	—	—	—	—	—	—	—	—	A
—	—	—	—	5	9	9	31	16	3	—	—	—	—	—	—	—	—	B
—	—	—	2	4	11	5	6	6	—	—	—	—	—	—	—	—	—	C
—	—	—	—	9	20	19	21	10	—	—	—	—	—	—	—	—	—	D
—	—	1	—	1	7	7	13	2	1	—	—	—	—	—	—	—	—	E
—	—	—	1	37	105	120	163	88	7	—	—	—	—	—	—	—	—	135
—	—	—	9	62	95	99	100	51	2	—	—	—	—	—	—	—	—	136
—	—	—	41	294	458	435	337	149	16	—	—	—	—	—	—	—	—	137
—	—	—	40	154	182	181	121	69	2	—	—	—	—	—	—	—	—	138
—	—	—	2	26	39	34	40	17	1	—	—	—	—	—	—	—	—	A
—	—	—	1	8	13	9	8	4	—	—	—	—	—	—	—	—	—	B
—	—	—	37	120	130	138	73	48	1	—	—	—	—	—	—	—	—	C
—	—	—	4	39	67	88	94	51	4	—	—	—	—	—	—	—	—	139
—	—	—	—	3	6	13	22	10	—	—	—	—	—	—	—	—	—	A
—	—	—	4	36	61	75	72	41	4	—	—	—	—	—	—	—	—	B
—	—	—	—	8	14	10	7	1	—	—	—	—	—	—	—	—	—	140
—	—	—	1	1	3	2	2	1	—	—	—	—	—	—	—	—	—	141
—	—	1	101	625	989	1,000	928	464	36	—	—	—	—	—	—	—	—	134-141
21 11	6 4	— 3	3 1	2 3	— 2	1 1	3 3	4 6	6 4	2 4	13 16	35 42	88 69	144 128	158 148	115 130	89 82	142
—	—	—	—	—	—	—	—	—	—	1	3	30	84	138	156	114	87	A
—	—	—	—	—	—	—	—	—	—	3	2	38	62	126	144	130	81	B
14 4 2 4 5 3	6 4 — — — —	— 3 — — — —	2 1 1 — — —	1 3 1 — — —	— 1 — — — 1	1 1 — — — —	1 2 1 — 1 1	2 4 — — 1 1	1 — 2 — 2 2	— — 2 — 1 4	— — 1 — 9 1	— — 3 — 2 14	2 — — — 2 4	— — 5 — 1 1	1 — 1 — 1 2	— 1 1 — — —	1 1 1 — — —	C D
7 9	— 1	2 5	10 4	3 2	11 4	5 2	10 5	17 5	17 7	14 7	16 5	22 9	21 6	23 4	16 8	9 5	1 2	143

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
144	Phlegmon, Acute abscess {	M 485	38	31	12	15	96	10	2	3	2
		F 353	22	39	9	13	83	12	1	3	3
	A. Phlegmon ... {	M 333	21	9	4	2	36	—	1	2	1
		F 231	11	19	7	5	42	5	1	2	1
	B. Acute Abscess ... {	M 152	17	22	8	13	60	10	1	1	1
		F 122	11	20	2	8	41	7	—	1	2
145	Diseases of the integu- mentary system. {	M 474	112	55	33	33	233	12	2	3	1
		F 491	67	50	17	17	151	8	8	—	1
	A. Ulcer, Bedsore ... {	M 124	3	—	1	1	5	1	—	—	—
		F 225	2	3	—	—	5	—	—	—	—
	B. Eczema ... {	M 121	26	19	16	26	87	6	1	1	—
		F 63	7	18	9	6	40	5	2	—	—
	C. Pemphigus... {	M 72	39	10	—	1	50	2	—	1	—
		F 55	29	10	2	—	41	—	1	—	1
	D. Other dis. of the in- tegumentary sys. {	M 157	44	26	16	5	91	3	1	1	1
		F 148	29	19	6	11	65	3	5	—	—
146	Diseases of the bones ... {	M 374	1	8	2	5	16	10	5	5	6
		F 215	—	2	3	5	10	6	6	10	7
147	Diseases of the joints ... {	M 87	3	6	2	1	12	1	1	—	—
		F 101	2	2	1	2	7	2	—	2	1
148	Amputations ... {	M —	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—
149	Other diseases of loco- motor system. {	M 13	—	—	—	—	—	—	—	—	—
		F 20	—	—	1	—	1	—	—	—	—
150	Congenital malformations {	M 2,350	1,356	484	192	117	2,149	49	24	18	10
		F 1,913	1,157	294	168	114	1,733	45	16	9	13
	A. Congenital hydro- cephalus. {	M 175	31	18	30	34	113	27	9	8	4
		F 139	32	18	21	30	101	11	6	1	5
	B. Phimosi ... {	M 33	9	11	7	—	27	2	2	—	—
		F —	—	—	—	—	—	—	—	—	—
	C. Congenital malfor- mation of heart. {	M 952	625	141	61	26	853	14	8	7	4
		F 715	428	96	46	44	614	17	5	2	6
	D. Other congenital malformations. {	M 1,190	691	314	94	57	1,156	6	5	3	2
		F 1,059	697	180	101	40	1,018	17	5	6	2
151	Premature birth, Infantile debility, Icterus and Sclerema. {	M 14,771	11,895	1,954	672	250	14,771	—	—	—	—
		F 10,961	8,790	1,460	516	195	10,961	—	—	—	—
	A. Premature birth ... {	M 9,714	8,860	752	85	17	9,714	—	—	—	—
		F 7,586	6,808	677	82	19	7,586	—	—	—	—
	B. Infant. atrophy, debi- lity and marasmus. {	M 4,558	2,638	1,120	571	229	4,558	—	—	—	—
		F 3,075	1,750	736	418	171	3,075	—	—	—	—
	C. Icterus neonatorum {	M 427	363	60	4	—	427	—	—	—	—
		F 254	222	26	4	2	254	—	—	—	—
	D. Sclerema and cedema neonatorum. {	M 16	14	2	—	—	16	—	—	—	—
		F 8	5	2	1	—	8	—	—	—	—
	E. Want of breast milk {	M 56	20	20	12	4	56	—	—	—	—
		F 38	5	19	11	3	38	—	—	—	—
152	Other diseases peculiar to early infancy. {	M 1,814	1,743	70	1	—	1,814	—	—	—	—
		F 1,229	1,182	47	—	—	1,229	—	—	—	—
	A. Diseases of um- bilicus, &c. {	M 180	156	24	—	—	180	—	—	—	—
		F 168	147	21	—	—	168	—	—	—	—
	B. Atelectasis ... {	M 879	849	30	—	—	879	—	—	—	—
		F 622	605	17	—	—	622	—	—	—	—
	C. Injuries at birth {	M 737	722	14	1	—	737	—	—	—	—
		F 427	418	9	—	—	427	—	—	—	—
	D. Cyanosis neona- torum. {	M 18	16	2	—	—	18	—	—	—	—
		F 12	12	—	—	—	12	—	—	—	—

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
113	9	8	15	6	13	18	23	25	30	35	39	35	44	25	28	13	6	144
102	6	4	6	8	11	20	16	15	14	14	12	22	28	29	19	20	5	
40	5	6	11	4	9	10	18	19	25	27	34	30	38	19	24	9	7	A
51	2	3	6	7	9	12	13	9	11	9	6	18	21	19	14	17	4	
73	4	2	4	2	4	8	5	6	5	8	5	5	6	6	4	4	1	B
51	4	1	—	1	2	8	3	6	3	5	6	4	7	10	5	3	3	
251	4	—	4	1	1	3	7	4	5	15	16	17	35	42	35	24	10	145
168	2	1	5	3	6	3	4	9	9	19	20	25	40	40	64	43	30	
6	3	—	—	—	—	—	1	2	4	5	6	9	21	25	23	15	4	A
5	—	—	1	—	1	2	2	4	6	14	11	20	26	28	50	34	21	
95	—	—	—	—	—	1	—	—	—	2	—	3	5	5	5	4	1	B
47	—	—	1	1	—	—	—	—	—	1	3	—	3	2	3	1	1	
53	—	—	—	—	—	1	—	—	1	2	2	1	4	4	4	—	—	C
43	—	—	—	1	1	—	1	—	2	—	1	2	—	1	2	—	1	
97	1	—	4	1	1	1	6	2	—	6	8	4	5	8	3	5	5	D
73	2	1	3	1	4	1	1	5	1	4	5	3	11	9	9	8	7	
42	68	93	51	19	13	8	12	11	10	5	10	11	7	5	4	4	1	146
39	30	36	10	4	5	8	9	2	8	10	9	7	8	13	6	7	4	
14	4	4	2	1	6	3	2	4	7	7	9	4	6	4	7	3	—	147
12	9	6	2	3	3	2	2	1	7	2	9	5	8	11	13	5	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	1	1	1	—	1	1	1	2	—	—	1	1	—	2	—	1	149
1	3	—	—	1	2	—	1	2	—	3	1	2	—	2	—	2	—	
2,250	32	24	17	10	7	3	2	1	3	—	1	—	—	—	—	—	—	150
1,816	31	19	17	5	6	4	6	1	4	4	—	—	—	—	—	—	—	
161	6	3	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	A
124	8	3	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
31	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
886	20	15	14	8	5	2	1	—	1	—	—	—	—	—	—	—	—	C
644	19	15	15	3	5	3	6	1	2	2	—	—	—	—	—	—	—	
1,172	6	5	—	1	1	1	1	—	2	—	1	—	—	—	—	—	—	D
1,048	4	1	1	1	—	1	—	—	2	1	—	—	—	—	—	—	—	
14,771	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
10,961	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9,714	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
7,586	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4,558	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3,075	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
427	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
254	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,814	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
1,229	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
180	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
168	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
879	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
622	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
737	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
427	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
184	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
135	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	3	18	125	465	1,881	3,044	3,006	2,375	154
—	—	—	—	—	—	—	—	—	1	7	20	133	530	2,074	3,793	4,459	4,454	
—	—	—	—	—	—	—	—	—	—	—	9	42	94	122	125	97	46	A
—	—	—	—	—	—	—	—	—	—	2	9	39	87	152	184	147	113	
—	—	—	—	—	—	—	—	—	—	3	9	83	371	1,759	2,919	2,909	2,329	B
—	—	—	—	—	—	—	—	—	1	5	11	94	443	1,922	3,609	4,312	4,341	
—	—	—	4	14	14	19	14	22	23	28	20	8	14	3	2	—	—	155
—	—	—	9	18	13	12	9	16	18	8	8	9	6	1	1	—	1	
—	—	—	4	6	11	6	13	11	29	23	18	21	11	5	2	—	—	156
—	—	—	2	5	7	4	22	15	17	13	14	3	4	2	2	—	—	
—	—	5	13	14	22	31	27	50	61	79	74	73	53	33	19	9	4	157
—	—	—	—	3	7	11	15	15	20	20	18	25	9	7	3	2	—	
—	—	2	6	14	20	23	49	34	53	59	59	68	52	22	15	11	3	158
—	—	3	28	30	26	48	35	53	51	37	32	20	12	16	5	1	—	
—	—	2	8	25	19	16	22	24	34	36	17	18	6	6	4	1	—	159
—	—	1	—	2	4	1	2	2	—	—	1	—	1	1	—	—	—	
—	—	—	2	9	13	34	63	65	77	77	79	59	57	24	18	3	3	160
—	—	—	3	4	5	12	12	9	16	14	12	7	5	6	2	1	—	
—	—	1	—	2	3	3	5	5	6	7	11	4	3	6	—	1	—	161
—	—	—	1	1	2	4	4	3	5	6	4	5	3	1	—	1	2	
—	—	—	5	8	13	12	12	14	17	17	16	14	6	1	2	—	1	162
—	—	—	1	1	4	1	3	3	2	1	3	1	—	2	—	—	—	
—	—	1	—	3	1	3	4	—	—	—	2	3	2	1	1	—	—	163
—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	
5	2	2	2	1	1	2	2	2	1	4	3	3	1	—	—	1	—	164
1	5	1	1	—	5	1	4	—	3	3	—	—	—	1	1	—	—	
16	2	2	2	2	4	2	4	10	5	8	8	2	1	3	2	—	—	165
12	4	3	1	2	5	3	5	2	3	7	3	2	1	—	1	—	—	
4	7	1	1	2	3	2	3	2	3	4	4	2	2	—	3	—	—	166
9	3	2	9	4	1	1	1	1	2	2	1	—	1	1	5	1	1	
476	64	13	13	12	12	17	13	14	13	14	17	10	7	18	15	12	7	167
422	143	56	30	26	21	15	16	20	17	33	28	18	29	46	52	44	22	
320	5	7	13	10	13	8	18	12	12	12	8	7	7	3	4	2	3	168
279	1	1	1	2	1	5	3	4	—	6	2	4	5	4	7	—	2	
115	179	97	115	113	92	93	88	111	112	111	71	85	53	51	21	8	5	169
54	26	19	31	24	16	24	23	22	29	27	18	16	16	3	6	4	—	
—	3	9	12	13	7	5	7	11	3	6	4	7	—	2	1	—	—	170
2	—	3	2	—	1	1	—	2	—	—	1	—	—	—	—	—	—	
5	2	1	2	1	1	—	1	—	—	1	—	2	—	—	—	—	—	171
3	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	
59	49	41	56	53	48	67	75	106	132	142	152	159	139	114	143	80	79	172
29	16	14	8	6	7	14	12	23	46	46	58	68	108	128	217	216	190	
—	—	29	129	93	76	83	113	88	97	77	69	57	39	11	3	—	—	173
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ... { M F	317 22	— —	— —	— —	— —	— —	— —	— —	1 —	— 1
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	3,126 700	— —	1 —	1 2	3 —	5 2	12 11	23 14	47 29	63 24
176	Injury by animals ... { M F	61 8	— —	— —	— —	— —	— —	1 1	— 2	1 —	1 —
177	Starvation ... { M F	14 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	29 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	13 13	— —	— —	— —	— —	— —	1 1	— —	1 1	— —
180	Lightning... { M F	11 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	26 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	6 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	23 34	1 —	— 2	1 1	— —	2 3	1 1	1 1	1 —	— —
184	Homicide by other means { M F	113 100	31 28	5 2	2 1	1 3	39 34	1 2	— —	2 1	— —
185	Fractures (cause not specified). { M F	34 17	2 1	— 1	1 —	1 —	4 2	— 1	1 —	— —	1 —
186	Other violence ... { M F	621 128	15 11	8 8	14 8	10 5	47 32	9 11	6 4	4 2	3 3
155- 186	All violence ... { M F	12,464 5,117	212 184	122 117	81 70	97 64	512 435	217 159	206 142	172 138	171 120
187	Dropsy ... { M F	5 9	— —	— —	— —	— —	— —	1 —	— —	— —	— —
188	Syncope, Sudden death... { M F	122 87	— —	— —	— —	— —	— —	1 1	— —	— —	— —
	A. Syncope (aged 1 year and under 70 yrs.). { M F	118 85	— —	— —	— —	— —	— —	1 1	— —	— —	— —
	B. Sudden death (not otherwise defined). { M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
189	Ill-defined causes ... { M F	933 751	50 36	8 9	10 4	19 8	87 57	81 86	17 17	10 7	3 8
	A. Heart failure (aged 1 yr. and under 70). { M F	621 462	— —	— —	— —	— —	— —	3 3	2 —	3 1	— 4
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70). { M F	102 116	— —	— —	— —	— —	— —	68 76	14 15	5 4	2 3
	C. Teething ... { M F	24 9	— —	— 1	3 —	15 5	18 6	6 2	— 1	— —	— —
	D. Pyrexia ... { M F	6 6	— —	1 —	1 —	— —	2 —	— —	— —	1 —	— —
	E. Other ill-defined deaths. { M F	167 119	23 13	5 8	6 3	4 3	38 27	4 4	1 1	2 1	1 1
	F. Cause not specified { M F	63 39	27 23	2 —	— 1	— —	29 24	— 1	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Total deaths registered)—*continued*.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 1	5 1	16 4	52 6	26 3	21 —	25 2	25 —	28 —	35 1	22 1	29 1	9 2	17 —	6 —	— —	— —	— —	174	
150 80	356 127	183 46	210 26	230 25	174 14	159 21	212 21	193 35	226 22	220 39	229 55	192 39	155 49	120 47	73 37	33 13	11 4	175	
3 3	2 1	3 —	4 —	1 —	4 —	2 —	2 —	1 —	3 1	6 1	6 —	13 1	8 1	2 —	1 —	— —	— —	176	
— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 1	2 1	1 —	4 —	3 —	1 —	— —	— —	— —	177	
— —	— —	1 —	— —	— —	— —	— —	1 —	— —	2 —	3 6	2 —	7 —	5 1	1 —	6 2	— —	1 1	178	
2 2	2 2	2 2	— 1	— 1	1 —	1 —	— —	— —	— 1	2 1	1 1	— —	1 1	— 1	1 —	— —	— —	179	
— —	1 —	— —	2 —	1 —	— —	1 —	1 —	1 —	1 —	1 —	— —	— —	1 —	1 —	— —	— —	— —	180	
— —	— —	1 —	1 —	3 —	7 —	1 —	2 —	1 —	4 —	4 —	1 —	1 —	— —	— —	— —	— —	— —	181	
— —	— —	— —	2 1	1 2	1 3	1 1	1 4	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	182	
5 5	3 1	1 1	— 3	2 5	2 —	3 5	3 5	2 2	— 2	— 1	1 2	1 —	— 1	— —	— 1	— —	— —	183	
42 37	6 5	2 3	2 4	5 8	1 12	6 4	4 5	8 6	14 3	10 6	5 4	1 —	2 1	3 1	1 1	— —	1 —	184	
6 3	— —	— —	— —	— —	2 —	4 1	1 —	3 3	2 2	1 —	3 5	2 1	5 —	2 —	3 1	— —	— 1	185	
69 52	18 4	27 4	33 5	93 4	74 5	68 13	56 11	51 1	38 2	22 7	21 6	19 3	20 4	5 2	6 4	— 1	1 —	186	
1,278 994	706 339	448 165	693 174	754 179	659 160	694 207	837 217	871 239	1,004 267	998 288	931 278	851 224	670 260	444 270	346 348	161 284	119 224	155- 186	
1 —	— —	— —	— —	— —	— —	— —	— —	— 2	— —	— 1	— —	2 1	— —	1 —	1 2	— 1	— 2	187	
1 1	2 1	1 2	1 1	1 2	— 4	3 1	3 4	3 4	12 6	16 14	23 13	24 18	30 14	2 1	— 1	— —	— —	188	
1 1	2 1	1 2	1 1	1 2	— 4	3 1	3 4	3 4	12 6	15 14	23 13	23 18	30 14	— —	— —	— —	— —	A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B	
198 175	12 14	8 5	9 5	8 9	13 18	19 15	22 28	52 38	75 49	87 72	120 67	126 110	197 117	16 14	15 5	4 4	2 6	189	
8 8	8 7	3 3	7 1	3 7	10 15	13 13	17 24	40 32	66 39	63 57	99 55	112 97	172 104	— —	— —	— —	— —	A	
89 98	1 2	— —	— 1	— 1	— —	1 —	— 1	2 1	— 1	— 2	3 4	4 4	2 1	— —	— —	— —	— —	B	
24 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C	
2 1	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	D	
46 34	3 4	5 —	— 3	1 —	2 3	2 1	3 1	7 4	7 6	16 12	15 7	8 9	22 10	12 12	14 5	4 3	— 5	E	
29 25	— 1	— —	1 —	3 —	1 —	3 1	2 2	2 1	2 2	8 1	3 1	1 —	1 2	4 1	1 —	— 1	2 1	F	

at DIFFERENT AGE-PERIODS, 1920—(Civilian Population only).

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
7,211 5,728	751 716	409 436	585 574	609 682	689 776	818 775	1,071 908	1,241 1,003	1,663 1,212	1,961 1,380	2,100 1,616	2,317 1,753	2,435 2,142	2,168 2,382	1,871 2,461	1,093 1,777	590 1,329	All Causes	
— 1	— 3	1 1	1 1	1 2	1 4	1 3	3 4	3 2	4 —	1 1	5 2	— 2	1 —	— —	— —	— —	— —	1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3	
— —	— —	— —	— —	— —	1 —	3 —	4 —	6 —	4 —	2 —	— —	— —	1 —	1 —	— —	— —	— —	4	
— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	5	
492 432	41 41	1 1	— 2	— —	— —	1 —	— 1	— —	1 —	— 1	1 —	— —	1 —	— —	— —	— —	— —	6	
65 46	32 29	2 7	4 5	1 3	2 1	2 2	2 1	1 —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	7	
359 389	6 16	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8	
270 269	164 203	33 46	7 9	4 2	1 5	— 2	— 1	— 1	1 —	1 —	— 2	1 —	1 —	— —	— —	— —	— —	9 A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C	
50 52	10 9	4 19	30 27	33 35	48 49	68 65	45 47	56 31	53 45	68 46	56 43	39 40	50 50	35 36	18 46	10 24	10 17	10	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	13	
1 —	— —	1 —	— —	1 —	2 2	3 —	2 1	1 2	2 5	1 5	— 3	3 6	1 8	1 —	— 4	— —	— —	14	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17	
7 16	— —	2 —	2 3	1 2	2 4	1 3	6 5	3 4	3 —	5 5	6 4	4 6	8 5	3 7	5 6	2 —	1 2	18	
3 5	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	19	
8 5	2 7	1 1	2 —	— 1	3 1	2 —	1 —	1 —	3 3	2 3	2 2	3 2	2 —	— 2	1 1	1 —	1 —	20	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	}	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
2 3	3	1	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	}	24
—	1	—	—	1	1 2	2 1	1	—	1 2	—	1	—	1	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	27
26 27	12 13	26 65	132 198	205 261	203 228	240 185	300 209	302 184	335 153	298 114	173 79	149 54	104 50	28 33	11 15	4 6	— 4		
9 8	2 4	2 3	12 17	8 18	15 17	7 13	12 7	10 9	15 8	16 7	9 6	7 2	2 1	1 1	— 1	— —	— —	}	28
23 24	8 11	4 5	4 9	2 5	3 2	4 —	2 —	2 —	3 2	— —	1 —	2 —	— —	— —	— —	— —	— —		
58 59	22 28	32 73	148 224	215 284	221 247	251 198	314 216	314 193	353 163	314 121	183 85	158 56	106 51	29 34	11 16	4 6	— 4	}	28 & 29
137 117	48 50	20 19	16 16	5 2	4 2	1 3	5 —	1 2	3 —	1 —	1 —	— —	1 —	— —	— —	— —	— —		
25 29	6 11	10 7	8 6	4 2	5 4	2 5	6 2	2 2	3 1	1 2	2 2	1 1	— 1	1 3	1 —	— 1	— —	}	31
3 1	6 3	6 2	7 4	4 1	1 2	1 1	1 1	1 1	2 2	3 3	2 1	2 3	1 1	— —	— —	— 1	— —		
2 1	1 1	2 2	7 —	4 2	1 —	1 —	— 1	2 2	1 1	1 3	4 —	— 1	2 2	1 2	2 1	— 2	— —	}	33
2 1	1 1	1 1	4 3	3 2	— 6	5 4	1 1	5 2	4 2	1 2	3 1	1 3	4 4	— 3	1 —	— —	— —		
18 19	15 8	8 5	10 11	5 3	5 6	3 3	2 1	2 6	6 4	— 1	1 1	4 1	— 1	— 1	— 2	— 1	— —	}	35
245 227	99 102	79 109	200 264	240 296	237 267	264 214	329 222	327 208	372 173	321 132	196 90	166 65	114 60	31 43	15 19	4 11	— 4		
32 22	2 2	— —	— —	— 1	— —	— —	— 1	— —	— —	— 1	1 —	— —	— —	— —	— —	— 1	— —	}	36
114 71	— —	— —	3 2	1 —	— 2	5 3	7 —	6 5	7 6	10 6	8 2	8 3	3 1	2 1	1 —	— —	— —		
3 2	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	}	38
1 —	— —	— —	— —	— —	— —	2 —	4 3	8 3	23 5	49 9	53 6	73 4	63 2	34 1	15 3	8 2	2 4		
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	39
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	40
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	41
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	42
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	43
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... {	M 75	—	—	—	—	—	—	—	—	—
	F 36	—	—	—	—	—	—	—	—	—	—
45	Cancer of other or un- {	M 705	—	—	1	1	2	3	3	3	1
	F 322	—	—	—	—	—	—	—	1	2	1
39-45	Cancer (all sites)... {	M 2,593	—	1	1	1	3	3	3	3	2
	F 2,997	—	—	—	—	—	—	—	1	2	1
46	Other tumours (situation {	M 11	—	—	—	—	—	—	—	—	—
	F 9	—	—	—	—	—	—	—	—	—	—
47	Rheumatic fever... {	M 99	—	—	—	—	—	1	—	1	1
	F 129	—	—	—	—	—	—	—	—	—	1
48	Chronic rheumatism, {	M 48	—	—	—	—	—	—	—	—	—
A, B	Osteo-arthritis. {	F 149	—	—	—	—	—	—	—	—	—
48C	Gout ... {	M 26	—	—	—	—	—	—	—	—	—
	F 3	—	—	—	—	—	—	—	—	—	—
49	Scurvy ... {	M 1	—	—	1	—	1	—	—	—	—
	F 1	—	—	—	—	—	—	1	—	—	—
50	Diabetes ... {	M 174	—	—	—	—	—	—	—	—	—
	F 183	—	—	—	—	—	—	—	—	—	—
51	Exophthalmic goitre ... {	M 2	—	—	—	—	—	—	—	—	—
	F 33	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 4	—	—	—	—	—	—	—	—	—
	F 17	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lympha- {	M 55	—	—	—	1	1	—	3	1	—
	F 47	—	—	—	—	—	—	—	1	—	—
54	Anæmia, Chlorosis ... {	M 79	—	—	1	—	1	1	—	—	—
	F 103	—	—	—	—	—	—	2	—	—	—
55	Other general diseases ... {	M 31	4	2	1	—	7	—	—	2	—
	F 21	—	6	1	2	1	10	2	1	—	—
56	Alcoholism (acute or {	M 15	—	—	—	—	—	—	—	—	—
	F 2	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning... {	M 5	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupa- {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings {	M —	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
60	Encephalitis ... {	M 71	—	1	—	3	4	1	2	1	—
	F 51	—	—	1	1	—	2	3	1	2	—
61A	Cerebro-spinal fever ... {	M 48	—	6	5	11	22	6	—	2	1
	F 37	—	—	—	7	5	12	3	1	1	2
61B	Posterior basal meningitis {	M 8	—	—	4	1	5	1	—	—	—
	F 16	—	—	1	3	4	8	—	—	—	1
61C	Meningitis, other forms {	M 101	2	8	6	21	37	8	7	4	6
	F 83	—	2	5	6	17	30	11	4	3	3
62	Locomotor ataxy... {	M 81	—	—	—	—	—	—	—	—	—
	F 20	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the {	M 173	—	—	—	1	1	1	—	1	1
	F 136	—	—	—	—	2	2	1	—	—	—

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	— —	— —	— —	— —	1 —	— 1	2 —	2 1	4 3	7 3	4 2	15 4	12 4	11 4	9 4	6 6	2 4	} 44
12 4	6 4	5 2	9 5	7 2	5 4	11 7	24 19	20 17	49 27	71 39	114 38	118 42	98 31	83 40	51 24	17 14	5 3	
14 4	6 4	5 3	10 7	12 7	12 20	23 57	52 106	78 167	168 297	302 349	399 373	481 408	452 389	308 338	187 266	68 146	16 56	} 39-45
— —	— —	— —	— —	— —	— —	— —	— —	3 —	4 —	— 1	2 1	1 3	— 1	1 1	— 2	— —	— —	
3 1	19 29	19 34	16 19	3 6	6 8	5 5	8 5	6 7	4 3	2 4	2 3	2 1	2 —	2 1	— 2	— 1	— —	} 47
— —	— —	— —	1 —	— —	— 1	— —	— 3	2 3	1 5	5 3	5 8	5 16	6 25	11 35	8 21	4 18	— 11	
— —	— —	— —	— —	— —	— —	— —	1 —	1 1	1 —	1 —	6 —	3 1	7 —	2 —	4 —	— —	— 1	} 48C
1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	3 3	3 2	9 4	7 6	4 6	4 5	11 9	10 7	4 11	18 16	26 22	16 27	35 32	14 17	6 9	3 5	1 2	} 50
— —	— —	— —	— 2	— 2	— 4	— 2	— 1	— 4	— 4	— 5	— 6	1 2	1 1	— —	— —	— —	— —	
— —	— —	— —	— 2	— —	— 1	— 1	— 1	1 2	1 —	— 1	— 1	2 4	— 4	— —	— —	— —	— —	} 52
5 1	7 5	4 5	3 3	3 3	— 4	3 5	4 1	5 2	7 4	5 3	4 2	1 3	2 2	2 2	— 2	— —	— —	
2 2	2 2	2 —	2 2	2 5	2 1	3 7	3 1	2 12	6 10	9 7	12 15	11 7	12 12	5 12	4 4	— 3	— 1	} 54
9 13	2 —	5 —	2 —	2 —	3 —	2 —	— —	1 —	1 1	— 2	1 1	1 1	1 —	1 —	— 1	— 1	— 1	
— —	— —	— —	— —	— —	1 —	— 1	4 —	3 —	2 —	1 —	2 —	2 —	— —	— 1	— —	— —	— —	} 56
— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	2 —	1 —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 59
8 8	6 4	4 2	8 3	6 3	7 3	4 —	5 6	7 5	4 4	3 3	4 3	2 1	1 1	— —	2 3	— 2	— —	
31 19	6 5	4 4	2 5	3 1	1 —	1 —	— —	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	} 61A
6 9	2 3	— 1	— —	— —	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
62 51	10 6	5 4	2 3	1 3	1 —	3 3	2 1	3 1	— 1	2 3	4 5	3 —	— 1	2 1	— —	1 —	— —	} 61C
— —	— —	— —	— —	— —	— —	— —	1 —	6 4	17 —	16 1	13 4	11 2	8 6	7 3	1 —	— —	1 —	
4 3	4 2	4 —	4 1	4 5	2 5	6 3	1 4	8 9	8 9	12 11	15 14	28 14	25 14	16 18	17 13	10 10	5 1	} 63

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
2 2	—	—	3 2	2 2	8 —	4 5	12 9	21 33	43 57	75 77	118 128	133 144	150 207	166 192	134 199	53 114	28 65	} 64
—	—	—	—	—	—	—	1	—	1	3	2	6	5	3	2	2	1	
—	—	—	—	—	—	—	—	1	2	1	3	3	4	5	4	7	5	} 65
—	—	—	—	—	1	—	—	1	2	7	6	9	14	17	12	9	4	
1	—	—	—	—	2	—	1	1	2	7	4	15	19	17	19	18	7	} 66
—	—	1	3	—	4	21	54	46	41	26	22	6	4	3	1	—	—	
—	—	1	1	—	4	4	6	12	11	8	4	—	1	1	—	—	—	} 67
—	—	—	2	1	3	—	2	4	5	3	5	1	2	1	1	—	—	
—	—	—	—	2	6	3	5	7	6	15	6	6	1	2	2	3	—	} 68
2 6	3 2	6 4	9 6	14 9	10 9	6 9	9 6	10 7	4 7	5 5	7 8	11 6	4 6	3 5	6 1	— 2	— 4	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	} 70
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
179 159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 71
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	4	1	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	} 72
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	—	1	1	2	—	1	3	1	1	1	1	—	} 73
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15 13	9 6	3 6	7 2	3 6	4 8	4 3	5 5	5 8	6 16	4 3	6 10	1 12	5 7	7 6	2 3	2 3	1 3	} 74
3	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	} 75
10 11	4 11	4 7	4 —	2 3	2 1	3 —	1 2	1 —	2 1	—	—	2 1	—	—	—	—	—	
7 12	7 9	8 9	4 5	3 4	5 4	4 4	6 2	— 7	6 1	—	—	—	—	—	—	1	—	} 76B
7 3	3 1	6 3	4 5	1 2	1 1	— 1	1 1	—	4 1	2 1	2 1	1 2	3 2	1 2	2 1	— 1	—	
1 4	7 8	10 12	8 15	19 25	31 20	33 21	25 19	19 15	12 12	15 16	15 22	1 4	1 1	1 2	— 1	— 2	—	} 78
2 7	10 20	32 31	37 36	40 33	43 46	52 40	69 66	72 58	113 88	123 100	141 143	169 159	180 174	130 192	125 189	60 104	15 52	
—	—	—	—	—	3	—	5	5	10	27	26	26	27	23	20	5	7	} 79B
—	—	—	—	—	—	—	5	8	7	9	18	35	30	33	31	5	9	
2 4	7 6	8 15	10 8	10 8	14 14	15 13	18 22	40 36	52 45	85 85	115 94	173 129	237 234	255 275	195 281	114 190	63 136	} 79C
—	—	—	—	—	—	—	1	1	3	5	9	18	10	7	10	2	3	
—	—	—	—	—	—	—	—	—	—	—	4	6	8	7	5	1	2	} 80
—	—	—	1	—	—	—	7	13	17	24	29	22	12	9	3	3	—	
—	—	—	—	—	—	1	—	7	2	5	5	4	6	6	1	6	1	} 81A
—	—	—	—	—	—	2	5	7	17	37	56	106	111	137	150	83	46	
—	—	—	—	—	—	1	2	2	10	18	21	46	67	106	120	104	104	} 81B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	2	—	—	3	2	2	4	1	—	} 81C
—	—	—	—	—	—	—	—	—	—	—	3	1	—	4	—	—	—	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 138 F 215	— —	— —	— —	— —	— —	— —	— —	— —	— —
82B	Other embolism and thrombosis. {	M 18 F 25	2 —	— —	— —	— —	2 —	— 1	1 —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 18 F 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 16 F 14	4 2	3 6	4 1	— 1	11 10	1 3	2 —	— —	— —
84B	Other diseases of the lymphatic system. {	M 6 F 5	1 1	— —	— —	— 1	1 2	1 —	— —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. {	M 29 F 42	— —	— 1	— —	— —	— 1	— —	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 6 F 4	— —	— —	1 —	— —	1 —	— —	— 1	— —	— —
87	Diseases of the larynx ... {	M 30 F 30	1 2	1 —	2 3	3 2	7 7	3 6	3 1	3 3	3 4
88	Diseases of the thyroid body. {	M 1 F 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... {	M 2,396 F 2,441	56 44	150 123	100 61	86 61	392 289	54 43	10 14	6 8	4 2
91	Broncho-pneumonia ... {	M 1,550 F 1,271	66 56	191 124	188 120	292 244	737 544	253 239	62 70	32 24	31 17
92A	Lobar pneumonia ... {	M 762 F 490	5 2	9 9	6 10	17 11	37 32	19 12	14 9	4 8	8 1
92B	Pneumonia (type not stated). {	M 731 F 511	13 6	30 12	23 26	38 23	104 67	41 36	15 15	9 6	7 5
93	Pleurisy ... {	M 111 F 88	— —	— 1	1 2	2 3	3 6	5 3	1 1	2 3	2 —
94	Pulmonary congestion, Pulmonary apoplexy. {	M 67 F 90	5 2	3 1	2 2	4 —	14 5	— 1	2 —	— —	— —
95	Gangrene of the lung ... {	M 7 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 141 F 94	— —	2 —	— —	— 1	2 1	— —	1 —	— —	— —
97	Pulmonary emphysema {	M 26 F 15	1 1	— —	— —	— —	1 1	— —	1 —	— —	— —
98A	Fibroid disease of lung ... {	M 16 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 17 F 12	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
99A	Diseases of the teeth and gums. {	M 19 F 13	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
99 B, C, D	Other diseases of the mouth and annexa. {	M 7 F 9	4 2	1 —	— —	— 2	5 4	— —	— —	— 1	— —
100	Diseases of pharynx, Tonsillitis. {	M 49 F 38	1 —	1 —	4 —	— 1	6 1	1 —	4 1	5 5	5 4

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	2	2	—	1	1	3	3	2	3	6	7	17	19	28	26	12	6	} 82A	
—	—	—	—	—	2	2	—	2	7	7	19	17	33	28	50	26	22		
3	—	—	—	—	—	1	1	1	3	—	4	4	—	—	—	1	—	} 82B	
1	—	1	—	2	1	—	1	—	3	1	2	4	2	5	—	2	—		
—	—	—	—	—	—	1	—	1	1	1	5	3	5	1	—	—	—	} 83	
—	—	—	—	1	1	—	—	—	1	4	2	1	—	5	4	2	—		
14	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 84A	
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	} 84B	
2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—		
—	—	1	—	—	—	—	2	1	2	2	2	4	3	4	5	2	1	} 85	
1	—	—	—	1	—	—	2	4	6	1	4	2	5	5	9	2	—		
1	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	} 86	
1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
19	2	—	1	1	—	2	1	—	1	1	1	—	—	1	—	—	—	} 87	
21	3	—	—	1	—	—	—	1	—	1	—	1	—	—	—	2	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	} 88	
—	—	—	—	—	—	1	—	—	2	2	2	2	2	1	4	3	—		
466	8	—	5	6	12	16	39	49	92	143	172	217	272	282	302	196	119	} 89 & 90	
356	6	—	4	4	8	6	21	26	44	79	128	168	255	366	433	287	250		
1,115	41	6	6	5	13	23	12	17	32	30	40	40	45	48	39	25	13	} 91	
894	28	1	6	7	7	8	13	9	22	29	35	33	41	49	47	23	19		
82	19	4	30	35	37	38	58	66	85	77	61	53	53	30	27	6	1	} 92A	
62	16	10	25	12	22	36	34	32	29	29	31	37	33	41	26	11	4		
176	13	5	20	14	29	30	40	47	56	58	58	46	41	41	34	18	5	} 92B	
129	20	5	12	14	20	22	20	25	22	24	27	28	39	40	27	27	10		
13	2	2	2	3	1	9	9	4	9	12	14	10	8	8	3	1	1	} 93	
13	3	3	1	6	1	3	4	4	4	2	10	12	3	9	7	3	—		
16	—	—	1	—	2	2	—	—	2	1	2	7	6	6	12	4	6	} 94	
6	—	—	—	—	1	1	—	—	2	3	5	5	3	20	19	15	10		
—	—	—	—	1	1	—	—	1	—	—	—	—	2	—	2	—	—	} 95	
—	—	—	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—		
3	1	1	—	1	2	—	2	12	18	24	18	17	17	17	7	1	—	} 96	
1	—	—	—	—	2	1	8	6	5	5	16	17	12	10	4	4	3		
2	—	—	—	—	1	—	1	—	2	1	4	1	6	4	2	2	—	} 97	
1	—	—	—	—	—	—	—	—	1	—	2	2	1	3	1	3	1		
—	—	—	—	—	—	1	2	1	1	5	1	1	2	—	2	—	—	} 98A	
—	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—	—	—		
1	1	1	—	1	2	—	—	1	2	5	1	1	1	—	2	—	—	} 98B	
—	—	—	—	—	—	1	1	1	—	—	—	1	1	—	—	—	1		
—	2	1	1	1	—	1	1	2	3	1	1	2	1	2	—	—	—	} 99A	
1	—	—	1	—	—	1	—	2	1	2	1	—	2	—	1	—	1		
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	} 99 B, C, D	
5	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—		
21	7	3	1	1	1	1	2	1	2	4	—	2	1	—	1	1	—	} 100	
11	4	3	2	5	1	—	2	2	2	1	2	1	1	—	1	—	—		

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of cesophagus ... {	M 5	—	—	—	—	—	—	—	—	—
	F 1	1	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of {	M 165	—	—	—	1	1	—	—	—	—
	F 104	104	—	—	—	—	—	—	—	—	—
103A	Inflammation of stomach {	M 99	7	21	15	10	53	3	1	—	—
	F 97	97	6	10	6	8	30	3	1	—	—
103B	Other diseases of the {	M 17	2	—	1	—	3	—	1	1	—
	F 14	14	—	—	—	—	—	—	—	—	—
104 & 105	Diarrhœa and enteritis ... {	M 872	56	185	234	178	653	35	10	4	3
	F 623	623	43	100	155	131	429	39	7	5	3
106	Ankylostomiasis ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites {	M 1	—	—	—	—	—	—	—	1	—
	F —	—	—	—	—	—	—	—	—	—	—
108	Appendicitis ... {	M 175	—	—	—	—	—	—	6	5	7
	F 117	117	—	—	—	—	—	—	3	—	3
109A	Hernia ... {	M 118	3	1	4	3	11	—	—	—	—
	F 118	118	—	—	1	—	1	1	1	—	—
109B	Intestinal obstruction ... {	M 156	1	3	14	33	51	3	—	1	1
	F 158	158	—	2	10	8	20	1	1	—	—
110	Other diseases of the {	M 27	—	1	—	—	1	—	1	1	—
	F 33	33	—	—	—	—	—	1	—	—	—
111	Acute yellow atrophy of {	M 3	—	—	—	1	1	—	—	1	—
	F 10	10	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ... {	M 2	—	—	—	—	—	—	—	—	—
	F 1	1	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ... {	M 163	—	—	—	—	—	1	—	—	—
	F 96	96	—	—	—	—	—	—	—	—	—
114	Biliary calculi ... {	M 22	—	—	—	—	—	—	—	—	—
	F 57	57	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver {	M 28	—	—	—	—	—	—	—	—	—
	F 52	52	—	—	—	—	—	—	—	—	—
116	Diseases of the spleen ... {	M 3	—	—	—	—	—	—	—	1	—
	F 2	2	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause un- {	M 24	1	2	1	—	4	—	1	—	—
	F 25	25	—	—	—	—	—	—	2	1	1
118	Other diseases of the {	M 16	—	—	—	—	—	1	—	—	—
	F 13	13	—	—	—	—	—	—	—	—	1
119	Acute nephritis ... {	M 76	—	1	1	—	2	1	1	—	2
	F 57	57	—	—	—	1	1	2	1	1	2
120	Bright's disease ... {	M 765	—	—	—	—	—	—	—	—	—
	F 645	645	—	—	—	—	—	1	—	—	—
121	Chyluria ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the {	M 54	—	1	1	2	4	—	1	—	—
	F 41	41	—	1	1	—	2	—	—	1	—

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	1	—	} 101
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
1	—	—	1	2	7	9	18	23	27	26	18	17	9	6	—	1	—	} 102
—	—	—	2	6	3	9	6	14	7	14	13	6	10	6	6	2	—	
57	1	1	—	—	—	1	1	3	3	5	5	5	4	6	2	5	—	} 103A
34	—	1	1	—	—	—	2	1	1	1	3	5	11	13	16	3	5	
5	—	—	—	—	—	—	1	—	—	1	—	3	3	1	2	—	1	} 103B
—	—	1	—	—	—	1	1	1	—	1	1	—	1	—	4	2	1	
705	4	1	1	7	6	10	8	19	20	10	15	16	15	17	5	10	3	} 104 & 105
483	7	1	3	4	10	7	9	6	8	14	6	13	9	10	10	10	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	16	24	23	14	9	7	8	9	6	7	12	10	8	3	—	—	1	} 108
6	16	23	13	7	3	6	3	9	7	6	9	4	3	—	2	—	—	
11	2	—	1	2	2	3	1	2	11	5	6	20	13	20	15	3	1	} 109A
3	—	—	—	—	—	—	1	6	10	16	14	13	18	15	13	6	3	
56	3	3	2	2	4	8	5	5	14	3	7	10	14	8	8	3	1	} 109B
22	1	1	—	3	6	5	7	4	8	10	11	14	18	18	17	9	4	
3	—	2	—	—	—	—	—	3	4	2	2	2	2	2	2	3	—	} 110
1	2	1	2	1	1	—	1	3	3	1	1	4	2	2	6	2	—	
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	} 111
—	—	—	—	3	1	2	1	1	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	} 112
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	3	1	—	1	—	5	13	17	33	39	21	17	4	6	2	—	} 113
—	—	2	—	—	—	1	1	7	17	13	16	4	19	8	5	3	—	
—	—	—	—	—	—	1	1	1	1	2	4	2	2	2	3	3	—	} 114
—	—	—	—	1	—	—	2	3	3	2	9	4	10	11	6	3	3	
—	—	—	—	1	1	1	2	3	—	2	3	4	6	1	2	2	—	} 115
—	1	—	—	1	2	2	—	4	6	1	5	5	10	6	2	3	4	
1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	} 116
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
5	3	—	—	2	—	1	4	1	2	2	1	—	1	1	—	1	—	} 117
4	5	2	—	2	1	—	2	3	2	—	—	—	1	1	—	—	2	
1	—	—	1	—	—	1	1	—	4	—	—	5	2	—	1	—	—	} 118
1	—	—	—	—	—	—	—	1	3	2	1	3	2	—	—	—	—	
6	5	3	1	2	5	4	6	8	8	3	10	8	2	3	2	—	—	} 119
7	8	5	3	2	4	3	2	2	7	2	4	—	1	3	3	1	—	
—	3	4	8	14	13	13	27	47	51	82	95	104	117	88	54	27	18	} 120
1	2	8	4	13	15	14	32	36	38	66	85	78	92	73	49	26	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	2	1	2	4	3	4	4	2	—	8	6	3	5	4	—	1	} 122
3	—	—	—	2	—	3	3	5	4	1	3	2	5	3	2	2	3	

ADMINISTRATIVE COUNTY OF LONDON.--CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 21	—	—	—	—	—	—	—	—	—
	F 13	—	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder... {	M 108	—	1	—	—	1	—	—	—	—
	F 29	—	—	1	—	—	1	—	—	—	—
125	Diseases of the urethra, {	M 60	—	—	—	—	—	—	—	—	—
	Urinary abscess, &c. {	F —	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate... {	M 224	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of {	M 6	1	2	—	—	3	1	—	—	—
	male genital organs. {	F —	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage {	M —	—	—	—	—	—	—	—	—	—
	(non-puerperal). {	F 4	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non- {	M —	—	—	—	—	—	—	—	—	—
	cancerous). {	F 39	—	—	—	—	—	—	—	—	—
130	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	uterus. {	F 19	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour {	M —	—	—	—	—	—	—	—	—	—
	(non-cancerous). {	F 38	—	—	—	—	—	—	—	—	—
132	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	female genital organs. {	F 41	1	—	—	—	1	—	—	—	—
133	Non-puerperal dis. of the {	M —	—	—	—	—	—	—	—	—	—
	breast (non-cancerous). {	F 3	1	1	—	—	2	—	—	—	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	F 24	—	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	F 42	—	—	—	—	—	—	—	—	—	—
136	Other accidents of child- {	M —	—	—	—	—	—	—	—	—	—
	birth. {	F 38	—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	F 215	—	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria {	M —	—	—	—	—	—	—	—	—	—
	and convulsions. {	F 57	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia {	M —	—	—	—	—	—	—	—	—	—
	alba dolens, embolism {	F 27	—	—	—	—	—	—	—	—	—
	and sudden death. {										
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	F 4	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the {	M —	—	—	—	—	—	—	—	—	—
	breast. {	F 2	—	—	—	—	—	—	—	—	—
134	All accidents of pregnancy {	M —	—	—	—	—	—	—	—	—	—
141	and childbirth. {	F 409	—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 31	—	—	—	—	—	—	—	—	—
	F 64	—	—	—	—	—	—	—	—	—	—
142B,	Gangrene, other types ... {	M 7	2	—	—	—	2	1	—	—	1
C, D.	F 11	—	1	—	—	—	1	—	1	—	—
143	Carbuncle, Boil ... {	M 24	—	—	1	—	1	—	—	—	—
	F 8	—	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess {	M 73	7	6	1	1	15	—	—	—	—
	F 55	—	2	5	2	2	11	1	—	—	1
145	Diseases of the integu- {	M 53	10	6	7	1	24	1	—	1	—
	mentary system. {	F 47	3	4	3	2	12	3	—	—	—

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued*.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	2	—	1	4	1	3	3	3	1	2	1	—	} 123
—	—	1	—	1	—	3	1	2	2	—	1	—	—	—	2	—	—	
1	—	—	—	1	—	1	1	2	4	9	4	9	16	22	16	18	4	} 124
1	—	—	—	—	—	—	1	1	2	—	2	2	3	4	3	7	3	
—	—	—	—	—	—	1	1	3	6	11	10	7	12	2	6	1	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	8	7	24	33	62	43	34	12	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	2	4	4	11	10	2	1	2	2	—	—	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	1	1	—	3	1	4	—	1	5	—	1	1	—	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	—	2	2	4	2	1	5	2	4	5	4	1	4	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	6	9	6	3	6	5	2	2	—	—	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	5	5	9	2	2	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	10	11	15	6	—	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	8	8	7	12	3	—	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	28	67	58	35	21	1	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	17	12	11	8	4	—	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	6	9	8	2	—	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	10	57	111	103	87	38	3	—	—	—	—	—	—	—	—	} 134— 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	1	9	7	5	7	—	} 142A
—	—	—	—	—	—	—	—	—	—	1	—	5	7	14	11	14	12	
4	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	} 142B, C, D.
2	—	2	—	—	—	—	1	1	1	—	1	—	1	—	1	—	1	
1	—	—	1	—	3	2	—	3	5	3	—	1	3	—	1	1	—	} 143
—	—	—	1	—	—	—	—	—	1	—	2	2	—	1	1	—	—	
15	2	—	2	—	1	1	3	5	3	8	9	4	10	1	4	3	2	} 144
13	1	—	1	2	1	5	2	3	2	2	1	3	5	5	4	3	2	
26	1	—	—	1	—	—	—	—	—	3	2	3	3	4	6	3	1	} 145
15	—	—	—	1	1	—	—	—	—	2	3	1	5	5	5	6	3	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	57 32	— —	1 —	— 1	1 2	2 3	2 2	— 1	— —	— 2
147	Diseases of the joints ... { M F	14 12	1 —	— —	— —	1 1	2 1	1 —	— —	— 1	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	301 210	175 121	63 26	29 19	10 16	277 182	5 10	4 5	1 2	2 1
151A	Premature birth ... { M F	1,034 813	933 698	94 103	6 9	1 3	1,034 813	— —	— —	— —	— —
151 B-E	Infantile debility, Icterus and Sclerema. { M F	551 380	249 165	163 109	107 78	32 28	551 380	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	225 161	215 151	10 10	— —	— —	225 161	— —	— —	— —	— —
153	Lack of care ... { M F	33 27	33 27	— —	— —	— —	33 27	— —	— —	— —	— —
154	Old age ... { M F	863 1,426	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	45 31	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	34 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	55 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	51 37	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	28 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	77 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	16 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	16 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	6 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
165	Other acute poisonings ... { M F	11 8	— —	— —	— —	— —	— —	— —	— —	1 —	— —
166	Conflagration ... { M F	7 6	— —	1 —	— —	— —	1 —	— —	— —	1 —	1 —
167	Burns (conflagration ex- cepted). { M F	61 105	— 2	— —	1 —	5 7	6 9	16 13	14 14	7 3	5 6
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	69 60	23 24	23 21	5 5	6 1	57 51	— —	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
4 8	14 4	18 7	5 —	— 1	3 2	2 3	2 2	2 —	— 1	1 —	— —	2 —	— 1	1 1	1 —	1 1	1 1	} 146
3 2	— 2	— —	— 1	— 1	2 —	2 —	— —	— —	2 —	2 —	2 2	1 —	— —	— 1	— 3	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
289 200	— 4	4 —	4 2	4 1	— 1	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 150
1,034 813	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
551 380	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151 B-E
225 161	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
33 27	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	13 12	48 46	160 177	234 345	231 426	177 418	
— —	— —	— —	— 2	4 3	5 —	— 2	3 4	7 5	6 5	9 3	2 2	3 3	4 2	1 —	1 —	— —	— —	} 155
— —	— —	— —	— —	— 2	— 2	2 3	2 2	2 3	7 4	8 2	4 2	4 1	2 2	3 1	— —	— —	— —	
— —	— —	— —	— —	1 2	1 —	3 3	3 2	3 1	7 7	10 3	13 2	2 3	6 —	2 1	1 1	2 —	1 —	} 157
— —	— —	— —	1 3	2 3	3 2	4 2	6 3	2 9	7 4	6 4	6 3	4 2	4 —	1 2	1 —	3 —	1 —	
— —	— —	— —	— —	2 —	6 1	1 —	3 1	6 1	— —	3 —	— —	4 —	3 —	— —	— —	— —	— —	} 159
— —	— —	— —	— —	1 —	3 —	4 1	7 1	5 —	18 —	8 3	7 1	10 1	3 1	7 —	3 —	1 —	— —	
— —	— —	— —	— —	— —	1 —	— 2	2 —	1 1	2 2	— 2	5 1	2 3	1 —	2 —	— —	— —	— 1	} 161
— —	— —	— —	— —	— —	— 2	— —	— 2	3 —	6 —	3 —	1 —	3 1	— —	— 1	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	} 163
— —	1 —	— —	— 1	1 —	— 1	1 —	— 1	— —	— 1	1 —	1 —	— —	1 —	— —	— —	— —	— —	
1 —	1 —	1 —	— 1	— —	— —	— 1	— 1	3 1	— —	4 1	— 1	1 —	— —	1 —	— —	— —	— —	} 165
1 2	— —	— —	— 1	— —	— —	— —	— —	— 1	1 —	2 —	— —	1 —	— —	— —	— 1	— —	— 1	
48 45	4 10	1 6	— 2	— 4	— —	— 1	— 1	— 1	2 2	— 5	1 2	— 1	1 2	— 4	3 8	— 8	1 3	} 167
57 51	1 —	— —	1 —	— —	1 —	1 1	2 —	1 —	— —	— 2	1 1	1 2	2 2	1 1	— —	— —	— —	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	145 28	1 —	1 1	— 2	— —	2 3	— —	— —	— —	— —
170	Injury by firearms ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or { M piercing instruments. { F	2 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
172	Injury by fall ... { M F	265 196	— —	— —	1 1	3 1	4 2	3 2	2 4	— —	3 —
173	Injury in mines and { M quarries. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	28 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.).	414 129	— —	— —	— —	— —	— —	— 2	— 3	10 —	9 1
176	Injury by animals ... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
177	Starvation ... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat .. { M F	— 3	— —	— —	— —	— —	— —	— 1	— —	— 1	— —
180	Lightning... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { M cepted) { F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { M piercing instruments. { F	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
184	Homicide by other means { M F	12 23	5 3	— —	— —	— —	5 3	— 1	— —	— —	— —
185	Fractures (cause not { M specified) { F	2 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —
186	Other violence ... { M F	79 29	4 4	4 3	4 2	4 1	16 10	1 1	1 —	1 —	— —
155- 186	All violence ... { M F	1,439 753	33 33	28 26	11 10	19 10	91 79	20 21	17 21	18 6	18 7
187	Dropsy ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and { M under 70). { F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- { M wise defined) { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { M and under 70). { F	8 12	— —	— —	— —	— —	— —	— —	1 —	— —	— —
189 B-E.	Other ill-defined causes... { M F	16 13	— 1	— —	— —	— —	— 1	8 6	2 2	1 —	1 —
189F	Cause not specified ... { M F	5 2	2 2	— —	— —	— —	2 2	— —	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 3	21 —	14 3	10 1	12 3	6 2	7 —	10 5	13 1	16 4	10 3	8 2	10 —	3 —	3 —	— 1	— —	— —	169	
— —	1 —	— —	— —	— —	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	170	
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	171	
12 8	11 1	3 3	4 3	6 2	4 1	8 3	10 4	13 3	27 8	26 9	26 11	27 12	30 14	17 21	21 28	12 38	8 27	172	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	173	
— —	1 —	2 —	6 2	3 —	— —	3 —	2 —	1 —	— —	3 —	3 —	— —	3 —	1 —	— —	— —	— —	174	
19 6	78 22	35 10	31 6	17 6	20 4	17 —	22 6	18 7	22 2	24 10	25 12	23 10	27 8	16 8	12 8	7 3	1 1	175	
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— 1	— —	2 —	— —	— —	— —	— —	— —	— —	176	
— —	— —	— —	— —	— —	— —	— —	— —	2 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	177	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	178	
2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	179	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	180	
— —	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	181	
— —	— —	— —	— —	1 —	1 —	1 —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	182	
— —	1 —	— —	— —	1 —	1 —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	183	
5 4	— —	— —	2 —	1 —	6 —	2 —	3 —	1 —	2 1	2 1	2 —	— —	1 —	— —	1 —	— —	— —	184	
1 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	185	
19 11	1 1	1 1	7 —	9 2	5 —	7 5	6 2	5 —	5 1	5 1	3 —	3 1	— 2	2 —	1 2	— —	— —	186	
164 134	120 36	58 23	60 25	59 30	57 23	65 26	81 40	86 37	129 43	125 49	108 42	100 40	90 34	57 39	43 50	25 49	12 33	155- 186	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	187	
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —	188A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B	
1 —	— —	— —	— —	— —	— —	— —	— —	— 1	1 2	1 3	1 1	1 2	3 3	— —	— —	— —	— —	189A	
12 9	— —	— 1	— —	1 1	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	1 1	— —	— 1	— —	189 B-E	
2 2	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	189F	

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	}	22
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 3	1	1	1	4	—	3	—	—	2	—	1	2	2	—	—	—	—	}	24
—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—		
—	—	1	—	3	2	—	—	1	—	—	—	1	—	1	1	—	—	}	25
—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	}	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
112 76	64 86	118 226	410 643	623 674	619 668	684 594	800 592	845 482	782 369	677 262	485 168	295 128	193 92	53 45	20 17	1 3	3 —	}	28
22 17	14 6	13 21	53 83	41 74	38 61	35 51	37 36	63 20	46 21	34 13	16 9	13 8	3 2	4 —	1 —	— —	— —		
43 34	12 14	7 17	5 16	9 7	5 10	3 6	3 5	4 4	6 1	3 2	— 1	1 1	1 1	— —	— 1	— —	— —	}	29B
177 127	90 106	138 264	468 742	673 755	662 739	722 651	840 633	912 506	834 391	714 277	501 178	309 137	197 95	57 45	21 18	1 3	3 —		
401 318	132 122	72 66	41 54	19 23	9 12	4 7	8 4	12 7	6 1	2 5	2 1	— —	— —	— —	— —	— —	— —	}	30
229 161	43 49	34 40	34 46	15 21	9 22	14 20	7 21	11 14	8 15	5 8	3 4	4 10	5 3	1 1	— —	— 1	— —		
5 3	16 11	17 8	14 11	11 4	14 8	7 3	8 5	13 7	11 6	2 5	8 1	4 6	7 8	2 5	1 1	1 —	1 —	}	32
4 4	3 4	6 —	15 6	5 2	7 4	1 —	1 1	1 5	2 4	5 3	5 3	2 5	3 3	1 5	2 1	2 2	— —		
19 12	3 3	6 8	11 7	12 10	10 4	5 9	7 8	7 4	11 5	5 2	7 3	5 7	5 7	4 2	2 3	1 —	— —	}	34
85 74	24 34	31 33	36 30	22 18	16 11	15 13	10 15	16 14	9 12	7 10	16 8	5 6	6 2	1 2	— —	— 1	— 1		
920 699	311 329	304 419	619 896	757 833	727 800	768 703	881 687	972 557	881 434	740 310	542 198	329 171	223 118	66 60	26 23	5 7	4 1	}	28-35
127 70	2 1	1 —	1 1	— —	— —	1 1	— —	1 1	1 —	1 —	1 1	— —	— 1	— 1	— —	— —	— —		
409 358	— 6	— 2	2 4	3 8	5 10	9 5	20 13	16 7	12 14	17 8	14 5	11 7	5 4	1 —	— —	— —	— 1	}	37
7 14	— 1	— —	— —	1 2	— —	1 1	1 2	1 1	2 —	2 —	— —	— —	1 —	— —	— —	— —	— —		
— —	1 —	2 —	1 1	2 2	1 2	5 6	12 5	27 4	67 7	118 17	182 16	167 10	132 14	82 16	48 10	29 4	5 1	}	39
4 2	— 2	— —	1 3	— 4	7 7	26 12	41 43	96 94	198 145	334 201	393 258	430 345	411 376	268 289	150 188	56 87	7 25		
1 2	3 —	— —	2 1	5 5	8 7	22 23	34 35	38 62	97 124	152 146	211 179	246 220	228 211	202 226	95 154	41 60	8 32	}	41
— —	— 1	— 3	— 1	— 1	— 19	— 42	— 84	— 182	— 257	— 272	— 278	— 245	— 189	— 126	— 76	— 28	— 16		
— —	— —	— —	— —	— 1	— 4	— 19	— 59	— 118	— 198	— 209	— 228	— 160	— 128	— 124	— 84	— 59	— 33	}	43

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... {	M 236	—	—	—	—	—	—	1	—	—
		F 105	—	—	—	1	1	—	—	—	—
45	Cancer of other or un- specified organs. {	M 1,515	2	—	—	1	3	3	2	2	1
		F 791	—	—	—	3	3	—	4	4	—
39-45	Cancer (all sites) ... {	M 6,460	2	—	—	1	3	4	5	3	2
		F 7,823	—	—	—	4	4	1	5	5	1
46	Other tumours (situation undefined). {	M 23	—	—	—	—	—	—	—	—	—
		F 24	—	—	—	—	—	—	—	—	—
47	Rheumatic fever ... {	M 304	—	—	—	—	—	1	1	4	5
		F 398	—	—	—	—	—	—	1	3	5
A, B.	Chronic rheumatism, { Osteo-arthritis.	M 158	—	—	—	—	—	—	—	—	—
		F 417	—	—	—	—	—	—	—	—	—
48C	Gout {	M 52	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—
49	Scurvy {	M 6	—	—	1	—	1	1	—	1	—
		F 3	—	—	—	1	1	1	—	—	1
50	Diabetes {	M 597	—	—	—	—	—	—	—	2	4
		F 670	—	—	—	—	—	—	—	3	—
51	Exophthalmic goitre ... {	M 14	—	—	—	—	—	—	—	—	—
		F 144	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 28	—	—	—	—	—	—	—	—	—
		F 35	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lympha- denoma. {	M 141	—	—	1	1	2	1	—	1	1
		F 88	—	—	—	2	2	1	—	3	2
54	Anæmia, Chlorosis ... {	M 378	—	1	1	4	6	2	3	2	1
		F 449	2	1	—	1	4	2	2	3	1
55	Other general diseases ... {	M 60	13	—	2	4	19	3	2	2	—
		F 79	4	2	1	2	9	6	3	4	2
56	Alcoholism (acute or chronic). {	M 60	—	—	—	—	—	—	—	—	—
		F 20	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ... {	M 27	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poisonings. {	M 2	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings {	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
60	Encephalitis {	M 138	—	4	2	1	7	3	3	4	2
		F 151	—	—	—	4	4	6	1	1	1
61A	Cerebro-spinal fever ... {	M 89	—	—	7	9	16	8	4	3	4
		F 65	1	—	7	5	13	5	3	3	4
61B	Posterior basal meningitis {	M 25	—	2	4	4	10	8	2	—	1
		F 19	—	1	1	11	13	1	—	—	—
61C	Meningitis, other forms {	M 540	14	25	43	89	171	69	31	18	17
		F 456	9	23	27	65	124	55	29	21	18
62	Locomotor ataxy... .. {	M 198	—	—	—	—	—	—	—	—	—
		F 35	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord. {	M 439	—	—	3	2	5	3	2	3	2
		F 379	—	1	1	1	3	1	—	—	1

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List No.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 1	— —	— —	— —	— 1	— —	2 —	6 1	10 3	14 4	16 6	39 18	32 8	33 17	34 19	31 17	15 7	3 3	} 44	
11 11	8 5	11 6	20 13	16 15	10 9	22 19	35 28	74 49	128 73	192 87	225 108	249 95	232 87	160 84	88 57	30 37	4 8		
17 16	12 8	13 9	24 19	23 29	26 48	77 121	128 255	245 512	505 808	816 938	1,051 1,085	1,127 1,083	1,037 1,022	747 884	413 586	172 282	27 118	} 39-45	
— —	— —	— 1	1 —	— —	— —	3 1	— 1	2 2	2 3	1 1	3 2	4 1	4 2	1 2	2 4	— 3	— 1		
11 9	47 57	62 79	33 54	20 30	20 23	18 18	16 23	16 20	10 20	15 22	12 8	10 13	9 14	3 3	2 —	— 3	— 2	} 47	
— —	1 —	— —	1 1	— 2	1 3	— 4	7 7	1 7	13 20	9 29	17 40	19 56	36 72	28 67	13 58	9 37	3 14		
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	3 —	5 1	12 —	8 3	12 1	8 —	3 —	— 1	} 48C	
3 3	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6 3	8 11	8 13	12 16	19 31	32 31	27 18	26 20	27 29	45 24	44 62	64 75	97 100	71 90	66 78	32 50	7 11	6 8	} 50	
— —	— —	— —	1 3	1 5	2 11	1 16	2 20	3 18	1 19	— 23	1 18	1 8	1 2	— 1	— —	— —	— —		
— —	— —	1 —	2 3	3 1	4 —	1 1	2 2	— 5	1 4	4 6	3 5	3 2	— 2	4 1	— 3	— —	— —	} 52	
5 8	14 3	7 5	12 8	6 5	9 7	13 6	8 3	10 6	9 11	11 6	13 6	13 4	7 6	3 1	1 2	— 1	— —		
14 12	3 4	4 2	5 12	4 12	5 15	13 19	15 25	32 32	38 37	44 51	50 56	51 66	51 54	34 36	14 14	1 2	— —	} 54	
26 24	5 5	5 5	4 3	1 4	4 4	1 3	2 1	1 5	— 3	— 3	3 6	2 5	5 3	— 1	— 2	1 2	— —		
— —	— —	— —	— —	1 —	1 —	1 1	4 —	6 3	14 7	11 3	10 2	8 1	1 1	3 1	— —	— —	— 1	} 56	
— —	— —	— —	— —	— 1	— —	— —	— 1	2 1	4 —	9 —	5 —	5 —	2 —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —		
19 13	14 9	8 14	22 13	8 17	12 9	6 13	6 9	12 9	6 13	10 10	8 7	5 4	1 4	1 3	— 2	— 2	— —	} 60	
35 28	16 9	10 6	13 8	4 6	4 4	1 1	1 2	— —	3 —	2 1	— —	— —	— —	— —	— —	— —	— —		
21 14	2 1	2 1	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61B	
306 247	61 47	36 32	21 19	13 17	7 11	14 6	13 13	13 12	13 10	7 6	9 10	7 2	9 8	3 6	5 7	3 3	— —		
— —	— —	— —	— —	— 1	— 1	2 1	7 1	17 4	26 3	32 1	37 12	33 5	19 4	17 1	5 1	2 —	1 —	} 62	
15 5	3 5	4 6	8 7	13 5	9 15	17 14	22 20	28 20	34 24	43 31	46 48	58 35	68 44	35 52	29 29	4 17	3 2		} 63

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
5 9	— 4	4 3	5 4	9 4	11 7	23 17	43 51	94 97	157 202	254 296	367 430	515 520	603 680	573 698	479 618	196 363	79 151	} 64	
— —	— —	— —	— —	— —	— —	1 2	1 2	— 4	3 5	10 6	8 12	15 16	20 16	29 23	21 36	19 25	5 11	} 65	
1 4	— 1	— 2	1 1	1 —	— 1	2 3	4 4	11 6	6 13	20 16	33 35	56 56	71 73	84 74	58 70	20 39	3 25	} 66	
— —	— —	— —	4 1	3 —	9 4	39 8	85 11	104 17	97 17	68 17	47 12	21 5	13 1	2 1	— —	— 1	— —	} 67	
— —	— —	— —	2 3	— 3	2 10	4 8	5 13	7 17	8 29	17 16	22 30	17 26	17 27	10 10	5 10	2 2	— 1	} 68	
21 14	16 13	17 13	35 25	29 27	32 30	25 35	35 21	27 27	28 27	26 24	27 28	27 22	16 19	11 11	6 10	6 2	— 1	} 69	
— —	6 8	3 1	— —	— 1	— 1	— —	— —	2 —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	} 70	
1,377 963	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 71	
3 —	7 10	4 12	1 6	2 7	— —	— —	— 1	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	} 72	
— —	1 1	— —	— 1	— 1	1 —	1 5	— 5	3 10	3 2	5 5	5 10	7 3	8 4	2 6	1 1	— 1	1 —	} 73	
42 22	16 12	16 5	16 14	15 12	13 14	15 15	21 18	22 20	25 22	30 27	21 24	15 14	22 19	11 14	9 12	3 8	— 7	} 74	
1 1	2 —	— 1	— —	— 2	1 —	— —	— 2	— 1	— 1	— —	— —	1 1	— 1	— 1	1 1	— —	— —	} 75	
19 8	13 10	10 8	5 6	2 5	1 3	2 —	2 2	2 1	1 —	1 1	1 2	1 —	— 1	1 —	1 —	— —	— —	} 76A	
52 39	27 30	21 26	15 15	17 7	8 5	11 7	6 5	8 7	7 2	4 4	— —	3 5	5 2	1 3	2 1	1 —	1 1	} 76B	
5 5	3 8	2 13	2 2	5 4	4 5	1 2	3 1	8 2	10 —	10 1	9 7	9 3	6 3	2 2	1 3	— —	2 —	} 77	
9 9	16 22	15 25	20 28	46 34	50 26	49 26	44 36	52 33	42 32	44 41	66 45	9 3	9 5	4 6	2 2	— 1	1 2	} 78	
6 9	43 57	81 121	81 116	117 114	142 122	159 160	192 175	223 216	288 294	358 321	397 412	469 476	586 549	416 560	266 423	105 213	37 90	} 79A	
— —	— —	— —	— —	— —	— 6	— 7	3 6	15 13	17 13	36 31	51 63	48 47	65 65	39 63	30 45	7 13	3 9	} 79B	
4 6	13 11	19 35	26 14	36 36	28 41	51 60	77 57	97 108	158 140	190 188	274 238	422 430	533 519	457 604	367 521	176 316	75 178	} 79C	
— —	— —	— —	— —	— —	— —	3 —	2 1	10 1	22 4	29 12	31 15	48 16	39 15	39 14	15 15	8 6	3 1	} 80	
— —	1 —	— —	— —	3 —	1 —	5 1	16 1	40 5	61 2	61 9	63 10	34 8	21 11	13 7	5 4	2 3	1 —	} 81A	
— —	— —	— —	— —	1 2	3 —	1 4	7 8	25 15	43 24	105 56	157 64	269 142	406 203	382 304	340 316	188 228	79 178	} 81B	
— —	— —	— —	— —	— —	1 —	— —	1 —	— 1	— —	2 —	2 3	4 2	9 7	4 3	4 3	4 2	1 4	} 81C	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. { M F	307 510	— —	— —	— —	— —	— —	1 —	— 1	1 —	— —
82B	Other embolism and thrombosis. { M F	46 45	1 1	— 1	— —	— —	1 2	— —	— —	— —	1 —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	36 67	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
84A	Status lymphaticus ... { M F	29 21	2 3	4 3	7 4	5 2	18 12	3 —	1 —	1 1	2 1
84B	Other diseases of the lymphatic system. { M F	17 18	1 1	3 3	1 1	2 3	7 8	2 2	— 2	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. { M F	60 64	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
86	Diseases of the nasal fossæ. { M F	17 10	3 1	3 2	2 1	2 1	10 5	— —	— —	1 —	— 1
87	Diseases of the larynx ... { M F	162 135	5 5	5 3	13 9	10 12	33 29	28 13	13 18	18 18	11 13
88	Diseases of the thyroid body. { M F	10 54	— —	— —	— —	— —	— —	1 —	— —	— —	— —
89 & 90.	Bronchitis ... { M F	7,906 7,489	230 169	596 389	457 295	538 418	1,821 1,271	332 304	67 64	40 40	26 30
91	Broncho-pneumonia ... { M F	4,474 3,713	114 92	410 274	481 344	921 691	1,926 1,401	865 741	244 205	121 136	98 81
92A	Lobar pneumonia ... { M F	2,353 1,221	8 7	21 15	24 16	46 41	99 79	72 36	25 28	15 17	18 14
92B	Pneumonia (type not stated). { M F	2,441 1,597	22 22	58 38	64 56	149 104	293 220	144 121	47 36	28 29	19 17
93	Pleurisy ... { M F	278 178	— —	1 —	— 1	3 6	4 7	16 7	8 6	4 5	2 5
94	Pulmonary congestion, Pulmonary apoplexy. { M F	176 210	11 10	11 7	7 10	10 10	39 37	8 3	— 4	1 2	1 1
95	Gangrene of the lung ... { M F	17 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... { M F	353 264	— —	— —	3 1	— 2	3 3	1 —	2 —	2 —	1 1
97	Pulmonary emphysema { M F	49 21	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
98A	Fibroid disease of lung ... { M F	49 18	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. { M F	58 29	— —	— —	2 2	1 2	3 4	— 1	3 1	— —	— —
99A	Diseases of the teeth and gums. { M F	59 43	5 2	5 2	2 —	1 3	13 7	2 5	1 3	2 —	1 1
99B, C, D.	Other diseases of the mouth and annæa. { M F	21 22	7 8	8 4	1 1	— 1	16 14	— —	— —	— —	— —
100	Diseases of pharynx, Tonsillitis. { M F	124 81	5 —	2 1	2 2	6 3	15 6	9 6	4 3	4 4	4 9

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 1	2 —	2 —	1 1	2 5	4 4	4 7	4 7	5 13	9 25	18 33	24 36	34 61	58 63	61 72	44 88	19 64	14 30	} 82A	
2 2	1 1	2 —	1 —	1 2	— 3	2 1	1 3	4 1	3 3	6 4	4 5	5 5	6 5	4 2	— 7	3 1	1 —		} 82B
1 —	— —	— —	1 —	— 2	— 1	1 1	1 4	2 10	4 4	6 7	6 11	6 5	4 9	4 9	— 2	— 2	— —	} 83	
25 14	2 4	1 2	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 84A
9 12	— —	— 1	2 —	— —	— —	— —	— —	— —	2 1	— —	— —	2 —	— —	1 —	— —	— 3	1 1	} 84B	
1 —	— —	— —	1 3	— —	— —	1 1	— 2	2 4	2 4	2 6	10 7	9 2	7 7	10 10	8 12	7 2	— 4		} 85
11 6	1 —	2 1	— —	1 —	— 1	— —	— —	1 —	— 1	— —	— —	— —	— —	— 1	— —	1 —	— —	} 86	
103 91	24 25	1 1	1 3	— 1	— —	— 2	2 1	1 3	6 1	7 3	3 —	1 —	3 —	3 2	4 2	1 —	2 —		} 87
1 —	— —	— 1	2 —	1 —	— 1	— —	— 2	1 6	1 3	1 7	1 4	— 6	1 9	1 6	— 5	— 3	— 1	} 88	
2,286 1,709	41 45	10 7	14 23	19 12	27 29	47 44	84 63	200 113	253 179	411 280	516 378	723 567	915 806	975 1,078	792 1,038	422 697	171 421		} 89 & 90
3,254 2,564	150 166	26 27	22 16	27 24	33 27	41 46	46 40	79 45	83 59	88 73	118 81	116 113	155 128	130 105	57 115	36 57	13 27	} 91	
229 174	84 40	37 27	73 37	115 51	128 83	165 82	208 90	235 88	223 85	197 94	187 75	183 87	131 86	86 63	54 39	13 15	5 5		} 92A
531 423	74 71	30 28	81 40	85 43	95 73	137 84	153 80	170 74	187 77	214 101	168 84	171 89	142 108	100 95	67 66	28 44	8 17	} 92B	
34 30	13 6	9 5	7 7	10 9	10 5	17 8	14 9	15 10	22 7	26 10	24 11	25 16	29 10	15 16	2 13	5 4	1 2		} 93
49 47	1 4	1 —	— 1	2 2	1 5	3 5	4 2	9 5	7 4	12 5	7 2	12 10	13 14	18 26	15 28	14 28	8 22	} 94	
— —	— —	— —	— —	1 —	2 —	3 1	4 —	1 —	1 —	— 1	2 1	1 —	— 1	1 —	— —	— —	1 —		} 95
9 4	3 —	1 1	1 4	3 6	2 10	11 8	22 18	24 14	32 17	43 23	40 22	50 32	53 40	38 31	15 24	4 8	2 2	} 96	
— 1	— —	— —	— —	1 —	1 1	1 —	— —	5 —	4 2	4 —	5 2	2 1	8 5	8 3	4 1	5 5	1 —		} 97
— —	— —	— —	1 1	— —	— —	— —	3 1	6 1	2 1	11 3	7 2	9 2	4 3	3 2	2 1	1 1	— —	} 98A	
6 6	— —	1 —	1 —	— —	— 1	2 3	4 3	6 2	5 1	10 2	8 3	6 3	1 —	5 3	2 1	1 1	— —		} 98B
19 16	4 —	2 3	2 2	1 3	— 3	3 1	4 2	3 1	4 4	2 2	3 2	3 2	5 2	3 —	— —	1 —	— —	} 99A	
16 14	— 1	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	2 1	1 1	— 1	— 1	1 2	— —		} 99B C, D,
36 28	16 18	8 6	9 2	4 6	10 1	6 2	6 2	8 4	9 2	5 6	— 2	1 —	1 1	2 —	2 —	1 1	— —	} 100	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... {	M 12	—	—	—	—	—	—	—	—	—
	F 13	—	—	—	—	—	—	1	—	—	—
102	Perforating ulcer of {	M 435	—	—	—	—	—	—	—	—	—
	F 282	—	—	2	—	2	—	—	—	—	—
103A	Inflammation of stomach {	M 542	51	125	85	46	307	18	10	6	3
	F 475	37	57	57	40	191	28	3	3	2	4
103B	Other diseases of the {	M 72	6	5	7	2	20	3	1	—	—
	F 60	2	3	2	—	7	1	1	—	1	—
104 & 105.	Diarrhœa and enteritis ... {	M 2,821	222	588	621	563	1,994	234	54	17	19
	F 2,074	137	342	478	416	1,373	197	46	12	23	—
106	Ankylostomiasis... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites {	M 1	—	—	—	—	—	1	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
108	Appendicitis ... {	M 463	—	1	—	2	3	3	4	8	8
	F 375	—	—	—	—	—	—	2	4	7	—
109A	Hernia ... {	M 268	10	17	11	5	43	10	2	—	—
	F 309	5	1	3	1	10	—	—	1	—	—
109B	Intestinal obstruction ... {	M 414	16	10	47	52	125	18	2	2	4
	F 383	12	4	29	30	75	5	4	4	—	—
110	Other diseases of the {	M 83	1	5	3	4	13	—	—	—	—
	F 64	1	1	2	—	4	1	1	—	—	—
111	Acute yellow atrophy of {	M 8	—	—	—	—	—	—	—	—	—
	F 12	—	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ... {	M 3	—	—	—	—	—	—	—	—	—
	F 5	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ... {	M 364	—	—	—	—	—	1	—	1	—
	F 186	—	—	—	—	1	1	1	—	—	—
114	Biliary calculi ... {	M 68	—	—	—	—	—	—	—	—	—
	F 174	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver {	M 121	1	—	3	3	7	—	3	3	—
	F 150	—	—	2	—	2	1	1	1	1	—
116	Diseases of the spleen ... {	M 6	—	—	—	—	—	—	—	—	—
	F 12	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause un- {	M 48	3	2	—	—	5	1	—	2	3
	F 85	3	2	—	—	—	5	—	1	2	1
118	Other diseases of the {	M 47	1	1	—	—	2	—	—	—	—
	F 32	—	—	—	—	—	—	—	—	—	—
119	Acute nephritis ... {	M 321	5	9	7	3	24	13	12	8	6
	F 282	1	5	3	7	16	8	8	7	8	—
120	Bright's disease ... {	M 1,987	1	—	—	1	2	1	1	1	1
	F 1,616	—	—	—	—	—	—	1	—	1	1
121	Chyluria ... {	M 1	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the {	M 96	—	1	—	1	2	2	2	—	—
	F 86	1	1	—	—	—	2	1	—	—	—

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	— —	— —	— —	— —	— —	1 —	— 2	2 —	— 2	2 1	3 1	2 —	1 3	— —	— 2	— 1	1 —	101	
— 2	2 2	— 5	4 11	16 13	26 18	33 21	58 26	62 35	57 28	49 19	35 45	35 18	32 16	15 13	9 8	1 1	1 1	102	
344 228	14 17	4 4	2 3	1 5	— 2	7 5	10 7	12 6	17 5	15 9	21 21	24 30	23 29	15 41	18 33	10 24	5 6	103A	
24 10	3 3	2 —	— 2	2 2	1 1	1 2	5 1	3 3	3 2	— 4	4 —	4 3	8 2	2 8	6 8	3 5	1 4	103B	
2,318 1,651	30 38	13 14	7 6	15 9	20 21	16 11	31 19	37 22	59 18	54 25	49 34	51 35	49 35	38 43	18 30	13 40	3 23	104 & 105	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	106	
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	107	
26 13	56 47	64 42	65 45	36 36	21 17	28 24	29 23	18 35	22 22	28 19	26 20	13 13	8 8	11 6	7 3	4 1	1 1	108	
55 11	— —	1 —	2 2	4 1	1 1	6 —	8 10	8 11	6 17	10 30	21 26	19 56	52 48	41 45	18 32	12 17	4 2	109A	
151 88	13 12	9 3	12 6	8 3	7 9	12 11	15 11	8 21	10 25	12 16	29 33	24 28	34 24	27 27	27 39	12 19	4 8	109B	
13 6	2 —	— 2	2 1	2 4	3 2	1 2	3 4	5 3	5 1	6 5	10 3	9 4	5 6	4 4	8 6	3 6	2 5	110	
— —	— —	— —	1 1	— 2	1 2	2 3	— 2	2 1	— —	— —	1 —	— 1	1 —	— —	— —	— —	— —	111	
— —	— —	— —	— —	1 —	— —	— 1	— 2	— 1	— —	— —	— —	1 1	1 —	— —	— —	— —	— —	112	
2 2	2 —	1 2	1 —	1 —	1 2	7 3	9 6	26 15	47 24	56 29	78 28	55 26	46 20	19 17	9 10	4 1	— 1	113	
— —	— —	— —	— —	— —	— —	— 3	2 3	5 11	2 9	9 14	9 31	12 24	10 25	12 14	6 26	1 7	— 7	114	
13 6	2 1	1 2	2 2	2 3	3 3	5 4	8 5	1 8	9 9	11 16	16 7	12 8	9 23	15 26	7 17	3 4	2 6	115	
— —	— —	— 1	— —	— —	2 1	1 —	— 3	1 1	— 1	2 2	— —	— —	— 1	— —	— 1	— 1	— —	116	
11 9	2 17	1 8	1 7	2 3	2 4	4 3	1 3	5 6	2 7	1 2	5 6	2 5	4 2	4 2	1 1	— —	— —	117	
2 —	1 —	— —	1 1	— 1	1 2	2 2	3 1	4 3	3 4	11 2	5 6	6 4	5 2	2 3	1 1	— —	— —	118	
63 47	24 22	13 11	13 17	16 19	9 10	16 20	18 20	29 17	26 22	24 18	21 14	25 13	13 12	5 9	6 8	— 2	— 1	119	
6 3	11 13	17 23	18 17	34 26	41 41	60 51	77 63	114 104	174 142	215 147	258 196	275 211	263 204	219 172	128 123	51 56	26 24	120	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	121	
6 3	1 2	1 —	1 4	5 3	— 3	2 4	4 9	13 6	7 11	9 8	11 7	8 10	5 6	12 4	6 5	2 1	3 —	122	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH.

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 49	—	—	—	—	—	—	—	—	—
	F 20	—	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder {	M 266	—	1	1	—	2	—	—	—	—
	F 69	—	—	—	—	—	—	—	—	1	—
125	Diseases of the urethra, {	M 169	—	—	—	—	—	—	—	—	—
	Urinary abscess, &c. {	F 2	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate {	M 520	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of {	M 19	5	5	—	—	10	2	—	—	—
	male genital organs. {	F —	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage {	M —	—	—	—	—	—	—	—	—	—
	(non-puerperal). {	F 13	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non- {	M —	—	—	—	—	—	—	—	—	—
	cancerous). {	F 117	—	—	—	—	—	—	—	—	—
130	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	uterus. {	F 75	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour {	M —	—	—	—	—	—	—	—	—	—
	(non-cancerous). {	F 89	—	—	—	—	—	—	—	—	—
132	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	female genital organs. {	F 75	—	1	—	—	1	—	1	—	—
133	Non-puerperal dis. of the {	M 1	1	—	—	—	1	—	—	—	—
	breast (non-cancerous). {	F 11	6	2	—	—	8	—	—	—	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	{	F 119	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	{	F 190	—	—	—	—	—	—	—	—	—
136	Other accidents of child- {	M —	—	—	—	—	—	—	—	—	—
	birth. {	F 134	—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	... {	F 641	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria {	M —	—	—	—	—	—	—	—	—	—
	and convulsions. {	F 251	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia {	M —	—	—	—	—	—	—	—	—	—
	alba dolens, embolism {	F 116	—	—	—	—	—	—	—	—	—
	and sudden death.										
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	... {	F 16	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the {	M —	—	—	—	—	—	—	—	—	—
	breast. {	F 2	—	—	—	—	—	—	—	—	—
134- 141	All accidents of pregnancy {	M —	—	—	—	—	—	—	—	—	—
	and childbirth. {	F 1,469	—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 178	—	—	—	—	—	—	—	—	—
	... {	F 173	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ... {	M 29	3	1	—	—	4	1	3	—	—
	... {	F 28	1	—	—	—	1	2	—	1	—
143	Carbuncle, Boil ... {	M 73	—	1	—	2	3	—	—	—	—
	... {	F 37	1	1	—	1	3	2	—	—	—
144	Phlegmon, Acute abscess {	M 151	12	10	3	3	28	7	—	2	1
	{	F 108	7	15	4	5	31	4	—	1	1
145	Diseases of the integu- {	M 175	38	26	11	13	88	2	2	1	1
	mentary system {	F 155	29	10	6	4	49	1	3	—	1

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)--continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	—	1	—	3	4	2	6	2	5	3	6	7	5	2	1	1	} 123	
—	—	1	—	1	2	2	1	2	1	1	3	—	2	2	1	—	1		
2	—	—	—	1	—	3	3	5	11	14	22	36	36	42	39	34	18	} 124	
1	—	—	1	1	1	2	1	2	4	2	5	9	7	13	9	6	5		
—	—	1	1	—	2	3	7	12	18	23	19	21	29	16	13	3	1	} 125	
—	—	—	—	—	—	—	—	—	—	1	9	24	58	101	115	123	60		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 126	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12	1	—	—	—	—	—	1	—	1	1	3	—	—	—	—	—	—	} 127	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	2	1	5	2	1	—	—	—	—	—	1	—	} 128	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	6	4	15	24	24	20	6	6	4	3	2	1	1	} 129	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	1	6	10	12	12	14	5	1	2	5	2	1	1	1	} 130	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	4	2	4	5	3	14	8	5	11	12	7	7	3	2	2	} 131	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	—	1	3	8	13	19	14	8	3	2	1	1	—	—	—	—	} 132	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	} 133	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	14	22	24	38	18	1	—	—	—	—	—	—	—	—	} 134	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	13	47	47	59	23	1	—	—	—	—	—	—	—	—	} 135	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	5	20	36	25	28	19	1	—	—	—	—	—	—	—	—	} 136	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	17	102	159	173	131	54	5	—	—	—	—	—	—	—	—	} 137	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	15	50	71	60	39	16	—	—	—	—	—	—	—	—	—	} 138	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	16	22	31	31	14	1	—	—	—	—	—	—	—	—	} 139	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	2	5	4	5	—	—	—	—	—	—	—	—	—	—	} 140	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 141	
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	40	217	363	364	332	144	9	—	—	—	—	—	—	—	—	} 134- 141	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	2	13	33	40	47	23	20	—	} 142A	
—	—	—	—	—	—	—	—	—	—	—	15	15	42	45	36	18	—		
8	3	—	1	1	—	—	1	3	1	—	4	2	1	2	—	1	1	} 142B, C, D	
4	2	—	—	—	1	—	—	4	2	—	8	1	3	1	2	—	—		
3	—	1	4	1	1	1	6	5	5	5	5	9	7	10	8	2	—	} 143	
5	—	2	1	—	2	1	3	3	2	3	2	3	3	1	4	1	1		
38	2	6	2	2	4	4	6	8	11	9	12	18	14	7	7	—	1	} 144	
37	—	2	2	2	3	6	5	3	4	4	8	8	6	9	5	3	1		
94	1	—	2	—	—	1	4	2	2	4	7	7	10	18	15	6	2	} 145	
54	1	—	—	1	4	—	3	2	2	9	11	5	16	14	16	10	7		

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	123 63	— —	3 2	2 1	2 —	7 3	5 —	1 3	2 2	3 2
147	Diseases of the joints ... { M F	32 27	1 —	4 1	1 1	— 1	6 3	— 1	1 —	— 1	— —
148	Amputations ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	4 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	804 664	463 394	170 130	64 51	40 40	737 615	18 8	4 2	7 3	4 2
151A	Premature birth ... { M F	3,799 2,864	3,465 2,562	301 261	29 35	4 6	3,799 2,864	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	1,860 1,225	1,001 668	474 293	264 185	121 79	1,860 1,225	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	635 462	608 443	27 19	— —	— —	635 462	— —	— —	— —	— —
153	Lack of care ... { M F	71 38	70 37	1 1	— —	— —	71 38	— —	— —	— —	— —
154	Old age ... { M F	3,240 4,593	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	54 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	80 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	157 53	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	149 117	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	49 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	177 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	21 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	38 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	13 9	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
165	Other acute poisonings ... { M F	26 14	— —	2 —	— 1	— —	2 1	2 1	4 —	— —	— 2
166	Conflagration ... { M F	16 25	— —	— —	— 1	— —	— 1	— 1	— —	— —	1 —
167	Burns (conflagration ex- cepted). { M F	341 397	1 1	2 1	3 5	22 19	28 26	60 40	57 33	36 33	30 33
168	Absorption of deleterious gases (conflagration excepted) { M F	175 145	71 63	39 48	19 17	8 2	137 130	1 —	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
18 10	25 10	31 10	17 4	4 1	4 3	4 —	2 1	5 1	2 2	1 5	4 2	2 2	2 2	1 3	1 2	— 3	— 2	} 146
7 5	1 1	1 2	2 1	— —	1 2	— 1	1 —	3 1	2 3	4 —	3 1	2 1	2 2	— 5	2 1	1 1	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	} 148
— —	— 1	— —	— —	— —	— —	1 —	— —	1 1	2 —	— 1	— —	— 1	— —	— 1	— —	— 2	— —	
770 630	17 9	9 11	4 2	1 —	— 3	— 2	1 2	— —	2 2	— 3	— —	— —	— —	— —	— —	— —	— —	} 150
3,799 2,864	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1,860 1,225	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151 B-E
635 462	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
71 38	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	13 8	64 61	216 196	663 693	971 1,205	803 1,315	508 1,113	
— —	— —	— —	2 5	4 6	5 5	8 3	3 4	3 4	9 7	10 3	5 1	1 3	3 2	— —	1 —	— —	— —	} 155
— —	— —	— —	2 2	4 3	3 4	2 1	8 7	5 5	15 8	12 6	8 10	14 1	3 2	2 —	2 2	— —	— —	
— —	— —	1 —	3 —	5 —	6 2	8 5	16 9	10 6	14 5	22 10	18 5	23 6	15 3	10 2	5 —	1 —	— —	} 157
— —	— —	— —	— 8	3 10	3 7	5 15	16 12	14 14	20 13	20 14	19 11	21 6	19 3	4 3	4 1	1 —	— —	
— —	— —	— —	— —	9 —	5 1	3 —	4 1	6 —	9 —	7 —	2 1	3 —	— —	— —	— —	1 —	— —	} 159
— —	— —	— —	— 1	2 —	3 2	11 3	15 4	23 5	20 6	28 3	24 4	20 2	21 3	4 1	3 1	2 1	1 —	
— —	— —	— —	— —	1 —	1 1	1 —	2 1	1 —	3 1	3 2	3 2	2 1	1 1	2 1	— —	1 —	— —	} 161
— —	— —	— —	3 —	3 —	4 —	2 —	5 1	3 —	6 —	3 —	5 1	2 —	2 —	— —	— —	— —	— —	
— —	— —	1 —	— —	2 —	1 —	2 —	2 —	1 —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	} 163
2 —	1 3	1 —	1 —	— —	1 1	1 1	— 1	1 —	1 1	1 2	1 —	2 —	— —	— —	— —	— —	— —	
8 4	— —	1 —	— —	— 1	1 4	2 —	2 1	3 —	3 —	1 3	3 —	— —	— —	1 —	1 1	— —	— —	} 165
1 2	1 2	— 1	1 7	1 3	1 —	— 1	1 —	— —	2 2	2 2	2 —	1 —	1 1	— 1	2 3	— —	— —	
211 165	32 56	6 18	9 13	5 7	2 13	6 5	10 3	6 3	6 7	6 12	11 11	4 9	6 10	10 19	5 21	4 18	2 2	} 167
138 130	1 —	1 —	3 —	2 —	5 1	4 1	5 1	3 2	1 —	2 1	1 1	1 1	2 2	1 2	— 2	2 —	3 1	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	511 119	1 1	— —	— —	— —	1 1	6 —	5 5	4 1	10 1
170	Injury by firearms ... { M F	16 2	— —	— —	— —	— —	— —	— —	— —	— —	— 1
171	Injury by cutting or { piercing instruments. { M F	5 2	— —	— —	— —	— —	— —	1 —	— —	— —	1 —
172	Injury by fall ... { M F	683 495	1 —	1 —	2 2	4 1	8 3	4 2	1 2	7 5	2 2
173	Injury in mines and { quarries { M F	129 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	119 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing { (vehicles, railways, { landslides, &c.). { M F	985 258	— —	— —	— 1	1 —	1 1	3 4	9 8	13 8	22 14
176	Injury by animals ... { M F	12 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
177	Starvation ... { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	4 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	5 3	— —	— —	— —	— —	— —	1 —	— —	— —	— —
180	Lightning... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { cepted). { M F	14 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { piercing instruments. { M F	8 18	— —	— 1	1 1	— —	1 2	— 1	1 1	— —	— —
184	Homicide by other means { M F	35 20	8 8	3 —	— —	— 1	11 9	— —	— —	1 —	— —
185	Fractures (cause not { specified). { M F	18 7	2 —	— 1	1 —	1 —	4 1	— —	1 —	— —	— —
186	Other violence ... { M F	195 47	5 4	4 2	6 2	4 2	19 10	5 6	2 2	— 1	— —
155- 186	All violence ... { M F	4,044 1,906	89 77	51 53	32 30	40 25	212 185	84 55	81 51	61 48	66 51
187	Dropsy ... { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and { under 70). { M F	39 33	— —	— —	— —	— —	— —	— 1	— —	— —	— —
188B	Sudden death (not other- { wise defined). { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { and under 70). { M F	177 125	— —	— —	— —	— —	— —	— 1	— —	— —	— 1
189 B-E.	Other ill-defined causes... { M F	112 91	9 3	2 2	5 —	5 3	21 8	34 34	6 9	3 4	— —
189F	Cause not specified ... { M F	16 5	5 3	— —	— —	— —	5 3	— —	— —	— —	— —

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

[illegible]

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	204 138	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- { M specified organs. { F	1,459 821	— —	— 1	1 —	— 1	1 2	3 7	1 1	3 1	2 3
39-45	Cancer (all sites) ... { M F	6,390 8,166	— 1	— 1	1 —	— 2	1 4	4 9	3 1	4 2	3 3
46	Other tumours (situation { M undefined). { F	29 46	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	390 416	— —	— —	— —	1 —	1 —	1 1	2 —	1 —	6 4
48 A,B	Chronic rheumatism, { M Osteo-arthritis. { F	186 478	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	52 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	7 8	— —	— —	— —	1 2	1 2	3 1	— —	— 1	— —
50	Diabetes ... { M F	622 695	— —	— —	— —	1 —	1 —	— 1	— —	— —	1 2
51	Exophthalmic goitre ... { M F	20 177	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	40 46	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- { M denoma. { F	156 114	— —	— 1	3 —	— —	3 1	2 1	— 1	2 1	1 1
54	Anæmia, Chlorosis ... { M F	420 522	3 2	1 —	2 1	2 1	8 4	4 2	— 1	1 1	2 1
55	Other general diseases ... { M F	86 71	23 7	4 1	3 3	3 1	33 12	3 1	— 2	5 2	1 2
56	Alcoholism (acute or { M chronic). { F	53 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	18 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- { M tional poisonings. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	150 128	— —	1 —	— —	— 1	1 1	3 2	5 3	7 1	1 3
61A	Cerebro-spinal fever ... { M F	67 49	— 2	— 2	1 4	5 4	6 12	4 1	3 —	4 —	2 5
61B	Posterior basal meningitis { M F	18 14	— —	2 1	2 1	6 1	10 3	2 4	2 2	1 —	— 2
61C	Meningitis, other forms { M F	423 342	10 6	23 5	27 25	67 53	127 89	58 40	21 20	18 19	14 10
62	Locomotor ataxy ... { M F	175 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the { M spinal cord. { F	484 445	— —	— 1	— —	7 2	7 3	2 2	3 1	1 1	1 2

CAUSES of DEATH at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued*.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	1 —	1 1	— —	— 4	2 2	1 4	3 3	6 3	13 5	13 4	19 4	28 18	23 17	34 19	24 17	23 24	13 13	} 44	
10 14	8 2	8 6	7 9	12 6	14 10	28 21	30 25	55 36	118 58	135 87	204 106	243 121	236 128	185 93	104 51	46 34	16 14		
15 19	10 3	11 9	14 15	19 21	36 45	62 132	112 247	238 431	453 718	641 881	894 1043	1090 1160	1112 1177	849 1009	533 737	238 364	63 155	} 39-45	
— —	— —	— —	3 1	1 —	— 1	1 —	— 3	1 3	3 1	5 3	1 4	4 7	1 5	5 7	2 6	— 2	2 3		
11 5	56 53	81 87	46 53	26 35	22 27	19 23	23 32	24 24	19 23	20 17	11 12	10 6	11 6	6 4	3 6	1 1	1 2	} 47	
— —	— —	— 1	— —	1 1	2 —	3 4	3 8	10 10	11 18	17 34	14 45	34 58	31 89	21 86	28 78	7 32	4 14		
— —	— —	— —	— —	— —	— —	— —	— —	— —	4 —	5 —	5 1	8 —	11 2	8 2	7 1	3 2	1 1	} 48C	
4 4	— 1	— 1	1 —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —		
2 3	9 10	9 17	24 22	26 19	21 25	30 18	33 22	31 30	36 35	41 45	54 83	69 91	105 119	78 82	36 45	15 22	3 7	} 50	
— —	— —	— —	— 5	— 10	2 12	1 13	2 18	1 23	5 28	6 23	3 14	— 13	— 13	— 2	— 1	— 1	— 1		
— —	— 1	— —	2 1	1 3	4 5	1 4	2 3	5 2	5 6	4 6	9 6	3 3	2 5	1 —	1 1	— —	— —	} 52	
8 5	8 4	14 5	10 5	10 9	6 6	6 12	11 8	12 8	13 9	7 9	12 11	14 7	14 9	5 6	4 —	2 1	— —		
15 9	3 8	7 2	8 12	4 20	8 22	11 28	15 29	18 39	46 44	57 55	57 52	66 65	53 67	33 47	15 19	4 3	— 1	} 54	
42 19	8 4	4 4	7 3	1 5	2 1	4 3	3 1	4 2	3 4	3 5	1 6	2 7	— 3	— 3	1 —	— —	1 1		
— —	— —	— —	— —	— —	1 —	3 —	6 3	10 4	8 3	10 8	7 3	5 1	3 1	— 1	— —	— —	— —	} 56	
— —	— —	— —	— —	— —	— —	— —	4 —	1 —	5 —	1 —	4 —	2 —	— —	1 —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
17 10	12 12	6 11	15 12	12 9	15 5	14 6	10 14	8 9	10 9	11 9	4 7	5 5	6 2	3 4	1 1	— 2	1 1	} 60	
19 18	14 5	8 8	9 11	7 1	— 2	1 1	6 1	— 1	2 1	— —	1 —	— —	— —	— —	— —	— —	— —		
15 11	3 —	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61B	
238 178	46 52	28 28	22 21	11 9	9 8	10 6	12 5	11 9	7 8	10 5	8 4	4 2	4 1	2 4	— 2	1 —	— —		
— —	— —	— —	— —	1 —	3 —	4 1	7 2	10 4	18 2	32 5	33 3	29 3	20 1	12 2	5 —	1 1	— —	} 62	
14 9	7 7	8 8	12 7	9 3	4 14	16 11	18 31	16 30	37 32	37 26	50 39	55 52	76 60	68 65	38 29	14 16	5 6		

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9 1	1 2	1 2	6 2	6 5	12 10	18 17	34 30	74 75	112 170	201 283	314 371	485 534	645 719	678 771	567 737	285 473	126 251	} 64
—	—	—	—	—	—	—	1 2	2 3	5 1	4 6	11 7	25 17	40 22	17 20	22 29	7 19	8 9	
1 1	— 1	— 1	1 —	2 —	— 5	— 2	2 1	5 6	10 10	19 14	28 21	36 47	55 62	60 95	55 88	23 52	10 28	} 66
—	—	—	1 —	1 —	1 1	20 4	46 4	64 7	71 12	52 8	46 6	12 6	9 4	5 1	2 —	— —	2 —	
—	—	—	2 1	2 5	5 7	3 10	7 13	8 17	5 25	11 24	17 19	10 19	17 16	7 9	5 4	1 2	— 2	} 68
25 24	17 12	19 17	32 22	37 26	30 31	27 27	25 27	41 35	20 27	25 20	20 21	18 19	22 18	18 22	12 13	6 3	1 4	
—	8 6	—	—	1 —	—	2 —	—	—	—	—	— 1	—	— 1	—	—	—	—	} 70
1,221 917	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 2	2 7	1 4	5 12	1 2	— 3	—	—	—	—	—	— 1	—	—	—	—	—	—	} 72
—	—	—	—	—	—	—	4 1	2 3	2 3	7 5	4 5	5 3	3 5	3 1	1 5	2 2	— 2	
31 30	13 14	20 12	18 13	12 16	7 12	20 16	12 27	25 31	36 36	28 33	27 15	18 20	20 21	17 21	7 10	3 5	3 6	} 74
2 1	— 4	1 —	— —	— 1	1 —	—	—	1 1	2 —	—	—	—	1 —	1 —	— 2	2 —	—	
15 13	9 10	11 7	7 2	8 3	2 1	3 —	1 —	2 1	4 1	— 2	2 2	—	—	1 —	—	—	—	} 76A
42 26	14 23	16 17	16 6	15 8	12 6	5 —	1 5	6 2	7 5	5 5	2 1	2 5	1 3	— 2	—	1 —	—	
3 1	7 5	6 7	2 2	2 1	3 2	1 1	5 4	3 —	7 2	3 —	4 3	2 2	6 1	4 1	3 1	— —	—	} 77
4 3	19 21	14 19	15 34	35 28	36 24	44 25	30 23	36 39	25 31	22 35	39 43	7 13	6 9	4 4	2 2	— 4	1 —	
3 13	43 40	65 79	77 98	89 81	110 103	151 110	153 143	151 187	217 250	267 301	381 347	419 443	582 584	420 558	300 501	137 264	55 123	} 79A
— 1	1 —	—	—	1 2	1 5	4 3	4 9	9 16	32 24	27 31	66 39	50 70	61 81	41 58	24 39	12 20	7 9	
9 7	18 13	21 19	29 29	20 21	39 34	40 53	63 54	77 81	118 132	180 187	245 260	399 414	562 641	580 653	474 675	256 423	120 274	} 79C
—	—	—	—	—	—	—	2 3	6 1	12 5	25 9	31 7	51 22	46 28	33 22	21 19	6 10	1 6	
—	—	—	1 —	1 1	— 1	8 1	11 1	11 4	24 5	34 9	27 13	35 5	25 8	14 5	8 4	2 4	2 —	} 81A
—	2 —	—	—	1 1	1 —	2 —	6 1	9 11	37 19	72 28	122 59	214 113	332 166	390 273	392 308	240 261	131 188	
—	—	—	—	1 —	—	1 1	3 —	—	1 —	2 —	1 2	2 —	3 —	5 1	3 4	1 4	3 1	} 81C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 430	—	—	—	1	1	2	—	—	—
	F 568	—	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis. {	M 53	—	—	—	—	—	1	—	—	—
	F 55	1	1	—	—	—	2	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 36	—	—	—	—	—	—	—	—	—
	F 72	—	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ... {	M 25	6	4	8	1	19	—	—	2	—
	F 18	—	—	5	5	2	12	1	1	—	—
84B	Other diseases of the lymphatic system. {	M 13	—	1	2	1	4	1	—	—	—
	F 21	1	—	—	—	3	4	—	1	2	—
85	Hæmorrhage; other diseases of the circulatory system. {	M 69	—	—	—	—	—	—	—	—	—
	F 74	—	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ. {	M 17	2	4	2	—	8	—	—	—	—
	F 8	—	—	1	2	—	3	—	1	—	1
87	Diseases of the larynx ... {	M 189	4	6	8	7	25	31	22	14	24
	F 166	3	4	6	6	21	34	19	17	19	20
88	Diseases of the thyroid body. {	M 8	—	—	—	—	—	—	—	—	—
	F 69	—	—	1	—	—	1	—	—	—	—
89 & 90	Bronchitis ... {	M 6,030	214	443	348	356	1,361	201	47	33	31
	F 5,855	140	282	274	283	979	1,333	169	55	37	25
91	Broncho-pneumonia ... {	M 3,014	91	276	338	628	1,333	533	167	73	49
	F 2,489	51	186	230	469	936	1,333	451	141	84	69
92A	Lobar pneumonia ... {	M 1,520	6	13	25	34	78	39	19	12	12
	F 958	3	13	6	22	44	44	33	16	10	8
92B	Pneumonia (type not stated). {	M 1,816	16	41	53	97	207	108	35	27	21
	F 1,233	22	30	37	77	166	166	90	30	21	16
93	Pleurisy ... {	M 246	—	—	1	3	4	5	5	2	4
	F 171	—	—	1	2	3	6	9	2	3	3
94	Pulmonary congestion, Pulmonary apoplexy. {	M 172	10	1	5	6	22	—	1	2	—
	F 201	2	3	6	3	14	14	9	—	—	—
95	Gangrene of the lung ... {	M 11	—	—	—	—	—	—	—	—	1
	F 8	—	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 341	1	—	—	1	2	—	2	—	1
	F 247	—	—	—	—	3	3	3	—	—	—
97	Pulmonary emphysema {	M 51	—	—	—	—	—	—	—	—	—
	F 18	—	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung... {	M 64	—	—	—	—	—	—	—	—	—
	F 15	—	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system. {	M 40	—	—	2	—	2	1	—	—	1
	F 25	—	—	—	—	1	1	—	1	—	—
99A	Diseases of the teeth and gums. {	M 53	6	3	—	2	11	1	1	—	1
	F 50	1	2	—	—	5	8	2	1	—	—
99B, C, D.	Other diseases of the mouth and annæa. {	M 17	4	5	4	—	13	1	—	—	—
	F 25	6	6	1	—	—	13	1	—	—	1
100	Diseases of pharynx, Tonsillitis. {	M 137	2	1	—	5	8	11	5	5	7
	F 110	1	—	1	1	3	5	7	5	3	6

CAUSES OF DEATH at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
3 —	— 1	2 1	2 1	1 1	3 4	2 1	2 5	7 17	9 16	19 34	35 28	47 44	62 85	88 104	83 110	44 77	21 39	} 82A
1 2	— —	1 1	2 1	1 2	1 3	— 2	1 5	3 7	6 2	4 5	10 8	6 6	9 1	2 1	3 3	2 5	1 1	
— —	— —	1 —	— —	— 1	— —	1 4	1 4	4 1	5 4	2 8	3 7	3 14	4 6	3 13	7 6	1 2	1 2	} 83
21 14	1 2	2 1	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 7	— 3	— —	— —	— —	— —	— 1	— —	1 2	1 1	— —	1 —	2 1	— 2	1 1	1 2	1 1	— —	} 84B
— —	— —	— 1	2 2	2 —	2 —	4 1	4 1	— 3	5 3	3 3	6 3	9 7	7 15	12 11	4 12	6 7	3 5	
8 5	1 1	2 —	— 1	2 —	1 —	— —	1 —	— —	2 —	— —	— —	— —	— 1	— —	— —	— —	— —	} 86
116 109	41 40	7 2	1 —	1 —	1 —	1 3	1 2	2 —	1 —	4 1	1 2	3 4	1 1	3 1	4 —	1 1	— —	
— 1	— —	— —	1 3	— 3	— 2	— —	— 1	— 4	— 7	1 9	1 6	4 11	— 7	1 9	— 3	— 3	— —	} 88
1,673 1,265	31 37	13 9	9 6	11 15	18 31	38 26	67 41	84 65	122 79	227 161	324 226	493 373	750 581	733 836	719 888	474 747	244 469	
2,155 1,681	104 102	32 17	19 13	16 6	18 16	22 26	32 33	48 37	51 35	70 39	70 48	80 62	93 89	94 107	57 85	40 54	13 39	} 91
160 111	33 37	21 31	43 26	65 39	71 63	104 71	123 66	144 59	154 64	128 63	129 54	131 67	101 86	57 51	38 31	16 28	2 11	
398 323	61 48	29 33	54 26	55 36	76 42	95 64	100 53	110 45	138 52	123 51	115 73	144 81	134 104	80 78	61 59	36 49	7 16	} 92B
20 23	6 9	2 4	9 4	13 4	9 7	12 7	10 11	15 8	26 8	17 9	25 11	19 15	28 15	12 14	19 15	2 4	2 3	
25 23	1 4	3 1	2 —	1 1	2 1	— 3	2 4	7 1	8 2	7 11	16 5	11 8	10 18	25 17	18 39	17 38	17 25	} 94
1 —	— —	— —	— —	1 1	1 —	1 —	1 —	— 1	— 1	1 1	1 2	1 —	1 1	2 1	— —	— —	— —	
5 6	3 1	1 —	3 3	6 5	9 3	6 7	20 13	13 14	26 17	28 19	53 21	42 34	47 39	42 32	23 20	12 7	2 6	} 96
— —	1 —	— —	— —	— —	— —	— —	2 —	1 2	4 1	8 2	7 3	4 1	7 2	9 3	6 1	2 2	— 1	
— —	— —	— —	— —	1 —	— —	1 —	5 1	7 1	5 2	12 3	9 —	10 4	9 —	4 1	1 2	— —	— 1	} 98A
4 2	— 1	— —	1 2	— —	3 1	3 2	1 2	4 1	5 2	5 —	4 2	3 2	1 5	3 1	3 —	— 1	— 1	
14 11	4 2	3 1	2 1	— 1	2 2	2 3	2 4	2 2	3 8	2 3	4 2	5 4	5 2	3 1	— 3	— —	— —	} 99A
14 15	— 1	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —	— 5	— 1	
36 26	24 24	8 16	11 5	11 3	8 7	4 3	3 3	4 —	2 2	4 6	1 5	8 2	6 4	4 3	2 1	1 —	— —	} 100

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M 11 F 10	11 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M 326 F 297	326 297	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
103A	Inflammation of stomach { M 473 F 508	473 508	47 31	88 57	53 50	53 29	241 167	21 29	4 9	5 7	2 2
103B	Other diseases of the { M 89 F 72	89 72	3 —	8 4	4 3	3 —	18 7	— 1	1 1	1 —	2 2
104 & 105.	Diarrhœa and enteritis ... { M 2,029 F 1,579	2,029 1,579	159 104	393 230	440 308	351 292	1,343 934	132 116	38 26	19 21	13 16
106	Ankylostomiasis ... { M 1 F —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M 3 F 2	3 2	— —	— —	— —	— —	— —	1 —	— —	— —	— —
108	Appendicitis ... { M 474 F 426	474 426	— —	— —	— —	— —	— —	— 2	4 5	9 7	10 7
109A	Hernia ... { M 241 F 285	241 285	8 2	3 1	6 1	6 —	23 4	3 —	— —	1 —	1 —
109B	Intestinal obstruction ... { M 448 F 402	448 402	13 3	14 3	42 14	41 20	110 40	5 7	4 3	1 1	2 3
110	Other diseases of the { M 70 F 86	70 86	— 3	4 2	1 4	1 2	6 11	4 2	— —	— —	— —
111	Acute yellow atrophy of { M 6 F 17	6 17	— —	— —	— —	— —	— —	— —	— —	— 1	— —
112	Hydatid of liver ... { M 2 F 2	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M 407 F 206	407 206	— —	— —	— —	1 —	1 —	— —	— —	1 —	— —
114	Biliary calculi ... { M 73 F 214	73 214	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M 126 F 158	126 158	— —	1 —	— —	1 —	2 —	— 1	2 1	— —	1 1
116	Diseases of the spleen ... { M 5 F 5	5 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { M 59 F 85	59 85	1 1	3 —	3 —	2 —	9 1	1 3	— —	1 1	— 5
118	Other diseases of the { M 39 F 42	39 42	— —	— —	— —	— 1	— 1	— —	— —	— —	1 —
119	Acute nephritis ... { M 274 F 265	274 265	— —	2 2	5 2	3 4	10 8	9 7	3 4	14 6	6 11
120	Bright's disease ... { M 1,843 F 1,656	1,843 1,656	— —	1 —	— 1	— —	1 1	1 —	3 —	1 2	2 —
121	Chyluria ... { M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M 77 F 98	77 98	— 1	— —	— 1	— 1	— 3	1 1	— —	— 1	— —

CAUSES of DEATH at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	1	—	—	3	3	—	3	1	—	} 101	
—	—	—	—	1	—	—	1	—	2	2	—	1	2	—	1	—	—		
1	2	—	10	10	10	29	21	34	44	51	32	37	23	15	3	2	2	} 102	
—	1	2	8	9	16	28	29	30	40	29	34	28	18	11	8	6	—		
273	11	7	2	4	3	4	5	9	14	12	13	26	26	28	22	14	—	} 103A	
214	13	6	3	1	2	4	6	11	15	14	18	21	32	44	44	33	27		
22	2	2	2	—	1	1	2	6	4	7	3	9	9	8	4	5	2	} 103B	
11	3	1	—	—	3	—	3	5	5	3	7	5	8	7	6	4	1		
1,545	27	13	13	11	14	25	40	29	35	34	45	45	44	56	28	14	11	} 104 & 105.	
1,113	38	16	13	11	25	29	12	18	22	21	25	38	45	49	42	45	17		
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	} 106	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107	
—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
23	53	72	59	39	30	23	23	31	33	29	14	15	15	9	3	2	1	} 108	
21	72	54	47	35	27	24	20	27	24	15	17	17	10	6	4	5	1		
28	—	—	2	1	—	6	4	5	10	18	20	27	27	43	31	14	5	} 109A	
4	1	—	—	—	2	3	9	14	16	30	21	45	55	35	23	19	8		
122	16	13	9	14	9	11	10	21	21	24	26	40	37	27	30	13	5	} 109B	
54	7	5	6	5	9	12	9	22	16	28	38	34	36	44	48	25	4		
10	2	2	—	1	4	—	4	2	3	12	5	4	2	5	8	3	3	} 110	
13	1	—	1	2	2	3	4	1	4	7	8	7	8	8	11	2	4		
—	—	—	—	—	—	—	—	2	2	—	1	1	—	—	—	—	—	} 111	
1	1	—	—	1	5	1	3	1	1	—	—	1	1	2	—	—	—		
—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	} 112	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—		
2	1	3	2	1	1	2	11	25	35	73	59	76	67	25	11	11	2	} 113	
—	2	2	1	—	1	3	6	18	25	35	33	24	23	10	17	5	1		
—	—	—	—	—	—	2	1	2	2	6	10	12	14	8	8	6	2	} 114	
—	—	—	—	—	—	2	2	7	7	15	27	27	36	41	30	13	7		
5	—	2	2	4	4	5	3	4	9	8	16	15	16	18	8	5	2	} 115	
3	5	2	—	2	2	3	3	9	4	17	17	30	17	18	13	10	3		
—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	1	—	} 116	
—	—	—	—	—	—	—	2	1	1	—	1	—	—	—	—	—	—		
11	4	4	7	2	—	3	2	2	3	3	1	2	4	7	4	—	—	} 117	
10	14	7	2	4	5	7	4	7	5	4	3	2	3	1	3	3	1		
1	—	—	2	1	—	4	—	4	4	5	6	4	5	3	—	—	—	} 118	
1	1	1	—	1	2	1	2	4	3	6	2	5	2	6	4	1	—		
42	26	16	16	10	8	12	16	17	24	14	23	18	16	7	6	2	1	} 119	
36	30	21	7	12	18	19	15	17	22	11	13	14	12	7	10	1	—		
8	9	8	28	25	47	52	79	104	120	168	226	241	259	210	173	60	26	} 120	
3	6	18	22	23	33	65	94	84	134	160	167	210	210	184	142	71	30		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	1	1	2	1	2	3	3	10	4	6	8	11	12	8	4	—	} 122	
5	2	1	4	1	7	5	10	8	11	7	8	8	6	7	4	2	2		

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 72	—	—	—	—	—	—	—	—	—
	F 43	—	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder... {	M 325	—	—	—	1	1	—	—	—	—
	F 74	—	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, {	M 100	—	—	—	—	—	—	—	—	—
	Urinary abscess, &c. {	F —	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate... {	M 593	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of {	M 13	3	4	—	—	7	—	—	—	—
	male genital organs. {	F —	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage {	M —	—	—	—	—	—	—	—	—	—
	(non-puerperal). {	F 16	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non- {	M —	—	—	—	—	—	—	—	—	—
	cancerous). {	F 124	—	—	—	—	—	—	—	—	—
130	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	uterus. {	F 70	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour {	M —	—	—	—	—	—	—	—	—	—
	(non-cancerous). {	F 102	—	—	—	—	—	—	—	1	—
132	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	female genital organs. {	F 68	—	1	—	3	4	—	—	—	—
133	Non-puerperal dis. of the {	M —	—	—	—	—	—	—	—	—	—
	breast (non-cancerous). {	F 14	3	3	1	—	7	—	—	1	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	F 127	—	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	F 179	—	—	—	—	—	—	—	—	—	—
136	Other accidents of child- {	M —	—	—	—	—	—	—	—	—	—
	birth. {	F 152	—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	F 559	—	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria {	M —	—	—	—	—	—	—	—	—	—
	and convulsions. {	F 273	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia {	M —	—	—	—	—	—	—	—	—	—
	alba dolens, embolism {	F 114	—	—	—	—	—	—	—	—	—
	and sudden death. {										
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	F 9	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the {	M —	—	—	—	—	—	—	—	—	—
	breast. {	F 2	—	—	—	—	—	—	—	—	—
134- 141	All accidents of preg- {	M —	—	—	—	—	—	—	—	—	—
	nancy and childbirth. {	F 1,415	—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 206	—	—	—	—	—	—	—	—	—
	F 210	—	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ... {	M 23	3	—	1	—	4	—	—	2	—
	F 15	—	—	1	—	—	1	1	—	1	—
143	Carbuncle, Boil .. {	M 69	—	—	2	—	2	—	—	—	—
	F 30	—	—	2	—	2	4	—	—	—	—
144	Phlegmon, Acute abscess {	M 158	14	7	6	9	36	1	1	1	—
	F 120	—	10	12	1	4	27	5	1	1	—
145	Diseases of the integu- {	M 145	36	16	13	13	78	5	—	—	—
	mentary system. {	F 182	25	26	7	7	65	1	4	—	—

CAUSES of DEATH at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	2	1	2	2	3	4	4	3	1	16	6	6	7	11	2	2	} 123
—	—	—	—	1	1	4	7	6	6	3	2	—	4	2	4	3	—	
1	1	—	—	3	1	—	3	6	12	9	22	18	54	57	73	33	32	} 124
—	2	1	2	1	1	2	1	4	2	7	1	7	5	7	13	8	10	
—	—	—	—	—	2	2	4	9	11	7	17	15	13	10	9	1	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	2	—	2	9	23	60	113	118	142	94	30	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	2	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	2	1	1	3	2	4	—	—	—	—	1	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	9	13	19	30	14	5	16	5	3	4	2	2	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	2	—	9	6	6	6	8	6	8	3	4	4	4	1	2	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	2	4	4	4	8	10	11	7	10	6	10	11	5	5	4	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	2	12	12	9	10	9	7	—	2	—	1	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	—	—	—	—	—	1	—	—	—	—	—	2	—	1	2	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	10	23	25	40	25	2	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	19	30	37	57	33	3	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	20	35	42	35	19	—	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	10	118	139	136	110	43	3	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	11	57	58	73	45	28	1	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	14	20	27	30	20	2	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	3	4	1	1	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	25	241	310	342	318	168	11	—	—	—	—	—	—	—	—	} 134— 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	2	9	19	62	45	39	32	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	13	25	44	53	47	26	
6	1	—	—	1	—	—	2	1	2	—	2	2	2	3	—	—	1	} 142B, C, D.
3	2	1	—	1	—	1	1	—	1	—	2	1	1	1	—	—	—	
2	—	—	2	1	5	1	1	8	4	5	9	6	9	8	3	5	—	} 143
4	—	2	1	2	1	—	1	1	2	3	—	4	2	1	2	3	1	
39	4	1	6	2	5	10	10	6	6	8	11	9	9	15	10	6	1	} 144
34	2	1	2	1	5	5	8	7	8	5	3	7	8	10	4	9	1	
83	2	—	—	—	1	—	2	2	1	5	7	4	8	10	8	10	2	} 145
70	1	1	3	1	—	2	—	3	5	5	6	12	12	14	21	12	14	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	117 76	1 —	3 —	— —	2 2	6 2	2 2	3 2	1 8	1 —
147	Diseases of the joints ... { M F	27 36	1 1	2 1	1 —	— —	4 2	— 1	— —	— —	— 1
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	6 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	787 644	466 395	158 79	64 74	41 37	729 585	17 11	9 6	6 2	2 6
151A	Premature birth ... { M F	3,093 2,475	2,818 2,239	245 204	27 25	3 7	3,093 2,475	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	1,692 1,121	1,126 704	371 248	148 121	47 48	1,692 1,121	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	589 356	573 342	15 14	1 —	— —	589 356	— —	— —	— —	— —
153	Lack of care ... { M F	53 48	53 46	— 2	— —	— —	53 48	— —	— —	— —	— —
154	Old age ... { M F	3,606 5,459	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	53 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	41 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	184 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	165 153	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	49 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	214 45	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	17 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	59 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	4 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	8 8	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —
165	Other acute poisonings ... { M F	22 16	— 1	— 1	— 1	— —	— 3	3 1	2 —	— —	1 —
166	Conflagration ... { M F	10 8	— —	— —	— —	— —	— —	— 1	— —	— 1	1 1
167	Burns (conflagration ex- cepted). { M F	229 344	— —	3 1	5 2	14 15	22 18	41 31	37 24	29 31	16 25
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	144 89	28 29	25 21	13 15	6 3	72 68	1 —	1 —	— —	— —

CAUSES OF DEATH at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
13 14	18 12	29 13	16 3	13 1	4 —	1 3	3 3	2 —	6 3	1 3	3 6	4 3	2 4	— 4	1 2	1 2	— —	} 146
4 4	3 4	3 3	— —	— 1	1 1	— —	— 1	— —	2 3	— —	3 2	1 2	1 4	3 3	4 4	2 3	— 1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
— —	— 1	1 —	1 —	1 —	— 1	— —	1 1	— —	— —	— 2	— —	— —	1 —	— 1	— —	— —	1 —	
763 610	7 7	6 5	3 12	1 4	3 1	2 1	1 2	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	} 150
3,093 2,475	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1,692 1,121	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151, B-E
589 356	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
53 48	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 3	4 9	34 40	134 195	628 783	1,006 1,359	1,008 1,526	791 1,544	
— —	— —	— —	1 1	2 6	2 5	6 5	4 1	7 5	6 2	7 1	10 3	3 2	3 2	2 1	— 1	— —	— 1	} 155
— —	— —	— —	1 —	1 —	7 1	1 —	3 12	4 7	6 5	3 5	6 2	3 1	6 —	— 1	— —	— —	— —	
— —	— —	2 —	5 —	2 1	6 1	10 1	2 2	25 4	18 6	23 5	25 6	31 10	15 4	10 3	7 —	2 —	1 —	} 157
— —	— —	— —	— —	5 15	7 10	8 15	17 11	9 18	18 24	20 11	23 8	27 8	12 8	9 8	6 1	3 —	1 —	
— —	— —	1 —	— —	3 2	3 1	5 —	2 —	4 —	8 —	10 —	4 —	4 —	1 —	2 —	2 —	— —	— —	} 159
— —	— —	— —	1 —	2 3	4 3	12 6	23 4	29 4	25 6	26 5	36 6	18 3	20 1	9 3	8 1	— —	1 —	
— —	— —	— —	— —	1 1	1 —	2 1	1 2	3 2	1 2	4 —	2 1	— 1	1 2	1 —	— —	— 1	— 1	} 161
— —	— —	— —	1 —	3 —	6 1	8 1	5 —	7 2	4 1	8 —	8 2	5 —	3 —	— —	1 —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	1 2	— 1	— 1	— 1	1 1	— —	2 1	1 —	— —	— —	— —	} 163
1 1	— —	1 1	— —	— —	— 2	— —	2 1	— —	— 1	— —	1 —	1 —	— —	— 1	— 1	— —	— —	
6 4	— 1	— 1	2 —	— —	1 1	— 1	1 2	2 —	1 1	3 3	3 1	1 1	1 —	1 —	— —	— —	— —	} 165
1 3	4 —	— 1	— —	— 1	— 1	— —	— 1	2 —	— —	— —	2 1	— —	— —	— —	1 —	— —	— —	
145 129	21 50	3 23	3 9	5 8	5 6	5 8	2 6	6 9	3 4	6 13	5 12	4 6	— 7	7 15	4 18	2 11	3 10	} 167
74 68	2 1	4 1	8 —	6 2	3 —	3 3	9 1	6 2	7 —	7 2	5 —	4 1	1 1	1 1	4 5	— —	— 1	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	519 120	6 3	— —	— —	— —	6 3	8 5	12 8	9 1	10 2
170	Injury by firearms ... { M F	15 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	5 2	— —	— —	— —	— —	— —	1 —	— —	— 1	1 1
172	Injury by fall ... { M F	494 320	— —	1 —	— —	6 —	7 —	2 —	5 3	— 2	3 1
173	Injury in mines and quarries. { M F	524 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	104 5	— —	— —	— —	— —	— —	— —	— —	— 1	— —
175	Injury by other crushing (vehicles, railways, land- slides, &c.). { M F	960 193	— —	— —	1 1	1 —	2 1	4 2	10 —	16 15	19 6
176	Injury by animals ... { M F	15 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
177	Starvation ... { M F	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	8 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	4 5	— —	— —	— —	— —	— —	— —	— —	1 —	— —
180	Lightning... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	8 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	8 10	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —
184	Homicide by other means { M F	38 31	11 11	2 —	1 —	— 1	14 12	1 1	— —	— 1	— —
185	Fractures (cause not specified). { M F	11 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
186	Other violence ... { M F	180 31	6 1	— 2	4 2	2 2	12 7	3 2	1 2	1 —	2 1
155- 186	All violence ... { M F	4,102 1,543	52 45	31 25	24 21	30 21	137 112	64 44	68 38	57 53	53 37
187	Dropsy ... { M F	2 3	— —	— —	— —	— —	— —	1 —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	36 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- wise defined). { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	234 180	— —	— —	— —	— —	— —	1 1	— —	1 1	— 2
189 B-E.	Other ill-defined causes. { M F	97 77	6 2	2 2	4 1	9 2	21 7	24 28	3 4	3 1	2 1
189F	Cause not specified ... { M F	11 15	7 11	— —	— —	— —	7 11	— —	— —	— —	— —

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	186 106	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	848 491	1 —	— —	— —	— —	1 —	1 2	1 4	1 1	2 2
39-45	Cancer (all sites) ... { M F	4,130 5,042	1 —	— —	— —	— 3	1 3	1 2	2 4	1 1	2 2
46	Other tumours (situation undefined). { M F	18 31	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	179 206	— —	— —	— —	— —	— —	1 —	— —	2 1	4 —
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	159 310	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	46 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	2 3	— —	— 1	1 —	— —	1 1	— 1	— —	1 —	— —
50	Diabetes ... { M F	366 439	— —	— —	— —	— 1	— 1	— 1	— —	— —	— —
51	Exophthalmic goitre ... { M F	10 110	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	22 35	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	88 71	— —	— 1	— —	2 —	2 1	1 —	— —	1 1	4 —
54	Anæmia, Chlorosis ... { M F	216 326	— 2	1 —	— 1	1 1	2 4	1 1	— —	1 —	— —
55	Other general diseases ... { M F	48 39	5 4	2 —	1 2	2 —	10 6	1 1	2 1	1 1	— —
56	Alcoholism (acute or chronic). { M F	34 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	6 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	97 66	— —	— —	— —	4 1	4 1	2 7	1 —	— 1	3 1
61A	Cerebro-spinal fever ... { M F	30 25	— 1	— —	1 —	— —	1 1	3 —	— 1	1 1	1 1
61B	Posterior basal meningitis { M F	13 8	— —	3 —	2 1	4 2	9 3	4 —	— 3	— —	— 1
61C	Meningitis, other forms { M F	234 217	5 2	11 6	12 11	32 21	60 40	27 24	10 9	9 9	8 4
62	Locomotor ataxy ... { M F	66 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	340 241	— 1	— —	1 1	2 3	3 5	— —	2 1	1 1	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued*.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	— —	— —	— —	— —	— 2	— 1	3 1	4 2	7 2	10 5	14 4	16 10	21 12	27 10	38 22	27 18	19 16	} 44	
6 9	4 5	4 2	8 1	11 8	7 3	10 8	19 17	30 30	30 49	60 40	96 58	148 59	147 67	150 58	72 39	35 26	11 12		
7 12	4 5	7 4	11 1	16 13	11 24	24 53	62 132	114 258	199 365	322 507	482 567	667 687	773 747	653 676	484 590	218 278	76 123	} 39-45	
— —	1 —	— —	— 1	— —	1 —	— —	1 2	— 2	1 2	1 2	2 1	3 6	3 2	3 3	2 6	— 3	— 1		
7 1	23 24	25 39	24 25	17 22	13 12	12 16	11 10	11 8	7 11	8 9	4 9	8 3	3 8	4 3	1 6	1 —	— —	} 47	
— —	— —	2 —	— 3	— 1	2 1	1 3	1 1	3 6	1 12	8 17	8 33	14 35	24 46	36 56	36 51	20 35	3 10		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	4 —	6 —	12 1	12 3	8 2	1 1	2 —	} 48C	
2 2	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 2	2 3	16 8	10 14	15 12	8 23	12 11	12 19	13 14	23 27	20 32	35 44	50 46	55 71	40 59	35 32	13 13	7 9	} 50	
— —	— —	— 1	— 3	1 8	— 8	— 9	— 9	4 13	1 11	1 13	2 15	— 9	1 5	— 3	— 3	— —	— —		
1 —	— —	1 —	— —	— —	1 4	— 3	4 3	— 3	8 1	2 3	1 5	2 3	2 4	— 2	1 2	— 1	— —	} 52	
8 2	5 1	5 7	7 3	3 3	5 5	7 3	3 8	2 6	10 3	10 4	5 6	6 8	5 4	6 6	— 2	1 —	— —		
4 5	2 2	3 4	4 7	2 10	2 10	1 13	4 20	12 21	15 34	27 25	36 42	39 38	34 47	16 30	13 13	1 3	1 2	} 54	
14 9	7 1	2 1	2 2	— 2	1 1	— 1	2 —	4 3	1 1	2 2	1 3	1 4	4 3	1 3	2 —	3 2	1 1		
— —	— —	— —	— —	— —	1 —	2 —	3 —	6 —	8 1	4 1	5 1	2 —	2 1	1 —	— —	— —	— —	} 56	
— —	— —	— —	— —	— —	— 1	— —	— —	— 1	3 —	1 —	— —	— —	1 —	— —	1 —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— —		
10 10	8 11	5 2	13 5	5 3	5 5	10 3	12 5	3 4	8 3	4 4	5 —	2 4	4 1	1 3	2 2	— —	— 1	} 60	
6 4	8 2	3 3	5 5	— 4	3 2	— 2	1 1	2 —	1 —	1 —	— —	— 1	— 1	— —	— —	— —	— —		
13 7	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61B	
114 86	29 23	16 22	15 20	10 8	5 4	3 5	9 10	7 4	4 9	7 7	9 7	1 3	3 4	2 4	— 1	— —	— —		
— —	— —	— —	1 —	— —	— —	1 —	— —	4 —	9 2	8 3	17 1	8 1	14 1	1 —	1 —	1 —	1 —	} 62	
6 7	2 5	4 1	9 4	8 3	4 7	4 6	9 6	17 15	15 14	17 19	30 26	57 22	52 27	43 32	40 26	17 11	6 10		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
4 4	—	2 2	3 5	1 1	4 2	4 9	17 15	37 51	49 83	95 144	164 198	252 314	406 449	463 506	448 549	264 369	147 245	} 64	
—	1	1	—	—	—	—	—	1 1	2 —	4 4	3 6	7 6	12 17	17 18	20 28	10 18	7 16		
1 3	2	1	—	1 2	— 2	—	1 2	5 2	10 9	4 8	14 14	17 24	33 46	48 58	47 73	40 39	24 31	} 66	
—	—	—	—	1	1	8	17	13	25	17	16	5	6	5	1	1	—		
—	—	—	—	—	1	4	5	4	6	6	1	—	2	1	1	2	—	} 67	
—	—	1	—	1	1	3	2	—	7	7	5	13	11	7	1	1	1		
—	—	—	2	1	2	4	7	10	11	4	7	19	17	7	4	2	1	} 68	
15 8	11 6	12 9	31 18	15 22	23 17	18 13	11 16	14 16	11 17	8 17	16 17	19 14	21 11	17 12	11 12	4 2	3 2		
—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	} 70	
—	4	2	2	—	—	—	—	—	—	1	1	1	—	1	1	—	—		
704 520	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 71	
—	3	4	3	2	—	—	—	2	1	1	—	—	—	—	—	—	—		
1	—	3	6	—	1	—	—	—	1	—	—	—	—	—	—	—	—	} 72	
—	—	—	—	—	—	—	—	4	—	1	1	1	5	4	1	—	—		
1	—	—	—	—	—	—	—	1	—	5	2	1	2	1	3	5	1	} 73	
19 11	13 11	10 6	7 12	10 6	8 10	9 12	13 9	16 18	11 14	24 13	22 13	13 15	11 12	16 13	9 12	9 9	4 7		
—	1	1	1	—	—	1	—	—	—	1	1	—	—	1	—	1	—	} 74	
—	—	1	—	1	—	—	—	—	—	—	1	—	1	—	2	—	—		
7 4	5 2	2 6	3 6	3 3	— 1	1 1	1 —	—	—	1 2	— 1	—	1	—	—	—	—	} 75	
29 9	12 10	10 9	9 5	6 6	3 2	5 —	7 3	3 2	4 2	4 3	1 3	1 —	4 1	1 —	— 1	—	—		
1	1	2	—	1	1	1	2	1	2	—	1	2	4	2	—	—	—	} 76A	
—	1	6	1	1	3	—	4	1	3	1	3	3	1	4	2	—	—		
3 6	4 7	4 11	6 13	15 13	23 15	18 14	16 12	12 17	10 13	19 10	22 19	7 3	10 3	3 5	4 2	1 1	1 1	} 77	
6 6	16 15	22 31	35 24	36 28	60 34	61 50	79 66	90 79	88 105	144 141	178 209	294 279	395 392	401 493	372 415	190 220	71 113		
—	—	—	—	—	1	2	2	8	8	12	26	30	37	35	30	15	3	} 78	
—	—	—	—	1	—	1	2	6	12	21	27	35	46	34	43	12	3		
2 2	11 6	7 8	12 10	15 12	18 19	19 17	30 31	26 40	53 77	122 120	142 136	280 255	437 433	481 509	453 525	278 384	146 247	} 79A	
—	—	—	—	—	—	—	2	1	6	7	14	24	31	22	13	8	5		
—	—	—	—	—	—	1	—	1	6	3	9	12	16	9	10	6	2	} 79B	
—	—	—	—	—	—	3	7	5	11	13	13	13	14	11	6	1	1		
—	—	—	—	—	—	1	—	1	2	1	2	5	1	—	2	3	—	} 80	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	3	13	20	66	128	181	281	270	233	142	} 81A	
—	—	—	—	—	1	1	—	2	4	19	35	43	97	143	203	164	167		
—	—	—	—	—	—	—	—	1	—	—	—	2	2	4	2	1	2	} 81B	
—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	3	3	3		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	{ M F	281 373	— —	— —	— —	— —	— —	— —	— —	— —	— —
82B	Other embolism and thrombosis.	{ M F	20 44	— —	— —	— —	— —	— —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	{ M F	27 61	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
84A	Status lymphaticus ...	{ M F	15 5	1 —	3 2	2 1	2 —	8 3	2 —	1 —	— 1	— —
84B	Other diseases of the lymphatic system.	{ M F	8 5	2 —	— —	1 1	— —	3 1	— —	1 —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system.	{ M F	43 61	1 —	1 —	— —	— —	2 —	— —	— —	— —	1 —
86	Diseases of the nasal fossæ.	{ M F	8 3	— —	— 2	2 —	— —	2 2	— —	— —	— —	— —
87	Diseases of the larynx ...	{ M F	121 93	4 —	4 5	3 3	12 5	23 13	18 16	11 9	22 10	7 8
88	Diseases of the thyroid body.	{ M F	5 55	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
89 & 90	Bronchitis ...	{ M F	2,961 2,903	95 63	233 150	149 119	170 116	647 448	88 82	21 21	8 9	5 14
91	Broncho-pneumonia ...	{ M F	1,237 962	43 31	111 71	145 81	255 157	554 340	192 144	58 50	23 34	14 22
92A	Lobar pneumonia ...	{ M F	669 436	— 1	7 3	6 8	12 5	25 17	20 10	11 6	4 5	3 4
92B	Pneumonia (type not stated).	{ M F	901 660	11 2	25 13	33 18	40 41	109 74	36 35	15 19	12 7	4 14
93	Pleurisy ...	{ M F	144 111	— —	1 —	— —	— 1	1 1	2 2	1 2	2 2	2 —
94	Pulmonary congestion, Pulmonary apoplexy.	{ M F	126 131	14 1	7 2	6 2	5 5	32 10	3 1	— —	— —	— —
95	Gangrene of the lung ...	{ M F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ...	{ M F	191 152	— —	— —	1 —	— 2	1 2	— 1	1 1	2 1	— —
97	Pulmonary emphysema	{ M F	32 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung ...	{ M F	49 8	— —	— —	— —	— —	— —	— —	— —	— —	— 1
98B	Other diseases of the respiratory system.	{ M F	21 13	— —	— —	1 1	1 —	2 1	— —	— —	— —	— —
99A	Diseases of the teeth and gums.	{ M F	27 29	2 1	— —	— 1	1 —	3 2	— 2	— —	1 —	— —
99B, C,D	Other diseases of the mouth and annexa.	{ M F	14 7	6 1	4 1	3 —	— —	13 2	— —	— —	— —	— —
100	Diseases of pharynx, Tonsillitis	{ M F	74 80	1 —	2 1	— —	— —	3 1	1 2	4 —	2 5	3 2

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	2	—	—	—	—	3	2	4	6	15	17	19	34	50	61	39	29	} 82A	
—	—	—	2	1	2	2	6	6	10	10	28	35	43	63	68	64	33		
—	—	—	—	—	—	—	1	—	2	—	5	3	5	—	1	2	1	} 82B	
—	—	1	1	2	—	3	3	5	6	2	3	1	8	3	2	2	2		
1	—	—	—	—	—	—	—	3	1	1	5	2	5	4	3	1	1	} 83	
—	—	—	—	—	1	2	3	5	3	2	8	10	10	7	7	1	2		
11	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 84A	
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	} 84B	
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	—		
3	—	—	1	1	2	—	—	—	1	3	5	4	5	7	3	4	4	} 85	
—	—	1	1	—	1	—	3	—	1	1	1	8	9	14	9	9	3		
2	—	—	—	—	—	2	—	1	1	—	—	—	2	—	—	—	—	} 86	
2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
81	23	3	—	—	—	—	—	—	2	4	1	1	3	1	2	—	—	} 87	
56	21	5	—	1	1	—	—	1	1	—	—	—	1	1	3	2	—		
—	—	—	2	—	—	—	—	—	—	—	—	1	1	—	—	1	—	} 88	
1	—	3	—	1	1	1	1	1	3	1	7	11	10	6	4	3	1		
769	20	4	6	10	7	8	10	27	40	52	99	145	273	381	471	384	255	} 89 & 90	
574	21	5	7	5	9	11	16	21	21	57	82	137	246	340	498	446	407		
841	46	12	14	11	5	10	16	14	18	24	34	28	41	56	34	19	14	} 91	
590	37	7	13	10	7	12	13	6	11	15	16	27	37	45	57	39	20		
63	19	11	24	31	36	35	50	49	38	49	52	62	61	42	27	13	7	} 92A	
42	12	11	18	14	27	24	26	33	23	29	30	26	44	34	23	14	6		
176	30	7	34	31	20	38	49	48	46	57	67	76	71	56	65	20	10	} 92B	
149	29	13	16	17	28	31	27	29	23	30	39	39	58	44	40	30	18		
8	5	4	8	5	6	5	12	11	7	13	14	15	13	3	9	4	2	} 93	
7	2	2	1	4	3	2	12	3	10	5	5	9	13	12	13	6	2		
35	—	—	4	1	1	1	—	1	2	2	5	3	7	12	21	17	14	} 94	
11	2	—	1	—	—	—	2	5	4	3	4	4	10	11	19	25	30		
—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	} 95	
—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—		
4	2	1	—	—	1	—	3	8	12	13	22	31	42	23	17	7	5	} 96	
5	1	—	1	3	4	6	7	7	10	13	10	15	22	21	15	10	2		
—	—	—	—	—	—	—	1	1	2	6	2	3	6	4	1	4	2	} 97	
—	—	—	—	—	—	—	—	—	—	—	2	1	2	3	1	1	—		
—	—	—	—	—	1	—	2	4	5	8	13	8	5	2	—	1	—	} 98A	
1	1	—	—	—	—	—	—	—	1	1	—	1	3	—	—	—	—		
2	1	—	1	1	2	4	—	1	1	2	3	1	2	—	—	—	—	} 98B	
1	—	—	—	1	—	—	—	—	1	2	—	1	2	—	5	—	—		
4	—	1	1	—	—	1	1	5	1	2	2	4	2	2	—	—	1	} 99A	
4	—	1	1	2	—	—	6	3	3	2	1	1	2	1	—	1	1		
13	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	} 99B, C, D	
2	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	1	—		
13	17	9	6	—	—	3	4	3	2	7	5	1	—	1	1	2	—	} 100	
10	26	8	5	5	3	4	6	1	—	1	4	3	2	—	1	—	1		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	7 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of stomach. { M F	198 151	— —	— —	— —	— —	— —	— —	— —	1 —	— —
103A	Inflammation of stomach { M F	290 270	32 18	52 21	31 30	34 9	149 78	6 14	4 6	— 2	1 3
103B	Other diseases of the stomach. { M F	69 56	5 2	3 2	— —	— —	8 4	— —	— 1	— —	1 1
104 & 105	Diarrhœa and enteritis ... { M F	911 771	70 41	175 102	154 103	153 117	552 363	63 61	8 16	3 13	4 9
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— 6	— —	— —	— —	— —	— —	— 2	— 2	— —	— —
108	Appendicitis ... { M F	260 224	— —	— —	1 —	1 —	2 —	3 1	2 3	5 1	5 6
109A	Hernia ... { M F	168 163	3 2	4 —	5 1	4 1	16 4	2 1	— —	— —	— —
109B	Intestinal obstruction ... { M F	273 266	10 4	4 1	18 9	24 14	56 28	7 3	5 3	5 —	1 —
110	Other diseases of the intestines. { M F	67 57	— 1	2 —	4 1	5 2	11 4	1 1	2 —	— —	— —
111	Acute yellow atrophy of liver. { M F	7 12	— —	— —	— —	— —	— —	— —	— 1	— —	— —
112	Hydatid of liver ... { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	243 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi ... { M F	48 124	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	79 87	— —	— —	2 —	5 —	7 —	— —	— —	— —	— 1
116	Diseases of the spleen ... { M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	39 63	4 3	4 1	— —	2 —	10 4	— 3	— 1	— 2	— 1
118	Other diseases of the digestive system. { M F	16 24	— —	— 1	— —	— —	— 1	— —	— —	— —	— —
119	Acute nephritis ... { M F	156 153	3 1	3 —	4 2	2 4	12 7	4 11	3 —	2 2	2 6
120	Bright's disease ... { M F	1,150 1,003	— —	— —	— —	— —	— —	1 —	— 1	1 —	— 1
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the kidney and annexa. { M F	55 45	— —	2 —	— —	— —	2 —	1 —	— —	1 —	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	1	—	1	} 101
—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	1	
1	—	—	3	3	8	14	18	20	19	20	20	32	20	14	2	4	—	} 102
—	—	—	6	6	14	11	17	22	15	19	8	10	6	9	2	6	—	
160	10	1	2	3	1	3	—	4	7	7	8	9	13	19	20	16	7	} 103A
103	6	5	—	2	4	5	3	1	6	4	10	11	15	20	28	33	14	
9	—	—	1	2	2	1	1	2	2	4	8	4	7	9	8	4	5	} 103B
6	1	1	—	—	—	1	2	2	2	2	3	2	3	7	7	13	4	
630	10	3	8	2	6	4	17	16	16	18	31	24	28	30	31	23	14	} 104 & 105
462	27	9	5	7	7	14	9	8	9	17	17	21	31	35	35	37	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	} 107
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	23	38	33	23	10	5	19	9	23	15	17	13	8	3	3	—	1	} 108
11	30	21	22	14	21	9	22	12	6	13	10	8	7	8	2	2	6	
18	—	—	2	3	—	2	1	5	5	10	11	18	23	22	22	17	9	} 109A
5	—	—	1	—	—	—	4	4	8	13	17	21	26	22	24	16	2	
74	9	6	11	4	6	8	4	3	10	7	20	26	21	23	20	17	4	} 109B
34	6	1	2	3	9	7	8	9	8	17	23	23	21	26	25	30	14	
14	—	—	2	—	1	2	—	3	4	4	5	3	6	6	8	5	4	} 110
5	—	—	—	1	1	3	—	2	1	3	6	6	5	6	6	6	6	
—	1	—	—	1	—	1	—	1	1	—	—	1	1	—	—	—	—	} 111
1	—	2	1	3	1	—	—	1	—	—	—	1	—	2	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	} 112
—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
—	1	—	1	1	—	2	8	10	27	34	32	38	38	28	16	5	2	} 113
—	—	1	1	1	—	3	—	8	12	16	14	12	15	5	5	2	—	
—	—	—	—	—	—	—	3	3	1	4	3	7	9	6	7	3	2	} 114
—	—	—	1	—	—	—	3	4	9	8	14	16	26	24	12	7	—	
7	—	2	1	—	4	2	4	5	3	2	6	10	8	12	8	5	—	} 115
1	1	2	1	3	1	1	—	2	5	10	5	9	11	13	18	3	1	
—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—	} 116
—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
10	1	1	3	1	4	1	2	1	2	1	3	4	—	1	3	1	—	} 117
11	7	4	—	5	6	2	3	3	—	3	1	3	1	6	2	4	2	
—	—	—	—	—	2	—	2	1	2	1	2	1	1	4	—	—	—	} 118
1	1	—	1	—	1	1	2	2	3	—	4	2	2	2	2	—	—	
23	21	9	4	3	11	8	8	6	11	11	9	8	8	8	4	4	—	} 119
26	18	5	6	6	7	7	12	11	11	7	8	9	7	6	2	2	3	
2	4	9	7	10	19	26	26	42	53	107	131	159	156	181	128	63	27	} 120
2	3	8	16	12	28	24	37	45	67	75	90	113	145	141	118	55	24	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	1	1	1	—	3	1	4	2	4	—	8	4	5	7	6	1	3	} 122
—	—	—	—	1	1	1	5	2	7	7	6	4	1	3	3	4	—	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	34 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	269 67	1 —	— —	— —	— 1	1 1	— —	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	43 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	504 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. { F	7 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 68	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. { F	— 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 80	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 31	— 1	— —	— —	— —	— 1	— —	— —	— 1	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	— 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 59	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 110	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. { F	— 94	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 315	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. { F	— 168	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 90	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. { F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
134- 141	All accidents of pregnancy { M and childbirth. { F	— 851	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	198 139	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C,D.	Gangrene, other types ... { M F	17 17	1 1	1 —	— —	— —	2 1	— 1	— —	1 —	— —
143	Carbuncle, Boil ... { M F	37 15	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
144	Phlegmon, Acute abscess { M F	99 70	5 3	8 7	2 2	2 2	17 14	2 2	— —	1 1	— 1
145	Diseases of the integu- { M mentary system. { F	99 107	28 10	7 10	2 1	6 4	43 25	4 3	— 1	1 —	— —

at DIFFERENT AGE-PERIODS, 1920—(Civilian Population only)—*continued.*

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	1	2	—	1	1	—	—	—	4	7	4	7	2	4	1	} 123
—	—	—	—	—	1	1	1	2	2	4	—	1	—	—	3	—	—	
1	—	—	1	1	—	—	3	2	4	7	15	16	41	42	55	46	35	} 124
1	—	1	—	2	1	2	—	1	1	4	1	9	3	8	9	13	11	
—	—	—	—	—	—	2	2	2	2	5	8	4	7	4	6	1	—	} 125
—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	
—	—	—	—	—	—	—	—	2	—	5	22	39	89	98	129	80	40	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	—	—	—	—	—	—	1	1	—	1	2	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	5	13	8	11	3	2	7	2	6	6	3	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	4	2	3	4	5	9	3	3	1	1	2	1	3	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	2	6	10	4	8	4	6	9	9	6	9	6	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	1	5	9	6	4	2	1	—	—	—	1	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	3	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	5	15	11	17	9	—	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	5	18	25	32	26	3	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	14	16	25	25	10	1	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	9	46	93	68	61	31	7	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	9	30	41	37	29	21	1	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	7	19	21	25	15	1	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	3	3	3	1	1	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	26	110	205	191	191	114	13	—	—	—	—	—	—	—	—	} 134— 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	7	23	29	59	45	35	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	5	15	26	35	33	25	
3	2	—	—	—	—	1	—	—	3	1	4	—	1	1	1	—	—	} 142B, C, D.
2	—	—	1	2	1	—	1	1	—	1	3	2	2	—	1	—	—	
1	—	1	3	—	2	1	3	1	3	1	2	6	2	5	4	1	1	} 143
—	1	1	1	—	1	1	1	1	2	1	1	—	1	1	1	1	—	
21	1	1	3	1	2	3	4	6	10	10	7	4	11	2	7	4	2	} 144
18	3	1	1	3	2	4	1	2	—	3	—	4	9	5	6	5	3	
48	—	—	1	—	—	1	1	—	2	3	—	3	14	10	6	5	5	} 145
29	—	—	2	—	1	1	1	4	2	3	—	7	7	7	22	15	6	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	69 44	— —	1 —	— 1	— 1	1 2	1 2	1 —	2 —	2 3
147	Diseases of the joints ... { M F	13 26	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	2 4	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
150	Congenital malformations { M F	458 395	252 247	93 59	35 24	26 21	406 351	9 16	7 3	4 2	2 4
151A	Premature birth ... { M F	1,788 1,434	1,644 1,309	112 109	23 13	9 3	1,788 1,434	— —	— —	— —	— —
151 B-E	Infantile debility, Icterus and Sclerema. { M F	954 649	659 445	194 133	68 50	33 21	954 649	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	365 250	347 246	18 4	— —	— —	365 250	— —	— —	— —	— —
153	Lack of care ... { M F	27 22	27 22	— —	— —	— —	27 22	— —	— —	— —	— —
154	Old age ... { M F	3,207 3,993	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	27 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	161 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	119 90	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	94 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	97 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	3 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	20 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	5 5	— —	— —	— —	— —	— —	— —	— —	— —	2 —
165	Other acute poisonings ... { M F	11 16	1 —	— —	— —	— —	1 —	1 2	— —	— 1	— —
166	Conflagration ... { M F	9 6	— —	— —	— —	— —	— —	— 1	— —	— 1	1 —
167	Burns (conflagration ex- cepted). { M F	109 192	— 1	— —	2 1	3 6	5 8	29 22	23 21	11 15	4 17
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	73 33	27 16	10 8	11 5	2 1	50 30	— —	1 —	— —	— —

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	293 91	3 3	1 —	— —	— —	4 3	11 5	9 6	9 7	9 3
170	Injury by firearms ... { M F	53 3	— —	— —	— —	— —	— —	— —	— 1	— —	— —
171	Injury by cutting or piercing instruments. { M F	4 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —
172	Injury by fall ... { M F	240 195	— —	— 1	— —	1 —	1 1	1 2	— —	4 —	2 —
173	Injury in mines and quarries. { M F	311 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	64 6	— —	— —	— —	— —	— —	— —	1 —	— —	— —
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	714 120	— —	1 —	— —	1 —	2 —	5 3	4 3	8 6	13 3
176	Injury by animals ... { M F	30 5	— —	— —	— —	— —	— —	1 1	— 1	1 —	1 —
177	Starvation ... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	17 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
180	Lightning... { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	3 3	— —	— 1	— —	— —	— 1	1 —	— —	— —	— —
184	Homicide by other means { M F	27 26	7 6	— 2	1 1	1 1	9 10	— —	— —	1 —	— —
185	Fractures (cause not specified). { M F	3 2	— 1	— —	— —	— —	— 1	— —	— —	— —	1 —
186	Other violence ... { M F	87 21	— 2	— 1	— 2	— —	— 5	— 2	2 —	2 1	1 2
155- 186	All violence ... { M F	2,592 915	38 29	12 13	14 9	8 8	72 59	49 39	40 32	36 31	34 25
187	Dropsy ... { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	40 24	— —	— —	— —	— —	— —	1 —	— —	— —	— —
188B	Sudden death (not other- wise defined). { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	201 145	— —	— —	— —	— —	— —	2 1	1 —	2 —	— 1
189 B-E.	Other ill-defined causes... { M F	72 69	8 7	2 5	1 2	5 3	16 17	12 14	4 2	— 1	— 3
189F.	Cause not specified ... { M F	31 17	13 7	2 —	— 1	— —	15 8	— 1	— —	— —	— —

at DIFFERENT AGE-PERIODS, 1920 (Civilian Population only)—*continued.*

AGES AT DEATH.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
42 24	31 12	15 4	19 9	11 5	17 —	16 7	16 2	20 6	19 3	17 6	19 3	11 3	10 3	16 2	9 1	1 1	4 —	169
— 1	2 —	5 1	9 1	7 —	4 —	3 —	1 —	5 —	2 —	5 —	4 —	4 —	— —	1 —	1 —	— —	— —	170
— 1	— —	1 —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	171
8 3	6 3	7 2	9 1	5 1	1 2	6 2	9 —	8 4	10 7	15 3	18 4	22 4	23 11	17 14	35 38	18 45	23 51	172
— —	— —	12 —	45 —	28 —	19 —	31 —	32 —	23 —	27 —	28 —	21 —	26 —	16 —	3 —	— —	— —	— —	173
1 —	4 1	4 1	11 —	3 2	4 —	7 —	6 —	5 —	8 —	1 —	5 1	3 1	1 —	1 —	— —	— —	— —	174
32 15	62 21	31 6	53 4	58 8	40 3	34 3	42 4	46 5	59 1	56 7	67 9	40 11	41 8	26 9	18 4	7 1	2 1	175
3 2	2 1	2 —	3 —	— —	— —	1 —	— —	1 —	1 —	4 1	3 —	5 —	3 1	2 —	— —	— —	— —	176
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	177
— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 —	— 1	2 —	4 —	2 1	1 —	4 —	— —	1 1	178
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— 1	— —	1 —	— —	— —	— —	— —	179
— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	180
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	181
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	182
1 1	— —	1 —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	183
10 10	1 2	— 1	— 1	2 2	1 1	3 1	1 1	2 1	3 2	1 2	1 1	— —	2 —	— 1	— —	— —	— —	184
1 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	185
5 10	7 1	4 —	5 2	12 —	8 —	13 2	4 2	5 —	10 —	5 1	2 1	2 —	3 1	1 —	— 1	— —	1 —	186
231 186	126 73	95 28	175 34	151 34	121 26	145 41	155 34	163 40	210 41	212 45	201 43	180 34	161 41	100 42	89 55	40 58	37 60	155- 186
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —	— —	187
1 —	— —	— 1	— —	— —	— 3	2 —	— —	2 1	3 1	2 4	7 3	11 7	12 4	— —	— —	— —	— —	188A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	188B
5 2	2 2	2 1	— —	1 4	3 6	4 2	6 9	6 8	20 14	14 16	29 21	38 23	71 37	— —	— —	— —	— —	189A
32 37	2 3	2 —	— 1	— —	2 1	1 1	— 2	3 2	— 2	5 6	2 2	3 3	10 2	2 2	7 1	1 1	— 3	189 B-E
15 9	— 1	— —	— —	2 —	— —	1 —	1 —	2 1	— 1	3 —	2 1	— —	1 2	2 1	— —	— —	2 1	189F

CAUSES of DEATH in each QUARTER of the YEAR

[illegible]

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
22	Anthrax (Splenic fever) { M F	12 2	3 —	2 1	4 —	3 1	4 —	— —	1 —	1 —	2 —
23	Rabies { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus { M F	116 33	38 6	22 6	35 14	21 7	10 5	3 —	3 1	3 3	1 1
25	Mycoses { M F	27 16	8 5	5 4	7 3	7 4	7 7	2 3	1 1	2 2	2 1
26	Pellagra { M F	— 2	— —	— —	— 2	— —	— 1	— —	— —	— 1	— —
27	Beri-beri { M F	4 —	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	16,752 13,790	4,434 3,654	4,371 3,583	3,638 3,030	4,309 3,523	2,548 1,878	667 524	625 492	521 381	735 481
29A	Acute phthisis { M F	1,120 1,129	282 298	342 345	245 229	251 257	127 122	27 30	41 34	29 27	30 31
29B	Acute miliary tuberculosis { M F	312 366	88 107	85 99	76 71	63 89	58 58	13 11	13 21	18 10	14 16
28 & 29	Pulmonary tuberculosis acute and chronic. { M F	18,184 15,285	4,804 4,059	4,798 4,027	3,959 3,330	4,623 3,869	2,733 2,058	707 565	679 547	568 418	779 528
30	Tuberculous meningitis { M F	1,885 1,700	475 461	561 462	408 414	441 363	243 211	65 58	65 58	53 55	60 40
31	Tuberculosis of periton- eum and intestines. { M F	1,031 1,161	236 287	294 306	226 298	275 270	77 79	24 22	19 16	12 19	22 22
32	Tuberculosis of spinal column. { M F	396 280	109 64	104 73	84 68	99 75	40 27	15 5	8 6	9 9	8 7
33	Tuberculosis of joints ... { M F	208 138	61 39	51 34	42 28	54 37	31 21	7 5	5 2	11 7	8 7
34	Tuberculosis of other organs. { M F	336 283	85 74	93 75	76 52	82 82	36 36	7 10	13 8	7 6	9 12
35	Disseminated tuberculosis { M F	878 780	234 210	234 206	205 178	205 186	79 74	26 12	22 27	14 23	17 12
28-35	Tuberculosis (all forms) { M F	22,918 19,627	6,004 5,194	6,135 5,183	5,000 4,368	5,779 4,882	3,239 2,506	851 677	811 664	674 537	903 628
36	Rickets, Softening of bones. { M F	323 229	91 64	96 56	58 43	78 66	35 28	9 11	15 6	5 1	6 10
37	Syphilis { M F	1,154 869	348 255	292 199	237 179	277 236	175 102	56 31	47 29	36 15	36 27
38	Other venereal diseases... { M F	42 38	9 13	12 8	11 11	10 6	4 4	1 2	— —	2 1	1 1
39	Cancer of the buccal cavity. { M F	2,449 369	636 96	607 84	605 95	601 94	335 44	78 14	87 9	81 10	89 11
40	Cancer of the stomach, liver, &c. { M F	7,477 6,576	1,843 1,651	1,813 1,565	1,829 1,658	1,992 1,702	947 706	243 179	243 180	229 180	232 167
41	Cancer of the peritoneum, intestines, and rectum. { M F	4,439 4,780	1,102 1,142	1,052 1,150	1,103 1,243	1,182 1,245	526 632	129 135	120 167	132 150	145 180
42	Cancer of the female genital organs. { M F	— 5,005	— 1,251	— 1,194	— 1,300	— 1,260	— 668	— 145	— 162	— 188	— 173
43	Cancer of the breast ... { M F	35 4,488	9 1,096	8 1,154	11 1,056	7 1,182	5 589	2 158	— 137	2 129	1 165

in DIFFERENT CLASSES of AREA, 1920—continued.

AGGREGATE OF COUNTY BOROUGH. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
4 1	1 —	— 1	2 —	1 —	2 1	1 —	— —	1 —	— 1	2 —	1 —	1 —	— —	— —	} 22
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
23 7	10 —	1 1	6 3	6 3	40 12	7 3	8 2	16 5	9 2	42 9	17 3	10 2	10 3	5 1	} 24
10 3	3 1	3 2	3 —	1 —	5 3	1 —	1 1	1 —	2 2	5 3	2 1	— —	1 1	2 1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	} 26
3 —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	
6,784 5,125	1,820 1,320	1,762 1,347	1,479 1,144	1,723 1,314	4,877 4,328	1,280 1,183	1,254 1,110	1,084 947	1,259 1,088	2,398 2,459	616 627	687 634	527 558	568 640	} 28
433 422	107 108	136 128	101 78	89 108	354 394	91 104	107 123	66 87	90 80	162 191	40 56	46 60	40 37	36 38	
102 120	30 39	26 31	23 19	23 31	85 122	27 40	23 28	15 29	20 25	55 66	13 17	17 19	19 13	6 17	} 29B
7,319 5,667	1,957 1,467	1,924 1,506	1,603 1,241	1,835 1,453	5,316 4,844	1,398 1,327	1,384 1,261	1,165 1,063	1,369 1,193	2,615 2,716	669 700	750 713	586 608	610 695	
708 620	169 177	203 168	158 139	178 136	633 583	153 150	200 167	136 139	144 127	296 286	87 76	91 69	59 81	59 60	} 30
422 436	98 109	116 120	105 110	103 97	366 428	76 110	112 115	70 105	108 98	159 218	35 46	43 55	39 64	42 53	
142 92	32 19	43 24	33 24	34 25	125 101	37 22	28 29	21 21	39 29	76 60	17 18	22 14	19 14	18 14	} 32
65 52	21 16	18 16	9 7	17 13	65 42	20 13	16 9	14 12	15 8	45 23	12 5	11 7	8 2	14 9	
120 94	29 22	33 22	25 18	33 32	115 85	32 25	33 21	28 16	22 23	62 68	14 17	14 24	16 12	18 15	} 34
299 284	86 84	72 62	79 62	62 76	306 271	71 72	90 72	67 59	78 68	185 151	47 42	49 45	44 34	45 30	
9,075 7,245	2,392 1,894	2,409 1,918	2,012 1,601	2,262 1,832	6,926 6,354	1,787 1,719	1,863 1,674	1,501 1,415	1,775 1,546	3,438 3,522	881 904	980 927	771 815	806 876	} 28-35
136 77	38 15	35 17	27 17	36 28	99 72	26 28	28 19	18 8	27 17	53 52	18 10	18 14	8 17	9 11	
524 452	160 131	123 98	115 100	126 123	322 238	88 71	83 56	64 51	87 60	126 77	40 22	39 16	21 13	26 26	} 37
16 21	3 9	6 4	3 5	4 3	15 11	3 1	5 4	3 4	4 2	6 2	2 1	1 —	2 1	1 —	
881 115	238 34	211 22	224 31	208 28	776 137	193 32	194 31	191 40	198 34	448 73	125 16	114 22	106 14	103 21	} 39
2,422 2,081	570 510	553 498	600 534	699 539	2,472 2,254	625 576	604 526	611 574	632 578	1,603 1,535	391 386	406 361	384 370	422 418	
1,393 1,487	354 363	346 354	353 380	340 390	1,468 1,618	359 410	333 378	359 431	417 399	1,039 1,043	256 234	249 251	256 282	278 276	} 41
— 1,820	— 459	— 425	— 472	— 464	— 1,617	— 414	— 389	— 422	— 392	— 900	— 233	— 218	— 218	— 231	
13 1,424	4 344	4 383	3 317	2 380	11 1,581	1 376	2 412	5 379	3 414	6 894	2 218	2 222	1 231	1 223	} 43
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

CAUSES of DEATH in EACH QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
44	Cancer of the skin ... { M F	702 385	167 100	171 98	165 88	199 99	75 36	24 9	16 7	17 7	18 13
45	Cancer of other or un- specified organs. { M F	4,557 2,425	1,076 577	1,115 599	1,153 639	1,213 610	705 322	173 82	185 86	164 75	183 79
39-45	Cancer (all sites)... { M F	19,659 24,028	4,833 5,913	4,766 5,844	4,866 6,079	5,194 6,192	2,593 2,997	649 722	651 748	625 739	668 788
46	Other tumours (situation undefined). { M F	82 110	18 26	16 30	21 31	27 23	11 9	5 2	1 3	3 3	2 1
47	Rheumatic fever... { M F	975 1,149	297 365	268 279	201 239	209 266	99 129	25 51	25 32	23 19	26 27
48 A, B	Chronic rheumatism, { M F Osteo-arthritis.	551 1,354	151 354	132 342	108 286	160 372	48 149	11 33	13 42	10 33	14 41
48C	Gout ... { M F	176 25	48 7	43 2	38 8	47 8	26 3	7 1	4 —	6 —	9 2
49	Scurvy ... { M F	16 15	5 2	3 5	5 —	3 8	1 1	— 1	— —	1 —	— —
50	Diabetes ... { M F	1,762 1,987	496 524	413 444	386 453	467 566	174 183	41 46	53 43	34 40	46 54
51	Exophthalmic goitre ... { M F	46 464	11 119	11 118	11 104	13 123	2 33	— 11	— 6	2 6	— 10
52	Addison's disease ... { M F	94 133	21 40	18 28	28 34	27 31	4 17	1 9	— 2	2 4	1 2
53	Leucocythæmia, Lympha- denoma. { M F	448 320	101 77	102 80	113 80	132 83	55 47	17 8	11 12	13 8	14 19
54	Anæmia, Chlorosis { M F	1,097 1,400	269 358	307 358	261 308	260 376	79 103	23 24	24 29	17 25	15 25
55	Other general diseases ... { M F	226 210	58 53	65 61	52 38	51 58	31 21	7 5	8 11	6 2	10 3
56	Alcoholism (acute or chronic). { M F	166 50	45 11	38 13	40 14	43 12	15 2	6 —	4 1	2 1	3 —
57	Chronic lead poisoning... { M F	56 5	19 —	9 2	11 3	17 —	5 —	1 —	1 —	2 —	1 —
58	Other chronic occupa- tional poisonings. { M F	2 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 4	— 1	1 3	— —	1 —	— 1	— —	— 1	— —	— —
60	Encephalitis ... { M F	465 396	137 110	116 117	105 75	107 94	71 51	21 13	15 19	20 11	15 8
61A	Cerebro-spinal fever ... { M F	236 176	79 54	62 58	47 28	48 36	48 37	19 15	12 11	10 3	7 8
61B	Posterior basal meningitis { M F	64 57	12 17	17 13	22 11	13 16	8 16	— 6	5 4	2 2	1 4
61C	Meningitis, other forms { M F	1,304 1,098	362 320	345 285	277 240	320 253	101 83	31 19	22 23	19 19	29 22
62	Locomotor ataxy... { M F	522 87	128 26	132 18	119 23	143 20	81 20	21 6	22 3	19 6	19 5
63B	Poliomyelitis, Polioen- cephalitis. { M F	78 56	23 20	17 8	15 15	23 13	11 7	3 2	1 1	3 2	4 2
63 A, C	Other diseases included under 63. { M F	1,367 1,145	398 301	306 274	255 247	408 323	162 129	50 34	30 29	26 26	56 40

in DIFFERENT CLASSES of AREA, 1920—*continued.*

AGGREGATE OF COUNTY BOROUGHs. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
236 105	50 24	58 29	62 27	66 25	204 138	51 38	49 35	36 34	68 31	186 106	42 29	48 27	50 20	46 30	44
1,515 791	362 185	351 195	365 218	437 193	1,459 821	350 191	353 201	375 214	381 215	848 491	180 119	220 117	240 132	208 123	
6,460 7,823	1,578 1,919	1,523 1,906	1,607 1,979	1,752 2,019	6,390 8,166	1,579 2,037	1,535 1,972	1,577 2,094	1,699 2,063	4,130 5,042	996 1,235	1,039 1,218	1,037 1,267	1,058 1,322	39-45
23 24	2 9	7 7	3 3	11 5	29 46	6 11	4 9	9 16	10 10	18 31	4 4	4 11	6 9	4 7	
304 398	83 131	92 96	66 85	63 86	390 416	137 115	102 110	80 83	71 108	179 206	50 68	49 41	31 52	49 45	47
158 417	46 119	38 96	26 75	48 127	186 478	53 129	37 115	37 105	59 129	159 310	41 73	44 89	35 73	39 75	
52 6	16 2	11 —	8 4	17 —	52 9	15 1	13 1	14 2	10 5	46 7	10 3	15 1	10 2	11 1	48C
6 3	2 —	2 —	— —	2 3	7 8	2 —	1 5	4 —	— 3	2 3	1 1	— —	— —	1 2	
597 670	154 172	147 148	157 153	139 197	622 695	191 193	134 146	132 168	165 188	366 439	110 113	78 107	62 92	116 127	50
14 144	6 35	3 39	1 38	4 32	20 177	3 44	5 50	6 34	6 49	10 110	2 29	3 23	2 26	3 32	
28 35	6 8	5 7	8 9	9 11	40 46	8 10	9 15	11 14	12 7	22 35	6 13	4 4	7 7	5 11	52
141 88	28 19	31 23	30 27	52 19	156 114	31 28	45 28	39 21	41 37	88 71	18 22	15 17	30 24	25 8	
378 449	83 120	108 103	82 98	105 128	420 522	108 127	114 144	112 110	86 141	216 326	54 87	60 82	49 75	53 82	54
60 79	19 21	16 24	11 14	14 20	86 71	25 18	18 14	25 14	18 25	48 39	7 9	23 12	10 8	8 10	
60 20	18 3	14 2	12 6	16 9	53 24	11 8	13 9	15 5	14 2	34 4	9 —	7 1	9 2	9 1	56
27 3	8 —	4 1	5 2	10 —	18 —	7 —	3 —	3 —	5 —	6 2	3 —	1 1	1 1	1 —	
2 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	58
1 —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	— 3	— 1	— 2	— —	— —	
138 151	32 36	29 35	43 34	34 46	150 128	45 38	44 43	25 17	36 30	97 66	33 23	27 20	17 13	20 10	60
89 65	32 18	23 24	20 10	14 13	67 49	17 16	20 12	13 10	17 11	30 25	11 5	7 11	4 5	8 4	
25 19	7 5	5 3	10 4	3 7	18 14	4 4	5 2	5 4	4 4	13 8	1 2	2 4	5 1	5 1	61B
540 456	152 142	134 117	109 93	145 104	423 342	115 95	127 89	92 77	89 81	234 217	60 64	60 56	57 51	57 46	
198 35	44 10	57 10	41 8	56 7	175 24	48 7	39 5	38 5	50 7	66 8	15 3	13 —	20 4	18 1	62
27 17	5 6	6 2	5 7	11 2	27 22	10 9	6 4	6 4	5 5	12 10	5 3	4 1	1 2	2 4	
412 362	118 112	102 91	68 70	124 89	457 423	131 105	102 95	86 101	138 122	328 231	94 50	72 59	73 50	89 72	63 A, C.

CAUSES of DEATH in EACH QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
64	Cerebral hæmorrhage, { Apoplexy. {	M 10,318 F 12,789	2,853 3,488	2,510 3,139	2,206 2,787	2,749 3,375	952 1,236	279 358	210 297	200 251	263 330
65	Softening of brain ... { F {	M 386 F 443	129 138	83 112	86 87	88 106	26 35	7 8	6 12	6 6	7 9
66	Paralysis without speci- { fied cause. {	M 1,009 F 1,283	273 341	261 334	206 286	269 322	82 113	25 28	18 28	11 28	28 29
67	General paralysis of the { insane. {	M 1,270 F 234	358 53	285 50	283 58	344 73	232 53	66 12	48 11	49 12	69 18
68	Other forms of mental { alienation. {	M 316 F 540	94 150	66 141	76 112	80 137	30 64	10 24	5 16	8 10	7 14
69	Epilepsy ... { F {	M 1,152 F 1,048	328 304	304 261	262 228	258 255	109 102	32 32	30 22	23 27	24 21
70	Convulsions (non-puer- { peral; 5 yrs. and over). {	M 28 F 35	10 13	5 9	4 6	9 7	1 1	1 —	— 1	— —	— —
71	Infantile convulsions { (under 5 years). {	M 3,481 F 2,559	1,077 818	934 677	650 481	820 583	179 159	63 38	42 52	31 35	43 34
72	Chorea ... { F {	M 46 F 93	11 35	12 25	14 14	9 19	2 13	— 4	1 4	— 2	1 3
73	Hysteria, Neuralgia, Neu- { ritis. {	M 98 F 131	23 31	21 32	23 30	31 38	9 12	3 4	2 2	— 4	4 2
74	Other diseases of the { nervous system. {	M 950 F 940	252 241	245 233	223 192	230 274	89 120	30 29	22 35	21 29	16 27
75	Diseases of the eyes and { annexa. {	M 31 F 29	6 8	7 4	7 8	11 9	6 2	2 1	1 —	— 1	3 —
76A	Mastoid disease ... { F {	M 186 F 154	49 49	56 42	47 31	34 32	33 39	7 13	12 12	11 11	3 3
76B	Other diseases of the ears { F {	M 492 F 387	145 95	118 109	102 83	127 100	50 58	16 13	12 16	10 9	12 20
77	Pericarditis ... { F {	M 204 F 156	58 53	59 38	33 33	54 32	38 28	10 10	12 8	8 5	8 5
78	Acute endocarditis ... { F {	M 1,215 F 1,097	283 276	287 247	304 264	341 310	198 199	45 50	46 44	51 54	56 51
79A	Valvular disease ... { F {	M 11,586 F 12,891	3,080 3,777	2,847 3,081	2,666 2,665	2,993 3,368	1,413 1,538	379 458	329 337	328 318	377 425
79B	Fatty degeneration of the { heart. {	M 1,052 F 1,221	292 351	248 293	227 265	285 312	184 190	54 63	41 47	45 42	44 38
79C	Other organic disease of { the heart. {	M 10,205 F 11,898	2,852 3,502	2,533 2,868	2,220 2,419	2,600 3,109	1,413 1,595	383 465	345 356	308 313	377 461
80	Angina pectoris ... { F {	M 687 F 342	187 75	170 94	149 82	181 91	69 33	19 10	18 8	15 5	17 10
81A	Aneurysm ... { F {	M 782 F 183	224 56	177 42	185 37	196 48	140 44	35 14	32 9	37 8	36 13
81B	Arterial sclerosis ... { F {	M 6,063 F 4,452	1,596 1,217	1,472 1,077	1,353 943	1,642 1,215	757 601	187 165	188 147	169 133	213 156
81C	Other diseases of arteries { F {	M 87 F 58	21 17	22 9	24 13	20 19	15 8	6 1	4 4	1 2	4 1

in DIFFERENT CLASSES of AREA, 1920—continued.

AGGREGATE OF COUNTY BOROUGHs. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
3,417 4,154	960 1,114	847 1,005	717 907	893 1,128	3,574 4,453	983 1,210	895 1,075	780 1,014	916 1,154	2,360 2,946	622 806	557 762	505 615	676 763	} 64
132 158	51 54	27 39	25 26	29 39	142 136	42 44	28 29	38 33	34 30	85 114	29 32	21 32	17 22	18 28	} 65
371 423	102 127	100 105	69 89	100 102	307 434	90 104	77 117	74 108	66 105	248 313	56 82	65 84	52 61	75 86	} 66
492 95	144 16	103 26	104 26	141 27	332 53	79 16	84 8	79 14	90 15	116 33	27 9	26 5	35 6	28 13	} 67
118 205	35 48	26 54	26 44	31 59	100 173	29 42	20 46	23 44	28 41	61 98	19 36	12 25	18 14	12 23	} 68
384 349	114 105	98 74	84 88	88 82	395 368	106 98	109 98	92 79	88 93	260 229	75 69	65 67	62 34	58 59	} 69
11 13	3 5	3 4	1 1	4 3	11 8	4 2	2 2	3 2	2 2	5 13	2 6	— 2	— 3	3 2	} 70
1,377 963	408 314	374 262	251 169	344 218	1,221 917	371 291	326 237	242 174	282 215	704 520	235 175	192 126	126 103	151 116	} 71
18 37	2 16	7 10	5 5	4 6	10 31	3 7	2 10	4 5	1 9	16 12	6 8	2 1	5 2	3 1	} 72
38 55	9 11	7 16	12 12	10 16	33 42	5 12	9 8	6 6	13 16	18 22	6 4	3 6	5 8	4 4	} 73
312 279	80 76	80 60	80 52	72 91	317 338	83 86	83 91	65 72	86 89	224 203	56 50	60 47	54 39	54 67	} 74
6 12	— 3	1 1	2 5	3 3	11 9	2 4	3 —	3 2	3 3	8 6	2 —	2 3	2 —	2 3	} 75
62 47	16 12	18 10	14 9	14 16	65 42	17 13	22 13	12 7	14 9	24 26	8 11	3 7	10 4	3 4	} 76A
189 159	54 37	45 47	44 36	46 39	145 114	44 33	31 29	32 25	38 27	99 56	25 12	28 17	16 13	30 14	} 76B
82 61	25 20	22 15	12 12	23 14	61 33	16 11	16 5	11 7	18 10	21 34	7 12	7 10	2 9	5 3	} 77
478 376	118 90	107 89	111 89	142 108	339 357	73 88	83 72	87 86	96 111	178 165	41 48	44 42	48 35	45 40	} 78
3,966 4,428	1,061 1,303	972 1,058	897 950	1,036 1,117	3,620 4,225	910 1,215	912 1,023	862 825	936 1,162	2,538 2,700	715 801	619 663	571 572	633 664	} 79A
314 381	87 104	74 93	60 74	93 110	340 407	94 116	86 99	69 87	91 105	209 243	56 68	47 54	50 62	56 59	} 79B
3,003 3,502	857 1,041	744 866	638 719	764 876	3,250 3,970	895 1,166	818 994	715 800	822 1,010	2,532 2,831	717 830	623 652	557 587	635 762	} 79C
249 100	75 22	54 24	57 26	63 28	234 134	55 28	67 40	50 30	62 36	133 75	37 15	31 22	26 21	39 17	} 80
327 61	95 20	71 13	79 14	82 14	203 61	61 20	46 16	46 9	50 16	98 17	29 2	25 4	19 6	25 5	} 81A
2,006 1,544	518 411	487 362	459 325	542 446	1,951 1,428	528 387	479 350	414 307	530 384	1,338 879	357 254	314 218	311 178	356 229	} 81B
32 25	6 8	8 3	13 6	5 8	26 13	7 4	5 —	8 3	6 6	14 12	2 4	5 2	2 2	5 4	} 81C

CAUSES of DEATH in each QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
82A	Cerebral embolism and thrombosis. { M F	1,157 1,666	324 438	280 403	246 349	307 476	138 215	40 52	38 44	30 48	30 71
82B	Other embolism and thrombosis. { M F	138 169	43 60	35 28	28 34	32 47	18 25	4 7	5 4	6 8	3 6
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	118 221	35 64	35 51	26 39	22 67	18 21	8 5	6 7	3 5	1 4
84A	Status lymphaticus ... { M F	85 58	27 15	14 12	19 11	25 20	16 14	5 4	4 3	4 3	3 4
84B	Other diseases of the lymphatic system. { M F	47 49	18 14	12 13	8 7	9 15	6 5	2 2	1 1	1 1	2 1
85	Hæmorrhage; other diseases of the circulatory system. { M F	201 241	51 73	44 57	49 48	57 63	29 42	9 13	8 10	5 8	7 11
86	Diseases of the nasal fossæ. { M F	48 25	17 10	13 3	6 3	12 9	6 4	1 1	2 2	— 1	3 —
87	Diseases of the larynx ... { M F	502 424	187 164	117 108	80 66	118 86	30 30	8 12	10 9	6 4	6 5
88	Diseases of the thyroid body. { M F	24 197	5 59	4 49	6 33	9 56	1 19	— 7	— 4	— 2	1 6
89 & 90	Bronchitis ... { M F	19,312 18,688	7,143 7,254	4,885 4,512	2,485 2,012	4,799 4,910	2,396 2,441	964 1,012	484 441	229 215	719 773
91	Broncho-pneumonia ... { M F	10,312 8,435	4,095 3,414	3,011 2,428	1,070 866	2,136 1,727	1,550 1,271	761 597	295 278	129 89	365 307
92A	Lobar pneumonia ... { M F	5,360 3,105	1,659 1,038	1,412 891	929 459	1,360 717	762 490	265 161	181 141	115 65	201 123
92B	Pneumonia (type not stated). { M F	5,936 4,001	2,066 1,542	1,689 1,084	908 546	1,273 829	731 511	292 237	165 120	96 48	178 106
93	Pleurisy ... { M F	785 548	218 163	212 136	173 117	182 132	111 88	26 35	41 18	21 19	23 16
94	Pulmonary congestion, Pulmonary apoplexy. { M F	542 632	181 188	126 159	91 114	144 171	67 90	25 24	13 24	10 24	19 18
95	Gangrene of the lung ... { M F	38 19	11 5	10 6	6 5	11 3	7 4	2 —	1 1	3 2	1 1
96	Asthma ... { M F	1,028 757	319 258	218 163	178 109	313 227	141 94	41 31	25 19	20 14	55 30
97	Pulmonary emphysema { M F	158 64	46 28	37 8	24 11	51 17	26 15	10 5	5 3	2 2	9 5
98A	Fibroid disease of lung... { M F	178 46	62 15	34 7	34 7	48 17	16 5	8 —	2 1	3 2	3 2
98B	Other diseases of the respiratory system. { M F	138 79	32 25	31 22	37 16	38 16	17 12	3 1	3 6	9 3	2 2
99A	Diseases of the teeth and gums. { M F	159 135	37 31	42 36	42 32	38 36	19 13	3 3	6 2	6 5	4 3
99B, C, D.	Other diseases of the mouth and annæa. { M F	59 63	20 18	10 19	19 10	10 16	7 9	— 4	1 4	4 —	2 1
100	Diseases of pharynx, Tonsillitis. { M F	394 309	110 85	99 79	96 67	89 78	49 38	18 12	12 11	13 6	6 9

in DIFFERENT CLASSES of AREA, 1920—*continued.*

AGGREGATE OF COUNTY BOROUGHES. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
307 510	90 131	68 140	77 100	72 139	430 568	119 147	102 131	81 127	128 163	281 373	75 108	72 88	57 74	77 103	82A
46 45	20 15	11 7	7 6	8 17	53 55	14 16	11 12	11 14	17 13	20 44	4 22	8 5	4 6	4 11	
36 67	11 14	10 14	6 13	9 26	36 72	11 26	8 18	12 11	5 17	27 61	4 19	11 12	5 10	7 20	83
29 21	10 2	5 6	5 4	9 9	25 18	8 8	4 2	4 4	9 4	15 5	4 1	1 1	6 —	4 3	
17 18	5 5	6 7	5 2	1 4	13 21	7 7	3 3	2 2	1 9	8 5	2 —	1 2	— 2	5 1	84B
60 64	10 19	10 17	20 13	20 15	69 74	23 21	14 19	18 14	14 20	43 61	9 20	12 11	6 13	16 17	
17 10	6 3	5 —	3 1	3 6	17 8	7 4	4 —	1 1	5 3	8 3	3 2	2 1	2 —	1 —	86
162 135	58 57	42 29	19 22	43 27	189 166	80 61	36 46	29 23	44 36	121 93	41 34	29 24	26 17	25 18	
10 54	1 15	4 15	2 9	3 15	8 69	1 20	— 15	4 14	3 20	5 55	3 17	— 15	— 8	2 15	88
7,906 7,489	2,901 2,903	1,976 1,779	1,100 840	1,929 1,967	6,030 5,855	2,244 2,295	1,573 1,456	777 621	1,436 1,483	2,961 2,903	1,023 1,044	849 836	377 336	712 687	
4,474 3,713	1,800 1,531	1,309 1,051	442 376	923 755	3,014 2,489	1,101 946	961 766	326 287	626 490	1,237 962	414 340	435 333	170 114	218 175	91
2,353 1,221	711 427	613 345	435 176	594 273	1,520 958	445 305	424 273	265 147	386 233	669 436	208 145	183 132	109 71	169 88	
2,441 1,597	825 643	705 417	376 223	535 314	1,816 1,233	612 429	540 361	297 169	367 274	901 660	306 233	266 186	138 106	191 135	92B
278 178	81 48	66 50	71 39	60 41	246 171	68 50	61 43	53 39	64 39	144 111	41 30	42 25	26 20	35 36	
176 210	60 76	38 48	32 32	46 54	172 201	56 45	44 55	27 32	45 69	126 131	40 43	30 32	22 26	34 30	94
17 4	7 2	5 1	— 1	5 —	11 8	2 3	3 3	1 1	5 1	3 3	— —	1 1	2 1	— 1	
353 264	120 95	74 50	61 38	98 81	341 247	103 83	89 57	55 33	94 74	191 152	54 49	29 37	42 24	66 42	96
49 21	18 10	10 2	7 2	14 7	51 18	14 6	9 2	11 5	17 5	32 10	4 7	13 1	4 2	11 —	
49 18	14 9	8 2	11 3	16 4	64 15	22 2	12 3	11 2	19 8	49 8	18 4	12 1	9 —	10 3	98A
58 29	16 12	9 4	15 7	18 6	40 25	10 9	10 8	9 2	11 6	21 13	3 3	7 4	4 4	7 2	
59 43	14 9	16 10	12 10	17 14	53 50	17 12	9 15	18 11	9 12	27 29	3 7	10 9	6 6	8 7	99A
21 22	9 8	3 7	7 3	2 4	17 25	7 5	2 7	5 3	3 10	14 7	4 1	4 1	3 4	3 1	
124 81	34 25	28 14	28 16	34 26	137 110	36 21	30 32	40 29	31 28	74 80	18 27	26 22	13 16	17 15	100

CAUSES OF DEATH in EACH QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
101	Diseases of œsophagus ... {	M 35	11	9	11	4	5	1	1	3	—
	F 29	11	4	12	2	1	1	—	—	—	—
102	Perforating ulcer of {	M 1,141	319	296	272	254	165	40	43	40	42
	F 834	247	224	162	201	104	32	26	28	18	
103A	Inflammation of stomach {	M 1,406	334	347	320	405	99	16	24	29	30
	F 1,350	386	313	323	328	97	30	26	19	22	
103B	Other diseases of the {	M 249	55	61	54	79	17	3	2	4	8
	F 202	58	51	39	54	14	4	3	3	4	
104 & 105.	Diarrhœa and enteritis ... {	M 6,640	1,173	1,255	2,048	2,164	872	177	160	274	261
	F 5,047	819	923	1,610	1,695	623	124	114	203	182	
106	Ankylostomiasis ... {	M 1	1	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites {	M 5	3	1	—	1	1	—	1	—	—
	F 8	5	1	—	2	—	—	—	—	—	—
108	Appendicitis ... {	M 1,389	353	323	310	403	175	46	41	45	43
	F 1,142	285	296	275	286	117	20	28	34	35	
109A	Hernia ... {	M 795	199	202	162	232	118	35	27	17	39
	F 875	226	220	194	235	118	39	28	23	28	
109B	Intestinal obstruction ... {	M 1,297	317	316	321	343	156	34	41	39	42
	F 1,209	318	271	307	313	158	38	40	43	37	
110	Other diseases of the {	M 250	49	65	61	75	27	2	10	4	11
	F 240	61	57	58	64	33	7	8	7	11	
111	Acute yellow atrophy of {	M 25	6	4	8	7	3	—	—	1	2
	F 51	9	11	15	16	10	3	1	4	2	
112	Hydatid of liver ... {	M 8	2	2	1	3	2	—	1	—	1
	F 11	—	2	2	7	1	—	—	—	1	
113	Cirrhosis of the liver ... {	M 1,180	283	275	306	316	163	43	38	37	45
	F 583	126	146	157	154	96	22	19	29	26	
114	Biliary calculi ... {	M 212	48	56	49	59	22	7	4	7	4
	F 569	149	127	142	151	57	14	9	13	21	
115	Other diseases of the liver {	M 362	96	96	77	93	28	6	9	7	6
	F 447	103	113	115	116	52	8	18	10	16	
116	Diseases of the spleen ... {	M 18	3	1	9	5	3	—	—	1	2
	F 21	8	2	6	5	2	—	1	1	—	
117	Peritonitis (cause un- {	M 172	55	38	33	46	24	9	6	4	5
	F 258	81	67	53	57	25	12	7	4	2	
118	Other diseases of the {	M 122	32	30	26	34	16	3	5	2	6
	F 111	21	37	26	27	13	2	6	4	1	
119	Acute nephritis ... {	M 836	251	222	172	191	76	23	22	13	18
	F 757	233	182	174	168	57	22	18	7	10	
120	Bright's disease ... {	M 5,771	1,601	1,418	1,245	1,507	765	226	194	146	199
	F 4,920	1,343	1,131	1,111	1,335	645	181	145	141	178	
121	Chyluria ... {	M 1	—	—	1	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the {	M 285	84	61	70	70	54	16	9	13	16
	F 270	74	55	68	73	41	12	11	10	8	

in DIFFERENT CLASSES of AREA, 1920—continued.

AGGREGATE OF COUNTY BOROUGHS. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
12 13	5 4	2 1	3 6	2 2	11 10	2 3	4 2	4 5	1 —	7 5	3 3	2 1	1 1	1 —	} 101
435 282	138 83	107 81	96 48	94 70	326 297	84 87	84 82	79 49	79 79	198 151	49 45	60 35	54 37	35 34	
542 475	146 129	133 102	119 116	144 128	473 508	105 138	122 117	96 131	150 122	290 270	67 89	67 68	75 57	81 56	} 103A
72 60	18 17	24 19	14 10	16 14	89 72	18 20	20 19	20 13	31 20	69 56	15 17	14 10	16 13	24 16	
2,821 2,074	460 316	531 351	895 690	935 717	2,029 1,579	362 245	390 303	611 494	666 537	911 771	172 134	173 155	266 223	300 259	} 104 & 105
— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
1 —	1 —	— —	— —	— —	3 2	2 2	— —	— —	1 —	— 6	— 3	— 1	— —	— 2	} 107
463 375	108 102	110 97	104 89	141 87	474 426	128 112	102 100	105 110	139 104	260 224	64 51	68 71	52 42	76 60	
268 309	72 78	58 81	56 66	82 84	241 285	52 68	72 65	57 68	60 84	168 163	40 41	45 46	32 37	51 39	} 109A
414 383	88 108	102 85	97 79	127 111	448 402	119 95	106 91	111 123	112 93	273 266	74 77	63 55	74 62	62 72	
83 64	15 18	20 10	25 23	23 13	70 86	15 27	17 22	17 13	21 24	67 57	17 9	17 17	14 15	19 16	} 110
8 12	1 1	2 3	4 3	1 5	6 17	2 3	2 5	— 6	2 3	7 12	2 2	— 2	3 2	2 6	
3 5	2 —	— 1	— 2	1 2	2 2	— —	— —	1 —	1 2	1 3	— —	1 1	— —	— 2	} 112
364 186	96 35	77 48	101 49	90 54	407 206	94 51	93 55	105 53	115 47	243 95	50 18	66 24	62 26	65 27	
68 174	10 47	21 34	17 42	20 51	73 214	18 58	19 54	12 52	24 50	48 124	12 30	12 30	13 35	11 29	} 114
121 150	32 32	23 33	31 38	35 47	126 158	34 41	34 40	26 45	32 32	79 87	22 22	26 22	13 22	18 21	
6 12	2 4	1 1	2 4	1 3	5 5	— 4	— —	4 —	1 1	4 2	1 —	— —	2 1	1 1	} 116
48 85	12 27	10 21	12 19	14 18	59 85	21 25	12 21	9 16	17 23	39 63	12 17	9 18	8 14	10 14	
47 32	15 6	8 6	14 9	10 11	39 42	9 9	13 16	8 10	9 7	16 24	3 4	3 9	1 3	9 8	} 118
321 282	89 89	86 63	65 71	81 59	274 265	89 80	68 61	59 64	58 60	156 153	47 42	42 40	33 32	34 39	
1,987 1,616	571 424	456 364	430 371	530 457	1,843 1,656	482 478	464 369	411 376	486 433	1,150 1,003	313 260	296 253	253 223	288 267	} 120
1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
96 86	30 25	18 16	25 28	23 17	77 98	22 25	22 18	17 21	16 34	55 45	14 12	12 10	15 9	14 14	} 122

CAUSES of DEATH in EACH QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
123	Calculi of the urinary passages. { M F	178 91	44 23	39 28	43 19	52 21	21 13	8 2	2 5	4 5	7 1
124	Diseases of the bladder ... { M F	972 239	223 60	262 60	218 58	269 61	108 29	26 3	34 8	20 9	28 9
125	Diseases of the urethra, { M Urinary abscess, &c. { F	373 4	87 2	104 1	91 —	91 1	60 —	7 —	21 —	15 —	17 —
126	Diseases of the prostate ... { M F	1,842 —	418 —	469 —	431 —	524 —	224 —	55 —	53 —	57 —	59 —
127	Non-venereal diseases of { M male genital organs. { F	45 —	16 —	14 —	6 —	9 —	6 —	1 —	4 —	— —	1 —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 37	— 12	— 7	— 4	— 14	— 4	— 3	— 1	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 348	— 86	— 85	— 73	— 104	— 39	— 9	— 10	— 12	— 8
130	Other diseases of the { M uterus. { F	— 207	— 60	— 48	— 57	— 42	— 19	— 5	— 4	— 6	— 4
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 309	— 93	— 70	— 63	— 83	— 38	— 15	— 10	— 6	— 7
132	Other diseases of the { M female genital organs. { F	— 215	— 74	— 52	— 43	— 46	— 41	— 12	— 10	— 8	— 11
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	1 34	1 3	— 6	— 12	— 13	— 3	— —	— 2	— 1	— —
134	Accidents of pregnancy ... { M F	— 329	— 99	— 75	— 81	— 74	— 24	— 5	— 6	— 7	— 6
135	Puerperal hæmorrhage ... { M F	— 521	— 141	— 136	— 114	— 130	— 42	— 14	— 12	— 6	— 10
136	Other accidents of child- { M birth. { F	— 418	— 122	— 100	— 89	— 107	— 38	— 11	— 14	— 8	— 5
137	Puerperal fever ... { M F	— 1,730	— 583	— 425	— 348	— 374	— 215	— 78	— 41	— 43	— 53
138	Puerperal albuminuria { M and convulsions. { F	— 749	— 193	— 189	— 211	— 156	— 57	— 16	— 13	— 17	— 11
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 347	— 100	— 78	— 79	— 90	— 27	— 5	— 6	— 7	— 9
140	Puerperal insanity ... { M F	— 40	— 12	— 5	— 9	— 14	— 4	— 1	— 1	— 1	— 1
141	Puerperal diseases of the { M breast. { F	— 10	— —	— 3	— 3	— 4	— 2	— —	— 1	— 1	— —
134- 141	All accidents of preg- nancy and childbirth. { M F	— 4,144	— 1,250	— 1,011	— 934	— 949	— 409	— 130	— 94	— 90	— 95
142A	Senile gangrene ... { M F	613 586	178 190	171 163	127 113	137 120	31 64	12 23	12 13	5 15	2 13
142B, C, D.	Gangrene, other types ... { M F	77 71	23 21	17 21	16 15	21 14	7 11	3 3	3 3	1 1	— 4
143	Carbuncle, Boil ... { M F	204 90	73 21	52 20	41 21	38 28	24 8	7 2	5 2	5 2	7 2
144	Phlegmon, Acute abscess { M F	485 353	154 109	95 82	101 74	135 88	73 55	32 19	9 8	18 12	14 16
145	Diseases of the integu- mentary system. { M F	474 491	134 144	120 123	104 107	116 117	53 47	21 16	12 8	7 10	13 13

in DIFFERENT CLASSES of AREA, 1920--*continued.*

AGGREGATE OF COUNTY BOROUGHES. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
49 20	12 5	14 5	9 4	14 6	72 43	16 11	12 13	22 9	22 10	34 15	7 5	11 5	7 1	9 4	} 123
266 69	56 16	76 19	52 16	82 18	325 74	87 21	78 14	82 19	78 20	269 67	50 20	74 19	64 14	81 14	
169 2	47 1	44 1	36 —	42 —	100 —	22 —	28 —	27 —	23 —	43 2	10 1	11 —	13 —	9 1	} 125
520 —	123 —	134 —	125 —	138 —	593 —	129 —	147 —	131 —	186 —	504 —	111 —	135 —	117 —	141 —	
19 —	9 —	3 —	3 —	4 —	13 —	4 —	5 —	1 —	3 —	7 —	2 —	2 —	2 —	1 —	} 127
13 —	5 —	3 —	— —	5 —	16 —	4 —	1 —	4 —	7 —	4 —	— —	2 —	— —	2 —	
117 —	31 —	31 —	22 —	33 —	124 —	29 —	28 —	28 —	39 —	68 —	17 —	16 —	11 —	24 —	} 129
75 —	25 —	20 —	11 —	19 —	70 —	24 —	13 —	20 —	13 —	43 —	6 —	11 —	20 —	6 —	
89 —	28 —	16 —	19 —	26 —	102 —	30 —	25 —	25 —	22 —	80 —	20 —	19 —	13 —	28 —	} 131
75 —	31 —	20 —	12 —	12 —	68 —	22 —	14 —	15 —	17 —	31 —	9 —	8 —	8 —	6 —	
1 11	1 2	— 1	— 1	— 7	— 14	— 1	— 2	— 7	— 4	— 6	— —	— 1	— 3	— 2	} 133
119 —	35 —	21 —	30 —	33 —	127 —	46 —	27 —	30 —	24 —	59 —	13 —	21 —	14 —	11 —	
190 —	52 —	41 —	50 —	47 —	179 —	46 —	51 —	33 —	49 —	110 —	29 —	32 —	25 —	24 —	} 135
134 —	30 —	29 —	37 —	38 —	152 —	48 —	33 —	31 —	40 —	94 —	33 —	24 —	13 —	24 —	
641 —	218 —	163 —	123 —	137 —	559 —	179 —	146 —	117 —	117 —	315 —	108 —	75 —	65 —	67 —	} 137
251 —	69 —	59 —	69 —	54 —	273 —	70 —	71 —	81 —	51 —	168 —	38 —	46 —	44 —	40 —	
116 —	37 —	28 —	25 —	26 —	114 —	32 —	24 —	30 —	28 —	90 —	26 —	20 —	17 —	27 —	} 139
16 —	3 —	2 —	5 —	6 —	9 —	2 —	— —	3 —	4 —	11 —	6 —	2 —	— —	3 —	
2 —	— —	1 —	— —	1 —	2 —	— —	1 —	1 —	— —	4 —	— —	— —	1 —	3 —	} 141
1,469 178	444 57	344 37	339 38	342 46	1,415 206	423 54	353 58	326 50	313 44	851 198	253 55	220 64	179 34	199 45	
173 29	53 10	46 6	34 5	40 8	210 23	65 3	62 4	39 7	44 9	139 17	49 6	42 4	25 3	23 4	} 142A
28 73	7 32	11 16	6 12	4 13	15 69	6 25	3 17	5 16	1 11	17 37	5 8	4 14	3 8	5 7	
37 151	6 44	13 30	8 33	10 44	30 158	6 48	5 31	6 29	13 50	15 99	7 30	— 25	5 18	3 26	} 143
108 175	35 52	28 40	26 45	19 38	120 145	41 38	26 43	19 27	34 37	70 99	14 22	20 25	17 25	19 27	
155 175	40 52	45 40	26 45	44 38	182 145	57 38	45 43	47 27	33 37	107 99	31 22	25 25	24 25	27 27	} 145
173 29	53 10	46 6	34 5	40 8	210 23	65 3	62 4	39 7	44 9	139 17	49 6	42 4	25 3	23 4	
28 73	7 32	11 16	6 12	4 13	15 69	6 25	3 17	5 16	1 11	17 37	5 8	4 14	3 8	5 7	} 142B, C, D
37 151	6 44	13 30	8 33	10 44	30 158	6 48	5 31	6 29	13 50	15 99	7 30	— 25	5 18	3 26	
108 175	35 52	28 40	26 45	19 38	120 145	41 38	26 43	19 27	34 37	70 99	14 22	20 25	17 25	19 27	} 144
155 175	40 52	45 40	26 45	44 38	182 145	57 38	45 43	47 27	33 37	107 99	31 22	25 25	24 25	27 27	
175 155	52 40	40 45	45 26	38 44	145 182	38 57	43 45	27 47	37 33	99 107	22 31	25 25	25 24	27 27	} 145
155 175	40 52	45 40	26 45	44 38	182 145	57 38	45 43	47 27	33 37	107 99	31 22	25 25	24 25	27 27	

CAUSES of DEATH in EACH QUARTER of the YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
146	Diseases of the bones ... { M F	374 215	108 58	87 55	83 54	96 48	57 32	14 7	11 12	16 4	16 9
147	Diseases of the joints ... { M F	87 101	26 23	19 25	13 22	29 31	14 12	4 2	5 2	2 6	3 2
148	Amputations ... { M F	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	13 20	1 5	1 3	5 5	6 7	1 3	— 1	— —	1 1	— 1
150	Congenital malformations { M F	2,350 1,913	690 514	584 486	531 458	545 455	301 210	100 55	74 47	64 60	63 48
151A	Premature birth ... { M F	9,714 7,586	2,783 2,202	2,535 1,945	2,135 1,729	2,261 1,710	1,034 813	345 266	281 191	188 199	220 157
151 B-E.	Infantile debility, Icterus and Sclerema { M F	5,057 3,375	1,532 938	1,252 903	1,026 699	1,247 835	551 380	173 104	120 83	119 87	139 106
152	Other diseases peculiar to early infancy. { M F	1,814 1,229	486 401	468 293	412 240	448 295	225 161	50 53	60 37	57 29	58 42
153	Lack of care ... { M F	184 135	47 52	52 32	43 23	42 28	33 27	9 10	8 7	10 4	6 6
154	Old age ... { M F	10,917 15,471	3,136 4,560	2,628 3,794	2,071 2,989	3,082 4,128	863 1,426	259 455	217 331	158 250	229 390
155	Suicide by poison ... { M F	185 129	50 35	62 40	44 27	29 27	45 31	13 9	15 10	10 4	7 8
156	Suicide by asphyxia ... { M F	160 110	33 29	39 25	41 29	47 27	34 24	9 8	7 4	8 9	10 3
157	Suicide by hanging or strangulation. { M F	567 155	139 33	173 49	162 40	93 33	55 25	11 6	20 10	12 6	12 3
158	Suicide by drowning ... { M F	490 397	106 94	170 118	127 108	87 77	51 37	9 12	18 8	16 14	8 3
159	Suicide by firearms ... { M F	238 15	64 4	59 4	60 3	55 4	28 3	7 1	9 1	6 1	6 —
160	Suicide by cutting or piercing instruments. { M F	583 108	133 28	173 38	131 28	146 14	77 8	13 3	25 3	14 2	25 —
161	Suicide by jumping from high place. { M F	57 42	13 12	19 9	14 12	11 9	16 12	5 2	4 4	3 3	4 3
162	Suicide by crushing ... { M F	138 22	37 5	39 1	40 9	22 7	16 6	4 1	5 —	7 3	— 2
163	Other suicides ... { M F	9 20	6 5	— 7	2 3	1 5	1 —	1 —	— —	— —	— —
164	Poisoning by food ... { M F	32 26	8 4	4 5	11 13	9 4	6 4	— —	1 —	4 4	1 —
165	Other acute poisonings ... { M F	73 54	12 10	22 14	21 17	18 13	11 8	3 1	3 4	2 —	3 3
166	Conflagration ... { M F	43 45	15 30	9 4	5 5	14 6	7 6	4 2	— 1	— —	3 3
167	Burns (conflagration ex- cepted). { M F	747 1,038	238 360	151 202	128 170	230 306	61 105	17 38	13 19	7 8	24 40
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	464 327	143 112	114 75	89 55	118 85	69 60	28 23	15 14	13 10	13 13

in DIFFERENT CLASSES OF AREA, 1920—continued.

AGGREGATE OF COUNTY BOROUGHs. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
123 63	33 19	32 12	20 22	38 10	117 76	36 22	25 18	30 19	26 17	69 44	22 10	18 13	13 9	16 12	} 146
32 27	10 6	6 5	6 7	10 9	27 36	4 6	6 12	4 6	13 12	13 26	7 9	2 6	1 3	3 8	
— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
4 7	— 2	— 2	2 2	2 1	6 6	1 1	1 1	1 1	3 3	2 4	— 1	— —	1 1	1 2	
804 664	230 176	200 174	184 153	190 161	787 644	227 186	195 151	179 154	186 153	458 395	133 97	115 114	104 91	106 93	} 150
3,799 2,864	1,043 798	996 723	844 650	916 693	3,093 2,475	905 748	795 643	674 523	719 561	1,788 1,434	490 390	463 388	429 357	406 299	
1,860 1,225	550 347	453 327	368 244	489 307	1,692 1,121	522 329	432 289	345 225	393 278	954 649	287 158	247 204	194 143	226 144	} 151 B-E
635 462	166 137	184 121	122 100	163 104	589 356	163 121	130 78	147 63	149 94	365 250	107 90	94 57	86 48	78 55	
71 38	20 16	16 9	17 7	18 6	53 48	12 16	18 13	10 8	13 11	27 22	6 10	10 3	6 4	5 5	} 153
3,240 4,593	987 1,402	730 1,093	633 866	890 1,232	3,606 5,459	988 1,571	904 1,376	676 1,065	1,038 1,447	3,207 3,993	901 1,132	777 994	604 808	925 1,059	
54 43	11 15	21 13	14 11	8 4	53 36	18 6	15 11	11 9	9 10	27 19	5 5	9 6	9 3	4 5	} 155
80 51	13 11	20 10	22 14	25 16	41 34	11 9	10 11	10 6	10 8	2 1	— 1	1 —	— —	1 —	
157 53	37 13	48 17	46 13	26 10	184 43	53 8	48 13	56 11	27 11	161 34	33 6	54 9	46 10	28 9	} 157
149 117	30 24	54 32	38 38	27 23	165 153	45 37	51 46	41 42	28 28	119 90	22 21	45 32	29 14	23 23	
49 3	14 1	10 1	15 1	10 —	49 3	12 1	13 1	10 1	14 —	94 6	25 1	21 1	27 —	21 4	} 159
177 36	31 6	55 17	45 9	46 4	214 45	58 13	58 12	48 13	50 7	97 19	24 6	29 6	22 4	22 3	
21 10	5 4	8 3	6 1	2 2	17 15	2 3	6 2	5 8	4 2	3 5	1 3	1 —	— —	1 2	} 161
38 2	9 —	12 —	10 1	7 1	59 7	15 —	20 —	12 3	12 4	20 7	7 4	2 1	8 2	3 —	
2 10	1 4	— 4	1 —	— 2	4 8	2 1	— 1	1 3	1 3	2 2	2 —	— 2	— —	— —	} 163
13 9	4 —	1 3	3 5	5 1	8 8	2 2	1 2	3 4	2 —	5 5	2 2	1 —	1 —	1 3	
26 14	5 1	9 3	8 7	4 3	22 16	3 5	5 3	7 4	7 4	11 16	1 3	5 4	3 6	2 3	} 165
16 25	7 18	2 2	1 2	6 3	10 8	4 5	3 —	1 3	2 —	9 6	— 5	4 1	3 —	2 —	
341 397	109 146	76 84	59 63	97 104	229 344	69 116	47 64	43 65	70 99	109 192	41 60	14 35	15 34	39 63	} 167
175 145	62 47	44 36	26 23	43 39	144 89	34 29	34 18	37 17	39 25	73 33	19 13	20 7	13 5	21 8	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
169	Accidental drowning ... { M F	1,520 358	304 85	487 108	481 92	248 73	145 28	19 6	45 8	61 6	20 8
170	Injury by firearms ... { M F	90 12	21 1	21 4	27 4	21 3	2 2	1 —	— —	— 1	1 1
171	Injury by cutting or piercing instruments. { M F	16 6	2 1	4 —	6 1	4 4	2 —	— —	1 —	— —	1 —
172	Injury by fall ... { M F	1,694 1,206	418 329	414 273	432 269	430 335	265 196	61 56	69 39	70 46	65 55
173	Injury in mines and quarries. { M F	964 1	245 1	232 —	252 —	235 —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	317 22	99 4	68 7	74 6	76 5	28 2	5 —	10 —	7 1	6 1
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	3,126 700	763 162	760 167	863 184	740 187	414 129	104 40	103 29	114 32	93 28
176	Injury by animals ... { M F	61 8	14 —	14 3	20 3	13 2	3 1	1 —	— 1	— —	2 —
177	Starvation ... { M F	14 2	6 —	2 1	1 —	5 1	2 1	— —	— —	— —	2 1
178	Excessive cold ... { M F	29 10	13 4	1 2	— 1	15 3	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	13 13	1 —	11 11	1 2	— —	— 3	— —	— 3	— —	— —
180	Lightning ... { M F	11 —	— —	7 —	2 —	2 —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	26 —	9 —	10 —	4 —	3 —	3 —	2 —	1 —	— —	— —
182	Homicide by firearms ... { M F	6 12	1 3	4 5	— 2	1 2	1 5	— 1	1 2	— 1	— 1
183	Homicide by cutting or piercing instruments. { M F	23 34	5 11	8 7	4 5	6 11	4 3	1 1	2 —	— —	1 2
184	Homicide by other means { M F	113 100	31 31	25 23	37 26	20 20	12 23	2 5	3 6	6 8	1 4
185	Fractures (cause not specified). { M F	34 17	9 8	8 4	7 4	10 1	2 2	— 1	— —	1 —	1 1
186	Other violence ... { M F	621 128	190 25	153 41	150 22	128 40	79 29	16 7	19 9	21 2	23 11
155- 186	All violence ... { M F	12,464 5,117	3,128 1,426	3,263 1,247	3,236 1,140	2,837 1,304	1,439 753	336 223	389 175	382 161	332 194
187	Dropsy ... { M F	5 9	1 5	2 3	— —	2 1	1 —	— —	— —	— —	1 —
188A	Syncope (aged 1 year and under 70). { M F	118 85	37 23	34 21	23 21	24 20	1 3	— 1	— 1	— 1	1 —
188B	Sudden death (not other- wise defined). { M F	4 2	1 2	— —	2 —	1 —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	621 462	190 124	128 118	135 112	168 108	8 12	2 3	— 4	2 1	4 4
189 B-E.	Other ill-defined causes { M F	299 250	94 78	87 53	49 60	69 59	16 13	4 3	7 2	2 4	3 4
189F	Cause not specified ... { M F	63 39	14 8	19 14	13 8	17 9	5 2	3 —	1 —	— 1	1 1

in DIFFERENT CLASSES of AREA, 1920—*continued.*

AGGREGATE OF COUNTY BOROUGH. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
511 119	97 29	167 32	163 32	84 26	519 120	99 32	172 41	159 25	89 22	293 91	72 18	92 27	85 29	44 17	} 169
16 2	3 —	5 —	7 1	1 1	15 5	2 1	2 2	5 1	6 1	53 3	15 —	13 2	14 1	11 —	
5 2	— —	2 —	1 1	2 1	5 2	1 1	1 —	2 —	1 1	4 2	1 —	— —	3 —	— 2	} 171
683 495	181 128	160 127	175 103	167 137	494 320	116 95	130 67	119 72	129 86	240 195	55 50	53 40	64 48	68 57	} 172
129 1	35 1	31 —	27 —	36 —	524 —	133 —	132 —	136 —	123 —	311 —	77 —	69 —	89 —	76 —	} 173
119 9	43 1	15 5	30 2	31 1	104 5	33 2	26 2	25 —	20 1	64 6	18 1	17 —	11 3	18 2	} 174
985 258	251 57	227 57	271 66	236 78	960 193	231 40	232 47	265 56	232 50	714 120	164 25	180 34	203 30	167 31	} 175
12 1	4 —	2 —	5 —	1 1	15 1	— —	2 —	8 1	5 —	30 5	9 —	10 2	6 2	5 1	} 176
4 —	2 —	1 —	— —	1 —	5 1	2 —	1 1	1 —	1 —	3 —	2 —	— —	— —	1 —	} 177
4 5	— 3	— 2	— —	4 —	8 2	3 —	1 —	— —	4 2	17 3	10 1	— —	— 1	7 1	} 178
5 3	— —	5 3	— —	— —	4 5	— —	4 3	— 2	— —	3 2	— —	2 2	1 —	— —	} 179
2 —	— —	2 —	— —	— —	3 —	— —	2 —	— —	1 —	6 —	— —	3 —	2 —	1 —	} 180
14 —	5 —	5 —	1 —	3 —	8 —	2 —	3 —	3 —	— —	1 —	— —	1 —	— —	— —	} 181
1 4	— 2	— 2	— —	1 —	2 2	1 —	1 1	— 1	— —	1 1	— —	1 —	— —	— 1	} 182
8 18	2 6	5 4	— 3	1 5	8 10	2 3	1 2	3 2	2 3	3 3	— 1	— 1	1 —	2 1	} 183
35 20	10 7	6 7	12 3	7 3	38 31	9 10	11 6	10 8	8 7	27 26	9 9	5 4	9 7	4 6	} 184
18 7	6 2	5 3	4 2	3 —	11 6	3 4	3 1	2 1	3 —	3 2	— 1	— —	— 1	3 —	} 185
195 47	61 6	54 11	51 10	29 20	180 31	57 5	36 13	45 6	42 7	87 21	25 7	16 8	21 4	25 2	} 186
4,044 1,906	1,038 532	1,052 478	1,041 411	913 485	4,102 1,543	1,022 428	1,071 370	1,068 364	941 381	2,592 915	639 243	668 224	685 204	600 244	} 155- 186
1 4	— 3	— —	— —	1 1	2 3	— 1	2 2	— —	— —	1 2	1 1	— 1	— —	— —	
39 33	15 12	8 7	7 8	9 6	36 25	9 6	13 6	10 6	4 7	40 24	12 4	12 7	6 6	10 7	} 188A
— —	— —	— —	— —	— —	3 2	1 2	— —	2 —	— —	1 —	— —	— —	— —	1 —	} 188B
177 125	49 35	38 26	48 31	42 33	234 180	73 52	45 46	42 48	74 34	201 145	65 34	45 42	43 32	48 37	} 189A
112 91	30 28	33 18	21 25	28 20	97 77	34 29	26 15	14 16	23 17	72 69	25 18	20 18	12 15	15 18	} 189 B-E
16 5	3 —	6 2	2 2	5 1	11 15	2 3	2 9	2 2	5 1	31 17	6 5	10 3	9 3	6 6	} 189F

ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT
AGE-PERIODS, 1920.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards.
ALL CAUSES	1,450	142 ^o	306	256	219	194	143	85	57	48
Enteric fever	4	—	2	1	—	—	1	—	—	—
Malaria	12	—	2	4	3	1	—	—	2	—
Measles	2	1	1	—	—	—	—	—	—	—
Scarlet fever	1	1	—	—	—	—	—	—	—	—
Diphtheria	4	2	—	2	—	—	—	—	—	—
Influenza	151	42*	31	30	24	9	8	4	2	1
Dysentery	7	—	1	1	4	1	—	—	—	—
Erysipelas	1	—	—	—	—	1	—	—	—	—
Trench Fever	1	—	—	—	1	—	—	—	—	—
Pyæmia, Septicæmia... ..	7	1	4	—	2	—	—	—	—	—
Tetanus	1	—	—	1	—	—	—	—	—	—
Phthisis	201	15	58	50	32	20	14	6	4	2
Tuberculous meningitis	5	4	1	—	—	—	—	—	—	—
Other tuberculous diseases	34	1	11	12	4	2	3	—	—	1
Syphilis	7	1	—	1	1	2	1	1	—	—
Cancer... ..	86	1	8	6	4	9	18	17	11	12
Rheumatic fever	3	—	—	2	—	—	—	—	1	—
Diabetes	3	—	1	1	1	—	—	—	—	—
Leucocythæmia	4	—	1	—	—	—	2	—	—	1
Lymphadenoma	4	—	—	2	—	1	—	1	—	—
Anæmia, Chlorosis	4	—	2	1	—	—	1	—	—	—
Purpura	1	1	—	—	—	—	—	—	—	—
Other general diseases	2	—	—	—	—	—	1	1	—	—
Alcoholism	4	—	—	1	1	2	—	—	—	—
Encephalitis	9	—	5	2	—	—	1	1	—	—
Cerebro-spinal fever (61A and B)	2	2	—	—	—	—	—	—	—	—
Meningitis—other forms	6	1	1	2	—	2	—	—	—	—
Poliomyelitis, Polioencephalitis	1	1	—	—	—	—	—	—	—	—
Cerebral hæmorrhage, Apoplexy	15	1	2	2	1	1	2	4	1	1
General paralysis of the insane	98	—	1	8	19	29	25	13	3	—
Epilepsy	4	—	1	—	2	—	1	—	—	—
Other diseases of the nervous system	27	3	2	2	3	8	3	2	3	1
Diseases of the ears	11	4	4	3	—	—	—	—	—	—
Infective endocarditis	19	1	6	4	2	5	—	—	—	1
Valvular disease	49	1	2	11	9	11	6	2	5	2
Aneurysm	14	—	1	—	1	1	3	3	5	—
Other diseases of the heart and circulatory system.	36	—	5	3	1	5	7	5	3	7
Bronchitis	19	1	—	1	3	3	2	4	—	5
Broncho-pneumonia	37	3	8	9	8	3	3	2	—	1
Lobar pneumonia	56	9	11	8	13	5	3	4	2	1
Pneumonia (type not stated)	47	5	7	10	14	7	2	1	1	—
Empyema	6	—	4	—	2	—	—	—	—	—
Other diseases of the respiratory system	5	—	1	—	1	1	—	—	1	1
Gastric ulcer	17	—	2	2	3	4	3	3	—	—
Duodenal ulcer	2	—	—	—	—	—	—	1	1	—
Appendicitis	17	4	5	3	2	2	—	—	1	—
Intestinal obstruction	6	—	—	3	3	—	—	—	—	—
Other diseases of the digestive system	42	5	11	2	4	6	8	1	2	3
Acute nephritis	9	1	1	3	1	3	—	—	—	—
Bright's disease	26	1	4	2	5	4	5	—	4	1
Other diseases of the genito-urinary system	11	—	3	—	3	—	1	2	—	2
Other diseases	18	5	5	2	2	1	1	1	—	1
Suicide	66	6	13	10	14	14	4	3	—	2
Homicide	2	—	1	—	—	—	1	—	—	—
Drowning	52	8	18	11	4	8	2	1	—	—
Injury by crushing (vehicles, railways, &c.)	53	3	22	8	7	5	3	1	3	1
Wounds in battle, &c.	68	1	30	16	10	7	4	—	—	—
Other violence	46	5	6	14	4	9	4	1	2	—
Ill-defined causes	5	1	1	—	1	2	—	—	—	—

* Including 1 aged 14 years.

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920.

(See note at head of page 87.)

In the second column, the letters P.L. denote Poor Law Institutions, L.A. Lunatic Asylums, Imbecile Asylums (Metropolitan Asylums Board), Idiot Asylums and other Institutions certified under the Mental Deficiency Act 1913, H. Hospitals and Nursing Homes and E. elsewhere than in Institutions for the sick and infirm.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1. Enteric fever ...	P.L.	—	4	13	6	1	24	6	3	2	1	12
	L.A.	—	5	2	6	1	14	9	5	5	4	23
	H.	3	9	57	45	21	135	8	34	32	14	88
	E.	1	4	31	54	28	118	3	28	57	35	123
3A. Relapsing fever ...	H.	—	—	1	—	—	1	—	—	—	—	—
3B. Mediterranean fever	E.	—	—	—	1	—	1	—	—	—	—	—
4. Malaria ...	P.L.	—	1	9	4	—	14	—	—	—	—	—
	L.A.	—	—	—	—	1	1	—	—	—	—	—
	H.	7	8	15	16	8	54	—	1	—	2	3
	E.	5	13	62	69	22	171	—	2	3	2	7
5. Small-pox ...	H.	—	2	6	2	2	12	2	8	2	3	15
	E.	—	—	—	—	—	—	—	1	1	1	3
6. Measles ...	P.L.	—	202	128	18	7	355	169	116	22	5	312
	L.A.	—	—	—	—	1	1	—	—	—	—	—
	H.	2	46	85	21	10	164	51	78	13	11	153
	E.	—	290	1,316	1,167	467	3,240	258	1,185	1,076	446	2,965
7. Scarlet fever ...	P.L.	—	1	—	—	—	1	—	—	—	—	—
	L.A.	—	—	—	2	—	2	—	—	—	—	—
	H.	1	106	214	104	55	480	89	234	126	60	509
	E.	—	5	55	89	63	212	6	63	96	61	226
8. Whooping cough ...	P.L.	—	135	71	14	6	226	133	77	18	1	229
	L.A.	—	—	—	—	3	3	—	—	1	—	1
	H.	—	20	15	7	2	44	31	11	10	1	53
	E.	—	210	693	530	263	1,696	242	893	703	311	2,149
9A. Diphtheria ...	P.L.	—	11	6	2	1	20	11	4	4	—	19
	L.A.	—	—	—	—	—	—	1	—	—	—	1
	H.	4	434	602	484	177	1,701	474	677	534	178	1,863
	E.	—	38	225	433	279	975	54	250	462	296	1,062
9B. Membranous laryngitis.	E.	—	—	—	2	1	3	—	—	3	1	4
9C. Croup ...	E.	—	—	3	5	2	10	—	4	2	2	8
10. Influenza ...	P.L.	1	119	201	60	26	407	118	122	44	16	300
	L.A.	1	6	1	8	5	21	22	15	8	6	51
	H.	133	76	120	56	16	401	56	94	43	20	213
	E.	16	482	1,720	1,678	910	4,806	485	1,667	1,495	819	4,466
13. Cholera nostras ...	E.	—	—	3	—	2	5	—	1	2	—	3
14. Dysentery ...	P.L.	—	2	7	1	—	10	—	3	1	—	4
	L.A.	1	9	12	11	6	39	34	15	17	12	78
	H.	6	8	24	20	8	66	2	4	—	1	7
	E.	—	—	15	15	10	40	—	4	1	5	10
15. Plague ...	P.L.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	—	2	2	—	—	—	—	—
17. Leprosy ...	P.L.	—	—	—	—	1	1	—	—	—	—	—
	H.	—	—	1	—	—	1	—	—	—	—	—
	E.	—	—	—	—	1	1	—	—	—	—	—
18. Erysipelas ...	P.L.	—	39	52	16	6	113	49	43	24	6	122
	L.A.	—	1	—	1	1	3	—	3	2	1	6
	H.	—	8	29	19	9	65	7	25	13	4	49
	E.	1	13	69	106	46	235	16	63	100	66	245

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.					
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts	England and Wales.	London.	County Boroughs	Other Urban Districts.	Rural Districts.	England and Wales.	
19A. Mumps	P.L. E.	— —	1 —	— 3	— 5	— 7	1 15	— 1	1 3	— 2	— 4	1 10	
19B. German measles ...	L.A. H. E.	— — —	— — —	— 1 5	1 — 4	— — 1	1 1 10	— — 2	— — 6	— — —	— — 5	— — 13	
19C. Varicella	P.L. H. E.	— — —	2 — 1	5 2 13	1 2 9	1 — 5	9 4 28	— — 2	4 — 14	1 1 6	— — 2	5 1 24	
19D. Other diseases included under 19.	P.L. H. E.	1 — —	1 — 1	— 2 3	— — 3	— — 2	2 2 9	— — —	— — —	— — —	— — —	— — —	
20A. & B. Pyæmia, Septicæmia.	P.L. L.A. H. E.	— — 6 1	6 3 21 4	13 1 76 54	6 1 74 67	2 — 29 57	27 5 206 183	10 — 14 4	9 — 39 33	2 — 33 46	3 1 13 37	24 1 99 120	
20C. Vaccinia	P.L. E.	— —	1 —	— 2	— —	— 1	1 3	— —	— 2	— 2	— 1	— 5	
22. Anthrax (Splenic fever).	H. E.	— —	4 —	2 2	1 1	1 1	8 4	— —	— 1	1 —	— —	1 1	
24. Tetanus	P.L. H. E.	— 1 —	1 8 1	2 14 7	4 21 15	— 27 15	7 71 38	2 1 2	— 5 2	2 6 4	— 4 5	4 16 13	
25. Mycoses	P.L. H. E.	— — —	— 7 —	— 6 4	— 1 4	— 3 2	— 17 10	3 3 1	— — 3	1 — 2	— 3 —	4 6 6	
26. Pellagra	L.A.	—	—	—	—	—	—	1	—	—	1	2	
27. Beri-beri	P.L. L.A. E.	— — —	— — —	2 — 1	— — —	— 1 —	2 1 1	— — —	— — —	— — —	— — —	— — —	
28A. Pulmonary tuberculosis.	P.L. L.A. H. E.	— 31 79 19	760 102 596 835	931 127 1,236 3,049	312 137 600 2,832	89 103 222 1,431	2,092 500 2,733 8,166	476 126 245 820	574 142 616 2,650	211 145 318 2,666	70 116 122 1,551	1,331 529 1,301 7,687	
28B. Phthisis (not defined as tuberculous).	P.L. L.A. H. E.	— 4 6 6	30 14 30 181	281 48 95 1,017	67 43 67 819	28 14 25 486	406 123 223 2,509	18 14 18 161	124 75 51 893	63 40 23 862	30 32 16 522	235 161 108 2,438	
29A. Acute phthisis ...	P.L. L.A. H. E.	— 5 38 1	18 9 30 70	23 41 65 304	21 27 36 270	1 16 30 115	63 98 199 760	13 17 14 78	14 35 31 342	12 31 25 326	5 25 13 148	44 108 83 894	
29B. Acute miliary tuberculosis.	P.L. L.A. H. E.	— 2 10 —	12 3 30 13	10 3 39 50	3 2 16 64	5 2 9 39	30 12 104 166	15 — 37 6	14 3 36 67	3 2 30 87	1 6 6 53	33 11 109 213	
28 & 29. Pulmonary tuberculosis, acute and chronic ...	P.L. L.A. H. E.	— 42 133 26	820 128 686 1,099	1,245 219 1,435 4,420	403 209 719 3,985	123 135 286 2,071	2,591 733 3,259 11,601	522 157 314 1,065	726 255 734 3,952	289 218 396 3,941	106 179 157 2,274	1,643 809 1,601 11,233	

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
30. Tuberculous meningitis.	P.L.	—	67	48	17	5	137	43	46	15	10	114
	L.A.	—	1	3	1	2	7	1	2	—	2	5
	H.	4	102	188	111	49	454	88	155	82	33	358
	E.	1	73	469	504	240	1,287	79	417	486	241	1,223
31A. Tabes mesenterica...	P.L.	—	2	2	3	—	7	1	1	2	—	4
	H.	—	—	5	6	—	11	—	8	1	2	11
	E.	—	5	32	43	9	89	2	30	30	13	75
31B. Other peritoneal and intestinal tubercle.	P.L.	—	13	60	20	4	97	20	47	24	10	101
	L.A.	3	4	4	5	1	17	5	10	14	4	33
	H.	4	29	100	72	28	233	16	93	63	35	207
	E.	—	24	219	217	117	577	35	247	294	154	730
32. Tuberculosis of spinal column.	P.L.	—	12	38	15	4	69	12	22	12	7	53
	L.A.	—	—	1	—	2	3	1	1	1	—	3
	H.	13	20	33	23	22	111	9	20	10	10	49
	E.	—	8	70	87	48	213	5	49	78	43	175
33. Tuberculosis of joints	P.L.	—	19	22	17	7	65	11	18	9	4	42
	L.A.	—	—	—	—	1	1	—	2	1	—	3
	H.	2	7	13	16	15	53	3	9	12	2	26
	E.	—	5	30	32	22	89	7	23	20	17	67
34A. Lupus ...	P.L.	—	—	1	2	2	5	3	3	5	12	23
	H.	—	—	2	—	—	2	—	1	—	—	1
	E.	—	—	6	5	2	13	2	8	12	8	30
34B. Scrofula ...	P.L.	—	—	1	1	—	2	—	1	—	—	1
	H.	—	—	1	—	—	1	—	—	—	—	—
	E.	—	—	—	—	1	1	—	—	—	—	—
34C. Other tuberculosis included under 34.	P.L.	—	13	26	14	3	56	9	16	5	7	37
	L.A.	—	2	3	3	1	9	1	1	4	1	7
	H.	3	10	35	31	13	92	12	28	14	10	64
	E.	—	11	45	59	40	155	9	36	45	30	120
35. Disseminated tuberculosis.	P.L.	—	18	63	21	14	116	10	62	14	12	98
	L.A.	2	4	21	17	18	62	5	17	30	22	74
	H.	7	34	57	61	40	199	37	58	40	11	146
	E.	—	23	158	207	113	501	22	147	187	106	462
28-35. Tuberculosis (all forms).	P.L.	—	964	1,506	513	162	3,145	631	942	375	168	2,116
	L.A.	47	139	251	235	160	832	170	288	268	208	934
	H.	166	888	1,869	1,039	453	4,415	479	1,106	618	260	2,463
	E.	27	1,248	5,449	5,139	2,663	14,526	1,226	4,909	5,093	2,886	14,114
36. Rickets, Softening of bones.	P.L.	—	18	17	4	3	42	15	9	7	4	35
	L.A.	—	—	—	—	—	—	1	—	—	—	1
	H.	—	8	16	11	4	39	5	7	5	1	18
	E.	—	9	103	84	46	242	7	61	60	47	175
37. Syphilis ...	P.L.	—	66	170	56	25	317	44	148	59	11	262
	L.A.	1	8	6	5	3	23	6	—	2	2	10
	H.	6	48	86	54	22	216	24	84	24	11	143
	E.	—	53	262	207	76	598	28	220	153	53	454
38A. Soft chancre	E.	—	—	1	—	—	1	—	—	—	—	—
38B. Gonococcus infection.	P.L.	—	—	4	2	—	6	1	1	2	—	4
	H.	1	2	2	2	2	9	1	4	1	—	6
	E.	—	—	2	4	—	6	—	3	1	1	5
38C. Purulent ophthalmia	P.L.	—	1	3	—	1	5	1	1	2	—	4
	H.	—	1	2	4	1	8	1	10	—	1	12
	E.	—	—	2	3	2	7	—	2	5	—	7

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
39. Cancer of the buccal cavity.	P.L.	—	146	248	143	71	608	13	28	15	6	62
	L.A.	—	3	1	2	3	9	2	—	2	—	4
	H.	6	54	78	91	29	258	12	10	13	4	39
	E.	3	132	554	540	345	1,574	17	77	107	63	264
40. Cancer of the stomach, liver, &c.	P.L.	—	265	323	217	103	908	158	177	111	54	500
	L.A.	—	10	9	6	3	28	8	11	13	10	42
	H.	26	207	341	312	133	1,019	124	154	172	106	556
	E.	7	465	1,749	1,937	1,364	5,522	416	1,739	1,958	1,365	5,478
41. Cancer of the peritoneum, intestines, and rectum.	P.L.	—	193	249	157	61	660	149	162	106	61	478
	L.A.	—	—	6	6	4	16	5	9	4	6	24
	H.	11	122	281	261	141	816	153	253	254	119	779
	E.	2	211	857	1,044	833	2,947	325	1,063	1,254	857	3,499
42. Cancer of the female genital organs.	P.L.	—	—	—	—	—	—	226	284	164	56	730
	L.A.	—	—	—	—	—	—	14	18	13	4	49
	H.	—	—	—	—	—	—	124	180	220	88	612
	E.	—	—	—	—	—	—	304	1,338	1,220	752	3,614
43. Cancer of the breast...	P.L.	—	1	1	2	—	4	133	169	102	36	440
	L.A.	—	—	—	—	1	1	15	9	11	6	41
	H.	—	—	1	—	—	1	111	99	103	47	360
	E.	—	4	11	9	5	29	330	1,147	1,365	805	3,647
44. Cancer of the skin ...	P.L.	—	32	93	43	36	204	14	36	23	13	86
	L.A.	1	3	2	1	—	7	—	1	—	1	2
	H.	—	12	22	12	7	53	6	6	7	3	22
	E.	—	28	119	148	143	438	16	62	108	89	275
45. Cancer of the other and unspecified organs.	P.L.	—	212	278	154	66	710	78	80	53	9	220
	L.A.	1	9	12	11	2	35	10	8	4	6	28
	H.	25	209	263	243	121	861	77	106	135	56	374
	E.	4	275	962	1,051	659	2,951	157	597	629	420	1,803
39-45. Cancer (all sites)	P.L.	—	849	1,192	716	337	3,094	771	936	574	235	2,516
	L.A.	2	25	30	26	13	96	54	56	47	33	190
	H.	68	604	986	919	431	3,008	607	808	904	423	2,742
	E.	16	1,115	4,252	4,729	3,349	13,461	1,565	6,023	6,641	4,351	18,580
46. Other tumours (situation undefined).	P.L.	—	1	2	4	—	7	1	2	4	—	7
	H.	1	6	6	6	3	22	2	7	6	3	18
	E.	—	4	15	19	15	53	6	15	36	28	85
47. Rheumatic fever ...	P.L.	—	22	20	10	4	56	8	24	10	4	46
	L.A.	—	—	—	—	—	—	1	—	—	2	3
	H.	1	28	31	46	17	123	50	32	36	15	133
	E.	2	49	253	334	158	796	70	342	370	185	967
48A. Chronic rheumatism	P.L.	—	2	12	6	1	21	2	20	18	7	47
	H.	—	—	2	1	—	3	—	—	—	—	—
	E.	—	2	43	52	44	141	13	61	70	50	194
48B. Osteo-arthritis ...	P.L.	—	26	21	15	17	79	51	82	57	34	224
	L.A.	—	—	—	—	—	—	3	1	1	1	6
	H.	—	1	5	5	2	13	16	11	9	4	40
	E.	—	17	75	107	95	294	64	242	323	214	843
48C. Gout ...	P.L.	—	6	1	3	3	13	—	1	1	1	3
	H.	—	2	1	1	—	4	—	—	—	—	—
	E.	—	18	50	48	43	159	3	5	8	6	22
49. Scurvy ...	P.L.	—	1	1	1	—	3	1	2	1	—	4
	H.	—	—	2	1	—	3	—	1	—	1	2
	E.	—	—	3	5	2	10	—	—	7	2	9

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
50. Diabetes ...	P.L.	—	32	65	25	12	134	29	58	36	14	137
	L.A.	1	3	8	3	1	16	1	6	5	2	14
	H.	—	36	76	68	27	207	25	60	64	26	175
	E.	2	103	448	526	326	1,405	128	546	590	397	1,661
51. Exophthalmic goitre	P.L.	—	—	1	1	1	3	6	9	3	1	19
	L.A.	—	—	1	1	—	2	—	4	2	4	10
	H.	—	1	2	6	3	12	14	30	34	20	98
	E.	—	1	10	—	6	29	13	101	138	85	337
52. Addison's disease ...	P.L.	—	2	1	2	2	7	4	5	3	—	12
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	5	5	4	14	4	5	9	5	23
	E.	—	2	22	33	16	73	9	24	34	30	97
53. Leucocythæmia, Lymphadenoma.	P.L.	—	6	11	3	2	22	7	6	9	—	22
	L.A.	—	—	1	—	—	1	—	—	—	1	1
	H.	8	29	43	40	19	139	19	23	19	9	70
	E.	—	20	86	113	67	286	21	59	86	61	227
54. Anæmia, Chlorosis ...	P.L.	—	13	36	16	13	78	21	34	25	14	94
	L.A.	1	2	1	2	2	8	2	9	2	2	15
	H.	3	17	53	31	12	116	21	34	42	23	120
	E.	—	47	288	371	189	895	59	372	453	287	1,171
55. Other general diseases.	P.L.	—	5	3	5	2	15	6	13	3	5	27
	L.A.	—	—	—	1	1	2	—	1	—	—	1
	H.	1	14	22	22	6	65	3	15	12	—	30
	E.	—	12	35	58	39	144	12	50	56	34	152
56. Alcoholism (acute or chronic).	P.L.	—	7	15	10	1	33	1	4	1	—	6
	H.	2	1	1	3	3	10	—	1	1	—	2
	E.	2	7	44	40	30	123	1	15	22	4	42
57. Chronic lead poisoning.	P.L.	—	—	3	1	—	4	—	—	—	—	—
	L.A.	—	—	—	1	—	1	—	—	—	—	—
	H.	—	—	1	1	—	2	—	2	—	1	3
	E.	—	5	23	15	6	49	—	1	—	1	2
58 & 59. Other chronic poisonings.	P.L.	—	—	1	—	—	1	—	—	—	—	—
	H.	—	—	1	—	—	1	—	—	—	—	—
	E.	—	—	1	1	—	2	1	—	—	3	4
60. Encephalitis ...	P.L.	—	13	18	7	3	41	9	12	3	—	24
	L.A.	—	1	—	1	—	2	—	8	1	—	9
	H.	7	37	61	46	24	175	27	45	32	9	113
	E.	2	20	59	96	70	247	15	86	92	57	250
61A. Cerebro-spinal fever.	P.L.	—	4	10	1	1	16	2	5	1	1	9
	H.	2	35	57	32	14	140	32	39	26	9	106
	E.	—	9	22	34	15	80	3	21	22	15	61
61B. Posterior basal meningitis.	P.L.	—	1	—	—	—	1	5	4	—	—	9
	H.	—	4	6	3	3	16	8	4	3	—	15
	E.	—	3	19	15	10	47	3	11	11	8	33
61C. Meningitis—other forms.	P.L.	—	19	58	14	7	98	13	49	6	4	72
	L.A.	—	2	4	2	—	8	1	4	1	6	12
	H.	5	36	87	52	21	201	28	58	28	24	138
	E.	1	44	391	355	206	997	41	345	307	183	876
62. Locomotor ataxy ...	P.L.	—	42	76	47	8	173	14	12	7	2	35
	L.A.	—	3	5	2	—	10	2	—	1	—	3
	H.	2	9	6	8	2	27	—	1	—	—	1
	E.	—	27	111	118	56	312	4	22	16	6	48
63A. Diseases formerly classed to "Other Nervous Affections."	P.L.	—	36	26	22	15	99	23	23	18	9	73
	L.A.	—	—	—	2	—	2	2	—	—	—	2
	H.	1	8	7	3	2	21	6	6	9	1	22
	E.	—	41	103	149	130	423	29	103	141	85	358

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death	Place of Occurrence.	Males.						Females				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
63B. Poliomyelitis, Polio-encephalitis.	P.L.	—	1	3	1	—	5	3	3	1	—	7
	H.	1	6	4	5	3	19	1	1	1	2	5
	E.	—	4	20	21	9	54	3	13	20	8	44
63C. Other diseases included under 63.	P.L.	1	35	68	56	23	183	27	68	49	18	162
	L.A.	—	—	2	1	1	4	—	—	2	—	2
	H.	6	14	29	21	8	78	12	9	27	16	64
	E.	—	28	177	203	149	557	30	153	177	102	462
64. Cerebral hæmorrhage, Apoplexy.	P.L.	—	316	626	488	259	1,689	320	554	455	169	1,498
	L.A.	—	21	34	26	20	101	39	36	34	26	135
	H.	10	73	184	95	25	387	37	131	85	26	279
	E.	5	542	2,573	2,965	2,056	8,141	840	3,433	3,879	2,725	10,877
65. Softening of brain ...	P.L.	—	4	59	39	18	120	9	74	20	22	125
	L.A.	1	16	18	27	12	74	14	23	25	14	76
	H.	—	—	1	1	1	3	1	2	4	—	7
	E.	—	6	54	75	54	189	11	59	87	78	235
66. Paralysis without specified cause.	P.L.	—	30	124	69	46	269	40	124	87	57	308
	L.A.	—	—	1	—	1	2	2	1	—	—	3
	H.	1	6	13	9	1	30	5	4	12	5	26
	E.	—	46	233	229	200	708	66	294	335	251	946
67. General paralysis of the insane.	P.L.	—	18	72	33	7	130	3	6	2	3	14
	L.A.	89	205	381	256	83	1,014	47	83	39	19	188
	H.	9	3	3	1	—	16	1	—	—	1	2
	E.	—	6	36	42	26	110	2	6	12	10	30
68. Other forms of mental alienation.	P.L.	—	8	63	29	8	108	24	87	35	6	152
	L.A.	7	19	31	50	37	144	34	79	90	41	244
	H.	—	1	—	2	—	3	1	2	3	2	8
	E.	—	2	24	19	16	61	5	37	45	49	136
69. Epilepsy ...	P.L.	—	25	114	59	33	231	26	74	53	39	192
	L.A.	1	31	74	85	43	234	28	71	59	36	194
	H.	1	6	8	13	3	31	4	7	8	4	23
	E.	2	47	188	238	181	656	44	197	248	150	639
70 & 71. Convulsions (non-puerperal).	P.L.	—	5	25	18	9	57	8	13	7	2	30
	H.	—	17	56	14	5	92	12	26	13	5	56
	E.	—	158	1,307	1,200	695	3,360	140	937	905	526	2,508
72. Chorea ...	P.L.	—	—	2	—	3	5	7	9	4	3	23
	L.A.	—	—	1	—	—	1	—	—	1	—	1
	H.	—	—	4	3	3	10	3	11	7	—	21
	E.	—	2	11	7	10	30	3	17	19	9	48
73A. Hysteria, Neuralgia, Sciatica.	P.L.	—	—	1	—	—	1	—	1	—	—	1
	H.	—	—	1	2	1	4	—	2	2	—	4
	E.	—	1	4	6	1	12	3	7	7	6	23
73B. Neuritis ...	P.L.	—	2	1	1	—	4	2	7	1	—	10
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	E.	—	2	5	2	—	9	—	4	—	—	4
74A. Idiocy, Imbecility...	P.L.	—	1	19	4	5	29	2	17	10	6	35
	L.A.	—	1	2	6	3	12	1	3	1	4	9
	H.	—	1	1	2	—	4	4	1	1	2	8
	E.	—	3	15	26	17	61	3	13	24	14	54
74B. Cretinism ...	P.L.	—	—	—	—	—	—	1	—	1	—	2
	L.A.	—	—	—	—	—	—	1	—	—	2	3
	E.	—	1	1	1	1	4	—	—	1	—	1
			1	5	5	6	17	1	4	8	6	19

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
74c. Cerebral tumour ...	P.L.	—	10	12	11	6	39	20	13	7	8	48
	L.A.	1	3	3	3	1	11	1	1	4	1	7
	H.	6	26	52	52	28	164	26	28	42	18	114
	E.	—	10	90	96	68	264	27	94	116	69	306
74d. Other diseases included in 74.	P.L.	—	5	25	17	13	60	10	15	26	12	63
	L.A.	1	8	36	16	13	74	7	27	14	7	55
	H.	—	4	6	5	4	19	—	1	3	—	4
	E.	—	15	45	73	59	192	16	62	80	54	212
75. Diseases of the eyes and annexa.	P.L.	—	—	1	—	—	1	—	2	—	—	2
	L.A.	—	—	—	—	—	—	—	1	—	1	2
	H.	—	3	2	7	3	15	2	6	1	2	11
	E.	—	3	3	4	5	15	—	3	8	3	14
76. Diseases of the ears...	P.L.	—	20	23	9	1	53	25	13	7	1	46
	L.A.	—	1	—	—	—	1	2	—	1	—	3
	H.	11	45	142	120	46	364	54	109	70	36	269
	E.	—	17	86	81	76	260	16	84	78	45	223
77. Pericarditis ...	P.L.	1	5	16	2	—	24	4	3	1	1	9
	L.A.	—	2	—	3	2	7	3	4	2	1	10
	H.	1	13	20	15	1	50	12	14	8	4	38
	E.	—	18	46	41	18	123	9	40	22	28	99
78a. Acute myocarditis...	P.L.	—	13	29	4	2	48	14	14	8	1	37
	H.	—	9	11	5	5	30	2	5	5	6	18
	E.	1	10	95	45	33	184	21	76	58	37	192
78b. Infective endocarditis.	P.L.	—	14	9	6	2	31	24	12	6	—	42
	L.A.	—	2	2	—	—	4	5	2	2	2	11
	H.	19	83	104	77	34	317	59	55	37	16	167
	E.	—	27	71	77	46	221	25	62	76	39	202
78c. Other acute endocarditis.	P.L.	—	6	15	9	2	32	7	12	9	1	29
	L.A.	—	1	—	—	—	1	1	1	2	—	4
	H.	2	18	29	24	5	78	15	34	15	7	71
	E.	—	15	113	92	49	269	26	103	139	56	324
79a. Valvular disease ...	P.L.	1	258	630	361	174	1,424	275	547	317	152	1,291
	L.A.	1	42	81	67	53	244	54	114	102	68	338
	H.	35	163	324	221	92	835	122	206	134	45	507
	E.	12	950	2,931	2,971	2,219	9,083	1,087	3,561	3,672	2,435	10,755
79b. Fatty degeneration of the heart.	P.L.	—	15	29	11	10	65	15	16	7	7	45
	L.A.	—	9	17	19	19	64	23	37	27	14	101
	H.	1	7	9	13	5	35	5	8	14	1	28
	E.	4	153	259	297	175	888	147	320	359	221	1,047
79c. Other organic diseases of the heart.	P.L.	—	601	590	459	244	1,894	634	532	437	195	1,798
	L.A.	1	37	30	45	39	152	53	37	42	36	168
	H.	3	64	89	84	41	281	55	60	79	28	222
	E.	3	711	2,294	2,662	2,208	7,878	853	2,873	3,412	2,572	9,710
80. Angina pectoris ...	P.L.	—	—	3	4	—	7	—	2	1	1	4
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	1	3	5	3	—	12	—	3	1	—	4
	E.	1	66	241	227	133	668	33	94	132	74	333
81a. Aneurysm ...	P.L.	—	22	40	3	1	66	3	5	1	—	9
	L.A.	1	2	1	3	1	8	2	2	—	—	4
	H.	8	29	57	24	11	129	8	5	5	1	19
	E.	5	87	229	173	85	579	31	49	55	16	151
81b. Arterial sclerosis ...	P.L.	—	288	570	313	185	1,356	238	409	201	98	946
	L.A.	2	41	92	73	42	250	48	89	54	31	222
	H.	4	69	96	70	16	255	25	39	42	12	118
	E.	5	359	1,248	1,495	1,095	4,202	290	1,007	1,131	738	3,166

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
81C. Other diseases of the arteries.	P.L.	—	9	3	1	—	13	5	1	1	2	9
	H.	—	2	—	3	2	7	1	2	1	1	5
	E.	—	4	29	22	12	67	2	22	11	9	44
82A. Cerebral embolism and thrombosis.	P.L.	—	59	45	66	38	208	82	79	76	36	273
	L.A.	—	1	2	2	2	7	4	9	1	3	17
	H.	—	13	18	18	4	53	16	20	24	10	70
	E.	1	65	242	344	237	889	113	402	467	324	1,306
82B. Other embolism and thrombosis.	P.L.	—	1	2	4	1	8	4	7	2	—	13
	L.A.	—	—	1	—	1	2	—	—	—	2	2
	H.	1	10	18	19	3	51	8	9	12	4	33
	E.	—	7	25	30	15	77	13	29	41	38	121
83. Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	P.L.	—	9	2	5	3	19	4	9	9	2	23
	H.	1	6	12	7	4	30	5	10	2	7	24
	E.	—	3	22	24	20	69	12	48	61	52	173
84A. Status lymphaticus	P.L.	—	1	2	3	1	7	1	2	—	—	3
	H.	—	6	5	2	2	15	4	2	2	—	8
	E.	—	9	22	20	12	63	9	17	16	5	47
84B. Other diseases of the lymphatic system.	P.L.	—	—	1	1	—	2	1	1	2	1	5
	H.	2	4	8	7	1	22	2	5	4	—	13
	E.	1	2	8	5	7	23	2	12	15	4	33
85A. Functional disease of the heart.	P.L.	—	6	9	1	2	18	7	16	3	2	28
	H.	—	7	7	3	2	19	11	7	2	1	22
	E.	—	15	36	49	26	126	19	31	56	45	155
85B & C. Other diseases included under 85.	P.L.	—	—	—	—	1	1	—	—	—	—	—
	L.A.	—	—	—	—	—	—	1	—	—	—	—
	H.	—	—	—	3	1	4	1	2	2	—	6
	E.	—	1	8	13	11	33	3	8	11	13	33
86. Diseases of the nasal fossæ.	P.L.	—	—	1	1	1	3	1	2	—	—	3
	L.A.	—	—	1	—	—	1	—	—	—	—	—
	H.	—	4	6	5	2	17	1	3	1	—	8
	E.	—	2	9	11	5	27	2	5	7	3	17
87A. Larngismus stridulus.	P.L.	—	—	1	—	—	1	—	—	1	—	—
	H.	—	—	5	—	1	6	—	—	—	—	—
	E.	—	10	25	27	24	86	7	26	39	13	85
87B. Laryngitis ...	P.L.	—	2	4	—	—	6	—	3	—	1	—
	H.	—	1	13	12	5	31	5	10	3	3	22
	E.	—	12	105	141	88	346	17	92	120	74	303
87C. Other diseases of the larynx.	P.L.	—	3	1	—	—	4	—	—	1	—	—
	H.	—	—	4	2	1	7	1	2	1	1	5
	E.	—	2	4	7	2	15	—	2	1	1	4
88. Diseases of the thyroid body.	P.L.	—	1	4	1	—	6	6	8	6	6	26
	L.A.	—	—	—	—	—	—	1	1	1	—	3
	H.	—	—	2	1	2	5	2	5	8	11	28
	E.	—	—	4	6	3	13	10	40	54	38	142
89 & 90. Bronchitis ...	P.L.	—	719	1,179	611	238	2,747	546	729	358	132	1,766
	L.A.	1	10	18	25	13	67	15	30	30	16	94
	H.	12	107	156	83	19	377	68	67	57	16	203
	E.	6	1,560	6,553	5,311	2,691	16,121	1,812	6,663	5,410	2,739	16,622
91. Bronco-pneumonia ...	P.L.	—	332	418	128	40	918	232	256	69	16	573
	L.A.	4	18	24	28	14	88	18	40	31	22	113
	H.	29	332	389	139	43	932	251	252	91	34	623
	E.	4	868	3,643	2,719	1,140	8,374	770	3,165	2,298	890	7,123

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
92A. Lobar pneumonia ...	P.L.	1	223	408	101	32	765	114	148	44	12	318
	L.A.	5	39	29	34	17	124	45	36	51	40	172
	H.	39	158	321	161	72	751	69	130	88	33	320
	E.	11	342	1,595	1,224	548	3,720	262	907	775	351	2,295
92B. Pneumonia (type not stated).	P.L.	—	149	285	111	46	591	69	129	54	18	270
	L.A.	—	9	16	11	8	44	6	20	13	6	45
	H.	33	102	246	108	43	532	54	97	51	25	227
	E.	14	471	1,894	1,586	804	4,769	382	1,351	1,115	611	3,459
93A. Empyema ...	P.L.	—	14	19	7	3	43	4	5	—	1	10
	L.A.	—	2	—	1	1	4	—	1	1	—	2
	H.	6	28	74	49	34	191	22	33	29	11	95
	E.	—	9	16	33	13	71	5	7	18	9	39
93B. Other pleurisy ...	P.L.	—	17	17	9	1	44	9	14	3	5	31
	L.A.	—	3	2	—	1	6	1	4	—	2	7
	H.	—	8	17	11	7	43	9	8	7	5	29
	E.	—	30	133	136	84	383	38	106	113	78	335
94A. Pulmonary apoplexy and infarction.	P.L.	—	—	1	—	1	2	—	—	—	—	—
	H.	—	—	1	—	—	1	—	1	—	—	1
	E.	—	—	—	7	1	8	—	2	4	1	7
94B. Pulmonary oedema and congestion	P.L.	—	17	11	7	9	44	28	12	10	9	59
	L.A.	—	—	3	5	8	16	2	8	6	4	20
	H.	1	5	6	5	—	17	2	2	2	1	7
	E.	—	34	126	122	97	379	36	144	138	89	407
94C. Hypostatic pneumonia.	P.L.	—	2	12	6	1	21	7	11	9	1	28
	L.A.	—	3	1	—	—	4	6	—	1	—	7
	H.	—	—	1	2	—	3	—	5	1	—	6
	E.	—	6	14	18	9	47	8	23	28	26	85
94D. Collapse of lung (3 months and over).	E.	—	—	—	—	—	—	1	2	2	—	5
95. Gangrene of the lung	P.L.	—	2	2	1	—	5	—	3	2	1	6
	L.A.	—	1	3	—	—	4	4	—	4	1	9
	H.	—	1	6	3	3	13	—	—	—	—	—
	E.	—	3	6	7	—	16	—	1	2	1	4
96. Asthma ...	P.L.	—	19	27	15	14	75	3	18	12	2	35
	L.A.	—	—	1	—	2	3	—	—	—	—	—
	H.	2	7	6	8	2	25	1	5	1	3	10
	E.	—	115	319	318	173	925	90	241	234	147	712
97. Pulmonary emphysema.	P.L.	—	8	21	6	2	37	4	8	3	—	15
	L.A.	—	—	—	1	—	1	—	—	1	—	1
	H.	—	3	4	4	—	11	2	1	—	—	3
	E.	—	15	24	40	30	109	9	12	14	10	45
98A. Fibroid disease of the lung.	P.L.	—	6	7	2	1	16	—	1	1	1	3
	L.A.	—	—	1	—	—	1	—	1	—	1	2
	H.	—	2	3	2	—	7	—	—	—	—	—
	E.	—	8	38	60	48	154	5	16	14	6	41
98B. Other diseases included under 98.	P.L.	—	4	8	—	2	14	2	—	—	—	2
	L.A.	—	—	—	—	—	—	—	2	—	—	2
	H.	1	5	11	8	2	27	8	5	1	—	14
	E.	1	8	39	32	17	97	2	22	24	13	61
99A. Diseases of the teeth and gums.	P.L.	—	9	14	3	2	28	3	7	1	1	12
	L.A.	—	—	—	—	—	—	—	—	—	1	1
	H.	1	3	16	11	3	34	3	5	8	6	22
	E.	—	7	29	39	22	97	7	31	41	21	100

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
99B. Thrush, Aphthous stomatitis.	P.L.	—	—	—	—	—	—	1	—	—	—	1
	H.	—	1	—	—	—	1	—	—	—	—	—
	E.	—	4	15	11	11	41	3	14	15	2	34
99C. Parotitis ...	P.L.	—	—	1	—	—	1	2	1	1	—	4
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	2	1	3	—	—	—	—	—
	E.	—	—	4	3	1	8	1	4	6	1	12
99D. Other diseases included in 99.	P.L.	—	2	—	—	—	2	1	—	—	1	2
	H.	—	—	—	—	—	—	1	—	1	1	3
	E.	—	—	1	1	1	3	—	2	2	2	6
100A. Tonsillitis...	P.L.	—	6	2	—	—	8	3	2	1	3	9
	H.	7	9	20	8	6	50	5	5	10	7	27
	E.	2	14	57	79	48	200	21	54	69	59	203
100B. Ludwig's angina...	P.L.	—	2	3	2	1	8	1	1	—	—	2
	H.	—	4	8	14	3	29	2	5	3	—	10
	E.	—	1	6	10	1	18	1	4	8	3	16
100C. Other diseases of the pharynx.	P.L.	—	2	3	1	—	6	—	1	—	—	1
	H.	1	6	7	1	1	16	3	2	2	—	7
	E.	—	5	18	22	14	59	2	7	17	8	34
101. Diseases of the œsophagus.	P.L.	—	1	2	—	1	4	—	—	1	—	1
	H.	—	2	4	3	1	10	—	5	1	1	7
	E.	—	2	6	8	5	21	1	8	8	4	21
102. Perforating ulcer of stomach.	P.L.	—	23	36	13	4	76	22	10	5	—	37
	L.A.	1	—	1	—	—	2	1	1	2	1	5
	H.	13	102	249	161	87	612	40	119	96	41	296
	E.	3	40	149	152	107	451	41	152	194	109	496
103A. Inflammation of the stomach.	P.L.	—	9	25	16	5	55	9	27	21	6	63
	L.A.	—	—	—	—	—	—	1	1	1	1	4
	H.	1	13	19	8	6	47	4	10	5	4	23
	E.	1	77	498	449	279	1,304	83	437	481	259	1,260
103B. Other diseases included under 103.	P.L.	—	1	1	8	1	11	1	3	1	—	5
	L.A.	—	1	—	—	—	1	—	—	—	—	—
	H.	1	3	8	10	6	28	1	10	3	1	15
	E.	1	12	63	71	62	209	12	47	68	55	182
104 & 105A. Infective enteritis.	P.L.	—	62	78	19	1	160	54	54	21	4	133
	L.A.	—	—	—	—	1	1	—	—	—	1	1
	H.	2	51	87	24	7	171	43	61	7	7	118
	E.	—	45	482	354	130	1,011	34	405	210	114	763
104 & 105B-F. Other diseases included under 104, 105 (except ulceration of intestines and duodenal ulcer).	P.L.	—	174	244	60	14	492	130	165	52	12	359
	L.A.	—	2	8	10	4	24	4	14	26	12	56
	H.	1	208	202	86	17	514	113	153	65	17	348
	E.	—	224	1,483	1,287	635	3,629	189	1,141	1,103	556	2,989
104 & 105G. Ulceration of intestines.	P.L.	—	4	4	—	—	8	5	1	2	—	8
	L.A.	—	1	1	1	—	3	—	2	3	1	6
	H.	1	6	9	8	9	33	22	14	11	8	55
	E.	1	3	15	13	10	42	10	22	36	14	82
104 & 105H. Duodenal ulcer.	P.L.	—	16	10	2	2	30	2	2	2	2	8
	L.A.	—	—	4	—	2	6	—	1	1	1	3
	H.	1	48	139	100	48	336	7	14	13	5	39
	E.	1	28	55	65	31	180	10	25	27	17	79
106 & 107. Intestinal parasites.	H.	—	—	—	—	—	—	—	—	1	—	1
	E.	—	1	1	4	—	6	—	—	1	6	7

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
108. Appendicitis ...	P.L.	1	28	26	21	1	77	16	17	10	—	43
	L.A.	—	1	—	4	2	7	—	—	1	2	3
	H.	16	134	389	393	215	1,147	89	313	341	170	913
	E.	—	12	48	56	42	158	12	45	74	52	183
109A. Hernia ...	P.L.	—	29	34	19	4	86	42	26	14	3	85
	L.A.	—	1	—	1	—	2	2	2	—	—	4
	H.	—	58	158	136	91	443	55	170	171	79	475
	E.	—	30	76	85	73	264	19	111	100	81	311
109B. Intestinal obstruction.	P.L.	—	26	27	9	8	70	35	14	9	4	62
	L.A.	—	4	2	1	4	11	5	4	2	2	13
	H.	6	95	254	266	108	729	66	193	187	86	532
	E.	—	31	131	172	153	487	52	172	204	174	602
110. Other diseases of the intestines.	P.L.	—	8	11	5	7	31	8	1	5	3	17
	L.A.	—	1	4	—	—	5	1	—	—	1	2
	H.	2	11	27	23	22	85	15	24	25	19	83
	E.	1	7	41	42	38	129	9	39	56	34	138
111. Acute yellow atrophy of the liver.	P.L.	—	1	1	—	—	2	3	2	—	—	5
	H.	1	2	6	—	—	9	3	4	7	3	17
	E.	—	—	1	6	7	14	4	6	10	9	29
112. Hydatid of liver ...	P.L.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	1	1	1	1	4	1	1	1	2	5
	E.	—	1	2	1	—	4	—	3	1	1	5
113. Cirrhosis of the liver	P.L.	—	32	40	42	12	126	19	26	7	3	55
	L.A.	—	3	7	1	1	12	2	3	4	—	9
	H.	3	27	44	38	15	127	12	19	19	10	60
	E.	—	101	273	326	215	915	63	138	176	82	459
114. Biliary calculi ...	P.L.	—	3	3	1	—	7	7	6	3	—	16
	L.A.	—	1	—	—	—	1	—	1	—	—	1
	H.	1	10	34	30	14	89	23	77	70	43	213
	E.	—	8	31	42	34	115	27	90	141	81	339
115. Other diseases of the liver.	P.L.	—	5	9	7	3	24	6	15	—	1	22
	L.A.	—	2	—	2	1	5	3	1	1	—	5
	H.	8	9	39	33	20	109	14	35	43	20	112
	E.	—	12	73	84	55	224	29	99	114	66	308
116. Diseases of the spleen	P.L.	—	2	2	—	—	4	—	1	—	—	1
	H.	—	—	2	2	2	6	2	3	1	—	6
	E.	—	1	2	3	2	8	—	8	4	2	14
117. Peritonitis (cause unstated).	P.L.	—	9	5	1	2	17	6	6	4	—	16
	L.A.	—	—	1	—	—	1	—	1	1	1	3
	H.	2	8	16	28	11	65	16	56	52	20	144
	E.	—	7	26	30	26	89	3	22	28	42	95
118A. Abdominal abscess, sub-phrenic abscess.	H.	1	1	4	2	—	8	1	2	2	1	6
	E.	—	1	3	1	1	6	—	—	2	3	5
118B. Other diseases included under 118.	P.L.	—	5	3	—	—	8	2	2	3	—	7
	L.A.	—	1	1	—	—	2	—	1	1	—	2
	H.	3	7	24	16	5	55	8	15	15	8	46
	E.	—	1	12	20	10	43	2	12	19	12	45
119. Acute nephritis ...	P.L.	—	23	41	12	6	82	10	28	12	5	55
	L.A.	—	1	1	—	—	2	—	5	1	—	6
	H.	9	17	49	41	20	136	17	43	29	10	99
	E.	—	35	230	221	130	616	30	206	223	138	597
120. Bright's disease ...	P.L.	1	278	353	185	90	907	199	186	130	49	564
	L.A.	1	21	65	46	40	173	30	77	77	41	225
	H.	18	139	236	173	70	636	83	134	88	56	361
	E.	6	327	1,333	1,439	950	4,055	333	1,219	1,361	857	3,770
121. Chyluria ...	H.	—	—	1	—	—	1	—	—	—	—	—

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
122A. Abscess of kidney	P.L.	—	1	2	—	—	3	1	—	—	—	1
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	1	2	3	4	—	10	2	6	4	2	14
	E.	—	1	8	2	5	16	1	8	2	3	14
122B. Cystic disease ...	P.L.	—	—	—	1	1	2	1	3	—	—	4
	L.A.	—	1	1	—	—	2	—	—	1	—	1
	H.	—	—	2	1	—	3	—	4	3	2	9
	E.	—	—	6	—	3	9	4	3	7	1	15
122C. Suppression of urine.	H.	—	—	1	1	—	2	—	—	—	—	—
	E.	—	1	4	4	2	11	2	2	—	1	5
122D. Other diseases included under 122.	P.L.	—	13	6	4	2	25	7	4	3	—	14
	L.A.	—	2	1	—	2	5	2	1	1	—	4
	H.	2	24	28	24	15	93	13	27	35	13	88
	E.	—	9	34	36	25	104	8	27	42	23	100
123. Calculi of the urinary passages.	P.L.	—	2	5	3	—	10	3	1	—	—	4
	L.A.	—	1	—	—	—	1	—	—	—	—	—
	H.	2	13	25	39	17	96	7	12	23	9	51
	E.	—	5	19	30	17	71	3	7	20	6	36
124. Diseases of the bladder.	P.L.	—	42	55	53	21	171	12	14	13	2	41
	L.A.	1	1	3	2	1	8	1	—	1	—	2
	H.	3	20	53	45	30	151	5	11	7	6	29
	E.	—	45	155	225	217	642	11	44	53	59	167
125. Diseases of the urethra, urinary abscess, &c.	P.L.	—	37	65	17	4	123	—	—	—	—	—
	L.A.	—	—	3	—	—	3	—	—	—	—	—
	H.	1	14	70	55	22	162	—	2	—	2	4
	E.	—	9	31	28	17	85	—	—	—	—	—
126. Diseases of the prostate.	P.L.	—	78	66	48	47	239	—	—	—	—	—
	L.A.	—	—	—	—	1	1	—	—	—	—	—
	H.	—	82	203	205	144	634	—	—	—	—	—
	E.	1	64	251	340	312	968	—	—	—	—	—
127. Non-venereal diseases of male genital organs.	P.L.	—	5	3	2	1	11	—	—	—	—	—
	H.	—	—	7	3	2	12	—	—	—	—	—
	E.	—	1	9	8	4	22	—	—	—	—	—
128. Uterine hæmorrhage (non-puerperal).	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	—	3	4	3	1	11
	E.	—	—	—	—	—	—	1	9	12	3	25
129. Uterine tumour (non-cancerous).	P.L.	—	—	—	—	—	—	6	6	1	2	15
	L.A.	—	—	—	—	—	—	2	1	—	—	3
	H.	—	—	—	—	—	—	19	70	74	33	196
	E.	—	—	—	—	—	—	12	40	49	33	134
130. Other diseases of the uterus.	P.L.	—	—	—	—	—	—	6	7	4	4	21
	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	—	8	43	35	23	109
	E.	—	—	—	—	—	—	5	25	30	16	76
131. Ovarian cyst, tumour (non-cancerous).	P.L.	—	—	—	—	—	—	5	12	3	—	20
	L.A.	—	—	—	—	—	—	—	—	3	1	4
	H.	—	—	—	—	—	—	21	45	52	31	149
	E.	—	—	—	—	—	—	12	32	44	48	136
132A. Diseases of ovary (excluding ovarian tumour).	P.L.	—	—	—	—	—	—	1	—	—	—	1
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	—	—	—	—	3	3	—	6
	E.	—	—	—	—	—	—	—	1	—	2	3
132B. Other diseases included under 132.	P.L.	—	—	—	—	—	—	10	5	4	—	19
	H.	—	—	—	—	—	—	29	57	49	19	154
	E.	—	—	—	—	—	—	1	8	12	10	31

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
133. Non-puerperal diseases of the breast (non-cancerous).	P.L. H. E.	— — —	— — —	— 1 —	— — —	— — —	— 1 —	1 — 2	— 3 8	2 1 11	— — 6	3 4 27
134A. Abortion ...	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	1 — 4	6 8 34	— 4 33	— 2 19	7 14 90
134B. Hæmorrhage of pregnancy.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	2 1 2	1 9 15	2 3 24	— 2 12	5 15 53
134C. Uncontrollable vomiting.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	1 1 —	2 6 1	2 3 11	— 2 5	5 12 17
134D. Ectopic gestation...	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	4 3 1	4 19 6	1 20 12	— 7 2	9 49 21
134E. Other accidents of pregnancy.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	2 2 —	— 2 6	1 5 6	— 3 5	3 12 17
135. Puerperal hæmorrhage.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	9 14 19	12 44 134	5 26 148	2 6 102	28 90 403
136. Other accidents of childbirth.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	7 18 13	14 46 74	6 54 92	1 17 76	28 135 255
137. Puerperal fever ...	P.L. L.A. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	83 — 96 36	121 1 292 227	51 6 172 330	11 2 101 201	266 9 661 794
138. Puerperal albuminuria and convulsions.	P.L. L.A. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	22 — 23 12	28 — 81 142	11 — 72 190	9 1 31 127	70 1 207 471
139A. Puerperal phlegmasia alba dolens and phlebitis.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	2 — 4	3 3 12	— 3 16	— 1 10	5 7 42
139B. Puerperal embolism and sudden death.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	3 5 13	4 8 86	1 3 91	1 2 76	9 18 266
140. Puerperal insanity...	P.L. L.A. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	4 — — —	6 2 2 6	2 — 2 5	2 — 2 7	14 2 6 18
141. Puerperal diseases of the breast.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	— 1 1	— — 2	1 1 —	— 1 3	1 3 6
134-141. All accidents of pregnancy and childbirth.	P.L. L.A. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	140 — 164 105	201 3 520 745	83 6 368 958	26 3 177 645	450 12 1,229 2,453
142A. Senile gangrene ...	P.L. L.A. H. E.	— — — —	19 1 4 7	87 1 15 75	80 2 20 104	46 2 10 140	232 6 49 326	26 2 5 31	61 1 7 104	62 6 6 136	26 5 5 103	175 14 23 374

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—continued.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
142B-D. Other gangrene	P.L.	—	4	11	6	2	23	3	11	1	2	17
	L.A.	—	—	—	2	1	3	2	—	—	1	3
	H.	1	1	8	7	6	23	3	6	4	3	16
	E.	—	2	10	8	8	28	3	11	10	11	35
143. Carbuncle, Boil ...	P.L.	—	6	13	9	5	33	5	6	3	1	15
	L.A.	—	—	4	2	1	7	—	2	1	1	4
	H.	1	13	16	18	10	58	1	5	5	1	12
	E.	—	5	40	40	21	106	2	24	21	12	59
144. Phlegmon, Acute abscess.	P.L.	—	38	40	21	13	112	24	23	16	6	69
	L.A.	—	3	3	5	4	15	3	3	7	7	20
	H.	3	19	56	63	34	175	12	30	30	16	88
	E.	1	13	52	69	48	183	16	52	67	41	176
145A. Ulcer, Bedsore ...	P.L.	—	4	21	14	10	49	14	26	10	13	63
	L.A.	—	—	—	—	—	—	1	—	1	—	2
	H.	—	—	2	3	1	6	2	4	4	—	10
	E.	—	9	22	21	17	69	9	46	51	44	150
145B. Eczema ...	P.L.	—	7	6	5	—	18	4	4	3	2	13
	L.A.	—	1	—	—	—	1	—	—	—	—	—
	H.	1	1	3	7	1	13	3	2	1	—	6
	E.	—	2	36	27	24	89	1	11	23	9	44
145C & D. Other diseases of the integumentary system.	P.L.	—	14	11	6	2	33	2	11	7	3	23
	L.A.	—	—	2	—	1	3	—	—	—	—	—
	H.	1	7	12	11	6	37	6	9	7	3	25
	E.	—	8	60	51	37	156	5	42	75	33	155
146. Diseases of the bones	P.L.	—	17	13	4	2	36	6	10	5	1	22
	L.A.	—	—	—	1	—	1	1	—	1	1	3
	H.	8	34	85	82	40	249	21	32	44	23	120
	E.	—	6	25	30	27	88	4	21	26	19	70
147. Diseases of the joints	P.L.	—	6	7	4	1	18	5	—	4	—	9
	H.	1	6	13	14	6	40	3	9	12	3	27
	E.	—	2	12	9	6	29	4	18	20	23	65
148. Amputations ...	H.	—	—	—	—	—	—	—	1	—	—	1
149. Other diseases of the locomotor system.	P.L.	—	—	1	2	—	3	—	2	—	—	2
	L.A.	—	—	1	—	—	1	—	—	—	—	—
	H.	—	—	1	—	—	1	3	2	2	2	9
	E.	—	1	1	4	2	8	—	3	4	2	9
150. Congenital malformations.	P.L.	—	24	41	16	16	97	32	26	10	7	75
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	116	181	127	47	471	62	99	64	30	255
	E.	—	161	582	644	395	1,782	116	538	570	358	1,582
151A. Premature birth ...	P.L.	—	89	124	55	20	288	87	86	55	20	248
	L.A.	—	—	—	—	1	1	—	—	—	—	—
	H.	—	192	269	136	53	650	135	226	98	56	515
	E.	—	753	3,406	2,902	1,714	8,775	591	2,552	2,322	1,358	6,823
151B. Infantile atrophy, debility and marasmus.	P.L.	—	145	218	59	38	460	127	171	47	12	357
	L.A.	—	—	—	1	—	1	—	—	—	—	—
	H.	—	120	206	88	29	443	68	105	58	12	243
	E.	—	236	1,247	1,394	777	3,654	160	824	934	557	2,475
151C-E. Other diseases included under 151.	P.L.	—	11	7	—	2	20	2	5	1	1	9
	H.	—	11	21	7	2	41	7	12	3	1	23
	E.	—	28	161	143	106	438	16	108	78	66	268
152. Other diseases peculiar to early infancy.	P.L.	—	26	17	11	5	59	15	21	4	2	42
	H.	—	61	88	41	16	206	47	58	28	12	145
	E.	—	138	530	537	344	1,549	99	383	324	236	1,042

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1920—*continued.*

Cause of Death	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
153. Lack of care ...	P.L. H. E.	— — —	— — 33	— — 71	1 — 52	1 1 25	2 1 181	— — 27	— — 38	— — 48	— — 22	— — 135
154A. Senile dementia ...	P.L. L.A. H. E.	— — — —	27 1 — 8	242 4 1 26	86 14 1 43	31 9 1 41	386 28 3 118	30 — 3 17	254 7 2 76	111 13 4 91	49 13 2 61	444 33 11 245
154B. Senile decay ...	P.L. L.A. H. E.	— 1 — —	323 107 8 389	908 63 14 1,982	674 94 12 2,682	476 80 9 2,560	2,381 345 43 7,613	438 205 30 703	1,036 95 32 3,091	891 147 37 4,165	448 91 14 3,315	2,813 538 113 11,274
155-163. Suicide ...	P.L. L.A. H. E.	— 1 13 52	38 2 34 249	33 7 90 597	35 8 61 682	8 1 26 490	114 19 224 2,070	11 1 13 121	11 6 26 282	7 6 19 312	— 3 8 172	29 16 66 887
164-186. Violence excluding suicide.	P.L. L.A. H. E.	3 1 112 105	189 3 427 497	182 9 1,368 1,758	89 8 1,044 2,175	48 2 542 1,475	511 23 3,493 6,010	177 10 165 255	177 8 600 796	85 4 325 785	50 6 155 521	489 28 1,245 2,357
187-189. Ill-defined causes of death.	P.L. L.A. H. E.	— — 1 4	10 1 1 19	24 — 18 303	7 — 8 368	7 — 3 336	48 1 31 1,030	9 — 1 20	16 1 11 230	5 — 5 292	4 1 3 249	34 2 20 791
All causes.	Poor Law Institutions ...	11	7,902	12,627	6,447	3,132	30,119	6,834	9,694	5,510	2,374	24,412
	Lunatic Asylums, &c. ...	175	898	1,428	1,303	797	4,601	1,057	1,427	1,325	884	4,693
	Hospitals ...	916	5,872	11,548	7,963	3,632	29,931	4,185	7,797	5,647	2,532	20,161
	Nursing Homes ...	17	362	667	620	272	1,938	444	839	749	325	2,357
	Total in Institutions ...	1,119	15,034	26,270	16,333	7,833	66,589	12,520	19,757	13,231	6,115	51,623
Elsewhere than Institutions		331	14,548	60,498	60,382	37,954	173,713	15,130	59,623	61,415	38,037	174,205
Total ...		1,450	29,582	86,768	76,715	45,787	240,302	27,650	79,380	74,646	44,152	225,828

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
ALL AREAS—ENGLAND AND WALES.

NOTE.—The deaths in this Table relate to the Total Deaths registered, while those for the administrative areas or groups of areas relate to deaths of civilians only.

Causes of Death.			Sex.	ENGLAND AND WALES.							
				All Ages.	0—	1—	2—	5—	15—	25—	45—
ALL CAUSES ...	{	M	240,302	44,199	7,784	7,411	9,539	10,674	29,654	58,252	72,789
		F	225,328	32,353	6,957	7,034	9,515	10,394	28,286	47,223	84,066
1 Enteric fever ...	{	M	291	—	—	4	29	74	96	77	11
		F	246	—	—	3	35	52	107	44	5
2 Small-pox ...	{	M	12	—	—	2	1	1	2	6	—
		F	18	2	—	1	1	4	6	4	—
3 Measles ...	{	M	3,760	830	1,374	1,100	421	16	11	5	3
		F	3,430	702	1,250	1,039	399	13	21	6	—
4 Scarlet fever ...	{	M	695	33	66	241	278	47	24	6	—
		F	735	19	58	225	335	60	32	6	—
5 Whooping cough ...	{	M	1,969	1,007	513	369	79	—	—	1	—
		F	2,432	1,145	656	522	102	—	4	—	3
6 Diphtheria and croup ...	{	M	2,709	139	247	962	1,239	76	29	14	3
		F	2,957	112	221	952	1,507	80	52	22	11
7 Influenza ...	{	M	5,635	314	113	146	276	585	1,576	1,576	1,049
		F	5,030	216	118	170	266	464	1,374	1,176	1,246
8 Erysipelas ...	{	M	416	72	1	3	13	16	52	138	121
		F	422	71	4	6	11	21	72	107	130
9 Pulmonary tuberculosis	{	M	18,184	127	115	171	513	3,088	7,766	5,623	781
		F	15,285	92	93	162	928	4,084	6,670	2,715	541
10 Tuberculous meningitis	{	M	1,885	360	233	394	556	196	106	39	1
		F	1,700	279	226	340	539	199	99	17	1
11 Other tuberculous diseases.	{	M	2,849	332	221	254	480	500	562	371	129
		F	2,642	215	150	224	445	443	594	401	170
12 Cancer, malignant disease	{	M	19,659	8	12	33	68	138	1,337	9,635	8,428
		F	24,028	11	12	28	45	112	2,608	11,269	9,943
13 Rheumatic fever ...	{	M	975	1	4	27	332	185	232	145	49
		F	1,149	—	1	15	402	244	261	164	62
14 Meningitis ...	{	M	1,604	474	198	194	309	142	147	105	35
		F	1,331	348	144	180	266	144	119	87	43
15 Organic heart disease ...	{	M	22,843	2	5	27	417	674	2,564	7,560	11,594
		F	26,010	9	4	42	507	671	2,422	7,480	14,875
16 Bronchitis ...	{	M	19,312	4,221	675	298	127	81	742	4,037	9,131
		F	18,688	2,987	598	319	130	76	530	2,959	11,089
17 Pneumonia (all forms)...	{	M	21,608	5,502	2,322	1,356	894	953	3,298	4,467	2,816
		F	15,541	3,920	1,948	1,274	816	521	1,898	2,361	2,803
18 Other respiratory diseases	{	M	3,441	244	122	212	174	113	450	1,140	986
		F	2,791	199	94	189	158	83	330	664	1,074
19 Diarrhoea, &c. ...	{	M	6,640	4,542	464	192	101	66	301	524	450
		F	5,047	3,099	413	197	150	58	227	323	580
20 Appendicitis and typhlitis	{	M	1,389	5	6	73	346	301	286	284	88
		F	1,142	—	3	48	305	219	282	210	75
21 Cirrhosis of liver ...	{	M	1,180	1	2	2	11	8	123	721	312
		F	583	1	1	—	9	3	74	328	167
21A Alcoholism ...	{	M	166	—	—	—	—	1	56	99	10
		F	50	—	—	—	—	—	12	31	7
22 Nephritis and Bright's disease.	{	M	6,607	51	30	69	182	216	991	2,707	2,361
		F	5,677	33	30	62	201	205	950	2,154	2,042
23 Puerperal fever ...	{	M	—	—	—	—	—	—	—	—	—
		F	1,730	—	—	—	—	335	1,379	16	—
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—
		F	2,414	—	—	—	1	331	2,002	20	—
25 Congenital debility, &c.	{	M	17,121	16,920	49	52	56	27	13	4	—
		F	12,874	12,694	45	38	50	22	17	8	—
26 Violence, apart from suicide.	{	M	10,037	512	217	549	1,144	1,313	2,372	2,594	1,336
		F	4,119	435	159	400	499	242	434	662	1,288
27 Suicide ...	{	M	2,427	—	—	—	10	134	689	1,190	404
		F	998	—	—	—	5	111	389	395	98
28 Other defined diseases ...	{	M	65,778	8,415	712	651	1,460	1,704	5,714	14,699	32,423
		F	65,912	5,707	642	566	1,381	1,520	5,207	13,243	37,646
29 Causes ill-defined or unknown.	{	M	1,110	87	83	30	23	19	115	485	268
		F	847	57	87	32	22	17	114	351	167

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
LONDON AND COUNTY BOROUGH (Civilian Population only).

Causes of Death.	Sex.	ADMINISTRATIVE COUNTY OF LONDON.*										AGGREGATE OF COUNTY BOROUGH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	29,582	5241	985	985	1160	1194	3819	8041	8157	86,768	17620	3494	2948	3465	3693	11375	22156	22017		
	F	27,650	3900	909	919	1152	1256	3462	5961	10091	79,380	12854	3005	2832	3427	3792	10525	17213	25732		
Enteric fever ...	M	22	—	—	—	1	2	8	10	1	103	—	—	1	13	29	31	23	6		
	F	26	—	—	1	4	3	13	5	—	70	—	—	1	7	16	34	12	—		
Small-pox ...	M	2	—	—	—	—	1	—	1	—	6	—	—	2	1	—	—	3	—		
	F	2	—	—	—	—	—	1	1	—	9	1	—	1	—	2	5	—	—		
Measles ...	M	538	140	215	137	42	—	1	2	1	1,529	338	594	450	142	1	3	1	—		
	F	478	103	183	146	42	2	1	1	—	1,379	285	531	422	135	2	3	1	—		
Scarlet fever ...	M	112	5	14	46	34	5	7	1	—	269	19	31	93	105	7	10	4	—		
	F	95	—	15	31	36	8	4	1	—	297	6	30	97	129	22	11	2	—		
Whooping cough ...	M	365	164	117	78	6	—	—	—	—	779	364	221	157	36	—	—	1	—		
	F	406	184	111	94	16	—	1	—	—	981	413	294	224	49	—	—	—	1		
Diphtheria and croup ...	M	483	29	50	191	197	11	1	3	1	836	62	104	290	351	15	9	4	1		
	F	540	33	48	188	249	11	9	2	—	935	41	92	329	425	22	15	6	5		
Influenza ...	M	683	26	10	14	14	63	217	216	123	2,042	113	50	55	117	188	586	579	354		
	F	681	29	10	13	28	62	192	174	173	1,898	79	55	77	111	161	557	460	398		
Erysipelas ...	M	61	7	—	—	2	3	12	18	19	150	24	—	1	6	7	20	57	35		
	F	72	14	—	2	—	5	16	15	20	134	23	3	3	5	8	18	40	34		
Pulmonary tuberculosis	M	2,733	18	17	23	54	363	1100	1008	150	7,319	55	49	73	228	1141	3136	2358	279		
	F	2,058	24	11	24	101	508	854	425	111	5,667	21	34	72	370	1497	2529	983	161		
Tuberculous meningitis	M	243	54	30	53	68	21	11	5	1	708	145	91	165	204	60	33	10	—		
	F	211	42	28	47	69	18	7	—	—	620	106	77	135	188	77	30	7	—		
Other tuberculous diseases.	M	263	22	12	16	56	56	46	42	13	1,048	130	101	111	183	175	179	124	45		
	F	237	23	11	17	41	34	50	35	26	958	85	68	101	190	155	188	123	48		
Cancer, malignant disease	M	2,593	3	3	8	11	22	165	1350	1031	6,460	3	4	10	25	47	476	3499	2396		
	F	2,997	—	—	4	7	14	350	1427	1195	7,823	4	1	11	17	48	936	3914	2892		
Rheumatic fever ...	M	99	—	1	2	38	19	25	10	4	304	—	1	10	109	53	70	47	14		
	F	129	—	—	1	63	25	25	11	4	398	—	—	9	136	84	84	63	22		
Meningitis ...	M	157	64	15	20	27	8	11	9	3	654	197	85	80	127	51	53	41	20		
	F	136	50	14	15	23	12	9	11	2	540	150	61	78	96	53	49	29	24		
Organic heart disease ...	M	3,010	—	—	4	57	97	336	1060	1456	7,283	—	3	7	156	260	987	2708	3162		
	F	3,323	2	1	8	72	85	308	912	1935	8,311	1	1	13	224	280	971	2653	4168		
Bronchitis ...	M	2,396	392	54	20	8	11	116	624	1171	7,906	1821	332	133	51	33	358	1903	3275		
	F	2,441	289	43	24	6	8	61	419	1591	7,489	1271	304	134	52	35	249	1404	4040		
Pneumonia (all forms)...	M	3,043	878	313	182	88	110	410	636	426	9,268	2318	1081	615	401	403	1490	1935	1025		
	F	2,272	643	287	155	80	76	248	346	437	6,531	1700	898	563	359	211	812	1018	970		
Other respiratory diseases	M	422	28	8	18	10	12	59	163	124	1,169	92	54	67	57	32	175	397	295		
	F	361	21	10	13	14	9	42	104	148	923	86	24	75	44	34	128	208	324		
Diarrhoea, &c. ...	M	872	653	35	17	5	8	43	61	50	2,821	1994	234	90	43	22	104	213	121		
	F	623	429	39	15	8	7	32	41	52	2,074	1373	197	81	52	15	73	112	171		
Appendicitis and typhlitis	M	175	—	—	18	40	37	33	35	12	463	3	3	20	120	101	96	89	31		
	F	117	—	—	6	39	20	21	26	5	375	—	—	13	89	81	99	74	19		
Cirrhosis of liver ...	M	163	—	1	—	3	1	19	110	29	364	—	1	1	3	2	43	236	78		
	F	96	—	—	—	2	—	9	50	35	186	1	1	—	2	—	26	107	49		
Alcoholism ...	M	15	—	—	—	—	—	8	7	—	60	—	—	—	—	1	12	43	4		
	F	2	—	—	—	—	—	1	—	1	20	—	—	—	—	—	4	13	3		
Nephritis and Bright's disease.	M	841	2	1	3	15	25	123	361	311	2,308	26	14	29	65	81	364	1018	711		
	F	702	1	3	4	23	22	108	280	261	1,898	16	9	25	69	79	326	763	611		
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	215	—	—	—	—	33	181	1	—	641	—	—	—	—	119	517	5	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	194	—	—	—	—	34	158	2	—	828	—	—	—	—	138	686	4	—		
Congenital debility, &c.	M	1,886	1862	5	7	4	8	—	—	—	6,463	6396	18	15	26	5	1	2	—		
	F	1,403	1375	10	8	4	3	2	1	—	4,753	4704	8	7	20	2	7	5	—		
Violence, apart from suicide.	M	1,116	91	20	53	178	108	201	291	174	3,317	212	84	208	412	387	734	870	410		
	F	607	79	21	34	59	40	71	110	193	1,581	185	55	150	174	84	163	274	490		
Suicide ...	M	323	—	—	—	11	88	171	53	727	—	—	—	1	41	204	373	108	—		
	F	146	—	—	—	15	55	64	12	325	—	—	—	1	37	128	133	26	—		
Other defined diseases ...	M	6,935	801	56	70	202	191	776	1839	3000	22,067	3282	305	256	481	545	2160	5463	9575		
	F	7,050	556	58	67	165	200	632	1489	3883	21,478	2292	226	197	477	527	1826	4698	11235		
Causes ill-defined or unknown.	M	31	2	8	5	—	1	3	8	4	345	26	34	9	2	6	41	155	72		
	F	30	3	6	2	1	2	1	8	7	258	11	36	14	6	3	45	102	41		

* For Greater London see page 287.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
URBAN AND RURAL DISTRICTS—ENGLAND AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—			
ALL CAUSES ...	M	76,715	14010	2315	2450	3198	3413	9199	18334	23796	45,787	7328	990	1028	1715	1927	4449	9537			
	F	74,646	10350	2122	2269	3279	3429	9251	15595	28351	44,152	5249	921	1014	1657	1917	5048	8454			
1 Enteric Fever ...	M	111	—	—	2	8	31	38	29	3	51	—	—	1	7	10	17	15			
	F	96	—	—	—	15	18	40	19	4	54	—	—	1	9	15	20	8			
2 Small-pox ...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	2	—			
	F	3	—	—	—	1	—	—	2	—	4	1	—	—	—	—	—	1			
3 Measles ...	M	1,206	255	400	387	157	5	2	—	—	485	97	165	126	80	8	5	2			
	F	1,111	231	392	340	138	4	4	2	—	462	83	144	131	84	5	13	2			
4 Scarlet fever ...	M	195	7	12	68	85	17	6	—	—	118	2	9	34	54	17	1	1			
	F	222	9	8	64	112	16	10	3	—	121	4	5	33	58	14	7	—			
5 Whooping cough ...	M	551	300	129	99	23	—	—	—	—	274	179	46	35	14	—	—	—			
	F	732	376	175	147	32	—	1	—	1	313	172	76	57	5	—	2	—			
6 Diphtheria and croup ...	M	926	38	71	344	439	22	9	3	—	460	10	22	137	252	26	8	4			
	F	1,005	27	62	314	550	26	14	9	3	477	11	19	121	283	21	14	5			
7 Influenza ...	M	1,802	111	37	59	92	172	486	527	318	957	64	16	18	52	90	216	247			
	F	1,590	73	30	49	83	154	434	354	413	861	35	23	31	44	87	191	188			
8 Erysipelas ...	M	142	30	1	2	2	5	13	47	42	62	11	—	—	3	1	6	16			
	F	139	18	—	1	3	6	26	34	51	77	16	1	—	3	2	12	18			
9 Pulmonary tuberculosis	M	5,316	39	35	46	161	974	2286	1551	224	2,615	15	14	29	70	537	1128	694			
	F	4,844	31	33	49	308	1332	2097	844	150	2,716	16	15	17	149	747	1190	463			
10 Tuberculous meningitis	M	633	110	79	126	191	74	39	14	—	296	51	33	50	93	36	23	10			
	F	583	94	88	114	175	65	39	7	1	286	37	33	44	107	39	23	3			
11 Other tuberculous diseases.	M	977	127	79	94	159	169	183	122	44	527	53	29	33	82	88	133	82			
	F	927	86	53	67	153	168	201	143	56	520	21	18	39	61	86	150	100			
12 Cancer, malignant disease	M	6,390	1	4	10	21	33	448	3078	2795	4,130	1	1	5	11	27	211	1670			
	F	8,166	4	9	6	12	36	855	3802	3442	5,042	3	2	7	9	14	467	2126			
13 Rheumatic fever ...	M	390	1	1	9	137	72	88	60	22	179	—	1	6	48	41	47	27			
	F	416	—	1	4	140	88	106	58	19	206	—	—	1	63	47	46	32			
14 Meningitis ...	M	508	143	64	65	99	49	49	32	7	277	70	34	29	56	30	30	23			
	F	405	104	45	58	96	42	33	20	7	250	44	24	29	51	37	28	27			
15 Organic heart disease ...	M	7,210	2	1	9	148	216	802	2401	3631	5,279	—	1	7	56	98	396	1377			
	F	8,602	6	2	13	151	231	798	2498	4903	5,774	—	—	8	60	75	345	1417			
16 Bronchitis ...	M	6,030	1361	201	111	44	20	207	1166	2920	2,961	647	88	34	24	16	52	336			
	F	5,855	979	169	117	46	21	163	839	3521	2,903	448	82	44	26	12	57	297			
17 Pneumonia (all forms)	M	6,350	1618	680	415	280	252	943	1333	829	2,807	688	248	144	125	145	370	551			
	F	4,680	1146	574	395	268	146	575	689	887	2,058	431	189	161	109	88	263	308			
18 Other respiratory diseases	M	1,139	63	37	79	68	42	142	374	334	700	61	23	48	39	22	70	204			
	F	928	62	40	67	63	27	102	226	341	579	30	20	34	37	13	58	126			
19 Diarrhoea, &c. ...	M	2,029	1343	132	70	40	24	108	159	153	911	552	63	15	13	10	43	89			
	F	1,579	934	116	63	54	24	84	106	198	771	363	61	38	36	12	38	64			
20 Appendicitis and typhlitis	M	474	—	—	23	125	98	107	91	30	260	2	3	12	61	56	43	68			
	F	426	—	2	19	126	82	98	73	26	224	—	1	10	51	36	64	37			
21 Cirrhosis of liver ...	M	407	1	—	1	4	3	39	243	116	243	—	—	—	1	2	20	131			
	F	206	—	—	—	4	1	28	117	56	95	—	—	—	1	2	11	54			
21A Alcoholism ...	M	53	—	—	—	—	—	20	30	3	34	—	—	—	—	—	12	19			
	F	24	—	—	—	—	—	7	15	2	4	—	—	—	—	—	—	3			
22 Nephritis and Bright's disease.	M	2,117	11	10	29	59	79	335	834	760	1,306	12	5	8	43	24	146	489			
	F	1,921	9	7	23	75	64	345	731	667	1,156	7	11	10	34	40	171	380			
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	559	—	—	—	—	128	428	3	—	315	—	—	—	—	55	253	7			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	856	—	—	—	—	138	710	8	—	536	—	—	—	1	81	448	6			
25 Congenital debility, &c.	M	5,572	5514	17	17	13	4	6	1	—	3,200	3148	9	13	13	10	6	1			
	F	4,240	4181	11	14	12	16	5	1	—	2,478	2434	16	9	14	1	3	1			
26 Violence, apart from suicide ...	M	3,316	137	64	178	339	433	858	868	439	2,067	72	49	110	215	291	462	555			
	F	1,199	112	44	128	167	65	130	184	369	732	59	39	88	99	53	64	94			
27 Suicide ...	M	786	—	—	—	3	28	233	393	129	525	—	—	—	6	35	122	248			
	F	344	—	—	—	2	44	129	129	40	183	—	—	—	2	15	77	69			
28 Other defined diseases ...	M	21,700	2770	235	198	488	584	1717	4793	10915	14,715	1562	116	127	289	304	847	2539			
	F	22,686	1850	232	208	486	480	1757	4542	13131	14,698	1009	126	94	253	313	992	2514			
29 Causes ill-defined or unknown.	M	383	28	26	9	13	7	35	183	82	346	31	15	7	8	3	33	139			
	F	302	18	29	9	7	7	32	137	63	257	25	16	7	8	5	36	100			

CAUSES of DEATH at DIFFERENT PERIODS of LIFE—1920.
ALL AREAS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death	Sex.	AGGREGATE OF NORTHERN COUNTIES.										AGGREGATE OF MIDLAND COUNTIES.																										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																			
ALL CAUSES ...	M	89,726	18800	3598	3010	3721	3895	11234	22264	23204	69,673	12386	1961	2064	2761	2960	8050	16034	23457	F	81,638	13707	3121	2922	3625	3799	10647	17795	26022	66,335	8986	1794	1968	2779	3058	8044	13141	26565
Enteric fever ...	M	148	—	—	2	14	44	46	38	4	61	—	—	—	8	11	21	17	4	F	127	—	—	1	15	25	60	25	1	50	—	—	1	12	10	18	6	3
	M	6	—	—	1	—	—	—	5	—	3	—	—	—	1	—	—	—	—	F	5	—	—	—	—	1	—	—	—	11	2	—	1	—	—	—	—	
Small-pox ...	M	1,488	345	563	432	141	4	2	1	—	1048	205	359	320	149	6	5	2	2	F	1,404	297	517	448	131	1	7	3	—	907	193	309	249	142	5	9	—	—
	M	271	11	26	82	124	21	6	1	—	193	11	19	71	70	10	8	4	—	F	328	10	21	100	153	30	10	4	—	181	6	13	56	84	15	7	—	—
Scarlet fever ...	M	742	399	185	127	30	—	—	1	—	555	276	140	109	30	—	—	—	—	F	840	393	228	184	34	—	—	—	1	746	337	207	165	34	—	2	—	1
	M	784	50	83	290	333	13	10	4	1	843	35	65	298	404	30	7	4	—	F	852	41	89	301	381	19	14	3	4	897	22	50	270	498	29	15	9	4
Diphtheria and croup ...	M	2,174	136	54	60	130	216	586	616	376	1,584	102	32	45	93	134	431	443	304	F	1,930	82	58	64	108	180	553	456	429	1,445	63	37	66	88	129	397	328	337
	M	171	27	—	3	7	5	23	60	46	124	25	1	—	3	5	11	41	38	F	151	25	1	2	5	7	21	50	40	119	21	3	1	3	2	24	28	37
Erysipelas ...	M	6,563	54	56	87	252	1021	2738	2098	257	4,993	41	31	39	125	930	2164	1458	205	F	5,266	18	39	71	413	1402	2257	926	140	4,409	32	31	44	237	1221	1975	731	138
	M	737	156	99	162	219	62	25	14	—	526	90	69	106	152	64	37	8	—	F	684	124	92	151	205	69	36	7	—	468	77	64	82	152	57	31	4	1
Tuberculous meningitis	M	1,157	144	119	135	232	191	182	114	40	815	108	53	63	103	152	181	110	45	F	1,050	86	87	111	212	156	212	134	52	787	65	30	71	106	150	178	136	51
	M	6,291	4	4	9	24	34	494	3406	2316	6,129	1	3	10	20	50	373	2822	2850	F	7,638	2	3	9	8	36	946	3834	2800	7,454	6	6	11	15	35	727	3377	3277
Cancer, malignant disease	M	375	1	2	8	134	68	96	53	13	297	—	1	8	84	66	66	50	22	F	453	—	—	6	139	102	103	79	24	333	—	—	4	121	79	72	39	18
	M	686	206	96	85	125	52	58	38	26	448	127	53	55	91	49	39	30	4	F	619	170	66	97	122	58	51	33	22	337	81	41	40	67	46	30	20	12
Meningitis ...	M	7,463	1	2	9	171	250	987	2723	3320	6,779	1	2	9	102	205	739	2091	3630	F	8,538	3	1	12	216	282	996	2860	4168	7,764	1	1	14	128	187	649	2083	4701
	M	8,161	2048	347	147	61	33	361	1830	3334	5,460	1145	171	81	35	23	170	1038	2797	F	7,733	1420	329	142	62	36	284	1414	4046	5,162	782	131	95	38	20	127	694	3275
Bronchitis ...	M	9,622	2368	1122	594	446	463	1533	2043	1053	5,457	1424	538	379	240	189	849	1085	753	F	6,714	1704	896	572	389	232	869	1072	980	3,971	993	499	361	224	126	479	555	734
	M	1,224	103	58	90	64	41	169	412	287	1,026	65	37	47	57	32	128	329	331	F	942	84	38	85	52	35	114	233	301	836	64	19	52	43	27	102	185	344
Other respiratory diseases	M	3,150	2216	272	104	54	31	133	210	130	1,585	1058	87	41	25	14	66	144	150	F	2,342	1517	235	101	83	23	85	109	189	1,238	716	86	48	42	15	60	82	189
	M	458	3	1	17	112	104	95	97	29	425	2	4	23	118	88	82	87	21	F	388	—	2	9	100	81	107	71	18	349	—	—	24	92	58	84	61	30
Appendicitis and typhlitis	M	369	—	1	1	3	1	45	230	88	379	1	—	1	3	4	37	224	109	F	141	1	1	—	3	1	24	80	31	201	—	—	—	3	2	20	108	68
	M	73	—	—	—	—	1	21	47	4	35	—	—	—	—	—	8	25	2	F	16	—	—	—	—	—	1	10	5	17	—	—	—	—	6	11	—	
Alcoholism ...	M	2,481	18	20	37	78	84	427	1075	742	1,733	21	6	20	51	67	239	672	657	F	2,122	12	19	37	78	77	388	875	636	1,521	16	6	13	57	64	266	528	571
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	674	—	—	—	—	153	516	5	—	498	—	—	—	—	91	401	6	—
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	M	936	—	—	—	1	156	770	9	—	689	—	—	—	—	107	575	7	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Parturition, apart from puerperal fever.	M	6,721	6646	21	19	24	6	3	2	—	5,296	5234	15	18	14	12	2	1	—	F	5,133	5073	16	10	16	6	8	4	—	3,930	3873	14	11	21	7	3	1	—
	M	3,791	166	105	220	416	494	927	1017	446	2,691	135	54	152	340	294	584	701	431	F	1,520	151	61	167	198	84	158	257	444	1,161	121	47	121	139	73	105	172	383
Violence, apart from suicide.	M	748	—	—	—	2	36	199	397	114	774	—	—	—	3	39	210	383	139	F	306	—	—	—	1	38	135	102	30	308	—	—	—	2	31	116	132	27
	M	23,397	3667	325	276	512	610	2009	5529	10469	20,032	2248	209	163	430	482	1567	4081	10861	F	22,427	2476	281	225	492	502	1863	4992	11596	20,289	1503	173	160	421	465	1529	3723	12315
Congenital debility, &c.	M	475	31	37	13	13	10	59	203	109	382	31	21	5	10	4	25	184	102	F	359	18	41	17	8	7	56	147	65	257	12	27	8	9	4	35	113	49
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
ALL AREAS—SOUTH AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).										AGGREGATE OF WALES AND MONMOUTH									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	61,918	9565	1556	1652	2277	2442	7367	15734	21325	17,535	3448	669	685	779	930	2191	4036	4		
	F	61,831	7082	1435	1499	2288	2625	7381	13118	26403	16,024	2578	607	645	823	912	2214	3169	5		
1 Enteric fever ...	M	54	—	—	1	6	8	19	17	3	24	—	—	1	1	9	8	5			
	F	58	—	—	1	6	14	25	11	1	11	—	—	—	2	3	4	2			
2 Small-pox ...	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—			
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	783	181	299	207	91	2	3	2	1	436	99	153	141	40	2	1	—			
	F	691	139	261	202	78	6	3	2	—	428	73	163	140	48	1	2	1			
4 Scarlet fever ...	M	147	6	15	54	51	12	8	1	—	83	5	6	34	33	3	2	—			
	F	135	1	18	41	53	11	9	2	—	91	2	6	28	45	4	6	—			
5 Whooping cough ...	M	568	274	164	113	17	—	—	—	—	104	58	24	20	2	—	—	—			
	F	681	322	185	142	29	—	2	—	1	165	93	36	31	5	—	—	—			
6 Diphtheria and croup ...	M	823	38	68	285	394	26	6	5	1	255	16	31	89	108	5	4	1			
	F	947	41	59	297	497	22	20	9	2	261	8	23	84	131	10	3	1			
7 Influenza ...	M	1,235	54	19	26	37	114	337	361	287	491	22	8	15	15	49	151	149			
	F	1,263	45	14	22	53	113	324	301	391	392	26	9	18	17	42	100	91			
8 Erysipelas ...	M	96	17	—	—	3	5	15	25	31	24	3	—	—	—	1	2	12			
	F	130	23	—	2	1	10	25	22	47	22	2	—	1	2	2	2	7			
9 Pulmonary tuberculosis	M	5,131	27	21	31	98	794	2209	1693	258	1,296	5	7	14	38	270	539	362			
	F	4,360	34	15	36	207	1092	1890	856	230	1,250	8	8	11	71	369	548	202			
10 Tuberculous meningitis	M	470	92	56	96	135	47	31	12	1	147	22	9	30	50	18	13	5			
	F	417	68	55	82	139	46	21	6	—	131	10	15	25	43	27	11	—			
11 Other tuberculous dis- eases.	M	641	63	35	42	115	99	134	119	34	202	17	14	14	30	46	44	27			
	F	610	46	24	35	97	93	157	100	58	195	18	9	7	30	44	47	31			
12 Cancer, malignant disease	M	5,959	3	5	13	21	40	349	2784	2744	1,194	—	—	1	3	5	84	585			
	F	7,499	1	3	7	20	36	765	3337	3330	1,437	2	—	1	2	5	170	721			
13 Rheumatic fever ...	M	204	—	1	7	79	33	48	28	8	96	—	—	4	35	18	20	13			
	F	254	—	—	3	109	42	52	31	17	109	—	1	2	33	21	34	15			
14 Meningitis ...	M	345	104	41	44	65	25	33	28	5	117	37	8	10	28	12	13	9			
	F	285	76	31	34	52	28	28	28	8	90	21	6	9	25	12	10	6			
15 Organic heart disease ...	M	6,896	—	—	8	96	161	622	2188	3821	1,644	—	1	1	48	55	173	544			
	F	7,995	3	1	10	119	150	599	2018	5095	1,713	2	1	6	44	52	178	519			
16 Bronchitis ...	M	4,343	695	98	46	20	15	161	891	2417	1,329	333	59	24	11	9	41	270			
	F	4,627	539	85	46	20	13	95	659	3170	1,166	246	53	36	10	7	24	192			
17 Pneumonia (all forms)...	M	4,893	1285	461	289	152	188	633	1053	832	1,496	425	201	94	56	70	198	274			
	F	3,837	935	408	244	156	137	430	624	903	1,019	288	145	97	47	26	120	110			
18 Other respiratory diseases	M	882	58	17	39	39	26	114	300	289	298	18	10	36	14	9	35	97			
	F	797	38	19	28	36	16	87	208	365	216	13	18	24	27	5	27	38			
19 Diarrhoea, &c. ...	M	1,454	976	70	35	16	17	77	135	128	444	292	35	12	6	2	22	33			
	F	1,068	630	66	32	14	15	64	98	149	399	236	26	16	11	5	18	34			
20 Appendicitis and typhlitis	M	401	—	—	30	98	74	84	83	32	88	—	1	3	18	26	18	16			
	F	309	—	1	14	79	58	67	66	24	96	—	—	1	34	22	24	12			
21 Cirrhosis of liver ...	M	355	—	1	—	4	1	30	229	90	74	—	—	—	1	2	9	37			
	F	207	—	—	—	3	—	25	118	61	34	—	—	—	—	—	5	22			
21A Alcoholism ...	M	40	—	—	—	—	—	17	20	3	14	—	—	—	—	—	6	7			
	F	12	—	—	—	—	—	4	6	2	5	—	—	—	—	—	1	4			
22 Nephritis and Bright's disease.	M	1,844	11	2	5	32	50	231	746	767	514	1	2	7	21	8	71	209			
	F	1,588	4	3	6	47	51	213	585	679	446	1	2	6	19	13	83	166			
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	425	—	—	—	—	66	354	5	—	133	—	—	—	—	25	108	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	534	—	—	—	—	87	443	4	—	255	—	—	—	—	41	214	—			
25 Congenital debility, &c.	M	3,874	3820	12	10	15	9	7	1	—	1,230	1220	1	5	3	—	1	—			
	F	2,903	2847	12	17	9	9	6	3	—	908	901	3	—	4	—	—	—			
26 Violence, apart from suicide.	M	2,244	181	39	117	284	249	447	571	356	1,090	30	19	60	104	182	297	295			
	F	1,163	144	38	66	114	65	135	194	407	275	19	13	46	48	20	36	39			
27 Suicide ...	M	727	—	—	—	3	31	204	354	135	112	—	—	—	2	9	34	51			
	F	321	—	—	—	30	111	143	143	37	63	—	—	—	2	12	27	18			
28 Other defined diseases ...	M	17,331	1663	116	143	406	413	1527	4022	9041	4,657	837	71	69	112	119	397	1002	2		
	F	18,551	1128	125	126	347	411	1414	3612	11388	4,645	600	63	55	121	142	401	916	2		
29 Causes ill-defined or un- known.	M	172	17	16	11	—	2	20	65	41	76	8	9	1	—	1	8	33			
	F	162	18	12	6	3	4	12	69	38	69	9	7	1	2	2	11	22			

CAUSES of DEATH at DIFFERENT PERIODS of LIFE—1920.
COUNTY BOROUGH—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGH (NORTH).									AGGREGATE OF COUNTY BOROUGH (MIDLAND).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	50,344	10732	2220	1710	2018	2174	6757	13112	11621	25,067	5010	935	899	1010	1048	3175	6171	6819
	F	44,860	7822	1892	1672	1936	2143	6002	9999	13394	23,277	3683	828	844	1049	1132	3078	4776	7887
1 Enteric fever ...	M	62	—	—	1	6	23	15	14	3	25	—	—	—	4	3	8	7	3
	F	49	—	—	1	4	9	27	8	—	12	—	—	—	3	2	4	3	—
2 Small-pox ...	M	4	—	—	1	—	—	—	3	—	2	—	—	1	1	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	5	1	—	1	—	1	2	—	—
3 Measles ...	M	843	190	334	247	69	—	2	1	—	468	105	177	139	45	1	1	—	—
	F	798	164	307	256	68	1	1	1	—	419	93	155	116	54	—	1	—	—
4 Scarlet fever ...	M	137	9	16	43	60	5	3	1	—	106	9	14	38	35	1	6	3	—
	F	164	3	15	49	74	16	5	2	—	101	3	12	36	43	5	2	—	—
5 Whooping cough ...	M	462	236	124	83	18	—	—	1	—	234	96	72	54	12	—	—	—	—
	F	554	243	159	130	22	—	—	—	—	320	127	100	75	18	—	—	—	—
6 Diphtheria and croup ...	M	384	36	59	131	148	3	4	2	1	332	21	35	122	142	8	4	—	—
	F	419	29	57	155	156	11	6	2	3	361	9	27	121	186	7	7	2	2
7 Influenza ...	M	1,257	70	36	31	72	126	353	359	210	570	35	10	19	35	46	179	155	91
	F	1,118	45	41	38	60	101	320	275	238	546	24	14	31	37	47	176	124	93
8 Erysipelas ...	M	96	16	—	1	4	3	13	36	23	37	5	—	—	1	2	5	16	8
	F	78	13	—	2	3	5	10	26	19	40	8	3	1	1	1	6	13	7
9 Pulmonary tuberculosis	M	4,189	34	34	51	161	613	1756	1387	153	2,140	21	12	16	48	352	919	687	85
	F	3,071	8	17	48	240	815	1312	546	85	1,697	8	14	19	80	469	789	276	42
10 Tuberculous meningitis	M	414	83	57	98	123	34	12	7	—	197	47	29	42	51	16	11	1	—
	F	400	72	55	87	117	45	20	4	—	149	26	17	32	45	21	7	1	—
Other tuberculous dis- eases.	M	624	73	69	79	127	111	91	52	22	296	45	23	22	42	49	56	43	16
	F	583	49	50	66	129	86	109	65	29	257	26	13	31	43	46	44	43	11
11 Cancer, malignant disease	M	3,471	3	2	4	15	21	278	1979	1169	1,986	—	2	5	6	23	133	1028	789
	F	4,121	1	1	5	6	25	543	2117	1423	2,381	3	—	4	6	16	265	1183	904
12 Rheumatic fever ...	M	177	—	1	6	63	30	47	26	4	90	—	—	2	30	19	17	13	9
	F	230	—	—	5	71	48	52	40	14	122	—	—	2	52	26	24	11	7
13 Meningitis ...	M	385	115	57	46	75	24	25	23	20	186	55	21	25	36	18	19	12	—
	F	338	99	36	52	61	25	29	18	18	148	36	19	21	24	22	14	7	5
14 Organic heart disease ...	M	3,944	—	2	5	97	151	597	1546	1546	2,145	—	—	2	37	80	278	757	991
	F	4,481	—	1	7	132	163	576	1545	2057	2,423	1	—	5	60	81	285	723	1268
15 Bronchitis ...	M	4,938	1187	228	91	32	18	255	1220	1907	2,226	461	78	29	14	13	80	554	997
	F	4,616	798	220	86	32	22	172	942	2344	2,047	340	62	37	15	10	66	327	1190
16 Pneumonia (all forms)...	M	5,975	1450	726	367	273	291	1005	1279	584	2,372	647	260	185	101	74	364	462	279
	F	4,101	1053	557	340	237	146	547	673	548	1,732	484	254	166	95	50	189	240	254
17 Other respiratory diseases	M	647	58	32	44	33	20	100	214	146	352	24	18	16	13	6	55	129	91
	F	491	49	16	41	24	22	68	124	147	275	25	5	21	11	8	45	51	109
18 Diarrhoea, &c. ...	M	1,823	1321	154	63	27	14	64	125	55	721	501	55	22	10	6	21	61	45
	F	1,294	885	137	51	33	9	41	54	84	565	361	44	21	17	3	19	35	65
19 Appendicitis and typhlit's	M	253	3	—	9	64	59	49	48	21	152	—	3	8	43	32	33	28	5
	F	204	—	—	5	51	45	56	40	7	117	—	—	6	30	20	31	22	8
20 Cirrhosis of liver ...	M	190	—	1	—	1	1	27	122	38	118	—	—	1	1	1	12	75	28
	F	71	1	1	—	—	—	14	38	17	78	—	—	—	1	—	6	44	27
21 Alcoholism ...	M	39	—	—	—	—	1	9	27	2	13	—	—	—	—	—	1	11	1
	F	10	—	—	—	—	—	—	8	2	6	—	—	—	—	—	3	3	—
22 Nephritis and Bright's disease.	M	1,383	12	11	20	38	52	230	620	400	582	9	2	7	21	24	86	252	181
	F	1,125	6	7	17	28	46	196	475	350	492	8	2	4	29	25	87	182	155
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	366	—	—	—	—	73	289	4	—	194	—	—	—	—	31	163	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	473	—	—	—	—	83	388	2	—	212	—	—	—	—	31	179	2	—
25 Congenital debility, &c.	M	3,682	3641	11	9	17	2	—	2	—	2,053	2031	5	6	7	3	1	—	—
	F	2,807	2773	7	4	13	1	5	4	—	1,458	1445	1	3	6	1	2	—	—
26 Violence, apart from suicide.	M	1,978	117	56	117	230	241	457	542	218	913	63	2	71	127	93	183	229	127
	F	940	99	34	94	110	47	100	168	288	439	59	18	38	51	26	40	76	131
27 Suicide ...	M	371	—	—	—	—	19	98	200	54	249	—	—	—	—	18	76	121	34
	F	144	—	—	—	—	15	68	52	9	121	—	—	—	1	13	41	55	11
28 Other defined diseases ...	M	12,391	2060	188	156	263	307	1241	3184	4992	6,407	833	91	66	148	159	617	1473	3020
	F	11,622	1424	148	124	262	280	1011	2692	5681	6,502	595	59	49	138	170	571	1330	3590
29 Causes ill-defined or un- known.	M	225	18	22	7	2	5	26	92	53	95	2	8	1	—	1	10	54	19
	F	188	8	26	9	3	3	34	74	31	58	1	9	4	3	—	10	23	8

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
COUNTY BOROUGH—SOUTH AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).										AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES ...	M	7,733	1183	199	206	262	288	905	1940	2750		3624	695	140	133	175	183	538	933	82	
	F	8,239	855	167	182	287	324	1005	1786	3633		3004	494	118	134	155	193	440	652	81	
1 Enteric fever ...	M	9	—	—	—	3	—	6	—	—		7	—	—	—	—	3	2	2	—	
	F	9	—	—	—	—	5	3	1	—		—	—	—	—	—	—	—	—	—	
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles ...	M	102	18	42	25	17	—	—	—	—		116	25	41	39	11	—	—	—	—	
	F	75	14	33	19	7	1	1	—	—		87	14	36	31	6	—	—	—	—	
4 Scarlet fever ...	M	9	—	—	4	4	1	—	—	—		17	1	1	8	6	—	1	—	—	
	F	7	—	1	2	3	—	1	—	—		25	—	2	10	9	1	3	—	—	
5 Whooping cough ...	M	60	21	19	15	5	—	—	—	—		23	11	6	5	1	—	—	—	—	
	F	76	31	28	9	7	—	—	—	1		31	12	7	10	2	—	—	—	—	
6 Diphtheria and croup ...	M	69	2	4	22	37	3	—	1	—		51	3	6	15	24	1	1	1	—	
	F	106	1	4	35	61	1	2	2	—		49	2	4	18	22	3	—	—	—	
7 Influenza ...	M	158	7	3	5	7	13	34	44	45		57	1	1	—	3	3	20	21	—	
	F	176	5	—	3	11	7	48	46	56		58	5	—	5	3	6	13	15	1	
8 Erysipelas ...	M	11	3	—	—	1	1	1	3	2		6	—	—	—	—	—	—	—	—	
	F	12	2	—	—	—	1	2	—	7		4	—	—	—	1	1	—	1	—	
9 Pulmonary tuberculosis	M	648	—	1	3	9	111	308	187	29		342	—	2	3	10	65	153	97	—	
	F	607	4	3	1	28	131	295	116	29		292	1	—	4	22	82	133	45	—	
10 Tuberculous meningitis	M	61	12	3	18	16	8	4	—	—		36	3	2	7	14	2	6	2	—	
	F	48	7	4	11	17	5	2	2	—		23	1	1	5	9	6	1	—	—	
11 Other tuberculous diseases.	M	86	10	7	6	11	8	19	20	5		42	2	2	4	3	7	13	9	—	
	F	83	7	3	3	13	13	23	14	7		35	3	2	1	5	10	12	1	—	
12 Cancer, malignant disease	M	756	—	—	1	3	2	45	360	345		247	—	—	—	1	1	20	132	9	
	F	1,038	—	—	2	4	3	95	459	475		283	—	—	—	1	4	33	155	9	
13 Rheumatic fever ...	M	19	—	—	1	8	3	2	5	—		18	—	—	1	8	1	4	3	—	
	F	28	—	—	1	8	6	4	8	1		18	—	—	1	5	4	4	4	—	
14 Meningitis ...	M	47	10	5	7	8	7	6	4	—		36	17	2	2	8	2	3	2	—	
	F	35	10	4	3	6	3	5	3	1		19	5	2	2	5	3	1	1	—	
15 Organic heart disease ...	M	872	—	—	—	13	19	74	277	489		322	—	1	—	9	10	38	128	13	
	F	1,087	—	—	—	16	23	79	274	695		320	—	—	1	16	13	31	111	14	
16 Bronchitis ...	M	483	97	16	9	3	1	12	76	269		259	76	10	4	2	1	11	53	10	
	F	593	84	15	6	4	2	8	78	396		233	49	7	5	1	1	3	57	13	
17 Pneumonia (all forms)...	M	552	116	55	40	18	21	64	115	123		369	105	40	23	9	17	57	79	3	
	F	488	107	52	41	19	13	50	79	127		210	56	35	16	8	2	26	26	3	
18 Other respiratory diseases	M	108	9	4	4	9	4	11	32	35		62	1	—	3	2	2	9	22	—	
	F	121	8	—	9	8	2	12	25	57		36	4	3	4	1	2	3	8	—	
19 Diarrhoea, &c. ...	M	180	108	15	5	3	2	14	18	15		97	64	10	—	3	—	5	9	—	
	F	139	75	7	7	2	2	8	20	18		76	52	9	2	—	1	5	3	—	
20 Appendicitis and typhlitis	M	44	—	—	2	10	7	11	10	4		14	—	—	1	3	3	3	3	—	
	F	42	—	—	2	7	11	8	10	4		12	—	—	—	1	5	4	2	—	
21 Cirrhosis of liver ...	M	42	—	—	—	1	—	2	31	8		14	—	—	—	—	—	2	8	—	
	F	27	—	—	—	1	—	5	17	4		10	—	—	—	—	—	1	8	—	
21A Alcoholism ...	M	6	—	—	—	—	—	1	4	1		2	—	—	—	—	—	1	1	—	
	F	3	—	—	—	—	—	1	1	1		1	—	—	—	—	—	—	1	—	
22 Nephritis and Bright's disease.	M	245	4	1	—	2	5	33	97	103		98	1	—	2	4	—	15	49	—	
	F	206	2	—	1	10	6	31	74	82		75	—	—	3	2	2	12	32	—	
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	53	—	—	—	—	10	42	1	—		28	—	—	—	—	5	23	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	89	—	—	—	—	13	76	—	—		54	—	—	—	—	11	43	—	—	
25 Congenital debility, &c.	M	501	498	1	—	2	—	—	—	—		227	226	1	—	—	—	—	—	—	
	F	323	321	—	—	1	—	—	1	—		165	165	—	—	—	—	—	—	—	
26 Violence, apart from suicide.	M	210	20	3	14	25	19	35	48	46		216	12	5	6	30	34	59	51	—	
	F	153	22	3	10	9	6	16	25	62		49	5	—	8	4	5	13	5	—	
27 Suicide ...	M	85	—	—	—	1	2	24	40	18		22	—	—	—	—	2	6	12	—	
	F	41	—	—	—	—	4	11	21	5		19	—	—	—	—	5	8	5	—	
28 Other defined diseases ...	M	2,353	243	16	24	46	51	197	563	1213		916	146	10	10	24	28	105	243	3	
	F	2,567	154	9	16	45	56	177	507	1603		787	119	10	8	32	21	67	169	3	
29 Causes ill-defined or unknown.	M	17	5	4	1	—	—	2	5	—		8	1	—	—	—	—	3	4	—	
	F	7	1	1	1	—	—	—	2	2		5	1	—	—	—	—	1	3	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
URBAN DISTRICTS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.				Sex	AGGREGATE OF URBAN DISTRICTS (NORTH).										AGGREGATE OF URBAN DISTRICTS (MIDLAND).																								
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																	
ALL CAUSES ...	M	28,430	5,809	1,032	948	1,223	1,229	3,329	6,920	7,940	25,983	4,527	669	786	1,081	1,167	3,191	6,104	8,458	F	26,777	4,310	894	899	1,194	1,240	3,406	5,847	8,987	25,022	4,273	631	765	1,116	1,181	3,025	5,066	9,965	
1 Enteric fever ...	M	61	—	—	—	3	19	21	17	1	26	—	—	—	2	6	11	6	1	F	53	—	—	—	8	11	21	12	1	17	—	—	—	3	3	8	1	2	
2 Small-pox ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	471	117	172	135	45	2	—	—	—	382	63	117	130	69	2	1	—	—	F	433	99	152	139	43	—	—	—	—	318	65	107	90	50	3	3	—	—	
4 Scarlet fever ...	M	83	1	6	24	43	7	2	—	—	53	1	3	21	20	6	2	—	—	F	102	4	3	33	51	6	3	2	—	52	3	—	13	27	6	3	—	—	
5 Whooping cough ...	M	202	114	48	32	8	—	—	—	—	193	96	48	39	10	—	—	—	—	F	233	123	54	44	11	—	—	—	1	268	126	73	56	12	—	1	—	—	
6 Diphtheria and croup ...	M	290	10	22	119	125	6	6	2	—	333	13	21	126	162	9	1	1	—	F	309	8	27	111	151	6	5	1	—	376	10	15	109	217	14	5	5	—	
7 Influenza ...	M	668	45	15	22	38	67	170	198	113	629	41	13	18	31	55	171	191	109	F	578	29	10	16	32	51	165	134	141	579	26	15	21	32	56	165	122	142	
8 Erysipelas ...	M	59	9	—	2	2	2	7	21	16	53	12	1	—	—	2	5	14	19	F	54	7	—	—	1	2	9	20	15	45	8	—	—	1	—	11	8	17	
9 Pulmonary tuberculosis	M	1,809	13	18	22	73	296	740	571	76	1,869	16	12	13	48	365	819	526	70	F	1,640	8	17	17	127	443	705	283	40	1,653	13	12	20	107	461	711	277	52	
0 Tuberculous meningitis	M	252	59	34	51	69	24	11	4	—	208	25	26	44	63	30	17	3	—	F	207	45	27	49	59	13	11	3	—	214	33	34	40	67	20	17	2	1	
1 Other tuberculous diseases.	M	403	52	41	44	82	66	62	43	13	310	43	20	30	37	54	67	43	16	F	347	32	31	28	69	58	71	43	15	314	31	9	27	43	63	68	51	22	
2 Cancer, malignant disease	M	2,041	1	2	4	5	8	161	1,073	787	2,368	—	1	3	9	13	160	1,111	1,071	F	2,606	1	1	2	1	8	311	1,297	985	2,862	2	5	4	5	14	284	1,305	1,243	
3 Rheumatic fever ...	M	145	1	—	1	58	26	34	18	7	139	—	1	2	38	28	30	31	9	F	166	—	—	1	53	41	37	28	6	132	—	—	1	49	30	32	15	5	
4 Meningitis ...	M	221	65	29	30	35	24	24	10	4	161	46	17	22	35	16	11	12	2	F	199	53	22	34	43	22	15	8	2	99	29	10	10	26	11	8	3	2	
5 Organic heart disease ...	M	2,427	1	—	2	60	73	290	868	1,133	2,513	1	1	3	44	85	305	790	1,284	F	2,900	3	—	2	62	94	323	964	1,452	2,951	—	1	1	7	47	79	236	832	1,749
6 Bronchitis ...	M	2,471	622	85	46	20	8	89	519	1,082	1,982	432	63	36	13	6	68	345	1,019	F	2,384	461	80	42	22	10	86	382	1,301	1,915	280	40	43	12	6	42	262	1,230	
7 Pneumonia (all forms)...	M	2,726	674	303	181	136	114	396	587	335	2,056	538	195	134	89	70	335	426	269	F	2,005	516	269	173	111	60	237	313	326	1,479	347	176	141	88	51	193	211	272	
8 Other respiratory diseases	M	403	26	21	28	23	13	51	138	103	399	16	9	19	27	16	51	126	135	F	318	29	15	30	19	12	34	79	100	325	23	11	20	17	12	29	85	128	
9 Diarrhoea, &c. ...	M	978	658	81	35	22	13	51	65	53	565	379	20	15	10	5	29	51	56	F	751	464	62	31	27	11	34	37	85	406	241	25	14	14	8	27	26	51	
0 Appendicitis and typhlitis	M	145	—	—	5	37	31	35	32	5	177	—	—	10	52	35	38	29	13	F	136	—	2	3	35	32	35	24	5	142	—	—	12	45	24	28	23	10	
1 Cirrhosis of liver ...	M	117	—	—	1	2	—	14	70	30	156	1	—	—	1	1	14	97	42	F	47	—	—	—	3	1	6	27	10	80	—	—	—	1	—	11	42	26	
1a Alcoholism ...	M	22	—	—	—	—	—	10	11	1	14	—	—	—	—	—	5	9	—	F	5	—	—	—	—	—	1	2	2	10	—	—	—	—	—	3	7	—	
2 Nephritis and Bright's disease.	M	797	3	5	13	26	27	149	330	244	678	7	3	10	18	32	107	250	251	F	742	3	4	13	34	20	145	308	215	610	5	2	6	17	25	110	220	225	
3 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	223	—	—	—	—	61	162	—	—	182	—	—	—	—	—	39	141	2	—
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	321	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Congenital debility, &c.	M	2,188	2169	7	6	4	1	1	—	—	1,894	1,873	8	7	3	3	—	—	—	F	1,650	1,633	5	4	1	5	2	—	—	1,466	1,444	5	4	7	5	1	—	—	
6 Violence, apart from suicide.	M	1,242	33	28	63	132	165	336	334	151	997	45	15	52	119	112	240	246	168	F	412	42	12	50	57	26	41	70	114	418	36	15	51	54	23	40	62	137	
7 Suicide ...	M	270	—	—	—	—	9	77	143	41	294	—	—	—	3	9	85	146	51	F	126	—	—	—	—	19	48	41	18	115	—	—	—	—	15	46	44	10	
8 Other defined diseases ...	M	7,773	1,127	108	79	168	225	572	1,786	3,708	7,405	869	67	49	172	205	611	1,588	3,844	F	7,706	744	90	72	171	169	623	1,712	4,125	7,633	547	66	73	171	167	568	1,416	4,625	
9 Causes ill-defined or unknown.	M	164	9	7	3	7	3	20	78	37	129	10	8	3	6	2	8	63	29	F	123	6	11	5	3	3	16	51	28	88	4	10	3	3	2	10	41	15	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
URBAN DISTRICTS—SOUTH AND WALES.—(Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).										AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	13,880	1855	231	309	526	559	1596	3389	5415	8,422	1819	383	407	368	458	1083	1921	1921		
	F	15,162	1374	238	234	540	596	1747	3192	7241	7,685	1393	359	371	429	412	1073	1490	2192		
1 Enteric fever ...	M	11	—	—	1	2	2	1	4	1	13	—	—	1	1	4	5	2	2		
	F	17	—	—	—	2	3	7	4	1	9	—	—	—	2	1	4	2	2		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	100	13	29	36	21	—	1	—	—	253	62	82	86	22	1	—	—	—		
	F	91	15	32	25	17	1	—	1	—	269	52	101	86	28	—	1	1	—		
4 Scarlet fever ...	M	17	1	—	4	8	3	1	—	—	42	4	3	19	14	1	1	—	—		
	F	19	1	1	3	9	2	2	1	—	49	1	4	15	25	2	2	—	—		
5 Whooping cough ...	M	94	55	20	15	4	—	—	—	—	62	35	13	13	1	—	—	—	—		
	F	131	68	29	28	6	—	—	—	—	100	59	19	19	3	—	—	—	—		
6 Diphtheria and croup ...	M	192	6	10	53	117	5	1	—	—	111	9	18	46	35	2	1	—	—		
	F	198	5	6	50	125	5	3	3	1	122	4	14	44	57	1	1	—	—		
7 Influenza ...	M	223	11	4	5	13	23	57	54	56	282	14	5	14	10	27	88	84	84		
	F	239	4	2	3	8	27	48	53	94	194	14	3	9	11	20	56	45	45		
8 Erysipelas ...	M	15	7	—	—	—	1	—	2	5	15	2	—	—	—	—	1	10	10		
	F	30	3	—	—	—	3	5	4	15	10	—	—	1	1	1	1	2	2		
9 Pulmonary tuberculosis	M	1,079	7	2	3	21	192	495	305	54	559	3	3	8	19	121	232	149	149		
	F	1,019	4	1	5	44	270	455	195	45	532	6	3	7	30	158	226	89	89		
10 Tuberculous meningitis	M	100	15	15	16	35	8	6	5	—	73	11	4	15	24	12	5	2	2		
	F	100	12	18	13	31	17	7	2	—	62	4	9	12	18	15	4	—	—		
11 Other tuberculous diseases.	M	165	21	9	13	25	23	39	24	11	99	11	9	7	15	26	15	12	12		
	F	165	12	6	7	25	29	41	31	14	101	11	7	5	16	18	21	18	18		
12 Cancer, malignant disease	M	1,442	—	1	3	5	10	84	619	720	539	—	—	—	2	2	43	275	275		
	F	2,078	—	3	—	5	14	182	873	1001	620	1	—	—	1	—	78	327	327		
13 Rheumatic fever ...	M	57	—	—	3	26	6	12	7	3	49	—	—	3	15	12	12	4	4		
	F	54	—	—	1	21	5	14	7	6	64	—	1	1	17	12	23	8	8		
14 Meningitis ...	M	85	22	13	9	21	4	8	7	1	41	10	5	4	8	5	6	3	3		
	F	67	12	10	10	15	5	5	7	3	40	10	3	4	12	4	5	2	2		
15 Organic heart disease ...	M	1,590	—	—	3	14	29	124	506	914	680	—	—	1	30	29	83	237	237		
	F	2,017	1	—	—	21	28	138	481	1348	734	2	1	4	21	30	101	221	221		
16 Bronchitis	M	868	133	16	14	5	1	26	130	543	709	174	37	15	6	5	24	172	172		
	F	987	101	17	10	8	2	21	102	726	569	137	32	22	4	3	14	93	93		
17 Pneumonia (all forms)	M	818	179	60	45	27	32	115	198	162	750	227	122	55	28	36	97	122	122		
	F	674	127	42	26	39	24	86	114	216	522	156	87	55	30	11	59	51	51		
18 Other respiratory diseases	M	189	11	3	8	12	7	22	58	68	148	10	4	24	6	6	18	52	52		
	F	184	6	6	2	10	1	23	47	89	101	4	8	15	17	2	16	15	15		
19 Diarrhoea, &c. ...	M	261	153	12	10	5	6	17	29	29	225	153	19	10	3	—	11	14	14		
	F	195	87	13	7	3	4	16	22	43	227	142	16	11	10	1	7	21	21		
20 Appendicitis and typhlitis	M	107	—	—	6	29	19	23	21	9	45	—	—	2	7	13	11	9	9		
	F	95	—	—	3	27	16	21	19	9	53	—	—	1	19	10	14	7	7		
21 Cirrhosis of liver ...	M	92	—	—	—	—	—	6	53	33	42	—	—	—	1	2	5	23	23		
	F	60	—	—	—	—	—	7	38	15	19	—	—	—	—	—	4	10	10		
21A Alcoholism ...	M	11	—	—	—	—	—	3	7	1	6	—	—	—	—	—	2	3	3		
	F	6	—	—	—	—	—	2	4	—	3	—	—	—	—	—	1	2	2		
22 Nephritis and Bright's disease.	M	416	1	—	2	5	14	38	162	194	226	—	2	4	10	6	41	92	92		
	F	382	—	—	1	11	12	46	132	180	187	1	1	3	13	7	44	71	71		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	94	—	—	—	—	15	78	1	—	60	—	—	—	—	13	47	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	135	—	—	—	—	19	116	—	—	129	—	—	—	—	19	110	—	—		
25 Congenital debility, &c.	M	828	817	2	1	3	—	4	1	—	662	655	—	3	3	—	1	—	—		
	F	644	626	—	6	3	6	2	1	—	480	478	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	511	48	9	30	41	63	114	136	70	566	11	12	33	47	93	168	152	152		
	F	223	22	9	6	25	5	34	29	93	146	12	8	21	31	11	15	23	23		
27 Suicide ...	M	169	—	—	—	—	8	53	73	30	53	—	—	—	—	2	18	26	26		
	F	75	—	—	—	—	6	23	36	10	28	—	—	—	2	4	12	8	8		
28 Other defined diseases ...	M	4,387	351	22	27	87	102	341	958	2499	2,135	423	38	43	61	52	193	461	461		
	F	5,124	262	39	27	85	76	363	952	3317	2,226	297	37	36	59	68	203	462	462		
29 Causes ill-defined or unknown.	M	53	4	4	2	—	1	5	25	12	37	5	7	1	—	1	2	17	17		
	F	62	6	4	1	—	1	2	33	15	29	2	4	—	1	1	4	12	12		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
RURAL DISTRICTS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).										AGGREGATE OF RURAL DISTRICTS (MIDLAND).									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	10,952	2259	346	352	480	492	1148	2232	3643	18,623	2849	357	379	670	745	1684	3759	8180		
	F	10,001	1575	335	351	495	416	1239	1949	3641	18,036	2030	335	359	614	745	1941	3299	8713		
1 Enteric fever ...	M	25	—	—	1	5	2	10	7	—	10	—	—	—	2	2	2	4	—		
	F	25	—	—	—	3	5	12	5	—	21	—	—	1	6	5	6	2	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—		
3 Measles ...	M	174	38	57	50	27	2	—	—	—	198	37	65	51	35	3	3	2	2		
	F	173	34	58	53	20	—	6	2	—	170	35	47	43	38	2	5	—	—		
4 Scarlet fever ...	M	51	1	4	15	21	9	1	—	—	34	1	2	12	15	3	—	1	—		
	F	62	3	3	18	28	8	2	—	—	28	—	1	7	14	4	2	—	—		
5 Whooping cough ...	M	78	49	13	12	4	—	—	—	—	128	84	20	16	8	—	—	—	—		
	F	53	27	15	10	1	—	—	—	—	158	84	34	34	4	—	1	—	1		
6 Diphtheria and croup ...	M	110	4	2	40	60	4	—	—	—	178	1	9	50	100	13	2	3	—		
	F	124	4	5	35	74	2	3	—	1	160	3	8	40	95	8	3	2	1		
7 Influenza ...	M	249	21	3	7	20	23	63	59	53	385	26	9	8	27	33	81	97	104		
	F	234	8	7	10	16	28	68	47	50	320	13	8	14	19	26	56	82	102		
8 Erysipelas ...	M	16	2	—	—	1	—	3	3	7	34	8	—	—	2	1	1	11	11		
	F	19	5	1	—	1	—	2	4	6	34	5	—	—	1	1	7	7	13		
9 Pulmonary tuberculosis	M	565	7	4	14	18	112	242	140	28	984	4	7	10	29	213	426	245	50		
	F	555	2	5	6	46	144	240	97	15	1,059	11	5	5	50	291	475	178	44		
0 Tuberculous meningitis	M	71	14	8	13	27	4	2	3	—	121	18	14	20	38	18	9	4	—		
	F	77	7	10	15	29	11	5	—	—	105	18	13	10	40	16	7	1	—		
1 Other tuberculous dis- eases.	M	130	19	9	12	23	14	29	19	5	209	20	10	11	24	49	58	24	13		
	F	120	5	6	17	14	12	32	26	8	216	8	8	13	20	41	66	42	18		
2 Cancer, malignant disease	M	779	—	—	1	4	5	55	354	360	1,775	1	—	2	5	14	80	683	990		
	F	911	—	1	2	1	3	92	420	392	2,211	1	1	3	4	5	178	889	1130		
3 Rheumatic fever ...	M	53	—	1	1	13	12	15	9	2	68	—	—	4	16	19	19	6	4		
	F	57	—	—	—	15	13	14	11	4	79	—	—	1	20	23	16	13	6		
4 Meningitis ...	M	80	26	10	9	15	4	9	5	2	101	26	15	8	20	15	9	6	2		
	F	82	18	8	11	18	11	7	7	2	90	16	12	9	17	13	8	10	5		
5 Organic heart disease ...	M	1,092	—	—	2	14	26	100	309	641	2,121	—	1	4	21	40	156	544	1355		
	F	1,157	—	—	3	22	25	97	351	659	2,390	—	—	2	21	27	128	528	1684		
6 Bronchitis ...	M	752	239	34	10	9	7	17	91	345	1,252	252	30	16	8	4	22	139	781		
	F	733	161	29	14	8	4	26	90	401	1,200	162	29	15	11	4	19	105	855		
7 Pneumonia (all forms)...	M	921	244	93	46	37	58	132	177	134	1,029	239	83	60	50	45	150	197	205		
	F	608	135	70	59	41	26	85	86	106	760	162	69	54	41	25	57	104	208		
8 Other respiratory diseases	M	174	19	5	18	8	8	18	60	38	275	25	10	12	17	10	22	74	105		
	F	133	6	7	14	9	1	12	30	54	236	16	3	11	15	7	28	49	107		
Diarrhoea, &c. ...	M	349	237	37	6	5	4	18	20	22	299	178	12	4	5	3	16	32	49		
	F	297	168	36	19	23	3	10	18	20	267	114	17	13	11	4	14	21	73		
Appendicitis and typhlitis	M	60	—	1	3	11	14	11	17	3	96	2	1	5	23	21	11	30	3		
	F	48	—	—	1	14	4	16	7	6	90	—	—	6	17	14	25	16	12		
Cirrhosis of liver ...	M	62	—	—	—	—	—	4	38	20	105	—	—	—	1	2	11	52	39		
	F	23	—	—	—	—	—	4	15	4	43	—	—	—	1	2	3	22	15		
A Alcoholism ...	M	12	—	—	—	—	—	2	9	1	8	—	—	—	—	—	2	5	1		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
Nephritis and Bright's disease.	M	301	3	4	4	14	5	48	125	98	473	5	1	3	12	11	46	170	225		
	F	255	3	8	7	16	11	47	92	71	419	3	2	3	11	14	69	126	191		
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	85	—	—	—	—	19	65	1	—	122	—	—	—	—	21	97	4	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	142	—	—	—	1	17	122	2	—	206	—	—	—	—	32	172	2	—		
Congenital debility, &c.	M	851	836	3	4	3	3	2	—	—	1,349	1330	2	5	4	6	1	1	—		
	F	676	667	4	2	2	—	1	—	—	1,006	984	8	4	8	1	—	1	—		
Violence, apart from suicide.	M	571	16	21	40	54	88	134	141	77	781	27	19	29	94	89	161	226	136		
	F	168	10	15	23	31	11	17	19	42	304	26	14	32	34	24	25	34	115		
Suicide ...	M	107	—	—	—	2	8	24	54	19	231	—	—	—	—	12	49	116	54		
	F	36	—	—	—	1	4	19	9	3	72	—	—	—	1	3	29	33	6		
Other defined diseases ...	M	3,233	480	29	41	81	78	196	559	1769	6,220	546	42	48	110	118	339	1020	3997		
	F	3,099	308	43	29	59	53	229	588	1790	6,154	351	48	38	112	128	390	977	4100		
Causes ill-defined or un- known.	M	86	4	8	3	4	2	13	33	19	158	19	5	1	4	1	7	67	54		
	F	48	4	4	3	2	1	6	22	6	111	7	8	1	3	2	15	49	26		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1920.
RURAL DISTRICTS—SOUTH AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH).									AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	10,723	1286	141	152	329	401	1047	2364	5003	5,489	934	146	145	236	289	570	1182	1987
	F	10,780	953	121	164	309	449	1167	2179	5438	5,335	691	130	140	239	307	701	1027	2100
1 Enteric fever ...	M	12	—	—	—	—	4	4	3	1	4	—	—	—	—	2	1	1	—
	F	6	—	—	—	—	3	2	1	—	2	—	—	—	—	2	—	—	—
2 Small-pox ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	46	10	13	9	11	2	1	—	—	67	12	30	16	7	1	1	—	—
	F	47	7	13	12	12	2	1	—	—	72	7	26	23	14	1	1	—	—
4 Scarlet fever ...	M	9	—	1	—	5	3	—	—	—	24	—	2	7	13	2	—	—	—
	F	14	—	1	5	5	1	2	—	—	17	1	—	3	11	1	1	—	—
5 Whooping cough ...	M	49	34	8	5	2	—	—	—	—	19	12	5	2	—	—	—	—	—
	F	68	39	17	11	—	—	1	—	—	34	22	10	2	—	—	—	—	—
6 Diphtheria and croup ...	M	79	1	4	19	43	7	4	1	—	93	4	7	28	49	2	2	—	—
	F	103	2	1	24	62	5	6	2	1	90	2	5	22	52	6	2	1	—
7 Influenza ...	M	171	10	2	2	3	15	29	47	63	152	7	2	1	2	19	43	44	3
	F	167	7	2	3	6	17	36	28	68	140	7	6	4	3	16	31	31	4
8 Erysipelas ...	M	9	—	—	—	—	—	2	2	5	3	1	—	—	—	—	—	—	—
	F	16	4	—	—	1	1	2	3	5	8	2	—	—	—	—	1	4	—
9 Pulmonary tuberculosis	M	671	2	1	2	14	128	306	193	25	395	2	2	3	9	84	154	116	2
	F	676	2	—	6	34	183	286	120	45	426	1	5	—	19	129	189	68	1
10 Tuberculous meningitis	M	66	11	8	9	16	10	10	2	—	38	8	3	8	12	4	2	1	—
	F	58	7	5	11	22	6	5	2	—	46	5	5	8	16	6	6	—	—
11 Other tuberculous diseases.	M	127	10	7	7	23	12	30	33	5	61	4	3	3	12	13	16	6	—
	F	125	4	4	8	18	17	43	20	11	59	4	—	1	9	16	14	12	—
12 Cancer, malignant disease	M	1,168	—	1	1	2	6	55	455	648	408	—	—	1	—	2	21	178	20
	F	1,386	1	—	1	4	5	138	578	659	534	1	—	1	—	1	59	239	23
13 Rheumatic fever ...	M	29	—	—	1	7	5	9	6	1	29	—	—	—	12	5	4	6	—
	F	43	—	—	—	17	6	9	5	6	27	—	—	—	11	5	7	3	—
14 Meningitis ...	M	56	8	8	8	9	6	8	8	1	40	10	1	4	12	5	4	4	—
	F	47	4	3	6	8	8	9	7	2	31	6	1	3	8	5	4	3	—
15 Organic heart disease ...	M	1,424	—	—	1	12	16	88	345	962	642	—	—	—	9	16	52	179	38
	F	1,568	—	—	2	10	14	74	351	1117	659	—	—	1	7	9	46	187	40
16 Bronchitis ...	M	596	73	12	3	4	2	7	61	434	361	83	12	5	3	3	6	45	20
	F	606	65	10	6	2	1	5	60	457	364	60	14	9	5	3	7	42	22
17 Pneumonia (all forms)...	M	480	112	33	22	19	25	44	104	121	377	93	39	16	19	17	44	73	7
	F	403	58	27	22	18	24	46	85	123	287	76	23	26	9	13	35	33	7
18 Other respiratory diseases	M	163	10	2	9	8	3	22	47	62	88	7	6	9	6	1	8	23	2
	F	131	3	3	4	4	4	10	32	71	79	5	7	5	9	1	8	15	2
19 Diarrhoea, &c. ...	M	141	62	8	3	3	1	3	27	34	122	75	6	2	—	2	6	10	2
	F	111	39	7	3	1	2	8	15	36	96	42	1	3	1	3	6	10	3
20 Appendicitis and typhlitis	M	75	—	—	4	19	11	17	17	7	29	—	1	—	8	10	4	4	—
	F	55	—	1	3	6	11	17	11	6	31	—	—	—	14	7	6	3	—
21 Cirrhosis of liver ...	M	58	—	—	—	—	—	3	35	20	18	—	—	—	—	—	2	6	1
	F	24	—	—	—	—	—	4	13	7	5	—	—	—	—	—	—	4	—
21A Alcoholism ...	M	8	—	—	—	—	—	5	2	1	6	—	—	—	—	—	3	3	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	342	4	—	—	10	6	37	126	159	190	—	—	1	7	2	15	68	9
	F	298	1	—	—	3	11	28	99	156	184	—	1	—	4	4	27	63	8
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	63	—	—	—	—	8	53	2	—	45	—	—	—	—	7	38	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	116	—	—	—	—	21	93	2	—	72	—	—	—	—	11	61	—	—
25 Congenital debility, &c.	M	659	643	4	2	6	1	3	—	—	341	339	—	2	—	—	—	—	—
	F	533	525	2	3	1	—	2	—	—	263	258	2	—	3	—	—	—	—
26 Violence, apart from suicide.	M	407	22	7	20	40	59	97	96	66	308	7	2	21	27	55	70	92	3
	F	180	21	5	16	21	14	14	30	59	80	2	5	17	13	4	8	11	2
27 Suicide ...	M	150	—	—	—	2	10	39	65	34	37	—	—	—	2	5	10	13	—
	F	59	—	—	—	—	5	22	22	10	16	—	—	—	—	3	7	5	—
28 Other defined diseases ...	M	3,656	268	22	22	71	69	213	662	2329	1,606	268	23	16	27	39	99	298	83
	F	3,813	156	19	16	52	79	242	664	2,855	1,632	184	16	11	30	53	131	285	92
29 Causes ill-defined or unknown.	M	71	6	—	3	—	—	10	27	25	31	2	2	—	—	—	3	12	1
	F	63	8	1	2	2	1	9	26	14	35	6	3	1	1	1	6	7	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN GREATER LONDON* and the
CITY OF LONDON—1920 (Civilian Population only).

Causes of Death.	Sex.	GREATER LONDON.										CITY OF LONDON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	45,028	7750	1335	1422	1847	1917	5,923	11,987	12,847	121	6	—	4	3	3	20	50	35		
	F	42,804	5742	1230	1327	1857	1985	5,374	9,235	16,054	82	7	—	—	3	2	9	23	38		
Enteric fever ...	M	36	—	—	—	4	6	11	13	2	1	—	—	—	—	—	—	1	—		
	F	42	—	—	1	8	6	19	7	1	—	—	—	—	—	—	—	—	—		
Small-pox ...	M	4	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—		
	F	9	2	—	1	1	1	3	1	—	—	—	—	—	—	—	—	—	—		
Measles ...	M	705	167	269	187	76	2	1	2	1	1	—	—	1	—	—	—	—	—		
	F	598	125	229	178	59	4	2	1	—	—	—	—	—	—	—	—	—	—		
Scarlet fever ...	M	152	6	17	61	49	10	8	1	—	—	—	—	—	—	—	—	—	—		
	F	139	2	17	44	58	11	6	1	—	—	—	—	—	—	—	—	—	—		
Whooping cough ...	M	493	227	152	102	12	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	566	255	157	129	24	—	1	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria and croup ...	M	750	39	65	284	334	21	2	4	1	1	—	—	1	—	—	—	—	—		
	F	814	42	60	266	407	21	11	6	1	—	—	—	—	—	—	—	—	—		
Influenza ...	M	1,081	33	21	20	40	101	348	332	186	8	—	—	—	1	2	3	2	2		
	F	1,071	40	14	26	46	99	328	257	261	2	—	—	—	—	—	2	—	—		
Erysipelas ...	M	90	11	1	—	2	7	18	24	27	—	—	—	—	—	—	—	—	—		
	F	104	21	1	2	—	7	21	24	28	—	—	—	—	—	—	—	—	—		
Pulmonary tuberculosis	M	4,037	32	21	30	78	594	1,684	1,408	190	15	—	—	—	1	—	6	6	2		
	F	3,130	32	16	32	157	797	1,323	618	155	9	—	—	—	2	3	1	3	3		
Tuberculous meningitis	M	353	74	41	71	110	31	18	7	1	—	—	—	—	—	—	—	—	—		
	F	319	60	44	65	102	33	15	—	—	—	—	—	—	—	—	—	—	—		
Other tuberculous diseases.	M	407	37	20	29	75	78	78	68	22	2	—	—	—	1	1	—	—	—		
	F	395	33	17	37	73	57	83	59	36	—	—	—	—	—	—	—	—	—		
Cancer, malignant disease	M	4,076	3	3	11	19	28	272	2,077	1,663	16	—	—	1	—	—	2	9	4		
	F	4,851	1	3	7	12	30	525	2,295	1,978	11	—	—	—	—	—	1	6	4		
Rheumatic fever ...	M	189	—	1	4	65	39	40	31	9	—	—	—	—	—	—	—	—	—		
	F	209	—	—	2	97	44	41	18	7	2	—	—	—	2	—	—	—	—		
Meningitis ...	M	246	95	22	28	44	15	21	18	3	1	—	—	—	—	—	—	1	—		
	F	190	66	22	23	33	19	10	12	5	—	—	—	—	—	—	—	—	—		
Organic heart disease ...	M	4,522	—	1	7	82	158	523	1,540	2,211	9	—	—	—	—	—	—	7	2		
	F	5,142	2	1	11	109	138	464	1,424	2,993	11	—	—	—	—	1	2	8	8		
Bronchitis ...	M	3,531	609	81	36	15	17	163	846	1,764	9	1	—	—	—	—	—	1	7		
	F	3,669	451	65	43	15	14	81	603	2,397	8	1	—	—	—	—	—	1	6		
Pneumonia (all forms)	M	4,423	1207	416	262	136	157	643	959	643	3	—	—	—	—	1	2	—	—		
	F	3,282	878	379	231	136	109	372	521	656	2	—	—	—	—	—	2	—	—		
Other respiratory diseases	M	648	34	13	24	19	19	87	245	207	3	—	—	—	—	—	—	3	—		
	F	557	32	15	19	23	14	59	160	235	—	—	—	—	—	—	—	—	—		
Diarrhoea, &c. ...	M	1,246	910	56	20	9	15	60	103	73	—	—	—	—	—	—	—	—	—		
	F	867	586	52	25	11	12	45	62	74	2	2	—	—	—	—	—	—	—		
Appendicitis and typhlitis	M	298	—	—	26	79	63	55	54	21	—	—	—	—	—	—	—	—	—		
	F	217	—	—	18	75	34	41	37	12	—	—	—	—	—	—	—	—	—		
Cirrhosis of liver ...	M	260	—	1	—	4	1	27	177	50	—	—	—	—	—	—	—	—	—		
	F	152	—	—	—	3	—	15	89	45	—	—	—	—	—	—	—	—	—		
Alcoholism ...	M	23	—	—	—	—	—	11	12	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—		
Nephritis and Bright's disease.	M	1,279	7	1	10	25	45	182	537	472	3	—	—	—	—	—	—	1	2		
	F	1,079	2	4	9	39	34	173	408	410	5	—	—	—	—	—	—	3	2		
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	326	—	—	—	—	52	273	1	—	—	—	—	—	—	—	—	—	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	334	—	—	—	—	58	272	4	—	—	—	—	—	—	—	—	—	—		
Congenital debility, &c.	M	2,888	2852	9	11	7	8	1	—	—	1	1	—	—	—	—	—	—	—		
	F	2,164	2130	10	10	6	4	2	2	—	—	—	—	—	—	—	—	—	—		
Violence, apart from suicide.	M	1,681	127	30	91	242	162	336	436	257	7	—	—	1	1	—	3	2	—		
	F	866	119	32	55	81	52	105	149	273	5	2	—	—	—	2	—	—	1		
Suicide ...	M	497	—	—	—	—	23	146	241	87	3	—	—	—	—	2	1	—	—		
	F	227	—	—	—	—	27	85	96	19	1	—	—	—	—	1	—	—	—		
Other defined diseases ...	M	11,063	1275	85	100	319	315	1,184	2,835	4,950	37	3	—	—	1	1	3	13	16		
	F	11,441	857	85	91	281	306	997	2,367	6,457	24	2	—	—	1	—	1	6	14		
Causes ill-defined or unknown.	M	50	5	9	7	1	1	4	16	7	—	—	—	—	—	—	—	—	—		
	F	38	6	7	2	1	2	1	9	10	—	—	—	—	—	—	—	—	—		

* The populations, births and infantile mortality for Greater London are shown on page 101.

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1920
(Civilian Population only).—*cont.*

Causes of Death.		Sex.	BATTERSEA.										BERMONDSEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,073	218	35	32	53	37	120	270	308	891	196	42	34	41	44	101	235	198	
			F	1,006	168	27	40	48	56	128	174	365	809	152	56	45	34	42	101	153	226	
1	Enteric fever	M	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	24	11	7	5	1	—	—	—	28	5	16	6	1	—	—	—	—	
			F	21	6	3	10	2	—	—	—	—	29	7	10	11	1	—	—	—	—	
4	Scarlet fever	M	3	1	—	—	2	—	—	—	5	—	1	2	2	—	—	—	—	
			F	4	—	—	2	2	—	—	—	—	2	—	2	—	—	—	—	—	—	
5	Whooping cough	M	18	7	3	7	1	—	—	—	16	10	3	3	—	—	—	—	—	
			F	15	8	4	2	1	—	—	—	—	23	12	7	4	—	—	—	—	—	
6	Diphtheria and croup	M	12	—	1	3	7	1	—	—	12	3	1	6	2	—	—	—	—	
			F	25	—	3	10	9	2	1	—	—	15	—	5	6	4	—	—	—	—	
7	Influenza	M	36	1	1	—	1	3	12	14	20	3	—	—	—	—	5	11	1	
			F	21	—	—	—	1	7	5	5	3	18	1	—	1	3	1	5	6	1	
8	Erysipelas	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
			F	2	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	M	72	—	—	—	1	16	29	22	64	—	—	—	2	9	19	31	3	
			F	98	3	1	2	3	19	45	19	6	77	2	1	1	7	19	36	9	2	
10	Tuberculous meningitis	M	13	1	1	5	6	—	—	—	9	3	1	1	3	1	—	—	—	
			F	6	2	1	2	1	—	—	—	—	8	3	1	—	3	1	—	—	—	
11	Other tuberculous diseases.	M	14	2	2	1	6	2	1	—	14	1	—	—	9	2	2	—	—	
			F	9	3	1	—	1	—	3	1	—	4	1	—	1	—	—	2	—	—	
12	Cancer, malignant disease	M	108	—	1	—	—	1	7	50	72	—	—	1	—	1	4	41	25	
			F	88	—	—	—	—	2	5	37	44	74	—	—	—	—	—	4	38	32	
13	Rheumatic fever	M	4	—	—	—	3	1	—	—	2	—	1	—	—	—	1	—	—	
			F	11	—	—	—	5	3	3	—	—	1	—	—	—	1	—	—	—	—	
14	Meningitis	M	7	3	2	—	1	1	—	—	13	6	—	3	2	—	2	—	—	
			F	3	1	—	—	—	1	1	—	—	8	4	2	1	—	—	—	1	—	
15	Organic heart disease	M	149	—	—	—	—	5	9	52	96	—	—	—	2	4	12	32	46	
			F	159	—	—	—	6	3	12	28	110	87	—	—	1	2	4	8	30	42	
16	Bronchitis	M	77	20	2	1	—	1	4	16	56	12	4	1	—	—	1	15	23	
			F	75	19	—	—	—	1	3	6	46	47	7	1	1	—	—	1	8	29	
17	Pneumonia (all forms)	M	89	37	5	3	2	—	10	19	129	41	14	8	4	8	18	25	11	
			F	58	20	4	5	—	4	5	11	9	97	28	19	12	4	4	9	9	12	
18	Other respiratory diseases	M	16	2	—	1	1	—	4	3	10	—	—	—	2	—	2	6	—	
			F	9	—	1	—	—	—	2	2	4	6	—	—	—	—	—	3	3	—	
19	Diarrhoea, &c.	M	32	25	3	—	—	—	1	3	27	20	—	—	—	—	—	4	3	
			F	32	23	3	1	1	—	—	3	1	17	13	1	1	—	—	1	—	1	
20	Appendicitis and typhlitis	M	4	—	—	1	2	—	1	—	3	—	—	—	—	3	—	—	—	
			F	4	—	—	—	1	2	—	—	—	1	—	—	—	1	—	—	—	—	
21	Cirrhosis of liver	M	4	—	—	—	1	—	—	2	5	—	—	—	—	—	1	3	1	
			F	4	—	—	—	—	—	—	3	1	4	—	—	—	—	—	1	1	2	
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	19	1	—	—	—	1	2	10	13	—	—	—	—	1	2	8	2	
			F	19	—	—	—	2	—	5	5	7	18	—	—	1	2	1	5	4	5	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	7	—	—	—	—	—	—	7	—	10	—	—	—	—	1	9	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	6	—	—	—	—	1	5	—	—	7	—	—	—	—	2	5	—	—	
25	Congenital debility, &c.	M	67	66	1	—	—	—	—	—	63	63	—	—	—	—	—	—	—	
			F	53	52	—	—	1	—	—	—	—	43	43	—	—	—	—	—	—	—	
26	Violence, apart from suicide.	M	38	—	1	3	10	1	7	12	34	2	—	1	5	5	7	8	6	
			F	19	2	3	1	1	3	4	2	3	19	4	1	3	2	—	—	1	8	
27	Suicide	M	18	—	—	—	—	1	5	10	10	—	—	—	—	—	3	7	—	
			F	4	—	—	—	—	—	2	2	—	5	—	—	—	—	—	1	3	1	
28	Other defined diseases	M	246	41	4	2	8	3	27	56	187	27	1	2	7	9	21	43	77	
			F	252	29	3	5	11	7	19	48	130	186	26	4	1	4	9	14	40	88	
29	Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1920
(Civilian Population only).—cont.

Causes of Death.	Sex.	BETHNAL GREEN.										CAMBERWELL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	904	191	40	48	38	40	127	256	164	1,677	303	47	69	74	66	240	419	459		
	F	798	175	52	43	31	46	89	150	212	1,659	232	48	50	73	72	195	340	649		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	1	1		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	30	10	12	8	—	—	—	—	—	24	4	8	9	3	—	—	—	—		
	F	32	6	18	8	—	—	—	—	—	35	4	10	15	6	—	—	—	—		
4 Scarlet fever ...	M	5	—	—	1	3	—	1	—	—	12	—	1	8	2	1	—	—	—		
	F	7	—	2	3	1	1	—	—	—	3	—	1	2	—	—	—	—	—		
5 Whooping cough ...	M	29	15	7	7	—	—	—	—	—	15	5	7	3	—	—	—	—	—		
	F	28	14	6	8	—	—	—	—	—	23	14	4	3	2	—	—	—	—		
6 Diphtheria and croup ...	M	21	2	4	7	7	—	—	—	1	29	2	—	14	12	1	—	—	—		
	F	17	2	3	8	4	—	—	—	—	33	2	2	8	18	2	1	—	—		
7 Influenza ...	M	27	1	—	1	1	3	13	8	—	42	—	1	1	—	5	13	13	9		
	F	35	2	2	4	2	5	6	11	3	32	1	—	1	2	—	9	9	10		
8 Erysipelas ...	M	4	1	—	—	—	1	—	2	—	3	—	—	—	—	1	—	2	—		
	F	2	1	—	—	—	—	1	—	—	5	—	—	2	—	—	1	1	1		
9 Pulmonary tuberculosis	M	107	—	—	—	1	19	35	43	9	173	3	1	1	3	16	81	54	14		
	F	52	—	—	1	2	9	28	10	2	130	1	—	1	8	36	49	26	9		
10 Tuberculous meningitis	M	6	1	—	4	1	—	—	—	—	16	3	3	5	3	2	—	—	—		
	F	7	1	1	4	1	—	—	—	—	13	3	4	1	4	—	1	—	—		
11 Other tuberculous diseases.	M	5	—	—	2	—	2	—	1	—	17	2	—	—	3	3	5	1	3		
	F	6	1	—	1	2	2	—	—	—	15	2	—	—	3	2	2	2	4		
12 Cancer, malignant disease	M	64	—	—	—	2	—	8	41	13	136	—	—	—	1	2	7	78	48		
	F	55	—	—	—	—	—	8	28	19	190	—	—	—	—	2	14	88	86		
13 Rheumatic fever ...	M	3	—	—	—	1	—	2	—	—	8	—	—	—	2	1	4	1	—		
	F	2	—	—	—	1	1	—	—	—	3	—	—	—	2	—	1	—	—		
14 Meningitis ...	M	4	2	1	—	—	—	1	—	—	8	2	1	2	2	—	—	—	1		
	F	7	1	1	2	1	—	—	1	1	6	2	3	1	—	—	—	—	—		
15 Organic heart disease ...	M	110	—	—	—	5	3	14	35	53	146	—	—	1	4	6	22	48	65		
	F	96	—	—	—	2	4	12	22	56	196	1	—	—	4	3	22	37	129		
16 Bronchitis ...	M	73	17	1	—	—	—	7	29	19	133	20	4	1	1	—	5	28	74		
	F	78	11	2	—	—	—	1	17	47	164	22	1	—	3	—	4	30	104		
17 Pneumonia (all forms)	M	89	31	11	13	3	2	8	15	6	181	48	16	15	12	4	29	32	25		
	F	96	40	13	4	2	6	7	14	10	127	38	15	12	4	1	10	20	27		
18 Other respiratory diseases	M	10	2	—	—	—	—	6	2	—	14	1	—	1	—	—	3	5	4		
	F	11	2	—	—	1	—	1	2	5	18	—	1	—	—	—	3	9	5		
19 Diarrhoea, &c. ...	M	29	24	1	2	—	—	1	1	—	66	57	—	—	—	—	2	3	4		
	F	28	24	2	—	—	1	—	—	1	31	24	2	—	1	1	1	—	2		
20 Appendicitis and typhlitis	M	5	—	—	2	1	1	1	—	—	10	—	—	1	3	4	1	1	—		
	F	4	—	—	—	1	2	—	1	—	9	—	—	—	1	2	4	—	2		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	3	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	1	3		
21a Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	3	8	6	46	—	—	1	—	1	6	19	19		
	F	14	—	—	—	1	2	1	6	4	40	—	—	—	1	3	5	19	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	14	—	—	—	—	2	12	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	13	—	—	—	—	3	10	—	—		
25 Congenital debility, &c.	M	56	56	—	—	—	—	—	—	—	115	113	—	—	2	—	—	—	—		
	F	38	38	—	—	—	—	—	—	—	91	89	2	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	32	5	1	1	8	1	6	7	3	60	4	2	3	13	8	10	14	6		
	F	13	5	1	—	3	1	—	—	3	25	3	—	—	1	1	1	13	6		
27 Suicide ...	M	16	—	—	—	—	2	4	6	4	19	—	—	—	—	1	4	11	3		
	F	6	—	—	—	—	—	1	5	—	4	—	—	—	—	—	1	3	—		
28 Other defined diseases ...	M	158	24	2	—	5	6	21	52	48	391	39	2	3	8	9	45	105	180		
	F	151	27	1	—	7	10	13	32	61	425	26	2	4	12	13	42	78	248		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	4	—	1	—	—	—	1	1	1		
	F	—	—	—	—	—	—	—	—	—	7	—	1	—	—	1	4	1	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1920
(Civilian Population only).—*cont.*

Causes of Death.		Sex.	CHELSEA.										DEPTFORD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	392	46	8	9	14	7	34	93	181	752	157	18	25	28	34	99	190	201		
		F	375	29	3	3	6	21	48	91	174	656	103	20	26	31	36	84	150	206		
1 Enteric fever ...		M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...		M	5	2	—	3	—	—	—	—	—	12	1	6	5	—	—	—	—	—		
		F	4	1	2	1	—	—	—	—	—	8	2	4	2	—	—	—	—	—		
4 Scarlet fever ...		M	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...		M	—	—	—	—	—	—	—	—	—	5	4	—	1	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	11	3	4	3	1	—	—	—	—		
6 Diphtheria and croup ...		M	6	—	2	1	3	—	—	—	—	6	—	—	5	1	—	—	—	—		
		F	2	—	—	—	2	—	—	—	—	15	—	—	8	7	—	—	—	—		
7 Influenza ...		M	4	—	—	—	—	—	2	—	2	9	2	—	1	—	1	2	3	—		
		F	10	1	—	—	—	2	—	3	4	9	—	—	—	1	2	3	1	2		
8 Erysipelas ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis		M	40	—	—	—	2	3	12	16	7	77	—	—	—	1	11	34	28	3		
		F	28	—	—	—	—	8	15	4	1	52	1	—	—	5	18	18	10	—		
10 Tuberculous meningitis		M	1	—	—	1	—	—	—	—	—	5	—	1	—	3	1	—	—	—		
		F	4	—	—	1	—	2	1	—	—	5	3	1	1	—	—	—	—	—		
11 Other tuberculous diseases.		M	1	—	1	—	—	—	—	—	—	8	—	—	1	2	2	1	2	—		
		F	5	—	—	—	—	1	2	1	1	10	—	1	—	6	—	1	—	2		
12 Cancer, malignant disease		M	37	—	—	—	—	—	1	14	22	47	—	—	—	—	1	4	24	18		
		F	48	—	—	—	—	—	6	25	17	72	—	—	—	—	4	42	26	26		
13 Rheumatic fever ...		M	2	—	—	—	2	—	—	—	—	9	—	—	—	4	1	2	2	—		
		F	3	—	—	—	1	1	—	1	—	8	—	—	—	6	1	1	—	—		
14 Meningitis ...		M	—	—	—	—	—	—	—	—	—	5	1	—	2	—	—	—	1	1		
		F	1	1	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—		
15 Organic heart disease ...		M	60	—	—	—	1	1	4	16	38	65	—	—	—	—	2	7	28	28		
		F	47	—	—	—	—	—	2	11	34	63	—	—	—	2	—	11	25	25		
16 Bronchitis ...		M	20	2	—	—	—	—	1	5	12	81	16	2	2	2	—	4	23	32		
		F	27	1	—	—	—	—	—	4	22	55	5	1	1	—	1	3	9	35		
17 Pneumonia (all forms)		M	33	7	3	—	—	1	1	5	16	72	25	5	6	1	—	10	17	8		
		F	25	4	1	—	—	1	1	9	9	56	17	7	3	—	4	6	13	6		
18 Other respiratory diseases		M	11	—	—	1	—	—	—	4	6	11	4	1	—	—	—	1	4	1		
		F	2	1	—	—	—	—	—	—	1	15	—	—	2	—	1	2	3	7		
19 Diarrhoea, &c. ...		M	11	7	1	1	—	—	1	—	1	31	27	1	—	—	—	—	1	2		
		F	5	2	—	1	—	—	2	—	—	17	13	1	—	—	—	—	1	2		
20 Appendicitis and typhlitis		M	2	—	—	1	—	—	1	—	—	6	—	—	1	1	1	3	—	—		
		F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver ...		M	2	—	—	—	—	—	—	—	2	4	—	—	—	—	—	1	2	1		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	14	—	—	—	—	—	2	4	8	13	—	—	—	1	—	3	8	1		
		F	10	—	—	—	—	1	2	4	3	7	—	—	—	—	1	2	1	3		
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	1	1	—	11	—	—	—	—	2	9	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.		M	20	20	—	—	—	—	—	—	—	57	56	1	—	—	—	—	—	—		
		F	11	11	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide.		M	14	1	—	—	2	1	1	2	7	28	1	1	—	6	8	2	8	2		
		F	12	2	—	—	1	—	2	4	3	13	3	1	—	1	1	1	2	4		
27 Suicide ...		M	3	—	—	—	—	—	—	2	1	11	—	—	—	—	1	3	6	1		
		F	5	—	—	—	—	—	1	3	1	5	—	—	—	—	1	2	1	1		
28 Other defined diseases ...		M	103	7	1	—	3	1	7	25	59	187	20	—	1	5	5	22	32	102		
		F	117	5	—	—	2	4	9	19	78	176	18	—	4	1	4	16	40	93		
29 Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1920
(Civilian Population only).—*cont.*

Causes of Death.	Sex.	GREENWICH.										HACKNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	680	104	21	27	31	45	113	162	177	1,459	289	64	68	53	50	196	366	373		
	F	558	91	16	21	18	30	62	122	198	1,419	199	37	62	62	69	174	324	492		
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	15	6	2	5	2	—	—	—	—	45	15	13	15	2	—	—	—	—		
	F	11	2	3	3	2	—	1	—	—	41	8	14	14	5	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—		
	F	2	—	—	1	—	1	—	—	—	3	—	2	—	1	—	—	—	—		
5 Whooping cough ..	M	11	7	2	2	—	—	—	—	—	36	18	11	6	1	—	—	—	—		
	F	9	5	1	2	1	—	—	—	—	31	15	5	10	1	—	—	—	—		
6 Diphtheria and croup ...	M	7	2	1	3	1	—	—	—	—	34	1	5	14	12	1	—	—	—		
	F	6	1	—	4	1	—	—	—	—	36	3	2	13	18	—	—	—	—		
7 Influenza ...	M	7	—	—	—	—	1	2	2	2	46	2	—	—	2	4	15	18	5		
	F	8	—	—	—	—	—	—	4	4	47	—	—	—	5	21	11	10	—		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	3	1	—	—	—	1	1	—	—		
	F	2	1	—	—	—	—	—	—	1	7	—	—	—	1	2	1	3	—		
9 Pulmonary tuberculosis	M	73	1	1	—	3	19	30	17	2	110	—	2	—	3	14	55	35	1		
	F	55	—	—	—	6	12	20	13	4	103	2	1	2	3	30	37	26	2		
10 Tuberculous meningitis	M	8	4	1	1	2	—	—	—	—	14	2	2	5	3	2	—	—	—		
	F	1	—	1	—	—	—	—	—	—	9	2	1	2	2	2	—	—	—		
11 Other tuberculous diseases.	M	8	—	—	—	2	4	1	1	—	16	—	2	1	3	3	2	4	1		
	F	5	—	1	—	—	1	1	2	—	12	2	1	1	1	3	2	1	1		
12 Cancer, malignant disease	M	70	—	—	1	—	—	4	35	30	133	—	—	—	—	15	63	54	—		
	F	55	—	—	—	—	—	7	27	21	127	—	—	1	1	2	15	64	44		
13 Rheumatic fever ...	M	4	—	—	1	1	1	—	—	1	7	—	—	1	1	2	1	1	—		
	F	5	—	—	—	1	3	1	—	—	5	—	—	—	1	1	—	2	1		
14 Meningitis ...	M	2	—	1	1	—	—	—	—	—	11	5	3	1	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	6	3	1	—	—	—	2	—	—		
15 Organic heart disease ...	M	47	—	—	1	1	3	4	13	25	129	—	—	—	—	2	20	37	70		
	F	56	—	—	—	2	3	4	18	29	169	—	—	1	4	5	17	52	90		
16 Bronchitis ...	M	59	17	—	—	—	1	2	11	28	98	24	1	1	—	—	5	19	48		
	F	45	7	2	3	—	2	—	9	22	131	16	1	2	—	—	5	20	87		
17 Pneumonia (all forms)	M	76	11	10	5	2	5	21	15	7	154	49	16	13	4	5	18	31	18		
	F	37	13	7	1	—	2	1	5	8	121	38	8	7	8	9	10	23	18		
18 Other respiratory diseases	M	11	—	—	1	—	1	1	7	1	24	2	—	1	—	—	5	9	7		
	F	3	1	—	—	—	—	—	—	2	17	—	—	1	1	1	1	7	6		
19 Diarrhoea, &c. ...	M	11	10	—	—	—	—	1	2	1	51	39	3	1	—	—	3	4	1		
	F	11	6	—	3	—	—	—	—	2	31	21	1	1	—	1	2	3	2		
20 Appendicitis and typhlitis	M	9	—	—	2	1	3	1	—	2	14	—	—	1	4	3	2	4	—		
	F	1	—	—	—	—	1	—	—	—	4	—	—	1	1	—	2	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	1	—	1	1	1	6	—	—	—	—	—	2	3	1		
	F	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	1	—	2	3	6	49	—	—	—	1	—	9	21	18		
	F	19	—	—	1	—	1	4	7	6	43	—	—	—	2	—	4	19	18		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	15	—	—	—	—	2	13	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	9	—	—	—	—	1	8	—	—		
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	87	86	1	—	—	—	—	—	—		
	F	30	29	—	1	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	1	—	—	7	4	9	6	4	56	6	1	3	4	5	6	18	13		
	F	12	4	—	—	2	—	2	2	2	29	3	—	3	4	1	3	10	5		
27 Suicide ...	M	8	—	—	—	—	—	2	6	—	22	—	—	—	—	—	4	11	7		
	F	1	—	—	—	—	—	1	—	—	8	—	—	—	—	1	3	3	1		
28 Other defined diseases ...	M	169	16	2	4	7	3	30	40	67	311	39	4	4	11	8	32	85	128		
	F	177	21	1	2	3	3	17	34	96	348	24	—	3	9	4	30	77	201		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	HAMMERSMITH.										HAMPSTEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	780	127	19	21	24	28	114	227	220	392	45	6	10	5	8	40	119	159		
	F	787	95	30	25	35	43	94	157	308	468	30	8	2	14	19	53	111	231		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	9	2	3	2	2	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	7	—	3	3	1	—	—	—	—	5	1	3	—	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	4	—	1	3	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	2	2	1	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
	F	7	—	4	2	1	—	—	—	—	3	2	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	17	1	1	6	8	1	—	—	—	2	1	—	—	1	—	—	—	—		
	F	19	1	2	8	6	—	2	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	14	—	—	1	—	1	5	6	1	8	—	—	—	—	1	1	2	4		
	F	7	1	—	—	—	—	3	1	2	10	—	—	—	—	3	1	3	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	76	1	—	1	1	7	33	30	3	14	—	—	—	—	2	8	4	—		
	F	60	1	1	1	2	24	14	14	3	27	—	—	—	2	6	4	11	4		
10 Tuberculous meningitis	M	4	—	1	1	1	1	—	—	—	2	—	—	1	1	—	—	—	—		
	F	5	1	—	—	3	1	—	—	—	4	1	2	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	—	2	—	3	—	3	—	—	—	—	1	2	—	—		
	F	7	1	—	1	1	—	2	2	—	5	—	—	—	—	2	2	1	—		
12 Cancer, malignant disease	M	68	—	—	—	—	2	4	33	29	44	—	—	—	—	—	—	29	15		
	F	89	—	—	—	—	1	9	35	44	76	—	—	—	1	—	9	28	38		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1		
	F	4	—	—	—	3	—	1	—	—	3	—	—	—	1	1	1	—	—		
14 Meningitis ...	M	5	1	2	—	2	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	5	3	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	81	—	—	—	—	2	11	29	39	54	—	—	—	—	—	4	17	33		
	F	91	—	—	—	2	4	9	27	49	62	—	—	1	3	—	4	17	37		
16 Bronchitis ...	M	70	14	2	1	1	—	5	11	36	26	1	—	1	—	—	1	4	19		
	F	67	3	—	—	—	—	3	9	52	22	4	1	—	—	—	—	—	17		
17 Pneumonia (all forms)	M	70	15	6	2	—	4	10	23	10	34	5	2	1	—	—	1	13	12		
	F	62	16	14	3	2	1	8	5	13	35	2	1	—	—	1	7	6	18		
18 Other respiratory diseases	M	7	—	1	—	—	—	1	4	1	5	—	—	1	1	—	—	3	—		
	F	10	—	1	1	2	—	3	2	1	9	—	—	—	—	1	2	1	5		
19 Diarrhoea, &c. ...	M	17	8	—	—	1	—	4	2	2	8	5	—	—	—	—	1	2	—		
	F	22	14	1	—	1	—	1	2	3	4	—	—	—	—	—	1	2	1		
20 Appendicitis and typhlitis	M	7	—	—	—	2	—	2	2	1	3	—	—	—	—	—	—	2	1		
	F	1	—	—	1	—	—	—	—	—	6	—	—	—	1	—	4	1	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	5	1	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	36	—	—	1	—	—	5	19	11	15	—	—	—	—	—	1	5	9		
	F	35	—	—	—	—	1	5	13	16	12	—	—	—	—	—	1	6	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	1	10	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	61	61	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—		
	F	45	45	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	29	4	—	1	3	3	3	11	4	12	2	—	1	—	1	2	2	4		
	F	12	1	—	—	2	1	3	4	1	7	2	—	—	1	1	—	2	1		
27 Suicide ...	M	9	—	—	—	—	—	6	3	—	8	—	—	—	—	—	3	4	1		
	F	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	1	1	1		
28 Other defined diseases ...	M	177	18	1	2	2	5	22	46	81	112	6	—	—	—	3	14	31	58		
	F	209	8	3	3	6	8	17	41	123	150	6	—	—	1	3	11	31	98		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	HOLBORN.										ISLINGTON									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	352	34	6	9	6	9	48	112	128	2,316	398	102	96	109	74	272	607	651		
	F	251	21	6	4	9	6	34	70	101	2,213	286	89	90	124	84	287	460	791		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	5	—	3	1	1	—	—	—	—	44	11	21	7	5	—	—	—	—		
	F	2	1	—	—	1	—	—	—	—	51	9	23	16	3	—	—	—	—		
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	9	—	1	3	4	—	1	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	42	16	10	14	2	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	31	12	12	6	1	—	—	—	—		
6 Diphtheria and croup	M	3	—	—	2	1	—	—	—	—	58	2	5	25	26	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	78	6	4	23	41	2	2	—	—		
7 Influenza	M	6	—	—	—	—	—	2	3	1	61	2	2	—	1	6	21	22	—		
	F	5	—	—	—	—	—	2	—	3	60	3	2	—	4	6	18	14	13		
8 Erysipelas	M	1	—	—	—	—	—	1	—	—	7	—	—	—	—	1	3	—	—		
	F	1	—	—	—	—	—	—	1	—	8	—	—	—	—	1	4	1	—		
9 Pulmonary tuberculosis	M	31	1	—	—	—	1	15	11	3	197	1	1	3	6	22	74	79	131		
	F	14	—	—	—	—	2	4	6	2	163	1	—	2	7	30	72	38	131		
10 Tuberculous meningitis	M	2	—	1	—	—	—	1	—	—	22	5	4	5	8	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	18	3	1	4	8	2	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	1	—	1	1	—	—	17	—	1	2	3	5	3	2	—		
	F	2	—	—	—	—	—	2	—	—	20	2	—	4	3	1	5	4	—		
12 Cancer, malignant disease	M	32	—	—	—	—	1	—	13	18	208	—	—	1	—	12	95	100	—		
	F	25	—	—	—	—	—	2	18	5	206	—	—	1	—	32	96	76	—		
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	9	—	—	—	5	4	—	—	—		
	F	2	—	—	—	2	—	—	—	—	10	—	—	—	5	2	2	1	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	18	6	2	5	3	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	9	1	—	2	4	—	1	1	—		
15 Organic heart disease ...	M	38	—	—	—	—	2	4	14	18	210	—	—	—	4	7	23	77	99		
	F	31	—	—	—	—	—	4	10	17	234	—	1	2	7	6	25	61	132		
16 Bronchitis	M	29	—	—	—	—	—	3	6	20	186	28	6	1	—	2	10	55	84		
	F	30	3	1	—	—	—	1	4	21	217	27	3	3	1	—	8	39	136		
17 Pneumonia (all forms)	M	39	9	1	1	—	1	9	13	5	244	78	33	19	8	2	29	51	241		
	F	21	5	2	2	1	—	2	5	4	187	48	31	14	7	3	26	27	311		
18 Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	42	3	—	—	1	2	3	14	15		
	F	1	1	—	—	—	—	—	—	—	43	—	—	1	—	3	12	27	—		
19 Diarrhoea, &c.	M	9	5	1	—	—	—	—	2	1	59	42	3	2	—	1	4	4	3		
	F	10	3	2	—	—	—	2	—	3	44	27	2	2	2	1	2	3	5		
20 Appendicitis and typhlitis	M	2	—	—	1	—	—	—	1	—	10	—	—	—	4	1	1	2	2		
	F	2	—	—	—	—	1	—	1	—	5	—	—	—	3	2	—	—	—		
21 Cirrhosis of liver	M	6	—	—	—	—	—	—	5	1	8	—	—	—	—	—	—	6	2		
	F	4	—	—	—	—	—	1	1	2	6	—	—	—	—	—	2	4	—		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	—	—	6	4	53	—	1	—	1	1	16	20	14		
	F	4	—	—	—	—	—	1	2	1	44	—	1	—	1	1	9	15	17		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	10	—	—	—	—	2	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	15	—	—	—	—	5	10	—	—		
25 Congenital debility, &c.	M	10	9	—	—	—	1	—	—	—	139	138	1	—	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	113	108	1	3	1	—	—	—	—		
26 Violence, apart from suicide.	M	21	1	—	3	1	—	4	9	5	90	13	3	3	15	7	12	23	14		
	F	5	—	—	—	—	—	1	2	2	45	6	—	1	5	3	4	10	16		
27 Suicide	M	5	—	—	—	—	—	2	2	1	28	—	—	—	—	—	6	16	6		
	F	2	—	—	—	—	—	1	1	—	9	—	—	—	—	2	3	4	—		
28 Other defined diseases ...	M	93	8	—	—	3	1	4	25	52	551	52	7	5	13	13	55	137	269		
	F	73	—	—	—	2	2	9	19	41	583	33	8	5	19	14	51	129	324		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	KENSINGTON.										LAMBETH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,029	193	36	23	32	41	98	245	361	1,984	322	81	62	67	97	249	560	546		
	F	1,181	141	21	28	27	55	142	256	511	1,897	241	48	57	74	85	241	418	733		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	16	4	10	1	1	—	—	—	—	52	13	23	14	2	—	—	—	—		
	F	6	1	—	3	1	1	—	—	—	28	5	10	12	1	—	—	—	—		
4 Scarlet fever ...	M	4	—	1	2	1	—	—	—	—	6	—	2	1	2	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	10	—	1	6	2	1	—	—	—		
5 Whooping cough ...	M	12	9	2	1	—	—	—	—	—	26	7	12	7	—	—	—	—	—		
	F	11	6	4	1	—	—	—	—	—	9	7	—	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	—	6	5	—	—	—	—	33	3	4	17	9	—	—	—	—		
	F	11	—	1	4	6	—	—	—	—	45	2	5	16	22	—	—	—	—		
7 Influenza ...	M	19	2	1	2	1	1	6	3	3	46	—	—	2	—	7	15	13	9		
	F	24	1	—	1	—	1	7	5	9	46	5	—	—	1	4	14	9	13		
8 Erysipelas ...	M	1	—	—	—	1	—	—	—	—	4	1	—	—	—	—	—	1	2		
	F	1	—	—	—	—	1	—	—	—	5	2	—	—	—	—	—	2	1		
9 Pulmonary tuberculosis	M	72	—	1	—	1	14	20	28	8	188	1	2	1	6	28	77	67	6		
	F	70	—	1	—	2	19	30	13	5	149	4	1	1	4	39	59	33	8		
10 Tuberculous meningitis	M	10	2	2	1	4	—	—	—	1	13	5	1	1	4	1	—	1	—		
	F	5	2	—	—	1	—	2	—	—	14	2	3	3	4	2	—	—	—		
11 Other tuberculous diseases.	M	11	4	—	—	1	2	1	3	—	16	1	2	—	4	3	1	5	—		
	F	16	1	—	1	1	4	3	3	3	18	1	—	—	1	3	6	5	2		
12 Cancer, malignant disease	M	89	—	—	1	1	—	5	41	41	187	—	—	—	—	4	14	98	71		
	F	156	—	—	—	1	—	15	76	64	232	—	—	—	1	4	29	102	96		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	1	1	1		
	F	4	—	—	—	4	—	—	—	—	10	—	—	—	3	1	2	2	2		
14 Meningitis ...	M	4	2	—	—	1	—	1	—	—	10	4	1	1	2	2	—	—	—		
	F	6	2	1	—	1	2	—	—	—	5	4	—	—	—	—	1	—	—		
15 Organic heart disease ...	M	122	—	—	—	—	4	10	35	73	210	—	—	—	4	8	15	81	102		
	F	163	—	—	—	1	2	11	38	111	231	1	—	—	5	5	22	67	131		
16 Bronchitis ...	M	70	10	2	—	—	—	4	18	36	119	26	2	1	—	—	3	36	51		
	F	88	8	1	1	—	—	3	10	65	142	13	1	2	—	1	4	18	103		
17 Pneumonia (all forms)	M	111	33	12	5	3	4	8	17	29	213	51	20	11	7	13	33	48	30		
	F	87	21	7	7	3	3	9	10	27	161	37	18	10	5	4	27	25	35		
18 Other respiratory diseases	M	13	1	—	—	1	—	3	5	3	33	—	3	—	1	1	4	14	10		
	F	14	1	1	1	1	—	1	3	6	23	—	1	—	4	—	3	3	12		
19 Diarrhoea, &c. ...	M	47	37	2	1	—	1	2	1	3	57	49	2	—	—	—	1	4	1		
	F	36	29	3	1	—	—	1	1	1	35	27	—	—	1	—	3	2	2		
20 Appendicitis and typhlitis	M	5	—	—	—	—	2	1	1	1	11	—	—	—	2	2	3	4	—		
	F	3	—	—	—	—	—	1	1	1	7	—	—	—	3	—	1	3	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	14	—	—	—	—	—	1	10	3		
	F	5	—	—	—	—	—	—	3	2	6	—	—	—	—	—	4	2	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	34	—	—	—	—	1	4	11	18	80	—	—	—	1	3	9	28	39		
	F	38	—	—	—	—	1	1	19	17	64	—	—	—	2	2	9	23	28		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	16	—	—	—	—	4	12	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	2	7	—	—	8	—	—	—	—	2	5	1	—		
25 Congenital debility, &c.	M	64	62	—	—	1	1	—	—	—	102	100	—	1	—	1	—	—	—		
	F	50	47	1	1	—	1	—	—	—	85	85	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	38	5	1	—	6	7	6	6	7	60	3	1	1	11	6	13	15	10		
	F	30	6	—	4	1	4	3	6	6	45	5	2	2	4	4	3	7	18		
27 Suicide ...	M	9	—	—	—	—	1	4	3	1	15	—	—	—	—	—	3	9	3		
	F	11	—	—	—	—	3	5	3	—	8	—	—	—	—	—	2	5	1		
28 Other defined diseases ...	M	260	22	2	3	4	3	23	67	136	479	58	5	4	11	17	54	122	208		
	F	330	16	1	3	4	11	37	64	194	493	40	6	4	10	9	39	106	279		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	POPULAR.										ST. MARYLEBONE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,271	245	61	57	48	67	197	319	277	679	82	11	13	15	24	79	219	236		
	F	1,084	206	53	64	55	46	138	221	301	627	66	15	8	19	22	76	160	261		
1 Enteric fever ...	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	21	3	10	7	1	—	—	—	—	6	1	4	1	—	—	—	—	—		
	F	14	2	3	9	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	9	2	1	2	4	—	—	—	—	7	1	—	1	1	2	1	1	—		
	F	5	—	—	2	3	—	—	—	—	2	—	—	1	—	—	1	—	—		
5 Whooping cough ...	M	21	10	6	5	—	—	—	—	—	4	2	2	—	—	—	—	—	—		
	F	35	10	16	8	1	—	—	—	—	9	4	3	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	21	1	4	11	4	1	—	—	—	3	—	—	2	—	1	—	—	—		
	F	37	3	5	14	15	—	—	—	—	5	1	—	1	2	1	—	—	—		
7 Influenza ...	M	28	—	—	2	—	4	11	9	2	11	—	—	—	—	1	1	2	7		
	F	26	1	—	2	1	3	13	3	3	14	—	—	—	—	1	1	7	5		
8 Erysipelas ...	M	3	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	1		
	F	5	2	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	133	2	1	1	3	19	61	42	4	62	2	—	—	2	7	22	26	3		
	F	82	2	—	1	5	15	38	19	2	39	1	—	—	—	7	21	9	1		
10 Tuberculous meningitis	M	12	3	3	4	1	—	—	1	—	5	1	—	—	2	1	1	—	—		
	F	12	4	—	3	3	2	—	—	—	9	—	2	2	4	1	—	—	—		
11 Other tuberculous diseases.	M	12	1	1	3	4	2	—	—	1	3	1	—	—	2	—	—	—	—		
	F	11	1	1	2	2	2	1	1	1	6	1	—	—	3	—	—	2	—		
12 Cancer, malignant disease	M	111	—	—	—	—	1	6	55	49	68	—	—	—	—	1	1	35	31		
	F	78	—	—	—	1	1	11	35	30	87	—	—	—	—	—	6	44	37		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	4	—	—	—	1	3	—	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	6	1	—	—	2	1	1	1	—	1	1	—	—	—	—	—	—	—		
	F	11	5	—	1	4	—	1	—	—	5	1	1	—	—	1	—	2	—		
15 Organic heart disease ...	M	95	—	—	—	3	6	19	40	27	87	—	—	—	1	2	9	35	40		
	F	84	—	—	1	2	5	13	35	28	78	—	—	—	1	1	8	24	44		
16 Bronchitis ...	M	184	28	5	—	—	2	13	52	84	60	8	3	—	1	1	1	12	34		
	F	156	16	2	2	—	—	3	33	100	56	4	1	—	—	—	1	10	40		
17 Pneumonia (all forms)	M	137	32	24	12	6	4	25	27	7	61	9	1	2	1	3	12	13	20		
	F	114	35	19	15	3	6	8	14	14	38	7	4	1	3	1	3	5	13		
18 Other respiratory diseases	M	16	1	—	2	—	1	4	4	4	7	—	1	—	—	—	—	3	3		
	F	13	1	1	—	—	2	4	3	2	6	—	—	—	—	—	1	3	2		
19 Diarrhoea, &c. ...	M	41	29	2	1	1	2	4	1	1	11	9	—	—	—	—	2	—	—		
	F	19	14	1	—	—	—	—	1	3	17	14	—	—	—	1	—	2	—		
20 Appendicitis and typhlitis	M	4	—	—	—	1	—	—	2	1	5	—	—	2	—	—	2	1	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	—	—	1	1	—		
21 Cirrhosis of liver ...	M	7	—	—	—	1	—	2	4	—	7	—	—	—	—	—	2	4	1		
	F	2	—	—	—	—	—	—	—	2	4	—	—	—	—	—	1	2	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	4	7	6	22	—	—	—	1	—	—	10	11		
	F	20	—	—	1	1	—	2	10	6	5	—	—	—	—	—	1	3	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	2	9	—	—	8	—	—	—	—	1	6	1	—		
25 Congenital debility, &c.	M	92	90	—	1	—	1	—	—	—	34	33	—	1	—	—	—	—	—		
	F	82	82	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	61	6	—	2	7	11	17	12	6	26	2	—	2	1	1	6	9	5		
	F	23	2	1	1	1	1	1	4	12	21	2	—	1	3	3	2	2	8		
27 Suicide ...	M	9	—	—	—	—	—	1	7	1	8	—	—	—	—	—	1	7	—		
	F	4	—	—	—	—	—	2	1	1	2	—	—	—	—	1	1	—	—		
28 Other defined diseases ...	M	226	36	4	4	8	12	28	53	81	176	12	—	2	3	4	17	59	79		
	F	222	26	4	2	8	4	22	60	96	189	14	3	1	1	3	16	42	109		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	ST. PANCRAS.										SHOREDITCH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,524	236	50	42	54	54	196	460	432	856	196	54	37	29	35	97	222	186		
	F	1,331	191	48	47	46	48	170	295	486	730	146	35	32	37	28	102	150	200		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	29	10	14	3	2	—	—	—	—	24	3	13	7	1	—	—	—	—		
	F	34	11	15	4	3	1	—	—	—	26	6	11	6	3	—	—	—	—		
4 Scarlet fever ...	M	6	—	1	3	1	1	—	—	—	2	—	—	1	1	—	—	—	—		
	F	5	—	1	—	4	—	—	—	—	4	—	1	2	1	—	—	—	—		
5 Whooping cough ...	M	5	6	12	7	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
	F	37	12	9	16	—	—	—	—	—	9	7	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	16	2	2	7	5	—	—	—	—	11	2	1	5	3	—	—	—	—		
	F	15	—	—	8	6	—	—	1	—	17	2	1	5	9	—	—	—	—		
7 Influenza ...	M	23	2	1	—	—	1	8	7	4	20	4	2	2	—	1	4	4	3		
	F	24	—	1	—	—	3	9	7	4	30	2	2	1	—	—	4	9	12		
8 Erysipelas ...	M	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	—	2	1		
	F	9	—	—	—	—	2	2	2	3	3	2	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	158	1	—	—	1	22	62	56	16	91	1	—	2	2	11	25	45	5		
	F	89	—	1	1	3	20	41	18	5	57	—	—	2	3	15	25	10	2		
10 Tuberculous meningitis	M	17	2	—	4	6	2	2	1	—	6	1	2	2	1	—	—	—	—		
	F	17	3	3	2	7	2	—	—	—	7	3	—	2	2	—	—	—	—		
11 Other tuberculous diseases.	M	10	1	—	—	1	1	4	1	2	3	—	—	—	1	1	—	1	—		
	F	11	—	—	1	1	4	1	1	3	3	2	—	—	—	—	1	—	—		
12 Cancer, malignant disease	M	156	—	—	—	2	2	10	83	59	52	—	—	—	—	1	2	30	19		
	F	146	—	—	—	1	—	22	78	45	53	—	—	—	—	—	10	23	20		
13 Rheumatic fever ...	M	3	—	—	—	1	—	2	—	—	3	—	—	—	—	—	2	1	—		
	F	3	—	—	—	—	—	2	1	—	4	—	—	—	1	—	3	—	—		
14 Meningitis ...	M	4	2	—	1	—	—	1	—	—	2	2	—	—	—	—	—	—	—		
	F	6	4	1	—	1	—	—	—	—	3	—	—	1	—	—	—	1	1		
15 Organic heart disease ...	M	180	—	—	1	6	3	16	59	95	59	—	—	—	2	3	13	22	19		
	F	217	—	—	—	3	1	14	56	143	61	—	—	—	3	—	12	20	26		
16 Bronchitis ...	M	145	17	3	1	—	—	4	40	80	84	11	2	2	—	—	5	21	43		
	F	112	13	3	—	—	—	3	25	68	79	9	—	2	—	1	3	16	48		
17 Pneumonia (all forms)	M	119	39	10	2	1	5	20	28	14	121	51	16	10	3	2	14	14	11		
	F	79	31	6	6	5	—	8	11	12	74	29	9	6	4	2	9	6	9		
18 Other respiratory diseases	M	29	2	—	2	—	1	6	8	10	12	1	2	—	—	1	2	5	1		
	F	21	1	—	3	—	—	2	8	7	13	4	1	—	1	—	3	3	1		
19 Diarrhoea, &c. ...	M	37	21	2	2	1	1	1	4	5	45	31	7	1	2	—	2	2	—		
	F	30	19	3	—	—	—	2	3	3	28	19	7	—	—	1	—	1	—		
20 Appendicitis and typhlitis	M	6	—	—	—	2	1	1	1	1	5	—	—	1	1	1	—	—	1		
	F	3	—	—	—	2	—	—	1	—	3	—	—	—	2	1	—	—	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	1	—	6	2	9	—	—	—	—	—	2	6	1		
	F	6	—	—	—	—	—	—	4	2	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	50	—	—	—	1	—	6	31	12	27	—	—	—	—	—	2	13	12		
	F	37	—	—	—	1	—	6	15	15	23	—	—	—	1	1	4	13	4		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	2	8	—	—	6	—	—	—	—	—	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	4	8	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	92	92	—	—	—	—	—	—	—	59	58	1	—	—	—	—	—	—		
	F	78	77	1	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	57	4	1	4	12	4	10	17	5	32	5	3	2	4	2	5	5	6		
	F	27	—	1	1	4	—	7	4	10	21	4	1	2	1	1	4	3	5		
27 Suicide ...	M	14	—	—	—	—	1	4	7	2	5	—	—	—	—	—	2	3	—		
	F	5	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	332	35	3	4	12	7	37	109	125	178	25	3	2	8	12	16	48	64		
	F	296	20	3	4	5	9	32	59	164	160	15	1	2	6	6	16	43	71		
29 Causes ill-defined or unknown	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	SOUTHWARK.										STEPNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,505	297	59	50	64	56	182	426	371	1,925	378	73	73	81	85	268	566	401		
	F	1,235	222	57	41	63	60	160	255	377	1,578	279	89	66	65	70	212	360	437		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	3	—	—	1	1	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	34	9	14	7	4	—	—	—	—	25	11	6	6	2	—	—	—	—		
	F	29	7	13	6	3	—	—	—	—	24	4	6	11	3	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	8	1	2	4	1	—	—	—	—		
	F	4	—	1	—	3	—	—	—	—	7	—	—	3	3	1	—	—	—		
5 Whooping cough ...	M	12	5	2	5	—	—	—	—	—	31	11	14	5	1	—	—	—	—		
	F	16	9	4	3	—	—	—	—	—	42	15	17	7	3	—	—	—	—		
6 Diphtheria and croup	M	21	4	2	10	5	—	—	—	—	22	1	5	6	9	—	—	1	—		
	F	16	1	3	6	5	—	1	—	—	18	5	4	5	4	—	—	—	—		
7 Influenza ...	M	34	1	—	—	2	4	10	12	5	62	3	1	—	2	6	21	16	13		
	F	21	3	—	—	1	1	5	4	7	58	3	2	—	3	5	13	19	13		
8 Erysipelas ...	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	2	—	—		
	F	6	2	—	—	—	—	1	2	1	2	1	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	153	2	1	5	2	20	52	60	11	202	1	1	2	4	24	77	82	11		
	F	98	—	—	—	2	27	40	22	7	104	1	1	3	8	18	42	26	5		
10 Tuberculous meningitis	M	10	4	—	2	3	1	—	—	—	17	5	1	1	6	2	2	—	—		
	F	13	5	1	4	1	1	1	—	—	7	—	—	5	2	—	—	—	—		
11 Other tuberculous diseases.	M	20	2	—	1	3	2	5	6	1	19	1	2	2	2	2	5	3			
	F	6	—	—	—	1	—	—	4	1	12	2	3	—	3	2	1	—	1		
12 Cancer, malignant disease	M	121	1	—	—	—	—	10	67	43	132	1	1	1	1	—	10	70	48		
	F	123	—	—	1	—	—	20	59	43	113	—	—	1	—	—	13	55	44		
13 Rheumatic fever ...	M	6	—	—	—	3	3	—	—	—	5	—	—	—	3	—	1	1	—		
	F	1	—	—	—	—	—	1	—	—	15	—	—	1	9	3	2	—	—		
14 Meningitis ...	M	9	5	—	—	2	—	1	—	1	16	8	2	1	5	—	—	—	—		
	F	8	3	1	1	2	—	—	1	—	9	5	—	2	—	—	1	1	—		
15 Organic heart disease ...	M	141	—	—	—	4	6	16	51	64	155	—	—	—	5	5	14	66	65		
	F	124	—	—	1	7	7	10	40	59	181	—	—	—	1	8	20	63	89		
16 Bronchitis ...	M	146	24	4	1	1	1	6	43	66	171	20	—	3	1	1	8	67	71		
	F	130	13	4	1	—	—	5	29	78	153	20	4	—	—	—	3	43	83		
17 Pneumonia (all forms)	M	177	58	28	11	8	4	22	26	20	297	99	32	21	11	12	35	47	40		
	F	150	49	22	10	9	3	14	17	26	194	60	37	12	5	5	26	29	20		
18 Other respiratory diseases	M	21	—	—	1	—	1	3	13	3	16	—	—	2	—	1	2	6	5		
	F	12	1	1	—	—	2	—	6	2	18	2	—	1	1	—	2	5	7		
19 Diarrhoea, &c. ...	M	45	29	2	—	—	1	5	4	4	61	50	2	—	—	—	2	4	3		
	F	27	20	2	1	—	—	3	—	1	41	31	3	2	—	—	2	1	2		
20 Appendicitis and typhlitis	M	9	—	—	—	4	—	2	3	—	16	—	—	3	4	3	3	3	—		
	F	9	—	—	—	4	1	2	2	—	9	—	—	—	6	1	1	1	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	12	—	1	—	—	—	1	8	2		
	F	4	—	—	—	1	—	—	1	2	7	—	—	—	—	—	1	6	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	40	—	—	—	2	1	5	19	13	62	—	—	—	1	3	11	34	13		
	F	29	—	1	—	—	2	4	9	13	43	—	1	—	—	1	10	22	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	1	10	—	—	9	—	—	—	—	1	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	9	—	—	11	—	—	—	—	1	10	—	—		
25 Congenital debility, &c.	M	101	100	—	1	—	—	—	—	—	102	101	—	1	—	—	—	—	—		
	F	82	77	2	2	1	—	—	—	—	87	83	—	—	—	2	2	—	—		
26 Violence, apart from suicide.	M	60	4	1	3	11	4	11	15	11	89	4	—	6	12	4	16	32	15		
	F	38	3	1	3	9	—	6	4	12	36	3	3	3	3	3	5	4	12		
27 Suicide ...	M	19	—	—	—	—	1	4	11	3	17	—	—	—	—	—	7	8	2		
	F	9	—	—	—	—	2	1	6	—	10	—	—	—	—	2	3	4	1		
28 Other defined diseases	M	315	49	4	3	9	7	29	90	124	383	61	2	8	11	22	54	115	110		
	F	254	29	—	2	14	12	23	49	125	363	44	6	9	10	17	46	81	150		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	3	—	1	1	—	—	—	1	—		
	F	2	—	1	—	—	1	—	—	—	2	—	2	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	STOKE NEWINGTON.										WANDSWORTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	339	54	8	12	15	14	49	77	110	1,730	261	40	39	73	75	223	477	542		
	F	346	44	7	9	13	13	33	76	151	1,841	201	34	34	71	90	220	382	809		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	—	2	2	—	—	—	—	—	22	—	9	8	3	—	1	1	—		
	F	1	—	1	—	—	—	—	—	—	27	10	10	4	2	—	—	1	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	5	—	—	1	3	—	1	—	—		
	F	3	—	—	1	—	1	—	1	—	6	—	—	1	3	1	1	—	—		
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	7	3	2	2	—	—	—	—	—		
	F	4	1	1	2	—	—	—	—	—	13	6	1	5	1	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	1	4	4	1	—	—	—	39	—	4	9	24	2	—	—	—		
	F	10	—	—	2	7	1	—	—	—	27	1	1	8	16	1	—	—	—		
7 Influenza ...	M	11	—	—	—	—	1	4	3	3	50	—	—	1	—	4	13	20	12		
	F	13	1	1	—	2	3	4	1	1	54	2	—	—	3	3	14	12	20		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	5	1	—	—	—	1	1	2	—		
	F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	2	—	—		
9 Pulmonary tuberculosis	M	22	—	—	1	—	3	9	6	3	152	—	—	2	2	18	70	58	2		
	F	13	—	—	—	—	2	6	3	2	119	—	1	1	7	39	47	18	6		
10 Tuberculous meningitis	M	2	—	—	1	—	—	—	1	—	15	2	2	3	4	2	2	—	—		
	F	1	—	—	—	1	—	—	—	—	13	—	2	3	6	2	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	—	1	1	1	—	12	1	1	—	3	3	2	2	—		
	F	3	—	1	—	—	1	—	1	—	10	1	1	—	2	2	2	—	2		
12 Cancer, malignant disease	M	29	—	—	1	—	—	5	7	16	150	—	—	—	—	2	7	67	74		
	F	41	—	—	—	—	—	4	16	21	257	—	—	—	1	1	34	112	109		
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	8	—	—	—	4	1	1	2	—		
	F	1	—	—	—	—	—	—	1	—	7	—	—	—	3	3	—	1	—		
14 Meningitis ...	M	1	1	—	—	—	—	—	—	—	7	2	—	1	1	1	1	1	—		
	F	2	—	1	—	—	—	1	—	—	5	2	—	—	2	1	—	—	—		
15 Organic heart disease ...	M	37	—	—	—	1	1	5	13	17	219	—	—	—	5	14	18	74	108		
	F	46	—	—	—	—	—	2	11	33	261	—	—	1	4	6	14	59	177		
16 Bronchitis ...	M	24	3	1	—	—	—	2	3	15	87	19	2	1	1	2	4	16	42		
	F	35	4	—	—	—	1	—	7	23	143	24	2	1	—	—	2	24	90		
17 Pneumonia (all forms)	M	29	8	—	—	—	2	5	11	3	119	23	16	2	3	2	14	42	17		
	F	22	8	2	1	1	—	4	3	3	105	24	10	3	3	4	12	18	31		
18 Other respiratory diseases	M	4	—	—	—	—	—	1	1	2	26	3	—	2	1	1	4	7	8		
	F	4	—	—	—	—	—	1	2	1	29	3	—	—	1	1	4	5	15		
19 Diarrhoea, &c. ...	M	12	9	—	—	—	1	2	—	—	38	29	—	—	—	1	1	2	5		
	F	7	4	—	—	1	—	—	—	2	36	19	1	—	1	—	3	8	4		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	8	—	—	1	—	3	3	1	—		
	F	—	—	—	—	—	—	—	—	—	10	—	—	2	1	2	2	2	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	—	3	2		
	F	1	—	—	—	—	—	—	1	—	9	—	—	—	1	—	1	2	5		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	2	3	3	48	—	—	—	—	3	9	19	17		
	F	6	1	—	—	—	—	1	1	3	43	—	—	1	2	2	9	16	13		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	17	—	—	—	—	4	13	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	122	120	—	1	—	1	—	—	—		
	F	20	20	—	—	—	—	—	—	—	86	82	2	—	1	—	—	1	—		
26 Violence, apart from suicide.	M	10	1	1	—	3	1	3	—	1	47	4	1	3	4	1	9	15	10		
	F	6	1	—	1	—	—	—	2	2	37	3	1	—	3	3	4	9	14		
27 Suicide ...	M	2	—	—	—	—	1	—	1	—	15	—	—	—	—	—	5	7	3		
	F	—	—	—	—	—	—	—	—	—	12	—	—	—	—	1	5	4	2		
28 Other defined diseases ...	M	98	8	1	2	6	1	9	25	46	521	54	3	2	15	13	56	137	241		
	F	98	3	—	2	1	2	4	26	60	503	23	2	4	8	12	46	88	320		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.	Sex.	WESTMINSTER, CITY OF.										WOOLWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	820	101	9	11	10	20	116	275	278	810	132	23	28	37	48	113	229	200		
	F	760	63	8	12	16	33	104	232	292	677	92	19	23	29	44	85	143	242		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	4	3	1	1	—	—	1	—	15	3	7	4	1	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	6	—	5	1	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	1	—	—	—	1	—	—	2	—	—	2	—	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	4	1	2	1	—	—	—	—	—	6	4	2	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	8	2	2	3	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	—	2	1	1	1	—	14	—	—	5	8	1	—	—	—		
	F	4	—	1	—	3	—	—	—	—	11	—	1	3	6	—	—	1	—		
7 Influenza ...	M	20	—	—	—	—	2	6	7	5	17	—	1	—	2	3	4	5	2		
	F	23	1	—	—	—	1	6	7	8	14	—	—	—	—	2	5	4	3		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	84	1	2	2	—	3	25	45	6	102	—	1	1	1	18	54	26	1		
	F	59	2	—	1	1	11	25	18	1	59	—	1	—	4	25	20	8	1		
10 Tuberculous meningitis	M	2	1	—	1	—	—	—	—	—	7	2	1	2	2	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	1	1	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	—	—	—	3	1	—	10	1	—	1	2	4	1	—	1		
	F	9	—	—	3	1	2	3	—	—	6	—	—	1	2	—	2	—	1		
12 Cancer, malignant disease	M	102	—	—	—	—	1	9	52	40	60	—	—	1	1	—	3	40	15		
	F	115	—	—	—	—	—	13	56	46	95	—	—	—	—	—	11	50	34		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	2	—	—	—	—	—	1	1	—	6	2	—	1	2	1	—	—	—		
	F	2	—	—	—	—	—	1	1	—	9	1	1	2	3	2	—	—	—		
15 Organic heart disease ...	M	100	—	—	1	—	1	12	32	54	82	—	—	—	3	1	9	35	34		
	F	101	—	—	—	—	—	6	38	57	80	—	—	—	1	6	9	23	41		
16 Bronchitis ...	M	73	2	—	—	—	—	2	20	49	47	10	1	—	—	—	3	8	25		
	F	65	2	—	—	—	—	1	12	50	54	6	5	2	—	—	1	4	36		
17 Pneumonia (all forms)	M	77	14	1	1	1	4	15	20	21	59	14	7	4	1	3	7	14	9		
	F	53	11	2	2	1	4	4	11	18	38	12	—	6	2	—	4	6	8		
18 Other respiratory diseases	M	9	1	—	1	—	—	—	4	3	11	1	—	—	—	—	3	5	2		
	F	14	—	—	—	—	—	2	5	7	5	1	—	1	1	—	—	1	1		
19 Diarrhoea, &c. ...	M	19	14	—	1	—	—	—	4	—	16	11	2	—	—	—	—	1	2		
	F	14	7	2	1	—	—	—	3	1	11	7	—	—	—	—	2	1	1		
20 Appendicitis and typhlitis	M	8	—	—	1	1	3	2	1	—	5	—	—	—	1	3	1	—	—		
	F	8	—	—	—	2	2	—	4	—	5	—	—	—	3	1	—	1	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	7	1	5	—	—	—	—	—	1	4	—		
	F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	22	—	—	—	—	—	4	12	6	26	—	—	1	1	5	2	11	6		
	F	22	—	—	—	1	—	2	9	10	19	—	—	—	—	—	3	5	11		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	43	41	—	—	1	1	—	—	—	63	62	—	—	—	1	—	—	—		
	F	25	25	—	—	—	—	—	—	—	41	39	1	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	18	2	—	—	1	2	4	6	3	33	2	—	4	4	5	4	9	5		
	F	19	2	1	2	—	4	5	2	3	20	5	1	2	1	—	2	4	5		
27 Suicide ...	M	10	—	—	—	—	1	4	3	2	11	—	—	—	—	—	3	4	4		
	F	4	—	—	—	—	—	3	1	—	2	—	—	—	—	1	—	1	—		
28 Other defined diseases ...	M	193	20	—	1	3	1	23	57	88	209	19	1	1	8	3	18	65	94		
	F	199	12	1	2	2	9	23	60	90	172	18	1	—	2	4	17	32	98		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—		
	F	2	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	BARNSELEY.										BARROW-IN-FURNESS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	459	139	30	17	21	11	49	110	82	500	96	19	13	17	30	78	131	116	
			F	322	89	21	24	13	10	43	54	68	380	54	19	20	14	19	60	89	105	
1	Enteric fever	...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	18	3	8	6	1	—	—	—	—	10	2	4	2	2	—	—	—	—	
			F	21	5	9	4	3	—	—	—	—	7	—	4	3	—	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	...	M	6	4	2	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—	
			F	4	—	—	4	—	—	—	—	—	5	2	—	3	—	—	—	—	—	
6	Diphtheria and croup	...	M	1	—	—	—	1	—	—	—	—	2	—	1	—	1	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	Influenza	...	M	11	—	—	1	1	1	2	4	2	10	—	—	—	—	1	5	4	—	
			F	9	2	—	2	—	1	1	—	3	4	—	1	—	—	1	1	1	—	
8	Erysipelas	...	M	3	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
9	Pulmonary tuberculosis	{	M	18	—	—	1	—	1	4	12	—	36	—	1	1	—	7	13	14	—	
			F	20	—	—	—	3	4	8	5	—	23	—	—	—	—	4	15	4	—	
10	Tuberculous meningitis	{	M	4	—	1	—	3	—	—	—	—	6	1	1	—	2	1	1	—	—	
			F	—	—	—	—	—	—	—	—	—	6	—	1	3	1	—	1	—	—	
11	Other tuberculous diseases.	{	M	3	1	—	—	—	—	1	1	—	9	4	2	—	1	1	—	1	—	
			F	2	—	—	1	—	—	—	1	—	—	11	1	1	1	4	1	3	—	
12	Cancer, malignant disease	{	M	24	—	—	—	1	—	3	11	9	36	—	—	—	—	1	1	20	14	
			F	26	—	—	—	—	—	—	5	12	9	41	—	—	—	—	5	25	11	
13	Rheumatic fever	...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	
14	Meningitis	...	M	2	2	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	5	—	—	2	3	—	—	—	—	
15	Organic heart disease	...	M	29	—	—	—	3	—	8	9	9	36	—	—	—	1	1	3	13	18	
			F	22	—	—	—	—	1	4	6	11	42	—	—	—	1	1	6	18	16	
16	Bronchitis	...	M	65	28	7	3	—	—	3	12	12	54	11	2	—	—	—	1	11	29	
			F	38	15	6	2	1	—	1	5	8	48	8	4	—	1	—	2	6	27	
17	Pneumonia (all forms)	{	M	27	6	5	1	2	2	5	5	1	50	9	2	4	1	5	15	11	3	
			F	24	9	3	7	1	1	1	2	—	26	5	4	3	3	—	3	3	5	
18	Other respiratory diseases	{	M	5	—	—	2	—	—	1	1	1	5	—	—	—	1	—	1	2	1	
			F	5	—	—	—	—	—	—	—	5	4	—	—	—	1	—	2	1	—	
19	Diarrhoea, &c.	...	M	35	25	3	1	—	—	3	2	1	9	6	1	—	—	—	2	—	—	
			F	23	19	3	—	—	—	—	1	—	7	4	—	1	—	—	2	—	—	
20	Appendicitis and typhlitis	{	M	3	—	—	—	1	—	1	—	1	3	—	—	—	1	—	1	1	—	
			F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	
21	Cirrhosis of liver	...	M	4	—	—	—	—	—	1	3	—	4	—	—	—	—	—	1	3	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	...	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	25	—	—	—	1	—	6	10	8	4	—	1	—	—	—	1	—	2	
			F	8	—	—	1	—	1	—	2	3	1	9	—	—	—	1	2	6	—	
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	3	1	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	8	—	—	—	—	—	—	8	—	—	9	—	—	—	3	6	—	—	
25	Congenital debility, &c.	{	M	50	48	—	2	—	—	—	—	—	44	44	—	—	—	—	—	—	—	
			F	31	31	—	—	—	—	—	—	—	—	28	27	1	—	—	—	—	—	
26	Violence, apart from suicide.	{	M	15	1	1	—	2	1	2	8	—	41	1	—	2	2	9	13	13	1	
			F	2	—	—	—	1	—	—	—	1	—	7	—	—	3	1	—	—	3	
27	Suicide	...	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	2	—	1	
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
28	Other defined diseases	...	M	106	20	3	—	5	5	7	31	35	119	13	4	1	1	3	20	31	46	
			F	70	8	—	2	4	1	7	17	31	88	6	2	1	—	3	11	23	42	
29	Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—	—	3	1	
			F	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BATH.										BIRKENHEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	372	44	6	5	14	19	33	81	170	1,095	254	42	35	56	59	127	278	244		
	F	461	26	3	4	6	17	31	98	276	945	181	43	45	40	47	112	201	276		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	—	1	—	2	—	—	—	—	13	3	2	5	3	—	—	—	—		
	F	4	—	3	1	—	—	—	—	—	15	5	3	7	—	—	—	—	—		
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	4	—	1	—	2	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	19	11	3	4	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	26	10	8	6	2	—	—	—	—		
6 Diphtheria and croup	M	1	—	—	—	—	1	—	—	—	4	—	1	1	2	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	11	3	2	4	1	1	—	—	—		
7 Influenza	M	7	—	—	—	—	1	2	1	3	21	—	—	—	2	3	5	5	6		
	F	10	—	—	—	—	—	—	6	4	15	1	—	2	—	2	1	4	5		
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	5	1	—	—	—	—	1	1	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	22	—	—	—	—	7	9	6	—	62	—	—	—	3	17	24	17	1		
	F	25	—	—	—	—	6	11	6	2	61	—	—	1	7	18	20	15	—		
10 Tuberculous meningitis {	M	2	—	—	—	1	1	—	—	—	19	4	5	3	3	4	—	—	—		
	F	1	—	—	—	1	—	—	—	—	15	2	3	4	3	1	2	—	—		
11 Other tuberculous dis- {	M	4	—	—	—	—	2	—	2	—	13	1	1	2	5	—	4	—	—		
eases. {	F	1	—	—	—	—	—	1	—	—	8	1	—	1	2	3	1	—	—		
12 Cancer, malignant disease {	M	38	—	—	—	—	—	1	18	19	74	—	—	—	—	—	4	46	24		
	F	50	—	—	—	—	—	3	25	22	109	—	—	—	2	1	17	57	32		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	8	—	1	—	3	1	—	2	1		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	2	1	—	—	—		
14 Meningitis	M	2	—	—	—	—	1	—	1	—	11	1	3	3	2	1	—	1	—		
	F	1	—	—	—	1	—	—	—	—	4	—	—	—	3	—	—	1	—		
15 Organic heart disease	M	41	—	—	—	—	—	—	12	29	70	—	—	—	6	4	4	34	22		
	F	79	—	—	—	—	1	4	10	64	84	—	—	—	4	4	11	31	34		
16 Bronchitis	M	24	2	—	—	—	—	—	1	21	126	28	1	4	1	—	5	33	54		
	F	26	1	—	—	—	1	—	2	22	110	28	9	4	1	—	1	19	48		
17 Pneumonia (all forms) {	M	31	6	1	2	2	—	6	6	8	148	48	13	2	5	7	30	27	16		
	F	21	4	—	—	1	—	2	4	10	95	30	11	10	4	2	8	19	11		
18 Other respiratory diseases {	M	6	—	—	—	2	1	2	—	1	20	3	1	3	1	—	3	5	4		
	F	9	—	—	—	—	—	—	3	6	8	1	—	1	1	—	2	—	3		
19 Diarrhœa, &c.	M	6	4	1	1	—	—	—	—	—	58	42	4	3	—	1	2	4	2		
	F	6	1	—	1	—	1	1	—	2	38	29	3	2	—	—	2	—	2		
20 Appendicitis and typhlitis {	M	2	—	—	—	2	—	—	—	—	6	—	—	—	2	1	1	1	1		
	F	1	—	—	—	—	1	—	—	—	8	—	—	—	1	4	1	2	—		
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	5	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	11	—	—	—	—	—	1	4	6	26	2	—	—	—	1	6	12	5		
disease. {	F	13	—	—	—	—	1	—	2	10	12	—	—	—	1	1	2	4	4		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	11	—	—	—	—	2	9	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever. {	F	2	—	—	—	—	—	2	—	—	12	—	—	—	—	1	11	—	—		
25 Congenital debility, &c. {	M	27	—	1	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	39	38	—	—	—	—	—	1	—		
26 Violence, apart from {	M	12	—	—	2	2	—	4	1	3	51	7	1	3	6	8	12	10	4		
suicide. {	F	12	1	—	1	—	1	1	2	6	15	3	1	3	1	2	2	1	2		
27 Suicide	M	2	—	—	—	—	—	—	1	1	8	—	—	—	—	1	2	5	—		
	F	4	—	—	—	—	—	1	3	—	4	—	—	—	—	1	2	1	—		
28 Other defined diseases	M	125	5	1	—	2	5	8	26	78	258	42	5	2	8	10	21	69	101		
	F	171	3	—	—	3	4	2	33	126	240	30	3	—	5	3	19	46	134		
29 Causes ill-defined or un- {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
known. {	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	BIRMINGHAM.										BLACKBURN.									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	6,001	1211	250	239	267	216	818	1529	1471	913	172	19	21	28	43	130	249	251		
	...	F	5,474	875	246	207	259	236	757	1129	1765	884	137	14	10	25	29	117	206	346		
1 Enteric fever	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	82	16	34	22	10	—	—	—	—	9	5	1	2	1	—	—	—	—		
	...	F	64	14	26	15	9	—	—	—	—	11	6	3	1	1	—	—	—	—		
4 Scarlet fever	...	M	59	6	5	25	20	—	2	1	—	2	—	—	—	2	—	—	—	—		
	...	F	52	1	7	22	19	3	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	...	M	79	36	26	14	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
	...	F	106	43	32	24	7	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	106	8	11	39	45	1	2	—	—	3	1	1	1	—	—	—	—	—		
	...	F	101	4	9	30	54	2	1	—	1	8	1	1	2	3	1	—	—	—		
7 Influenza	...	M	211	14	2	10	9	14	71	72	19	28	3	—	—	1	1	8	8	7		
	...	F	210	7	6	9	16	18	72	51	31	35	1	—	—	—	1	8	7	18		
8 Erysipelas	...	M	3	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	...	F	8	3	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	514	5	—	4	9	70	223	174	29	50	—	—	—	—	7	28	14	1		
		F	336	—	5	1	17	75	162	65	11	35	—	—	—	5	11	14	4	1		
10 Tuberculous meningitis	{	M	32	6	8	7	6	2	2	1	—	9	1	1	2	3	1	—	1	—		
		F	25	6	4	10	3	1	—	1	—	5	2	—	2	1	—	—	—	—		
11 Other tuberculous diseases.	{	M	64	10	7	4	12	11	10	8	2	8	1	—	—	—	3	2	1	1		
		F	41	3	2	3	11	5	11	6	—	6	—	—	1	2	1	1	1	—		
12 Cancer, malignant disease	{	M	491	—	2	1	3	4	37	271	173	74	—	—	—	—	—	3	45	26		
		F	540	—	—	1	2	4	68	264	201	100	—	—	—	—	—	12	49	39		
13 Rheumatic fever	{	M	24	—	—	1	11	2	5	4	1	2	—	—	—	1	—	1	—	—		
		F	18	—	—	1	6	3	6	1	1	5	—	—	—	2	—	1	2	—		
14 Meningitis	{	M	44	14	3	7	5	4	5	6	—	13	8	2	1	—	1	—	1	—		
		F	40	13	7	4	8	3	5	—	—	4	3	—	1	—	—	—	—	—		
15 Organic heart disease	{	M	482	—	—	1	6	15	67	172	221	95	—	—	—	1	2	16	33	43		
		F	591	—	—	—	15	24	74	180	298	118	—	—	—	2	3	13	35	65		
16 Bronchitis	{	M	566	111	22	1	2	3	23	166	238	83	14	1	1	—	—	3	17	47		
		F	531	75	20	8	2	3	26	100	297	124	13	2	—	—	1	6	23	79		
17 Pneumonia (all forms)	{	M	600	184	79	47	26	14	86	110	54	110	14	11	3	4	10	29	22	17		
		F	451	119	76	46	22	14	57	56	61	73	18	6	2	1	—	7	22	17		
18 Other respiratory diseases	{	M	78	5	3	5	3	2	14	23	23	10	3	—	1	—	—	3	2	1		
		F	69	6	3	9	3	3	7	14	24	8	2	—	—	—	—	2	2	2		
19 Diarrhoea, &c.	{	M	179	126	15	8	5	—	7	10	8	30	20	2	—	1	1	2	2	2		
		F	138	84	19	5	6	1	4	6	13	13	10	—	—	—	—	2	—	1		
20 Appendicitis and typhlitis	{	M	43	—	1	2	13	9	13	3	2	8	—	—	1	2	2	—	3	—		
		F	26	—	—	1	7	6	7	4	1	5	—	—	—	—	1	2	2	—		
21 Cirrhosis of liver	{	M	26	—	—	1	1	—	4	14	6	3	—	—	—	—	—	1	1	1		
		F	19	—	—	—	—	—	3	12	4	1	—	—	—	—	—	1	—	—		
21A Alcoholism	{	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	98	1	—	1	5	1	16	49	25	29	—	—	—	2	2	5	14	6		
		F	101	—	—	—	8	3	22	42	26	18	—	—	—	—	2	—	9	7		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	53	—	—	—	—	9	44	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	35	—	—	—	—	5	30	—	—	14	—	—	—	—	1	13	—	—		
25 Congenital debility, &c.	{	M	480	474	—	1	3	2	—	—	—	68	68	—	—	—	—	—	—	—		
		F	317	317	—	—	—	—	—	—	—	55	54	—	—	1	—	—	—	—		
26 Violence, apart from suicide	{	M	220	17	2	19	34	20	45	49	34	31	1	—	2	6	7	4	9	2		
		F	105	20	6	8	11	8	7	17	28	15	2	1	1	1	—	2	3	5		
27 Suicide	{	M	65	—	—	—	—	8	21	26	10	8	—	—	—	—	—	3	3	2		
		F	22	—	—	—	—	7	7	6	2	4	—	—	—	—	1	3	—	—		
28 Other defined diseases	{	M	1,406	175	29	19	36	34	158	337	618	230	33	—	6	4	6	21	66	94		
		F	1,449	159	21	9	32	39	139	290	760	218	25	1	—	5	6	23	47	111		
29 Causes ill-defined or unknown.	{	M	47	2	1	—	—	—	5	31	8	7	—	—	—	—	—	6	1	—		
		F	26	1	2	1	1	—	5	12	4	3	—	—	—	—	—	2	—	1		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BLACKPOOL.										BOLTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	466	45	6	5	13	14	52	166	165	1,280	255	41	33	56	46	152	368	329		
	F	500	40	8	7	19	19	59	130	218	1,261	162	27	37	48	43	190	325	429		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
3 Measles ...	M	3	1	1	1	—	—	—	—	—	12	1	5	6	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	15	4	5	6	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	15	12	2	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	19	11	4	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	—	3	—	—	—	—	18	—	3	4	11	—	—	—	—		
	F	8	—	—	3	4	1	—	—	—	17	1	—	9	6	1	—	—	—		
7 Influenza ...	M	4	—	—	—	—	1	1	2	—	46	2	2	2	1	3	10	11	15		
	F	9	—	—	—	—	—	1	3	5	28	—	—	1	3	—	6	10	8		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	4	2	—	—	—	—	—	—	2		
	F	2	—	—	—	—	—	—	—	2	3	—	—	—	1	—	—	1	1		
9 Pulmonary tuberculosis	M	32	1	—	—	—	7	15	8	1	85	1	2	1	2	10	39	25	5		
	F	30	—	—	—	2	10	12	4	2	72	—	—	1	4	12	37	15	3		
10 Tuberculous meningitis	M	2	1	—	1	—	—	—	—	—	7	1	1	2	3	—	—	—	—		
	F	6	1	—	2	2	—	—	1	—	4	—	—	—	2	1	1	—	—		
11 Other tuberculous diseases.	M	5	—	1	—	1	1	—	1	1	14	4	1	—	2	5	—	2	—		
	F	4	—	1	—	1	1	—	—	1	8	1	1	—	1	—	3	1	1		
12 Cancer, malignant disease	M	45	—	—	—	—	—	2	26	17	96	—	—	—	2	1	6	55	32		
	F	66	—	—	—	—	—	6	30	30	108	—	—	—	—	—	11	65	32		
13 Rheumatic fever ...	M	5	—	—	1	2	—	1	1	—	9	—	—	1	3	1	4	—	—		
	F	4	—	—	—	1	1	1	—	1	11	—	—	—	6	1	2	2	—		
14 Meningitis ...	M	5	2	1	—	—	—	1	—	1	7	3	2	1	1	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	1	2	2	—	—		
15 Organic heart disease ...	M	51	—	—	—	1	1	6	24	19	94	—	—	—	2	1	16	33	42		
	F	62	—	—	—	1	—	6	24	31	131	—	—	—	4	3	24	50	50		
16 Bronchitis ...	M	39	2	1	—	1	—	—	11	24	139	34	4	1	—	—	2	45	53		
	F	41	3	4	1	—	—	2	6	25	165	15	2	—	1	1	9	48	89		
17 Pneumonia (all forms)	M	38	5	2	—	1	—	7	13	10	125	29	10	3	9	7	23	28	16		
	F	25	7	1	1	1	1	3	5	6	96	27	11	8	6	6	13	17	8		
18 Other respiratory diseases	M	5	—	—	—	—	—	1	2	2	15	1	1	—	1	—	1	6	5		
	F	3	—	—	—	—	—	—	2	1	16	—	—	1	—	—	3	4	8		
19 Diarrhoea, &c. ...	M	6	2	—	—	1	—	2	1	—	39	28	1	1	2	1	—	4	2		
	F	2	1	—	—	—	—	—	1	—	21	15	—	2	2	—	1	1	—		
20 Appendicitis and typhlitis	M	5	—	—	1	2	1	—	1	—	10	—	—	—	2	3	4	1	—		
	F	7	—	—	—	3	1	2	1	—	8	—	—	—	1	2	2	3	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	1	2	7	—	—	—	—	—	1	6	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	3	7	8	50	—	—	1	—	4	10	25	10		
	F	21	—	—	—	—	—	4	9	8	31	—	—	—	—	2	11	12	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	7	—	—	—	—	1	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	80	77	1	—	1	—	—	1	—		
	F	18	16	1	—	—	—	1	—	—	64	64	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	—	—	—	2	3	1	56	—	3	4	6	5	11	20	7		
	F	8	1	—	—	—	—	2	3	2	20	2	—	2	1	1	2	2	10		
27 Suicide ...	M	11	—	—	—	—	—	1	6	4	11	—	—	—	—	—	2	7	2		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	4	1	—		
28 Other defined diseases ...	M	152	14	—	1	1	3	8	52	73	336	60	3	5	8	5	20	97	138		
	F	167	9	1	—	4	—	11	39	103	383	22	3	3	7	7	40	88	213		
29 Causes ill-defined or unknown.	M	10	—	—	—	—	—	2	6	2	1	—	—	—	—	—	1	—	—		
	F	3	1	—	—	—	—	—	2	—	3	—	1	—	—	—	1	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BOOTLE.										BOURNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	625	129	44	37	38	35	90	146	106	449	38	3	5	5	8	57	116	217		
	F	511	94	37	26	31	31	73	87	132	505	26	2	6	5	12	75	132	247		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	19	6	4	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	14	2	7	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	6	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	10	6	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	17	2	2	6	7	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	2	6	5	1	1	—	—	6	—	—	2	4	—	—	—	—		
7 Influenza	M	15	—	—	—	3	—	11	1	—	4	—	—	—	—	1	—	3	—		
	F	11	—	—	2	—	1	4	1	3	10	—	—	—	—	3	1	6	—		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	52	1	—	1	4	9	25	12	—	42	—	—	—	—	—	24	14	4		
	F	44	—	—	—	4	16	19	5	—	46	—	—	—	8	27	6	5	—		
10 Tuberculous meningitis	M	10	2	2	—	6	—	—	—	—	4	—	—	3	1	—	—	—	—		
	F	6	1	—	—	1	3	1	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	10	—	1	2	1	2	—	4	—	4	—	1	—	1	—	2	—	—		
	F	10	1	—	1	4	1	2	1	—	4	—	—	—	—	2	2	—	—		
12 Cancer, malignant disease	M	43	—	—	—	—	1	2	27	13	44	—	—	—	1	1	24	18	—		
	F	37	—	—	—	—	—	8	14	15	83	—	—	—	—	6	37	40	—		
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	3	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	6	2	2	—	2	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	6	2	—	1	1	1	—	1	—	2	—	1	—	—	1	—	—	—		
15 Organic heart disease	M	38	—	—	—	1	1	7	12	17	73	—	—	—	1	4	16	52	—		
	F	42	—	—	—	2	—	8	11	21	74	—	—	—	2	3	16	53	—		
16 Bronchitis	M	42	16	2	—	—	—	1	9	14	22	1	—	1	—	1	4	14	—		
	F	41	11	—	1	—	—	1	10	18	26	2	—	—	—	—	5	19	—		
17 Pneumonia (all forms)	M	93	19	21	3	3	7	14	16	10	20	2	2	—	1	—	4	4	7		
	F	66	23	13	4	3	2	5	10	6	19	4	1	1	—	—	1	7	5		
18 Other respiratory diseases	M	11	1	1	3	—	—	1	3	2	5	1	—	—	—	2	—	2	1		
	F	8	1	2	—	—	—	1	2	2	3	—	—	—	—	—	2	1	—		
19 Diarrhoea, &c.	M	22	12	2	2	—	—	3	3	—	7	1	—	—	—	1	1	4	—		
	F	14	8	3	1	—	—	—	1	1	9	4	—	—	—	1	2	2	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	3	—	—	—	1	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—		
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	1	1	—	—		
21A Alcoholism	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	1	—	1	1	1	1	4	5	12	—	—	—	—	2	7	3	—		
	F	7	—	—	—	—	1	3	2	1	23	—	—	—	1	4	8	10	—		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	6	—	—	—	—	6	—	—	—		
25 Congenital debility, &c.	M	42	40	—	—	2	—	—	—	—	17	17	—	—	—	—	—	—	—		
	F	25	25	—	—	—	—	—	—	—	13	12	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	32	—	1	2	2	7	7	11	2	12	3	—	1	—	3	2	3	—		
	F	17	1	4	2	3	—	2	2	3	9	—	—	—	1	1	2	5	—		
27 Suicide	M	1	—	—	—	—	1	—	—	—	11	—	—	—	—	5	4	2	—		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	3	—	—		
28 Other defined diseases	M	127	20	2	3	2	5	18	36	41	161	12	—	—	3	2	7	33	104		
	F	114	12	4	1	3	3	8	24	59	162	4	—	1	1	17	38	101	—		
29 Causes ill-defined or unknown.	M	7	1	1	—	—	—	—	3	2	2	1	—	—	—	—	1	—	—		
	F	5	—	1	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	BRISTOL.									BURNLEY.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...		M	2,256	393	73	73	81	99	272	544	721	746	182	20	20	24	22	84	199	195
		F	2,174	272	42	64	86	123	279	466	842	745	135	14	15	26	30	98	206	221
1	Enteric fever ...	M	4	—	—	—	—	—	2	1	1	2	—	—	—	—	1	1	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ...	M	48	13	11	18	6	—	—	—	—	3	2	1	—	—	—	—	—	
		F	50	11	12	19	8	—	—	—	—	5	1	3	1	—	—	—	—	
4	Scarlet fever ...	M	3	—	2	—	1	—	—	—	—	2	—	—	—	2	—	—	—	
		F	5	—	—	3	2	—	—	—	—	1	—	—	1	—	—	—	—	
5	Whooping cough ...	M	6	3	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	
		F	11	4	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Diphtheria and croup ...	M	37	2	7	17	11	—	—	—	—	4	—	—	1	3	—	—	—	
		F	43	1	2	16	20	2	2	—	—	4	—	1	1	2	—	—	—	
7	Influenza ...	M	32	—	—	1	1	—	6	12	12	6	—	—	—	—	—	3	3	
		F	10	—	1	1	—	—	2	4	2	5	—	—	—	1	—	3	1	
8	Erysipelas ...	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	
		F	7	1	1	—	—	—	1	4	—	3	—	—	—	—	—	2	1	
9	Pulmonary tuberculosis	M	184	1	4	3	5	33	70	61	7	49	1	—	—	3	2	17	21	
		F	188	2	—	1	6	64	71	40	4	39	1	—	2	2	12	15	7	
10	Tuberculous meningitis	M	20	4	4	4	5	3	—	—	—	3	—	—	2	1	—	—	—	
		F	19	4	2	2	7	2	2	—	—	1	1	—	—	—	—	—	—	
11	Other tuberculous diseases.	M	28	4	1	—	6	6	6	4	1	17	7	4	2	—	3	—	1	
		F	20	4	—	1	3	6	2	2	2	10	1	2	2	2	—	1	—	
12	Cancer, malignant disease	M	186	—	—	—	1	4	9	81	91	57	—	—	—	—	2	24	31	
		F	247	—	—	—	—	2	35	109	101	80	—	—	—	—	1	12	42	
13	Rheumatic fever ...	M	4	—	—	—	2	1	—	1	—	3	—	—	—	—	1	1	—	
		F	14	—	—	—	4	2	6	2	—	3	—	—	—	—	1	2	—	
14	Meningitis ...	M	11	3	5	1	—	1	1	—	—	4	1	—	—	3	—	—	—	
		F	14	3	1	2	2	2	1	3	—	7	4	—	1	1	—	1	—	
15	Organic heart disease ...	M	204	—	—	1	6	2	21	67	107	80	—	—	—	2	6	16	33	
		F	262	—	—	—	4	9	24	67	158	112	—	—	—	5	4	14	33	
16	Bronchitis ...	M	153	27	2	4	3	—	3	29	85	90	26	3	1	—	1	3	15	
		F	138	14	—	1	—	—	3	20	100	64	8	2	2	1	—	1	15	
17	Pneumonia (all forms)...	M	225	62	24	11	6	9	35	45	33	66	18	7	6	2	2	10	13	
		F	151	42	16	9	7	3	23	26	25	63	15	5	2	3	1	10	21	
18	Other respiratory diseases	M	30	3	2	—	1	1	4	10	9	6	—	—	2	1	—	1	2	
		F	32	1	—	1	1	—	7	9	13	11	2	—	1	1	1	2	2	
19	Diarrhoea, &c. ...	M	58	43	4	—	1	—	1	6	3	29	21	2	2	1	—	—	3	
		F	43	23	1	1	—	—	2	4	12	21	15	—	1	—	1	—	4	
20	Appendicitis and typhlitis	M	15	—	—	—	1	4	3	5	2	5	—	—	—	2	2	—	1	
		F	7	—	—	1	—	2	2	2	—	6	—	—	—	3	—	1	2	
21	Cirrhosis of liver ...	M	13	—	—	—	—	—	3	7	3	1	—	—	—	—	—	1	—	
		F	6	—	—	—	—	—	—	4	2	1	—	—	—	—	—	—	1	
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	67	1	—	1	—	1	10	35	19	18	—	—	—	1	—	8	6	
		F	67	—	—	—	4	1	11	28	23	20	—	—	—	—	1	3	12	
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	21	—	—	—	—	6	15	—	—	2	—	—	—	—	1	1	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	17	—	—	—	—	2	15	—	—	7	—	—	—	—	—	7	—	
25	Congenital debility, &c.	M	139	138	1	—	—	—	—	—	—	62	62	—	—	—	—	—	—	
		F	114	113	—	—	1	—	—	—	—	49	48	—	—	1	—	—	—	
26	Violence, apart from suicide.	M	77	5	—	5	9	12	18	16	12	30	—	1	4	2	2	9	9	
		F	41	1	—	2	4	5	1	8	20	15	2	—	—	—	1	2	1	
27	Suicide ...	M	23	—	—	—	—	2	10	9	2	10	—	—	—	—	—	1	8	
		F	6	—	—	—	—	—	2	3	1	5	—	—	—	—	—	2	3	
28	Other defined diseases ...	M	684	84	6	5	15	20	70	151	333	194	43	2	—	1	2	13	57	
		F	637	48	2	1	12	15	51	129	379	207	37	—	1	4	3	20	59	
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	
		F	2	—	—	—	—	—	—	2	—	3	—	1	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BURTON-UPON-TRENT.									BURY.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	315	49	3	11	19	12	32	83	106	428	59	14	11	15	16	43	141	129
	F	269	40	7	4	11	12	37	53	105	399	45	11	9	16	10	47	109	152
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	4	1	—	—	3	—	—	—	—	4	2	2	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	3	1	—	2	—	—	—	—	—
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	5	1	2	2	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—
6 Diphtheria and croup ...	M	6	—	—	2	4	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	3	—	—	—	3	—	—	—	—
7 Influenza ...	M	5	1	—	—	1	—	1	1	1	9	—	—	—	—	1	2	3	3
	F	2	—	—	—	—	—	1	1	—	16	—	—	1	—	1	2	8	4
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	23	—	—	—	—	3	12	8	—	22	—	—	1	2	4	11	4	—
	F	23	1	—	—	1	6	14	1	—	28	—	—	—	1	3	12	9	3
10 Tuberculous meningitis	M	4	1	—	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	4	1	1	—	2	—	—	—	—	5	1	3	1	—	—	—	—	—
11 Other tuberculous diseases.	M	6	1	1	1	—	1	—	1	1	4	—	—	—	—	1	1	1	1
	F	8	1	—	1	—	—	2	3	1	5	1	—	—	1	1	1	—	1
12 Cancer, malignant disease	M	33	—	—	—	—	2	—	21	10	37	—	—	—	—	—	1	21	15
	F	30	—	—	—	—	—	5	13	12	37	—	—	—	—	—	4	20	13
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—
14 Meningitis ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—
	F	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—
15 Organic heart disease ...	M	37	—	—	—	—	2	6	15	14	66	—	—	—	1	3	4	31	27
	F	42	—	—	—	—	2	3	15	22	68	—	—	—	2	2	1	31	32
16 Bronchitis ...	M	28	5	—	1	—	—	—	7	15	60	7	1	—	—	—	5	25	22
	F	19	2	1	1	—	—	—	3	12	39	5	2	1	1	—	2	5	23
17 Pneumonia (all forms)	M	14	4	1	1	—	2	1	4	1	32	9	6	2	4	3	1	4	3
	F	7	1	—	—	1	—	1	2	2	22	3	4	3	1	—	1	6	4
18 Other respiratory diseases	M	4	—	—	—	1	—	1	1	1	3	—	—	—	—	—	—	—	3
	F	2	—	—	1	—	—	1	—	—	3	—	—	—	1	—	—	1	1
19 Diarrhoea, &c. ...	M	4	1	—	—	—	—	—	1	2	18	6	—	2	—	—	—	6	4
	F	6	2	1	—	—	—	—	—	3	7	3	—	—	1	—	1	1	1
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	2	—	—	1	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2	—
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	7	—	—	—	—	—	—	3	4	11	—	2	—	—	—	1	4	4
	F	6	—	—	—	1	—	1	2	2	7	—	—	—	—	—	2	2	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	6	—	—
25 Congenital debility, &c.	M	26	25	1	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
	F	24	24	—	—	—	—	—	—	—	14	13	—	—	—	—	1	—	—
26 Violence, apart from suicide.	M	14	1	—	2	3	—	3	4	1	11	—	—	1	2	1	4	3	—
	F	4	1	—	—	1	—	—	2	—	4	—	—	—	—	—	—	—	4
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	9	—	—	—	—	—	1	7	1
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—
28 Other defined diseases ...	M	90	9	—	1	3	1	6	15	55	102	11	1	2	2	2	12	28	44
	F	77	5	1	—	—	3	7	11	50	112	13	—	1	4	1	7	23	63
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	CANTERBURY.										CARLISLE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	118	19	1	6	2	4	10	25	51	354	75	13	9	13	11	42	78	113		
	F	140	17	3	4	8	3	19	25	61	352	37	15	13	20	39	94	121			
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	7	4	2	1	—	—	—	—	—		
	F	3	—	2	—	1	—	—	—	—	5	1	1	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza... ..	M	2	—	—	1	—	—	—	—	1	14	—	—	1	—	1	3	6	—		
	F	—	—	—	—	—	—	—	—	—	16	1	1	1	—	3	4	4	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	8	—	—	1	—	1	4	2	—	15	—	2	—	1	1	6	3	—		
	F	6	—	—	—	—	2	2	2	—	21	—	—	—	1	7	10	2	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	1	—	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	1	1	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	—		
	F	1	—	—	—	1	—	—	—	—	7	—	1	—	3	1	2	—	—		
12 Cancer, malignant disease	M	13	—	—	—	—	—	—	6	7	25	—	—	—	1	—	5	6	1		
	F	14	—	—	—	—	—	3	7	4	43	—	—	—	—	2	23	1	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	2	1	—	—	—	—	1	—	—	4	1	1	—	—	1	1	—	—		
	F	1	—	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	8	—	—	—	—	—	2	6	—	35	—	—	—	2	1	2	14	1		
	F	10	—	—	—	—	—	1	2	7	41	—	—	—	—	3	17	2	—		
16 Bronchitis ...	M	13	2	—	—	—	—	1	2	8	23	4	—	1	—	—	—	5	1		
	F	15	1	—	—	1	—	—	—	13	29	1	5	1	—	—	8	1	—		
17 Pneumonia (all forms)	M	4	3	—	—	—	—	—	—	1	26	7	3	1	1	—	4	7	—		
	F	6	1	1	3	—	—	—	1	—	26	7	2	3	1	—	4	4	—		
18 Other respiratory diseases	M	3	—	—	—	—	1	—	1	1	7	1	—	1	—	1	1	2	—		
	F	2	—	—	—	—	—	1	—	1	5	—	—	—	—	—	1	2	—		
19 Diarrhoea, &c. ...	M	5	3	—	—	—	—	—	1	1	15	11	3	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	7	3	1	—	—	—	1	1	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	2	1	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	3	—	—	—	—	1	—	2	—	19	—	—	—	2	3	3	7	—		
	F	4	—	—	—	—	—	1	3	—	6	—	—	—	—	—	—	3	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	2	—	—	—	1	—	—	1	—	9	1	—	2	1	—	4	1	—		
	F	3	—	—	—	1	—	—	—	2	8	—	—	1	2	—	2	1	—		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	2	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
28 Other defined diseases ...	M	40	1	1	3	—	1	2	7	25	105	12	1	—	3	1	9	25	—		
	F	51	3	—	—	1	1	4	9	33	97	7	3	1	3	4	3	24	—		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	1	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.		Sex.	CHESTER.										COVENTRY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	271	46	7	5	9	9	32	72	91	668	139	20	19	22	26	122	172	148		
	...	F	253	30	9	5	7	9	32	66	95	609	108	19	19	19	33	88	132	191		
1 Enteric fever	...	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	5	—	2	2	1	—	—	—	—	6	1	4	1	—	—	—	—	—		
	...	F	5	—	2	3	—	—	—	—	—	8	1	4	3	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	...	M	1	1	—	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	6	3	1	2	—	—	—	—	—		
6 Diphtheria and croup	...	M	1	—	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	6	—	1	3	2	—	—	—	—		
7 Influenza	...	M	4	—	—	—	—	—	1	1	2	21	—	1	—	2	1	12	4	1		
	...	F	1	1	—	—	—	—	—	—	—	14	—	2	2	1	—	5	3	1		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	19	—	—	—	—	3	7	6	3	80	—	1	2	1	12	41	20	3		
		F	12	—	1	—	—	2	8	1	—	48	—	—	1	2	11	26	7	1		
10 Tuberculous meningitis	{	M	1	—	—	—	1	—	—	—	—	8	—	3	2	2	1	—	—	—		
		F	4	1	2	—	1	—	—	—	—	4	1	—	—	2	—	1	—	—		
11 Other tuberculous diseases.	{	M	3	—	—	—	1	—	1	1	—	11	1	—	2	1	—	4	3	—		
		F	1	—	—	—	—	—	—	—	1	11	1	—	1	—	4	3	2	—		
12 Cancer, malignant disease	{	M	30	—	—	—	—	—	1	15	14	61	—	—	—	—	—	4	34	23		
		F	29	—	—	—	—	—	5	11	13	63	1	—	—	—	1	5	30	26		
13 Rheumatic fever	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	{	M	—	—	—	—	—	—	—	—	—	6	1	1	1	1	2	—	—	—		
		F	1	1	—	—	—	—	—	—	—	5	2	1	1	—	1	—	—	—		
15 Organic heart disease	{	M	22	—	—	—	—	—	2	8	12	48	—	—	—	2	1	9	14	22		
		F	41	—	—	—	—	2	2	11	26	72	—	—	—	2	1	14	31	24		
16 Bronchitis	{	M	35	9	—	1	—	—	1	10	14	53	11	1	1	—	—	2	15	23		
		F	26	4	—	—	—	—	2	7	13	46	7	—	1	—	—	2	6	30		
17 Pneumonia (all forms)	{	M	28	3	1	—	2	2	7	9	4	54	13	2	2	2	2	16	10	7		
		F	12	3	1	—	1	1	2	1	3	35	11	6	3	2	1	3	5	4		
18 Other respiratory diseases	{	M	2	—	—	—	—	—	—	1	1	12	—	—	1	1	—	2	6	2		
		F	1	—	—	—	—	—	—	1	—	6	—	—	—	1	—	2	—	3		
19 Diarrhoea, &c.	{	M	6	5	—	—	—	—	1	—	—	19	14	3	1	—	—	—	1	—		
		F	5	4	—	—	—	—	—	1	—	9	5	1	—	—	—	1	2	—		
20 Appendicitis and typhlitis	{	M	2	—	—	—	1	1	—	—	—	10	—	—	1	2	2	4	—	1		
		F	1	—	—	—	—	—	—	1	—	7	—	—	—	—	2	3	2	—		
21 Cirrhosis of liver	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1	—		
22 Nephritis and Bright's disease.	{	M	7	—	—	—	—	—	1	3	3	15	—	—	—	—	1	2	9	3		
		F	8	—	—	—	—	—	2	5	1	13	—	—	—	—	2	4	3	4		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	2	—	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility, &c.	{	M	15	15	—	—	—	—	—	—	—	63	63	—	—	—	—	—	—	—		
		F	11	11	—	—	—	—	—	—	—	66	65	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	{	M	9	1	—	1	1	2	1	2	1	21	4	1	1	3	—	6	5	1		
		F	7	—	—	1	2	1	1	2	—	12	1	1	—	1	—	1	2	6		
27 Suicide	{	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	3	2		
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases	{	M	74	11	1	—	1	1	9	16	35	158	27	2	2	2	3	20	42	60		
		F	81	5	3	1	2	1	7	25	37	161	10	2	2	5	6	10	35	91		
29 Causes ill-defined or unknown.	{	M	3	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	CROYDON.										DARLINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,008	157	20	30	44	40	131	245	341	434	99	17	10	17	17	54	105	115		
	F	1,079	110	14	24	59	41	122	226	483	391	59	16	14	18	27	53	80	124		
											1						1				
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	14	1	4	5	4	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	9	3	3	1	1	1	—	—	—	4	1	2	1	—	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	8	—	1	1	2	4	—	—	—		
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	14	11	2	1	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	12	5	5	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	16	—	—	2	12	—	—	2	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	32	—	—	1	4	2	10	11	4	8	—	—	2	—	—	4	1	1		
	F	22	—	—	2	1	1	5	4	9	7	—	—	—	—	—	2	3	2		
8 Erysipelas ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	84	—	—	1	4	13	40	22	4	27	1	1	1	—	6	8	10	—		
	F	79	1	—	—	10	16	31	16	5	34	—	—	—	2	8	16	8	—		
10 Tuberculous meningitis	M	10	2	—	2	4	1	1	—	—	3	1	—	1	—	—	—	—	—		
	F	5	1	1	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	7	1	2	—	1	—	2	1	—	11	1	2	—	4	2	1	1	—		
	F	13	—	1	—	4	—	4	2	2	7	—	—	1	2	2	1	1	—		
12 Cancer, malignant disease	M	100	—	—	1	—	—	12	45	42	27	—	—	—	—	—	3	15	9		
	F	129	—	—	—	2	1	8	58	60	32	—	—	—	—	—	3	17	12		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	1	—	1	—	1	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	10	2	1	1	2	2	1	1	—	—	—	—	—	—	—	—	—	—		
	F	3	1	1	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—		
15 Organic heart disease ...	M	117	—	—	—	—	3	13	31	70	34	—	—	—	—	—	2	14	18		
	F	140	—	—	—	1	3	7	44	85	48	—	—	—	1	4	5	9	25		
16 Bronchitis ...	M	60	14	3	1	—	—	1	9	32	24	5	1	1	—	—	1	8	—		
	F	81	7	2	1	1	—	1	10	59	25	6	4	—	—	—	1	3	1		
17 Pneumonia (all forms)	M	88	17	2	6	5	4	10	22	22	58	13	4	2	3	2	15	13	—		
	F	79	15	5	8	8	—	13	11	19	32	9	3	6	2	2	4	5	—		
18 Other respiratory diseases	M	13	—	—	2	—	—	—	6	5	9	—	1	—	1	—	—	2	—		
	F	18	2	—	—	3	—	1	3	9	4	—	—	—	1	—	—	—	—		
19 Diarrhoea, &c. ...	M	26	21	2	—	—	1	1	1	—	14	12	1	—	—	—	—	—	—		
	F	17	12	—	1	—	1	—	1	2	7	3	—	—	1	—	1	—	—		
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	2	1	1	6	—	—	—	2	1	1	1	—		
	F	8	—	—	—	3	1	2	2	—	2	—	—	—	1	—	—	1	—		
21 Cirrhosis of liver ...	M	7	—	—	—	1	—	—	4	2	2	—	—	—	—	—	—	2	—		
	F	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	28	—	—	—	—	—	5	10	13	9	—	1	—	—	—	2	3	—		
	F	26	—	—	—	2	—	4	8	12	10	—	—	—	—	—	5	2	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	2	11	—	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility, &c.	M	62	61	—	—	1	—	—	—	—	35	35	—	—	—	—	—	—	—		
	F	45	45	—	—	—	—	—	—	—	20	18	—	1	1	—	—	—	—		
26 Violence, apart from suicide.	M	25	2	2	1	4	3	6	3	4	17	1	1	1	—	4	6	1	—		
	F	13	2	—	3	—	—	2	1	5	2	—	—	1	—	—	—	1	—		
27 Suicide ...	M	7	—	—	—	—	—	3	1	3	2	—	—	—	—	—	—	2	—		
	F	11	—	—	—	—	3	2	5	1	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	296	35	4	3	5	10	24	76	139	124	19	2	—	4	2	11	28	—		
	F	329	21	—	3	7	8	22	53	215	125	17	1	1	3	3	10	30	—		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	5	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	DERBY.										DEWSBURY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	716	152	16	19	19	15	97	168	230	402	84	17	11	14	25	50	111	90		
	F	668	94	16	11	24	27	98	145	253	383	56	22	13	12	12	50	103	115		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	4	1	2	1	—	—	—	—	—	8	—	4	2	2	—	—	—	—		
	F	5	3	1	—	1	—	—	—	—	5	—	2	1	2	—	—	—	—		
4 Scarlet fever	M	3	—	1	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	3	1	—	—	1	1	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	4	4	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	6	—	—	2	3	1	—	—	—	4	—	—	1	3	—	—	—	—		
	F	4	—	—	—	4	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza... ..	M	8	3	—	—	—	1	2	—	2	11	1	1	—	2	—	3	1	3		
	F	4	—	—	—	—	1	1	2	—	8	—	2	—	—	—	—	6	—		
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	4	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	55	1	—	2	1	6	32	11	2	21	1	2	1	—	2	7	6	2		
	F	47	—	—	—	2	10	22	10	3	18	—	—	—	1	6	6	5	—		
10 Tuberculous meningitis {	M	5	1	—	1	1	—	2	—	—	4	—	—	2	—	1	—	1	—		
	F	2	—	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
11 Other tuberculous dis- {	M	5	—	1	1	—	—	—	3	—	3	—	—	—	—	—	3	—	—		
eases. {	F	6	1	1	1	1	1	—	—	1	2	—	1	—	1	—	—	—	—		
12 Cancer, malignant disease {	M	61	—	—	1	—	—	3	33	24	33	—	—	—	—	—	2	20	11		
	F	75	1	—	1	—	1	14	37	21	34	—	—	—	—	—	5	16	13		
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	2	1	—	1	—	—	—	—	5	—	1	—	2	1	1	—	—		
15 Organic heart disease	M	65	—	—	—	1	2	11	21	30	38	—	—	—	1	2	5	15	15		
	F	88	—	—	1	1	4	14	22	46	49	—	—	—	—	—	10	24	15		
16 Bronchitis	M	80	17	6	1	1	—	2	11	42	40	16	2	1	1	—	2	10	8		
	F	79	16	2	1	2	—	—	8	50	60	10	5	3	—	—	2	9	31		
17 Pneumonia (all forms) {	M	48	14	1	7	1	—	5	14	6	26	4	4	3	1	5	1	4	4		
	F	27	4	5	2	1	2	5	4	4	27	4	5	3	2	1	2	8	2		
18 Other respiratory diseases {	M	10	—	1	—	—	—	1	4	4	6	—	—	—	—	2	2	2	—		
	F	8	1	—	—	—	—	1	1	5	4	—	1	1	—	—	—	2	—		
19 Diarrhoea, &c.	M	14	10	—	—	—	—	—	1	3	20	17	1	1	—	—	—	—	1		
	F	15	6	1	—	1	1	2	1	3	7	3	2	—	—	—	2	—	—		
20 Appendicitis and typhlitis {	M	5	—	—	—	1	1	2	1	—	2	—	—	—	—	1	—	1	—		
	F	3	—	—	—	—	1	—	—	2	3	—	—	—	—	1	2	—	—		
21 Cirrhosis of liver	M	4	—	—	—	—	—	1	—	3	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	18	1	—	—	—	1	3	10	3	23	—	1	—	—	3	7	9	3		
disease. {	F	13	—	—	—	—	—	2	6	5	16	1	—	—	—	1	1	11	2		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever. {	F	4	—	—	—	—	—	4	—	—	5	—	—	—	—	—	5	—	—		
25 Congenital debility, &c. {	M	86	86	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—		
	F	40	40	—	—	—	—	—	—	—	25	24	1	—	—	—	—	—	—		
26 Violence, apart from {	M	23	—	—	1	1	2	4	11	4	11	1	—	—	—	—	4	6	—		
suicide. {	F	17	1	1	1	1	—	4	5	4	6	1	—	1	—	1	—	2	1		
27 Suicide	M	8	—	—	—	—	—	2	4	2	4	—	—	—	—	—	1	3	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases	M	202	18	4	2	7	1	25	42	103	106	10	—	—	2	9	13	29	43		
	F	205	17	2	2	3	4	24	46	107	93	9	2	1	1	—	9	20	51		
29 Causes ill-defined or un- {	M	3	—	—	—	—	—	—	2	1	2	—	1	—	—	—	—	1	—		
known. {	F	4	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	DUDLEY.										EASTBOURNE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	425	100	23	17	20	12	53	91	109	246	33	2	1	10	8	24	57	111		
	F	405	84	20	11	21	17	50	68	134	280	24	4	—	9	9	27	60	147		
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	6	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	2	—	1	—	—	1	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	3	—	1	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza	M	20	2	2	1	1	2	8	3	1	9	—	1	1	—	—	2	4	1		
	F	26	4	1	2	2	2	8	4	3	12	1	—	—	1	—	3	3	4		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	17	—	—	1	—	3	9	4	—	17	—	—	—	—	2	9	5	1		
	F	22	—	—	—	2	8	8	4	—	15	—	—	—	1	3	6	3	2		
10 Tuberculous meningitis {	M	1	—	—	—	1	—	—	—	—	4	1	1	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
11 Other tuberculous dis- eases. {	M	3	1	—	—	1	—	—	1	—	3	1	—	—	1	1	—	—	—		
	F	3	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	1		
12 Cancer, malignant disease {	M	21	—	—	—	—	1	3	10	7	29	—	—	—	—	—	2	8	19		
	F	23	—	—	—	—	—	1	13	9	45	—	—	—	—	—	4	11	30		
13 Rheumatic fever	M	2	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	7	2	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ... {	M	27	—	—	—	—	1	9	6	11	44	—	—	—	—	—	1	11	32		
	F	26	—	—	—	1	2	2	9	12	42	—	—	—	—	—	2	9	31		
16 Bronchitis	M	53	7	2	1	1	1	3	18	20	7	1	—	—	—	—	—	2	4		
	F	36	7	3	—	1	—	—	6	19	12	2	—	—	—	—	—	4	6		
17 Pneumonia (all forms) {	M	60	15	10	7	4	1	7	8	8	10	2	—	—	—	—	2	4	2		
	F	51	13	11	4	4	2	7	4	6	8	1	—	—	1	—	—	1	5		
18 Other respiratory diseases {	M	8	—	—	1	—	—	2	2	3	5	—	—	—	—	—	—	2	3		
	F	6	—	—	—	—	—	2	2	2	8	—	—	—	1	1	—	3	3		
19 Diarrhoea, &c.	M	16	12	2	—	—	—	1	1	—	3	1	—	—	—	—	—	1	1		
	F	9	9	—	—	—	—	—	—	—	3	—	1	—	—	—	1	—	1		
20 Appendicitis and typhlitis {	M	1	—	—	—	—	—	—	1	—	5	—	—	—	3	—	1	1	—		
	F	6	—	—	—	4	—	1	1	—	3	—	—	—	—	1	2	—	—		
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease. {	M	6	—	1	—	—	—	—	4	1	5	—	—	—	—	—	—	—	5		
	F	5	1	—	—	—	—	—	2	1	4	—	—	—	—	—	1	2	1		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c. {	M	48	48	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
	F	36	36	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide. {	M	15	1	—	—	3	1	4	5	1	9	1	—	—	2	2	1	—	3		
	F	8	1	1	1	—	1	—	2	2	7	—	—	—	—	1	—	3	3		
27 Suicide	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	1	—	4	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—		
28 Other defined diseases ... {	M	106	11	2	3	5	1	4	25	55	66	6	—	—	—	1	6	14	39		
	F	123	12	1	1	2	2	9	17	79	94	7	—	—	3	1	6	18	59		
29 Causes ill-defined or un- known. {	M	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	EAST HAM.										EXETER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	765	122	17	22	30	49	125	220	180	353	51	9	2	7	15	35	84	150		
	...	F	714	102	15	20	28	34	109	165	241	386	43	3	7	13	21	51	82	166		
1 Enteric fever	...	M	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox	...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	8	1	3	3	—	1	—	—	—	3	—	3	—	—	—	—	—	—		
	...	F	9	1	4	2	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	7	2	3	2	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
	...	F	8	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	11	1	1	3	6	—	—	—	—	3	—	1	1	1	—	—	—	—		
	...	F	7	—	1	3	3	—	—	—	—	5	—	—	3	2	—	—	—	—		
7 Influenza	...	M	17	1	—	1	1	1	4	6	3	5	—	—	—	—	4	—	—	1		
	...	F	26	—	—	—	—	1	15	6	4	3	—	—	—	—	—	2	—	1		
8 Erysipelas	...	M	3	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	...	F	3	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis		M	79	2	—	1	—	18	38	19	1	26	—	—	—	—	6	14	5	1		
		F	52	—	1	1	—	15	26	8	1	28	—	—	—	—	7	16	5	—		
10 Tuberculous meningitis		M	6	3	—	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—		
		F	2	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.		M	8	—	—	—	—	3	3	1	1	4	1	—	—	—	—	1	—	2		
		F	11	—	—	4	1	2	2	2	—	4	1	—	—	1	—	2	—	—		
12 Cancer, malignant disease		M	65	—	—	—	—	1	5	39	20	36	—	—	—	—	—	—	14	22		
		F	71	—	—	—	—	—	7	38	26	47	—	—	1	—	—	3	22	21		
13 Rheumatic fever	...	M	8	—	—	—	4	2	—	1	1	—	—	—	—	—	—	—	—	—		
	...	F	5	—	—	—	3	1	1	—	—	2	—	—	—	—	1	—	1	—		
14 Meningitis	...	M	2	—	—	—	—	—	—	2	—	3	—	—	1	1	—	1	—	—		
	...	F	5	2	—	1	—	2	—	—	—	2	—	—	—	—	1	—	—	1		
15 Organic heart disease	...	M	78	—	—	—	1	6	15	30	26	32	—	—	—	—	1	—	13	18		
	...	F	68	—	—	—	2	1	5	19	41	55	—	—	—	—	1	4	20	30		
16 Bronchitis	...	M	47	9	1	—	1	1	3	10	22	25	2	1	—	—	—	—	3	19		
	...	F	60	11	1	—	1	1	2	10	34	31	2	1	—	—	—	1	3	24		
17 Pneumonia (all forms)		M	77	15	7	4	2	2	14	18	15	24	5	—	—	1	1	4	4	9		
		F	65	16	4	6	4	3	6	9	17	18	2	1	—	1	1	3	2	8		
18 Other respiratory diseases		M	6	—	—	—	—	—	1	4	1	7	1	1	—	—	—	1	1	3		
		F	8	—	—	—	—	—	2	1	5	4	—	—	—	1	—	1	1	1		
19 Diarrhoea, &c.	...	M	21	15	—	—	—	1	2	3	—	10	5	—	—	1	—	3	1	—		
	...	F	8	6	1	—	—	—	—	1	—	5	4	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis		M	3	—	—	—	1	1	1	—	—	2	—	—	—	—	—	2	—	—		
		F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	...	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	1		
	...	F	8	—	—	—	1	—	1	3	3	1	—	—	—	—	—	—	—	1		
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	23	—	—	1	—	1	2	13	6	27	2	—	—	—	—	2	7	16		
		F	20	—	—	—	4	1	4	4	7	15	—	—	—	—	1	2	6	6		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	3	3	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	4	—	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.		M	59	57	1	—	—	—	1	—	—	24	24	—	—	—	—	—	—	—		
		F	41	41	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
26 Violence, apart from suicide.		M	33	—	—	4	5	3	6	15	—	10	1	—	—	1	1	1	2	4		
		F	16	6	1	—	1	—	2	2	4	9	3	1	—	1	—	2	—	2		
27 Suicide	...	M	6	—	—	—	—	2	2	2	—	2	—	—	—	—	—	—	1	1		
	...	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	3	—	—		
28 Other defined diseases	...	M	190	15	1	2	5	5	25	53	84	103	8	1	—	2	2	6	31	53		
	...	F	205	11	—	2	5	6	25	57	99	119	10	—	1	7	4	6	21	70		
29 Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	GATESHEAD.									GLOUCESTER.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	1012	258	44	37	45	50	115	264	199	335	54	15	15	16	21	39	81	94
	...	F	872	214	49	28	37	56	94	175	219	339	37	15	21	19	15	41	72	119
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	M	4	1	2	1	—	—	—	—	—	11	2	5	2	2	—	—	—	—
	...	F	1	—	—	1	—	—	—	—	—	10	1	2	5	1	—	1	—	—
4 Scarlet fever	...	M	5	—	1	—	4	—	—	—	—	1	—	—	—	—	—	—	—	—
	...	F	10	—	2	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	M	11	6	4	1	—	—	—	—	—	12	2	5	4	1	—	—	—	—
	...	F	18	11	6	1	—	—	—	—	—	20	8	5	7	—	—	—	—	—
6 Diphtheria and croup	...	M	6	1	1	2	1	—	1	—	—	1	—	—	1	—	—	—	—	—
	...	F	6	—	2	1	3	—	—	—	—	4	—	—	1	3	—	—	—	—
7 Influenza	...	M	15	—	—	—	—	1	4	5	5	11	—	—	1	1	2	3	3	1
	...	F	12	—	1	—	1	2	4	3	1	10	3	1	—	4	—	—	2	—
8 Erysipelas	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	...	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	{	M	102	—	—	1	7	19	31	40	4	27	—	1	—	2	8	8	8	—
		F	65	—	—	1	5	20	28	8	3	28	—	—	1	—	10	13	3	1
10 Tuberculous meningitis	{	M	13	3	—	3	6	—	1	—	—	3	—	—	—	2	—	1	—	—
		F	12	2	3	2	2	2	1	—	—	3	—	—	1	1	—	1	—	—
11 Other tuberculous diseases.	{	M	21	5	3	3	5	2	—	3	—	6	—	—	—	—	2	3	1	—
		F	20	2	3	4	3	5	2	1	—	6	—	—	—	2	2	1	1	—
12 Cancer, malignant disease	{	M	46	—	—	—	—	—	2	26	18	23	—	—	—	—	—	1	13	9
		F	75	—	—	—	—	1	5	52	17	45	—	—	—	—	—	3	19	23
13 Rheumatic fever	...	M	7	—	—	—	2	3	—	2	—	—	—	—	—	—	—	—	—	—
	...	F	6	—	—	—	1	—	—	4	1	—	—	—	—	—	—	—	—	—
14 Meningitis	...	M	5	1	1	1	—	1	1	—	—	3	—	—	2	1	—	—	—	—
	...	F	7	3	1	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—
15 Organic heart disease	...	M	65	—	—	—	2	3	5	35	20	31	—	—	—	—	—	2	18	11
	...	F	57	—	—	—	4	3	6	20	24	33	—	—	—	1	—	3	6	23
16 Bronchitis	...	M	84	21	—	5	1	1	3	23	30	24	3	—	—	—	2	—	4	15
	...	F	82	27	3	3	—	1	2	10	36	16	1	1	—	—	—	—	2	12
17 Pneumonia (all forms)	{	M	159	48	21	7	4	6	23	39	11	21	1	2	2	1	1	4	6	4
		F	89	22	15	3	4	3	11	13	18	22	3	5	3	—	1	1	6	3
18 Other respiratory diseases	{	M	11	—	2	1	1	—	3	1	3	4	1	1	—	1	—	—	1	—
		F	6	2	1	1	—	—	—	2	—	—	2	—	—	—	—	—	—	2
19 Diarrhoea, &c.	...	M	40	31	3	1	—	—	1	4	—	11	9	1	—	—	—	—	—	1
	...	F	30	19	5	3	—	1	—	1	1	2	1	—	—	1	—	—	—	—
20 Appendicitis and typhlitis	{	M	3	—	—	—	1	1	—	—	1	2	—	—	—	—	1	1	—	—
		F	2	—	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	—
21 Cirrhosis of liver	...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	3	—
	...	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	{	M	17	—	1	1	1	—	1	8	5	6	—	—	—	—	—	4	—	2
		F	28	1	1	—	2	1	4	13	6	7	—	—	—	1	—	—	5	1
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	7	—	—	—	—	3	4	—	—	6	—	—	—	—	1	5	—	—
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	5	12	—	—	—	2	—	—	—	—	2	—	—
25 Congenital debility, &c.	{	M	77	76	—	—	1	—	—	—	—	25	25	—	—	—	—	—	—	—
		F	75	75	—	—	—	—	—	—	—	—	16	14	—	2	—	—	—	—
26 Violence, apart from suicide	{	M	49	—	—	4	6	8	17	12	2	15	1	—	2	2	—	4	3	3
		F	21	—	—	2	3	—	3	4	9	4	—	—	—	2	—	—	2	—
27 Suicide	...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	1	1	2	1
	...	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases	...	M	260	65	5	6	3	5	20	58	98	86	10	—	1	3	4	6	15	47
	...	F	221	50	6	—	4	8	10	41	102	99	6	1	—	3	1	10	24	54
29 Causes ill-defined or unknown.	{	M	8	—	—	—	—	—	2	4	2	2	—	—	—	—	—	—	2	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian population only)—*cont.*

Causes of Death.	Sex.	GREAT YARMOUTH.										GRIMSBY.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	346	57	10	3	9	13	41	71	142	605	124	21	26	7	31	79	143	174		
	F	348	42	5	9	14	22	39	57	160	511	92	30	27	35	34	79	87	127		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	4	1	2	—	1	—	—	—	—	17	4	6	7	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	13	1	6	5	1	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	3	—	1	2	—	—	—	—	—	9	—	5	4	—	—	—	—	—		
6 Diphtheria and croup	M	1	—	1	—	—	—	—	—	—	6	—	1	4	1	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	4	—	—	1	3	—	—	—	—		
7 Influenza	M	4	—	1	—	—	—	—	—	3	9	—	—	—	1	1	1	2	4		
	F	3	—	—	1	—	—	1	1	—	6	—	—	—	1	—	1	3	1		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	32	—	—	—	1	4	13	11	3	51	1	2	—	—	10	22	10	6		
	F	33	1	1	1	—	10	15	4	1	44	—	1	2	6	14	19	2	—		
10 Tuberculous meningitis {	M	3	—	1	1	—	1	—	—	—	5	1	—	2	2	—	—	—	—		
	F	3	1	—	—	1	1	—	—	—	9	—	—	3	4	1	1	—	—		
11 Other tuberculous dis- eases. {	M	4	1	—	—	—	2	—	—	1	6	1	—	1	—	1	2	1	—		
	F	1	—	—	—	—	—	1	—	—	9	—	1	1	2	3	1	1	—		
12 Cancer, malignant disease {	M	32	—	—	—	—	—	1	10	21	47	—	—	—	—	2	3	25	17		
	F	40	—	—	—	—	—	4	17	19	49	—	—	—	—	—	9	27	13		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	3	—	—	—	2	—	1	—	—	8	—	—	—	6	1	1	—	—		
14 Meningitis	M	2	—	1	—	—	—	—	1	—	3	1	1	—	—	1	—	—	—		
	F	2	—	—	1	—	1	—	—	—	7	1	2	1	—	2	1	—	—		
15 Organic heart disease	M	29	—	—	—	1	1	1	9	17	70	—	—	—	—	3	8	22	37		
	F	29	—	—	—	1	—	3	10	15	47	—	—	—	3	1	5	13	25		
16 Bronchitis	M	21	6	—	—	—	—	1	4	10	55	17	1	3	—	—	1	8	25		
	F	25	3	—	—	—	—	—	1	21	50	14	1	3	1	1	1	7	22		
17 Pneumonia (all forms) {	M	17	11	—	—	1	—	3	1	1	45	9	7	4	2	3	6	11	3		
	F	11	5	1	—	2	1	—	1	1	37	10	10	3	1	—	6	5	2		
18 Other respiratory diseases {	M	6	—	—	1	—	—	2	1	2	6	1	—	—	—	2	—	1	2		
	F	6	1	—	—	2	—	1	—	2	7	3	—	—	—	—	2	1	1		
19 Diarrhoea, &c.	M	4	2	—	—	—	—	—	—	2	16	10	1	—	—	—	1	1	3		
	F	6	2	—	1	—	—	—	2	1	14	12	1	—	—	—	—	1	—		
20 Appendicitis and typhlitis {	M	2	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	—	2	—	—	—		
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease. {	M	10	—	—	—	—	1	3	3	3	10	—	—	—	—	—	3	7	—		
	F	8	—	—	—	—	1	1	5	1	7	—	—	—	1	2	1	1	2		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	3	2	—	—		
24 Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	5	—	—	—	—	2	3	—	—		
25 Congenital debility, &c. {	M	25	24	1	—	—	—	—	—	—	53	53	—	—	—	—	—	—	—		
	F	19	19	—	—	—	—	—	—	—	29	28	—	—	1	—	—	—	—		
26 Violence, apart from suicide. {	M	20	—	1	—	1	2	8	3	5	30	2	1	2	—	3	7	11	4		
	F	7	—	—	1	2	1	—	1	2	10	1	1	2	2	—	1	—	3		
27 Suicide	M	4	—	—	—	—	—	1	3	—	8	—	—	—	—	—	3	5	—		
	F	5	—	—	—	—	—	1	3	1	4	—	—	—	1	—	3	—	—		
28 Other defined diseases	M	122	12	2	—	3	2	8	21	74	162	24	1	2	—	5	21	38	71		
	F	127	8	1	1	1	5	5	11	95	136	22	2	2	2	4	20	26	58		
92 Causes ill-defined or un- known. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	HALIFAX.										HASTINGS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	699 738	113 87	18 13	20 17	19 20	22 35	82 97	205 187	220 282	394 457	37 20	7 6	6 9	13 14	9 15	47 37	103 100	172 256	
1 Enteric fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 3	— —	— —	— —	— —	— 1	2 2	— —	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	5 3	1 —	1 —	2 1	1 2	— —	— —	— —	— —	5 2	— —	3 1	1 —	1 1	— —	— —	— —	— —	
4 Scarlet fever	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Whooping cough	M F	5 1	3 1	1 —	1 —	— —	— —	— —	— —	— —	1 3	— 2	1 1	— —	— —	— —	— —	— —	— —	
6 Diphtheria and croup	M F	2 4	— —	— —	1 1	1 2	— —	— 1	— —	— —	7 6	— —	1 —	1 2	4 4	1 —	— —	— —	— —	
7 Influenza	M F	21 40	— 1	1 —	— 1	1 2	1 2	5 19	10 13	3 2	6 11	— —	— —	— —	— 1	— —	1 2	2 4	3 4	
8 Erysipelas	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	
9 Pulmonary tuberculosis	{		M F	45 31	— —	— —	— —	— —	9 15	15 10	18 5	3 1	36 33	— —	— —	1 1	— 1	1 5	21 13	12 9	1 4	
10 Tuberculous meningitis		M F	2 4	1 1	— —	1 1	— 1	— 1	— —	— —	— —	— —	— 3	2 3	— —	1 2	1 1	— —	— —	— —	— —	
11 Other tuberculous diseases.	{		M F	11 4	— —	1 —	3 —	1 —	1 —	2 2	2 2	1 —	6 11	1 —	— 1	— 1	— 1	— 1	4 2	1 3	— 2	
12 Cancer, malignant disease		M F	50 94	— —	— —	— —	— —	— —	— —	6 13	23 48	21 33	42 79	— —	— —	— 1	— —	— —	2 1	17 33	23 44	
13 Rheumatic fever	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	
14 Meningitis	M F	3 4	2 2	— 1	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
15 Organic heart disease	M F	73 86	— —	— —	— —	— 1	1 3	17 10	28 27	27 45	55 74	— —	— —	— —	— —	3 —	3 4	12 11	37 59	
16 Bronchitis	M F	79 69	11 7	3 2	— —	1 —	— —	1 —	21 15	42 45	15 14	3 1	1 —	— —	— —	— —	— —	3 —	8 13	
17 Pneumonia (all forms)	{		M F	88 62	17 15	10 8	5 9	6 5	1 4	18 9	22 6	9 6	21 28	3 1	— 2	1 1	— —	2 1	1 —	4 7	10 16	
18 Other respiratory diseases		M F	6 9	3 1	— —	— 1	— —	— —	— 4	— 3	1 —	1 3	1 —	6 5	— 1	— —	— —	3 1	— —	2 1	1 2	
19 Diarrhoea, &c.	M F	9 8	6 4	— —	2 —	— —	— —	1 —	— 1	— 2	9 7	4 4	— 1	1 1	— —	— —	1 —	— 1	3 —	
20 Appendicitis and typhlitis	{		M F	3 3	— —	— —	— —	1 —	— 2	— —	1 —	1 1	1 5	— —	— —	— —	— —	— 1	— —	1 3	— 1	
21 Cirrhosis of liver		M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	3 —	— —	— —	— —	— —	— —	3 —	— —	
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	
22 Nephritis and Bright's disease.	{		M F	29 17	— —	— —	— —	— —	3 —	— 3	17 4	9 10	18 6	— —	— —	— —	— 1	— —	2 1	8 2	8 2	
23 Puerperal fever...		M F	— 3	— —	— —	— —	— —	— —	— —	— 3	— —	— —	— —	— 3	— —	— —	— —	— 2	— 1	— —	— —	
24 Parturition, apart from puerperal fever.	{		M F	— 9	— —	— —	— —	— —	— —	— 2	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
25 Congenital debility, &c.		M F	48 41	48 40	— —	— —	— —	— 1	— —	— —	— —	— —	— —	20 8	20 8	— —	— —	— —	— —	— —	— —	
26 Violence, apart from suicide.	{		M F	21 16	3 2	— 2	4 2	2 2	3 2	1 1	6 4	2 3	8 6	— —	— —	— —	1 1	— —	2 —	3 1	2 4	
27 Suicide		M F	6 5	— —	— —	— —	— —	— 1	— —	5 3	1 1	8 —	— —	— —	— —	— —	— —	1 —	5 —	2 —
28 Other defined diseases	M F	189 224	18 13	1 —	1 1	4 3	1 5	14 13	50 55	100 134	121 148	6 3	— —	1 —	2 1	2 4	7 11	30 25	73 104	
29 Causes ill-defined or unknown.	{		M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	HUDDERSFIELD.										IPSWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	794	102	13	20	37	37	114	250	221	451	90	9	18	22	14	52	90	156		
	F	706	69	17	20	34	26	82	193	265	496	54	6	9	25	31	71	98	202		
1 Enteric fever	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	5	—	2	3	—	—	—	—	—	8	3	2	3	—	—	—	—	—		
	F	5	—	1	2	2	—	—	—	—	6	3	2	1	—	—	—	—	—		
4 Scarlet fever	M	2	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—		
	F	4	1	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
6 Diphtheria and croup	M	10	—	—	3	6	—	1	—	—	11	—	1	3	7	—	—	—	—		
	F	7	—	—	—	6	—	—	1	—	15	—	—	2	13	—	—	—	—		
7 Influenza	M	21	1	1	—	—	2	9	5	3	3	—	—	—	—	1	1	—	1		
	F	9	—	—	—	—	2	2	3	2	4	—	—	—	—	—	1	1	2		
8 Erysipelas	M	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	2	1	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	61	—	—	—	4	6	25	22	4	33	1	—	—	1	5	18	7	1		
	F	37	—	—	—	2	11	15	7	2	50	—	—	1	2	14	21	11	1		
10 Tuberculous meningitis	M	7	2	—	—	3	1	1	—	—	2	—	—	2	—	—	—	—	—		
	F	6	—	—	2	2	2	—	—	—	4	—	—	—	—	2	2	—	—		
11 Other tuberculous diseases.	M	9	—	—	1	1	1	2	4	—	7	—	1	2	1	1	1	1	—		
	F	7	1	1	—	2	—	1	2	—	6	1	—	2	—	1	—	2	—		
12 Cancer, malignant disease	M	80	—	—	—	1	1	10	48	20	40	—	—	—	—	—	—	11	29		
	F	95	—	—	—	—	—	13	50	32	73	—	—	—	—	1	7	34	31		
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	6	—	—	1	1	—	2	1	1	2	—	—	—	—	1	—	1	—		
14 Meningitis	M	8	—	—	1	5	1	1	—	—	2	1	—	—	1	—	—	—	—		
	F	4	2	—	—	1	1	—	—	—	3	—	—	—	1	—	2	—	—		
15 Organic heart disease	M	65	—	—	—	3	1	7	27	27	44	—	—	—	3	—	6	12	23		
	F	86	—	—	—	2	—	7	27	50	43	—	—	—	—	1	3	7	32		
16 Bronchitis	M	86	14	2	1	—	—	7	19	43	26	4	—	3	—	—	3	3	13		
	F	79	7	2	2	—	1	3	17	47	37	5	—	—	—	—	—	4	28		
17 Pneumonia (all forms)	M	73	12	3	5	3	8	17	20	5	29	7	3	2	1	—	2	5	9		
	F	47	8	8	6	5	2	5	6	7	19	3	—	1	1	—	6	4	4		
18 Other respiratory diseases	M	6	—	1	—	—	—	—	4	1	8	2	—	—	—	—	1	3	2		
	F	5	—	—	2	1	—	—	—	2	7	—	—	1	—	1	1	1	3		
19 Diarrhoea, &c.	M	10	6	—	—	—	1	1	1	1	3	—	—	—	—	—	—	2	1		
	F	9	4	—	—	2	—	—	2	1	5	4	—	—	—	—	1	—	—		
20 Appendicitis and typhlitis	M	6	1	—	1	—	1	2	1	—	2	—	—	—	1	—	1	—	—		
	F	3	—	—	—	1	—	1	1	—	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver	M	5	—	—	—	—	—	2	3	—	4	—	—	—	—	—	—	3	1		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	2		
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	34	—	1	—	1	—	6	15	11	15	—	—	—	1	1	2	7	4		
	F	23	—	—	—	—	—	4	9	10	8	—	—	—	—	—	—	3	5		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	6	—	—	—	—	—	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	9	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	39	39	—	—	—	—	—	—	—	43	—	—	—	—	—	—	—	—		
	F	31	31	—	—	—	—	—	—	—	30	28	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	26	1	1	1	3	5	5	8	2	27	5	1	—	4	3	5	5	4		
	F	15	2	1	1	1	1	3	3	3	9	2	—	—	1	1	1	—	4		
27 Suicide	M	13	—	—	—	—	1	1	8	3	—	—	—	—	—	—	—	2	—		
	F	6	—	—	—	—	2	3	1	—	4	—	—	—	—	—	2	2	—		
28 Other defined diseases	M	216	23	1	4	6	7	14	60	101	135	20	1	1	2	3	12	29	67		
	F	200	13	2	1	3	3	11	60	107	150	7	2	1	5	6	12	27	90		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	KINGSTON-UPON-HULL.										LEEDS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,087	480	112	69	85	93	253	485	510	3,472	747	151	147	139	140	456	873	819	
			F	1,811	354	68	70	97	109	249	345	519	3,120	486	104	135	144	151	389	699	1012	
1 Enteric fever	M	5	—	—	—	—	1	1	2	1	1	—	—	—	—	1	—	—	—	
			F	3	—	—	—	—	1	2	—	—	3	—	—	—	1	—	2	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	42	7	21	10	3	—	1	—	—	86	19	31	27	9	—	—	—	—	
			F	40	7	16	14	3	—	—	—	—	62	11	20	24	7	—	—	—	—	
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	5	1	—	1	1	1	—	—	—	
			F	4	—	—	—	3	—	1	—	—	11	—	1	3	6	1	—	—	—	
5 Whooping cough	M	7	4	2	—	1	—	—	—	—	51	20	15	15	1	—	—	—	—	
			F	5	1	1	1	2	—	—	—	—	49	11	14	21	3	—	—	—	—	
6 Diphtheria and croup	M	10	2	2	3	2	—	—	—	1	31	4	4	11	12	—	—	—	—	
			F	15	—	2	5	6	—	—	—	2	32	—	4	14	13	1	—	—	—	
7 Influenza	M	31	—	2	—	1	5	8	9	6	86	5	3	2	4	8	21	26	17	
			F	32	—	—	—	2	4	11	9	6	84	4	3	1	4	6	25	20	21	
8 Erysipelas	M	6	1	—	—	—	—	1	2	2	10	—	—	—	2	—	—	8	—	
			F	5	1	—	—	—	—	—	2	2	4	—	—	—	—	1	2	1	—	
9 Pulmonary tuberculosis	{	M	152	1	1	3	7	38	62	36	4	319	5	4	7	13	39	141	96	14		
		F	132	—	1	3	16	54	48	8	2	240	—	2	3	21	74	89	40	11		
10 Tuberculous meningitis	{	M	25	11	2	5	5	2	—	—	—	36	8	7	6	13	2	—	—	—		
		F	20	6	1	2	8	3	—	—	—	25	7	1	8	7	1	—	1	—		
11 Other tuberculous diseases.	{	M	29	3	—	2	5	9	5	2	3	48	7	2	5	9	11	9	5	—		
		F	22	2	—	5	7	—	5	1	2	42	3	4	5	6	7	7	5	5		
12 Cancer, malignant disease	{	M	139	—	1	—	4	1	11	69	53	234	—	—	—	—	1	25	132	76		
		F	140	—	—	—	—	1	21	74	44	271	1	—	—	1	—	28	153	88		
13 Rheumatic fever	M	3	—	—	—	1	2	—	—	8	—	—	1	2	2	—	3	—		
			F	7	—	—	—	—	1	2	3	1	15	—	—	—	6	2	2	4		
14 Meningitis	M	13	3	—	2	3	1	1	3	—	51	6	7	5	5	2	4	5		
			F	19	6	4	1	4	2	1	1	—	38	5	—	4	2	2	4	4		
15 Organic heart disease	M	153	—	—	—	5	6	24	52	66	264	—	—	—	3	13	31	108		
			F	154	—	—	—	8	6	16	50	74	298	—	—	—	12	9	33	105		
16 Bronchitis	M	208	50	15	—	—	2	10	49	82	313	64	12	7	4	2	17	80		
			F	160	30	5	4	2	1	9	36	73	292	48	7	5	2	1	10	63		
17 Pneumonia (all forms)	{	M	220	57	40	18	10	5	35	32	23	365	89	42	30	13	9	59	78	45		
		F	160	50	12	15	10	5	21	20	27	275	42	32	30	18	12	43	58	40		
18 Other respiratory diseases	{	M	36	5	3	3	1	1	5	11	7	52	2	—	2	2	2	10	24	10		
		F	46	4	4	4	3	4	3	11	13	24	1	1	1	2	—	5	5	9		
19 Diarrhoea, &c.	M	139	97	14	9	7	—	2	8	2	107	76	7	3	—	1	6	9		
			F	95	62	12	6	4	1	2	3	5	61	50	4	1	—	1	—	1		
20 Appendicitis and typhlitis	{	M	12	—	—	—	7	1	3	—	1	18	—	—	—	3	5	5	3	2		
		F	10	—	—	—	1	4	4	1	—	7	—	—	—	1	2	2	2	—		
21 Cirrhosis of liver	M	6	—	—	—	—	—	2	3	1	12	—	—	—	—	1	2	6		
			F	5	—	—	—	—	—	2	3	—	3	—	—	—	—	—	3	—		
21a Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	39	1	—	1	3	1	5	18	10	118	2	—	2	5	1	18	39	51		
		F	36	—	—	1	—	1	10	18	6	93	—	—	1	3	3	11	30	45		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	17	—	—	—	—	4	13	—	—	34	—	—	—	—	4	29	1		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	18	—	—	—	—	2	15	1	—	24	—	—	—	—	4	20	—	—		
25 Congenital debility, &c.	{	M	166	163	2	—	1	—	—	—	—	254	248	2	1	2	—	—	1	—		
		F	141	140	—	—	1	—	—	—	—	176	174	—	—	1	—	—	1	—		
26 Violence, apart from suicide.	{	M	88	—	2	2	10	9	26	29	10	120	11	5	9	16	12	19	26	22		
		F	41	2	2	3	7	3	4	7	13	65	7	—	2	3	1	10	12	30		
27 Suicide	M	11	—	—	—	—	2	2	7	—	31	—	—	—	—	1	6	16		
			F	3	—	—	—	—	—	2	1	—	11	—	—	—	—	2	5	4		
28 Other defined diseases	M	541	75	5	9	9	7	48	150	238	849	180	10	12	20	25	82	207		
			F	475	43	5	6	9	12	56	95	249	875	122	11	12	25	18	61	181		
29 Causes ill-defined or unknown.	{	M	3	—	—	—	—	—	—	1	2	—	2	—	—	1	—	—	—	—		
		F	6	—	3	—	1	—	—	1	1	—	6	—	—	—	—	2	4	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.	Sex.	LEICESTER.										LINCOLN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,431	295	58	52	48	55	176	351	396	394	66	20	11	15	15	46	89	132		
	F	1,442	234	39	45	64	69	199	289	503	337	49	15	14	14	14	43	58	130		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	50	11	14	17	7	—	1	—	—	13	2	6	2	3	—	—	—	—		
	F	38	10	15	6	7	—	—	—	—	17	4	8	1	4	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	10	4	3	2	1	—	—	—	—	8	2	3	3	—	—	—	—	—		
	F	14	6	5	2	1	—	—	—	—	11	5	3	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	15	—	1	8	6	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	24	1	1	12	8	—	1	—	1	3	—	—	1	2	—	—	—	—		
7 Influenza ...	M	9	—	—	—	2	1	3	1	2	5	1	—	—	—	1	—	1	2		
	F	9	—	—	2	—	—	2	3	2	7	—	—	—	—	1	—	1	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
9 Pulmonary tuberculosis	M	147	1	1	1	3	20	59	59	3	30	—	—	—	1	6	14	5	4		
	F	131	1	—	3	5	41	60	19	2	17	—	—	—	1	7	7	2	—		
10 Tuberculous meningitis	M	14	4	1	3	5	—	1	—	—	6	1	2	1	1	—	1	—	—		
	F	14	3	—	3	7	1	—	—	—	4	—	1	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	21	4	3	1	3	1	3	2	4	5	1	1	—	—	—	3	—	—		
	F	18	3	—	2	3	4	3	3	—	2	—	—	—	—	—	1	1	—		
12 Cancer, malignant disease	M	111	—	—	—	—	—	11	50	50	35	—	—	—	—	1	1	18	15		
	F	161	—	—	—	—	—	24	78	59	29	—	—	—	1	—	3	14	11		
13 Rheumatic fever ...	M	4	—	—	—	—	1	2	—	1	1	—	—	1	—	—	—	—	—		
	F	8	—	—	—	4	1	2	—	1	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	10	3	1	1	3	2	—	—	—	1	—	—	—	—	—	—	1	—		
	F	7	1	—	2	2	2	—	—	—	3	—	—	—	—	2	—	—	1		
15 Organic heart disease ...	M	113	—	—	—	2	6	18	39	48	34	—	—	—	—	1	5	7	21		
	F	149	—	—	—	7	2	16	42	82	27	—	—	1	—	1	3	10	12		
16 Bronchitis ...	M	120	30	6	—	—	—	5	29	50	38	12	4	—	—	—	—	8	14		
	F	105	17	1	—	—	1	2	12	72	24	4	1	1	—	—	1	3	14		
17 Pneumonia (all forms)	M	125	40	16	10	4	1	16	21	17	25	4	3	1	—	1	7	5	4		
	F	95	38	9	7	3	—	9	19	10	24	4	2	2	—	—	5	2	9		
18 Other respiratory diseases	M	17	1	4	1	—	—	2	6	3	6	—	—	—	—	—	2	3	1		
	F	10	1	—	1	1	—	3	1	3	5	—	—	—	1	—	1	1	2		
19 Diarrhoea, &c. ...	M	41	33	1	1	—	1	1	1	3	14	8	—	—	1	—	1	2	2		
	F	39	29	1	—	—	—	2	3	4	6	4	—	1	—	—	—	1	—		
20 Appendicitis and typhlitis	M	7	—	—	—	2	1	1	3	—	1	—	—	—	—	1	—	—	—		
	F	8	—	—	—	3	1	1	3	—	1	—	—	—	—	—	—	1	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	42	—	—	1	1	1	3	15	21	7	—	—	—	1	1	2	2	1		
	F	26	—	—	—	2	—	3	8	13	10	—	—	—	—	1	1	5	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	1	9	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	—	2	17	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	115	114	—	—	1	—	—	—	—	21	21	—	—	—	—	—	—	—		
	F	82	81	—	—	—	—	1	—	—	19	19	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	52	3	1	4	6	8	6	13	11	11	—	1	1	3	—	1	5	—		
	F	23	4	1	3	2	1	2	3	7	5	—	—	1	—	—	2	1	1		
27 Suicide ...	M	14	—	—	—	—	—	6	6	2	1	—	—	—	—	—	—	1	—		
	F	9	—	—	—	—	—	3	6	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	383	47	6	2	2	12	38	97	179	128	14	—	—	4	3	9	30	68		
	F	433	39	4	2	7	11	38	86	246	111	9	—	2	3	1	10	15	71		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	2	—	2	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	LIVERPOOL.										MANCHESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	6,907	1627	434	317	278	291	941	1685	1334	5,460	1077	211	162	210	227	778	1584	1211	
			F	5,984	1213	416	311	248	300	769	1196	1531	4,840	805	179	159	214	230	650	1158	1445	
1	Enteric fever	...	M	7	—	—	—	—	1	4	2	—	5	—	—	—	—	3	1	—	1	
			F	1	—	—	—	—	—	1	—	—	6	—	—	1	1	1	2	1	—	
2	Small-pox	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	204	43	89	56	15	—	1	—	—	104	29	33	34	8	—	—	—	—	
			F	182	35	94	45	6	—	1	1	—	106	24	34	37	10	1	—	—	—	
4	Scarlet fever	...	M	36	2	3	15	16	—	—	—	—	21	3	3	4	10	—	1	—	—	
			F	34	1	5	12	11	2	3	—	—	25	—	1	6	15	2	—	1	—	
5	Whooping cough	...	M	97	41	35	15	6	—	—	—	—	40	18	9	11	2	—	—	—	—	
			F	132	45	44	37	6	—	—	—	—	46	20	10	12	4	—	—	—	—	
6	Diphtheria and croup	...	M	99	14	22	36	22	3	1	1	—	33	1	4	12	16	—	—	—	—	
			F	87	10	21	29	25	—	2	—	—	38	1	6	8	21	1	—	1	—	
7	Influenza	...	M	105	4	2	1	3	15	39	25	16	122	10	2	3	3	15	27	45	17	
			F	102	1	2	—	3	8	40	28	20	106	5	3	1	5	12	35	27	18	
8	Erysipelas	...	M	14	5	—	1	—	1	—	4	3	14	2	—	—	—	—	4	3	5	
			F	13	3	—	1	—	1	1	4	3	6	—	—	—	—	1	2	2	1	
9	Pulmonary tuberculosis	{	M	661	2	4	10	15	81	284	242	23	561	4	4	3	12	67	225	221	25	
			F	468	2	5	14	25	123	200	81	18	338	1	1	—	23	86	140	79	8	
10	Tuberculous meningitis	{	M	48	7	3	13	15	5	3	2	—	39	4	8	11	10	4	1	1	—	
			F	60	8	6	18	20	5	3	—	—	39	6	6	7	12	6	1	1	—	
11	Other tuberculous diseases.	{	M	78	9	10	12	14	14	12	5	2	65	9	9	7	11	10	11	3	5	
			F	75	7	7	11	11	14	15	7	3	59	3	3	7	18	8	12	7	1	
12	Cancer, malignant disease	{	M	419	—	—	—	1	3	34	241	140	463	2	—	1	1	3	34	291	131	
			F	445	—	—	2	1	4	69	231	138	485	—	—	—	1	2	67	256	159	
13	Rheumatic fever	...	M	20	—	—	1	7	2	5	4	1	21	—	—	1	9	3	5	3	—	
			F	27	—	—	2	10	5	7	2	1	28	—	—	—	9	11	4	2	2	
14	Meningitis	...	M	56	23	10	7	13	1	1	—	1	37	12	3	5	8	3	3	3	—	
			F	43	16	6	3	7	4	3	4	—	30	10	3	8	4	1	1	3	—	
15	Organic heart disease	...	M	441	—	—	3	16	23	72	167	160	409	—	2	—	5	12	67	167	156	
			F	475	—	1	1	21	24	69	173	186	493	—	—	2	21	26	67	165	212	
16	Bronchitis	...	M	667	175	35	11	4	—	44	177	221	603	123	15	11	5	4	40	156	249	
			F	613	112	31	12	1	3	17	130	307	574	68	19	6	3	2	27	139	310	
17	Pneumonia (all forms)	{	M	1,077	296	147	78	58	52	147	214	85	613	144	67	27	28	26	111	161	49	
			F	789	224	129	67	44	31	102	109	83	406	98	52	33	15	10	62	75	61	
18	Other respiratory diseases	{	M	89	11	4	6	1	1	12	29	25	75	5	2	3	5	3	22	29	6	
			F	55	7	—	6	1	4	7	15	15	43	3	—	1	2	1	7	11	18	
19	Diarrhoea, &c.	...	M	296	227	29	8	2	2	7	12	9	155	118	9	5	2	—	4	13	4	
			F	228	166	30	8	4	1	2	4	13	132	97	13	2	—	1	6	7	6	
20	Appendicitis and typhlitis	{	M	31	1	—	—	5	8	7	10	—	33	—	—	1	11	7	6	3	5	
			F	13	—	—	2	2	4	3	1	1	20	—	—	—	3	6	6	4	1	
21	Cirrhosis of liver	...	M	19	—	—	—	—	—	3	13	3	24	—	1	—	—	—	4	17	2	
			F	2	—	—	—	—	—	—	2	—	14	—	1	—	—	—	4	5	4	
21A	Alcoholism	...	M	4	—	—	—	—	—	2	2	—	4	—	—	—	—	—	2	2	—	
			F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	170	1	—	3	3	13	28	78	44	150	1	2	2	5	7	25	71	37	
			F	138	—	1	6	3	4	22	62	40	120	—	—	—	5	6	23	46	40	
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	42	—	—	—	—	10	32	—	—	45	—	—	—	—	6	39	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	53	—	—	—	—	—	9	44	—	—	22	—	—	—	—	3	19	—	—
25	Congenital debility, &c.	{	M	496	490	—	1	4	1	—	—	—	378	375	—	1	2	—	—	—	—	
			F	370	366	—	1	2	—	—	1	—	—	311	307	—	1	—	—	2	1	—
26	Violence, apart from suicide.	{	M	265	14	8	21	31	30	64	58	39	177	24	6	7	27	17	29	48	19	
			F	148	19	5	14	18	4	13	31	44	128	21	7	12	15	3	18	20	32	
27	Suicide	...	M	37	—	—	—	—	—	16	16	5	32	—	—	—	—	3	8	18	3	
			F	14	—	—	—	—	1	7	5	1	11	—	—	—	—	—	5	4	2	
28	Other defined diseases	...	M	1,459	262	32	18	27	35	154	380	551	1,261	191	24	13	30	40	146	322	495	
			F	1,354	191	25	18	27	38	101	299	655	1,194	139	16	13	27	34	100	296	569	
29	Causes ill-defined or unknown.	{	M	11	—	1	1	—	—	1	2	6	21	2	8	—	—	—	2	7	2	
			F	17	—	4	2	—	—	—	4	4	3	15	2	4	2	—	—	1	5	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	MIDDLESBROUGH.										NEWCASTLE-UPON-TYNE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,158	331	85	40	43	50	166	256	187	2,263	481	109	77	87	113	316	540	540		
	F	887	272	62	36	39	30	112	144	192	1,825	338	80	73	90	91	251	395	507		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	16	3	8	4	1	—	—	—	—	29	5	14	8	2	—	—	—	—		
	F	28	9	11	6	2	—	—	—	—	16	3	7	5	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	8	1	1	3	3	—	—	—	—		
	F	3	1	1	1	—	—	—	—	—	12	—	2	6	4	—	—	—	—		
5 Whooping cough ...	M	15	7	5	1	2	—	—	—	—	20	10	6	3	1	—	—	—	—		
	F	10	5	4	1	—	—	—	—	—	32	20	6	5	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	1	3	1	—	—	—	—	10	—	—	7	3	—	—	—	—		
	F	7	1	2	3	1	—	—	—	—	13	2	1	6	2	1	1	—	—		
7 Influenza ...	M	14	—	—	—	—	3	2	6	3	44	2	1	—	3	5	10	10	13		
	F	2	1	1	—	—	—	—	—	—	59	2	3	2	4	3	12	18	15		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	4	1	—	—	—	—	1	1	1		
9 Pulmonary tuberculosis	M	95	—	2	—	6	13	48	23	3	213	1	1	—	10	40	99	53	9		
	F	51	1	—	2	5	7	25	9	2	167	—	1	3	19	39	69	32	4		
10 Tuberculous meningitis	M	6	3	2	—	1	—	—	—	—	26	3	5	10	6	2	—	—	—		
	F	4	2	—	—	1	1	—	—	—	26	3	6	4	8	3	2	—	—		
11 Other tuberculous diseases.	M	16	1	2	2	6	—	4	1	—	33	4	4	5	7	6	2	4	1		
	F	10	—	—	1	3	—	5	1	—	35	—	6	6	5	8	6	4	—		
12 Cancer, malignant disease	M	58	—	—	—	—	2	5	36	15	122	—	—	—	—	3	10	68	41		
	F	52	—	—	—	—	—	8	26	18	136	—	—	—	—	1	15	75	45		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	9	—	—	—	3	1	3	2	—		
	F	7	—	—	—	2	1	2	1	1	6	—	—	—	1	2	2	1	—		
14 Meningitis ...	M	11	2	2	3	4	—	—	—	—	16	6	2	1	4	1	2	—	—		
	F	9	3	1	4	1	—	—	—	—	9	2	1	2	2	—	2	—	—		
15 Organic heart disease ...	M	77	—	—	—	3	3	12	27	32	171	—	—	—	3	8	22	67	71		
	F	66	—	—	—	—	2	9	20	35	146	—	—	—	3	4	17	50	72		
16 Bronchitis ...	M	78	28	10	1	—	—	3	14	22	191	45	9	4	4	—	10	43	76		
	F	70	19	10	1	—	—	2	6	32	162	35	8	2	—	3	8	24	82		
17 Pneumonia (all forms)	M	221	58	30	15	8	8	38	48	16	285	75	39	18	14	16	51	50	22		
	F	125	45	19	3	12	4	10	16	16	173	48	23	13	12	8	20	28	21		
18 Other respiratory diseases	M	16	2	2	—	2	—	2	5	3	24	1	2	—	1	2	3	7	8		
	F	13	2	1	4	—	—	—	2	4	30	3	1	5	—	1	2	9	9		
19 Diarrhoea, &c. ...	M	68	49	10	2	1	—	1	4	1	78	56	10	1	1	1	3	5	1		
	F	59	45	5	1	3	—	1	2	2	53	34	3	5	1	—	2	1	7		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	—	1	—	7	—	—	1	2	2	2	—	—		
	F	2	—	—	—	1	—	1	—	—	5	—	—	—	4	—	1	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	12	—	—	—	—	—	1	5	6		
	F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	23	—	—	1	1	1	8	8	4	63	—	2	—	—	—	7	32	22		
	F	7	—	—	—	—	—	2	3	2	59	—	1	1	2	1	10	26	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	5	5	—	—	10	—	—	—	—	2	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	2	9	—	—	16	—	—	—	—	2	14	—	—		
25 Congenital debility, &c.	M	112	112	—	—	—	—	—	—	—	174	172	1	—	1	—	—	—	—		
	F	83	83	—	—	—	—	—	—	—	116	114	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	47	2	1	—	4	9	14	12	5	91	1	3	6	6	11	21	28	15		
	F	14	1	—	2	2	1	1	3	4	37	2	1	2	7	5	4	9	7		
27 Suicide ...	M	6	—	—	—	—	—	2	3	1	15	—	—	—	—	2	5	7	1		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	255	62	8	4	2	7	25	66	81	614	99	8	9	12	13	63	156	254		
	F	236	54	5	7	5	7	30	52	76	492	69	8	6	13	7	52	113	224		
29 Causes ill-defined or unknown.	M	6	2	2	1	—	1	—	—	—	5	—	1	1	1	—	1	1	—		
	F	3	—	2	—	—	—	1	—	—	6	—	1	—	—	1	—	2	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1920
(Civilian Population only)—*cont.*

Causes of Death.			Sex.	NEWPORT (MON.).										NORTHAMPTON.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	635	118	33	29	35	27	99	155	139	581	100	15	16	16	33	72	138	191		
			F	496	85	20	21	32	32	76	101	129	472	66	—	16	15	26	67	94	188		
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	38	5	19	9	5	—	—	—	—	12	2	7	2	1	—	—	—	—		
			F	23	4	11	5	3	—	—	—	—	3	—	—	2	1	—	—	—	—		
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	5	1	2	2	—	—	—	—	—	5	2	1	2	—	—	—	—	—		
			F	4	3	—	—	1	—	—	—	—	4	3	—	—	1	—	—	—	—		
6 Diphtheria and croup	M	11	—	1	3	5	1	—	1	—	5	—	—	2	3	—	—	—	—		
			F	11	—	2	1	6	2	—	—	—	4	—	—	3	—	—	—	1	—		
7 Influenza	M	12	—	—	—	—	—	3	5	4	7	—	—	—	—	—	1	3	3		
			F	12	—	—	1	—	5	—	2	4	10	—	—	—	—	—	5	—	5		
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
			F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{		M	46	—	—	1	2	7	24	10	2	58	—	—	—	1	13	25	18	1		
			F	48	—	—	3	3	12	23	7	—	—	40	—	—	—	5	7	22	5	1	
10 Tuberculous meningitis	{		M	6	—	—	2	4	—	—	—	—	3	1	—	—	1	1	—	—	—		
			F	4	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 Other tuberculous diseases.	{		M	5	—	—	—	1	1	1	2	—	6	—	—	—	2	2	1	—	1		
			F	4	—	—	—	1	1	2	—	—	—	4	—	—	—	—	1	1	1	1	
12 Cancer, malignant disease	{		M	37	—	—	—	1	—	2	21	13	49	—	—	1	—	1	2	25	20		
			F	43	—	—	—	1	—	5	25	12	—	57	—	—	—	1	—	1	26	29	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
			F	4	—	—	—	3	1	—	—	—	2	—	—	—	2	—	—	—	—		
14 Meningitis	M	14	5	—	2	5	1	1	—	—	3	—	—	1	1	—	—	—	—		
			F	5	1	1	1	1	—	1	—	—	1	—	—	1	—	—	—	—	—		
15 Organic heart disease	M	60	—	—	—	2	2	5	25	26	76	—	—	—	1	4	12	29	30		
			F	52	—	—	1	1	3	4	17	26	56	—	—	—	4	5	10	19	18		
16 Bronchitis	M	47	16	2	1	1	—	2	9	16	60	17	1	2	—	1	3	10	26		
			F	41	9	1	—	—	—	—	11	20	50	5	—	2	—	—	2	8	33		
17 Pneumonia (all forms)	{		M	58	16	5	7	—	1	13	10	6	30	2	5	2	—	4	8	6	3		
			F	18	4	2	2	1	—	4	—	—	5	25	7	—	5	—	4	4	4	1	
18 Other respiratory diseases	{		M	11	—	—	—	—	1	3	4	3	6	1	—	—	—	—	—	5	—		
			F	7	—	1	—	1	—	—	1	2	2	1	—	—	—	—	—	1	—	—	
19 Diarrhoea, &c.	M	20	12	1	—	1	—	1	3	2	12	11	—	—	—	—	—	1	—		
			F	7	6	1	—	—	—	—	—	—	8	3	—	—	—	—	—	1	4		
20 Appendicitis and typhlitis	{		M	6	—	—	1	—	2	1	1	1	3	—	—	—	2	—	—	1	—		
			F	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	1	1	2	1	
21 Cirrhosis of liver	M	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	—	2	—		
			F	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	1	1		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{		M	20	—	—	—	—	—	1	11	8	8	—	—	—	1	—	1	5	1		
			F	14	—	—	1	—	—	—	2	5	6	9	—	—	1	1	1	3	2	1	
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	—	6	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	7	—	—	—	—	—	2	5	—	—	1	—	—	—	—	—	1	—	—	
25 Congenital debility, &c.	{		M	41	41	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—		
			F	35	35	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	
26 Violence, apart from suicide.	{		M	34	—	—	—	5	6	14	7	2	10	—	—	3	1	1	1	3	1		
			F	7	—	—	1	—	—	—	5	—	1	7	1	—	2	—	1	—	1	2	
27 Suicide	M	7	—	—	—	—	—	4	3	—	8	—	—	—	—	—	3	3	2		
			F	6	—	—	—	—	1	2	3	—	5	—	—	—	—	1	1	2	1		
28 Other defined diseases	M	147	22	2	1	3	5	21	39	54	164	16	1	1	2	3	14	24	103		
			F	127	23	1	3	6	3	15	25	51	142	16	—	—	—	5	10	21	90		
29 Causes ill-defined or unknown.	{		M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.				Sex.	NORWICH.										NOTTINGHAM.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	F	758	136	23	22	31	33	67	168	278	1,757	387	71	67	104	65	184	411	468	
			{	M	F	769	99	17	19	24	32	83	158	337	1,750	279	61	84	84	80	220	375	567	
1 Enteric fever	{	M	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1	
			{	M	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	{	M	F	22	4	9	5	4	—	—	—	—	49	13	14	17	5	—	—	—	—	
			{	M	F	18	6	4	7	1	—	—	—	—	55	11	17	20	7	—	—	—	—	
4 Scarlet fever	{	M	F	1	—	—	1	—	—	—	—	—	6	1	—	5	—	—	—	—	—	
			{	M	F	1	—	—	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—	
5 Whooping cough	{	M	F	10	5	3	1	1	—	—	—	—	6	2	3	1	—	—	—	—	—	
			{	M	F	15	5	5	3	2	—	—	—	—	19	9	4	6	—	—	—	—	—	
6 Diphtheria and croup	{	M	F	5	—	—	—	4	1	—	—	—	41	1	3	7	28	2	—	—	—	
			{	M	F	3	—	—	1	2	—	—	—	—	51	—	2	16	29	2	1	1	—	
7 Influenza	{	M	F	10	—	—	—	—	1	3	1	5	13	—	2	—	1	—	2	3	5	
			{	M	F	9	—	—	1	—	2	5	—	1	17	—	—	1	2	3	4	3	4	
8 Erysipelas	{	M	F	2	—	—	—	1	—	—	—	1	5	—	—	—	—	1	1	1	2	
			{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis	{	M	F	74	1	—	—	1	16	27	20	9	124	3	2	1	5	21	52	37	3	
			{	M	F	52	—	—	—	5	19	22	5	1	108	—	1	1	1	29	53	21	2	
0 Tuberculous meningitis	{	M	F	5	1	—	2	1	—	1	—	—	19	7	2	3	5	2	—	—	—	
			{	M	F	1	—	—	1	—	—	—	—	—	13	4	2	2	2	3	—	—	—	
1 Other tuberculous diseases.	{	M	F	17	5	—	2	3	2	—	3	2	21	6	—	—	3	4	4	3	1	
			{	M	F	10	1	1	—	1	2	2	2	1	21	2	1	1	3	4	3	5	2	
2 Cancer, malignant disease	{	M	F	49	—	—	—	—	—	3	22	24	157	—	—	2	1	1	9	83	61	
			{	M	F	82	—	—	—	—	1	3	39	39	201	—	—	—	2	1	18	102	78	
3 Rheumatic fever	{	M	F	4	—	—	—	1	2	—	1	—	7	—	—	—	5	1	—	—	1	
			{	M	F	4	—	—	—	2	—	1	1	—	8	—	—	—	3	2	2	—	1	
4 Meningitis	{	M	F	5	1	1	—	2	1	—	—	—	16	4	—	3	5	1	2	1	—	
			{	M	F	3	—	—	1	—	—	1	1	—	8	—	—	2	2	1	2	1	—	
5 Organic heart disease	{	M	F	76	—	—	—	—	4	26	46	159	—	—	—	3	8	16	55	77		
			{	M	F	90	—	—	—	1	2	4	29	54	160	—	—	—	3	8	21	55	73	
6 Bronchitis	{	M	F	37	9	1	1	—	1	—	4	21	147	30	2	1	2	2	4	36	70	
			{	M	F	54	6	4	—	—	—	2	7	35	123	17	1	—	1	—	8	13	83	
7 Pneumonia (all forms)	{	M	F	41	14	5	5	3	—	2	6	6	182	56	25	15	6	4	18	33	25	
			{	M	F	28	11	1	1	1	—	2	1	11	147	41	25	21	8	4	12	17	19	
8 Other respiratory diseases	{	M	F	17	2	—	—	1	—	1	3	10	23	4	2	2	2	—	4	5	4	
			{	M	F	20	2	1	1	—	—	—	5	11	9	1	—	—	—	1	3	1	3	
9 Diarrhoea, &c.	{	M	F	22	17	1	1	—	—	—	1	2	52	36	5	2	—	—	1	7	1	
			{	M	F	15	7	—	1	1	—	1	—	5	47	32	3	2	3	—	1	2	4	
0 Appendicitis and typhlitis	{	M	F	5	—	1	1	2	—	—	1	—	10	—	1	—	5	2	—	2	—	
			{	M	F	4	—	—	—	2	—	1	1	—	5	—	—	—	1	—	4	—	—	
1 Cirrhosis of liver	{	M	F	5	—	—	—	—	—	—	3	2	7	—	—	—	—	—	1	5	1	
			{	M	F	2	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	
1A Alcoholism	{	M	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	
			{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Nephritis and Bright's disease.	{	M	F	16	1	—	—	—	1	—	3	11	47	3	—	—	4	—	10	20	10	
			{	M	F	12	1	—	—	—	1	5	3	2	27	4	—	—	1	2	3	13	4	
3 Puerperal fever...	{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	M	F	6	—	—	—	—	—	6	—	—	18	—	—	—	—	2	16	—	—	
4 Parturition, apart from puerperal fever.	{	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	M	F	7	—	—	—	—	1	6	—	—	18	—	—	—	—	4	14	—	—	
5 Congenital debility &c.	{	M	F	50	49	—	—	1	—	—	—	—	147	146	—	1	—	—	—	—	—	
			{	M	F	42	42	—	—	—	—	—	—	—	95	94	—	—	1	—	—	—	—	
6 Violence, apart from suicide.	{	M	F	25	2	—	1	3	2	5	6	6	55	5	3	3	13	3	11	11	6	
			{	M	F	17	4	—	1	1	—	3	5	3	29	1	—	2	6	1	5	6	8	
7 Suicide	{	M	F	17	—	—	—	—	—	3	14	—	17	—	—	—	—	1	5	9	2	
			{	M	F	10	—	—	—	—	—	3	7	—	9	—	—	—	—	1	2	5	1	
8 Other defined diseases	{	M	F	239	25	2	2	3	6	18	51	132	442	70	5	4	11	12	44	98	198	
			{	M	F	263	14	1	1	4	4	16	51	172	552	63	3	8	8	12	48	127	283	
9 Causes ill-defined or unknown.	{	M	F	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—	
			{	M	F	—	—	—	—	—	—	—	—	—	4	—	1	1	—	—	—	1	1	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE, in COUNTY BOROUGHs—1920
(Civilian population only)—*cont.*

Causes of Death.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,100	203	34	28	47	50	153	350	235	280	33	1	4	5	18	29	67	123		
	F	1,050	155	24	31	45	37	154	287	317	333	26	5	4	16	18	28	62	174		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	4	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	8	4	3	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	9	3	4	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	1	1	3	5	—	—	—	—	4	1	—	—	1	1	—	—	—		
	F	6	—	—	3	3	—	—	—	—	8	—	—	2	6	—	—	—	—		
7 Influenza ...	M	23	1	1	1	2	2	4	9	3	6	1	—	—	—	1	1	2	1		
	F	26	—	—	1	1	1	9	8	6	5	1	—	—	—	—	—	—	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	96	2	—	1	4	10	46	30	3	22	1	—	—	—	6	5	10	—		
	F	67	—	—	2	10	11	27	15	2	23	1	1	—	—	10	8	3	—		
10 Tuberculous meningitis	M	7	1	—	2	2	—	1	1	—	3	—	—	—	2	1	—	—	—		
	F	6	1	1	1	2	—	—	1	—	5	—	1	—	4	—	—	—	—		
11 Other tuberculous diseases.	M	16	1	3	—	9	2	—	1	—	2	—	—	1	—	—	1	—	—		
	F	15	1	—	1	1	3	5	2	2	4	—	—	—	1	1	1	1	—		
12 Cancer, malignant disease	M	78	—	—	—	—	—	5	53	20	31	—	—	—	—	1	3	14	13		
	F	97	—	—	—	—	—	11	52	34	42	—	—	—	—	—	1	24	17		
13 Rheumatic fever ...	M	6	—	—	—	2	1	3	—	—	1	—	—	—	—	—	—	—	1		
	F	9	—	—	—	1	2	2	3	1	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	7	—	1	—	1	—	3	2	—	3	1	—	—	1	—	1	—	—		
	F	8	2	2	2	1	—	1	—	—	2	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	99	—	—	—	1	3	16	48	31	37	—	—	—	—	2	4	10	21		
	F	147	—	—	1	3	5	18	57	63	41	—	—	—	—	—	2	13	26		
16 Bronchitis ...	M	102	24	4	1	1	—	10	32	30	22	5	—	1	—	—	—	2	14		
	F	112	20	4	2	1	—	5	25	55	27	2	—	1	—	—	—	4	20		
17 Pneumonia (all forms)	M	105	21	14	5	3	9	19	21	13	13	5	1	—	—	—	2	2	3		
	F	78	16	7	8	7	1	12	16	11	12	2	1	—	—	—	—	1	8		
18 Other respiratory diseases	M	17	4	—	2	—	—	1	5	5	2	—	—	—	—	—	1	1	—		
	F	10	2	—	—	1	—	1	1	5	3	—	—	—	—	1	—	—	2		
19 Diarrhoea, &c. ...	M	33	26	1	2	—	—	1	3	—	4	2	—	—	—	—	1	1	—		
	F	25	14	2	—	2	—	3	2	2	10	6	1	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	11	—	—	—	3	3	3	2	—	2	—	—	—	—	1	—	1	—		
	F	9	—	—	—	5	—	1	2	1	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	1	—	—	3	1	3	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease	M	34	1	—	—	1	3	4	18	7	5	—	—	—	—	—	—	4	1		
	F	27	1	—	2	—	1	3	11	9	9	—	—	—	—	—	—	3	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	14	—	—	—	—	—	13	1	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	66	64	1	1	—	—	—	—	—	10	10	—	—	—	—	—	—	—		
	F	61	60	—	—	1	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	44	6	1	3	3	6	5	13	7	13	1	—	—	1	4	1	4	—		
	F	20	1	—	1	4	2	2	6	4	6	—	—	1	—	—	—	1	—		
27 Suicide ...	M	17	—	—	—	—	—	6	9	2	1	—	—	—	—	—	1	—	—		
	F	7	—	—	—	—	—	2	4	1	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	288	43	3	2	7	10	25	91	107	93	6	—	1	—	1	6	16	63		
	F	254	30	1	2	1	9	27	69	115	113	4	—	—	3	5	8	11	83		
29 Causes ill-defined or unknown.	M	20	4	1	—	—	—	1	8	6	1	—	—	—	—	—	1	—	—		
	F	23	3	1	—	1	—	3	10	5	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian population only)—*cont.*

Causes of Death.	Sex.	PLYMOUTH.										PORTSMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,310	241	36	48	49	51	141	340	404	1,354	239	46	38	48	46	158	349	430		
	F	1,382	168	32	37	47	64	179	309	546	1,326	161	47	43	63	49	211	262	490		
1 Enteric fever ...	M	3	—	—	—	1	—	2	—	—	2	—	—	—	1	—	1	—	—		
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	3	11	5	3	—	—	—	—	22	8	7	6	1	—	—	—	—		
	F	15	1	8	6	—	—	—	—	—	13	1	6	5	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ..	M	15	8	3	3	1	—	—	—	—	15	6	5	4	—	—	—	—	—		
	F	18	11	3	3	1	—	—	—	—	26	9	10	5	2	—	—	—	—		
6 Diphtheria and croup ...	M	16	1	1	7	7	—	—	—	—	17	1	1	4	10	1	—	—	—		
	F	21	—	1	9	10	1	—	—	—	27	1	1	9	16	—	—	—	—		
7 Influenza ...	M	34	1	—	1	2	3	6	9	12	30	4	—	—	1	2	7	9	7		
	F	45	1	—	—	3	2	14	10	15	29	1	—	—	3	3	10	6	6		
8 Erysipelas ...	M	4	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	90	—	—	—	1	24	39	25	1	109	—	—	—	—	18	56	33	2		
	F	106	1	1	—	7	24	54	15	4	104	1	1	—	6	19	61	15	1		
10 Tuberculous meningitis	M	10	1	—	5	3	1	—	—	—	9	4	—	3	—	1	1	—	—		
	F	12	1	—	2	6	1	2	—	—	10	4	2	1	2	—	—	1	—		
11 Other tuberculous diseases.	M	11	1	—	—	4	1	2	1	2	18	1	2	2	2	3	5	3	—		
	F	16	1	1	—	1	3	7	1	2	15	1	—	1	3	4	4	2	—		
12 Cancer, malignant disease	M	100	—	—	—	—	—	7	55	38	145	—	—	—	3	—	9	72	61		
	F	152	—	—	—	1	1	18	63	69	162	—	—	—	—	1	21	76	64		
13 Rheumatic fever ...	M	5	—	—	—	2	1	—	2	—	3	—	—	1	1	—	—	1	—		
	F	7	—	—	—	2	2	1	2	—	7	—	—	—	2	1	—	3	1		
14 Meningitis ...	M	6	—	1	1	2	1	1	—	—	9	3	2	1	1	1	—	—	—		
	F	6	1	1	—	2	1	—	1	—	4	1	—	—	2	—	1	—	—		
15 Organic heart disease ...	M	115	—	—	—	5	1	10	46	53	171	—	—	—	5	4	17	62	83		
	F	152	—	—	—	3	2	13	49	85	174	—	—	—	7	5	24	39	99		
16 Bronchitis ...	M	121	29	3	5	1	—	3	16	64	86	21	2	—	—	—	3	19	41		
	F	116	23	5	2	—	1	—	22	63	118	25	4	2	1	—	4	14	68		
17 Pneumonia (all forms)	M	86	20	11	9	2	2	9	17	16	101	25	19	8	2	5	11	16	15		
	F	83	23	10	4	—	3	8	13	22	98	28	15	12	3	2	11	13	14		
18 Other respiratory diseases	M	21	4	—	1	—	1	3	5	7	16	1	2	—	2	1	1	5	4		
	F	24	3	—	5	1	—	3	4	8	17	1	—	2	—	1	3	2	8		
19 Diarrhoea, &c. ...	M	24	14	2	—	1	—	2	2	3	22	12	3	2	1	—	—	3	1		
	F	23	12	—	1	1	—	—	8	1	17	6	2	2	1	—	1	4	1		
20 Appendicitis and typhlitis	M	7	—	—	—	1	3	3	—	—	5	—	—	—	—	—	1	4	—		
	F	10	—	—	1	1	3	2	2	1	5	—	—	—	3	1	—	—	1		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	8	—	—	—	—	—	—	7	1		
	F	6	—	—	—	—	—	1	4	1	3	—	—	—	—	—	2	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	45	—	—	—	1	2	7	22	13	37	2	—	—	—	1	4	18	12		
	F	25	—	—	—	1	1	3	10	10	32	—	—	—	2	1	5	15	9		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	5	1	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	22	—	—	—	—	4	18	—	—	11	—	—	—	—	4	7	—	—		
25 Congenital debility, &c.	M	86	86	—	—	—	—	—	—	—	101	101	—	—	—	—	—	—	—		
	F	53	53	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	46	2	—	3	3	5	8	15	10	32	9	—	2	4	2	5	7	3		
	F	25	5	1	2	2	2	3	4	6	23	5	1	2	1	—	2	2	10		
27 Suicide ...	M	14	—	—	—	1	—	4	9	—	15	—	—	—	—	1	5	3	6		
	F	8	—	—	—	—	—	2	4	2	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	425	69	4	6	8	6	35	112	185	377	41	2	4	13	6	30	87	194		
	F	425	32	1	1	5	10	25	96	255	366	23	5	2	7	7	49	68	205		
29 Causes ill-defined or unknown.	M	2	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	2	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1920
(Civilian population only)—*continued.*

Causes of Death.			Sex.	PRESTON.										READING.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	823	159	29	30	36	33	101	213	222	486	88	10	10	17	23	68	111	159		
			F	836	142	19	23	28	39	126	196	263	524	60	10	13	15	20	74	108	224		
1	Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	7	—	2	4	1	—	—	—	—	7	2	4	—	1	—	—	—	—		
			F	7	2	2	1	2	—	—	—	—	4	1	2	—	1	—	—	—	—		
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	...	M	3	3	—	—	—	—	—	—	—	7	1	2	1	—	—	—	—	—		
			F	7	4	2	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—		
6	Diphtheria and croup	...	M	5	1	—	1	3	—	—	—	—	1	—	—	—	1	—	—	—	—		
			F	8	—	3	2	3	—	—	—	—	4	—	—	3	1	—	—	—	—		
7	Influenza	...	M	18	1	—	—	3	3	6	4	1	14	1	—	1	—	—	2	4	6		
			F	19	—	—	2	1	1	5	3	7	12	1	—	1	—	1	3	3	3		
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		M	51	2	3	—	3	11	15	15	2	44	—	—	—	1	11	21	9	2		
			F	60	1	—	—	3	16	26	12	2	35	—	—	—	7	21	7	—	—		
10	Tuberculous meningitis		M	8	—	1	5	2	—	—	—	—	5	—	—	—	2	1	2	—	—		
			F	10	—	1	5	2	—	2	—	—	3	—	—	—	1	1	—	1	—		
11	Other tuberculous diseases.		M	15	1	1	4	3	—	4	1	1	4	—	—	—	2	—	1	1	—		
			F	14	4	1	1	2	—	2	1	3	3	1	—	—	1	1	—	—	—		
12	Cancer, malignant disease		M	54	—	—	1	—	—	6	29	18	43	—	—	—	—	—	2	24	17		
			F	73	—	—	—	—	4	8	34	27	71	—	—	—	—	10	29	32	—		
13	Rheumatic fever	...	M	4	—	—	—	2	—	1	1	—	1	—	—	—	—	1	—	—	—		
			F	5	—	—	—	—	1	3	1	—	1	—	—	—	1	—	—	—	—		
14	Meningitis	...	M	3	—	—	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—		
			F	6	2	—	—	1	2	—	1	—	4	2	1	—	—	—	1	—	—		
15	Organic heart disease	...	M	89	—	—	—	1	3	19	31	35	39	—	—	—	2	—	6	13	18		
			F	93	—	—	—	4	2	13	32	42	69	—	—	—	1	2	3	17	46		
16	Bronchitis	...	M	77	18	7	1	—	—	1	19	31	25	2	1	—	—	—	—	3	19		
			F	77	10	—	2	1	—	4	16	44	42	6	2	—	1	—	—	2	31		
17	Pneumonia (all forms)		M	83	12	10	3	4	4	9	25	16	37	12	1	3	1	1	5	9	5		
			F	70	16	6	2	3	1	8	19	15	21	4	1	4	1	1	5	1	4		
18	Other respiratory diseases		M	10	—	2	1	—	—	2	2	3	9	—	—	1	1	—	—	5	2		
			F	10	—	—	—	—	1	3	3	3	11	—	—	1	1	—	2	2	5		
19	Diarrhoea, &c.	...	M	17	8	1	2	—	—	—	5	1	14	10	—	—	—	—	2	1	1		
			F	13	8	2	1	—	—	—	1	1	8	4	2	—	—	—	1	—	—		
20	Appendicitis and typhlitis		M	4	—	—	—	1	—	1	2	—	3	—	—	—	—	1	—	1	—		
			F	7	—	—	1	2	3	1	—	—	2	—	—	—	—	—	1	—	—		
21	Cirrhosis of liver	...	M	4	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	1	—		
			F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		M	15	—	—	—	—	—	3	9	3	15	—	1	—	1	1	2	4	—		
			F	18	—	—	—	1	1	4	6	6	16	1	—	—	1	1	4	5	—		
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	9	—	—	—	—	1	8	—	—	8	—	—	—	—	2	6	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	13	—	—	—	—	2	11	—	—	7	—	—	—	—	—	7	—	—		
25	Congenital debility, &c.		M	69	68	—	—	—	1	—	—	—	43	43	—	—	—	—	—	—	—		
			F	63	63	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		M	38	4	1	1	8	3	7	9	5	7	—	—	2	3	—	1	—	—		
			F	12	2	—	—	2	1	1	1	5	13	—	—	—	2	1	1	6	—		
27	Suicide	...	M	7	—	—	—	—	—	3	4	—	4	—	—	—	—	—	1	2	—		
			F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—		
28	Other defined diseases	...	M	234	39	1	6	4	7	23	51	103	159	16	1	1	—	7	22	32	8		
			F	228	30	2	3	1	3	23	63	103	154	10	1	3	3	3	10	30	9		
29	Causes ill-defined or unknown.		M	7	2	—	—	—	—	—	3	2	2	—	—	—	—	—	—	2	—		
			F	9	—	—	—	—	—	2	3	4	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.				Sex.	ROCHDALE.										ROTHERHAM.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	621	102	17	10	26	34	80	197	155	440	110	10	12	17	24	55	96	116		
			{	F	631	77	18	22	21	27	92	173	201	408	94	19	19	10	15	63	85	103		
1 Enteric fever	{	M	3	—	—	—	1	1	1	—	—	2	—	—	—	1	1	—	—	—		
			{	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	2	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
			{	F	5	1	—	4	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	{	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	{	M	3	2	—	—	—	—	—	1	—	3	2	—	1	—	—	—	—	—		
			{	F	9	4	4	1	—	—	—	—	—	5	1	2	2	—	—	—	—	—		
6 Diphtheria and croup	{	M	3	1	—	1	1	—	—	—	—	2	1	—	—	1	—	—	—	—		
			{	F	4	—	—	3	—	1	—	—	—	3	1	—	2	—	—	—	—	—		
7 Influenza	{	M	13	—	—	—	—	1	4	6	2	8	—	—	—	—	1	4	2	1		
			{	F	17	—	—	2	2	—	4	4	5	6	—	—	—	—	2	4	—	—		
8 Erysipelas	{	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	{			M	68	—	1	—	2	9	25	29	2	29	—	—	2	—	5	13	8	1		
				F	39	—	1	2	3	7	17	9	—	27	—	—	1	3	4	13	5	1		
10 Tuberculous meningitis	{			M	8	1	—	2	3	2	—	—	—	1	—	—	—	—	1	—	—	—		
				F	6	—	—	2	2	2	—	—	—	2	1	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	{			M	7	—	1	—	2	3	1	—	—	4	—	—	1	1	—	1	—	1		
				F	8	3	—	—	—	1	2	2	—	5	1	1	—	1	—	1	1	—		
12 Cancer, malignant disease	{			M	40	—	—	—	—	—	3	27	10	25	—	—	—	1	—	3	12	9		
				F	59	—	—	—	—	1	8	27	23	35	—	—	—	—	3	4	17	11		
13 Rheumatic fever	{	M	2	—	—	—	—	—	2	—	—	3	—	—	—	1	—	—	2	—		
			{	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
14 Meningitis	{	M	4	1	1	1	—	—	1	—	—	4	1	—	1	2	—	—	—	—		
			{	F	8	1	2	2	2	1	—	—	—	3	1	—	2	—	—	—	—	—		
15 Organic heart disease	{	M	59	—	—	—	3	4	11	18	23	30	—	—	—	1	2	7	10	10		
				F	75	—	—	—	1	1	9	31	33	28	—	—	—	—	1	4	9	14		
16 Bronchitis	{	M	58	14	4	1	—	—	—	14	25	38	9	1	2	—	1	—	8	17		
				F	55	6	1	1	2	—	5	14	26	34	8	1	—	—	—	2	7	16		
17 Pneumonia (all forms)	{			M	43	14	5	—	3	2	6	8	5	50	16	2	3	1	4	6	13	5		
				F	39	10	2	3	2	1	4	7	10	48	19	8	5	1	1	6	4	4		
18 Other respiratory diseases	{			M	15	1	—	1	—	—	1	9	3	2	—	1	—	—	1	—	—	—		
				F	4	—	—	—	—	—	—	1	3	2	—	—	—	1	—	1	—	—		
19 Diarrhoea, &c.	{	M	12	6	—	—	1	1	2	2	—	16	12	1	—	—	—	1	1	1		
				F	14	3	3	—	2	2	—	2	2	17	11	4	1	1	—	—	—	—		
20 Appendicitis and typhlitis	{			M	4	—	—	1	—	1	—	—	2	3	—	—	—	2	—	1	—	—		
				F	2	—	—	—	—	1	1	—	—	3	—	—	—	1	—	2	—	—		
21 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—		
				F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{			M	26	—	—	—	—	—	5	16	5	10	—	—	—	—	—	1	5	4		
				F	20	—	1	—	—	2	2	11	4	8	1	—	—	—	—	3	2	2		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	6	—	—	—	—	1	5	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	{			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	9	—	—	—	—	1	8	—	—	7	—	—	—	—	4	3	—	—		
25 Congenital debility, &c.	{			M	41	41	—	—	—	—	—	—	—	49	48	—	—	1	—	—	—	—		
				F	40	40	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{			M	16	—	2	1	1	2	3	4	3	22	—	1	1	2	4	6	6	2		
				F	11	—	1	—	1	2	—	6	1	13	2	—	3	—	—	2	1	5		
27 Suicide	{	M	7	—	—	—	—	—	2	5	—	2	—	—	—	—	—	1	1	—		
				F	6	—	—	—	—	—	3	3	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases	{	M	179	20	3	—	8	8	12	56	72	127	19	3	1	3	4	11	24	62		
				F	180	9	2	2	4	3	23	46	91	115	16	1	3	2	1	15	29	48		
29 Causes ill-defined or unknown.	{			M	3	—	—	—	—	—	1	1	1	7	1	1	—	—	—	—	2	3		
				F	11	—	—	—	—	—	—	8	3	3	—	—	—	—	—	1	2	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	ST. HELENS.										SALFORD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	783	246	36	29	45	31	115	175	106	1,662	354	53	38	75	77	282	454	329		
		F	636	132	45	33	32	40	86	133	135	1,506	286	48	52	74	78	203	354	411		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	2	1	—		
		F	—	—	—	—	—	—	—	—	—	9	—	—	—	—	6	3	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	27	9	9	6	3	—	—	—	—	15	4	3	6	1	—	—	1	—		
		F	29	5	10	11	3	—	—	—	—	19	1	8	8	2	—	—	—	—		
4 Scarlet fever	...	M	4	1	—	1	2	—	—	—	—	7	1	2	1	2	—	—	1	—		
		F	3	—	—	—	2	1	—	—	—	9	1	—	1	5	2	—	—	—		
5 Whooping cough	...	M	4	2	2	—	—	—	—	—	—	13	7	2	4	—	—	—	—	—		
		F	3	2	—	1	—	—	—	—	—	17	13	1	3	—	—	—	—	—		
6 Diphtheria and croup	...	M	8	1	—	3	4	—	—	—	—	13	1	2	4	6	—	—	—	—		
		F	5	—	1	3	1	—	—	—	—	23	4	3	7	8	1	—	—	—		
7 Influenza	...	M	28	4	—	1	1	6	5	7	4	32	3	1	—	2	3	8	9	6		
		F	21	1	1	1	—	3	8	5	2	22	—	—	—	2	2	5	7	6		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	8	1	—	—	—	2	4	1	—		
		F	1	1	—	—	—	—	—	—	—	6	—	—	—	—	1	1	2	2		
9 Pulmonary tuberculosis	{	M	49	—	—	—	2	6	26	14	1	211	2	1	1	12	31	91	68	5		
		F	33	—	—	—	2	12	11	7	1	111	—	—	1	6	33	51	19	1		
10 Tuberculous meningitis	{	M	9	4	1	1	2	—	1	—	—	15	4	—	4	6	1	—	—	—		
		F	7	4	1	—	1	—	1	—	—	23	5	4	6	5	3	—	—	—		
11 Other tuberculous diseases.	{	M	12	1	2	3	2	2	1	1	—	15	1	2	3	4	2	1	1	1		
		F	9	—	—	3	2	2	2	—	—	18	3	—	2	4	2	4	3	—		
12 Cancer, malignant disease	{	M	45	1	—	—	—	—	6	29	9	121	—	—	—	1	—	15	68	37		
		F	46	—	—	—	—	—	6	26	14	140	—	—	—	—	—	17	70	53		
13 Rheumatic fever	...	M	6	—	—	1	—	1	2	2	—	6	—	—	—	5	—	1	—	—		
		F	5	—	—	—	2	2	1	—	—	10	—	—	1	4	4	—	1	—		
14 Meningitis	...	M	12	4	3	2	2	—	1	—	—	9	3	—	—	2	3	1	—	—		
		F	10	3	2	3	2	—	—	—	—	10	3	1	1	3	1	1	—	—		
15 Organic heart disease	...	M	64	—	—	1	1	1	14	28	19	136	—	—	—	2	7	23	56	48		
		F	49	—	—	—	1	1	11	21	15	139	—	—	—	5	6	27	49	52		
16 Bronchitis	...	M	70	23	4	—	—	—	6	20	17	199	38	6	1	—	3	17	65	69		
		F	57	9	3	1	—	—	5	11	28	194	30	8	3	1	—	6	54	92		
17 Pneumonia (all forms)	{	M	93	38	8	4	9	2	11	19	2	161	41	14	10	6	10	33	39	8		
		F	55	11	16	3	5	2	5	6	7	116	38	13	6	6	7	15	20	11		
18 Other respiratory diseases	{	M	4	—	—	1	—	—	1	1	1	22	4	2	—	1	—	4	5	6		
		F	9	3	—	—	—	1	1	1	3	17	2	2	2	—	1	3	4	3		
19 Diarrhoea, &c.	...	M	21	20	1	—	—	—	—	—	—	72	52	6	—	2	1	3	7	1		
		F	23	12	3	1	2	1	—	2	2	47	39	3	1	—	—	1	1	2		
20 Appendicitis and typhlitis	{	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	1	1		
		F	3	—	—	—	1	1	1	—	—	—	6	—	—	1	2	—	2	1		
21 Cirrhosis of liver	...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
21A Alcoholism	...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	16	—	—	—	1	—	5	6	4	33	—	—	—	1	—	8	15	9		
		F	14	1	—	1	—	1	1	1	8	2	23	—	—	—	2	2	10	9		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	—	—	2	4	—	—	22	—	—	—	—	3	17	2	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	11	—	—	—	—	1	10	—	—	—	10	—	—	—	2	8	—	—		
25 Congenital debility, &c.	{	M	87	86	—	—	1	—	—	—	—	120	120	—	—	—	—	—	—	—		
		F	53	52	1	—	—	—	—	—	—	—	91	91	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	47	1	3	3	6	8	14	10	2	73	5	3	1	11	8	12	28	5		
		F	15	2	—	2	2	3	2	2	2	40	4	—	6	7	—	5	10	8		
27 Suicide	...	M	8	—	—	—	—	—	4	3	1	9	—	—	—	—	—	2	5	2		
		F	3	—	—	—	—	—	2	1	—	4	—	—	—	—	—	4	—	—		
28 Other defined diseases	{	M	152	51	3	1	8	4	18	33	44	358	66	9	3	11	6	58	77	128		
		F	160	26	7	2	6	6	14	41	58	369	51	5	3	14	8	26	91	171		
29 Causes ill-defined or unknown.	{	M	4	—	—	1	1	—	—	1	1	3	1	—	—	—	—	—	—	2		
		F	5	—	—	1	—	1	1	1	2	—	9	1	—	—	—	2	5	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.	Sex.	SHEFFIELD.										SMETHWICK.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	3,624	803	207	132	123	138	510	942	769	458	110	14	15	18	23	66	109	103		
	F	3,000	568	167	114	134	153	418	587	859	383	58	18	19	17	10	52	76	133		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	57	15	29	13	—	—	—	—	—	6	1	4	1	—	—	—	—	—		
	F	57	12	26	13	6	—	—	—	—	5	1	2	2	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	4	1	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough ...	M	27	15	5	7	—	—	—	—	—	7	4	1	2	—	—	—	—	—		
	F	35	16	13	6	—	—	—	—	—	7	4	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	2	2	3	5	—	1	1	—	7	1	—	3	3	—	—	—	—		
	F	16	—	1	10	4	1	—	—	—	7	—	1	4	2	—	—	—	—		
7 Influenza ...	M	229	21	10	10	17	19	70	57	25	7	—	—	—	—	—	4	3	—		
	F	192	12	19	10	13	19	48	40	31	4	—	—	—	—	1	1	2	—		
8 Erysipelas ...	M	7	1	—	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—		
	F	6	2	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	284	2	—	4	14	28	116	106	14	48	1	1	—	2	9	19	14	2		
	F	173	—	1	1	11	47	80	30	3	19	—	—	1	2	1	10	5	—		
10 Tuberculous meningitis	M	23	7	6	4	4	1	1	—	—	5	1	—	1	1	2	—	—	—		
	F	28	3	3	8	11	3	—	—	—	3	—	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	31	4	4	2	7	7	2	4	1	5	—	—	1	—	—	3	1	—		
	F	43	2	3	4	14	5	8	5	2	5	1	—	1	—	—	1	1	1		
12 Cancer, malignant disease	M	260	—	—	1	—	1	21	152	85	27	—	—	—	—	—	3	17	7		
	F	273	—	—	2	—	2	42	121	106	44	—	—	—	—	—	4	25	15		
13 Rheumatic fever ...	M	12	—	—	—	4	3	2	3	—	1	—	—	—	—	—	1	—	—		
	F	15	—	—	—	4	4	4	1	2	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	13	4	4	3	1	1	—	—	—	3	1	1	—	—	—	1	—	—		
	F	20	8	4	2	4	—	1	1	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	248	—	—	—	5	15	44	97	87	31	—	—	—	—	3	4	12	12		
	F	257	—	—	1	7	16	35	77	121	48	—	—	—	1	1	6	10	30		
16 Bronchitis ...	M	360	86	25	8	2	1	12	91	135	28	6	1	—	—	—	1	4	16		
	F	279	55	24	5	1	—	10	49	135	32	5	2	—	—	—	1	4	20		
17 Pneumonia (all forms)	M	525	127	79	43	20	27	79	100	50	49	12	3	4	2	2	11	10	5		
	F	312	78	48	28	22	11	49	41	35	45	13	7	9	3	—	—	3	10		
18 Other respiratory diseases	M	40	3	2	1	5	—	7	9	13	15	—	1	1	1	—	3	7	2		
	F	26	5	1	3	1	2	1	7	6	5	1	—	—	1	—	2	1	—		
19 Diarrhoea, &c. ...	M	163	124	16	7	—	1	4	5	6	9	6	—	—	1	—	—	—	2		
	F	100	75	11	4	2	—	2	1	5	7	2	2	—	—	—	—	—	3		
20 Appendicitis and typhlitis	M	11	—	—	1	—	2	3	3	2	1	—	—	—	1	—	—	—	—		
	F	9	—	—	—	4	1	3	1	—	3	—	—	—	—	1	1	—	1		
21 Cirrhosis of liver ...	M	16	—	—	—	—	—	1	9	6	1	—	—	—	—	—	1	—	—		
	F	6	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	87	1	—	4	4	2	12	42	22	14	—	—	1	1	—	—	6	6		
	F	98	—	—	1	2	5	23	39	28	10	1	1	1	—	—	1	3	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	17	—	—	—	—	5	12	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	33	—	—	—	—	8	24	1	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	238	237	1	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
	F	194	194	—	—	—	—	—	—	—	25	23	—	—	1	—	1	—	—		
26 Violence, apart from suicide.	M	145	18	1	9	22	13	38	29	15	15	1	2	—	1	2	—	5	4		
	F	68	11	3	8	4	4	7	5	26	9	2	—	—	2	—	1	1	3		
27 Suicide ...	M	27	—	—	—	—	2	8	12	5	3	—	—	—	—	—	1	1	1		
	F	10	—	—	—	—	1	6	3	—	6	—	—	—	—	—	2	3	1		
28 Other defined diseases ...	M	803	135	21	12	13	15	87	219	301	126	30	—	1	4	5	14	27	45		
	F	727	95	9	7	20	18	62	160	356	81	5	—	—	1	3	10	16	46		
29 Causes ill-defined or unknown.	M	3	1	1	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	SOUTHAMPTON.										SOUTHEND-ON-SEA.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	847	120	41	33	30	40	100	233	250	486	59	3	2	11	18	84	143	166		
	F	761	104	22	21	28	37	91	155	303	500	38	4	7	13	17	83	116	222		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	3	5	2	2	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	11	4	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	15	5	5	4	1	—	—	—	—	2	—	1	—	—	—	—	—	—		
	F	12	5	4	—	3	—	—	—	—	5	2	—	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	—	6	5	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	14	—	1	4	8	—	1	—	—	6	—	—	1	5	—	—	—	—		
7 Influenza ...	M	6	1	—	—	—	1	1	1	2	13	1	—	—	1	2	6	3	—		
	F	9	1	—	—	—	—	3	4	1	19	1	—	1	—	3	7	5	2		
8 Erysipelas ...	M	3	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	1		
9 Pulmonary tuberculosis	M	86	—	1	—	1	19	30	28	7	56	—	—	—	1	8	35	12	—		
	F	68	1	1	—	1	21	28	12	4	51	—	—	—	—	9	30	10	2		
10 Tuberculous meningitis	M	5	—	—	2	—	3	—	—	—	3	3	—	—	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	2	—	2	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	11	3	1	1	1	—	—	5	—	6	—	—	—	1	1	3	1	—		
	F	3	2	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
12 Cancer, malignant disease	M	84	—	—	—	—	—	7	43	34	51	—	—	—	—	1	2	25	23		
	F	81	—	—	—	1	—	9	39	32	62	—	—	—	—	—	5	33	24		
13 Rheumatic fever ...	M	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	1	—	1	2	—	—	4	—	—	—	1	—	—	2	1		
14 Meningitis ...	M	3	—	1	2	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	8	3	—	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	92	—	—	—	—	2	7	36	47	57	—	—	—	1	—	7	18	31		
	F	105	—	—	—	1	3	9	26	66	57	—	—	—	1	1	5	16	34		
16 Bronchitis ...	M	44	9	4	2	1	—	2	6	20	29	5	—	—	1	1	2	5	15		
	F	55	11	1	—	—	—	2	5	36	40	4	1	—	—	—	—	7	28		
17 Pneumonia (all forms)	M	81	11	14	8	2	4	9	19	14	24	3	1	1	—	1	4	11	3		
	F	49	12	7	4	3	3	2	8	10	21	3	1	2	2	—	3	5	5		
18 Other respiratory diseases	M	4	—	—	—	1	—	—	2	1	3	—	—	—	—	—	1	1	1		
	F	11	—	—	1	—	—	1	3	6	9	2	—	—	—	—	—	3	4		
19 Diarrhoea, &c. ...	M	41	22	7	1	—	1	4	6	—	9	4	—	—	—	—	—	3	2		
	F	22	16	—	1	—	—	—	2	3	4	2	—	—	—	—	1	—	1		
20 Appendicitis and typhlitis	M	7	—	—	1	3	1	1	1	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	2	—	1	—	2	—	—	—	1	—	—	—	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	4	—	5	—	—	—	—	—	—	5	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	—	—	3	12	10	22	—	—	—	—	1	5	3	13		
	F	18	1	—	1	2	—	1	3	10	18	—	—	—	—	1	4	3	10		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	2	11	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	43	42	—	—	1	—	—	—	—	26	25	—	—	1	—	—	—	—		
	F	30	29	—	—	1	—	—	—	—	21	20	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	27	1	1	1	3	4	4	7	6	12	—	—	1	2	—	3	5	1		
	F	9	3	—	1	—	—	1	1	3	6	—	—	—	1	—	1	1	3		
27 Suicide ...	M	8	—	—	—	—	—	1	6	1	3	—	—	—	—	—	1	2	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases ...	M	224	22	—	3	6	4	26	56	107	150	14	1	—	—	3	13	44	75		
	F	219	16	2	2	4	5	13	48	129	154	4	—	—	1	3	12	28	106		
29 Causes ill-defined or unknown.	M	4	—	2	—	—	—	2	—	—	6	—	—	—	—	—	1	3	2		
	F	2	—	1	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.	Sex.	SOUTHPORT.										SOUTH SHIELDS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	457	38	3	7	12	11	57	139	190	1051	258	56	45	46	65	172	205	204		
	F	488	30	7	4	7	16	39	135	250	945	221	52	38	50	59	132	169	224		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	7	3	3	—	1	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	10	7	2	—	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	7	—	—	6	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	6	—	—	2	4	—	—	—	—		
7 Influenza ...	M	10	—	—	1	—	—	4	2	3	56	2	2	—	6	8	13	19	6		
	F	4	—	—	—	—	—	1	1	2	43	3	—	1	5	7	13	9	5		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	28	—	—	—	1	4	13	9	1	87	1	—	1	3	18	44	19	1		
	F	20	—	—	—	—	3	6	11	—	68	—	1	3	9	22	27	5	1		
10 Tuberculous meningitis	M	8	4	1	1	2	—	—	—	—	13	1	4	4	3	1	—	—	—		
	F	3	—	2	—	1	—	—	—	—	8	—	1	1	3	1	2	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	—	—	3	—	—	16	3	2	3	4	2	1	1	—		
	F	2	—	—	—	2	—	—	—	—	11	—	2	1	4	3	—	—	1		
12 Cancer, malignant disease	M	56	—	1	—	—	—	2	24	29	37	—	—	—	—	1	4	18	14		
	F	73	—	—	—	—	—	6	32	35	69	—	1	—	—	—	14	36	18		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	3	—	—	—	—	2	1	—	—		
	F	2	—	—	—	1	—	—	1	—	7	—	—	—	2	2	2	1	—		
14 Meningitis ...	M	2	—	—	—	1	—	—	—	1	6	3	2	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	1	1	3	1	—	1	—	—		
15 Organic heart disease ...	M	48	—	—	—	1	—	4	13	30	75	—	—	—	4	1	12	32	26		
	F	75	—	—	—	1	—	5	17	52	73	—	—	—	1	1	11	32	28		
16 Bronchitis ...	M	24	1	—	1	—	—	—	5	17	130	47	13	9	2	1	4	19	35		
	F	33	1	2	1	—	—	1	4	24	122	33	15	7	3	2	8	19	35		
17 Pneumonia (all forms)	M	41	4	—	1	1	3	7	12	13	129	31	18	12	7	9	23	16	13		
	F	23	2	1	1	—	2	—	6	11	99	32	17	10	7	2	12	10	9		
18 Other respiratory diseases	M	6	1	—	—	—	—	1	2	2	10	—	1	1	2	1	1	2	2		
	F	6	—	—	—	—	—	1	4	1	4	—	—	—	—	—	—	2	2		
19 Diarrhoea, &c. ...	M	7	4	—	—	—	—	2	1	—	42	27	6	1	1	1	1	3	2		
	F	8	5	—	—	—	—	—	—	3	41	28	7	1	1	—	2	—	2		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	4	—	—	—	—	1	2	1	—		
	F	7	—	—	—	1	3	2	1	—	3	—	—	—	2	1	—	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	4	—	—	—	—	—	1	3	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	—	1	3	12	5	14	—	—	1	—	1	2	5	5		
	F	17	—	—	—	—	—	1	8	8	24	—	—	2	—	1	8	11	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	10	—	—	—	—	2	8	—	—		
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	88	88	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	77	75	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	16	—	—	2	—	1	5	7	1	51	1	1	1	5	7	19	15	2		
	F	4	1	—	—	—	—	1	—	2	10	—	—	4	1	2	—	—	3		
27 Suicide ...	M	3	—	—	—	—	—	1	2	—	4	—	—	—	—	1	2	1	—		
	F	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	147	4	—	—	3	2	9	42	87	248	51	4	6	5	6	37	44	95		
	F	167	2	1	1	1	4	8	41	109	239	41	2	3	5	12	15	43	118		
29 Causes ill-defined or unknown.	M	5	—	—	1	—	—	1	3	—	11	—	—	—	—	1	4	3	3		
	F	8	—	—	—	—	—	1	4	3	7	—	2	—	—	—	4	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	STOCKPORT										STOKE UPON TRENT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	834	165	29	26	39	30	109	216	220	1,732	431	88	69	80	81	201	440	342		
	F	847	116	25	23	44	39	127	192	281	1,493	330	76	62	72	88	220	305	340		
1 Enteric fever ...	M	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	19	8	5	5	1	—	—	—	—	34	9	15	9	1	—	—	—	—		
	F	23	5	6	7	5	—	—	—	—	38	9	19	7	3	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	20	1	4	5	7	1	1	1	—		
	F	6	—	—	3	2	1	—	—	—	20	1	4	5	10	—	—	—	—		
5 Whooping cough ...	M	13	6	4	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	14	7	5	2	—	—	—	—	—	8	4	3	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	3	3	5	—	—	—	—	15	2	3	6	3	—	1	—	—		
	F	19	3	1	4	10	—	—	—	1	6	—	—	4	2	—	—	—	—		
7 Influenza ...	M	20	1	—	1	3	1	4	6	4	29	4	—	1	1	3	9	5	6		
	F	10	—	—	—	1	—	5	2	2	25	1	—	—	2	3	8	6	5		
8 Erysipelas ...	M	3	—	—	—	1	—	—	2	—	4	—	—	—	—	—	—	3	1		
	F	3	1	—	—	—	—	—	1	1	5	—	—	1	—	—	2	2	—		
9 Pulmonary tuberculosis	M	59	1	—	2	1	10	27	17	1	136	—	—	—	4	22	54	52	4		
	F	70	1	1	—	2	19	31	14	2	130	2	2	2	9	33	67	15	—		
10 Tuberculous meningitis	M	4	1	—	—	2	—	1	—	—	27	7	6	5	4	3	2	—	—		
	F	4	1	2	—	1	—	—	—	—	14	2	1	5	2	4	—	—	—		
11 Other tuberculous diseases.	M	8	1	2	1	1	1	1	—	1	26	6	4	2	4	5	3	2	—		
	F	11	2	1	—	3	1	1	1	2	25	6	3	5	1	3	2	4	1		
12 Cancer, malignant disease	M	74	—	—	—	—	—	3	53	18	117	—	—	—	—	2	8	71	36		
	F	94	—	—	—	—	—	14	46	34	116	—	—	—	—	2	17	61	36		
13 Rheumatic fever ...	M	6	—	—	—	3	1	2	—	—	9	—	—	—	2	2	4	—	1		
	F	7	—	—	—	2	—	4	—	1	10	—	—	—	5	3	1	—	1		
14 Meningitis ...	M	4	2	1	—	—	—	1	—	—	22	9	3	4	3	—	3	—	—		
	F	5	—	—	—	2	1	2	—	—	15	4	1	2	1	4	1	1	1		
15 Organic heart disease ...	M	69	—	—	—	3	2	6	21	37	148	—	—	—	3	11	22	61	51		
	F	126	—	—	1	1	1	20	40	63	127	1	—	1	3	4	21	45	52		
16 Bronchitis ...	M	82	16	1	2	1	1	8	20	33	187	41	8	2	—	—	9	57	70		
	F	88	16	3	1	1	1	2	20	44	142	34	7	4	4	—	5	31	57		
17 Pneumonia (all forms)	M	79	14	10	4	5	6	13	17	10	142	31	21	16	13	4	23	25	9		
	F	52	11	3	3	4	2	13	9	7	96	25	15	11	10	4	13	11	7		
18 Other respiratory diseases	M	8	—	1	—	—	1	—	2	4	31	—	2	1	—	—	7	15	6		
	F	9	1	—	1	1	1	2	2	1	9	2	1	1	1	—	2	2	—		
19 Diarrhoea, &c. ...	M	22	17	1	—	—	—	1	2	1	62	44	6	3	1	—	1	6	1		
	F	13	6	2	—	—	—	3	1	1	60	34	8	2	3	1	2	6	4		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	11	—	—	1	5	1	2	2	—		
	F	3	—	—	—	3	—	—	—	—	8	—	—	1	1	3	2	1	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	8	—	—	—	—	—	2	3	3		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	2	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	26	—	—	—	2	—	6	9	9	39	—	1	1	5	5	5	12	10		
	F	15	—	—	—	—	1	3	6	5	38	1	1	1	2	3	5	14	11		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	18	—	—	—	—	4	14	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	2	7	—	—	21	—	—	—	—	2	18	1	—		
25 Congenital debility, &c.	M	61	60	—	1	—	—	—	—	—	197	193	—	2	1	—	—	—	—		
	F	41	41	—	—	—	—	—	—	—	156	156	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	29	—	—	1	4	2	7	9	6	69	4	3	8	12	9	12	16	5		
	F	13	2	—	—	1	2	—	3	5	31	1	1	5	6	2	3	7	6		
27 Suicide ...	M	4	—	—	—	—	—	1	2	1	16	—	—	—	—	2	2	10	2		
	F	2	—	—	—	—	1	—	—	1	8	—	—	—	—	2	2	4	—		
28 Other defined diseases ...	M	223	37	1	3	6	3	27	52	94	375	80	11	2	10	10	31	96	135		
	F	203	19	1	1	5	5	15	46	111	354	47	8	3	7	11	33	90	155		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	6	—	1	—	—	—	—	3	2		
	F	—	—	—	—	—	—	—	—	—	8	—	2	1	—	—	1	2	2		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	SUNDERLAND.										TYNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,346	334	76	41	59	74	154	275	333	556	104	20	24	21	34	91	125	137		
	F	1,165	230	59	51	66	53	174	234	298	413	78	21	14	23	17	66	74	120		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	1	1	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	11	2	8	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	17	5	4	8	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	4	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	12	5	5	1	1	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	9	3	3	2	1	—	—	—	—	3	1	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	8	—	3	3	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	5	—	—	4	1	—	—	—	—	3	1	—	1	1	—	—	—	—		
7 Influenza ...	M	24	3	2	1	1	2	6	6	3	27	1	1	2	1	1	16	2	3		
	F	22	2	1	1	2	2	6	3	5	8	—	—	—	—	2	2	2	2		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	100	2	3	2	8	23	32	29	1	54	—	1	2	4	16	22	8	1		
	F	86	—	—	3	16	18	41	8	—	34	—	1	2	6	2	18	4	1		
10 Tuberculous meningitis	M	10	1	1	3	3	2	—	—	—	6	—	2	2	2	—	—	—	—		
	F	5	3	—	2	—	—	—	—	—	6	—	1	—	1	3	1	—	—		
11 Other tuberculous diseases.	M	23	—	4	6	4	5	4	—	—	6	1	—	1	2	1	1	—	—		
	F	22	2	1	5	6	4	3	1	—	7	1	2	—	1	—	2	1	—		
12 Cancer, malignant disease	M	70	—	—	—	—	—	6	34	30	33	—	—	—	—	—	2	16	15		
	F	91	—	—	—	—	1	16	42	32	35	—	—	—	—	1	4	16	14		
13 Rheumatic fever ...	M	6	—	—	—	—	2	4	—	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	1	—	1	1	—	4	—	—	—	2	—	—	2	—		
14 Meningitis ...	M	14	5	3	1	1	2	1	1	—	2	1	—	—	1	—	—	—	—		
	F	10	4	1	—	4	—	1	—	—	3	2	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	99	—	—	—	2	2	15	38	42	35	—	—	1	2	—	4	14	14		
	F	114	—	—	1	2	3	18	41	49	36	—	—	—	—	4	5	10	17		
16 Bronchitis ...	M	188	75	14	4	—	1	7	21	66	47	18	5	2	—	—	2	8	12		
	F	167	47	11	4	5	—	5	29	66	39	10	3	3	—	—	1	4	18		
17 Pneumonia (all forms)...	M	160	34	20	8	14	9	33	28	14	64	15	5	7	2	1	12	13	9		
	F	116	17	23	13	10	6	23	17	7	43	13	6	1	1	—	7	4	11		
18 Other respiratory diseases	M	13	—	1	2	—	1	3	4	2	8	2	—	1	1	—	—	2	2		
	F	12	1	1	1	1	1	2	3	2	7	1	—	—	—	—	1	2	3		
19 Diarrhoea, &c. ...	M	46	36	5	1	1	1	1	1	—	14	7	2	—	—	—	—	4	1		
	F	39	21	8	2	1	—	2	3	2	15	9	3	—	1	—	—	—	2		
20 Appendicitis and typhlitis	M	5	—	—	—	1	3	—	1	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	2	1	—	13	5	26	—	—	—	—	1	2	10	13		
	F	31	—	—	1	4	1	5	9	11	13	—	1	—	1	—	—	6	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	4	5	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	—	4	15	—	—	9	—	—	—	—	1	8	—	—		
25 Congenital debility, &c.	M	108	107	—	1	—	—	—	—	—	34	33	1	—	—	—	—	—	—		
	F	87	87	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	69	6	2	2	8	10	15	14	12	20	1	—	1	—	3	4	10	1		
	F	22	—	—	1	5	1	3	4	8	8	—	1	3	2	—	—	1	1		
27 Suicide ...	M	8	—	—	—	—	1	1	4	2	4	—	—	—	—	1	2	1	—		
	F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	344	58	3	6	8	9	25	80	155	151	22	2	3	2	7	20	31	64		
	F	267	38	6	3	7	7	24	68	114	99	11	1	2	6	4	12	18	45		
29 Causes ill-defined or unknown,	M	1	—	—	—	—	—	—	—	1	8	—	1	—	—	2	1	3	1		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	4	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	WAKEFIELD.										WALLASEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	429	82	12	9	20	9	55	142	100	486	75	13	12	14	19	69	145	139		
	...	F	305	37	8	17	11	23	48	58	103	495	61	9	4	17	15	80	121	188		
1 Enteric fever	...	M	3	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	1	—		
	...	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	8	1	6	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—		
	...	F	8	1	2	4	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	...	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	3	3	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	9	6	3	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	1	—	—	—	1	—	—	—	—	4	—	—	2	2	—	—	—	—		
	...	F	3	—	—	2	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza	...	M	6	—	—	—	—	1	2	3	—	19	—	—	—	1	3	4	9	2		
	...	F	2	—	—	1	—	—	1	—	—	16	—	—	1	—	4	3	4	4		
8 Erysipelas	...	M	2	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
9 Pulmonary tuberculosis		M	45	—	1	—	2	4	15	20	3	46	—	—	—	2	6	23	13	2		
		F	21	—	—	—	1	8	7	5	—	34	—	—	—	1	2	22	9	—		
10 Tuberculous meningitis		M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	1	—		
		F	2	1	—	—	1	—	—	—	—	3	1	1	—	1	—	—	—	—		
11 Other tuberculous diseases.		M	3	1	—	—	—	—	2	—	—	4	1	—	1	—	1	—	—	—		
		F	6	1	—	1	1	2	1	—	—	8	—	—	—	2	—	2	3	1		
12 Cancer, malignant disease		M	32	—	—	—	—	—	—	1	21	51	—	—	—	—	—	5	21	25		
		F	30	—	—	—	—	—	6	10	14	63	—	—	—	—	1	9	30	23		
13 Rheumatic fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	1	1	—		
14 Meningitis	...	M	1	—	1	—	—	—	—	—	—	7	2	3	—	1	—	—	1	—		
	...	F	2	—	—	—	1	1	—	—	—	5	2	—	2	—	—	1	—	—		
15 Organic heart disease	...	M	44	—	—	—	1	—	7	14	22	48	—	—	—	—	—	3	22	23		
	...	F	43	—	—	—	—	4	6	13	20	62	—	—	—	—	1	6	24	31		
16 Bronchitis	...	M	42	8	1	—	1	—	1	15	16	12	1	—	—	—	—	1	3	7		
	...	F	34	3	—	2	—	1	—	6	22	34	1	—	—	—	—	2	2	29		
17 Pneumonia (all forms)		M	40	7	3	4	4	1	6	10	5	51	15	4	1	—	2	10	11	8		
		F	25	6	2	3	1	3	4	2	4	28	8	2	—	2	—	4	7	5		
18 Other respiratory diseases		M	5	—	—	—	1	—	2	2	—	10	—	—	2	1	—	1	3	3		
		F	2	—	—	—	—	—	—	1	1	6	1	—	—	1	—	—	1	3		
19 Diarrhoea, &c.	...	M	17	12	—	—	2	—	—	3	—	9	5	—	—	—	—	2	1	1		
	...	F	7	3	1	1	2	—	—	—	—	8	4	1	—	—	—	—	1	2		
20 Appendicitis and typhlitis		M	—	—	—	—	—	—	—	—	—	5	—	—	1	—	1	—	1	2		
		F	3	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	1	1		
21 Cirrhosis of liver	...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	3	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.		M	19	—	—	—	—	—	2	11	6	16	—	—	—	—	—	4	6	6		
		F	9	—	—	—	1	—	1	4	3	16	—	—	—	2	2	2	3	7		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.		M	31	30	—	—	1	—	—	—	—	35	33	2	—	—	—	—	—	—		
		F	16	16	—	—	—	—	—	—	—	25	22	—	—	1	1	—	1	—		
26 Violence, apart from suicide.		M	22	1	—	2	3	1	5	10	—	15	1	—	—	2	3	2	5	2		
		F	3	—	1	1	—	—	—	1	—	7	—	—	—	—	—	1	3	3		
27 Suicide	...	M	4	—	—	—	—	1	—	2	1	2	—	—	—	—	—	1	—	1		
	...	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	...	M	98	19	—	2	2	—	12	27	36	138	16	1	4	3	2	12	44	56		
	...	F	81	6	2	1	—	3	15	16	38	149	15	1	—	4	3	16	31	79		
29 Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	WALSALL.										WARRINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	697	181	48	38	19	30	74	162	145	524	115	26	22	27	30	74	124	106	
			F	594	119	32	33	27	26	84	111	162	425	90	15	10	28	29	50	95	108	
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	27	6	12	9	—	—	—	—	—	11	4	6	1	—	—	—	—	—	
			F	21	2	10	8	1	—	—	—	—	9	3	1	4	1	—	—	—	—	
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
5 Whooping cough	M	18	5	8	4	1	—	—	—	—	3	1	—	2	—	—	—	—	—	
			F	9	2	5	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—	
6 Diphtheria and croup			M	5	—	1	2	1	1	—	—	—	4	—	1	1	2	—	—	—	—	
			F	8	—	2	2	4	—	—	—	—	4	—	2	1	1	—	—	—	—	
7 Influenza	M	12	1	—	1	2	2	3	2	1	16	—	2	1	1	1	5	2	4	
			F	12	—	—	3	2	1	4	1	1	9	—	—	—	2	2	2	1	2	
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis			M	42	—	—	—	1	6	19	15	1	35	—	—	2	1	6	14	12	—	
			F	42	—	1	1	1	9	23	6	1	32	—	—	—	1	9	18	4	—	
10 Tuberculous meningitis			M	4	1	1	—	2	—	—	—	—	9	2	2	2	2	1	—	—	—	
			F	2	—	—	1	1	—	—	—	—	3	1	—	—	1	—	—	—	—	
11 Other tuberculous diseases			M	4	1	—	—	1	—	1	1	—	5	—	—	—	3	—	2	—	—	
			F	9	—	1	—	3	2	2	—	1	9	1	3	—	2	—	1	2	—	
12 Cancer, malignant disease			M	47	—	—	—	—	—	3	26	18	43	—	—	—	—	—	4	26	13	
			F	50	—	—	1	—	—	3	29	17	38	—	—	—	—	—	3	20	15	
13 Rheumatic fever	M	2	—	—	—	—	1	1	—	—	3	—	—	—	1	2	—	—	—	
			F	4	—	—	—	2	2	—	—	—	4	—	—	—	3	1	—	—	—	
14 Meningitis	M	9	3	2	1	—	2	1	—	—	6	1	2	2	1	—	—	—	—	
			F	7	2	1	1	1	—	1	—	1	5	1	1	—	2	1	—	—	—	
15 Organic heart disease	M	43	—	—	—	1	1	6	21	14	45	—	—	—	2	5	8	13	17	
			F	47	—	—	—	2	3	6	17	19	42	—	—	—	4	5	3	16	14	
16 Bronchitis	M	56	12	2	1	1	—	3	17	20	43	11	1	—	1	—	3	9	18	
			F	52	16	—	4	1	—	3	5	23	39	13	1	1	1	—	—	5	18	
17 Pneumonia (all forms)			M	80	20	10	9	2	4	11	15	9	61	16	5	5	2	3	12	11	7	
			F	47	13	8	4	3	2	4	7	6	29	10	2	1	2	1	2	6	5	
18 Other respiratory diseases			M	12	3	—	1	1	—	2	2	3	6	—	1	—	—	—	1	—	4	
			F	12	—	—	2	—	—	3	1	6	3	—	—	—	1	—	—	2	—	
19 Diarrhoea, &c.	M	34	20	5	4	—	2	1	1	1	25	17	4	2	—	—	—	2	—	
			F	28	23	2	2	—	—	—	1	—	12	9	1	1	—	—	—	—	1	
20 Appendicitis and typhlitis			M	3	—	—	1	1	—	—	1	—	2	—	—	—	—	1	—	1	—	
			F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—	
			F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—	
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.			M	16	—	—	—	—	1	5	8	2	11	—	—	—	—	—	3	5	3	
			F	10	—	—	—	—	—	2	4	4	11	—	—	—	1	—	1	6	3	
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	4	—	—	
24 Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	11	—	—	—	—	—	10	1	—	7	—	—	—	—	3	4	—	—	
25 Congenital debility, &c.			M	84	83	1	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—	
			F	47	47	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—	
26 Violence, apart from suicide.			M	19	—	—	1	1	5	5	4	3	30	—	1	2	6	5	5	9	2	
			F	12	—	—	2	2	—	1	2	5	11	1	—	1	3	2	1	2	1	
27 Suicide	M	8	—	—	—	—	2	2	4	—	3	—	—	—	—	1	1	1	—	
			F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	1	—	1	—	
28 Other defined diseases			M	167	26	4	4	4	3	11	43	72	118	24	1	2	4	4	15	31	37	
			F	153	14	2	1	2	6	15	36	77	109	17	1	1	2	3	10	27	48	
29 Causes ill-defined or unknown.			M	3	—	2	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1	
			F	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—	—	2	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	537	141	24	19	22	25	65	120	121	2,093	408	78	94	98	100	273	531	511		
	F	460	118	14	26	33	20	52	72	125	1,795	308	84	78	94	110	200	376	545		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	1	—	—		
3 Measles ...	M	8	2	2	4	—	—	—	—	—	23	5	11	6	1	—	—	—	—		
	F	5	3	—	1	1	—	—	—	—	16	4	7	4	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	4	—	—	1	1	—	2	—	—		
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	31	14	9	6	2	—	—	—	—		
	F	11	5	2	3	1	—	—	—	—	33	13	13	5	2	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	2	1	—	—	—	—	—	34	5	2	17	10	—	—	—	—		
	F	8	—	1	3	4	—	—	—	—	38	2	5	14	15	1	1	—	—		
7 Influenza ...	M	27	4	—	1	2	1	7	7	5	76	1	2	2	8	10	27	16	10		
	F	18	1	—	2	1	3	6	3	2	74	5	3	4	6	7	19	16	14		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	5	—	—	—	—	1	—	3	1		
	F	1	—	—	—	1	—	—	—	—	5	2	—	—	—	—	—	2	1		
9 Pulmonary tuberculosis	M	30	1	—	—	4	9	9	7	—	195	2	—	1	5	31	77	77	2		
	F	27	—	—	—	4	7	13	3	—	135	—	—	2	9	43	57	16	8		
10 Tuberculous meningitis	M	4	—	1	2	1	—	—	—	—	11	2	—	2	7	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	13	2	2	1	4	4	—	—	—		
11 Other tuberculous diseases.	M	5	1	1	1	—	—	1	1	—	16	1	1	3	2	4	2	2	1		
	F	4	—	1	1	1	—	1	—	—	24	2	2	6	6	4	2	2	—		
12 Cancer, malignant disease	M	42	—	—	—	—	1	9	20	12	128	—	—	—	1	—	10	71	46		
	F	29	—	—	—	—	—	2	17	10	145	1	—	1	—	3	13	75	52		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	12	—	—	—	4	4	2	2	—		
	F	—	—	—	—	—	—	—	—	—	20	—	—	—	7	7	2	2	2		
14 Meningitis ...	M	11	2	2	1	4	1	1	—	—	13	6	—	1	2	1	2	1	—		
	F	2	1	—	—	—	—	—	—	1	8	3	2	1	—	2	—	—	—		
15 Organic heart disease ...	M	27	—	—	—	3	1	4	10	9	121	—	—	—	2	7	12	46	54		
	F	25	—	—	1	—	1	6	7	10	176	—	—	1	4	5	24	57	85		
16 Bronchitis ...	M	68	19	2	2	—	—	1	19	25	239	41	11	3	2	1	7	64	110		
	F	56	17	4	1	2	—	1	6	25	208	39	8	5	—	4	4	45	103		
17 Pneumonia (all forms)...	M	64	15	6	3	4	4	17	12	3	323	87	21	26	18	10	52	69	40		
	F	49	21	3	6	6	3	4	3	3	189	59	34	17	9	4	13	27	26		
18 Other respiratory diseases	M	6	—	—	—	—	—	—	6	—	27	1	2	1	1	1	3	13	5		
	F	5	1	—	1	—	—	1	1	1	21	3	—	1	—	1	1	5	10		
19 Diarrhoea, &c. ...	M	27	19	2	1	1	—	1	2	1	71	48	8	—	—	1	1	9	4		
	F	13	9	1	1	—	—	—	1	1	48	35	1	4	2	—	1	2	3		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	15	—	—	2	3	6	2	2	—		
	F	3	—	—	—	2	—	1	—	—	9	—	—	3	3	1	1	—	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	1	—	4	—	10	—	—	—	—	—	—	8	2		
	F	3	—	—	—	—	—	—	3	—	9	—	—	—	—	—	—	6	3		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	2	2	2	4	54	2	—	1	1	4	5	19	22		
	F	9	—	—	—	1	1	2	4	1	41	—	—	1	3	3	8	13	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	2	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	10	—	—	—	—	3	7	—	—		
25 Congenital debility, &c.	M	55	55	—	—	—	—	—	—	—	139	138	—	1	—	—	—	—	—		
	F	43	42	—	—	1	—	—	—	—	89	89	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	13	1	—	1	3	1	4	—	3	93	7	1	11	9	5	22	25	13		
	F	8	—	—	2	1	1	—	—	4	30	9	5	1	1	1	1	3	9		
27 Suicide ...	M	4	—	—	—	—	—	1	2	1	22	—	—	—	—	—	7	10	5		
	F	2	—	—	—	—	—	—	1	1	9	—	—	—	—	—	4	4	1		
28 Other defined diseases ...	M	118	20	4	2	—	3	7	25	57	425	48	7	8	19	12	41	94	196		
	F	126	17	2	3	6	1	9	22	66	429	39	2	5	20	15	34	100	214		
29 Causes ill-defined or unknown.	M	3	—	1	—	—	—	—	1	1	3	—	1	1	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—cont.

Causes of Death.	Sex.	WEST HARTLEPOOL.										WIGAN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	584	127	33	25	22	39	82	125	131	759	189	57	45	46	27	83	176	136		
	F	440	98	25	18	20	25	62	81	111	691	163	46	49	46	32	80	131	144		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	4	—	—	—	—	3	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	1	7	5	—	—	—	—	—	56	10	19	19	8	—	—	—	—		
	F	6	1	1	2	2	—	—	—	—	51	7	18	20	6	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	7	2	2	3	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
	F	10	7	3	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	7	—	2	3	2	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	7	—	1	4	2	—	—	—	—		
7 Influenza ...	M	24	—	—	—	4	3	5	9	3	13	2	1	—	—	1	4	3	2		
	F	16	—	1	2	—	2	4	4	3	20	1	—	—	3	2	8	1	5		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	30	1	—	—	2	2	14	10	1	38	—	—	1	2	8	17	10	—		
	F	27	—	—	1	4	6	13	3	—	39	—	1	1	6	10	16	3	2		
10 Tuberculous meningitis	M	3	—	1	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	8	4	1	1	2	—	—	—	—	4	—	—	—	2	1	1	—	—		
11 Other tuberculous diseases.	M	12	1	—	2	4	5	—	—	—	6	—	1	—	2	2	1	—	—		
	F	8	1	3	1	—	1	1	—	1	8	1	—	—	2	2	2	—	1		
12 Cancer, malignant disease	M	26	—	—	—	—	—	1	11	14	39	—	—	1	1	—	2	23	12		
	F	33	—	—	—	—	—	6	16	11	40	—	—	—	—	—	5	25	10		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	4	—	—	—	1	—	3	—	—		
	F	5	—	—	—	1	1	2	1	—	2	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	5	2	—	1	1	—	—	—	—	4	2	—	—	1	—	—	1	—		
	F	3	—	1	—	—	—	1	1	—	6	2	1	1	2	—	—	—	—		
15 Organic heart disease ...	M	54	—	—	—	1	4	7	19	23	40	—	—	—	1	4	8	15	12		
	F	36	—	—	—	1	3	1	13	18	44	—	—	—	2	1	9	18	14		
16 Bronchitis ...	M	55	16	7	1	1	—	2	8	20	94	20	7	1	—	—	8	32	26		
	F	46	17	3	1	1	—	1	3	20	90	21	4	1	1	3	2	30	28		
17 Pneumonia (all forms)	M	91	12	9	6	1	5	26	23	9	74	22	12	8	3	2	9	14	4		
	F	44	9	9	3	2	3	7	7	4	72	23	12	9	3	1	8	8	8		
18 Other respiratory diseases	M	6	1	—	—	—	1	1	2	1	9	1	—	4	3	—	—	1	—		
	F	10	1	—	—	—	—	4	2	3	11	1	—	1	4	1	1	3	—		
19 Diarrhoea, &c. ...	M	16	13	—	—	—	—	—	2	1	33	23	6	1	1	—	2	—	—		
	F	10	8	—	1	—	—	—	—	1	22	13	2	3	1	—	—	2	1		
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	—	—	1	2	—	—	—	1	—	—	1	—		
	F	6	—	—	—	—	2	1	3	—	4	—	—	—	2	—	1	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	11	—	—	1	—	—	2	4	4	13	1	—	1	—	1	1	7	2		
	F	12	—	1	—	—	—	1	5	5	6	—	1	—	—	—	—	5	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	8	—	—	—	—	3	5	—	—		
25 Congenital debility, &c.	M	47	47	—	—	—	—	—	—	—	69	69	—	—	—	—	—	—	—		
	F	32	32	—	—	—	—	—	—	—	69	68	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	33	1	1	1	2	10	10	6	2	33	—	2	3	6	2	7	10	3		
	F	7	—	—	1	2	1	—	—	3	10	—	1	3	3	—	—	1	2		
27 Suicide ...	M	4	—	—	—	—	—	1	3	—	8	—	—	—	—	—	1	6	1		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	2	—	1	—		
28 Other defined diseases ...	M	131	30	6	1	2	7	11	23	51	187	34	4	1	12	4	17	44	71		
	F	103	18	1	3	3	3	12	22	41	163	24	2	5	7	5	16	33	71		
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	1	2	1	14	1	1	1	—	—	2	7	2		
	F	2	—	—	1	—	—	—	—	1	6	—	1	—	—	—	3	—	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	WOLVERHAMPTON.										WORCESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	673	128	29	20	20	35	77	177	187	307	44	6	8	11	9	31	73	125	
			F	617	125	29	24	28	25	70	135	181	325	34	13	11	7	13	29	77	141	
1	Enteric fever	M	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	19	4	10	5	—	—	—	—	6	1	1	4	—	—	—	—	—	
			F	18	3	8	5	2	—	—	—	—	8	1	5	1	1	—	—	—	—	
4	Scarlet fever	M	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	12	7	2	2	1	—	—	—	4	1	2	1	—	—	—	—	—	
			F	9	2	3	3	1	—	—	—	—	6	—	3	3	—	—	—	—	—	
6	Diphtheria and croup			M	1	—	—	—	1	—	—	—	2	—	—	1	—	1	—	—	—	
			F	2	—	—	—	2	—	—	—	—	3	1	—	—	1	—	1	—	—	
7	Influenza	M	13	1	—	—	1	1	3	4	3	2	—	—	—	—	1	1	—	
			F	18	1	—	2	—	1	7	4	3	4	—	—	—	—	—	1	2	1	
8	Erysipelas	M	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis			M	57	—	—	—	—	10	27	17	3	26	—	—	—	3	11	11	1	
			F	35	—	1	—	—	—	11	14	8	1	16	—	—	—	6	6	3	1	
10	Tuberculous meningitis			M	3	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	
11	Other tuberculous diseases.			M	9	1	2	—	1	3	—	2	—	5	—	—	—	1	—	2	1	
			F	5	—	—	1	2	1	—	1	—	—	2	—	—	—	1	—	1	—	
12	Cancer, malignant disease			M	50	—	—	—	—	—	1	26	23	32	—	—	—	—	1	2	17	
			F	62	—	—	—	—	—	—	9	39	14	45	—	—	—	—	4	20	21	
13	Rheumatic fever	M	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	M	3	—	—	1	1	—	1	—	—	2	—	—	—	2	—	—	—	
			F	7	1	1	1	4	—	—	—	—	—	1	—	1	—	—	—	—	—	
15	Organic heart disease	M	62	—	—	—	1	1	6	29	25	46	—	—	—	—	2	3	8	
			F	68	—	—	—	4	1	7	16	40	51	—	—	—	—	2	4	8	33	
16	Bronchitis	M	76	17	5	1	—	—	4	20	29	13	—	—	—	—	—	4	9	
			F	78	17	4	4	—	—	3	15	35	19	2	—	—	—	—	—	—	17	
17	Pneumonia (all forms)			M	67	18	6	5	1	5	12	11	9	17	5	1	1	2	—	2	4	
			F	55	15	10	2	4	2	3	13	6	23	5	4	2	1	—	2	5	2	
18	Other respiratory diseases			M	11	—	—	1	—	—	6	4	—	4	—	—	—	—	1	—	3	
			F	5	—	—	—	—	—	1	—	4	—	8	—	—	2	—	1	1	3	
19	Diarrhoea, &c.	M	14	8	—	1	—	1	—	1	3	5	3	1	—	—	1	—	—	
			F	18	16	—	—	—	—	—	—	1	1	7	5	—	1	—	1	—	—	
20	Appendicitis and typhlitis			M	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	
			F	2	—	—	—	1	1	—	—	—	—	3	—	—	—	—	—	2	1	
21	Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	2	—	—	—	—	—	2	—	
			F	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	1	1	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.			M	18	—	—	—	1	1	3	7	6	9	—	—	—	—	—	6	3	
			F	7	—	—	—	—	1	1	1	4	—	11	—	—	—	1	1	6	3	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	7	—	—	—	—	—	1	6	—	—	1	—	—	—	—	1	—	—	
25	Congenital debility, &c.			M	48	47	—	1	—	—	—	—	—	20	20	—	—	—	—	—	—	
			F	54	54	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	
26	Violence, apart from suicide.			M	21	2	3	1	2	6	2	4	1	10	1	—	—	5	1	—	2	
			F	19	3	—	3	3	1	4	2	3	—	4	—	—	—	1	—	2	1	
27	Suicide	M	4	—	—	—	—	—	4	—	—	5	—	—	—	—	3	—	2	
			F	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	1	—	1	
28	Other defined diseases	M	165	20	1	—	8	6	13	38	79	91	12	1	1	—	3	22	51	
			F	128	13	2	1	3	1	10	29	69	94	6	—	2	3	1	6	25	51	
29	Causes ill-defined or unknown.			M	6	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	YORK.										CARDIFF.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	479	76	9	18	14	20	61	127	154	1,358	257	43	41	59	76	231	352	299		
	F	501	62	10	19	18	25	73	106	188	1,071	178	35	51	40	80	151	248	288		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	3	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	—	1	—	—	—	—	—	37	12	9	14	2	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	28	3	11	13	1	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	—	1	1	—	—	—	6	—	—	1	4	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	13	—	1	4	5	1	2	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	7	3	2	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	15	4	3	8	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	1	3	—	—	—	—	12	2	3	3	4	—	—	—	—		
	F	7	—	—	6	1	—	—	—	—	11	1	—	6	4	—	—	—	—		
7 Influenza ...	M	7	1	—	1	2	—	1	2	—	15	1	1	—	1	1	5	4	2		
	F	14	2	1	1	1	—	4	—	5	9	1	—	1	1	1	2	2	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	36	—	—	1	3	8	14	10	—	154	—	—	1	4	29	72	42	6		
	F	40	—	—	1	3	11	16	7	2	114	—	—	—	8	38	53	15	—		
10 Tuberculous meningitis	M	3	2	—	1	—	—	—	—	—	12	—	2	3	4	—	2	1	—		
	F	4	—	1	1	2	—	—	—	—	8	1	1	1	1	3	1	—	—		
11 Other tuberculous diseases.	M	9	—	2	3	1	1	1	—	1	23	2	1	2	—	4	9	3	2		
	F	5	—	1	—	1	3	—	—	—	11	3	—	—	1	3	4	—	—		
12 Cancer, malignant disease	M	31	—	—	—	—	1	2	16	12	102	—	—	—	—	—	9	53	40		
	F	69	—	—	1	—	—	8	32	28	113	—	—	—	—	2	13	58	40		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	6	—	—	1	4	—	1	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	3	2	—	1	—	—	—	—	—	8	4	—	—	2	—	1	1	—		
	F	4	1	1	—	—	1	—	—	1	4	2	—	—	1	1	—	—	—		
15 Organic heart disease ...	M	62	—	—	—	2	3	8	24	25	137	—	1	—	2	2	15	59	58		
	F	70	—	—	—	1	—	10	21	38	132	—	—	—	6	4	11	49	62		
16 Bronchitis ...	M	38	3	—	2	—	—	3	4	26	88	25	3	2	1	—	6	16	35		
	F	31	3	1	1	—	—	—	4	22	79	17	1	2	—	1	1	21	36		
17 Pneumonia (all forms)	M	37	5	5	3	—	2	4	16	2	122	39	15	3	4	7	23	19	12		
	F	20	3	2	2	1	1	3	5	3	69	20	12	5	2	2	11	4	13		
18 Other respiratory diseases	M	5	—	—	—	—	—	1	3	1	15	1	—	1	—	—	1	6	6		
	F	8	—	—	1	—	—	3	1	3	16	2	1	3	—	1	2	4	3		
19 Diarrhoea, &c. ...	M	12	9	—	1	—	—	2	—	—	35	27	1	—	1	—	1	4	1		
	F	8	5	—	—	—	—	1	—	2	30	20	3	1	—	—	3	1	2		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	4	—	—	—	1	—	1	2	—		
	F	4	—	—	—	1	1	2	—	—	3	—	—	—	—	2	1	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	5	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	4	5	6	41	1	—	1	2	—	8	19	10		
	F	16	1	—	—	—	—	2	7	6	29	—	—	2	—	1	2	12	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	7	—	—	—	—	2	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	15	—	—	—	—	2	13	—	—		
25 Congenital debility, &c.	M	33	33	—	—	—	—	—	—	—	86	85	1	—	—	—	—	—	—		
	F	27	27	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	14	—	—	2	1	—	5	5	1	87	6	2	2	11	14	27	18	7		
	F	9	2	1	1	1	1	—	—	3	19	3	—	4	2	2	3	3	3		
27 Suicide ...	M	5	—	—	—	—	—	1	4	—	10	—	—	—	—	1	2	6	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—		
28 Other defined diseases	M	155	20	2	1	—	4	13	37	78	342	49	2	6	11	14	46	95	119		
	F	147	17	1	2	4	4	17	27	75	273	39	2	1	7	14	23	72	115		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	4	—	1	1	1	—	—	1	—	1	—	—	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1920
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	MERTHYR TYDFIL.										SWANSEA.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	570	114	25	27	34	31	70	142	127	1061	206	39	36	47	49	138	284	26		
		F	478	71	23	24	43	24	72	110	111	959	160	40	38	40	57	141	193	25		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	13	3	6	4	—	—	—	—	—	28	5	7	12	4	—	—	—	—		
		F	6	1	1	4	—	—	—	—	—	30	6	13	9	2	—	—	—	—		
4 Scarlet fever	...	M	10	1	—	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	8	—	1	5	2	—	—	—	—	2	—	—	—	1	—	1	—	—		
5 Whooping cough	...	M	3	2	—	1	—	—	—	—	—	8	5	2	1	—	—	—	—	—		
		F	4	2	2	—	—	—	—	—	—	8	3	2	2	1	—	—	—	—		
6 Diphtheria and croup	...	M	16	1	1	3	10	—	1	—	—	12	—	1	6	5	—	—	—	—		
		F	10	—	1	2	7	—	—	—	—	17	1	1	9	5	1	—	—	—		
7 Influenza	...	M	5	—	—	—	—	—	1	4	—	25	—	—	—	2	2	11	8	—		
		F	8	—	—	—	—	—	4	3	1	29	4	—	3	2	—	8	8	—		
8 Erysipelas	...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
9 Pulmonary tuberculosis	{	M	40	—	—	—	1	10	17	12	—	102	—	2	1	3	19	40	33	—		
		F	43	—	—	1	6	9	15	10	2	87	1	—	—	5	23	42	13	—		
10 Tuberculous meningitis	{	M	10	1	—	1	4	—	3	1	—	8	2	—	1	2	2	1	—	—		
		F	4	—	—	2	2	—	—	—	—	7	—	—	1	4	2	—	—	—		
11 Other tuberculous diseases.	{	M	6	—	1	—	1	2	1	1	—	8	—	—	2	1	—	2	3	—		
		F	11	—	1	1	3	2	4	—	—	9	—	1	—	—	4	2	1	—		
12 Cancer, malignant disease	{	M	37	—	—	—	—	—	4	17	16	71	—	—	—	—	1	5	41	—		
		F	33	—	—	—	—	—	—	1	27	5	94	—	—	—	—	2	14	45		
13 Rheumatic fever	...	M	3	—	—	—	1	—	—	2	—	9	—	—	—	3	1	3	1	—		
		F	7	—	—	1	1	1	1	3	—	6	—	—	—	—	2	3	1	—		
14 Meningitis	...	M	4	3	—	—	1	—	—	—	—	10	5	2	—	—	1	1	1	—		
		F	5	—	1	1	2	1	—	—	—	5	2	—	—	1	1	—	1	—		
15 Organic heart disease	...	M	42	—	—	—	4	3	7	11	17	83	—	—	—	1	3	11	33	—		
		F	42	—	—	—	5	2	7	14	14	94	—	—	—	4	4	9	31	—		
16 Bronchitis	...	M	38	16	—	1	—	—	1	9	11	86	19	5	—	—	1	2	19	—		
		F	42	10	4	1	1	—	1	10	15	71	13	1	2	—	—	1	15	—		
17 Pneumonia (all forms)	{	M	69	7	10	5	1	5	5	27	9	120	43	10	8	4	4	16	23	—		
		F	42	8	7	3	1	—	5	9	9	81	24	14	6	4	—	6	13	—		
18 Other respiratory diseases	{	M	17	—	—	2	—	1	2	6	6	19	—	—	—	2	—	3	6	—		
		F	2	—	—	—	—	—	—	—	—	2	11	2	1	1	—	1	2	—		
19 Diarrhoea, &c.	...	M	15	11	3	—	—	—	—	—	1	27	14	5	—	1	—	3	2	—		
		F	13	9	1	1	—	—	1	1	—	26	17	4	—	—	1	1	1	—		
20 Appendicitis and typhlitis	{	M	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—		
		F	2	—	—	—	1	—	1	—	—	4	—	—	—	—	2	1	1	—		
21 Cirrhosis of liver	...	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	—	4	—		
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	4	—	—	—	—	—	—	3	1	33	—	—	1	2	—	6	16	—		
		F	7	—	—	—	1	1	2	3	—	25	—	—	—	1	—	6	12	—		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	—	5	—	—	10	—	—	—	—	3	7	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	13	—	—	—	—	3	10	—	—	—	19	—	—	—	—	4	15	—		
25 Congenital debility, &c.	{	M	39	39	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—		
		F	22	22	—	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	34	2	1	2	5	4	7	9	4	61	4	2	2	9	10	11	17	—		
		F	11	—	—	2	1	1	2	2	3	12	2	—	1	1	2	4	—	—		
27 Suicide	...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	1	—	1	—		
		F	5	—	—	—	—	3	2	—	—	5	—	—	—	—	1	1	2	—		
28 Other defined diseases	...	M	157	27	3	1	4	6	19	36	61	270	48	3	2	6	3	19	73	—		
		F	128	19	4	—	10	1	9	25	60	259	38	3	4	9	3	20	47	—		
29 Causes ill-defined or unknown.	{	M	3	1	—	—	—	—	1	1	—	4	—	—	—	—	—	2	2	—		
		F	3	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BEDFORD—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	639	95	11	13	20	24	75	156	245	405	54	3	9	14	21	32	77	195		
	F	687	72	11	14	25	28	73	156	308	440	35	6	3	8	14	48	68	258		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	4	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	5	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	1	1	—	2	—	—	—	—	4	—	—	—	4	—	—	—	—		
	F	12	—	1	3	8	—	—	—	—	3	—	1	—	2	—	—	—	—		
7 Influenza ...	M	15	2	—	—	1	2	2	5	3	11	—	—	—	1	—	2	3	5		
	F	15	—	—	—	1	—	2	6	6	3	—	—	—	—	—	1	2	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
9 Pulmonary tuberculosis	M	48	—	—	—	—	9	22	15	2	27	—	—	—	—	8	12	4	3		
	F	42	—	—	—	3	13	20	6	—	26	—	—	—	3	6	13	1	3		
10 Tuberculous meningitis	M	5	—	—	4	—	—	1	—	—	2	—	—	—	1	—	1	—	—		
	F	6	1	1	2	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	8	—	1	—	—	2	2	2	1	2	—	—	—	—	1	1	—	—		
	F	8	—	—	—	1	2	1	4	—	12	—	—	—	1	—	6	3	2		
12 Cancer, malignant disease	M	55	—	—	—	—	—	—	25	30	40	—	—	—	—	1	—	12	27		
	F	88	—	—	—	—	—	6	41	41	69	—	—	—	—	—	6	20	43		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	4	2	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
15 Organic heart disease ...	M	75	1	—	1	1	1	12	27	32	47	—	—	1	2	—	2	14	28		
	F	100	—	1	—	—	2	7	33	57	71	—	—	—	—	—	4	12	55		
16 Bronchitis ...	M	43	11	1	—	—	—	3	4	24	31	5	—	1	—	—	—	2	23		
	F	59	5	—	2	—	—	2	6	44	28	2	—	—	—	—	—	3	23		
17 Pneumonia (all forms)	M	31	7	1	3	2	—	7	4	7	18	1	1	1	1	3	2	5	4		
	F	26	7	—	1	3	—	6	2	7	20	3	1	2	1	1	4	1	7		
18 Other respiratory diseases	M	6	—	—	1	—	—	2	2	1	4	2	—	—	—	—	—	—	2		
	F	3	—	—	—	—	1	—	1	1	7	1	—	—	—	—	2	2	2		
19 Diarrhoea, &c. ...	M	11	7	—	—	—	—	1	1	2	4	2	—	—	—	—	—	1	1		
	F	7	4	—	—	—	—	—	2	1	5	—	—	—	—	—	2	1	2		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	3	—	—	—	1	1	—	1	—		
	F	6	—	—	—	1	—	2	1	2	2	—	—	—	—	—	1	1	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—	—	1		
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	1	—	2	6	12	12	—	—	1	—	—	—	6	5		
	F	19	—	—	—	1	—	3	8	7	9	—	—	—	—	1	1	1	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	40	39	—	1	—	—	—	—	—	29	29	—	—	—	—	—	—	—		
	F	33	32	—	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	22	2	—	1	4	2	7	3	3	17	2	—	1	3	1	2	4	4		
	F	10	1	—	2	—	1	1	2	3	10	—	1	—	1	—	—	—	8		
27 Suicide ...	M	6	—	—	—	—	—	3	3	—	5	—	—	—	—	—	2	1	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	225	22	5	1	7	6	7	50	127	138	13	—	1	1	4	8	22	89		
	F	224	20	1	3	3	6	13	40	138	141	9	1	—	—	3	3	20	105		
29 Causes ill-defined or unknown.	M	5	—	1	—	—	—	1	2	1	3	—	1	—	—	—	—	1	1		
	F	2	—	1	—	—	—	1	—	—	2	—	1	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BERKS—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	326	40	5	5	13	12	40	89	122	689	88	12	9	24	24	60	159	313		
	F	361	27	3	3	8	10	37	81	192	680	66	3	8	18	32	82	125	346		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	1	2	—	—	—	—	—	5	1	4	—	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	4	1	—	1	2	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	1	4	—	—	—	—	6	—	1	1	4	—	—	—	—		
	F	3	—	—	—	3	—	—	—	—	6	—	—	—	6	—	—	—	—		
7 Influenza ...	M	10	2	—	—	—	1	1	5	1	12	1	—	—	1	—	4	3	3		
	F	4	—	—	—	—	1	—	—	3	12	1	—	—	—	3	3	2	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	24	—	—	—	1	2	13	8	—	44	—	—	—	1	8	17	16	2		
	F	27	—	—	—	1	3	13	9	1	56	—	—	—	2	17	25	9	3		
10 Tuberculous meningitis	M	2	1	—	—	—	1	—	—	—	7	1	—	—	2	2	1	1	—		
	F	3	—	—	1	—	2	—	—	—	3	1	—	1	1	—	—	—	—		
11 Other tuberculous dis- eases.	M	4	2	—	—	—	1	—	—	1	5	—	—	—	2	—	1	2	—		
	F	2	—	—	—	—	—	1	—	1	5	—	—	—	—	—	5	—	—		
12 Cancer, malignant disease	M	40	—	—	—	—	—	1	14	25	92	—	—	—	—	—	2	39	51		
	F	55	—	—	—	—	—	3	27	25	86	—	—	—	—	1	12	36	37		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	5	—	—	1	—	—	1	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	2	—	—	1	1	—	—	—	—	4	—	2	—	—	—	—	1	—		
	F	2	—	1	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
15 Organic heart disease ...	M	30	—	—	—	—	—	2	10	18	86	—	—	—	—	—	2	25	59		
	F	55	—	—	—	—	—	5	13	37	82	—	—	—	—	1	4	9	68		
16 Bronchitis ...	M	22	3	2	—	—	—	—	4	13	40	7	—	—	—	1	2	5	23		
	F	27	2	—	—	—	—	2	4	19	44	7	—	—	—	—	—	3	34		
17 Pneumonia (all forms)	M	15	3	1	1	1	2	1	3	3	29	11	3	1	1	2	1	4	6		
	F	13	4	1	—	1	1	—	1	5	25	3	2	1	—	1	4	6	8		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	10	—	—	—	1	—	3	—	—		
	F	3	—	—	—	—	—	—	—	3	9	—	—	—	1	1	1	—	—		
19 Diarrhoea, &c. ...	M	5	1	—	—	—	—	2	1	1	8	2	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	1	7	3	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	6	—	—	1	2	1	2	—	—		
	F	2	—	—	—	1	1	—	—	—	4	—	—	—	—	1	1	2	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	5	—	—	—	—	—	—	5	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	1	—	2	5	6	17	—	—	—	2	3	1	1	10		
	F	8	—	—	—	—	—	2	3	3	20	—	—	—	—	1	—	10	9		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	41	39	—	1	1	—	—	—	—		
	F	18	17	—	—	—	1	—	—	—	40	40	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	3	—	—	—	1	2	7	2	23	2	—	2	3	2	3	9	2		
	F	3	—	—	—	—	—	1	—	2	6	—	—	—	1	—	—	2	—		
27 Suicide ...	M	3	—	—	—	—	1	1	1	—	6	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	104	6	1	—	3	3	13	26	52	224	21	2	2	4	4	17	39	133		
	F	121	4	—	1	1	—	6	19	90	243	8	1	1	5	4	15	41	168		
29 Causes ill-defined or un- known.	M	2	1	—	—	—	—	1	—	—	10	—	—	—	—	—	1	6	—		
	F	4	—	—	—	—	—	—	4	—	10	1	—	1	—	1	2	4	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BUCKINGHAM—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	531	79	7	5	22	21	75	100	222	704	96	5	10	33	32	72	133	323		
	F	513	52	5	10	25	27	55	103	236	714	71	7	11	20	24	78	138	365		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	1	2	—	2	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	6	3	2	—	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	1	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	4	1	1	2	—	—	—	—	—	4	3	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	3	2	—	—	—	—	8	—	—	2	5	1	—	—	—		
	F	7	—	—	3	4	—	—	—	—	9	—	—	4	4	1	—	—	—		
7 Influenza ...	M	3	—	—	—	—	1	—	1	1	18	—	—	—	1	1	4	6	6		
	F	13	—	—	—	3	2	1	3	4	15	—	1	—	1	1	2	3	7		
8 Erysipelas ...	M	2	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
9 Pulmonary tuberculosis	M	32	—	—	—	1	7	13	7	4	48	—	—	—	3	10	19	14	2		
	F	36	1	—	—	—	12	13	10	—	45	—	—	1	3	6	24	10	1		
10 Tuberculous meningitis	M	3	2	—	—	—	—	1	—	—	4	1	—	1	2	—	—	—	—		
	F	3	—	1	—	2	—	—	—	—	2	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases	M	5	—	1	—	1	1	2	—	—	9	1	—	—	3	1	3	—	1		
	F	5	—	—	—	1	—	—	3	1	9	2	—	—	—	1	2	4	—		
12 Cancer, malignant disease	M	54	—	—	—	—	1	2	22	29	76	—	—	1	1	2	3	22	47		
	F	57	—	—	—	—	—	10	24	23	86	—	—	—	—	—	6	42	38		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	1	—	1	—	—	—		
	F	2	—	—	—	2	—	—	—	—	5	—	—	—	2	2	—	1	—		
14 Meningitis ...	M	4	1	1	—	1	1	—	—	—	8	2	—	—	3	1	2	—	—		
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	—	—	8	18	29	98	—	—	—	—	2	6	27	63		
	F	62	—	—	1	1	3	3	14	40	106	—	—	—	3	—	7	17	79		
16 Bronchitis ...	M	45	7	1	—	—	—	1	4	32	32	7	—	—	—	—	1	4	20		
	F	33	5	—	—	—	—	1	3	24	40	4	2	—	—	—	—	2	32		
17 Pneumonia (all forms)	M	24	4	1	1	—	1	8	2	7	34	10	3	1	1	—	6	7	6		
	F	20	5	—	2	2	—	2	6	3	27	6	1	2	—	—	5	3	10		
18 Other respiratory diseases	M	16	1	—	—	3	1	—	2	9	8	2	—	1	—	—	2	3	—		
	F	7	—	—	1	—	—	—	2	4	11	—	—	—	1	—	2	2	6		
19 Diarrhoea, &c. ...	M	13	9	—	—	1	—	1	—	2	12	6	—	—	—	1	—	2	3		
	F	6	3	—	—	—	—	2	—	1	7	1	—	1	—	—	—	1	4		
20 Appendicitis and typhlitis	M	4	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	1	—	—	4	—	2	—	—	—	—	—	1	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	3	4	11	17	—	—	1	2	—	—	4	10		
	F	10	—	—	—	1	3	—	4	2	24	—	—	—	—	1	5	4	14		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	32	32	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
	F	29	26	1	—	1	1	—	—	—	35	35	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	16	1	—	—	2	1	6	2	4	23	2	—	—	6	4	3	5	3		
	F	5	—	—	—	1	—	2	—	2	11	—	—	2	1	2	1	3	2		
27 Suicide ...	M	7	—	—	—	—	—	1	6	—	12	—	—	—	—	2	2	5	3		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	2	1		
28 Other defined diseases ...	M	179	19	—	1	6	7	25	31	90	233	13	1	1	5	5	21	30	157		
	F	191	11	2	1	4	4	12	27	130	251	16	1	—	3	8	11	42	170		
29 Causes ill-defined or unknown	M	5	—	1	—	—	—	1	1	2	4	3	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
CAMBRIDGE—1920 (Civilian Population only).

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	282	32	1	3	9	11	36	89	101	403	52	7	7	11	14	40	84	188		
	F	288	18	5	3	5	4	27	74	152	428	35	3	8	12	16	44	69	241		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	1	—	—	—	1	—	—	—	—	5	2	1	1	—	—	1	—	—		
	F	1	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	2	—	2	—	—	—	—	1		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza	M	2	—	—	—	—	—	—	—	2	4	—	—	—	—	—	2	2	—		
	F	4	—	—	—	—	—	—	2	2	4	—	1	—	—	—	1	2	—		
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	29	—	—	1	1	4	10	10	3	20	—	—	—	—	7	6	5	2		
	F	16	—	1	—	—	2	7	5	1	23	—	—	—	1	4	11	7	—		
10 Tuberculous meningitis	M	1	—	—	—	—	—	—	1	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	1	—	—	1	1	—	4	—	—	—	—	1	—	3	—		
	F	3	—	—	—	1	1	—	—	1	3	—	—	—	—	1	1	—	1		
12 Cancer, malignant disease	M	36	—	—	—	—	—	1	20	15	41	—	—	—	—	1	1	11	28		
	F	45	1	—	—	—	—	4	18	22	59	—	—	—	—	—	5	24	30		
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	1	—	—		
14 Meningitis	M	2	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
15 Organic heart disease	M	40	—	—	—	1	—	2	14	23	43	—	—	—	—	—	2	9	32		
	F	38	—	—	—	—	—	1	14	23	47	—	—	—	—	—	3	6	38		
16 Bronchitis	M	13	3	—	—	—	—	—	1	9	25	2	1	—	—	—	—	4	18		
	F	24	2	—	1	—	—	—	5	16	22	3	—	—	1	—	—	—	18		
17 Pneumonia (all forms)	M	13	2	—	—	1	1	3	3	3	18	4	3	1	2	1	1	3	3		
	F	11	1	—	—	—	—	1	2	7	15	2	—	2	3	—	4	1	3		
18 Other respiratory diseases	M	3	—	—	—	1	—	1	1	—	3	—	—	—	—	—	—	2	1		
	F	6	—	—	—	—	—	1	—	5	6	—	—	—	—	—	—	2	4		
19 Diarrhoea, &c.	M	3	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	2	1	—	—	—	—	—	1	—	4	1	—	—	—	—	—	1	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
	F	4	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	1	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	16	—	—	—	1	1	3	4	7	16	—	—	—	—	1	4	6	5		
	F	3	—	—	—	—	—	1	1	1	14	—	—	—	—	—	1	4	9		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	34	33	1	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	1	—	1	—	5	2	1	14	—	—	2	2	—	3	3	4		
	F	5	—	—	—	—	—	1	1	3	7	1	—	2	—	—	1	2	1		
27 Suicide	M	5	—	—	—	—	—	2	2	1	7	—	—	—	—	—	3	3	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	81	5	—	—	1	4	7	27	37	151	8	—	1	4	1	17	28	92		
	F	106	3	2	1	1	1	8	22	68	170	5	1	—	1	6	9	16	132		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	2		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY OF
CHESTER—1920 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	2,692	488	58	68	99	104	348	701	826	999	127	14	20	37	55	144	236	366
		F	2,615	303	46	62	95	121	314	615	1059	940	93	15	26	17	34	106	198	451
1	Enteric fever	M	2	—	—	—	—	2	—	—	—	2	—	—	—	—	—	1	1	—
		F	6	—	—	—	1	—	3	2	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	28	8	10	6	3	1	—	—	—	4	—	—	3	1	—	—	—	—
		F	20	6	6	8	—	—	—	—	—	6	2	2	2	—	—	—	—	—
4	Scarlet fever	M	7	—	—	3	3	—	1	—	—	4	—	—	—	1	3	—	—	—
		F	10	1	—	4	4	1	—	—	—	5	—	—	2	3	—	—	—	—
5	Whooping cough	M	14	6	3	4	1	—	—	—	—	10	8	1	—	1	—	—	—	—
		F	18	10	5	—	3	—	—	—	—	9	6	3	—	—	—	—	—	—
6	Diphtheria and croup	M	18	1	—	5	10	1	—	1	—	12	2	—	5	5	—	—	—	—
		F	19	2	—	8	8	—	—	1	—	11	—	1	2	6	1	1	—	—
7	Influenza	M	59	2	1	2	2	4	18	25	5	23	2	—	—	—	4	9	6	2
		F	42	1	1	—	2	7	7	14	10	15	—	—	—	—	1	5	2	7
8	Erysipelas	M	8	1	—	—	—	1	2	3	1	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	1	1	2	2	2	3	1	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	186	2	3	1	10	20	88	52	10	64	—	—	1	1	7	33	20	2
		F	167	—	1	1	17	46	66	31	5	37	—	—	1	1	14	12	8	1
10	Tuberculous meningitis	M	18	4	1	8	4	1	—	—	—	7	1	1	1	2	1	1	—	—
		F	14	5	3	3	2	—	1	—	—	2	—	1	1	—	—	—	—	—
11	Other tuberculous diseases.	M	37	3	4	5	9	6	7	3	—	8	—	1	—	3	2	2	—	—
		F	29	2	1	2	9	4	3	4	4	9	—	1	1	2	1	2	1	1
12	Cancer, malignant disease	M	247	1	—	—	—	1	20	143	82	93	—	—	—	—	2	8	39	44
		F	323	—	—	2	—	1	28	160	132	117	—	—	—	—	—	10	51	56
13	Rheumatic fever	M	16	—	—	—	8	1	1	—	—	9	—	—	—	1	5	1	2	—
		F	14	—	—	1	3	4	1	5	—	3	—	—	—	—	1	1	1	—
14	Meningitis	M	19	8	3	—	1	—	5	2	—	5	3	—	—	—	—	1	1	—
		F	23	6	2	5	4	4	1	1	—	5	—	1	2	—	1	1	—	—
15	Organic heart disease	M	243	—	—	—	4	10	24	65	140	117	—	—	—	2	2	14	35	64
		F	312	1	—	—	8	11	31	97	164	144	—	—	—	2	1	10	46	85
16	Bronchitis	M	209	52	3	3	3	1	15	34	98	47	10	2	—	—	1	1	7	26
		F	226	34	2	—	2	—	9	32	147	65	5	1	2	—	1	3	3	50
17	Pneumonia (all forms)	M	187	39	13	15	7	8	33	44	28	82	16	6	—	3	5	13	17	22
		F	155	24	17	17	5	7	17	35	33	39	5	4	2	1	2	9	5	11
18	Other respiratory diseases	M	37	3	1	—	3	3	4	10	13	15	1	—	—	2	—	3	6	3
		F	28	3	—	2	1	1	2	9	10	12	—	—	—	—	—	2	4	6
19	Diarrhoea, &c.	M	72	50	1	3	1	1	3	8	5	7	3	—	—	—	—	2	1	1
		F	46	19	4	2	1	1	4	5	10	10	6	—	1	—	—	—	1	2
20	Appendicitis and typhlitis	M	22	—	—	1	3	2	9	7	—	8	—	—	1	1	2	3	1	—
		F	15	—	—	1	3	5	4	1	1	3	—	—	1	—	—	1	—	1
21	Cirrhosis of liver	M	18	—	—	—	—	—	1	15	2	8	—	—	—	—	—	1	5	2
		F	6	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	5	—	—	—	—	—	4	1	—	2	—	—	—	—	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	79	—	—	—	1	1	13	34	30	32	—	—	—	2	1	9	14	6
		F	55	1	—	1	4	1	12	21	15	16	—	—	—	—	1	5	4	6
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	5	21	—	—	8	—	—	—	—	1	7	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	2	30	—	—	12	—	—	—	—	1	11	—	—
25	Congenital debility, &c.	M	197	196	1	—	—	—	—	—	—	53	52	—	—	—	1	—	—	—
		F	124	123	—	—	—	—	1	—	—	48	48	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	97	2	5	3	10	6	25	29	17	44	4	2	5	4	6	9	9	5
		F	55	9	—	1	5	8	4	8	20	14	—	1	4	1	1	1	2	4
27	Suicide	M	30	—	—	—	—	1	8	18	3	14	—	—	—	—	2	3	7	2
		F	14	—	—	—	—	2	5	5	2	6	—	—	—	—	1	2	2	1
28	Other defined diseases	M	838	109	8	9	16	33	67	204	392	322	23	1	3	8	11	30	60	186
		F	827	56	3	4	12	10	62	179	501	337	20	—	5	—	6	23	66	217
29	Causes ill-defined or unknown.	M	3	1	1	—	—	—	—	1	—	7	2	—	1	—	—	—	3	1
		F	1	—	1	—	—	—	—	—	—	3	—	—	—	1	—	—	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CORNWALL—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	914	119	15	16	29	37	107	208	383	1,064	130	22	14	39	53	116	237	453		
	F	1,062	84	16	13	26	40	107	231	545	1,153	83	15	14	28	41	121	240	611		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	—	1	1	—	—	—	—	—	3	—	1	1	—	1	—	—	—		
	F	4	1	2	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—		
5 Whooping cough	M	10	8	—	1	1	—	—	—	—	7	6	1	—	—	—	—	—	—		
	F	9	6	1	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
6 Diphtheria and croup	M	14	1	3	4	6	—	—	—	—	17	—	1	4	12	—	—	—	—		
	F	12	1	—	3	8	—	—	—	—	19	—	—	2	14	1	1	—	1		
7 Influenza	M	9	—	—	—	—	1	2	2	4	17	2	—	—	—	2	—	6	7		
	F	14	—	—	—	—	2	4	2	6	12	—	—	—	—	—	1	4	7		
8 Erysipelas	M	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	78	—	—	—	2	10	42	21	3	83	1	—	—	1	18	30	30	3		
	F	75	—	—	1	2	20	34	14	4	72	—	—	2	6	15	31	11	7		
10 Tuberculous meningitis	M	5	—	—	1	1	2	1	—	—	13	3	1	1	2	3	3	—	—		
	F	8	—	2	1	2	1	1	1	—	9	—	2	1	3	—	2	1	—		
11 Other tuberculous diseases.	M	5	—	—	1	1	1	1	1	—	12	2	3	—	2	2	2	1	—		
	F	7	—	—	—	1	1	4	1	—	15	—	1	—	1	2	9	2	—		
12 Cancer, malignant disease	M	86	—	1	—	—	—	1	39	45	82	—	—	—	—	—	5	35	42		
	F	123	—	—	—	—	2	7	55	59	163	1	—	—	1	1	14	73	73		
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	—	1	—		
	F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	1	1	—		
14 Meningitis	M	9	3	1	1	3	—	—	1	—	5	1	—	—	1	—	3	—	—		
	F	5	—	1	—	1	2	—	—	1	4	—	—	—	—	—	2	2	—		
15 Organic heart disease	M	119	—	—	—	1	1	8	34	75	136	—	—	—	1	4	10	29	92		
	F	159	—	—	—	—	—	6	49	104	171	—	—	—	—	2	4	38	127		
16 Bronchitis	M	65	9	3	1	1	—	3	9	39	68	10	2	—	1	—	1	12	42		
	F	78	7	5	1	1	1	2	7	54	66	5	—	—	—	—	1	9	51		
17 Pneumonia (all forms)	M	36	9	2	2	1	—	3	7	12	45	7	8	3	1	3	4	9	10		
	F	24	8	—	—	1	—	4	5	6	36	3	4	2	—	2	4	11	10		
18 Other respiratory diseases	M	19	1	—	—	1	1	4	7	5	29	3	—	4	—	—	7	8	7		
	F	13	1	1	—	1	—	1	4	5	14	2	—	—	—	—	1	4	7		
19 Diarrhoea, &c.	M	14	10	1	—	—	1	—	1	1	15	7	2	—	2	—	—	1	3		
	F	11	2	1	—	—	—	1	3	4	12	3	2	—	—	1	—	—	6		
20 Appendicitis and typhlitis	M	7	—	—	—	2	1	2	2	—	5	—	—	—	—	2	1	2	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	1	—	—	1	—	—		
21 Cirrhosis of liver	M	6	—	—	—	—	—	1	3	2	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	1	—	1	3	12	8	24	—	—	—	—	—	8	10	6		
	F	19	—	—	—	1	1	3	7	7	39	—	—	—	1	—	6	14	18		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	—	10	—	—	15	—	—	—	—	5	10	—	—		
25 Congenital debility, &c.	M	56	55	—	—	1	—	—	—	—	63	60	1	—	1	—	1	—	—		
	F	41	40	—	1	—	—	—	—	—	40	39	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	32	3	—	2	—	9	12	4	2	44	1	—	—	5	8	15	12	3		
	F	11	—	—	—	—	2	—	2	7	15	3	1	—	—	2	—	3	6		
27 Suicide	M	6	—	—	—	—	—	2	4	—	18	—	—	—	—	3	2	10	3		
	F	9	—	—	—	—	—	3	4	2	8	—	—	—	—	2	3	3	—		
28 Other defined diseases	M	298	18	2	—	7	8	22	58	183	362	25	2	1	9	6	21	65	233		
	F	411	18	2	3	8	6	19	71	284	413	19	1	4	2	8	24	59	296		
29 Causes ill-defined or unknown.	M	7	—	1	1	—	—	—	3	2	9	2	—	—	—	—	1	5	1		
	F	5	—	1	—	—	—	—	2	2	12	4	—	—	—	—	2	4	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1920 (Civilian Population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	914	196	34	36	47	45	86	183	287	652	116	14	17	23	24	46	139	273		
			F	876	149	28	35	38	50	95	179	302	615	73	17	22	21	27	77	128	250		
1 Enteric fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	22	6	8	8	—	—	—	—	—	11	3	2	2	3	1	—	—	—		
			F	20	7	6	6	1	—	—	—	—	10	3	5	—	2	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
			F	1	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough	M	3	1	1	1	—	—	—	—	—	10	5	1	4	—	—	—	—	—		
			F	7	5	—	1	1	—	—	—	—	5	2	1	2	—	—	—	—	—		
6 Diphtheria and croup	M	15	2	—	5	7	—	1	—	—	9	1	—	2	6	—	—	—	—		
			F	26	1	2	10	13	—	—	—	—	11	—	—	3	7	—	1	—	—		
7 Influenza	M	14	2	1	—	—	2	1	2	6	7	—	—	—	1	—	1	2	3		
			F	22	1	—	—	—	1	6	7	7	14	2	—	2	—	1	2	4	3		
8 Erysipelas	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{		M	45	—	—	1	3	11	19	9	2	19	—	—	—	2	4	7	3	3		
		F	50	2	1	1	1	19	20	5	1	1	30	—	1	1	1	10	10	7	—		
10 Tuberculous meningitis	{		M	16	—	2	2	10	1	1	—	—	2	—	—	1	1	—	—	—	—		
		F	11	—	—	3	4	4	—	—	—	—	2	—	1	—	—	1	—	—	—		
11 Other tuberculous diseases.	{		M	7	—	1	1	—	1	2	1	1	3	1	—	—	—	—	1	1	—		
		F	10	2	1	2	1	3	1	—	—	—	4	—	—	—	—	1	3	—	—		
12 Cancer, malignant disease	{		M	69	—	—	1	—	—	3	36	29	59	—	—	—	—	—	1	26	32		
		F	74	—	—	—	—	—	—	7	38	29	60	—	—	—	—	1	8	26	25		
13 Rheumatic fever	M	6	—	—	—	2	3	1	—	—	1	—	—	—	1	—	—	—	—		
			F	5	—	—	—	—	2	1	2	—	3	—	—	—	—	1	—	1	1		
14 Meningitis	M	8	1	1	1	4	1	—	—	—	6	1	1	1	1	—	1	1	—		
			F	8	3	2	—	3	—	—	—	—	7	1	—	2	2	—	—	1	1		
15 Organic heart disease	M	67	—	—	—	1	1	6	17	42	88	—	—	—	—	1	3	24	60		
			F	94	—	—	—	3	3	7	26	55	85	—	—	1	1	1	7	26	49		
16 Bronchitis	M	71	21	3	—	1	—	1	11	34	28	10	1	—	—	2	1	2	12		
			F	70	15	2	2	1	—	4	10	36	25	7	—	1	—	—	2	3	12		
17 Pneumonia (all forms)...	{		M	99	24	8	8	3	3	10	21	22	40	10	6	—	3	4	3	9	5		
		F	45	8	4	3	1	2	7	13	7	7	33	4	3	3	2	1	4	8	8		
18 Other respiratory diseases	{		M	24	2	1	2	—	1	4	8	6	12	1	—	—	—	—	1	3	7		
		F	11	2	—	1	—	—	—	—	4	4	11	—	—	1	1	—	1	2	6		
19 Diarrhoea, &c.	M	29	21	2	1	3	—	—	1	1	9	6	—	—	—	—	1	—	2		
			F	25	17	1	1	1	—	2	1	2	15	11	—	—	—	—	—	4	—		
20 Appendicitis and typhlitis	{		M	7	—	—	1	1	2	1	1	1	3	—	—	—	—	1	1	1	—		
		F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	1	—	2	1	—		
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	2	1			
			F	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{		M	20	—	1	—	2	1	4	5	7	26	—	—	—	1	—	5	12	8		
		F	18	—	—	—	—	—	1	1	6	10	12	1	—	—	—	—	2	3	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	12	—	—	—	—	5	7	—	—	5	—	—	—	—	2	3	—	—		
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	16	—	—	—	—	—	5	11	—	—	10	—	—	—	—	2	8	—	—		
25 Congenital debility, &c.	{		M	73	73	—	—	—	—	—	—	—	57	55	1	—	—	1	—	—	—		
		F	51	50	—	—	—	—	1	—	—	—	28	27	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	{		M	50	—	1	4	4	9	15	11	6	36	1	1	5	1	6	8	8	6		
		F	18	1	—	2	4	—	—	1	1	9	13	—	3	2	1	—	3	—	4		
27 Suicide	M	6	—	—	—	—	—	3	2	1	8	—	—	—	—	1	1	5	1		
			F	5	—	—	—	—	—	2	2	1	3	—	—	—	—	—	1	1	1		
28 Other defined diseases	M	246	42	4	—	4	8	13	52	123	204	22	1	2	3	3	8	35	130		
			F	267	35	8	3	4	3	16	58	140	220	15	2	4	3	6	18	38	134		
29 Causes ill-defined or unknown.	{		M	10	—	—	—	1	—	1	3	5	8	—	—	—	—	—	1	5	2		
		F	3	—	—	—	—	—	1	—	—	2	—	3	—	—	—	—	1	2	—		

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
DERBY—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.															
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—								
ALL CAUSES ...	M	1,882	388	79	98	79	78	206	392	562	1,569	351	63	60	75	66	138	327	489								
	F	1,716	284	77	100	91	78	190	374	522	1,490	272	61	44	75	57	186	302	493								
1 Enteric fever ...	M	5	—	—	—	—	2	3	—	—	2	—	—	—	1	—	—	1	—								
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—								
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
3 Measles ...	M	47	8	9	18	12	—	—	—	—	38	7	15	9	6	1	—	—	—								
	F	46	5	15	15	10	—	1	—	—	30	8	11	7	4	—	—	—	—								
4 Scarlet fever ...	M	2	—	1	—	1	—	—	—	—	2	—	1	—	1	—	—	—	—								
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—								
5 Whooping cough ...	M	26	10	7	8	1	—	—	—	—	8	3	2	2	1	—	—	—	—								
	F	28	10	8	9	1	—	—	—	—	18	10	4	3	1	—	—	—	—								
6 Diphtheria and croup ...	M	12	2	2	3	5	—	—	—	—	17	—	—	7	9	1	—	—	—								
	F	32	1	2	13	14	2	—	—	—	11	—	1	2	8	—	—	—	—								
7 Influenza ...	M	26	2	—	2	4	3	3	7	5	35	2	—	1	3	4	11	9	5								
	F	37	1	3	2	4	3	10	8	6	24	—	2	—	2	4	5	9	2								
8 Erysipelas ...	M	3	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	1	1								
	F	4	—	—	—	—	—	1	1	2	5	1	—	—	—	—	1	2	1								
9 Pulmonary tuberculosis	M	99	2	1	2	3	21	38	28	4	73	1	1	1	2	14	31	21	2								
	F	88	—	—	4	4	28	35	15	2	74	1	—	—	2	27	30	12	2								
10 Tuberculous meningitis	M	15	1	3	3	4	2	—	2	—	8	3	2	2	—	1	—	—	—								
	F	12	2	1	4	3	1	1	—	—	6	1	2	—	2	—	1	—	—								
11 Other tuberculous diseases.	M	22	5	3	3	2	1	3	5	—	24	4	3	2	3	5	4	1	2								
	F	21	3	—	1	4	1	4	7	1	19	—	2	2	—	3	7	5	—								
12 Cancer, malignant disease	M	150	—	—	—	—	3	10	61	76	110	—	—	—	1	1	11	53	44								
	F	157	1	—	—	—	—	21	78	57	142	—	1	—	—	—	15	71	55								
13 Rheumatic fever ...	M	13	—	—	—	4	1	5	2	1	7	—	—	—	2	1	2	1	1								
	F	11	—	—	—	6	3	2	—	—	7	—	—	—	4	—	2	1	—								
14 Meningitis ...	M	12	4	2	4	2	—	—	—	—	11	3	1	4	2	1	—	—	—								
	F	7	1	2	2	—	1	1	—	—	7	—	2	1	3	—	1	—	—								
15 Organic heart disease ...	M	132	—	—	—	1	8	24	42	57	122	—	—	—	1	2	10	41	68								
	F	172	—	—	—	5	6	18	69	74	154	—	—	—	5	5	23	44	77								
16 Bronchitis ...	M	195	40	16	9	1	1	5	35	88	139	41	5	5	—	—	6	25	57								
	F	157	28	7	7	—	2	6	24	83	109	30	9	4	—	—	4	14	48								
17 Pneumonia (all forms)	M	176	45	24	26	10	3	27	27	14	139	37	16	14	13	5	17	25	12								
	F	135	29	28	23	12	6	14	10	13	104	27	17	13	6	2	12	14	13								
18 Other respiratory diseases	M	33	1	1	3	4	3	5	8	8	28	4	1	1	—	—	1	10	11								
	F	18	—	1	3	1	1	3	2	7	26	5	—	1	3	—	5	6	6								
19 Diarrhoea, &c. ...	M	46	25	2	2	1	—	3	7	6	43	33	2	1	1	—	2	2	2								
	F	18	14	1	1	1	—	—	—	1	37	23	3	3	2	—	1	1	4								
20 Appendicitis and typhlitis	M	13	—	—	1	2	2	4	2	2	5	—	—	—	2	—	1	1	1								
	F	7	—	—	—	3	1	1	2	—	8	—	—	—	3	1	2	2	—								
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	1	7	3	9	—	—	—	—	—	—	—	4								
	F	8	—	—	—	—	—	1	5	2	5	—	—	—	—	—	—	—	1								
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—								
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1								
22 Nephritis and Bright's disease.	M	42	—	—	1	1	3	4	16	17	38	1	—	—	—	2	3	19	13								
	F	52	1	—	—	2	2	11	22	14	40	—	—	—	5	1	6	15	13								
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	F	12	—	—	—	—	4	8	—	—	10	—	—	—	—	—	9	1	—								
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	F	24	—	—	—	—	5	18	1	—	21	—	—	—	—	2	19	—	—								
25 Congenital debility, &c.	M	149	147	1	—	—	1	—	—	—	129	128	—	1	—	—	—	—	—								
	F	136	134	—	1	1	—	—	—	—	110	109	—	—	1	—	—	—	—								
26 Violence, apart from suicide.	M	76	3	—	7	5	12	22	17	10	85	2	2	5	12	11	21	27	5								
	F	21	1	1	4	5	1	1	3	5	25	2	2	1	9	1	1	3	6								
27 Suicide ...	M	17	—	—	—	2	1	5	7	2	12	—	—	—	—	3	—	7	2								
	F	9	—	—	—	—	2	4	2	1	10	—	—	—	1	1	5	3	—								
28 Other defined diseases ...	M	536	92	7	5	13	10	38	111	260	469	80	11	5	13	14	17	73	256								
	F	489	53	7	10	15	9	27	117	251	465	55	4	7	8	10	33	86	262								
29 Causes ill-defined or unknown.	M	22	1	—	1	1	1	3	7	8	14	2	1	—	2	—	1	5	3								
	F	14	—	1	1	—	—	1	8	3	17	—	1	—	1	—	4	8	3								

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DEVON—1920 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	1,300	127	13	25	53	55	114	308	605	1,259	121	14	13	32	39	125	295	620
		F	1,450	99	12	15	47	45	160	295	777	1,283	101	13	21	42	55	120	250	681
1	Enteric fever	M	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	—	2	1	1	—	—	—	—	2	1	—	—	1	—	—	—	—
		F	6	3	1	1	1	—	—	—	—	2	—	1	1	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	7	6	—	—	1	—	—	—	—
		F	7	4	1	1	1	—	—	—	—	6	4	—	2	—	—	—	—	—
6	Diphtheria and croup	M	23	1	1	7	14	—	—	—	—	3	—	—	—	2	1	—	—	—
		F	18	—	—	6	10	1	—	1	—	14	1	—	4	7	2	—	—	—
7	Influenza	M	28	1	1	2	2	1	5	5	11	27	1	—	—	—	1	4	11	10
		F	24	—	1	—	1	2	5	6	9	21	2	—	—	—	3	6	3	7
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1
		F	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	108	—	—	—	2	27	40	34	5	79	—	—	—	1	13	42	17	6
		F	116	—	—	—	1	29	54	27	5	93	—	—	—	6	23	36	18	10
10	Tuberculous meningitis	M	8	—	—	1	5	—	1	1	—	3	—	1	1	—	—	1	—	—
		F	5	—	1	—	2	1	1	—	—	7	2	—	1	2	2	—	—	—
11	Other tuberculous diseases.	M	7	1	1	—	1	1	3	—	—	19	1	2	1	2	2	9	1	1
		F	19	1	—	—	3	2	4	4	5	15	1	—	1	2	4	2	3	2
12	Cancer, malignant disease	M	131	—	—	—	—	—	8	51	72	134	—	—	1	—	1	5	50	77
		F	187	—	1	—	—	1	11	81	93	145	—	—	—	—	9	56	80	80
13	Rheumatic fever	M	4	—	—	—	3	—	1	—	—	6	—	—	—	2	2	1	1	—
		F	6	—	—	—	4	—	1	—	1	5	—	—	—	4	—	—	—	1
14	Meningitis	M	6	1	2	1	2	—	—	—	—	8	—	2	2	—	1	1	2	—
		F	5	1	—	1	1	—	1	1	—	5	—	1	2	—	1	1	—	—
15	Organic heart disease	M	161	—	—	—	3	6	4	47	101	151	—	—	—	1	—	9	40	101
		F	208	—	—	—	2	3	7	47	149	196	—	—	—	2	—	5	35	154
16	Bronchitis	M	87	7	1	1	—	—	1	14	63	70	9	2	—	—	1	—	4	54
		F	92	6	2	—	1	—	2	6	75	75	9	3	2	—	—	—	7	54
17	Pneumonia (all forms)	M	61	14	3	2	—	3	10	14	15	59	10	4	2	2	3	3	19	16
		F	48	9	2	2	—	1	10	7	17	38	2	2	3	6	3	3	8	11
18	Other respiratory diseases	M	25	2	—	4	2	1	3	6	7	10	1	—	—	—	—	1	1	7
		F	13	—	—	—	—	—	1	2	10	12	—	—	1	—	—	1	5	5
19	Diarrhoea, &c.	M	20	13	1	—	1	—	—	1	4	22	11	—	—	—	—	—	5	6
		F	15	5	—	2	—	—	2	1	5	10	2	1	—	—	—	—	2	5
20	Appendicitis and typhlitis	M	8	—	—	1	5	1	1	—	—	6	—	—	—	1	1	2	1	1
		F	7	—	—	—	5	1	—	1	—	11	—	—	—	4	4	1	1	1
21	Cirrhosis of liver	M	6	—	—	—	—	—	—	3	3	4	—	—	—	—	—	—	3	1
		F	5	—	—	—	—	—	—	4	1	3	—	—	—	—	—	1	1	1
21a	Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	45	—	—	—	—	1	4	16	24	40	—	—	—	—	—	7	17	16
		F	36	—	—	—	3	—	4	12	17	31	—	—	—	—	1	2	12	16
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	6	—	—	—	—	1	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	10	—	—	15	—	—	—	—	1	14	—	—
25	Congenital debility, &c.	M	46	45	—	—	—	—	1	—	—	53	50	—	1	2	—	—	—	—
		F	54	51	—	—	—	1	2	—	—	54	53	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	36	4	—	1	3	4	5	11	8	50	3	1	2	7	3	9	14	11
		F	19	2	1	1	—	—	—	5	10	26	3	1	1	5	1	3	6	6
27	Suicide	M	14	—	—	—	—	—	2	5	7	22	—	—	—	—	1	5	12	4
		F	4	—	—	—	—	—	1	3	—	6	—	—	—	—	—	3	3	—
28	Other defined diseases	M	460	36	—	4	9	8	25	96	282	469	27	1	1	10	9	25	93	303
		F	528	17	2	1	10	1	38	83	376	475	21	3	1	3	9	27	85	326
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	3	2	9	1	—	2	—	—	—	2	4
		F	6	—	—	—	—	1	—	3	2	10	1	1	—	—	—	1	5	2

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DORSET—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	623	86	4	6	20	19	71	158	259	597	66	6	8	13	29	64	131	280		
	F	717	77	11	10	17	26	66	153	357	629	50	4	7	12	36	76	127	317		
1 Enteric fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	—	1	—	—	1	—	—	4	1	1	2	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	3	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	8	5	1	2	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	6	1	—	1	3	—	1	—	—		
7 Influenza	M	8	1	—	—	—	1	—	2	4	15	—	—	—	—	1	3	7	4		
	F	13	—	—	—	1	1	1	3	7	20	1	—	—	—	2	8	1	8		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	40	—	—	—	3	9	20	7	1	42	—	—	—	1	8	17	15	1		
	F	43	—	—	—	1	11	14	13	4	41	—	—	—	1	15	17	7	1		
10 Tuberculous meningitis	M	4	2	—	—	2	—	—	—	—	4	2	1	—	—	1	—	—	—		
	F	5	3	1	—	1	—	—	—	—	4	—	—	1	3	—	—	—	—		
11 Other tuberculous diseases.	M	11	1	—	—	2	2	4	—	2	9	—	—	—	3	1	2	3	—		
	F	11	1	—	—	1	2	3	3	1	1	—	—	—	—	—	1	—	—		
12 Cancer, malignant disease	M	73	—	—	—	—	1	4	33	35	60	—	—	—	—	1	1	24	34		
	F	91	—	—	—	—	—	8	40	43	76	—	—	—	—	—	9	32	35		
13 Rheumatic fever	M	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	1	1	—	—	—		
14 Meningitis	M	3	2	—	—	—	—	1	—	—	4	—	1	1	—	1	—	—	—		
	F	4	1	1	1	1	—	—	—	—	4	—	—	—	1	1	1	1	—		
15 Organic heart disease	M	76	—	—	—	—	—	4	23	49	75	—	—	—	1	1	1	18	54		
	F	96	—	—	—	1	3	5	19	68	101	—	—	—	—	—	4	26	71		
16 Bronchitis	M	31	5	1	—	1	—	1	4	19	27	4	—	—	—	—	1	—	22		
	F	42	6	—	—	1	—	—	4	31	22	3	—	—	—	1	—	1	17		
17 Pneumonia (all forms)	M	26	5	—	—	1	2	4	9	5	22	5	1	1	—	2	4	4	5		
	F	31	6	4	1	3	1	4	4	8	22	6	3	1	—	—	2	4	6		
18 Other respiratory diseases	M	10	2	—	—	—	1	1	3	3	7	1	—	—	—	—	1	—	5		
	F	11	1	—	—	2	—	1	1	6	4	—	—	—	—	—	—	1	3		
19 Diarrhoea, &c.	M	13	7	—	—	1	—	1	1	3	10	3	1	—	—	—	—	3	3		
	F	13	5	2	1	—	—	2	2	1	4	—	—	—	—	—	1	1	2		
20 Appendicitis and typhlitis	M	3	—	—	—	—	—	1	—	2	4	—	—	—	2	1	—	1	—		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	1	1	1	1		
21 Cirrhosis of liver	M	6	—	—	—	—	—	—	4	2	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	—	3	7	3	15	—	—	—	1	—	—	4	10		
	F	23	—	—	—	1	2	2	10	8	10	—	—	—	—	2	1	2	5		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	8	—	—	—	—	5	2	1	—		
25 Congenital debility, &c.	M	45	45	—	—	—	—	—	—	—	30	29	—	—	1	—	—	—	—		
	F	37	36	—	1	—	—	—	—	—	31	30	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	22	1	—	3	2	3	6	5	2	31	—	—	—	3	3	16	5	4		
	F	8	—	—	1	—	—	3	1	3	12	—	—	2	2	—	—	1	7		
27 Suicide	M	9	—	—	—	—	—	3	4	2	8	—	—	—	—	—	1	5	2		
	F	4	—	—	—	—	—	1	2	1	5	—	—	—	—	—	3	1	1		
28 Other defined diseases	M	217	13	2	—	4	—	16	55	127	214	19	1	2	—	7	14	38	133		
	F	256	11	2	1	2	4	16	47	173	236	7	1	1	—	7	20	43	157		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	4	1	—	—	—	—	—	1	2		
	F	3	1	—	—	—	—	—	2	—	7	—	—	—	—	—	—	3	3		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DURHAM—1920 (Civilian Population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	3,888	984	189	172	188	199	424	796	936	3,105	882	147	141	173	156	314	555	737		
				F	3,320	789	176	184	207	175	411	580	798	2,700	669	132	125	188	127	375	477	607		
1 Enteric fever	{	M	2	—	—	—	—	—	1	1	—	11	—	—	—	2	1	5	3	—		
				F	—	—	—	—	—	—	—	—	—	9	—	—	—	1	3	4	1	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	61	9	30	15	6	1	—	—	—	52	15	17	15	5	—	—	—	—		
				F	52	15	13	21	3	—	—	—	—	55	14	15	19	6	—	1	—	—		
4 Scarlet fever	{	M	21	—	1	8	12	—	—	—	—	29	1	3	10	13	2	—	—	—		
				F	27	1	—	10	14	1	1	—	—	35	3	3	8	19	2	—	—	—		
5 Whooping cough	{	M	48	27	12	7	2	—	—	—	—	21	10	6	3	2	—	—	—	—		
				F	44	19	12	12	—	—	—	—	1	18	10	6	2	—	—	—	—	—		
6 Diphtheria and croup	{	M	46	2	5	19	19	1	—	—	—	36	—	2	14	19	1	—	—	—		
				F	59	1	2	26	27	2	1	—	—	37	—	2	13	22	—	—	—	—		
7 Influenza	{	M	77	3	1	4	1	10	16	26	16	79	7	1	4	11	7	17	16	16		
				F	51	2	—	1	6	5	19	8	10	71	1	3	2	5	11	27	10	12		
8 Erysipelas	{	M	8	1	—	—	—	—	1	2	4	2	—	—	—	—	—	1	1	—		
				F	9	2	—	—	—	—	2	4	1	4	3	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	{	M	240	3	2	8	13	50	89	62	13	148	1	—	6	9	35	61	29	7		
				F	233	2	2	1	36	65	83	38	6	185	1	1	3	22	40	90	27	1		
0 Tuberculous meningitis	{	M	44	9	6	13	9	5	2	—	—	27	8	2	5	9	2	—	1	—		
				F	36	6	7	11	7	2	1	2	—	19	1	3	4	9	1	1	—	—		
1 Other tuberculous diseases.	{	M	61	10	9	11	10	8	8	2	3	42	9	2	9	5	8	5	4	—		
				F	54	8	10	5	12	8	9	1	1	28	2	1	4	6	3	8	4	—		
2 Cancer, malignant disease	{	M	206	—	—	1	—	2	15	111	77	148	—	—	1	2	1	14	75	55		
				F	238	—	—	—	—	1	34	110	93	155	—	—	—	—	1	17	85	52		
3 Rheumatic fever	{	M	17	—	—	—	5	3	3	4	2	10	—	—	—	3	3	3	1	—		
				F	19	—	—	—	7	3	5	4	—	20	—	—	—	5	5	6	4	—		
4 Meningitis	{	M	28	7	4	7	1	5	3	1	—	26	9	4	3	6	—	3	—	1		
				F	30	5	3	9	10	1	2	—	—	22	3	1	2	7	5	3	1	—		
5 Organic heart disease	{	M	295	—	—	1	11	8	35	114	126	212	—	—	1	6	8	25	64	108		
				F	298	—	—	1	5	13	41	101	137	235	—	—	1	11	12	25	83	103		
6 Bronchitis	{	M	380	117	27	11	4	—	15	69	137	248	104	13	3	5	3	7	31	82		
				F	309	96	25	7	2	2	11	35	131	208	77	12	6	6	—	9	31	67		
7 Pneumonia (all forms)	{	M	445	135	52	29	27	27	52	76	47	322	98	40	23	13	26	47	48	27		
				F	336	101	65	32	22	13	28	44	31	241	60	32	30	16	10	33	33	27		
8 Other respiratory diseases	{	M	63	2	3	3	4	2	10	17	22	50	10	4	5	3	2	4	14	8		
				F	53	7	2	6	5	5	7	9	12	27	2	2	6	2	1	1	6	7		
9 Diarrhoea, &c.	{	M	149	95	16	4	6	3	10	9	6	146	97	24	3	1	2	7	8	4		
				F	137	93	16	3	9	3	1	2	10	121	71	17	5	16	2	2	2	6		
0 Appendicitis and typhlitis	{	M	13	—	—	—	5	4	2	2	—	11	—	—	—	3	2	—	5	1		
				F	13	—	—	—	3	5	4	1	—	5	—	—	—	3	1	1	—	—		
1 Cirrhosis of liver	{	M	16	—	—	—	—	—	5	8	3	19	—	—	—	—	—	1	10	8		
				F	4	—	—	—	—	—	—	2	2	7	—	—	—	—	—	2	5	—		
1A Alcoholism	{	M	3	—	—	—	—	—	1	2	—	5	—	—	—	—	—	1	4	—		
				F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Nephritis and Bright's disease.	{	M	75	—	1	5	4	3	17	26	19	69	1	3	3	6	—	11	29	16		
				F	75	1	—	6	7	2	18	30	11	74	1	5	4	8	4	19	23	10		
3 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	19	—	—	—	—	7	12	—	—	21	—	—	—	—	6	14	1	—		
4 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	42	—	—	—	—	8	34	—	—	43	—	—	—	—	6	36	1	—		
5 Congenital debility, &c.	{	M	378	376	—	2	—	—	—	—	—	329	325	—	3	—	—	1	—	—		
				F	301	297	2	2	—	—	—	—	—	295	292	1	—	2	—	—	—	—		
6 Violence, apart from suicide.	{	M	194	3	3	8	19	31	62	49	19	181	2	8	12	22	29	39	49	20		
				F	48	3	1	13	9	4	4	8	6	35	3	3	7	8	1	5	2	6		
7 Suicide	{	M	24	—	—	—	—	—	6	15	3	27	—	—	—	1	2	7	13	4		
				F	8	—	—	—	—	3	3	1	1	6	—	—	—	—	—	6	—	—		
8 Other defined diseases	{	M	962	184	15	14	27	36	65	187	434	830	184	14	18	23	22	51	140	378		
				F	806	130	15	16	23	21	87	173	341	708	124	22	8	14	13	62	150	315		
9 Causes ill-defined or unknown.	{	M	32	1	2	2	3	—	6	13	5	25	1	4	—	4	—	4	10	2		
				F	18	—	1	2	—	1	3	7	4	16	1	3	1	—	—	2	8	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ELY, ISLE OF—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	246	45	4	3	11	10	25	44	104	206	34	5	2	4	8	20	32	101		
	F	238	23	5	4	10	13	21	49	113	181	22	3	5	6	9	19	32	85		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	2	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	4	3	1	—	—	—	—	—	—	5	3	2	—	—	—	—	—	—		
	F	5	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	9	—	1	—	2	1	3	1	1	4	—	—	—	1	—	—	2	1		
	F	6	—	—	1	—	—	1	1	3	2	—	—	—	—	—	1	1	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	14	—	—	—	—	5	7	2	—	7	—	—	—	—	1	3	3	—		
	F	17	—	—	—	2	8	4	2	1	15	—	—	—	2	2	8	3	—		
10 Tuberculous meningitis	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	1	—	—		
	F	3	1	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
12 Cancer, malignant disease	M	34	—	—	—	1	—	1	16	16	24	—	—	—	—	—	1	8	15		
	F	43	—	1	—	—	—	2	18	22	15	—	—	—	—	—	5	—	10		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
15 Organic heart disease ...	M	20	—	—	—	1	—	2	3	14	17	—	—	—	—	1	2	2	12		
	F	17	—	—	—	—	—	—	5	12	24	—	—	—	—	—	—	7	17		
16 Bronchitis ...	M	18	2	—	—	1	—	—	—	15	12	1	—	—	1	—	1	1	8		
	F	15	3	—	—	—	—	—	2	10	8	2	—	—	—	—	—	1	5		
17 Pneumonia (all forms)	M	22	7	1	—	1	—	1	5	7	14	3	—	—	—	—	4	2	5		
	F	10	2	—	1	2	—	1	2	2	14	3	1	2	—	—	1	2	5		
18 Other respiratory diseases	M	5	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	1	2		
	F	5	—	—	—	—	—	—	3	2	2	—	—	—	—	—	—	1	1		
19 Diarrhoea, &c. ...	M	3	2	—	—	—	—	1	—	—	8	5	—	—	—	—	1	—	2		
	F	4	2	—	1	1	—	—	—	—	4	4	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	1		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	4	—	—	—	—	—	1	1	2	6	—	—	—	—	—	—	3	3		
	F	3	—	—	—	—	1	—	1	1	7	—	—	—	—	—	—	—	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	3	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	1	—	—	2	—	1	1	3	8	—	—	2	1	1	2	1	1		
	F	3	—	—	1	—	1	—	1	—	2	—	1	—	—	—	—	1	—		
27 Suicide ...	M	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	68	9	1	—	—	2	5	8	43	70	4	1	—	—	4	3	8	50		
	F	85	3	1	—	2	1	7	13	58	58	1	1	1	1	3	4	10	37		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	1	—	1	1	4	1	—	—	—	—	—	1	2		
	F	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
ESSEX—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	3,342	529	83	87	148	149	420	862	1064	1,517	190	20	24	51	51	137	311	733		
	F	3,159	386	72	103	146	157	400	663	1232	1,431	137	21	17	44	39	130	276	767		
1 Enteric fever ...	M	4	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	1	—	—	1	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	—	1	—	4	1	—	—	—	2	—	1	—		
3 Measles ...	M	29	2	14	4	8	1	—	—	—	9	3	2	2	2	—	—	—	—		
	F	34	2	12	12	6	—	2	—	—	7	1	1	1	4	—	—	—	—		
4 Scarlet fever ...	M	10	—	1	5	2	2	—	—	—	3	1	—	1	1	—	—	—	—		
	F	8	1	—	2	2	3	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	32	15	10	6	1	—	—	—	—	9	4	2	1	2	—	—	—	—		
	F	43	15	13	13	2	—	—	—	—	11	10	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	73	2	5	26	39	1	—	—	—	16	—	1	8	6	1	—	—	—		
	F	56	1	3	20	27	3	1	1	—	10	—	1	3	6	—	—	—	—		
7 Influenza ...	M	106	4	3	1	5	10	30	37	16	25	1	2	—	2	1	6	10	3		
	F	96	3	1	2	3	8	37	23	19	24	—	—	—	1	1	4	9	9		
8 Erysipelas ...	M	7	—	—	—	—	2	1	1	3	2	1	—	—	—	—	—	—	1		
	F	11	3	—	—	—	—	2	3	3	3	—	—	—	1	1	—	—	1		
9 Pulmonary tuberculosis	M	222	5	—	1	5	44	92	69	6	83	—	—	1	2	12	43	19	6		
	F	207	4	4	2	12	54	85	40	6	61	—	—	—	2	15	24	15	5		
10 Tuberculous meningitis	M	31	5	2	6	11	5	2	—	—	6	2	—	—	2	1	—	1	—		
	F	25	3	3	6	5	3	5	—	—	7	1	2	—	3	—	—	1	—		
11 Other tuberculous diseases.	M	35	2	2	4	7	4	5	8	3	19	1	3	1	2	1	10	1	—		
	F	37	1	2	5	3	2	15	6	3	14	—	1	1	—	3	7	2	—		
12 Cancer, malignant disease	M	323	—	1	—	1	1	26	157	137	167	—	—	—	—	1	8	60	98		
	F	343	—	—	1	2	1	36	167	136	183	—	—	—	1	—	5	80	97		
13 Rheumatic fever ...	M	28	—	—	—	8	6	7	7	—	5	—	—	—	3	1	1	—	—		
	F	14	—	—	—	4	5	3	2	—	7	—	—	1	2	2	1	—	—		
14 Meningitis ...	M	18	3	3	3	4	2	1	2	—	5	2	—	—	1	1	1	—	—		
	F	10	4	1	1	4	—	—	—	—	8	2	1	—	1	1	—	1	2		
15 Organic heart disease ...	M	348	—	1	1	12	8	33	119	174	166	—	—	—	2	6	12	41	105		
	F	365	—	—	1	10	19	33	106	196	194	—	—	—	1	—	9	45	139		
16 Bronchitis ...	M	243	54	6	—	1	1	10	47	124	92	17	2	1	1	1	1	11	58		
	F	213	27	3	3	3	—	3	34	140	110	11	1	1	—	—	2	12	83		
17 Pneumonia (all forms)	M	256	52	25	13	7	11	58	62	28	57	16	3	2	4	1	7	14	10		
	F	184	43	18	10	13	7	18	39	36	51	9	8	—	3	1	5	11	14		
18 Other respiratory diseases	M	53	1	1	4	2	1	9	19	16	28	1	—	1	1	—	1	12	12		
	F	41	3	—	1	2	—	5	17	13	13	—	1	1	—	—	2	3	6		
19 Diarrhoea, &c. ...	M	64	47	2	3	—	1	1	7	3	19	10	3	1	—	—	1	2	2		
	F	50	31	4	—	1	3	3	3	5	10	5	—	—	—	—	1	1	3		
20 Appendicitis and typhlitis	M	24	—	—	1	7	5	2	5	4	10	1	—	—	3	2	2	2	—		
	F	16	—	—	3	6	2	3	2	—	9	—	—	2	1	—	5	—	1		
21 Cirrhosis of liver ...	M	14	—	—	—	—	—	1	7	6	10	—	—	—	—	—	2	3	5		
	F	9	—	—	—	—	—	2	3	4	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	97	1	—	3	—	5	9	37	42	29	—	—	—	1	2	3	10	13		
	F	90	1	2	1	3	3	17	31	32	29	—	—	1	1	—	6	10	11		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	27	—	—	—	—	5	21	1	—	7	—	—	—	—	2	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	27	—	—	—	—	5	22	—	—	16	—	—	—	—	2	14	—	—		
25 Congenital debility, &c.	M	218	218	—	—	—	—	—	—	—	95	91	—	—	2	—	1	1	—		
	F	173	172	—	1	—	—	—	—	—	75	72	—	1	2	—	—	—	—		
26 Violence, apart from suicide.	M	128	5	3	2	11	18	41	27	21	46	1	2	1	7	7	7	9	12		
	F	48	2	—	8	6	2	6	7	17	20	—	—	1	2	3	3	2	9		
27 Suicide ...	M	33	—	—	—	—	3	3	19	8	13	—	—	—	—	—	4	5	4		
	F	19	—	—	—	—	2	8	7	2	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	939	113	4	4	16	17	87	227	471	586	37	—	4	6	13	24	105	397		
	F	1,004	69	6	10	30	29	73	168	619	543	25	2	2	12	6	35	76	385		
29 Causes ill-defined or unknown.	M	5	—	—	—	1	—	—	3	1	14	1	—	—	1	—	2	4	6		
	F	4	1	—	1	—	—	—	2	—	9	—	2	1	—	—	—	6	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
GLOUCESTER—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	586	74	13	12	27	23	60	143	234	1,351	173	19	25	36	56	141	313	588		
	F	659	64	8	5	14	23	58	134	353	1,324	121	20	30	37	71	152	252	641		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	10	2	4	1	3	—	—	—	—	10	1	2	3	3	—	—	—	1		
	F	6	2	—	3	—	1	—	—	—	18	4	5	5	2	1	1	—	—		
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	M	3	—	1	2	—	—	—	—	—	8	5	—	3	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	7	4	1	2	—	—	—	—	—		
6 Diphtheria and croup	M	5	—	—	2	2	1	—	—	—	7	—	1	2	3	1	—	—	—		
	F	6	1	1	—	4	—	—	—	—	9	—	—	2	6	1	—	—	—		
7 Influenza	M	12	—	—	—	3	—	5	2	2	31	2	—	1	2	2	9	5	10		
	F	10	—	—	—	—	1	1	—	8	22	1	—	1	1	3	6	7	3		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2		
	F	2	—	—	—	—	—	1	1	—	4	2	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	38	—	—	1	—	8	18	11	—	83	1	—	1	1	18	44	15	3		
	F	42	—	1	—	1	9	19	12	—	81	—	—	—	3	23	40	12	3		
10 Tuberculous meningitis	M	8	—	2	2	2	2	—	—	—	7	1	—	—	5	1	—	—	—		
	F	3	1	1	—	—	—	—	1	—	13	1	—	2	4	4	2	—	—		
11 Other tuberculous diseases.	M	5	1	—	—	—	1	1	1	1	16	1	—	1	1	7	5	—	1		
	F	7	—	—	—	—	5	—	2	—	15	1	—	1	—	5	5	2	1		
12 Cancer, malignant disease	M	50	—	—	—	—	—	1	21	28	128	—	—	—	1	—	12	47	68		
	F	82	—	—	—	1	—	2	36	43	149	—	—	—	—	—	14	63	72		
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	4	—	—	—	—	—	3	1	—		
	F	4	—	—	—	—	2	1	1	—	5	—	—	—	1	2	—	1	—		
14 Meningitis	M	2	—	—	—	—	1	—	—	1	9	1	5	2	—	—	1	—	—		
	F	2	—	—	1	—	—	—	—	1	7	2	—	—	1	3	—	1	—		
15 Organic heart disease ...	M	70	—	—	—	2	3	4	26	35	165	—	—	1	2	3	6	58	95		
	F	97	—	—	—	1	1	6	20	69	207	—	—	1	2	2	13	48	141		
16 Bronchitis	M	29	9	—	—	—	—	1	2	17	80	15	1	—	—	1	1	9	53		
	F	49	9	2	—	—	—	2	4	32	84	5	3	—	2	—	—	6	68		
17 Pneumonia (all forms)...	M	42	6	1	—	1	—	11	10	13	77	12	6	4	3	5	14	23	10		
	F	25	5	3	—	1	1	1	4	10	52	10	4	5	3	1	8	9	12		
18 Other respiratory diseases	M	9	1	—	—	3	—	1	3	1	29	4	2	—	—	1	3	8	11		
	F	14	1	—	—	—	—	1	4	8	22	3	—	1	3	1	4	4	6		
19 Diarrhoea, &c.	M	9	5	1	1	—	—	—	1	1	18	8	—	—	—	—	1	4	5		
	F	12	5	—	1	—	—	1	—	5	16	4	1	1	1	1	—	—	8		
20 Appendicitis and typhlitis	M	4	—	—	—	1	—	1	2	—	6	—	—	1	3	—	—	1	—		
	F	5	—	—	—	1	—	3	1	—	5	—	—	—	1	1	1	2	—		
21 Cirrhosis of liver	M	3	—	—	—	—	—	1	2	—	12	—	—	—	—	—	2	7	3		
	F	5	—	—	—	—	—	2	2	1	3	—	—	—	—	—	—	2	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	22	—	—	—	—	1	1	13	7	44	—	—	—	—	2	3	16	23		
	F	19	—	—	—	—	1	2	5	11	30	—	—	—	—	2	6	12	10		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	9	—	—	—	—	3	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	16	—	—	—	—	1	14	1	—		
25 Congenital debility, &c.	M	33	32	—	1	—	—	—	—	—	92	89	—	1	—	2	—	—	—		
	F	28	28	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	20	1	1	1	2	2	3	8	2	59	2	1	2	7	7	10	19	11		
	F	11	—	—	—	2	—	1	4	4	18	1	—	4	1	2	3	1	6		
27 Suicide	M	4	—	—	—	—	—	2	1	1	12	—	—	—	—	—	4	4	4		
	F	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	4	2	1		
28 Other defined diseases ...	M	265	17	3	1	6	3	10	40	125	442	31	1	3	4	6	23	90	284		
	F	220	11	—	—	1	1	11	36	160	459	21	6	4	6	15	23	77	307		
29 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	4	3		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
HEREFORD—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	239	35	6	4	10	13	25	56	90	509	70	6	5	11	21	35	115	246
	F	267	21	4	6	5	8	27	54	142	426	38	4	6	13	17	59	78	211
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	5	1	2	—	2	—	—	—	—	3	1	—	1	—	1	—	—	—
	F	2	—	—	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	4	4	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	4	2	—	2	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—
7 Influenza ...	M	1	—	—	—	—	—	1	—	—	8	—	—	—	—	—	2	3	3
	F	4	—	—	—	—	—	—	3	1	2	—	—	—	—	1	—	—	1
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	15	—	—	—	1	4	5	4	1	36	—	—	—	1	6	14	11	4
	F	16	1	—	1	—	3	6	5	—	30	1	—	1	1	6	15	5	1
0 Tuberculous meningitis	M	5	—	1	1	—	3	—	—	—	2	—	—	—	1	1	—	—	—
	F	3	—	—	1	—	—	2	—	—	1	—	1	—	—	—	—	—	—
1 Other tuberculous diseases.	M	2	—	—	—	—	1	1	—	—	2	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	2	—	—	—	7	—	—	—	2	1	3	—	1
2 Cancer, malignant disease	M	20	—	—	—	—	—	—	10	10	39	—	—	—	—	—	1	15	23
	F	29	—	—	—	—	—	2	8	19	47	—	—	—	—	—	6	14	27
Rheumatic fever ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1
4 Meningitis ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—
5 Organic heart disease ...	M	27	—	—	—	—	1	3	6	17	71	—	—	—	1	—	2	20	48
	F	52	—	—	—	1	1	5	10	35	66	—	—	—	—	1	2	15	48
6 Bronchitis ...	M	28	7	—	1	1	—	—	4	15	34	5	—	—	—	—	—	3	26
	F	31	3	1	1	—	—	—	4	22	30	1	1	—	—	—	3	3	22
7 Pneumonia (all forms)...	M	18	4	2	—	3	—	2	5	2	29	4	3	1	—	1	6	7	7
	F	9	1	2	—	1	—	1	2	2	14	2	—	—	1	1	3	2	5
8 Other respiratory diseases	M	4	—	—	—	1	2	—	—	1	4	—	—	—	—	1	—	3	—
	F	3	1	—	—	—	—	—	2	—	9	—	—	1	—	—	1	2	5
9 Diarrhoea, &c. ...	M	4	2	—	—	—	—	2	—	—	4	3	—	—	—	—	—	1	—
	F	6	3	—	—	—	—	—	—	3	2	1	—	—	—	—	—	1	—
0 Appendicitis and typhlitis	M	3	—	—	—	—	—	1	1	1	4	—	—	1	—	2	—	1	—
	F	1	—	—	1	—	—	—	—	—	3	—	—	—	1	1	—	—	1
1 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
1A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Nephritis and Bright's disease.	M	8	—	—	—	—	1	2	2	3	14	—	—	—	—	—	—	6	8
	F	6	—	—	—	—	—	2	1	3	11	—	—	—	—	—	—	4	7
3 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	4	—	—
5 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—
	F	9	8	—	—	—	1	—	—	—	22	21	—	—	—	1	—	—	—
6 Violence, apart from suicide.	M	7	—	—	—	—	1	3	2	1	25	2	1	—	2	2	4	10	4
	F	4	—	—	—	—	—	2	1	1	6	—	—	—	—	2	1	1	2
7 Suicide ...	M	6	—	—	—	—	—	2	3	1	5	—	—	—	—	1	1	1	2
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
8 Other defined diseases ...	M	63	6	1	1	1	—	3	13	38	173	14	2	1	2	4	3	31	116
	F	78	4	—	—	—	1	1	17	55	152	10	1	—	5	3	16	28	89
9 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	6	1	—	—	—	—	—	2	3
	F	1	—	1	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
HERTFORD—1920 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.																										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																			
ALL CAUSES ...		M	1,088	135	11	23	40	56	120	269	434	486	58	6	11	21	20	53	110	207	F	1,134	115	10	12	43	34	134	245	541	526	45	7	12	16	14	66	121	245
1 Enteric fever ...		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...		M	4	1	—	2	—	1	—	—	—	7	1	1	2	3	—	—	—	—	F	8	1	3	1	1	2	—	—	—	6	1	—	2	2	—	1	—	
4 Scarlet fever ...		M	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...		M	5	3	1	1	—	—	—	—	—	5	4	1	—	—	—	—	—	F	8	5	2	—	—	—	—	—	—	4	2	1	1	—	—	—	—		
6 Diphtheria and croup ...		M	9	—	—	5	4	—	—	—	—	3	—	—	—	3	—	—	—	F	12	—	—	1	10	1	—	—	—	8	—	1	1	3	2	1	—	—	
7 Influenza ...		M	16	—	—	1	1	2	5	3	4	6	—	—	—	—	1	—	4	1	F	26	1	—	1	—	2	7	6	9	11	1	—	3	—	2	—	3	2
8 Erysipelas ...		M	3	1	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis		M	107	—	1	1	3	27	38	30	7	25	—	—	—	—	4	11	8	2	F	63	—	—	—	7	16	28	10	2	33	—	—	3	5	21	3	1	
10 Tuberculous meningitis		M	9	1	3	1	3	1	—	—	—	7	—	1	2	4	—	—	—	F	3	—	1	—	2	—	—	—	—	4	1	1	—	2	—	—	—		
11 Other tuberculous diseases.		M	15	5	—	—	2	1	5	2	—	9	—	—	1	2	2	3	1	F	14	1	—	—	—	5	4	1	3	9	1	—	—	1	—	4	2	1	
12 Cancer, malignant disease		M	123	—	—	—	—	—	8	57	58	49	—	—	—	—	1	1	21	26	F	181	—	—	—	—	15	91	75	71	—	—	1	—	2	7	31	30	
13 Rheumatic fever ...		M	10	—	—	—	4	3	1	2	—	1	—	—	—	—	—	—	—	F	8	—	—	—	3	—	1	3	1	2	—	—	—	—	1	1	—	1	
14 Meningitis ...		M	6	1	1	1	2	—	1	—	—	1	—	1	—	—	—	—	—	F	6	4	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—		
15 Organic heart disease ...		M	132	—	—	—	1	3	12	39	77	62	—	—	—	—	1	5	14	42	F	173	—	—	1	—	1	10	37	124	79	—	—	—	1	2	24	51	
16 Bronchitis ...		M	71	14	—	—	—	—	—	9	48	26	4	—	—	—	—	—	2	20	F	71	14	—	1	—	—	1	7	48	31	—	—	1	—	4	26		
17 Pneumonia (all forms)		M	64	13	2	1	6	1	6	21	14	25	6	1	3	1	1	6	3	4	F	47	13	4	3	3	—	4	2	18	17	4	1	1	—	1	3	6	
18 Other respiratory diseases		M	16	1	—	—	—	—	5	6	4	5	1	—	—	—	1	—	—	4	F	12	1	—	1	—	—	1	1	8	4	—	—	—	—	—	—	4	
19 Diarrhoea, &c. ...		M	20	10	—	1	1	—	1	4	3	9	5	1	—	—	—	—	1	2	F	16	7	—	—	2	—	3	2	2	5	3	—	—	—	—	1	1	
20 Appendicitis and typhlitis		M	10	—	—	4	1	1	1	3	—	1	—	—	—	—	1	—	—	—	F	9	—	—	—	4	—	2	2	1	1	—	—	—	—	1	—		
21 Cirrhosis of liver ...		M	5	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	1	—	F	4	—	—	—	—	—	—	1	3	1	—	—	—	—	1	—		
21a Alcoholism ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	27	1	—	1	2	1	5	9	8	17	—	—	—	1	1	1	9	5	F	24	—	—	—	1	—	6	11	6	14	—	—	—	—	1	8	5	
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	9	—	—	—	—	—	1	8	—	3	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	10	—	—	—	—	—	10	—	—	5	—	—	—	—	5	—	—		
25 Congenital debility, &c.		M	62	62	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	F	53	53	—	—	—	—	—	—	—	21	19	2	—	—	—	—	—	—	
26 Violence, apart from suicide.		M	37	—	—	2	6	3	8	11	7	19	1	—	1	1	1	6	7	F	22	2	—	1	1	1	3	2	12	8	1	—	—	1	—	2	—	4	
27 Suicide ...		M	13	—	—	—	—	2	4	5	2	7	—	—	—	—	—	3	4	F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—		
28 Other defined diseases ...		M	319	22	3	2	3	10	18	63	198	162	5	—	1	5	6	16	29	100	F	345	13	—	1	6	4	28	65	228	179	12	2	2	2	16	32	113	
29 Causes ill-defined or unknown.		M	4	—	—	—	—	—	1	3	—	4	1	—	—	—	—	—	3	—	F	5	—	—	—	—	—	1	3	1	7	—	1	—	—	5	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HUNTINGDON—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	139	16	2	6	6	6	9	29	65	191	30	—	1	4	8	12	50	86		
	F	159	15	—	3	9	11	24	32	65	215	23	2	4	5	5	13	31	132		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	8	—	1	4	3	—	—	—	—	3	—	—	—	2	1	—	—	—		
	F	5	—	—	1	4	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	2	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	5	—	—	—	—	2	3	—	—	11	—	—	—	1	4	3	3	—		
	F	11	—	—	—	—	4	3	1	3	14	1	—	—	2	4	5	1	1		
0 Tuberculous meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—		
	F	10	—	—	—	—	5	3	1	1	1	—	—	—	—	—	—	—	1		
2 Cancer, malignant disease	M	12	—	—	—	—	—	—	6	6	25	—	—	—	—	—	1	16	8		
	F	12	—	—	—	—	—	2	6	4	31	—	—	—	—	1	2	9	19		
3 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
4 Meningitis ...	M	1	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Organic heart disease ...	M	20	—	—	—	—	1	1	6	12	21	—	—	—	—	—	1	5	15		
	F	16	—	—	—	—	—	2	4	10	36	—	—	—	—	—	1	7	28		
6 Bronchitis ...	M	9	—	1	1	—	—	—	1	6	13	3	—	—	1	—	—	1	8		
	F	9	1	—	—	—	—	1	1	6	12	3	—	—	—	—	—	—	9		
7 Pneumonia (all forms)...	M	4	2	—	—	1	—	—	—	1	5	1	—	1	—	—	—	—	3		
	F	10	1	—	1	—	—	4	1	3	4	1	2	—	—	—	—	—	1		
8 Other respiratory diseases	M	3	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	1	1		
9 Diarrhoea, &c. ...	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
0 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
1 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
2A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	2	—	3	3	—	—	—	—	—	—	2	1		
	F	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	—	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	19	18	—	—	—	1	—	—	—		
	F	11	11	—	—	—	—	—	—	—	14	13	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	9	—	—	—	1	2	2	3	1	4	—	—	—	—	—	—	2	2		
	F	2	—	—	—	—	1	—	1	—	3	—	—	1	—	—	—	1	1		
27 Suicide ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	47	4	—	—	—	—	1	9	33	71	7	—	—	—	1	3	14	46		
	F	57	2	—	1	2	—	6	10	36	88	4	—	—	1	—	5	12	66		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
KENT—1920 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,064	632	90	120	157	178	481	948	1,458	1,722	217	28	34	58	72	189	334	790		
	F	4,115	443	83	87	182	176	501	851	1,792	1,676	184	26	36	55	70	185	342	778		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	—	2	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	35	3	9	16	7	—	—	—	—	12	2	4	3	2	—	1	—	—		
	F	36	6	14	8	8	—	—	—	—	12	1	4	5	2	—	—	—	—		
4 Scarlet fever ...	M	3	1	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	6	—	1	2	1	1	—	1	—	3	—	1	1	1	—	—	—	—		
5 Whooping cough ...	M	29	14	7	6	2	—	—	—	—	10	6	2	2	—	—	—	—	—		
	F	42	17	8	15	2	—	—	—	—	16	8	5	2	—	—	1	—	—		
6 Diphtheria and croup ...	M	64	3	3	19	36	3	—	—	—	17	1	—	2	10	3	1	—	—		
	F	63	3	2	15	39	2	1	1	—	13	—	1	3	8	—	1	—	—		
7 Influenza ...	M	59	2	2	1	7	5	17	12	13	23	1	1	—	1	2	6	6	6		
	F	74	—	1	2	4	10	12	22	23	18	—	—	1	1	3	2	5	6		
8 Erysipelas ...	M	3	1	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	2		
	F	9	1	—	—	—	2	1	2	3	6	3	—	—	1	1	—	—	1		
9 Pulmonary tuberculosis	M	321	6	1	1	8	55	145	84	21	119	—	—	1	5	29	55	26	3		
	F	294	2	—	4	26	82	116	55	9	102	1	—	3	9	24	42	19	4		
10 Tuberculous meningitis	M	33	7	8	6	9	1	1	1	—	9	2	2	1	3	1	—	—	—		
	F	36	6	6	4	15	2	2	1	—	13	—	2	4	6	—	1	—	—		
11 Other tuberculous diseases	M	66	9	3	8	10	6	14	13	3	20	2	—	1	3	1	7	6	—		
	F	56	2	4	3	11	9	12	12	3	17	—	—	3	1	2	6	2	3		
12 Cancer, malignant disease	M	412	—	—	1	3	5	28	170	205	192	—	—	—	—	1	16	74	101		
	F	517	—	—	—	—	3	56	215	243	228	—	—	—	1	—	21	105	101		
13 Rheumatic fever ...	M	18	—	—	1	5	2	4	4	2	2	—	—	—	1	—	1	—	—		
	F	17	—	—	1	7	1	5	1	2	9	—	—	—	3	3	3	—	—		
14 Meningitis ...	M	28	5	6	5	7	3	—	2	—	7	2	1	—	—	—	1	3	—		
	F	18	4	2	3	3	1	3	2	—	7	3	1	—	—	2	—	—	1		
15 Organic heart disease ...	M	440	—	—	2	2	7	36	153	240	200	—	—	1	1	4	15	40	139		
	F	485	1	—	—	10	7	39	107	321	211	—	—	—	4	2	14	47	144		
16 Bronchitis ...	M	248	53	4	5	2	—	4	40	140	100	11	3	1	—	—	2	13	70		
	F	297	41	4	3	3	—	4	33	209	92	11	1	2	—	—	—	11	67		
17 Pneumonia (all forms)	M	292	58	28	27	10	14	41	63	51	95	23	3	7	2	5	14	19	22		
	F	214	45	19	9	7	7	34	36	57	89	14	6	8	2	8	5	12	34		
18 Other respiratory diseases	M	53	4	2	2	4	4	5	13	19	31	1	1	1	2	—	2	9	15		
	F	50	3	2	2	2	—	10	11	20	15	—	—	—	—	1	5	5	9		
19 Diarrhoea, &c. ...	M	89	56	3	3	3	1	5	10	8	19	12	2	—	1	—	1	—	3		
	F	61	33	4	2	—	—	3	8	11	20	12	1	—	—	—	1	1	5		
20 Appendicitis and typhlitis	M	29	—	—	1	4	6	10	6	2	14	—	—	1	5	1	5	2	—		
	F	26	—	—	3	7	2	7	4	3	12	—	1	1	1	—	8	1	—		
21 Cirrhosis of liver ...	M	21	—	—	—	—	—	3	8	10	7	—	—	—	—	—	—	6	1		
	F	22	—	—	—	—	—	3	12	7	8	—	—	—	—	—	1	4	3		
21A Alcoholism ...	M	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	112	—	—	—	1	6	7	40	58	50	—	—	—	2	1	6	13	28		
	F	111	—	—	—	3	4	11	40	53	49	—	—	—	1	3	5	12	28		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	27	—	—	—	—	5	22	—	—	9	—	—	—	—	1	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	51	—	—	—	—	10	41	—	—	21	—	—	—	—	5	16	—	—		
25 Congenital debility, &c.	M	278	277	—	—	—	—	1	—	—	110	108	2	—	—	—	—	—	—		
	F	189	183	—	2	1	3	—	—	—	103	102	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	141	13	2	8	10	22	37	35	14	66	4	2	4	6	11	16	9	14		
	F	60	7	1	—	11	1	10	9	21	30	2	—	2	3	1	3	6	13		
27 Suicide ...	M	57	—	—	—	—	2	17	26	12	32	—	—	—	1	1	11	11	8		
	F	21	—	—	—	—	2	7	9	3	6	—	—	—	—	—	—	5	1		
28 Other defined diseases ...	M	1,213	119	10	7	26	35	102	256	658	570	41	5	9	11	11	24	94	375		
	F	1,302	88	14	8	22	22	101	252	795	557	26	3	—	11	14	45	102	356		
29 Causes ill-defined or unknown	M	16	1	2	—	—	—	3	8	2	8	1	—	—	—	—	3	1	3		
	F	26	1	1	1	—	—	—	14	9	10	1	—	—	—	—	2	5	2		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LANCASTER—1920 (Civilian Population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	9,730	1888	326	292	402	383	1189	2638	2612	1,382	198	27	29	66	58	165	360	479		
			F	9,528	1394	273	282	377	433	1238	2250	3281	1,401	154	28	39	67	57	180	288	588		
1	Enteric fever	...	M	28	—	—	—	—	6	14	8	—	2	—	—	—	—	—	1	1	—		
			F	20	—	—	—	4	7	4	4	1	2	—	—	—	—	—	1	1	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	152	47	49	41	15	—	—	—	—	13	3	4	1	5	—	—	—	—		
			F	151	32	56	49	14	—	—	—	—	15	3	3	6	2	—	1	—	—		
4	Scarlet fever	...	M	24	—	3	6	12	3	—	—	—	3	—	1	—	1	1	—	—	—		
			F	25	—	—	10	11	3	1	—	—	1	—	—	—	1	—	—	—	—		
5	Whooping cough	...	M	63	34	15	12	2	—	—	—	—	6	6	—	—	—	—	—	—	—		
			F	82	46	15	18	3	—	—	—	—	9	5	1	3	—	—	—	—	—		
6	Diphtheria and croup	...	M	86	3	9	37	34	—	3	—	—	13	—	—	3	9	1	—	—	—		
			F	88	2	10	28	43	3	2	—	—	15	2	—	2	10	—	—	—	1		
7	Influenza	...	M	258	16	4	7	19	21	65	84	42	31	—	—	—	2	3	10	12	4		
			F	223	7	3	7	7	18	69	49	63	46	—	—	1	2	7	10	17	9		
8	Erysipelas	...	M	22	4	—	1	—	1	3	10	3	2	—	—	—	—	—	1	—	1		
			F	19	2	—	—	—	—	1	9	7	3	—	—	—	—	—	1	1	1		
9	Pulmonary tuberculosis		M	646	3	2	3	19	99	263	233	24	83	3	—	2	2	17	29	24	6		
			F	524	1	7	5	23	149	232	97	10	70	1	—	—	5	17	25	17	5		
10	Tuberculous meningitis		M	63	14	9	15	18	3	2	2	—	9	2	2	2	3	—	—	—	—		
			F	55	11	11	12	14	3	3	1	—	11	1	—	2	6	1	1	—	—		
11	Other tuberculous diseases.		M	117	13	9	13	28	17	18	16	3	13	—	1	—	2	—	6	3	1		
			F	111	5	7	7	19	24	26	19	4	17	—	—	2	—	3	3	6	3		
12	Cancer, malignant disease		M	731	—	1	2	2	2	60	411	253	96	—	—	—	1	—	9	52	34		
			F	914	—	1	—	—	2	96	481	334	139	—	—	2	—	—	17	62	58		
13	Rheumatic fever	...	M	59	1	—	1	22	9	15	8	3	7	—	—	—	2	2	3	—	—		
			F	66	—	—	—	22	15	16	9	4	7	—	—	—	—	3	2	1	1		
14	Meningitis	...	M	73	19	8	11	12	9	9	3	2	9	4	—	1	2	1	1	—	—		
			F	69	23	6	11	12	8	5	4	—	14	5	1	1	3	2	—	2	—		
15	Organic heart disease	...	M	806	1	—	—	15	30	109	310	341	137	—	—	1	1	2	11	40	82		
			F	1,030	2	—	1	20	40	122	363	482	168	—	—	—	5	2	17	42	102		
16	Bronchitis	...	M	920	208	24	15	6	1	33	221	412	99	15	2	1	2	—	1	23	55		
			F	979	151	19	21	8	4	33	193	550	120	14	8	2	—	—	3	12	81		
17	Pneumonia (all forms)...		M	900	205	105	55	46	28	143	217	101	123	28	8	4	2	5	22	36	18		
			F	714	168	79	56	48	16	102	122	123	78	13	5	4	6	6	13	14	17		
18	Other respiratory diseases		M	112	10	6	8	7	1	14	46	20	21	2	—	3	—	2	4	8	2		
			F	105	8	5	10	6	2	13	23	38	17	—	—	2	4	—	2	3	6		
19	Diarrhoea, &c.	...	M	340	224	27	14	5	5	21	24	20	29	13	—	1	2	2	—	3	8		
			F	251	149	17	13	7	3	14	15	33	28	10	1	1	—	—	2	6	8		
20	Appendicitis and typhlitis		M	50	—	—	1	12	13	9	12	3	12	—	1	1	5	—	1	3	1		
			F	51	—	—	1	17	7	13	11	2	11	—	—	—	2	1	6	1	1		
21	Cirrhosis of liver	...	M	40	—	—	1	2	—	6	18	13	8	—	—	—	—	—	—	4	4		
			F	13	—	—	—	1	1	4	6	1	3	—	—	—	—	—	1	1	1		
21A	Alcoholism	...	M	5	—	—	—	—	—	1	3	1	1	—	—	—	—	—	1	—	—		
			F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		M	306	2	1	4	7	7	58	141	86	45	1	—	—	—	1	7	21	15		
			F	258	1	2	1	13	8	51	109	73	31	—	1	—	—	4	4	14	8		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	70	—	—	—	—	16	54	—	—	11	—	—	—	—	1	10	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	97	—	—	—	—	18	78	1	—	20	—	—	—	—	2	18	—	—		
25	Congenital debility, &c.		M	723	716	3	2	1	1	—	—	—	74	—	—	—	1	—	—	—	—		
			F	551	547	—	1	1	2	—	—	—	69	68	—	1	—	—	—	—	—		
26	Violence, apart from suicide.		M	454	14	9	19	52	62	112	126	60	67	1	3	2	8	6	21	18	8		
			F	138	9	3	10	17	8	15	35	41	32	2	3	5	9	1	3	3	6		
27	Suicide	...	M	106	—	—	—	—	6	26	58	16	14	—	—	—	—	—	4	9	1		
			F	56	—	—	—	—	6	23	20	7	6	—	—	—	—	3	2	1	—		
28	Other defined diseases	...	M	2,577	351	41	23	63	57	199	648	1195	449	47	3	6	16	15	30	98	234		
			F	2,808	227	26	18	66	69	255	654	1493	441	27	5	4	12	3	35	78	277		
29	Causes ill-defined or unknown.		M	69	3	1	1	3	2	6	39	14	16	—	2	1	—	—	3	5	5		
			F	57	3	6	3	1	1	6	23	14	17	3	—	1	—	1	3	6	3		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LEICESTER—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	614	121	23	25	31	23	60	128	203	827	122	20	25	42	23	71	173	351		
	F	579	75	21	29	33	43	62	119	197	840	90	11	21	33	35	103	147	400		
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	26	2	10	7	7	—	—	—	—	13	—	5	6	2	—	—	—	—		
	F	14	4	7	1	2	—	—	—	—	11	3	3	2	2	—	1	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	—	4	6	—	—	—	—	14	—	1	4	8	1	—	—	—		
	F	15	—	1	6	8	—	—	—	—	11	—	—	5	5	—	—	1	—		
7 Influenza ...	M	15	—	—	1	—	2	7	4	1	23	3	1	1	2	1	4	4	7		
	F	10	—	—	1	2	—	2	2	3	13	—	—	1	—	1	5	3	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	35	2	1	1	1	8	13	8	1	37	1	1	1	—	11	14	8	1		
	F	46	—	—	—	1	25	14	6	—	45	—	—	—	11	23	8	3	—		
10 Tuberculous meningitis	M	1	—	—	—	—	1	—	—	—	6	—	—	2	2	—	—	—	—		
	F	10	1	1	5	1	2	—	—	—	7	1	2	—	3	—	1	—	—		
11 Other tuberculous diseases.	M	11	5	—	1	—	1	3	1	—	8	1	—	—	1	1	1	3	1		
	F	8	2	—	1	1	2	1	—	1	20	—	—	3	2	5	5	5	—		
12 Cancer, malignant disease	M	50	—	—	—	1	—	4	24	21	86	—	—	—	—	—	5	39	42		
	F	60	—	1	—	—	1	3	26	29	101	—	—	—	—	—	13	32	56		
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	—	1	2	—	—	—	2	—	—	—	—		
	F	4	—	—	—	1	1	1	—	1	8	—	—	—	1	1	2	3	1		
14 Meningitis ...	M	2	1	—	—	—	—	—	—	1	7	—	2	—	3	1	—	1	—		
	F	2	—	—	—	—	—	1	1	—	5	1	—	1	—	1	—	—	1		
15 Organic heart disease ...	M	67	—	—	—	2	3	7	12	43	89	—	—	—	1	—	5	23	60		
	F	69	—	—	—	2	—	3	28	36	117	—	—	—	1	3	9	26	78		
16 Bronchitis ...	M	53	16	1	3	—	—	1	9	23	46	11	3	3	1	—	1	3	24		
	F	39	6	2	3	1	—	—	4	23	51	6	1	2	—	1	—	4	37		
17 Pneumonia (all forms)	M	53	15	5	5	5	1	7	10	5	38	7	4	2	4	—	3	7	11		
	F	33	5	2	5	5	1	4	7	4	31	10	4	2	2	1	1	3	8		
18 Other respiratory diseases	M	8	1	1	—	1	—	1	2	2	10	2	—	1	2	—	1	1	3		
	F	5	2	1	—	—	—	—	—	2	10	—	—	1	—	2	1	4	2		
19 Diarrhoea, &c. ...	M	15	13	—	—	—	—	1	1	—	15	7	—	—	1	—	2	—	5		
	F	8	2	1	2	—	1	—	—	2	13	4	—	—	2	—	—	2	5		
20 Appendicitis and typhlitis	M	5	—	—	—	3	—	1	1	—	5	—	1	—	—	2	—	2	—		
	F	3	—	—	—	1	—	2	—	—	7	—	—	—	2	1	2	1	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	1	3	2		
	F	2	—	—	—	1	—	—	—	1	3	—	—	—	—	—	1	2	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	1	1	—	—	1	1	4	6	18	—	—	—	1	—	1	7	9		
	F	14	—	—	—	—	—	4	3	7	16	—	—	—	—	—	3	4	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	8	—	—	—	—	—	7	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	40	40	—	—	—	—	—	—	—	63	62	—	—	—	1	—	—	—		
	F	36	34	—	—	1	—	1	—	—	49	49	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	19	1	—	1	1	1	2	6	7	34	3	—	—	5	2	9	10	5		
	F	11	1	1	1	2	1	1	2	2	16	3	—	1	4	1	2	1	4		
27 Suicide ...	M	6	—	—	—	—	—	—	1	5	11	—	—	—	—	—	—	7	4		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1		
28 Other defined diseases ...	M	165	23	3	1	2	5	10	34	87	282	22	1	5	6	3	21	49	175		
	F	174	17	3	3	3	5	20	37	86	275	11	1	1	7	5	19	44	187		
29 Causes ill-defined or unknown.	M	9	1	—	—	—	—	—	5	3	7	—	—	—	—	—	—	5	2		
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	1	2	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN (PARTS OF HOLLAND)—1920 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.															
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—								
ALL CAUSES	M	254	46	5	11	11	8	32	48	93	288	42	9	5	9	17	22	45	139								
			F	233	34	13	1	7	12	25	39	102	249	36	9	4	8	14	31	43	104								
1	Enteric fever	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—								
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—								
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
3	Measles	...	M	11	2	2	3	4	—	—	—	—	4	—	1	2	1	—	—	—	—								
			F	10	3	7	—	—	—	—	—	—	6	3	3	—	—	—	—	—	—								
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—								
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—								
5	Whooping cough	...	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—								
			F	3	2	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—								
6	Diphtheria and croup	...	M	5	1	—	2	2	—	—	—	—	2	—	—	1	—	1	—	—	—								
			F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—								
7	Influenza	...	M	9	—	—	—	—	—	2	2	5	9	—	—	—	1	2	2	—	4								
			F	3	—	—	—	—	1	1	1	—	6	—	—	—	—	1	—	2	3								
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
			F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—								
9	Pulmonary tuberculosis	...	M	20	—	—	—	—	2	8	9	1	21	—	—	—	1	7	8	5	—								
			F	17	—	—	—	3	6	7	1	—	23	—	—	—	—	7	11	3	2								
10	Tuberculous meningitis	...	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—								
			F	3	—	—	—	2	1	—	—	—	4	1	—	—	2	1	—	—	—								
11	Other tuberculous diseases.	...	M	5	—	—	—	1	1	2	1	—	4	—	1	—	—	2	1	—	—								
			F	3	—	—	—	—	1	1	1	—	4	—	—	—	2	—	1	1	—								
12	Cancer, malignant disease	...	M	17	—	—	—	—	—	3	8	6	30	—	—	—	—	—	—	12	18								
			F	30	—	—	—	—	—	3	15	12	37	—	—	—	—	—	4	12	21								
13	Rheumatic fever	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—								
			F	1	—	—	—	—	—	—	—	1	3	—	—	—	1	2	—	—	—								
14	Meningitis	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—								
			F	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—								
15	Organic heart disease	...	M	20	—	—	—	—	1	2	3	14	37	—	—	1	1	1	3	7	24								
			F	28	—	—	—	—	—	1	10	17	18	—	—	—	—	—	2	5	11								
16	Bronchitis	...	M	11	5	—	—	—	—	—	1	5	14	1	1	—	—	—	—	1	11								
			F	6	2	—	—	—	—	—	—	4	13	2	3	—	—	—	—	—	8								
17	Pneumonia (all forms)...	...	M	19	4	1	1	—	1	3	4	5	6	2	1	—	—	—	1	—	2								
			F	7	3	2	—	—	—	—	—	2	12	3	—	2	1	—	1	3	2								
18	Other respiratory diseases	...	M	3	—	—	—	1	—	—	—	2	3	1	1	—	—	—	—	—	1								
			F	2	1	—	—	—	—	—	1	—	3	1	—	—	—	—	—	1	1								
19	Diarrhoea, &c.	...	M	11	5	1	2	—	—	—	—	3	3	2	—	—	—	—	—	1	—								
			F	7	6	—	—	—	—	—	—	1	7	5	1	—	—	—	—	—	1								
20	Appendicitis and typhlitis	...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—								
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—								
21	Cirrhosis of liver	...	M	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	3	1								
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1								
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
22	Nephritis and Bright's disease.	...	M	4	—	—	1	—	—	—	1	2	5	—	—	—	—	—	1	3	1								
			F	3	—	—	—	—	—	—	1	—	6	—	—	—	—	—	2	2	2								
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
			F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—								
24	Parturition, apart from puerperal fever.	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
			F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—								
25	Congenital debility, &c.	...	M	23	22	—	1	—	—	—	—	—	26	26	—	—	—	—	—	—	—								
			F	8	8	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—								
26	Violence, apart from suicide.	...	M	9	1	—	1	1	2	1	3	—	6	—	1	1	1	—	1	1	1								
			F	4	—	—	—	1	—	—	—	3	2	—	—	—	—	—	—	1	1								
27	Suicide	...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2	—								
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
28	Other defined diseases	...	M	80	6	—	—	1	1	11	13	48	99	6	2	—	3	2	3	8	75								
			F	85	8	2	—	1	—	6	10	58	82	7	2	—	1	2	6	13	51								
29	Causes ill-defined or unknown.	...	M	2	—	1	—	—	—	—	1	—	3	—	1	—	—	—	1	1	—								
			F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—								

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN (PARTS OF KESTEVEN)—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	269	44	9	11	8	16	24	59	98	401	64	4	8	12	16	27	87	183		
	F	234	26	5	10	9	6	30	44	104	416	45	6	6	23	19	35	62	220		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	11	2	2	6	1	—	—	—	—	7	1	—	3	2	—	1	—	—		
	F	4	1	2	1	—	—	—	—	—	7	1	2	2	2	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	2	2	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	3	—	1	1	—	—	1	—	—	7	5	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	5	—	—	1	3	—	—	1	—		
	F	5	—	—	2	3	—	—	—	—	5	—	—	—	4	1	—	—	—		
7 Influenza	M	3	—	—	—	—	1	—	2	—	10	—	1	—	—	—	2	5	2		
	F	1	—	—	1	—	—	—	—	—	4	—	—	1	—	—	1	2	—		
8 Erysipelas	M	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	22	—	1	1	1	5	9	4	1	10	—	—	—	—	4	6	—	—		
	F	9	1	—	—	—	—	6	2	—	29	—	—	—	5	11	7	5	1		
10 Tuberculous meningitis	M	3	—	1	1	—	—	—	1	—	4	—	—	—	1	1	1	1	—		
	F	7	—	1	1	3	1	1	—	—	6	—	—	—	5	1	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
12 Cancer, malignant disease	M	16	—	—	—	1	—	—	3	12	40	—	—	1	—	1	—	18	20		
	F	26	—	—	—	—	—	3	11	12	45	—	—	—	—	—	4	14	27		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	3	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	29	—	—	—	—	2	3	11	13	37	—	—	—	—	—	2	8	27		
	F	20	—	—	—	—	—	1	4	15	56	—	—	—	1	—	1	9	45		
16 Bronchitis	M	23	6	1	1	—	—	—	5	10	27	6	1	—	—	—	—	3	17		
	F	24	1	—	1	—	—	—	3	19	28	1	—	1	1	—	—	3	22		
17 Pneumonia (all forms)...	M	10	3	—	1	—	1	1	2	2	27	6	1	—	1	1	4	5	9		
	F	9	3	—	—	—	—	3	—	3	23	7	—	—	2	—	4	4	6		
18 Other respiratory diseases	M	4	—	—	—	—	—	—	3	1	5	1	—	—	1	—	—	1	2		
	F	1	—	—	—	—	—	—	—	1	6	—	—	—	—	—	2	2	2		
19 Diarrhoea, &c.	M	2	1	—	—	—	—	1	—	—	5	2	—	—	—	—	2	—	1		
	F	2	—	—	—	—	—	1	—	1	7	3	1	1	1	—	—	1	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	3	—	—	—	—	—	—	1	2		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	3	2	10	—	1	—	—	—	—	4	5		
	F	7	—	—	—	—	—	—	4	3	5	—	—	—	—	—	—	1	4		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	23	23	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—		
	F	15	15	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	—	1	—	2	2	1	—	1	19	—	—	1	3	1	2	10	2		
	F	5	—	1	1	—	—	—	1	1	5	—	1	—	—	—	—	—	4		
27 Suicide	M	3	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	4	—		
	F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	93	5	3	—	1	4	8	19	53	141	14	—	2	—	3	5	23	94		
	F	78	5	—	2	2	2	5	13	49	150	7	—	—	2	4	9	20	108		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN (PARTS OF LINDSEY)—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	774	142	25	22	40	35	93	181	236	806	140	25	14	33	26	72	135	361		
	F	704	92	20	32	32	41	90	119	278	821	90	18	18	32	49	85	162	367		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	1	—	—	1	2	—	—	1	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	1	6	1	5	—	—	—	—	11	1	4	3	2	—	1	—	—		
	F	11	4	1	3	3	—	—	—	—	11	1	3	3	4	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough ...	M	7	4	2	1	—	—	—	—	—	6	4	2	—	—	—	—	—	—		
	F	8	5	1	2	—	—	—	—	—	11	4	4	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	1	2	3	3	1	—	—	—	7	—	1	2	4	—	—	—	—		
	F	12	1	—	6	4	—	—	—	1	11	1	—	4	4	—	1	1	—		
7 Influenza ...	M	23	3	2	—	—	1	6	6	5	17	2	—	1	—	1	2	6	5		
	F	13	—	1	—	—	—	2	4	6	21	1	1	—	3	2	1	3	10		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	65	1	—	2	2	17	27	12	4	35	—	1	1	—	5	23	5	—		
	F	61	—	1	3	7	17	25	5	3	71	1	1	—	3	20	25	18	3		
10 Tuberculous meningitis	M	9	1	1	2	2	1	2	—	—	7	—	1	—	5	1	—	—	—		
	F	8	1	—	1	4	—	2	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	10	1	1	1	3	2	2	—	—	9	—	—	2	1	—	4	1	1		
	F	11	1	1	—	4	1	1	3	—	11	—	1	—	1	5	2	2	—		
12 Cancer, malignant disease	M	46	—	—	—	—	—	5	21	20	70	—	—	—	—	1	5	23	41		
	F	65	—	—	—	—	—	11	30	24	106	—	—	—	—	—	7	51	48		
13 Rheumatic fever ...	M	6	—	—	—	2	1	1	2	—	5	—	—	2	—	1	1	1	—		
	F	9	—	—	—	1	3	2	3	—	5	—	—	—	3	—	2	—	—		
14 Meningitis ...	M	5	2	—	—	2	—	1	—	—	3	—	1	—	1	1	—	—	—		
	F	5	1	1	—	1	1	1	—	—	7	—	—	1	2	2	—	1	1		
15 Organic heart disease ...	M	63	—	—	—	1	1	5	23	33	94	—	—	—	—	1	7	28	58		
	F	69	—	—	1	—	2	5	17	44	84	—	—	—	—	1	5	19	59		
16 Bronchitis ...	M	51	15	4	1	—	—	1	9	21	54	9	2	—	1	—	1	2	39		
	F	45	8	5	3	—	—	—	1	28	44	4	—	1	1	—	2	8	28		
17 Pneumonia (all forms)	M	65	17	5	5	3	1	8	16	10	39	10	2	1	5	—	6	7	8		
	F	41	9	5	7	—	2	6	4	8	22	4	2	1	—	2	2	2	9		
18 Other respiratory diseases	M	11	—	—	1	2	1	1	4	2	8	—	1	1	—	1	3	1	1		
	F	12	1	—	3	—	2	—	—	6	6	—	—	—	1	—	—	2	3		
19 Diarrhoea, &c. ...	M	23	16	—	—	1	—	1	2	3	10	3	1	—	—	1	1	1	3		
	F	18	12	1	—	1	—	—	1	3	9	2	—	1	—	1	1	—	4		
20 Appendicitis and typhlitis	M	5	—	—	—	2	1	1	—	1	3	—	—	—	2	1	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	1	1	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	2	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	1	—	—	1	—	1	6	9	17	—	—	—	—	—	1	5	11		
	F	7	—	—	—	—	—	1	2	4	13	—	—	—	—	2	4	4	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility, &c.	M	49	47	2	—	—	—	—	—	—	80	80	—	—	—	—	—	—	—		
	F	33	32	1	—	—	—	—	—	—	51	49	1	—	—	—	—	1	—		
26 Violence, apart from suicide.	M	50	3	—	4	7	5	11	11	9	38	—	3	—	5	6	5	10	9		
	F	17	—	1	—	—	4	2	2	8	17	2	3	1	1	2	1	2	5		
27 Suicide ...	M	5	—	—	—	—	—	1	3	1	4	—	—	—	—	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	235	29	—	1	4	2	18	65	116	281	31	6	1	7	5	11	39	181		
	F	238	17	1	2	7	7	18	44	142	292	21	2	2	7	9	15	43	193		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1		
	F	3	—	—	—	—	—	—	3	—	5	—	—	—	—	—	1	4	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX—1920 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	5,921	963	100	163	264	270	862	1530	1769	254	27	4	6	8	9	35	64	101	
			F	5,849	676	107	150	273	273	794	1260	2316	247	30	1	1	8	16	24	59	108	
1	Enteric fever	M	3	—	—	—	—	1	2	—	1	—	—	—	1	—	—	—	—	
			F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	68	16	16	23	13	—	—	—	1	—	1	—	—	—	—	—	—	
			F	42	11	14	10	7	—	—	—	—	1	—	1	—	—	—	—	—	—	
4	Scarlet fever	M	19	—	1	8	7	3	—	—	—	—	—	—	—	—	—	—	—	
			F	21	1	—	6	13	1	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough	M	41	22	9	7	3	—	—	—	—	1	1	—	—	—	—	—	—	
			F	47	19	16	11	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
6	Diphtheria and croup	M	111	1	5	40	59	4	1	1	3	—	—	2	1	—	—	—	—	
			F	128	4	3	32	83	4	—	—	—	2	—	—	—	2	—	—	—	—	
7	Influenza	M	119	2	3	1	5	9	43	34	2	—	—	—	—	—	1	—	1	
			F	129	2	—	3	5	16	51	27	25	5	—	—	—	—	—	1	3	1	
8	Erysipelas	M	12	2	1	—	—	2	1	6	—	—	—	—	—	—	—	—	—	
			F	8	2	—	—	—	—	2	2	2	1	—	—	—	—	—	—	1	—	
9	Pulmonary tuberculosis	{	M	517	3	3	1	5	81	256	152	16	11	—	—	—	—	3	3	5	—	
			F	436	3	—	—	18	107	208	82	18	10	—	—	—	—	9	—	1	—	
10	Tuberculous meningitis	{	M	43	4	5	7	17	6	4	—	—	—	—	—	—	—	—	—	—	—	
			F	44	10	7	6	15	4	2	—	—	1	—	—	—	1	—	—	—	—	
11	Other tuberculous diseases.	{	M	59	6	2	5	8	9	15	9	5	1	—	—	—	—	—	1	—	—	
			F	52	4	—	5	14	8	9	9	8	4	4	—	—	1	2	—	1	—	
12	Cancer, malignant disease	{	M	601	—	—	2	4	3	42	300	250	38	—	—	—	—	—	4	15	19	
			F	762	—	2	1	—	7	70	351	331	36	—	—	—	—	—	4	16	16	
13	Rheumatic fever	M	34	—	—	1	8	8	4	9	3	—	—	—	—	2	1	—	—	
		F	29	—	—	1	14	4	8	8	1	1	1	—	—	—	1	—	—	—	—	
14	Meningitis	M	32	13	1	3	6	2	4	3	3	2	—	—	—	—	1	—	—	
		F	17	5	3	2	3	2	—	—	1	1	1	—	—	—	1	—	—	—	—	
15	Organic heart disease	M	606	—	—	—	10	25	81	192	298	31	—	—	1	—	2	7	20	
		F	745	—	—	2	12	23	62	213	433	33	—	—	—	—	—	—	7	26	—	
16	Bronchitis	M	409	74	3	9	3	3	21	79	217	19	5	—	1	—	1	3	9	
		F	467	54	5	7	3	—	—	9	65	324	17	5	—	—	1	—	—	2	9	
17	Pneumonia (all forms)	{	M	446	114	34	23	10	16	78	109	62	13	2	1	1	—	1	4	3	1	
			F	353	78	28	27	17	11	64	62	66	13	4	—	—	—	1	2	1	5	
18	Other respiratory diseases	{	M	97	3	2	1	3	3	11	33	41	4	—	—	1	—	—	—	—	3	
			F	79	4	4	4	2	3	4	23	35	4	—	—	—	—	—	2	1	1	
19	Diarrhoea, &c.	M	130	90	4	—	1	1	7	15	12	5	2	—	—	—	1	2	—	
		F	90	57	5	4	1	1	7	8	7	—	—	—	—	—	—	—	—	—	—	
20	Appendicitis and typhlitis	{	M	51	—	—	3	19	11	8	7	3	1	—	—	—	1	—	—	—	—	
			F	41	—	—	5	15	9	5	5	3	4	—	—	—	—	—	—	—	—	
21	Cirrhosis of liver	M	45	—	—	—	—	3	33	9	1	—	—	—	—	—	1	—	—	
		F	14	—	—	—	—	—	—	2	10	2	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	M	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	172	2	—	2	6	6	31	71	54	7	—	—	—	—	1	1	4	1	
			F	139	—	—	4	2	5	28	48	52	15	—	—	—	—	1	3	7	4	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	48	—	—	—	—	9	39	—	—	—	1	—	—	—	—	1	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	67	—	—	—	—	10	55	2	—	2	—	—	—	—	—	2	—	—	—
25	Congenital debility, &c.	{	M	406	401	2	2	1	—	—	—	—	8	8	—	—	—	—	—	—	—	
			F	302	297	—	2	2	1	—	—	—	—	13	13	—	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	208	14	2	15	24	18	47	52	36	20	—	—	—	3	1	6	9	1	
			F	103	15	3	12	11	7	10	18	27	2	—	—	—	1	1	—	—	—	—
27	Suicide	M	65	—	—	—	3	21	30	11	5	—	—	—	—	—	3	2	—	
		F	24	—	—	—	—	4	10	8	2	1	—	—	—	—	—	—	1	—	—	
28	Other defined diseases	M	1,617	196	7	9	51	59	181	392	722	76	8	2	2	—	5	14	45	
		F	1,655	110	17	6	35	37	37	146	324	980	82	7	—	—	1	1	9	18	46	
29	Causes ill-defined or unknown.	{	M	6	—	—	1	1	—	—	3	1	1	—	—	—	—	—	—	—	1	
			F	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MONMOUTH—1920 (Civilian population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	2,054	477	117	119	103	116	255	438	429	274	39	10	11	10	7	31	63	103		
				F	1,796	395	98	130	105	102	232	317	417	255	36	7	10	6	10	32	55	99		
1	Enteric fever	M	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	86	23	28	30	5	—	—	—	—	4	—	2	2	—	—	—	—	—		
				F	95	21	33	33	8	—	—	—	—	5	—	1	3	1	—	—	—	—		
4	Scarlet fever	M	9	1	1	2	5	—	—	—	—	2	—	—	1	1	—	—	—	—		
				F	10	—	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M	14	7	4	3	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
				F	38	22	7	9	—	—	—	—	—	4	2	2	—	—	—	—	—	—		
6	Diphtheria and croup	M	28	3	4	13	8	—	—	—	—	4	—	—	3	1	—	—	—	—		
				F	32	1	3	12	15	1	—	—	—	2	—	—	1	—	1	—	—	—		
7	Influenza	M	68	5	2	4	2	5	18	21	11	5	—	—	—	—	—	2	3	—		
				F	38	6	1	4	1	7	5	10	4	8	—	—	—	—	—	1	2	5		
8	Erysipelas	M	6	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis			M	118	—	—	3	4	31	48	26	6	20	—	—	—	—	2	12	6	—		
				F	103	1	—	1	6	35	46	12	2	10	—	—	—	1	3	5	—	1		
10	Tuberculous meningitis			M	17	2	—	4	5	3	3	—	—	1	—	—	—	1	—	—	—	—		
				F	11	2	2	2	4	1	—	—	—	2	—	1	1	—	—	—	—	—		
11	Other tuberculous diseases.			M	23	2	1	2	7	6	4	1	—	1	—	1	—	—	—	—	—	—		
				F	15	2	—	—	3	4	4	2	—	1	—	—	—	1	—	—	—	—		
12	Cancer, malignant disease			M	104	—	—	—	—	1	6	62	35	27	—	—	—	—	—	—	12	15		
				F	127	—	—	—	1	—	15	67	44	27	—	—	1	—	—	2	16	8		
13	Rheumatic fever	M	16	—	—	1	6	3	2	3	1	2	—	—	—	1	—	1	—	—		
				F	12	—	1	1	3	2	4	—	1	3	—	—	—	2	—	1	—	—		
14	Meningitis	M	10	1	3	2	2	—	1	1	—	2	1	—	—	1	—	—	—	—		
				F	8	4	2	1	1	—	—	—	—	4	—	—	1	1	2	—	—	—		
15	Organic heart disease	M	148	—	—	—	8	7	18	65	50	36	—	—	—	—	1	5	12	18		
				F	145	—	—	—	6	9	30	49	51	25	—	—	—	—	—	—	10	15		
16	Bronchitis	M	201	52	16	5	2	3	10	34	79	22	4	3	—	1	—	—	3	11		
				F	152	51	11	8	3	1	1	26	51	10	2	—	1	—	—	—	2	5		
17	Pneumonia (all forms)...			M	195	54	41	16	10	15	18	27	14	18	3	4	1	—	2	1	4	3		
				F	141	43	18	19	7	1	16	13	24	17	5	1	1	—	1	2	3	4		
18	Other respiratory diseases			M	34	2	—	10	4	—	5	7	6	5	1	—	—	1	—	—	2	1		
				F	27	—	2	10	2	1	2	5	5	4	—	—	—	—	—	1	2	1		
19	Diarrhoea, &c.	M	57	36	6	2	1	—	1	5	6	9	4	—	—	—	—	—	3	2		
				F	53	31	4	5	4	—	2	5	2	2	1	—	—	—	—	1	—	—		
20	Appendicitis and typhlitis			M	12	—	—	—	3	2	4	2	1	—	—	—	—	—	—	—	—	—		
				F	10	—	—	—	4	3	2	1	—	2	—	—	—	—	—	1	1	—		
21	Cirrhosis of liver	M	10	—	—	—	1	—	1	6	2	1	—	—	—	—	—	—	—	1		
				F	5	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—		
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.			M	41	—	1	1	3	1	11	12	12	4	—	—	—	—	2	—	2	—		
				F	31	—	—	2	3	1	5	17	3	6	—	—	—	—	1	2	—	3		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	18	—	—	—	—	3	15	—	—	2	—	—	—	—	1	1	—	—		
24	Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	37	—	—	—	—	9	28	—	—	5	—	—	—	—	—	5	—	—		
25	Congenital debility, &c.			M	187	185	—	1	1	—	—	—	—	13	13	—	—	—	—	—	—	—		
				F	130	130	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26	Violence, apart from suicide.			M	149	4	3	8	8	23	46	39	18	18	2	—	2	2	1	6	4	1		
				F	33	3	1	6	7	4	4	3	5	6	1	1	1	—	—	1	2	—		
27	Suicide	M	11	—	—	—	—	—	3	8	—	—	—	—	—	—	—	—	—	—		
				F	6	—	—	—	2	1	1	2	—	1	—	—	—	—	—	1	—	—		
28	Other defined diseases	M	496	99	6	12	17	15	54	108	185	73	9	—	1	1	1	2	13	46		
				F	508	76	10	14	19	18	50	97	224	93	9	1	—	1	1	9	15	57		
29	Causes ill-defined or unknown.			M	10	1	1	—	—	—	1	5	2	3	—	—	—	—	—	—	—	3		
				F	8	2	1	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
NORFOLK—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	300	44	5	8	6	16	28	68	125	1,466	202	16	13	47	55	102	277	754		
	F	381	30	2	4	8	11	47	80	199	1,510	141	15	16	46	60	150	265	817		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	1	1	3	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	—	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	8	1	—	2	4	—	1	—	—		
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	10	6	3	1	—	—	—	—	—		
	F	3	3	—	—	—	—	—	—	—	10	5	2	1	2	—	—	—	—		
6 Diphtheria and croup	M	3	—	—	1	1	1	—	—	—	11	—	—	—	10	—	1	—	—		
	F	4	—	—	1	1	1	—	1	—	12	1	—	2	9	—	—	—	—		
7 Influenza	M	3	—	—	—	—	—	—	2	1	25	1	—	1	—	2	4	4	13		
	F	2	1	—	—	—	—	—	1	—	14	1	—	—	1	—	1	2	9		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	4	1	—	—	1	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
9 Pulmonary tuberculosis	M	23	—	—	—	1	7	7	6	2	74	—	—	1	2	19	23	25	4		
	F	27	—	1	—	2	6	11	3	4	92	2	—	—	3	27	41	13	6		
10 Tuberculous meningitis	M	6	1	1	—	3	1	—	—	—	11	1	1	1	3	2	2	1	—		
	F	1	—	—	—	1	—	—	—	—	5	—	—	1	4	—	—	—	—		
11 Other tuberculous dis- eases.	M	6	—	—	—	—	3	1	—	2	17	2	1	1	1	4	5	1	2		
	F	6	—	—	—	—	—	3	2	1	16	1	—	2	3	3	3	3	1		
12 Cancer, malignant disease	M	42	—	—	—	—	—	2	14	26	161	—	—	—	—	6	55	100	—		
	F	56	—	—	—	—	—	5	20	31	210	—	—	—	—	1	15	89	105		
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	5	—	—	—	1	1	2	1	—		
	F	2	—	—	—	—	1	1	—	—	5	—	—	—	—	3	—	1	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	6	3	1	—	—	1	—	—	1		
	F	—	—	—	—	—	—	—	—	—	12	—	1	1	4	3	1	2	—		
15 Organic heart disease	M	40	—	—	—	—	1	5	12	22	182	—	—	—	3	2	12	39	126		
	F	53	—	—	—	—	1	—	14	38	212	—	—	—	1	2	4	30	175		
16 Bronchitis	M	13	5	1	—	—	—	1	—	6	95	17	1	—	—	—	—	7	70		
	F	26	—	—	—	—	—	—	—	26	114	14	1	1	—	—	2	8	88		
17 Pneumonia (all forms)	M	16	5	1	2	—	—	1	3	4	50	10	2	2	3	3	—	12	18		
	F	16	5	1	1	—	—	2	5	2	40	6	2	1	1	1	12	7	10		
18 Other respiratory diseases	M	6	—	—	1	—	—	1	2	2	20	1	1	—	3	1	1	5	8		
	F	11	—	—	—	1	—	—	3	7	22	1	1	1	—	1	1	3	14		
19 Diarrhoea, &c.	M	3	2	—	—	—	—	—	1	—	16	12	—	—	—	—	1	—	3		
	F	4	1	—	1	—	—	—	—	2	21	4	2	—	—	—	2	6	7		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	8	—	—	—	2	1	1	3	1		
	F	1	—	—	—	—	1	—	—	—	7	—	—	1	2	1	1	1	1		
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	11	—	—	—	—	—	—	4	7		
	F	1	—	—	—	—	—	—	—	1	5	—	—	—	—	2	—	2	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	—	2	3	5	41	2	—	—	1	—	5	12	21		
	F	16	—	—	—	1	—	3	7	5	29	2	—	—	1	1	2	9	14		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	15	—	—	—	—	3	12	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	20	—	—	—	—	3	17	—	—		
25 Congenital debility, &c.	M	23	22	1	—	—	—	—	—	—	105	105	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	81	81	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	12	—	—	1	—	—	4	2	5	57	1	1	1	9	5	14	13	13		
	F	6	1	—	1	—	—	1	1	2	24	1	1	1	—	—	2	1	18		
27 Suicide	M	3	—	—	—	—	—	2	—	1	18	—	—	—	—	1	4	8	5		
	F	5	—	—	—	—	—	3	2	—	6	—	—	—	—	—	2	3	1		
28 Other defined diseases	M	80	7	1	—	1	1	2	22	46	516	35	2	3	6	12	20	80	358		
	F	118	3	—	—	1	1	12	21	80	507	19	4	2	7	7	27	77	364		
29 Causes ill-defined or un- known.	M	1	—	—	—	—	—	—	—	1	11	2	1	—	—	1	3	4	1		
	F	—	—	—	—	—	—	—	—	—	13	2	1	—	—	—	8	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHAMPTON—1920 (Civilian population only).

Causes of Death.	Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	532	83	10	19	17	21	72	115	195	683	91	8	13	15	32	73	123	328		
	F	486	55	8	17	12	28	63	90	213	692	64	10	11	23	25	69	125	365		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	1	—	7	2	—	—	—	—	6	1	2	—	2	—	—	—	1		
	F	3	2	—	1	—	—	—	—	—	5	—	1	2	1	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	3	2	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—		
	F	7	5	—	2	—	—	—	—	—	4	2	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	1	—	3	—	—	—	—	—	5	—	—	3	1	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	5	—	—	2	3	—	—	—	—		
7 Influenza ...	M	10	—	—	1	—	1	2	—	6	10	2	—	—	—	—	3	3	2		
	F	9	—	—	—	—	2	2	2	3	12	—	—	—	1	—	2	5	4		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	39	—	1	—	—	10	21	7	—	37	—	1	—	—	12	17	6	1		
	F	51	—	—	1	5	14	21	7	3	33	—	—	1	3	8	16	4	1		
10 Tuberculous meningitis	M	6	—	—	—	4	1	1	—	—	5	—	1	2	—	1	1	—	—		
	F	5	—	1	1	2	1	—	—	—	4	—	—	1	1	1	1	—	—		
11 Other tuberculous diseases.	M	3	—	—	1	1	—	1	—	—	8	—	—	—	—	2	3	—	3		
	F	7	1	—	3	—	1	1	—	1	6	—	—	—	4	—	1	—	1		
12 Cancer, malignant disease	M	57	—	—	—	—	—	3	28	26	52	—	—	—	—	1	1	26	24		
	F	64	—	—	—	—	—	3	33	28	96	—	—	—	—	—	5	36	55		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	4	1	—	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	1	—	1	1	—	—	5	1	1	—	—	1	1	1	—		
15 Organic heart disease ...	M	46	—	—	—	1	2	11	9	23	89	—	—	—	—	1	14	21	53		
	F	69	—	—	—	—	—	8	17	44	95	—	—	—	1	2	7	23	62		
16 Bronchitis ...	M	25	2	2	1	1	—	—	2	17	37	6	1	—	1	—	1	2	26		
	F	24	3	—	1	—	1	—	1	18	46	8	1	1	—	1	—	3	32		
17 Pneumonia (all forms)	M	33	8	1	2	—	1	5	6	10	36	3	2	1	—	1	7	8	14		
	F	15	2	2	2	—	1	3	—	5	27	6	2	1	2	1	—	5	10		
18 Other respiratory diseases	M	8	1	1	1	—	—	1	1	3	8	—	—	—	—	2	2	1	3		
	F	2	—	—	—	1	—	—	—	1	9	1	—	—	—	—	1	1	6		
19 Diarrhoea, &c. ...	M	5	3	—	—	—	—	—	1	1	9	5	—	1	—	—	—	1	2		
	F	4	1	1	1	—	—	—	—	1	9	2	1	1	—	—	1	1	3		
20 Appendicitis and typhlitis	M	3	—	—	—	—	—	2	1	—	6	—	—	—	—	2	2	2	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	1	2		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	1	—	—	1	4	4	2	20	—	—	—	—	1	2	6	11		
	F	12	—	—	—	—	—	3	2	7	20	—	—	—	1	2	3	5	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	9	—	—	—	—	2	7	—	—		
25 Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	55	54	—	—	1	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	1	1	—	2	1	1	5	4	34	1	—	2	2	4	10	9	6		
	F	9	—	1	1	—	—	1	—	6	5	2	—	—	—	—	1	1	1		
27 Suicide ...	M	7	—	—	—	—	—	2	5	—	4	—	—	—	—	—	—	—	4		
	F	4	—	—	—	—	1	1	2	—	4	—	—	—	—	—	2	1	1		
28 Other defined diseases ...	M	191	24	1	1	5	3	18	39	100	243	16	—	3	6	4	8	34	172		
	F	138	4	2	2	2	3	10	21	94	245	5	2	1	4	6	14	37	176		
29 Causes ill-defined or unknown.	M	6	—	—	—	—	—	—	4	2	8	1	—	—	—	—	1	2	4		
	F	5	—	—	—	—	1	—	4	—	6	—	—	—	—	—	2	1	3		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHUMBERLAND—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	2,071	515	99	68	94	104	250	434	507	645	87	14	8	25	27	63	143	278		
	F	1,757	349	66	60	104	84	251	351	492	599	58	12	11	19	29	61	121	288		
1 Enteric fever ...	M	5	—	—	—	1	2	2	—	—	1	—	—	—	—	—	1	—	—		
	F	6	—	—	—	1	—	2	3	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	3	3	1	—	—	—	—	—	3	—	1	—	1	1	—	—	—		
	F	10	6	2	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	12	—	2	2	7	1	—	—	—	1	—	—	1	—	—	—	—	—		
	F	17	1	1	4	10	—	—	1	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	20	13	4	2	1	—	—	—	—	5	5	—	—	—	—	—	—	—		
	F	17	11	1	3	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	26	1	1	11	13	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	30	—	6	7	17	—	—	—	—	3	—	1	1	1	—	—	—	—		
7 Influenza ...	M	49	6	—	2	2	8	8	11	12	14	—	—	—	1	2	5	1	5		
	F	28	2	—	—	—	4	8	7	7	6	—	—	1	—	2	1	2	—		
8 Erysipelas ...	M	4	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	1		
	F	5	2	—	—	—	—	1	2	—	1	—	—	—	1	—	—	—	—		
9 Pulmonary tuberculosis	M	143	2	3	5	7	24	71	26	5	36	—	—	—	—	9	17	8	2		
	F	144	3	2	—	15	34	62	26	2	40	—	—	—	1	15	19	5	—		
10 Tuberculous meningitis	M	29	7	8	3	4	5	1	1	—	4	—	—	—	4	—	—	—	—		
	F	24	8	3	7	5	1	—	—	—	8	—	—	1	4	3	—	—	—		
11 Other tuberculous diseases.	M	27	2	7	2	6	5	2	2	1	12	—	—	2	1	—	5	2	2		
	F	30	2	4	1	8	5	7	3	—	10	2	—	2	—	—	3	3	—		
12 Cancer, malignant disease	M	123	—	—	—	1	—	10	62	50	51	—	—	—	—	—	—	22	29		
	F	139	—	—	—	1	2	30	57	49	49	—	—	—	—	—	3	19	27		
13 Rheumatic fever ...	M	5	—	—	—	1	—	3	—	1	3	—	—	—	1	—	1	1	—		
	F	5	—	—	—	1	1	1	2	—	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	27	6	7	3	4	2	4	—	1	6	2	1	—	2	1	—	—	—		
	F	10	2	1	3	3	—	1	—	—	5	2	—	—	1	—	1	—	1		
15 Organic heart disease ...	M	147	—	—	1	3	2	18	51	72	94	—	—	—	2	3	6	28	55		
	F	155	—	—	—	8	5	18	62	62	96	—	—	—	—	1	5	28	62		
16 Bronchitis ...	M	138	40	7	5	1	1	8	31	45	27	8	1	—	—	—	2	1	15		
	F	111	33	3	3	1	1	6	19	45	32	7	—	—	—	—	3	22	—		
17 Pneumonia (all forms)...	M	244	69	28	13	10	16	29	55	24	50	10	5	1	2	2	7	16	7		
	F	139	39	21	12	10	4	18	17	18	29	5	2	—	3	1	4	7	7		
18 Other respiratory diseases	M	30	1	4	2	1	3	1	9	9	11	—	—	3	—	2	1	4	1		
	F	21	3	1	1	—	—	5	7	4	8	1	1	—	—	—	—	—	6		
19 Diarrhoea, &c. ...	M	84	61	8	1	2	1	2	4	5	9	5	1	—	—	—	—	1	2		
	F	64	44	6	1	3	—	1	3	6	8	5	1	1	1	—	—	—	—		
20 Appendicitis and typhlitis	M	5	—	—	—	3	1	—	1	—	1	—	—	—	—	—	—	1	—		
	F	7	—	—	—	2	1	2	2	—	2	—	—	—	—	—	1	—	1		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	7	—	2	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	47	1	1	—	—	1	17	18	9	18	—	—	—	1	—	1	10	6		
	F	57	—	—	1	—	3	9	21	23	21	—	1	—	1	—	2	12	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	—	3	16	—	—	8	—	—	—	—	1	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	29	—	—	—	—	9	20	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	194	192	1	—	—	—	1	—	—	42	39	1	—	1	1	—	—	—		
	F	132	132	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	86	1	2	6	15	12	22	19	9	29	1	3	1	2	5	5	8	4		
	F	33	5	5	5	4	1	4	3	6	11	1	1	1	—	2	—	—	6		
27 Suicide ...	M	19	—	—	—	—	1	5	9	4	14	—	—	—	—	—	2	8	4		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	538	108	12	9	12	19	43	112	253	203	17	1	—	6	1	8	27	143		
	F	503	56	9	11	11	10	35	106	265	217	4	4	—	5	4	10	39	151		
29 Causes ill-defined or unknown.	M	24	2	1	—	—	—	3	13	5	5	—	—	—	—	—	2	1	2		
	F	16	—	1	—	1	—	3	7	4	2	—	—	1	1	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,373	332	63	65	60	77	146	291	339	794	141	20	30	38	26	73	153	313		
	F	1,246	270	52	54	68	69	179	224	330	756	97	21	14	29	53	92	144	306		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	51	7	18	24	2	—	—	—	—	23	4	9	7	3	—	—	—	—		
	F	48	8	15	18	7	—	—	—	—	12	3	4	3	2	—	—	—	—		
4 Scarlet fever ...	M	4	1	—	—	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	1	2	—	—	—		
5 Whooping cough ...	M	8	3	2	3	—	—	—	—	—	3	2	—	—	1	—	—	—	—		
	F	10	6	3	1	—	—	—	—	—	9	2	5	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	1	3	6	—	—	—	—	11	—	—	3	7	1	—	—	—		
	F	18	1	—	6	9	1	—	1	—	10	—	—	—	8	—	1	—	1		
7 Influenza ...	M	23	4	—	—	—	3	5	5	6	11	2	—	—	1	3	—	3	2		
	F	11	1	—	—	—	1	4	4	1	16	1	—	—	—	3	3	2	7		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—		
	F	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	86	1	2	1	5	19	34	23	1	27	—	—	1	5	3	9	7	2		
	F	97	1	—	—	9	33	41	13	—	52	—	1	—	2	22	22	4	1		
10 Tuberculous meningitis	M	15	1	2	5	3	3	1	—	—	8	2	1	2	2	1	—	—	—		
	F	14	1	1	2	3	3	2	1	1	8	3	—	—	2	1	2	—	—		
11 Other tuberculous diseases.	M	19	1	1	4	2	4	3	2	2	10	1	1	2	2	3	1	—	—		
	F	15	1	1	1	1	6	4	—	1	13	—	—	1	—	2	5	4	1		
12 Cancer, malignant disease	M	108	—	—	—	—	—	10	54	44	77	1	—	—	—	1	3	32	40		
	F	106	—	—	—	1	—	11	52	42	81	—	—	1	1	—	7	45	27		
13 Rheumatic fever ...	M	10	—	1	—	2	3	2	1	1	2	—	—	—	—	—	2	—	—		
	F	10	—	—	—	4	2	3	1	—	3	—	—	—	—	2	—	1	—		
14 Meningitis ...	M	18	4	1	3	5	3	1	1	—	1	—	—	—	1	—	—	—	—		
	F	9	4	—	1	2	1	—	1	—	4	1	—	—	1	1	1	—	—		
15 Organic heart disease ...	M	113	—	—	—	3	6	21	39	44	82	—	—	—	—	1	11	25	45		
	F	95	—	—	—	2	2	16	33	42	82	—	—	—	1	1	5	28	47		
16 Bronchitis ...	M	104	30	4	5	3	1	2	23	36	59	11	2	2	1	—	3	8	32		
	F	110	30	2	4	2	—	2	16	54	51	4	—	—	1	2	1	3	40		
17 Pneumonia (all forms)...	M	121	46	18	9	4	8	10	16	10	55	14	3	4	2	3	8	7	14		
	F	84	23	15	10	3	4	14	6	9	44	7	2	1	4	2	8	6	14		
18 Other respiratory diseases	M	17	—	—	—	—	—	2	9	6	9	—	—	1	1	—	1	5	1		
	F	12	2	—	—	—	2	3	4	1	8	1	—	—	—	—	—	2	5		
19 Diarrhoea, &c. ...	M	40	28	1	1	—	1	3	2	4	20	14	1	—	—	1	—	1	3		
	F	28	20	2	—	—	—	2	1	3	14	6	—	2	1	—	2	—	3		
20 Appendicitis and typhlitis	M	6	—	—	—	—	1	5	—	—	3	—	—	2	1	—	—	—	—		
	F	7	—	—	—	2	1	2	2	—	3	—	—	—	2	—	1	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	1	—	—	5	—	4	—	—	—	—	—	1	1	2		
	F	4	—	—	—	—	—	1	1	2	3	—	—	—	—	—	2	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	24	—	—	—	2	4	5	6	7	14	1	—	—	—	—	3	4	6		
	F	17	1	—	—	2	2	5	4	3	13	—	—	—	—	1	4	3	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	4	8	—	—	8	—	—	—	—	4	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	18	—	—	—	—	—	18	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	135	135	—	—	—	—	—	—	—	53	53	—	—	—	—	—	—	—		
	F	116	114	1	—	1	—	—	—	—	50	48	1	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	59	3	2	3	7	12	12	15	5	32	1	1	1	1	7	12	8	1		
	F	22	3	3	3	5	1	2	—	5	11	1	3	1	—	—	—	1	5		
27 Suicide ...	M	16	—	—	—	1	—	6	7	2	10	—	—	—	—	—	3	4	3		
	F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ...	M	361	66	9	4	11	9	24	70	168	266	32	2	3	10	2	14	45	158		
	F	361	51	8	7	14	6	34	78	163	247	19	5	2	3	8	19	42	149		
29 Causes ill-defined or unknown.	M	18	2	1	—	—	—	—	12	3	9	1	—	1	—	—	—	3	4		
	F	12	1	1	1	—	—	4	3	2	1	1	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
OXFORD—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	227	31	4	4	7	6	22	53	100	565	77	4	5	10	14	42	100	313		
	F	206	10	—	3	3	7	30	40	113	565	48	4	5	14	19	52	109	314		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	3	—	1	1	1	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	7	—	—	2	4	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—		
7 Influenza ...	M	3	1	—	—	1	—	—	—	1	5	1	—	—	—	—	2	1	1		
	F	5	—	—	—	—	—	4	1	—	9	—	—	1	—	—	2	3	3		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	18	—	—	—	—	2	9	5	2	34	—	—	—	1	5	17	9	2		
	F	8	—	—	—	—	5	3	—	—	30	—	—	—	—	9	16	5	—		
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	—	1	—	—	1	—	3	1	—	—	—	—	1	—	—		
	F	3	—	—	—	1	—	—	2	—	4	—	—	—	—	1	2	—	1		
12 Cancer, malignant disease	M	28	—	—	1	—	—	1	14	12	62	—	—	—	—	—	2	11	49		
	F	31	—	—	—	—	—	1	11	19	84	—	—	—	2	—	3	28	51		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	25	—	—	—	—	—	3	6	16	76	—	—	—	2	—	5	12	57		
	F	18	—	—	—	—	—	2	4	12	93	—	—	—	—	—	4	25	64		
16 Bronchitis ...	M	20	5	—	—	—	—	—	1	14	37	4	1	—	—	—	1	6	25		
	F	19	2	—	—	—	—	—	1	1	49	1	—	—	1	—	—	4	43		
17 Pneumonia (all forms)...	M	10	3	—	1	—	—	—	4	2	24	6	2	1	—	—	3	5	7		
	F	5	—	—	—	—	—	1	3	1	11	1	—	—	—	—	2	2	6		
18 Other respiratory diseases	M	6	1	1	—	—	—	—	1	3	9	—	—	—	—	—	—	2	7		
	F	5	—	—	—	1	—	—	1	3	14	1	—	1	1	—	—	2	9		
19 Diarrhoea, &c. ...	M	1	—	1	—	—	—	—	—	—	9	2	1	—	—	—	—	3	3		
	F	1	1	—	—	—	—	—	—	—	13	6	—	—	—	—	1	1	5		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
	F	1	—	—	1	—	—	—	—	—	6	—	—	—	—	1	1	2	2		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	1	2		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	1	1	1	2	25	—	—	—	—	—	4	8	13		
	F	7	—	—	—	—	—	—	3	4	11	—	—	—	—	1	1	4	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
	F	6	6	—	—	—	—	—	—	—	28	27	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	4	—	—	—	1	1	1	1	—	16	1	—	—	2	3	1	5	4		
	F	2	—	—	—	—	—	1	—	1	11	—	—	1	1	1	—	2	6		
27 Suicide ...	M	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	5	1		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	70	1	—	—	2	1	7	13	46	193	20	—	2	1	2	7	23	138		
	F	82	1	—	2	—	1	9	12	57	179	10	1	—	5	5	12	30	116		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	11	1	—	—	—	1	—	6	3		
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PETERBOROUGH, SOKE of—1920 (Civilian population only).

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	250	37	5	4	8	6	27	61	102	59	7	2	2	—	2	6	15	25		
	F	196	22	4	6	6	10	25	36	87	68	6	1	—	3	4	6	17	31		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	1	1	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	5	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	12	—	—	—	1	—	6	5	—	2	—	—	—	—	2	—	—	—		
	F	8	—	—	—	—	4	3	1	—	4	—	—	—	—	2	2	—	—		
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	1	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	25	—	—	—	—	—	1	13	11	6	—	—	—	—	—	1	5	—		
	F	26	—	—	—	—	—	2	11	13	12	—	—	—	—	—	6	5	—		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	20	—	—	—	—	—	2	8	10	3	—	—	—	—	—	1	2	—		
	F	26	—	—	—	—	2	1	7	16	15	—	—	—	1	1	1	4	8		
16 Bronchitis ...	M	22	3	2	—	—	—	2	—	15	1	—	—	—	—	—	—	—	1		
	F	15	2	—	—	—	—	—	1	12	5	—	—	—	—	—	—	—	5		
17 Pneumonia (all forms)...	M	10	4	—	—	—	—	1	2	3	3	1	—	—	—	—	—	1	1		
	F	9	1	2	1	—	—	—	2	3	2	1	1	—	—	—	—	—	—		
18 Other respiratory diseases	M	7	1	—	—	—	1	—	3	2	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
19 Diarrhoea, &c. ...	M	5	5	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	4	2	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	2	3	2	—	—	—	—	—	1	1	—		
	F	5	—	—	—	1	—	—	1	3	2	—	—	—	—	—	1	1	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	11	11	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	13	—	—	—	1	2	4	5	1	5	—	—	—	—	2	2	1	—		
	F	2	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—		
27 Suicide ...	M	5	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	84	4	—	1	2	1	6	18	52	28	2	1	1	—	1	2	8	13		
	F	64	3	—	—	2	2	10	11	36	18	2	—	—	2	1	1	3	9		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
RUTLAND—1920 (Civilian population only).

Causes of Death.	Sex.	URBAN DISTRICT.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	19	3	—	—	1	1	4	3	7	79	8	—	1	2	5	5	11	47
	F	11	1	—	—	—	—	1	2	7	86	13	—	1	—	2	6	17	47
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	3	—	—	—	—	1	1	1	—	5	—	—	—	—	2	2	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
12 Cancer, malignant disease	M	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	—	1	6
	F	4	—	—	—	—	—	—	1	3	12	—	—	—	—	—	—	8	4
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	2	—	—	—	—	—	—	—	2	15	—	—	—	—	—	—	3	12
	F	1	—	—	—	—	—	—	—	1	13	—	—	—	—	—	1	2	10
16 Bronchitis ...	M	2	1	—	—	—	—	—	—	1	6	—	—	—	—	—	—	—	6
	F	3	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—	—	4
17 Pneumonia (all forms)...	M	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—
18 Other respiratory diseases	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
19 Diarrhoea, &c. ...	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	M	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	6	1	—	—	—	—	2	—	3	29	2	—	—	1	1	2	3	20
	F	2	—	—	—	—	—	—	1	1	35	2	—	1	—	—	1	5	26
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	708	113	11	16	18	19	82	141	308	800	112	9	14	26	31	60	178	370
	F	707	78	17	21	21	23	60	144	343	737	92	14	12	25	28	79	117	370
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	3	1	—	2	—	—	—	—	—	7	3	—	2	1	—	—	1	—
	F	9	3	2	3	1	—	—	—	—	5	1	—	1	3	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
5 Whooping cough ...	M	5	2	1	2	—	—	—	—	—	5	5	—	—	—	—	—	—	—
	F	10	3	5	2	—	—	—	—	—	12	6	1	4	1	—	—	—	—
6 Diphtheria and croup ...	M	6	—	—	2	4	—	—	—	—	5	—	—	2	3	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	7	—	1	1	4	1	—	—	—
7 Influenza ...	M	15	—	—	—	—	—	2	9	4	17	—	—	—	2	5	1	4	5
	F	14	—	—	—	—	1	1	3	9	12	1	—	—	—	1	1	4	5
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1
	F	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	47	—	1	—	4	3	21	14	4	32	—	—	—	—	6	15	8	3
	F	28	—	—	1	2	7	8	6	4	36	—	1	—	2	10	16	6	1
10 Tuberculous meningitis	M	9	3	3	—	2	—	1	—	—	5	—	3	1	1	—	—	—	—
	F	7	2	1	1	3	—	—	—	—	3	2	1	—	—	—	—	—	—
11 Other tuberculous diseases.	M	8	1	1	—	—	3	1	2	—	9	3	—	1	2	—	3	—	—
	F	10	1	1	2	1	1	3	—	1	5	—	—	1	1	—	1	—	2
12 Cancer, malignant disease	M	56	—	—	—	—	—	3	16	37	71	—	—	—	1	2	—	34	34
	F	88	—	—	—	—	—	13	38	37	91	—	—	1	—	1	9	28	52
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	1	2	—	—	—
	F	2	—	—	—	2	—	—	—	—	3	—	—	—	1	1	—	—	1
14 Meningitis ...	M	1	—	—	—	—	—	—	1	—	8	2	1	1	2	1	1	—	—
	F	4	—	—	1	2	—	1	—	—	4	—	2	—	—	—	2	—	—
15 Organic heart disease ...	M	94	—	—	1	—	2	8	27	56	103	—	—	—	1	3	2	31	66
	F	120	—	—	—	2	3	4	32	79	96	—	—	—	—	1	4	24	67
16 Bronchitis ...	M	50	12	2	—	—	—	—	4	32	57	10	1	—	—	—	—	9	37
	F	36	7	—	1	—	—	1	2	25	34	8	—	1	—	—	1	3	21
17 Pneumonia (all forms)...	M	40	15	1	1	—	1	8	4	10	47	6	2	3	4	4	10	8	10
	F	37	14	5	5	—	1	2	4	6	34	5	2	2	1	3	5	3	13
18 Other respiratory diseases	M	12	—	1	—	1	—	—	1	9	14	1	—	—	1	—	2	4	6
	F	8	—	1	—	1	—	—	5	1	13	1	1	—	—	1	1	1	8
19 Diarrhoea, &c. ...	M	15	11	—	—	—	1	—	2	1	9	7	—	—	—	—	2	—	—
	F	11	4	1	—	1	—	—	2	3	11	5	2	—	2	—	1	—	1
20 Appendicitis and typhlitis	M	3	—	—	1	1	—	—	1	—	5	—	—	—	1	1	1	2	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	4	—	2	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	23	—	—	—	—	1	7	6	9	27	1	—	—	1	1	—	9	15
	F	23	—	—	—	—	1	8	9	5	22	—	—	—	1	1	3	5	12
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	6	—	—	—	—	—	6	—	—
25 Congenital debility, &c.	M	46	44	—	1	1	—	—	—	—	55	54	—	—	—	1	—	—	—
	F	32	31	—	—	1	—	—	—	—	48	45	2	—	1	—	—	—	—
26 Violence, apart from suicide.	M	21	1	—	2	2	2	4	6	4	26	—	—	2	—	2	4	9	9
	F	3	—	—	—	—	—	—	1	2	11	—	—	1	1	3	1	1	4
27 Suicide ...	M	11	—	—	—	—	—	4	4	3	15	—	—	—	—	1	2	10	2
	F	4	—	—	—	—	1	1	1	1	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	220	21	1	4	2	6	19	31	136	257	19	1	—	4	2	16	40	175
	F	239	13	1	3	2	4	10	39	167	269	17	1	—	6	4	22	37	182
29 Causes ill-defined or unknown.	M	13	2	—	—	1	—	—	7	3	16	1	1	—	1	—	1	7	5
	F	4	—	—	—	—	—	1	2	1	6	1	—	—	—	1	2	1	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SOMERSET—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	888	97	17	19	35	40	94	238	348	1,335	160	10	21	46	39	109	316	634		
	F	1,072	81	13	11	34	51	121	213	548	1,334	111	17	16	34	45	114	266	731		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	—	2	1	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	4	1	2	—	1	—	—	—	—	10	3	3	2	1	1	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	3	—	—	—	—		
5 Whooping cough ...	M	4	3	—	1	1	—	—	—	—	6	5	—	1	—	—	—	—	—		
	F	7	4	3	—	—	—	—	—	—	10	7	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	16	1	2	4	8	—	1	—	—	8	—	—	3	4	—	—	1	—		
	F	13	—	1	1	9	—	2	—	—	10	—	—	—	6	1	2	1	—		
7 Influenza ...	M	20	2	—	—	—	1	4	4	9	21	1	—	—	1	2	3	5	9		
	F	15	1	—	1	—	—	2	5	6	17	—	2	—	—	—	5	1	9		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	63	—	—	1	1	14	29	15	3	70	—	—	—	1	12	29	24	4		
	F	83	—	—	—	2	22	35	16	8	69	—	—	1	3	19	29	10	7		
10 Tuberculous meningitis	M	5	—	—	1	2	1	1	—	—	7	—	—	1	4	1	1	—	—		
	F	8	—	—	1	2	5	—	—	—	2	—	—	1	—	1	—	—	—		
11 Other tuberculous diseases.	M	16	2	1	—	2	5	3	2	1	10	1	—	1	2	—	3	2	1		
	F	14	3	1	1	—	2	4	2	1	11	1	1	—	1	2	2	2	2		
12 Cancer, malignant disease	M	80	—	—	—	—	—	2	39	39	140	—	—	—	1	—	6	58	75		
	F	125	—	1	—	—	1	10	49	64	165	—	—	—	1	—	14	67	83		
13 Rheumatic fever ...	M	7	—	—	1	4	—	2	—	—	3	—	—	—	1	—	—	1	1		
	F	1	—	—	—	1	—	—	—	—	6	—	—	—	3	1	—	1	1		
14 Meningitis ...	M	6	1	1	1	1	1	1	—	—	4	1	—	1	2	—	—	—	—		
	F	4	—	1	—	1	1	—	1	—	6	1	—	1	1	—	1	2	—		
15 Organic heart disease ...	M	117	—	—	—	—	2	6	37	72	179	—	—	—	3	—	11	49	116		
	F	166	—	—	—	—	2	8	36	120	201	—	—	—	2	4	6	47	142		
16 Bronchitis ...	M	59	5	1	2	1	—	2	10	38	83	9	2	1	—	—	—	7	64		
	F	64	8	—	1	—	—	1	8	46	97	12	3	1	—	—	1	12	68		
17 Pneumonia (all forms)...	M	65	15	4	—	3	3	8	22	10	62	8	2	—	5	3	3	24	17		
	F	50	7	1	3	3	2	6	6	22	46	6	3	2	4	1	5	11	14		
18 Other respiratory diseases	M	13	—	—	1	1	—	2	4	5	28	—	1	4	4	1	4	9	5		
	F	14	1	—	—	1	—	1	3	8	20	—	1	—	1	1	1	5	11		
19 Diarrhoea, &c. ...	M	9	5	1	—	—	—	—	1	2	22	12	1	1	—	—	1	3	4		
	F	15	5	—	—	2	—	2	2	4	13	7	—	3	—	—	—	1	2		
20 Appendicitis and typhlitis	M	6	—	—	2	1	1	1	1	—	4	—	—	1	—	2	—	1	—		
	F	7	—	—	—	2	2	3	—	—	4	—	—	—	—	2	1	—	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	5	2	10	—	—	—	—	—	—	5	5		
	F	4	—	—	—	—	—	—	4	—	4	—	—	—	—	—	1	1	2		
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	23	—	—	—	—	1	2	12	8	49	2	—	—	2	—	4	21	20		
	F	32	—	—	—	1	3	3	11	14	36	—	—	—	—	—	4	12	20		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	—	5	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever. ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	2	9	—	—	10	—	—	—	—	—	10	—	—		
25 Congenital debility, &c. ...	M	45	43	1	—	—	—	—	1	—	78	77	—	—	—	1	—	—	—		
	F	30	30	—	—	—	—	—	—	—	55	54	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	41	2	4	3	5	2	7	11	7	50	3	1	4	6	8	11	9	8		
	F	20	2	—	1	4	—	2	2	9	23	2	—	—	2	4	3	3	9		
27 Suicide ...	M	10	—	—	—	—	—	3	6	1	20	—	—	—	—	1	8	10	1		
	F	7	—	—	—	—	1	2	4	—	7	—	—	—	—	—	4	1	2		
28 Other defined diseases ...	M	267	18	2	—	5	8	20	64	150	463	40	2	2	7	7	22	84	299		
	F	367	19	3	2	5	7	23	62	246	499	17	2	4	5	7	21	86	357		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	9	—	—	1	—	—	2	3	3		
	F	3	—	—	—	—	—	—	1	2	4	1	—	—	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SOUTHAMPTON—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,009	152	20	25	41	33	114	261	363	1,199	152	19	13	38	44	102	259	572		
	F	1,037	119	28	18	43	40	144	208	437	1,188	116	8	19	36	59	149	242	559		
1 Enteric fever ...	M	2	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	2	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	5	4	1	3	—	—	—	—	4	1	2	1	—	—	—	—	—		
	F	9	1	3	4	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough ...	M	11	5	3	2	1	—	—	—	—	9	4	4	—	1	—	—	—	—		
	F	18	6	8	3	1	—	—	—	—	9	6	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	1	8	—	—	—	—	5	—	—	2	2	—	1	—	—		
	F	18	—	1	2	15	—	—	—	—	10	—	—	4	5	—	—	1	—		
7 Influenza ...	M	15	—	—	—	1	2	3	7	2	19	1	1	1	—	3	4	3	6		
	F	15	—	—	—	—	3	3	5	4	13	1	—	—	1	2	3	4	2		
8 Erysipelas ...	M	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	69	—	—	—	—	9	36	22	2	64	—	—	—	3	12	29	19	1		
	F	67	—	—	—	2	18	36	8	3	73	—	—	—	1	24	35	8	5		
10 Tuberculous meningitis	M	3	1	—	1	1	—	—	—	—	7	2	—	3	1	—	—	—	—		
	F	6	—	3	3	—	—	—	—	—	6	2	—	1	3	—	—	—	—		
11 Other tuberculous diseases.	M	13	—	1	1	3	1	5	2	—	22	1	1	1	7	1	3	7	1		
	F	9	—	—	—	1	2	2	3	1	21	1	—	2	9	5	3	1	—		
12 Cancer, malignant disease	M	107	—	—	1	—	1	5	49	51	140	—	—	—	1	1	6	49	83		
	F	150	—	—	—	1	1	15	64	69	167	—	—	1	—	—	24	65	77		
13 Rheumatic fever ...	M	5	—	—	—	2	1	1	1	—	3	—	—	—	1	2	—	—	—		
	F	3	—	—	—	1	1	1	—	—	6	—	—	—	2	—	2	1	1		
14 Meningitis ...	M	7	2	1	—	3	—	1	—	—	5	—	2	1	—	2	—	—	—		
	F	2	1	1	—	—	—	—	—	—	5	—	—	—	—	1	2	1	1		
15 Organic heart disease ...	M	110	—	—	—	—	1	8	35	66	186	—	—	—	2	1	10	43	130		
	F	144	—	—	—	1	4	13	37	89	174	—	—	—	2	2	10	45	115		
16 Bronchitis ...	M	78	13	2	—	—	—	6	11	46	63	9	2	—	1	—	—	10	41		
	F	55	6	—	1	1	—	6	5	36	55	5	—	1	—	—	—	6	43		
17 Pneumonia (all forms)...	M	64	17	9	4	5	—	5	14	10	46	14	3	2	2	2	4	6	13		
	F	58	14	4	2	7	3	6	8	14	46	10	1	2	—	3	9	8	13		
18 Other respiratory diseases	M	11	1	—	1	1	—	1	3	4	13	1	—	—	—	—	2	9	1		
	F	13	—	2	—	2	—	2	1	6	18	—	—	2	—	—	3	6	7		
19 Diarrhoea, &c. ...	M	20	10	—	3	—	1	2	2	2	9	2	—	—	—	—	—	4	3		
	F	13	8	1	—	—	—	2	—	2	14	4	1	—	—	1	2	4	2		
20 Appendicitis and typhlitis	M	6	—	—	—	1	2	—	3	—	13	—	—	1	2	1	2	3	4		
	F	8	—	—	—	2	—	1	2	3	6	—	—	—	—	1	1	3	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	11	—	—	—	—	—	—	6	5		
	F	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	42	—	—	1	—	1	7	12	21	65	1	—	—	2	—	5	22	35		
	F	38	—	—	—	—	—	8	9	21	42	—	—	—	—	3	4	16	19		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	5	1	—	10	—	—	—	—	2	7	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	2	11	—	—	12	—	—	—	—	—	12	—	—		
25 Congenital debility, &c.	M	69	66	—	—	1	—	2	—	—	81	80	—	—	1	—	—	—	—		
	F	65	64	—	—	—	1	—	—	—	66	63	1	1	—	—	1	—	—		
26 Violence, apart from suicide.	M	31	2	—	2	3	4	3	15	2	42	4	2	—	5	9	5	12	5		
	F	13	1	1	—	1	—	2	2	6	12	3	—	—	4	—	1	1	3		
27 Suicide ...	M	9	—	—	—	—	—	2	5	2	16	—	—	—	—	2	5	5	4		
	F	3	—	—	—	—	1	1	1	—	4	—	—	—	—	—	—	3	1		
28 Other defined diseases ...	M	302	29	—	5	5	10	26	74	153	367	32	2	1	7	7	25	58	235		
	F	299	18	4	3	7	3	26	57	131	404	21	1	3	8	12	28	65	266		
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	4	—	8	—	—	—	—	—	—	3	5		
	F	4	—	—	—	—	—	1	2	1	6	—	—	1	1	—	—	2	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
STAFFORD—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	3,296	723	148	134	146	153	399	761	832	1,330	287	42	34	74	48	107	242	496		
	F	2,946	556	140	117	169	163	328	530	943	1,138	168	39	59	36	48	112	184	492		
1 Enteric fever	M	6	—	—	—	1	1	2	2	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	51	8	22	19	2	—	—	—	—	19	6	7	3	3	—	—	—	—		
	F	45	14	16	10	5	—	—	—	—	11	1	1	7	2	—	—	—	—		
4 Scarlet fever	M	4	—	—	1	2	—	1	—	—	8	—	—	1	6	1	—	—	—		
	F	7	1	—	2	4	—	—	—	—	4	—	—	3	1	—	—	—	—		
5 Whooping cough	M	37	19	8	7	3	—	—	—	—	18	9	3	4	2	—	—	—	—		
	F	54	33	10	7	4	—	—	—	—	26	12	7	7	—	—	—	—	—		
6 Diphtheria and croup ...	M	31	1	—	15	14	1	—	—	—	19	1	2	1	12	1	—	2	—		
	F	29	1	3	7	17	1	—	—	—	13	—	—	5	7	1	—	—	—		
7 Influenza	M	153	19	3	11	5	12	37	51	15	44	4	5	2	5	3	9	9	7		
	F	119	11	8	8	11	15	28	15	23	30	1	1	3	3	1	7	4	10		
8 Erysipelas	M	7	3	—	—	—	—	—	3	1	3	1	—	—	1	—	—	1	—		
	F	4	1	—	—	—	—	1	—	2	3	—	—	—	—	—	1	—	2		
9 Pulmonary tuberculosis	M	204	1	1	1	8	40	85	62	6	65	—	—	1	6	13	21	21	3		
	F	167	2	4	7	17	47	61	26	3	53	2	1	1	1	16	16	14	2		
10 Tuberculous meningitis	M	20	3	1	9	5	—	2	—	—	7	1	1	4	—	1	—	—	—		
	F	29	7	9	5	6	2	—	—	—	16	3	2	4	6	1	—	—	—		
11 Other tuberculous diseases	M	52	10	5	8	6	10	8	5	—	12	4	1	—	3	—	2	2	—		
	F	47	11	4	7	7	9	5	3	1	9	2	2	1	—	2	2	—	—		
12 Cancer, malignant disease	M	231	—	—	—	—	2	25	122	82	94	—	—	—	—	—	3	44	47		
	F	234	—	—	1	1	—	32	110	90	108	—	—	—	—	—	10	41	57		
13 Rheumatic fever	M	9	—	—	1	2	2	3	—	1	5	—	—	1	2	1	1	—	—		
	F	16	—	—	—	8	3	4	1	—	8	—	—	—	1	3	2	2	—		
14 Meningitis	M	32	9	8	2	6	2	3	2	—	12	3	1	1	3	2	1	1	—		
	F	23	7	2	1	9	3	1	—	—	6	2	1	1	—	1	—	—	1		
15 Organic heart disease ...	M	252	—	—	—	5	11	32	87	117	153	—	—	—	3	5	13	34	98		
	F	268	—	—	1	7	10	30	74	146	132	—	—	—	—	2	3	34	93		
16 Bronchitis	M	325	66	14	5	1	—	12	80	147	114	31	2	—	1	1	1	13	65		
	F	248	43	9	5	2	3	6	58	122	80	23	3	1	2	—	2	7	42		
17 Pneumonia (all forms)...	M	408	112	56	30	24	14	64	78	30	103	40	8	4	1	6	15	13	16		
	F	279	72	48	31	20	15	32	28	33	67	18	13	10	1	1	3	8	13		
18 Other respiratory diseases	M	39	1	—	5	4	2	6	12	9	26	1	3	1	2	1	3	3	12		
	F	41	5	4	2	5	2	6	7	10	8	—	—	1	—	1	2	1	3		
19 Diarrhoea, &c.	M	92	65	8	2	3	1	4	3	6	33	20	2	1	1	—	2	2	5		
	F	70	42	7	2	4	3	5	4	3	20	11	2	—	1	—	—	1	5		
20 Appendicitis and typhlitis	M	16	—	—	—	4	5	4	2	1	10	—	—	1	2	1	2	4	—		
	F	15	—	—	—	5	6	2	2	—	12	—	—	—	1	3	5	1	2		
21 Cirrhosis of liver	M	18	1	—	—	—	—	3	12	2	7	—	—	—	—	—	—	4	3		
	F	10	—	—	—	—	—	1	8	1	3	—	—	—	—	—	—	3	—		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	70	1	1	2	3	4	13	29	17	23	—	—	—	2	—	5	6	10		
	F	58	2	—	1	1	5	11	24	14	17	—	—	1	—	—	3	5	7		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	20	—	—	—	—	4	16	—	—	6	—	—	—	—	1	4	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	37	—	—	—	—	8	29	—	—	26	—	—	—	—	4	21	1	—		
25 Congenital debility, &c.	M	293	289	2	—	1	1	—	—	—	108	105	1	2	—	—	—	—	—		
	F	222	221	—	—	—	1	—	—	—	69	69	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	136	3	2	9	20	12	33	33	24	59	1	3	2	10	6	10	13	14		
	F	62	8	3	10	12	2	3	9	15	33	3	—	8	4	1	6	4	7		
27 Suicide	M	32	—	—	—	—	—	8	21	3	13	—	—	—	—	—	—	10	3		
	F	7	—	—	—	—	2	1	4	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	767	110	14	6	27	33	53	154	370	370	58	3	5	9	6	18	58	213		
	F	822	75	9	10	23	21	54	150	480	369	21	3	6	6	9	24	53	247		
29 Causes ill-defined or unknown.	M	10	2	3	1	—	—	—	3	1	5	2	—	—	—	—	1	2	—		
	F	10	—	4	—	—	1	—	5	—	5	—	2	—	—	—	—	2	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, EAST—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	417	73	7	6	15	24	37	81	174	683	101	8	6	27	23	69	138	311		
	F	499	75	7	11	19	26	57	82	222	648	65	8	16	19	23	70	110	337		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	—	2	1	—	1	—	—	—	3	1	1	—	—	1	—	—	—		
	F	3	1	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
5 Whooping cough ...	M	2	1	—	—	1	—	—	—	—	6	5	—	—	1	—	—	—	—		
	F	9	6	2	1	—	—	—	—	—	8	5	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	1	1	2	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	6	—	—	—	5	—	1	—	—	6	—	1	1	4	—	—	—	—		
7 Influenza ...	M	12	1	—	—	1	2	2	3	3	12	1	—	—	2	1	1	1	6		
	F	7	—	—	—	—	2	1	1	3	18	1	—	1	—	1	4	4	7		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	22	—	—	—	1	7	11	2	1	44	—	—	1	2	5	18	12	6		
	F	35	—	—	—	2	11	17	4	1	44	—	—	—	3	5	22	11	3		
10 Tuberculous meningitis	M	2	1	—	—	—	1	—	—	—	8	1	1	1	—	3	2	—	—		
	F	9	2	—	1	5	—	1	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	6	—	—	—	—	3	1	1	1	7	—	—	—	1	3	2	1	—		
	F	4	1	—	1	—	—	2	—	—	6	—	—	—	1	—	3	1	1		
12 Cancer, malignant disease	M	44	—	—	—	1	2	1	19	21	72	—	—	—	1	—	1	29	41		
	F	55	—	—	—	—	—	4	23	28	80	—	—	—	—	—	5	32	43		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
14 Meningitis ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	39	—	—	—	1	1	3	12	22	79	—	1	—	—	2	10	14	52		
	F	61	—	—	—	—	1	2	12	46	105	—	—	—	—	2	3	12	88		
16 Bronchitis ...	M	21	9	—	—	—	—	—	1	11	39	5	1	—	—	—	1	3	29		
	F	22	6	1	—	—	—	—	—	15	26	1	2	1	—	—	1	1	20		
17 Pneumonia (all forms)...	M	23	8	4	1	1	1	2	3	3	35	8	4	1	2	—	4	6	10		
	F	18	7	1	2	1	1	1	2	3	26	6	—	2	—	2	3	3	10		
18 Other respiratory diseases	M	9	—	—	1	—	—	1	2	5	9	—	—	—	2	1	—	—	6		
	F	7	2	—	—	—	1	1	1	2	7	—	—	1	3	—	—	1	2		
19 Diarrhoea, &c. ...	M	8	4	—	—	—	—	1	—	3	10	3	—	—	1	—	—	3	3		
	F	5	4	1	—	—	—	—	—	—	10	4	1	—	1	1	—	—	3		
20 Appendicitis and typhlitis	M	4	—	—	—	1	1	1	1	—	4	—	—	—	2	1	1	—	—		
	F	4	—	—	1	1	—	—	1	1	3	—	—	—	—	—	—	1	2		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	—	1	7	—	—	—	—	—	2	5	—		
	F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	1	—	1	4	6	15	—	—	—	1	—	3	3	8		
	F	19	—	—	—	1	1	1	3	13	12	—	—	—	—	—	2	4	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	7	—	—	—	—	—	6	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	12	—	—	—	—	7	5	—	—		
25 Congenital debility, &c.	M	33	33	—	—	—	—	—	—	—	55	55	—	—	—	—	—	—	—		
	F	33	32	1	—	—	—	—	—	—	40	38	—	—	2	—	—	—	—		
26 Violence, apart from suicide.	M	12	1	—	1	—	3	—	4	3	27	1	—	1	5	1	3	10	6		
	F	8	—	—	1	1	—	—	2	4	18	4	—	4	1	2	—	2	5		
27 Suicide ...	M	9	—	—	—	—	—	2	5	2	22	—	—	—	—	2	5	10	5		
	F	5	—	—	—	—	—	4	1	—	4	—	—	—	—	1	1	2	—		
28 Other defined diseases ...	M	141	14	—	1	1	3	8	23	91	216	20	—	1	3	2	14	38	138		
	F	171	12	1	2	3	6	14	30	103	203	6	1	3	4	2	12	32	143		
29 Causes ill-defined or unknown.	M	4	—	—	—	1	—	1	1	1	3	—	—	—	—	—	—	2	1		
	F	4	2	—	—	—	—	—	—	2	4	—	—	—	—	—	—	1	3		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SUFFOLK, WEST—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	238	32	4	1	7	12	22	51	109	401	43	6	2	7	23	33	83	204		
	F	223	16	4	1	8	10	16	39	129	405	48	6	4	13	17	31	63	223		
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	—	1	1	—	—	—	—	—	2	—	1	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	5	1	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2		
	F	4	1	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	1		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	25	—	—	—	1	7	11	6	—	19	—	—	—	—	5	9	4	1		
	F	15	—	—	—	5	3	6	1	—	30	—	—	—	2	9	10	8	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	1	—	—	1	1	—	—	—		
	F	3	—	1	—	1	1	—	—	—	2	1	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	5	1	—	—	—	2	1	—	1		
	F	1	—	—	—	—	1	—	—	—	6	1	—	—	—	2	2	1	—		
12 Cancer, malignant disease	M	37	—	—	—	—	—	2	14	21	53	—	—	—	—	—	2	16	35		
	F	37	—	—	—	—	—	3	9	25	67	—	—	—	—	—	3	22	42		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	1		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	1	—	1	—	1	—	—	—		
15 Organic heart disease	M	24	—	—	—	—	—	1	8	15	55	—	—	—	—	2	8	8	37		
	F	20	—	—	—	—	—	1	7	12	55	—	—	—	1	—	2	8	44		
16 Bronchitis	M	11	3	—	—	—	—	1	—	7	25	2	2	1	—	—	—	3	17		
	F	25	—	—	—	—	—	1	4	20	27	1	1	—	—	—	—	1	24		
17 Pneumonia (all forms)...	M	8	—	2	—	—	1	1	3	1	13	1	—	—	—	2	3	5	2		
	F	10	1	2	—	—	—	—	3	4	3	—	—	—	1	—	—	—	2		
18 Other respiratory diseases	M	2	1	—	—	—	—	—	—	1	4	—	—	—	1	—	—	2	1		
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	1	1		
19 Diarrhoea, &c.	M	4	3	—	—	—	—	—	—	1	8	4	—	—	1	—	—	1	2		
	F	1	—	—	—	—	—	—	—	1	7	1	—	2	—	—	—	1	3		
20 Appendicitis and typhlitis	M	3	—	—	—	1	2	—	—	—	2	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	—	2	7	—	—	—	—	—	2	—	5		
	F	6	—	—	—	—	—	—	2	4	5	—	—	—	—	—	—	1	4		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	34	32	1	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	9	—	—	—	3	—	1	1	4	16	—	—	—	—	3	2	7	4		
	F	5	—	—	1	1	—	1	—	2	4	—	1	—	—	1	—	1	1		
27 Suicide	M	4	—	—	—	—	—	—	—	1	10	—	—	—	—	2	1	6	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases	M	79	5	1	—	1	2	3	14	53	131	8	3	1	1	6	5	15	92		
	F	77	4	—	—	1	2	2	11	57	135	9	2	—	1	2	5	18	98		
29 Causes ill-defined or unknown.	M	3	1	—	—	—	—	—	2	—	12	1	—	—	—	—	—	8	3		
	F	2	—	1	—	—	—	—	—	1	5	1	—	—	1	—	—	1	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SURREY—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	2,560	356	44	47	103	106	323	660	921	738	94	8	16	26	23	77	184	310
	F	2,851	259	37	44	101	126	333	616	1335	745	50	11	15	33	30	91	166	349
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	1	1	1	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	16	2	6	3	5	—	—	—	—	4	—	—	1	3	—	—	—	—
	F	13	1	6	3	2	1	—	—	—	7	1	1	1	4	—	—	—	—
4 Scarlet fever ...	M	5	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	22	15	5	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	19	12	4	2	1	—	—	—	—	5	—	3	2	—	—	—	—	—
6 Diphtheria and croup ...	M	33	—	1	9	21	2	—	—	—	7	—	1	3	2	1	—	—	—
	F	42	1	1	14	22	2	—	1	1	11	—	—	2	8	1	—	—	—
7 Influenza ...	M	47	2	1	—	2	6	16	13	7	15	1	—	1	—	2	4	2	5
	F	49	2	—	—	2	6	12	7	20	25	2	—	2	2	1	6	4	8
8 Erysipelas ...	M	2	1	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—
	F	7	1	—	—	—	1	1	—	4	1	—	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	M	210	1	—	1	2	36	91	71	8	56	—	—	1	1	9	23	18	4
	F	172	1	1	—	4	49	81	80	6	45	1	—	—	2	10	17	12	3
10 Tuberculous meningitis	M	21	2	5	1	9	3	—	1	—	4	1	1	—	1	—	—	1	—
	F	17	1	2	2	5	4	3	—	—	3	—	1	—	1	—	—	—	—
11 Other tuberculous diseases.	M	27	4	3	2	3	4	5	5	1	13	2	1	—	1	2	1	5	1
	F	24	3	1	1	4	7	5	2	1	9	—	2	1	—	1	2	1	2
12 Cancer, malignant disease	M	274	—	—	1	1	1	19	126	126	89	—	—	—	—	—	5	39	45
	F	436	—	1	—	2	3	43	181	206	85	—	—	—	—	1	9	29	46
13 Rheumatic fever ...	M	10	—	—	1	5	2	1	1	—	4	—	—	—	—	—	4	—	—
	F	9	—	—	—	6	1	1	1	—	3	—	—	—	2	—	—	—	1
14 Meningitis ...	M	17	6	2	—	4	—	2	2	1	5	1	—	1	2	—	1	—	—
	F	10	3	1	3	2	—	—	—	1	3	—	—	—	2	1	—	—	—
15 Organic heart disease ...	M	286	—	—	1	5	7	34	89	150	87	—	—	—	—	—	7	30	50
	F	369	—	—	—	5	7	32	94	231	112	—	—	1	—	2	10	26	73
16 Bronchitis ...	M	132	21	1	1	—	—	6	17	86	33	3	—	—	—	—	1	3	26
	F	195	12	3	3	1	1	1	19	155	40	2	—	—	—	—	2	2	34
17 Pneumonia (all forms)...	M	165	39	7	3	4	5	31	38	38	38	9	2	4	3	1	3	6	10
	F	136	19	5	6	9	4	12	30	51	29	3	2	1	4	4	1	9	5
18 Other respiratory diseases	M	35	1	1	—	2	—	5	11	15	5	—	—	—	—	—	—	2	3
	F	30	—	—	—	1	1	5	11	12	10	—	—	—	—	1	3	—	6
19 Diarrhoea, &c. ...	M	58	31	5	2	—	2	4	9	5	6	3	—	1	—	—	—	2	—
	F	37	21	2	2	—	1	1	3	7	11	2	—	—	1	—	—	4	4
20 Appendicitis and typhlitis	M	24	—	—	2	7	3	7	3	2	8	—	—	—	4	1	1	2	—
	F	22	—	—	—	6	3	7	4	2	3	—	—	—	—	1	—	1	1
21 Cirrhosis of liver ..	M	21	—	—	—	—	—	1	16	4	3	—	—	—	—	—	—	3	—
	F	12	—	—	—	—	—	2	9	1	3	—	—	—	—	—	—	3	—
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	63	1	—	—	2	2	5	26	27	30	1	—	—	—	1	3	14	11
	F	55	—	—	1	—	1	7	19	27	24	—	—	—	1	—	1	7	15
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	6	15	—	—	6	—	—	—	—	2	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	2	18	—	—	8	—	—	—	—	—	8	—	—
25 Congenital debility, &c.	M	143	140	1	1	1	—	—	—	—	59	59	—	—	—	—	—	—	—
	F	122	120	—	—	1	—	—	1	—	30	30	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	126	14	3	10	11	14	24	33	17	19	1	—	2	1	4	2	4	5
	F	59	8	3	2	4	2	12	6	22	14	3	1	3	—	1	1	2	3
27 Suicide ...	M	37	—	—	—	—	3	14	17	3	4	—	—	—	—	—	—	3	1
	F	16	—	—	—	—	2	6	6	2	11	—	—	—	—	1	4	5	1
28 Other defined diseases ...	M	778	74	3	6	16	16	56	178	429	245	13	2	2	8	2	20	49	149
	F	946	52	6	4	20	21	68	189	586	243	6	1	2	6	2	20	60	146
29 Causes ill-defined or unknown.	M	6	2	—	—	—	—	—	3	1	1	—	—	—	—	—	—	1	—
	F	4	2	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1920 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	593	54	11	17	20	25	59	143	264	638	69	6	4	9	24	60	157	309		
			F	750	51	9	11	22	24	77	175	381	656	60	8	11	14	29	85	137	312		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	14	1	6	5	2	—	—	—	—	3	—	—	—	2	1	—	—	—		
			F	11	2	2	4	2	—	—	1	—	3	—	—	1	1	—	—	—	—		
4 Scarlet fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	5	1	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
6 Diphtheria and croup	M	11	—	—	4	7	—	—	—	—	5	—	1	—	—	—	1	—	—		
			F	6	—	—	3	3	—	—	—	—	7	—	—	5	2	—	—	—	—		
7 Influenza	M	7	—	—	1	—	2	2	1	1	8	1	—	—	—	—	—	2	5		
			F	9	—	—	—	—	2	3	—	4	11	—	—	—	—	2	—	3	6		
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	1	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis			M	44	—	1	—	—	9	20	12	2	43	—	1	—	—	6	25	11	—		
			F	35	—	—	—	—	13	10	9	3	52	—	—	—	—	12	31	6	3		
10 Tuberculous meningitis			M	5	1	—	3	1	—	—	—	—	3	—	1	—	—	1	1	—	—		
			F	4	1	1	1	1	—	—	—	—	6	1	—	—	3	1	—	1	—		
11 Other tuberculous diseases.			M	6	—	—	1	1	2	1	—	1	6	—	—	2	—	2	1	1	—		
			F	7	1	—	—	1	2	2	1	—	9	1	—	1	—	1	3	3	—		
12 Cancer, malignant disease			M	74	—	—	—	1	—	2	25	46	81	—	—	—	—	—	1	31	49		
			F	138	—	—	—	1	2	9	57	69	99	—	—	—	1	1	9	41	47		
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—		
			F	6	—	—	—	1	2	1	1	1	4	—	—	—	1	1	—	1	—		
14 Meningitis	M	1	1	—	—	—	—	—	—	—	5	3	—	1	—	—	—	1	—		
			F	3	1	—	—	1	—	—	—	1	4	—	—	1	2	—	1	—	—		
15 Organic heart disease	M	70	—	—	—	1	1	5	19	44	105	—	—	—	—	3	6	22	74		
			F	93	—	—	—	—	1	5	19	68	101	—	—	1	—	4	20	76	—		
16 Bronchitis	M	36	5	—	—	—	—	—	2	29	30	3	—	1	—	—	—	3	23		
			F	42	3	—	—	—	—	1	9	29	37	4	—	—	—	—	—	4	29		
17 Pneumonia (all forms)...			M	24	3	1	—	—	1	2	10	7	27	6	1	—	1	1	—	8	10		
			F	33	4	3	—	1	1	1	4	19	38	3	3	—	1	2	6	10	13		
18 Other respiratory diseases			M	9	—	—	—	—	—	1	3	5	8	1	—	—	—	1	—	4	2		
			F	10	—	—	—	—	—	—	9	1	8	—	—	—	—	—	2	6	—		
19 Diarrhoea, &c.	M	5	2	—	—	—	1	1	—	1	8	2	1	—	—	—	1	3	1		
			F	2	1	—	—	—	—	—	—	1	7	3	1	—	—	—	2	1	—		
20 Appendicitis and typhlitis			M	11	—	—	—	3	2	—	5	1	4	—	—	—	—	—	—	4	—		
			F	3	—	—	—	1	—	—	2	—	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	2	—	—	—	—	—	—	1	1		
			F	3	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	1	1		
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.			M	18	—	—	—	—	—	2	10	6	12	—	—	—	—	—	—	5	7		
			F	14	—	—	—	1	—	2	3	8	17	—	—	—	—	—	4	5	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	8	—	—	—	—	1	7	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	—	—	—	4	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility, &c.			M	30	30	—	—	—	—	—	—	—	40	40	—	—	—	—	—	—	—		
			F	28	27	—	1	—	—	—	—	—	34	34	—	—	—	—	—	—	—		
26 Violence, apart from suicide.			M	19	1	—	—	2	2	3	5	6	25	—	—	—	1	1	7	13	3		
			F	11	1	1	—	3	2	2	2	2	7	2	—	1	1	1	1	1	—		
27 Suicide	M	10	—	—	—	—	1	5	3	1	4	—	—	—	—	1	2	—	1		
			F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	2	1	—	—		
28 Other defined diseases	M	182	8	1	—	—	3	15	44	111	212	11	1	—	2	7	13	47	131		
			F	273	9	2	2	4	—	27	56	173	189	11	3	—	2	3	11	38	121		
29 Causes ill-defined or unknown.			M	2	—	—	1	—	—	—	—	1	5	1	—	—	—	—	1	1	2		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	494	52	1	8	15	16	59	113	230	502	54	5	5	16	14	43	98	267		
	F	554	32	6	4	15	14	60	107	316	469	49	4	2	14	14	45	102	239		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	—	2	4	—	—	—	—	5	—	—	2	1	2	—	—	—		
	F	8	—	1	2	5	—	—	—	—	3	—	—	1	1	—	1	—	—		
7 Influenza ...	M	6	1	—	—	1	—	1	2	1	5	—	—	—	—	—	—	2	3		
	F	8	—	—	—	—	—	4	1	3	8	—	—	—	—	1	1	1	5		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	39	—	—	—	—	9	19	9	2	20	1	—	—	—	3	11	5	—		
	F	24	—	—	—	1	6	14	2	1	20	—	—	—	2	6	7	5	—		
10 Tuberculous meningitis	M	3	—	—	1	1	—	—	1	—	1	—	1	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	—	—	—	1	1	—	3	—	—	—	1	—	—	2	—		
	F	8	—	—	1	1	1	3	2	—	8	—	—	—	2	—	3	2	1		
12 Cancer, malignant disease	M	64	—	—	—	—	2	5	30	27	59	—	—	—	—	1	2	17	39		
	F	79	—	—	—	—	—	7	34	38	57	—	—	—	—	1	3	25	28		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	2	—	—	—	—		
	F	4	—	1	1	2	—	—	—	—	2	—	—	—	1	—	1	—	—		
15 Organic heart disease ...	M	63	—	—	—	—	1	6	17	39	69	—	—	—	—	—	3	16	50		
	F	71	—	—	—	—	—	4	14	53	83	—	—	—	—	—	6	22	55		
16 Bronchitis ...	M	40	2	—	2	—	—	2	4	30	21	2	—	—	1	—	—	1	17		
	F	27	2	—	—	—	—	—	2	23	20	—	2	—	2	—	—	2	14		
17 Pneumonia (all forms)...	M	14	4	—	—	—	—	5	3	2	13	4	2	—	—	1	—	4	2		
	F	23	3	—	—	1	—	3	8	8	11	5	—	—	—	—	2	3	1		
18 Other respiratory diseases	M	6	—	—	—	—	—	—	3	3	7	—	—	—	—	—	1	1	5		
	F	12	—	1	—	1	—	—	2	8	6	1	—	—	—	—	—	1	4		
19 Diarrhoea, &c. ...	M	11	7	1	—	—	—	—	2	1	9	3	1	—	—	—	—	2	3		
	F	6	2	—	—	—	—	—	2	2	5	2	—	—	—	—	2	—	1		
20 Appendicitis and typhlitis	M	4	—	—	—	2	—	1	—	1	5	—	—	—	3	—	—	—	2		
	F	6	—	—	—	1	3	—	2	—	3	—	—	—	—	1	1	1	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	2	3	4	—	—	—	—	—	1	1	2		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	1	1	6	7	13	—	—	—	1	—	2	7	3		
	F	15	—	—	—	1	—	2	6	6	10	—	—	—	—	—	1	1	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	31	29	—	—	—	—	2	—	—		
	F	13	13	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	18	4	—	—	3	1	3	4	3	22	2	—	—	2	4	5	4	5		
	F	10	—	1	—	1	—	1	—	7	14	2	2	—	2	2	1	4	1		
27 Suicide ...	M	4	—	—	—	—	—	2	2	—	11	—	—	—	—	1	3	3	4		
	F	4	—	—	—	—	—	—	4	—	1	—	—	—	—	—	—	—	1		
28 Other defined diseases ...	M	167	13	—	2	4	2	11	25	110	192	11	1	1	3	2	12	31	131		
	F	217	9	1	—	1	3	13	25	165	176	6	—	—	4	2	12	34	118		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WARWICK—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	802	142	11	13	30	43	101	174	288	1,047	189	28	32	34	59	115	197	393		
	F	779	92	15	16	31	38	96	147	344	958	128	26	22	40	38	114	173	417		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	17	2	8	4	3	—	—	—	—		
	F	4	—	2	—	2	—	—	—	—	13	2	7	2	1	1	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	1	—	—	1	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	10	8	1	1	—	—	—	—	—		
	F	4	2	2	—	—	—	—	—	—	3	1	1	—	—	—	1	—	—		
6 Diphtheria and croup ...	M	4	1	1	—	2	—	—	—	—	7	—	1	4	1	1	—	—	—		
	F	8	—	—	2	4	—	2	—	—	8	1	1	2	4	—	—	—	—		
7 Influenza ...	M	23	2	1	—	3	4	10	2	1	31	4	—	—	2	3	8	4	10		
	F	24	4	1	2	2	1	6	3	5	32	2	—	1	4	3	7	7	8		
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	1	1	4	2	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	43	1	—	—	1	11	15	15	—	74	1	3	1	2	20	29	16	2		
	F	47	—	—	—	3	16	23	4	1	58	2	1	—	2	19	29	3	2		
10 Tuberculous meningitis	M	6	—	—	2	3	—	1	—	—	9	1	—	1	5	1	—	1	—		
	F	9	—	2	2	5	—	—	—	—	3	1	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	13	1	1	1	2	3	4	1	—	9	—	—	—	—	3	2	3	1		
	F	16	2	—	1	—	4	4	3	2	11	—	2	—	—	2	1	3	3		
12 Cancer, malignant disease	M	66	—	—	—	—	1	3	27	35	88	—	—	—	—	1	4	37	46		
	F	82	—	—	—	—	2	11	28	41	118	—	—	—	—	—	18	47	53		
13 Rheumatic fever ...	M	5	—	—	—	1	—	2	1	1	7	—	—	—	2	3	2	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—		
14 Meningitis ...	M	1	—	—	—	—	1	—	—	—	9	3	2	—	—	1	1	1	1		
	F	1	1	—	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—		
15 Organic heart disease ...	M	84	—	—	—	1	3	12	23	45	85	—	—	—	—	6	6	24	49		
	F	95	—	—	—	3	1	7	25	59	97	—	—	1	2	2	6	25	61		
16 Bronchitis ...	M	52	17	2	—	—	—	2	10	21	78	24	1	2	—	1	2	5	43		
	F	61	7	3	1	—	—	2	5	43	90	19	1	—	—	—	1	7	62		
17 Pneumonia (all forms)...	M	62	20	3	4	3	4	6	15	7	68	18	6	6	3	4	9	9	13		
	F	41	9	3	4	3	—	3	5	14	52	11	3	3	6	3	6	4	16		
18 Other respiratory diseases	M	7	—	—	—	1	—	1	2	3	21	2	1	4	3	—	1	5	5		
	F	10	—	—	1	1	—	2	3	3	11	—	—	2	1	—	1	2	5		
19 Diarrhoea, &c. ...	M	19	12	—	1	1	—	—	2	3	21	17	1	—	—	—	—	1	2		
	F	12	7	—	1	—	—	1	1	2	23	11	2	1	—	1	2	1	5		
20 Appendicitis and typhlitis	M	6	—	—	—	2	1	3	—	—	7	1	—	—	—	3	1	2	—		
	F	1	—	—	—	1	—	—	—	—	8	—	—	2	2	2	—	2	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	3	—	—	—	—	—	—	3	—		
	F	4	—	—	—	—	—	—	2	2	3	—	—	—	—	—	1	—	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	—	1	5	11	8	23	—	—	—	1	—	3	8	11		
	F	28	—	—	—	1	1	1	9	16	34	1	1	1	1	—	9	7	14		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	2	11	—	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	60	59	—	—	—	1	—	—	—	72	71	—	—	1	—	—	—	—		
	F	41	41	—	—	—	—	—	—	—	42	41	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	42	2	1	1	5	6	9	12	6	53	3	2	3	5	8	11	14	7		
	F	13	—	1	1	3	—	—	3	5	16	2	1	2	2	—	—	3	6		
27 Suicide ...	M	10	—	—	—	—	—	7	3	—	18	—	—	—	—	—	5	9	4		
	F	12	—	—	—	—	2	5	5	—	5	—	—	—	—	—	2	3	—		
28 Other defined diseases ...	M	261	25	1	4	5	6	20	45	155	329	33	1	4	6	4	31	52	198		
	F	243	19	1	1	3	7	14	48	150	302	28	3	3	11	2	19	59	177		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WESTMORLAND—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	175	19	2	3	4	7	20	46	74	239	34	3	5	1	10	22	45	119		
	F	200	20	2	6	4	8	22	40	98	229	13	1	5	11	7	29	54	109		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	—	—	2	—	1	—	—	—		
	F	1	—	—	1	—	—	—	—	—	4	—	—	2	1	1	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
7 Influenza	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	2	1		
	F	4	—	—	—	—	—	—	—	4	6	1	—	—	—	—	3	—	2		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	15	—	—	—	—	2	9	4	—	9	—	1	—	—	2	5	1	—		
	F	9	—	—	—	1	3	2	2	1	13	—	—	—	1	2	6	3	1		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	3	—	1	—	—	—	—	2	—		
	F	1	1	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	—	1	—	1	—	—	4	—	—	—	1	—	1	2	—		
	F	3	1	—	—	—	—	1	1	—	3	—	—	—	—	—	2	1	—		
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	7	10	27	—	—	—	—	—	3	12	12		
	F	24	—	—	—	—	—	4	9	11	41	—	—	—	—	—	2	18	21		
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	26	—	—	—	—	—	2	5	19	28	—	—	—	—	—	1	5	22		
	F	30	—	—	—	—	—	1	7	22	32	—	—	—	—	—	—	12	20		
16 Bronchitis	M	8	3	—	—	—	—	—	2	3	15	3	—	—	—	—	—	—	12		
	F	12	3	—	1	—	—	—	—	8	8	2	—	—	—	—	—	2	4		
17 Pneumonia (all forms)...	M	10	4	—	—	—	—	1	4	1	6	1	—	—	—	—	2	1	2		
	F	8	1	—	3	—	—	—	—	4	3	1	—	—	—	—	—	1	1		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2		
	F	4	—	—	1	—	—	—	3	—	5	—	—	—	—	—	—	2	3		
19 Diarrhoea, &c.	M	4	—	1	—	—	—	—	2	1	4	2	—	—	—	—	—	1	1		
	F	3	1	1	—	—	—	1	—	—	2	—	—	1	—	—	—	1	—		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	1	1	—	—	4	—	—	—	1	1	2	—	—		
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	3	—	—	—	—	—	—	—	3	7	—	—	—	—	—	2	—	5		
	F	4	—	—	—	—	—	3	1	—	3	—	—	1	—	—	—	—	2		
23 Puerperal fever... ..	M	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	—	1	—	1	2	3	3	7	1	—	—	—	3	—	—	3		
	F	2	—	—	—	—	1	—	—	1	3	—	—	—	1	—	—	1	1		
27 Suicide	M	4	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	53	3	—	—	—	3	4	14	29	94	8	1	—	—	4	6	16	59		
	F	73	4	—	—	1	1	5	17	45	79	3	—	—	2	2	6	12	54		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—		
	F	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WIGHT, ISLE OF—1920 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										RURAL DISTRICT.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	391	39	3	8	13	12	52	88	176	165	24	3	1	8	5	21	36	67				
	F	429	22	3	7	17	8	55	101	216	136	8	2	3	1	6	18	17	81				
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—				
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
3 Measles ...	M	4	1	—	2	1	—	—	—	—	2	—	—	—	2	—	—	—	—				
	F	4	—	—	2	2	—	—	—	—	1	—	1	—	—	—	—	—	—				
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—				
	F	6	4	—	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—				
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	3	—	—	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—				
7 Influenza ...	M	7	—	—	1	—	2	2	—	2	2	1	—	—	—	1	—	—	—				
	F	6	—	—	—	—	—	2	2	2	2	—	—	—	1	—	—	—	1				
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—				
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—				
9 Pulmonary tuberculosis	M	40	—	—	—	1	3	20	12	4	4	—	—	—	—	—	4	—	—				
	F	28	—	—	—	1	3	20	3	1	9	—	—	—	—	4	4	1	—				
10 Tuberculous meningitis	M	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—				
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—				
11 Other tuberculous diseases.	M	3	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—				
	F	4	1	—	1	1	1	—	—	—	2	—	—	—	—	—	1	1	—				
12 Cancer, malignant disease	M	35	—	—	—	—	—	3	11	21	13	—	—	—	—	—	1	4	8				
	F	67	—	—	—	1	—	7	25	34	11	—	—	—	—	—	3	3	5				
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—				
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—				
15 Organic heart disease ...	M	48	—	—	—	1	—	5	18	24	21	—	—	—	1	—	4	7	9				
	F	70	—	—	—	1	—	4	19	46	25	—	—	—	—	1	1	6	17				
16 Bronchitis ...	M	24	2	—	1	—	1	—	2	18	13	1	—	—	—	—	—	—	12				
	F	21	2	1	—	—	—	—	1	17	13	1	—	—	—	—	—	—	12				
17 Pneumonia (all forms)	M	13	3	2	1	—	—	2	2	3	10	2	1	—	2	—	2	—	3				
	F	10	2	—	—	2	1	2	1	2	3	—	—	1	—	—	—	—	2				
18 Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	4	—	—	—	1	—	—	3	—				
	F	7	—	—	—	—	—	2	2	3	1	—	—	—	—	—	—	—	1				
19 Diarrhoea, &c. ...	M	5	3	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	2				
	F	9	3	1	—	—	—	1	1	3	2	—	—	—	—	—	—	1	1				
20 Appendicitis and typhlitis	M	4	—	—	—	2	1	—	—	1	1	—	—	—	—	—	1	—	—				
	F	4	—	—	—	1	1	—	2	—	1	—	—	—	—	—	—	—	1				
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	1	—				
	F	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—				
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	1	4	10	6	—	—	—	—	—	—	3	3				
	F	11	—	—	—	—	1	—	4	6	2	—	—	—	—	—	—	1	1				
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—				
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—				
25 Congenital debility, &c.	M	24	24	—	—	—	—	—	—	—	11	10	1	—	—	—	—	—	—				
	F	10	8	—	1	1	—	—	—	—	4	4	—	—	—	—	—	—	—				
26 Violence, apart from suicide.	M	10	1	—	—	—	1	5	—	3	7	1	—	1	—	2	2	1	—				
	F	2	—	—	—	—	—	1	—	1	3	—	—	1	—	—	—	—	2				
27 Suicide ...	M	8	—	—	—	—	1	1	4	2	3	—	—	—	—	—	1	2	—				
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—				
28 Other defined diseases ...	M	132	1	—	—	3	3	12	31	82	61	8	1	—	2	3	4	13	30				
	F	148	2	1	1	2	1	9	36	96	50	2	—	—	1	5	4	4	38				
29 Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—				
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WILTS—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	718	101	8	13	27	26	82	175	286	815	111	8	14	20	35	81	158	388		
	F	764	80	17	11	28	36	86	161	345	831	75	10	12	22	32	81	165	434		
1 Enteric Fever	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	—	—	1	1	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—		
4 Scarlet Fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	M	3	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	14	9	3	2	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	1	8	—	—	—	—	3	—	—	—	2	—	1	—	—		
	F	9	—	—	2	7	—	—	—	—	3	—	—	1	2	—	—	—	—		
7 Influenza	M	7	—	—	—	—	1	4	1	1	7	—	—	—	—	2	—	—	5		
	F	8	1	—	—	—	—	—	—	7	8	—	—	—	1	—	1	—	6		
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—		
9 Pulmonary Tuberculosis	M	43	—	—	—	1	9	20	10	3	47	—	—	—	—	10	24	12	1		
	F	55	1	—	—	3	14	28	9	—	44	—	—	—	2	14	12	14	2		
10 Tuberculous meningitis	M	8	1	2	—	3	—	1	1	—	8	—	—	2	3	1	2	—	—		
	F	5	—	1	—	2	2	—	—	—	3	—	—	—	1	—	2	—	—		
11 Other tuberculous diseases.	M	5	1	—	—	1	—	2	—	1	7	1	—	1	—	1	1	2	1		
	F	4	—	—	—	1	—	1	1	1	12	—	—	—	2	—	6	3	1		
12 Cancer, Malignant disease	M	66	—	—	—	—	—	6	32	28	86	—	1	—	—	1	5	35	44		
	F	110	—	—	—	—	1	6	45	58	104	—	—	—	—	—	11	46	47		
13 Rheumatic fever	M	3	—	—	—	—	—	2	—	1	2	—	—	—	—	1	1	—	—		
	F	4	—	—	—	1	—	1	1	1	5	—	—	—	1	—	3	1	—		
14 Meningitis	M	5	1	—	—	—	—	3	1	—	7	—	—	1	2	2	1	1	—		
	F	6	1	1	1	2	1	—	—	—	5	—	1	1	—	2	—	1	—		
15 Organic heart disease ...	M	70	—	—	—	1	3	6	24	36	129	—	—	—	2	3	10	26	88		
	F	101	—	—	—	1	1	10	27	62	111	—	—	—	—	—	6	30	75		
16 Bronchitis	M	46	8	1	1	—	—	1	13	22	48	5	1	—	1	—	—	3	38		
	F	47	6	2	1	—	—	2	4	32	45	6	1	—	—	—	1	3	34		
17 Pneumonia (all forms)	M	43	9	3	5	2	2	3	13	6	34	13	3	2	—	2	6	1	7		
	F	34	6	3	3	4	3	4	4	7	20	3	1	1	1	—	5	3	6		
18 Other respiratory diseases	M	4	—	—	—	1	—	—	2	1	11	2	—	—	—	1	1	1	6		
	F	8	—	—	—	—	—	—	1	7	14	—	2	1	2	—	—	3	6		
19 Diarrhoea, &c.	M	12	8	—	1	—	—	2	—	1	11	5	—	1	—	—	—	4	1		
	F	12	2	2	—	1	3	2	—	2	6	1	1	—	—	—	—	—	4		
20 Appendicitis and typhlitis	M	4	—	—	—	1	2	—	1	—	5	—	—	—	—	1	3	1	—		
	F	6	—	—	—	1	2	1	2	—	4	—	—	1	1	—	1	1	—		
21 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	6	—	—	—	—	—	1	1	4		
	F	4	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	31	—	—	—	1	1	1	12	16	21	—	—	—	—	1	1	9	10		
	F	20	—	—	—	—	—	2	8	10	18	1	—	—	—	1	—	7	9		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	8	—	—	—	—	—	7	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	13	—	—	—	—	3	9	1	—		
25 Congenital debility, &c.	M	55	55	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	20	—	—	1	2	—	7	6	4	28	1	1	5	1	4	6	4	6		
	F	7	1	1	1	1	—	—	—	3	18	1	—	6	1	2	1	1	6		
27 Suicide	M	2	—	—	—	—	—	1	1	—	6	—	—	—	1	—	—	4	1		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	2	—	2		
28 Other defined diseases ...	M	267	16	1	3	5	6	23	51	162	277	20	2	1	8	4	16	51	175		
	F	253	15	2	1	3	8	17	55	152	328	12	3	—	6	10	14	47	236		
29 Causes ill-defined or unknown.	M	5	—	—	—	—	1	—	2	2	5	—	—	—	—	—	1	3	1		
	F	3	1	1	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WORCESTER—1920 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES		M	1,015	170	22	30	40	46	129	219	359	799	88	18	15	26	39	92	186	335	
		F	923	115	19	33	44	38	113	187	374	725	70	12	9	26	29	87	135	357	
1 Enteric fever		M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles		M	17	3	6	7	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	15	3	4	6	2	—	—	—	—	2	2	—	—	—	—	—	—	—	
4 Scarlet fever		M	6	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough		M	6	5	1	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—	
		F	10	4	2	3	1	—	—	—	—	3	2	1	—	—	—	—	—	—	
6 Diphtheria and croup		M	9	1	1	6	1	—	—	—	—	14	—	1	4	7	1	1	—	—	
		F	6	—	—	1	5	—	—	—	—	5	—	—	2	3	—	—	—	—	
7 Influenza		M	27	1	—	—	—	1	6	14	5	19	1	—	1	2	3	4	6	2	
		F	16	1	1	—	1	1	3	5	4	18	2	2	2	2	—	2	3	5	
8 Erysipelas		M	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
9 Pulmonary tuberculosis		M	79	—	—	—	3	14	39	19	4	44	—	—	—	—	9	24	10	1	
		F	63	—	—	1	4	11	37	10	—	45	1	—	1	2	10	27	4	—	
10 Tuberculous meningitis		M	7	1	—	—	4	2	—	—	—	7	2	2	—	2	1	—	—	—	
		F	6	2	2	—	2	—	—	—	—	4	1	—	—	—	3	—	—	—	
11 Other tuberculous diseases.		M	15	5	1	1	1	2	3	1	1	10	—	—	—	1	5	2	2	—	
		F	15	—	—	—	2	6	3	4	—	7	—	—	—	1	2	1	3	—	
12 Cancer, malignant disease		M	85	—	—	—	—	—	6	38	41	69	—	—	—	—	—	5	25	39	
		F	99	—	1	1	—	3	9	49	36	75	1	—	—	—	—	4	23	47	
13 Rheumatic fever		M	2	—	—	—	1	—	—	1	—	3	—	—	—	1	1	—	—	1	
		F	3	—	—	—	2	1	—	—	—	2	—	—	—	—	—	1	1	—	
14 Meningitis		M	9	5	—	1	1	2	—	—	—	2	2	—	—	—	—	—	—	—	
		F	2	1	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—	—	
15 Organic heart disease		M	70	—	—	—	1	2	8	18	41	99	—	—	—	2	—	8	28	61	
		F	102	—	—	—	1	1	8	23	69	103	—	—	—	—	1	7	22	73	
16 Bronchitis		M	96	16	2	—	1	—	5	14	58	60	10	2	—	—	—	—	9	39	
		F	84	12	—	2	1	—	3	11	55	47	4	—	—	1	—	—	6	36	
17 Pneumonia (all forms)...		M	82	22	7	5	7	3	17	12	9	54	10	9	5	—	3	10	12	5	
		F	45	8	5	5	2	1	6	10	8	33	5	3	2	2	2	4	7	8	
18 Other respiratory diseases		M	14	1	1	—	—	2	3	5	2	10	2	—	—	—	1	1	2	4	
		F	15	—	—	4	2	—	2	2	5	7	1	—	—	1	1	—	1	3	
19 Diarrhoea, &c.		M	17	10	—	2	1	—	1	1	2	7	5	—	—	—	—	—	2	—	
		F	20	12	1	—	2	—	1	1	3	10	6	1	—	—	—	—	—	3	
20 Appendicitis and typhlitis		M	9	—	—	—	3	3	1	1	1	8	—	—	—	1	3	—	4	—	
		F	8	—	—	1	2	2	1	1	1	4	—	—	—	1	1	—	2	—	
21 Cirrhosis of liver		M	7	—	—	—	—	—	1	2	4	3	—	—	—	1	—	1	—	1	
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	1	2	1	
21A Alcoholism		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.		M	17	—	—	—	—	1	4	7	5	22	—	—	1	1	—	1	9	10	
		F	19	—	—	—	—	—	1	12	6	17	—	—	—	1	—	4	5	7	
23 Puerperal fever		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	1	4	—	—	4	—	—	—	—	1	3	—	—	
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	2	10	—	—	11	—	—	—	—	2	9	—	—	
25 Congenital debility, &c.		M	76	75	—	1	—	—	—	—	—	44	42	—	1	—	1	—	—	—	
		F	55	54	1	—	—	—	—	—	—	30	29	—	—	1	—	—	—	—	
26 Violence, apart from suicide.		M	47	2	1	1	9	4	10	14	6	38	3	2	1	2	6	10	9	5	
		F	15	2	—	3	2	1	1	1	5	16	2	—	1	4	1	—	—	8	
27 Suicide		M	15	—	—	—	—	—	5	8	2	9	—	—	—	—	—	3	5	1	
		F	7	—	—	—	—	—	3	2	2	9	—	—	—	—	—	2	6	1	
28 Other defined diseases ...		M	293	23	2	2	3	10	20	57	176	268	8	2	—	5	5	22	61	165	
		F	287	16	2	6	8	7	18	51	179	258	12	4	1	6	5	21	47	162	
29 Causes ill-defined or unknown.		M	7	—	—	—	1	—	—	6	—	3	1	—	—	—	—	—	2	—	
		F	10	—	—	—	2	—	2	5	1	7	1	—	—	—	—	1	3	2	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, EAST RIDING—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES.	M F	426 462	56 52	14 13	7 12	13 9	21 20	35 54	94 85	186 217	587 478	96 54	6 8	12 8	20 19	28 26	54 56	101 96	270 211		
1 Enteric fever ...	M F	1 1	— —	— —	— —	1 —	— —	— 1	— —	— —	2 3	— —	— —	1 —	1 —	— 1	— 2	— —	— —		
2 Small-pox ...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3 Measles ...	M F	9 3	2 2	2 —	2 1	3 —	— —	— —	— —	— —	4 5	1 —	1 1	1 1	1 —	— —	— 3	— —	— —		
4 Scarlet fever ...	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —		
5 Whooping cough ...	M F	1 5	— 2	— 3	1 —	— —	— —	— —	— —	— —	2 1	1 1	1 —	— —	— —	— —	— —	— —	— —		
6 Diphtheria and croup ...	M F	1 3	— —	— —	— 1	1 2	— —	— —	— —	— —	6 5	— —	— —	3 2	2 3	1 —	— —	— —	— —		
7 Influenza ...	M F	1 3	— —	— —	— —	— —	— 1	— —	— 2	1 —	10 10	1 —	— 1	— —	— 1	— 1	4 2	2 1	3 4		
8 Erysipelas ...	M F	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —	1 2	— —	— —	— —	— —	— —	— —	1 1	1 1		
9 Pulmonary tuberculosis	M F	35 27	— —	1 —	— —	2 1	10 9	12 12	9 4	1 1	29 34	— —	— 1	— —	1 2	8 11	9 15	9 3	2 2		
10 Tuberculous meningitis	M F	2 2	1 —	— —	— 2	— —	1 —	— —	— —	— —	6 7	— 1	— —	1 1	4 3	1 —	— 1	— —	— —		
11 Other tuberculous diseases.	M F	1 4	— —	— —	— —	— 2	1 —	— 1	— 1	— —	8 9	1 —	— 1	— —	1 1	1 1	4 1	1 4	— 1		
12 Cancer, malignant disease	M F	42 59	— —	— —	— —	— —	— —	1 6	19 24	22 29	58 56	— —	— —	— —	— —	— —	3 7	23 25	32 24		
13 Rheumatic fever ...	M F	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	4 2	— —	— —	— —	2 2	— —	1 —	1 —	— —		
14 Meningitis ...	M F	— 3	— —	— 2	— —	— —	— 1	— —	— —	— —	3 2	— —	— —	— —	— —	— 2	2 —	1 —	— —		
15 Organic heart disease ...	M F	42 67	— —	— —	— —	— —	1 1	7 9	9 13	25 44	78 49	— —	— —	— —	— —	5 —	5 2	13 9	55 38		
16 Bronchitis ...	M F	30 25	6 —	1 2	— 2	— —	— —	— —	6 5	17 16	45 29	12 5	— —	— —	— 1	— 1	— 1	2 3	31 18		
17 Pneumonia (all forms)...	M F	23 25	2 5	3 3	2 3	— —	— 1	4 4	6 3	6 6	29 14	7 3	1 2	1 1	1 —	— —	6 1	4 2	9 5		
18 Other respiratory diseases	M F	8 2	1 —	2 —	— —	— 1	— —	— —	3 —	2 1	8 13	1 1	— 1	2 —	1 —	1 —	— 2	1 3	2 6		
19 Diarrhoea, &c. ...	M F	10 8	3 2	2 1	— 1	— —	— —	1 —	2 1	2 3	8 7	6 1	— —	1 1	— —	— —	— 2	1 1	2 2		
20 Appendicitis and typhlitis	M F	1 2	— —	— —	— —	1 —	— —	— 1	— 1	— —	3 3	— —	— —	— —	1 —	1 1	1 1	— 1	— —		
21 Cirrhosis of liver ...	M F	2 1	— —	— —	— —	— —	— —	— —	1 1	1 —	5 1	— —	— —	— —	— —	— —	— —	5 1	— —		
21A Alcoholism ...	M F	1 1	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
22 Nephritis and Bright's disease.	M F	12 18	— —	— —	— 1	— —	1 —	— 2	4 6	7 9	10 16	— —	— —	1 —	— 2	— —	1 2	3 9	5 3		
23 Puerperal fever...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —		
24 Parturition, apart from puerperal fever.	M F	— 7	— —	— —	— —	— —	— 3	— 4	— —	— —	— 3	— —	— —	— —	1 —	— —	— 2	— —	— —		
25 Congenital debility, &c.	M F	25 23	25 28	— —	— —	— —	— —	— —	— —	— —	33 25	33 24	— —	— 1	— —	— —	— —	— —	— —		
26 Violence, apart from suicide.	M F	13 4	— —	— —	— —	2 —	2 —	3 1	2 2	4 1	24 8	2 —	1 —	— —	1 2	4 —	6 —	7 4	3 2		
27 Suicide ...	M F	2 2	— —	— —	— —	— —	— —	— —	1 1	1 1	3 1	— —	— —	— —	— —	— —	1 —	1 1	1 —		
28 Other defined diseases ...	M F	160 155	16 12	3 2	2 1	3 3	5 3	4 11	30 19	97 104	204 168	31 18	2 —	1 1	4 3	6 3	9 11	26 27	125 105		
29 Causes ill-defined or unknown.	M F	2 4	— 1	— —	— —	— —	— —	1 —	1 2	— 1	4 2	— —	— 1	— —	— —	1 —	1 —	1 1	1 —		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, NORTH RIDING—1920 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,216	236	39	46	57	63	150	255	370	874	120	16	16	28	36	76	170	412		
			F	1,113	185	42	33	48	43	140	203	419	799	84	9	13	28	28	93	171	373		
1	Enteric fever	...	M	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—		
			F	3	—	—	—	1	1	1	—	—	2	—	—	—	—	—	1	1	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	6	3	—	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
			F	14	3	7	1	3	—	—	—	—	2	—	—	1	—	—	—	1	—		
4	Scarlet fever	...	M	5	—	—	4	—	1	—	—	—	3	—	—	—	1	2	—	—	—		
			F	4	—	—	—	3	1	—	—	—	1	—	—	—	1	—	—	—	—		
5	Whooping cough	...	M	11	4	4	2	1	—	—	—	—	7	4	1	1	1	—	—	—	—		
			F	14	7	5	2	—	—	—	—	—	5	2	2	—	1	—	—	—	—		
6	Diphtheria and croup	...	M	22	—	1	4	16	1	—	—	—	11	—	—	3	8	—	—	—	—		
			F	16	—	2	4	8	—	2	—	—	12	2	—	2	7	—	1	—	—		
7	Influenza	...	M	23	2	1	—	—	6	7	6	1	18	—	2	—	—	2	4	4	6		
			F	14	1	—	1	1	1	2	5	3	17	1	—	—	—	3	5	4	4		
8	Erysipelas	...	M	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	—	—	—	—	2	2	1	—	1	—	—	—	—	—	—		
9	Pulmonary tuberculosis		M	77	—	—	—	4	13	32	28	—	49	—	1	—	—	13	21	12	2		
			F	76	—	—	3	5	11	40	14	3	38	—	—	—	2	9	18	9	—		
10	Tuberculous meningitis		M	12	2	1	3	2	2	2	—	—	1	—	—	1	—	—	—	—	—		
			F	8	—	3	2	3	—	—	—	—	3	—	—	2	1	—	—	—	—		
11	Other tuberculous diseases.		M	22	5	3	3	4	3	3	1	—	10	2	1	1	3	—	2	1	—		
			F	20	2	—	3	5	3	3	2	2	13	—	—	1	2	1	5	3	1		
12	Cancer, malignant disease		M	91	—	—	—	—	—	7	46	38	91	—	—	—	—	—	3	28	60		
			F	100	—	—	—	—	—	16	47	37	93	—	—	—	—	—	9	39	45		
13	Rheumatic fever	...	M	4	—	—	—	2	1	—	—	1	2	—	—	—	—	—	1	1	—		
			F	9	—	—	—	3	2	—	4	—	3	—	—	—	1	1	—	—	1		
14	Meningitis	...	M	13	4	1	1	5	1	—	—	1	5	—	2	1	—	1	—	—	1		
			F	13	5	1	1	—	3	2	1	—	7	—	1	1	2	1	1	1	—		
15	Organic heart disease	...	M	113	—	—	—	4	4	10	31	64	128	—	—	—	—	—	8	33	87		
			F	129	—	—	—	1	2	13	28	85	115	—	—	—	1	1	7	33	73		
16	Bronchitis	...	M	78	22	4	2	—	1	—	8	41	41	11	1	2	1	—	—	4	22		
			F	78	15	4	—	1	—	—	7	51	45	3	1	—	1	—	—	7	33		
17	Pneumonia (all forms)...		M	134	27	12	9	5	11	25	26	19	56	10	3	1	3	6	5	15	13		
			F	89	22	11	6	2	2	8	11	27	30	7	2	2	—	1	3	7	8		
18	Other respiratory diseases		M	28	2	1	5	1	2	2	7	8	11	—	—	1	—	—	1	2	7		
			F	12	1	1	2	—	1	—	2	5	11	—	—	2	—	—	3	6	—		
19	Diarrhoea, &c.	...	M	42	31	3	5	1	—	2	—	—	15	9	—	—	1	—	2	2	1		
			F	32	18	2	2	2	—	1	2	5	6	3	—	1	—	—	2	—	—		
20	Appendicitis and typhlitis		M	4	—	—	—	—	2	1	1	—	5	—	—	—	—	2	1	1	—		
			F	4	—	1	—	1	1	1	—	—	3	—	—	—	2	—	—	1	—		
21	Cirrhosis of liver	...	M	9	—	—	—	—	—	—	5	4	6	—	—	—	—	—	—	2	4		
			F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	2	—		
21A	Alcoholism	...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22	Nephritis and Bright's disease.		M	31	—	—	1	1	2	6	12	9	29	—	1	—	—	1	2	11	14		
			F	38	—	—	—	2	—	11	13	12	21	—	—	1	—	3	4	13	—		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	18	—	—	—	—	8	10	—	—	2	—	—	—	—	1	1	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	15	—	—	—	—	1	12	2	—	9	—	—	—	—	1	8	—	—		
25	Congenital debility, &c.		M	87	87	—	—	—	—	—	—	—	53	50	1	—	1	—	1	—	—		
			F	73	71	—	1	—	1	—	—	—	42	40	1	—	—	—	1	—	—		
26	Violence, apart from suicide.		M	62	1	—	1	5	6	19	18	12	39	1	—	2	3	3	10	10	10		
			F	20	3	—	3	2	1	—	3	8	10	—	—	—	2	1	1	2	4		
27	Suicide	...	M	7	—	—	—	—	—	2	4	1	8	—	—	—	1	1	2	2	2		
			F	2	—	—	—	—	—	1	1	—	4	—	—	—	1	—	2	—	1		
28	Other defined diseases	...	M	324	43	8	3	5	6	30	61	168	279	33	1	3	5	5	12	39	181		
			F	303	36	5	2	5	4	16	57	178	390	26	1	—	4	8	24	54	183		
29	Causes ill-defined or unknown.		M	6	2	—	—	—	—	1	—	3	4	—	1	—	—	—	1	1	1		
			F	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORK, WEST RIDING—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	7,318	1427	271	256	319	303	827	1773	2142	2,469	599	105	104	107	98	264	483	709		
	F	6,906	1069	248	225	312	306	881	1544	2321	2,240	377	113	102	125	81	262	416	764		
1 Enteric fever ...	M	19	—	—	—	—	7	4	7	1	5	—	—	—	2	1	2	—	—		
	F	47	—	—	—	1	3	10	3	—	6	—	—	—	1	1	3	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	184	38	69	59	18	—	—	—	—	86	16	31	28	11	—	—	—	—		
	F	163	28	62	52	21	—	—	—	—	79	12	31	24	10	—	1	1	—		
4 Scarlet fever ...	M	12	1	—	1	8	2	—	—	—	7	—	—	2	5	—	—	—	—		
	F	17	1	1	4	9	—	1	1	—	12	—	—	4	3	4	1	—	—		
5 Whooping cough ...	M	42	29	9	3	1	—	—	—	—	15	9	3	3	—	—	—	—	—		
	F	46	23	13	8	2	—	—	—	—	5	1	2	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	74	1	6	36	25	3	2	1	—	21	1	—	9	10	1	—	—	—		
	F	68	2	5	27	33	1	—	—	—	28	—	1	10	16	1	—	—	—		
7 Influenza ...	M	185	14	7	7	14	16	55	42	30	63	11	—	3	5	5	12	14	13		
	F	191	15	6	7	16	14	54	42	37	49	3	3	4	8	2	13	7	9		
8 Erysipelas ...	M	13	1	—	1	1	—	1	4	5	9	2	—	—	1	—	—	2	4		
	F	6	1	—	—	—	—	2	1	2	5	1	—	—	—	—	—	2	2		
9 Pulmonary tuberculosis	M	422	3	7	4	15	67	157	148	21	128	3	2	5	3	17	60	34	4		
	F	410	—	4	6	28	107	188	66	11	108	—	2	1	11	26	45	18	5		
10 Tuberculous meningitis	M	67	22	7	7	21	6	3	1	—	12	3	2	2	4	1	—	—	—		
	F	56	14	—	9	24	3	6	—	—	22	4	4	3	7	2	2	—	—		
11 Other tuberculous diseases.	M	129	19	8	9	24	25	21	18	5	30	6	4	—	7	3	3	5	2		
	F	86	10	8	8	13	11	20	12	4	27	1	3	7	3	2	5	4	2		
12 Cancer, malignant disease	M	515	—	1	—	2	3	45	238	226	156	—	—	—	1	2	14	77	62		
	F	735	1	—	—	—	2	90	371	271	201	—	1	—	1	1	19	95	84		
13 Rheumatic fever ...	M	42	—	—	—	18	8	10	6	—	17	—	1	1	3	2	5	3	2		
	F	47	—	—	—	17	14	12	2	2	15	—	—	—	7	1	3	3	1		
14 Meningitis ...	M	53	20	5	7	8	6	3	4	—	17	4	2	3	4	1	1	2	—		
	F	41	9	4	5	10	5	4	2	2	19	7	4	3	2	—	1	2	—		
15 Organic heart disease ...	M	688	—	—	—	22	17	79	266	304	210	—	—	—	3	5	27	67	108		
	F	785	—	—	—	17	19	81	267	401	233	—	—	1	2	7	24	72	127		
16 Bronchitis ...	M	637	153	16	10	5	4	17	137	295	202	66	14	4	1	1	5	21	90		
	F	574	114	23	6	7	3	23	81	317	201	41	7	3	—	2	8	26	114		
17 Pneumonia (all forms)...	M	684	169	82	50	38	21	99	138	87	213	64	24	16	10	10	27	31	31		
	F	494	148	69	41	23	15	53	68	77	141	37	20	17	13	5	18	9	22		
18 Other respiratory diseases	M	100	5	3	8	7	1	16	38	22	44	4	1	4	2	1	4	22	6		
	F	82	5	6	7	6	3	7	22	26	29	2	3	3	2	—	4	7	8		
19 Diarrhoea, &c. ...	M	248	173	21	7	4	3	12	15	13	122	96	12	1	1	—	6	3	3		
	F	185	121	14	8	4	4	10	8	16	100	61	17	8	6	1	2	3	2		
20 Appendicitis and typhlitis	M	41	—	—	2	11	7	13	8	—	17	—	—	1	1	6	4	5	—		
	F	39	—	1	1	8	12	7	8	2	13	—	—	—	5	—	2	3	3		
21 Cirrhosis of liver ...	M	22	—	—	—	—	—	2	14	6	10	—	—	—	—	—	1	8	1		
	F	15	—	—	—	2	—	1	10	2	6	—	—	—	—	—	—	4	2		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	224	—	1	3	11	11	34	90	74	65	1	—	—	4	2	10	25	23		
	F	219	—	2	3	8	5	38	101	62	61	1	1	1	5	2	10	23	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	56	—	—	—	—	15	41	—	—	25	—	—	—	—	6	19	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	80	—	—	—	—	10	68	2	—	38	—	—	—	—	5	32	1	—		
25 Congenital debility, &c.	M	503	496	2	2	3	—	—	—	—	196	195	—	1	—	—	—	—	—		
	F	381	376	3	—	—	1	1	—	—	132	131	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	276	12	8	21	25	36	76	77	21	144	3	3	13	13	26	36	32	18		
	F	94	12	3	16	16	3	12	10	22	42	4	4	4	7	5	4	5	9		
27 Suicide ...	M	72	—	—	—	—	1	27	34	10	18	—	—	—	—	2	4	8	4		
	F	36	—	—	—	—	8	13	9	6	10	—	—	—	—	—	6	4	—		
28 Other defined diseases ...	M	2,045	271	17	19	38	58	147	478	1017	648	115	5	8	16	11	42	118	333		
	F	1,964	188	22	17	46	48	136	449	1058	629	71	9	7	16	8	40	124	354		
29 Causes ill-defined or unknown.	M	18	—	2	—	—	1	2	8	5	14	—	1	—	—	1	1	6	5		
	F	19	1	2	—	1	—	3	9	3	4	—	—	—	—	—	—	2	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
ANGLESEY—1920 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	128	23	1	5	3	10	14	32	40	222	30	2	2	5	11	17	46	109
			F	127	15	2	2	4	2	19	26	57	239	26	5	—	7	13	30	46	112
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup	M	5	—	—	2	2	1	—	—	—	3	—	—	—	2	1	—	—	—
			F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	—	—	—	—	—	—	—	—	—	9	2	—	—	—	—	—	3	4
			F	3	—	—	—	—	—	1	—	2	11	3	—	—	—	—	1	—	7
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	15	—	—	—	—	4	5	6	—	12	—	—	—	—	3	6	2	1
			F	7	—	—	—	—	1	5	1	—	24	—	1	—	2	7	7	5	2
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
			F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1
			F	3	—	—	—	2	—	1	—	—	2	—	—	—	1	—	—	—	1
12 Cancer, malignant disease	M	9	—	—	—	—	—	—	3	6	26	—	—	—	—	—	—	9	17
			F	18	—	—	—	—	—	2	11	5	29	—	—	—	—	—	3	15	11
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
15 Organic heart disease	M	7	—	—	—	—	—	—	—	—	32	—	—	—	—	—	2	5	25
			F	13	—	—	—	—	—	1	2	10	38	—	—	—	—	—	3	6	29
16 Bronchitis	M	7	2	—	—	—	—	—	3	2	9	—	—	1	—	—	—	1	7
			F	6	—	—	—	—	—	—	—	6	12	1	1	—	—	—	1	2	7
17 Pneumonia (all forms)...	M	5	2	—	—	—	1	—	—	2	5	—	1	—	—	—	—	2	2
			F	7	2	—	1	—	1	—	—	3	8	4	1	—	—	—	1	1	1
18 Other respiratory diseases	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
19 Diarrhoea, &c.	M	3	2	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—
			F	4	1	—	—	—	—	—	1	2	5	2	1	—	—	1	1	—	—
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	10	—	—	—	—	1	1	3	5	9	—	—	—	1	—	3	3	2
			F	4	—	—	—	—	—	1	1	2	9	—	—	—	—	—	3	3	3
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
			F	8	8	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	3	—	—	2	—	—	1	—	—	11	—	—	—	—	4	3	4	—
			F	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	1	—	1
27 Suicide	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
28 Other defined diseases	M	43	4	—	—	1	2	5	12	19	71	8	1	—	—	1	2	13	46
			F	45	3	1	—	—	—	6	10	25	74	4	—	—	—	4	5	13	48
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	2
			F	—	—	—	—	—	—	—	—	—	5	3	—	—	1	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BRECKNOCK—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	125	23	5	5	4	4	10	33	41	285	53	12	8	21	17	22	57	95		
	F	105	13	5	6	5	4	9	28	35	255	37	7	10	13	8	33	55	92		
Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles ...	M	6	1	2	3	—	—	—	—	—	3	1	—	2	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	5	—	3	1	1	—	—	—	—		
Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough ...	M	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
Diphtheria and croup ...	M	2	2	—	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Influenza ...	M	6	—	—	—	—	—	1	4	1	2	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Pulmonary tuberculosis	M	9	—	—	—	—	2	4	3	—	14	—	1	—	—	4	6	3	—		
	F	8	—	—	—	—	3	3	2	—	21	—	1	—	1	3	10	5	1		
Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	1	—	—	1	—	—		
Other tuberculous diseases.	M	3	—	1	—	1	—	1	—	—	6	—	—	1	4	—	1	—	—		
	F	3	—	—	1	—	1	1	—	—	5	—	—	—	2	1	2	—	—		
Cancer, malignant disease	M	8	—	—	—	—	—	—	2	6	15	—	—	—	—	—	3	3	9		
	F	9	—	—	—	—	—	1	7	1	20	—	—	—	—	—	3	10	7		
Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1		
Meningitis ...	M	2	—	—	—	1	—	—	1	—	3	1	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		
Organic heart disease ...	M	15	—	—	—	—	—	—	6	9	34	—	—	—	2	2	1	11	18		
	F	10	—	—	1	—	—	1	3	5	32	—	—	—	2	—	1	10	19		
Bronchitis ...	M	13	2	1	1	—	—	—	3	6	18	6	—	—	—	—	—	3	9		
	F	9	3	2	—	—	—	—	1	3	29	5	—	—	—	—	1	7	16		
Pneumonia (all forms)...	M	7	5	—	—	—	—	—	1	1	17	4	2	—	—	1	1	6	3		
	F	4	1	2	—	—	—	—	—	1	22	6	1	4	2	1	2	2	4		
Other respiratory diseases	M	3	—	—	—	—	—	1	2	—	5	—	1	1	—	—	—	—	3		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	1	—	—	—	1		
Diarrhoea, &c. ...	M	1	—	—	—	—	—	—	—	1	6	1	2	—	—	1	—	—	2		
	F	2	1	—	—	1	—	—	—	—	6	3	—	—	—	—	1	—	2		
Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Nephritis and Bright's disease.	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1		
	F	2	—	—	—	—	—	—	1	1	6	—	—	—	1	—	—	3	2		
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—		
Congenital debility, &c.	M	6	6	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
	F	5	5	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
Violence, apart from suicide.	M	4	—	—	—	—	1	1	2	—	20	—	—	1	2	3	4	9	1		
	F	2	—	—	1	1	—	—	—	—	5	—	—	2	2	—	—	1	—		
Suicide ...	M	2	—	—	—	—	—	1	—	1	4	—	—	—	—	1	1	1	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
Other defined diseases ...	M	32	7	1	—	—	—	1	8	15	97	18	4	1	7	4	3	15	45		
	F	41	2	—	1	—	—	1	14	23	68	9	1	1	1	2	3	13	38		
Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARDIGAN—1920 (Civilian population only).

[illegible]

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARMARTHEN—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	480	103	17	13	19	32	70	117	109	671	132	23	20	27	36	86	136	211
	F	498	85	12	17	21	29	65	102	167	709	97	18	22	37	37	102	137	259
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	5	2	2	—	1	—	—	—	—	11	4	5	1	1	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	12	1	5	4	1	—	1	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
5 Whooping cough ...	M	4	2	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	5	3	—	1	1	—	—	—	—	4	2	2	—	—	—	—	—	—
6 Diphtheria and croup ...	M	10	1	2	3	4	—	—	—	—	20	1	1	7	11	—	—	—	—
	F	8	1	1	5	1	—	—	—	—	21	1	1	2	15	2	—	—	—
7 Influenza ...	M	23	1	2	—	—	4	8	5	3	21	—	—	—	—	3	9	8	1
	F	27	2	—	2	—	3	10	7	3	23	—	1	2	—	2	7	6	5
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—
9 Pulmonary tuberculosis	M	38	—	—	—	—	10	19	7	2	59	—	—	2	2	11	28	13	3
	F	47	—	—	1	4	13	18	9	2	65	—	1	—	2	17	31	12	2
10 Tuberculous meningitis	M	6	—	—	2	1	2	—	1	—	5	2	1	—	1	1	—	—	—
	F	2	—	—	—	1	1	—	—	—	8	1	—	3	4	—	—	—	—
11 Other tuberculous diseases.	M	5	—	3	—	—	1	—	—	1	13	2	2	—	1	—	5	1	1
	F	5	—	—	—	1	—	1	2	1	8	2	—	—	—	1	3	1	1
12 Cancer, malignant disease	M	30	—	—	—	—	—	1	18	11	40	—	—	1	—	1	—	16	22
	F	46	—	—	—	—	—	6	22	18	64	—	—	—	—	—	7	23	34
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	—	1	1	—	6	—	—	—	5	—	—	1	—
14 Meningitis ...	M	1	—	—	—	—	1	—	—	—	8	2	—	2	2	2	—	—	—
	F	4	1	—	—	2	1	—	—	—	3	1	—	—	—	1	1	—	—
15 Organic heart disease ...	M	41	—	—	—	3	2	2	19	15	62	—	—	—	1	1	5	23	32
	F	63	—	—	—	1	4	5	19	34	83	—	—	—	2	—	5	27	49
16 Bronchitis ...	M	35	12	—	—	1	—	—	11	11	49	13	1	3	—	—	—	5	27
	F	19	6	—	—	1	—	1	—	11	38	8	—	1	—	—	—	6	23
17 Pneumonia (all forms)...	M	32	7	5	1	1	1	9	6	2	49	10	8	1	3	4	4	12	7
	F	25	7	3	—	1	4	2	1	7	36	9	4	2	1	3	3	3	11
18 Other respiratory diseases	M	8	2	—	—	1	—	1	3	1	5	—	1	—	1	—	—	2	1
	F	9	—	1	1	1	—	—	1	5	9	—	1	2	1	—	1	2	2
19 Diarrhoea, &c. ...	M	15	14	—	1	—	—	—	—	—	21	16	2	—	—	—	2	—	1
	F	22	15	4	1	—	—	1	—	1	12	3	—	2	—	—	—	2	5
20 Appendicitis and typhlitis	M	5	—	—	1	1	1	2	—	—	3	—	—	—	2	1	—	—	—
	F	3	—	—	—	1	—	1	1	—	4	—	—	—	—	1	2	—	1
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	3	11	3	24	—	—	—	—	—	1	8	15
	F	16	—	—	—	1	—	3	4	8	28	—	—	—	1	1	3	11	12
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	10	—	—	—	—	—	10	—	—
25 Congenital debility, &c.	M	31	31	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—
	F	29	29	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	34	1	1	3	2	7	11	7	2	38	1	—	1	1	7	11	10	7
	F	6	1	—	1	1	1	—	2	—	6	—	—	1	—	—	2	7	3
27 Suicide ...	M	4	—	—	—	—	—	1	2	1	5	—	—	—	—	—	2	3	—
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	1	3	2	—
28 Other defined diseases ...	M	123	29	1	1	4	3	10	25	55	185	37	1	2	1	4	18	30	92
	F	144	20	1	4	3	2	10	28	76	218	34	3	3	4	8	18	39	109
29 Causes ill-defined or unknown.	M	4	1	—	—	—	—	1	1	1	5	—	1	—	—	—	—	3	1
	F	2	—	1	—	—	—	—	1	—	4	1	—	—	—	—	1	—	2

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARNARVON—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	382	50	7	5	12	15	51	92	150	479	52	7	9	18	26	38	118	211		
	F	413	33	9	9	15	17	56	93	181	483	43	3	11	15	26	54	97	234		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	3	1	2	1	—	1	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	6	—	2	1	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	1	3	13	1	—	—	—	1	1	4	6		
	F	3	1	—	—	—	—	—	1	1	10	—	—	—	—	2	3	2	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	36	—	1	—	2	4	16	10	3	49	—	—	—	1	11	13	18	6		
	F	33	—	—	—	3	5	12	11	2	48	—	—	—	3	14	25	5	1		
10 Tuberculous meningitis	M	4	1	—	—	—	2	1	—	—	2	1	—	1	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	8	—	—	—	3	2	3	—	—		
11 Other tuberculous diseases.	M	7	1	—	1	—	3	1	—	1	6	—	—	—	1	3	—	2	—		
	F	9	1	—	1	1	—	3	2	1	7	1	—	—	1	3	—	2	—		
12 Cancer, malignant disease	M	48	—	—	—	—	—	5	20	23	44	—	—	—	—	—	1	21	22		
	F	44	—	—	—	—	—	—	4	19	61	—	—	—	—	—	5	33	23		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
14 Meningitis ...	M	2	1	—	—	1	—	—	—	—	4	1	—	—	1	1	—	1	—		
	F	3	—	—	—	—	—	2	1	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	44	—	—	—	1	1	6	11	25	53	—	—	—	—	—	2	16	35		
	F	46	—	—	—	—	—	3	12	31	71	—	—	—	—	1	3	20	47		
16 Bronchitis ...	M	19	2	—	1	1	—	1	6	8	29	5	1	—	2	2	2	1	16		
	F	20	—	—	—	—	—	2	3	15	30	7	—	—	1	—	—	—	22		
17 Pneumonia (all forms)...	M	27	6	1	2	1	—	5	5	7	33	11	3	3	2	1	3	3	7		
	F	24	6	2	1	2	1	2	1	9	12	1	—	3	—	—	—	1	7		
18 Other respiratory diseases	M	3	1	—	—	—	—	—	2	—	14	1	1	1	1	—	1	2	7		
	F	4	—	1	1	—	—	2	—	—	4	—	—	1	2	—	—	—	1		
19 Diarrhoea, &c. ...	M	7	7	—	—	—	—	—	—	—	8	4	—	1	—	—	—	—	3		
	F	9	4	—	1	—	—	—	2	2	11	1	—	—	—	—	—	3	7		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	—	1	4	—	—	—	2	1	1	—	—		
	F	4	—	—	—	2	1	—	—	1	2	—	—	—	—	1	1	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	1	1	—	5	11	24	—	—	—	1	—	2	9	12		
	F	18	—	—	—	1	—	3	6	8	27	—	1	—	—	—	3	9	14		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	9	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	12	11	—	1	—	—	—	—	—		
	F	8	8	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	16	—	—	—	—	—	7	3	6	18	—	—	—	1	3	2	7	5		
	F	7	—	—	—	—	2	1	1	3	6	—	—	4	—	—	—	1	1		
27 Suicide ...	M	3	—	—	—	—	—	—	2	1	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	111	15	2	—	3	1	7	25	58	151	16	—	—	3	2	9	34	87		
	F	146	8	2	2	2	6	8	32	86	151	12	1	1	4	2	5	19	107		
29 Causes ill-defined or unknown.	M	3	—	1	—	—	1	—	1	—	3	—	1	—	—	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DENBIGH—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	308	37	8	9	6	9	39	79	121	705	143	19	33	36	23	67	157	227		
	F	350	42	8	3	11	20	33	66	167	650	95	19	25	45	36	91	124	215		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	2	2	1	—	—	—	—	17	3	7	6	1	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	19	3	8	5	3	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	6	—	—	1	5	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	1	3	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	2	2	—	1	1	—	—	23	—	1	7	12	1	2	—	—		
	F	3	—	—	1	2	—	—	—	—	19	—	—	7	11	1	—	—	—		
7 Influenza ...	M	14	—	—	—	—	1	5	7	1	17	1	1	—	—	1	7	2	5		
	F	8	—	—	1	—	1	2	1	3	15	—	—	1	1	2	4	3	4		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	26	—	—	—	—	3	16	6	1	33	—	—	1	1	4	15	11	1		
	F	27	—	1	—	—	11	10	5	—	36	—	—	—	2	6	22	5	1		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	6	2	—	1	1	1	—	—	—		
11 Other tuberculous diseases.	M	4	1	1	—	—	—	—	1	1	5	1	—	1	1	—	1	1	—		
	F	5	2	1	—	—	1	—	1	—	7	—	—	—	1	3	1	1	1		
12 Cancer, malignant disease	M	45	—	—	—	—	—	2	23	20	51	—	—	—	—	1	3	28	19		
	F	32	—	—	—	—	—	2	15	15	65	—	—	—	—	—	6	33	26		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	1	1	—		
	F	2	—	—	—	—	1	1	—	—	3	—	—	—	—	2	1	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	6	1	—	1	2	—	1	1	—		
	F	3	1	1	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	32	—	—	—	1	—	4	8	19	85	—	—	—	1	1	10	21	52		
	F	47	—	—	—	3	1	3	9	31	75	—	—	1	2	1	7	20	44		
16 Bronchitis ...	M	17	2	1	—	1	—	1	1	11	43	10	2	—	—	—	—	6	25		
	F	27	4	1	—	—	—	—	4	18	55	5	2	1	2	1	4	5	35		
17 Pneumonia (all forms)...	M	19	6	—	2	1	2	2	3	3	77	21	6	5	4	5	9	12	15		
	F	14	2	2	—	—	—	2	2	6	45	12	5	5	1	5	5	6	6		
18 Other respiratory diseases	M	10	1	—	1	—	—	—	4	4	17	3	—	3	1	1	1	3	5		
	F	9	1	—	—	1	—	2	—	5	16	3	3	—	3	—	1	1	5		
19 Diarrhoea, &c. ...	M	7	5	—	—	—	—	—	1	1	20	16	—	—	—	—	2	1	1		
	F	9	6	—	—	—	—	—	1	2	17	8	—	1	—	1	1	2	4		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	1	1	—	3	—	—	—	1	1	1	—	—		
	F	1	—	—	—	1	—	—	—	—	9	—	—	—	6	2	1	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	1	1	3	16	—	—	1	—	—	—	5	10		
	F	6	—	—	—	—	2	1	3	—	16	—	—	—	—	1	3	7	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	9	—	—	—	—	2	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	46	45	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	2	—	—	1	2	3	2	34	1	—	1	3	2	5	15	7		
	F	5	1	—	—	2	—	—	1	1	10	—	—	—	3	—	—	4	3		
27 Suicide ...	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	1	4	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	89	12	—	1	1	—	4	17	54	179	33	2	4	3	4	7	42	84		
	F	126	14	1	—	—	1	4	23	83	158	12	—	2	5	8	17	35	79		
29 Causes ill-defined or unknown.	M	2	—	—	1	—	—	—	1	—	4	—	—	—	—	—	—	3	1		
	F	3	—	—	—	—	—	—	1	2	4	1	—	—	—	—	1	1	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
FLINT—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	242	51	5	5	5	11	27	52	86	380	58	10	8	20	9	39	71	165		
	F	260	36	3	4	7	11	22	66	111	368	37	9	6	13	18	42	70	173		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—		
4 Scarlet fever ...	M	2	1	—	1	—	—	—	—	—	4	—	—	2	1	1	—	—	—		
	F	1	—	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	1	—	1	—	—	—	—	5	—	—	—	5	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	5	—	—	1	2	1	1	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	3	1	5	—	—	—	—	—	3	1	1		
	F	7	2	—	—	—	—	—	2	3	10	1	—	—	—	—	1	3	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	26	—	—	—	—	3	11	11	1	29	1	—	—	2	3	10	10	3		
	F	12	1	—	—	—	4	4	2	1	22	1	—	—	—	6	11	2	2		
10 Tuberculous meningitis	M	3	1	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	—	1	2	—	1	—	3	—	—	—	—	1	2	—	—		
	F	1	—	—	1	—	—	—	—	—	4	—	—	—	1	1	1	1	—		
12 Cancer, malignant disease	M	19	—	—	—	—	—	1	5	13	19	—	—	—	—	—	2	7	10		
	F	28	—	—	—	—	—	1	15	12	42	—	—	—	—	—	6	15	21		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	4	—	—	—	3	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	2	—	1	—	—		
14 Meningitis ...	M	4	2	1	1	—	—	—	—	—	4	1	1	1	1	—	—	—	—		
	F	3	1	—	—	2	—	—	—	—	2	—	1	1	—	—	—	—	—		
15 Organic heart disease ...	M	13	—	—	—	—	—	2	2	9	56	—	—	—	2	1	4	9	40		
	F	29	1	—	—	—	—	2	7	19	58	—	—	—	—	1	5	19	33		
16 Bronchitis ...	M	16	5	—	1	—	—	—	1	9	25	4	—	—	—	1	—	3	17		
	F	14	5	1	1	—	1	—	3	3	22	4	—	—	—	1	—	2	15		
17 Pneumonia (all forms)	M	16	2	1	1	—	1	2	—	9	27	7	1	—	4	—	2	6	7		
	F	9	1	—	—	—	—	1	3	4	17	4	3	1	—	—	1	3	5		
18 Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	6	2	—	—	—	—	1	1	2		
	F	5	—	—	—	1	—	—	3	1	6	—	—	—	—	—	2	1	3		
19 Diarrhoea, &c. ...	M	3	2	1	—	—	—	—	—	—	8	3	1	—	—	—	—	3	1		
	F	5	2	—	—	1	—	—	1	1	2	2	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	—	—	1	1	4	—	—	—	1	1	1	1	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	4	4	4	16	—	—	—	—	—	2	5	9		
	F	9	—	1	—	—	1	1	4	2	15	—	—	—	—	—	3	3	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	11	10	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	11	—	—	—	1	2	3	4	1	21	—	1	3	2	1	7	5	2		
	F	1	—	—	—	—	—	—	1	—	7	—	—	—	2	—	—	2	3		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	76	15	1	1	1	1	2	16	39	112	13	1	2	—	1	5	18	72		
	F	98	6	—	1	—	3	5	23	60	120	13	3	—	—	6	5	17	76		
29 Causes ill-defined or unknown.	M	4	2	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
	F	3	—	—	—	—	—	1	—	2	3	—	1	—	—	—	—	1	1		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
GLAMORGAN—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,012	972	215	231	189	225	550	917	713	1,324	291	48	35	70	111	176	272	321		
	F	3,391	703	209	189	241	192	538	615	704	1,168	210	52	44	65	88	168	216	325		
1 Enteric fever ...	M	7	—	—	1	—	3	3	—	—	1	—	—	—	—	1	—	—	—		
	F	4	—	—	—	1	—	2	1	—	2	—	—	—	—	2	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	134	30	45	47	12	—	—	—	—	22	3	11	4	4	—	—	—	—		
	F	150	27	60	47	16	—	—	—	—	24	2	8	9	5	—	—	—	—		
4 Scarlet fever ...	M	28	2	2	15	8	—	1	—	—	10	—	2	3	5	—	—	—	—		
	F	35	1	2	10	18	2	2	—	—	5	—	—	—	4	—	1	—	—		
5 Whooping cough ...	M	41	25	8	8	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	48	28	9	9	2	—	—	—	—	14	9	3	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	51	3	8	24	16	—	—	—	—	24	3	4	5	12	—	—	—	—		
	F	66	2	7	23	32	—	1	—	1	26	1	4	6	15	—	—	—	—		
7 Influenza ...	M	151	8	1	8	7	14	53	42	18	61	3	1	1	1	12	18	16	9		
	F	96	3	2	2	10	8	37	20	14	44	2	4	—	2	7	11	13	5		
8 Erysipelas ...	M	5	2	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	1	1	—	1	2	1	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	242	2	2	5	11	52	94	67	9	79	1	1	—	2	25	29	18	3		
	F	234	2	2	5	13	69	108	32	3	80	—	1	—	4	36	32	7	—		
10 Tuberculous meningitis	M	35	7	2	9	12	4	1	—	—	13	3	2	—	5	2	1	—	—		
	F	35	2	5	7	10	8	3	—	—	10	2	3	—	4	1	—	—	—		
11 Other tuberculous diseases.	M	37	6	3	3	6	11	4	4	—	12	1	—	1	4	2	3	1	—		
	F	44	6	6	1	7	7	8	8	1	11	1	—	1	2	4	3	—	—		
12 Cancer, malignant disease	M	206	—	—	—	2	1	25	114	64	73	—	—	—	—	—	9	36	28		
	F	228	1	—	—	—	—	40	128	59	82	1	—	—	—	1	10	42	28		
13 Rheumatic fever ...	M	27	—	—	2	8	7	8	1	1	6	—	—	—	3	2	1	—	—		
	F	43	—	—	—	11	9	16	6	1	7	—	—	—	2	1	4	—	—		
14 Meningitis ...	M	20	4	1	1	4	4	5	1	—	9	2	—	—	2	2	1	2	—		
	F	16	2	—	3	6	2	2	1	—	12	4	—	1	5	—	1	1	—		
15 Organic heart disease ...	M	293	—	—	1	14	16	43	107	112	114	—	—	—	2	8	18	40	46		
	F	273	1	1	3	11	14	43	88	112	117	—	—	—	1	5	14	31	66		
16 Bronchitis ...	M	376	94	18	7	1	2	12	107	135	102	32	4	1	—	—	3	16	46		
	F	267	60	17	13	—	1	10	47	119	89	19	11	3	2	1	1	12	40		
17 Pneumonia (all forms)...	M	421	133	72	31	15	15	57	77	21	94	28	10	4	6	2	15	17	12		
	F	268	87	59	33	18	4	27	28	12	67	21	8	10	1	2	12	6	7		
18 Other respiratory diseases	M	71	4	4	12	—	5	9	26	11	18	—	2	2	—	—	4	9	1		
	F	39	3	4	3	11	—	8	5	5	20	2	3	—	—	—	2	5	8		
19 Diarrhoea, &c. ...	M	116	78	11	6	2	—	9	7	3	27	20	1	—	—	1	1	2	2		
	F	111	76	7	3	4	1	4	10	6	18	12	—	—	—	—	1	2	3		
20 Appendicitis and typhlitis	M	13	—	—	1	2	4	2	4	—	8	—	—	—	1	5	2	—	—		
	F	24	—	—	—	9	4	9	2	—	6	—	—	—	3	2	—	1	—		
21 Cirrhosis of liver ...	M	18	—	—	—	—	1	4	10	3	4	—	—	—	—	—	—	2	2		
	F	5	—	—	—	—	—	1	2	2	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	84	—	1	3	6	3	16	40	15	34	—	—	—	3	1	3	14	13		
	F	76	1	—	—	8	3	27	27	10	27	—	—	—	2	1	4	15	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	24	—	—	—	—	8	16	—	—	12	—	—	—	—	1	11	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	68	—	—	—	—	10	58	—	—	24	—	—	—	—	7	17	—	—		
25 Congenital debility, &c.	M	353	348	—	2	2	—	1	—	—	104	104	—	—	—	—	—	—	—		
	F	247	245	1	—	1	—	—	—	—	71	68	1	—	2	—	—	—	—		
26 Violence, apart from suicide.	M	309	5	6	19	30	55	90	87	17	116	1	1	11	13	31	25	27	7		
	F	79	7	6	12	18	4	9	13	10	23	—	3	8	4	2	2	—	4		
27 Suicide ...	M	25	—	—	—	—	2	11	10	2	12	—	—	—	1	3	4	2	2		
	F	13	—	—	—	—	2	7	3	1	3	—	—	—	—	2	1	—	—		
28 Other defined diseases ...	M	938	220	26	26	31	26	99	208	302	375	89	8	3	6	14	37	68	150		
	F	883	149	19	14	34	35	98	187	347	366	66	2	3	7	13	41	77	157		
29 Causes ill-defined or unknown.	M	7	1	5	—	—	—	—	1	—	4	—	—	—	—	—	2	2	—		
	F	8	—	2	—	—	1	1	4	—	4	—	1	1	—	—	—	—	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MERIONETH—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	153	16	3	1	3	7	17	38	68	182	19	1	5	6	10	10	62	69		
	F	182	18	2	4	3	9	20	49	77	178	10	1	2	5	13	23	34	90		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	2	1	—	—	—		
7 Influenza	M	4	—	—	—	—	1	1	1	1	8	—	—	—	—	1	1	3	3		
	F	2	—	—	—	—	—	—	1	1	5	—	—	—	—	—	1	1	3		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	18	—	—	—	—	3	4	10	1	19	—	—	—	—	4	4	9	2		
	F	23	1	—	—	—	7	8	5	2	18	—	—	—	7	8	3	—	—		
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	—	1	2	—	—	2	—	—	—	1	—	—	1	—		
	F	6	—	—	—	—	1	1	3	1	2	—	—	—	—	—	—	2	—		
12 Cancer, malignant disease	M	12	—	—	—	—	—	1	5	6	19	—	—	—	—	1	11	7	—		
	F	28	—	—	—	—	—	2	13	13	30	—	—	—	—	3	11	16	—		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	—	1		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
15 Organic heart disease ...	M	19	—	—	—	—	—	2	2	15	29	—	—	—	—	1	—	11	17		
	F	25	—	—	—	—	—	1	6	18	18	—	—	—	—	—	—	4	14		
16 Bronchitis	M	5	—	1	—	—	—	—	1	3	5	2	—	—	—	—	—	1	2		
	F	6	1	—	—	—	—	—	1	4	5	—	—	1	—	—	—	—	4		
17 Pneumonia (all forms)...	M	4	2	1	—	—	1	—	—	—	7	1	1	1	—	—	—	3	1		
	F	5	2	—	—	—	—	1	1	1	8	2	—	—	—	—	—	—	6		
18 Other respiratory diseases	M	7	—	—	—	—	—	—	3	4	3	—	—	—	—	—	—	2	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—		
19 Diarrhoea, &c.	M	5	2	—	—	—	—	—	1	2	4	3	—	—	—	—	—	—	1		
	F	4	1	1	—	—	—	—	1	1	5	1	—	—	—	—	—	1	3		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	2	—	—	—	1	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	1	2	9	13	—	—	—	—	1	—	5	7		
	F	4	—	—	1	—	—	—	—	3	14	—	—	—	—	2	—	2	10		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	2	—	—	—		
25 Congenital debility, &c. {	M	4	4	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	1	—	—	3	—	2	1	—	9	—	—	1	1	2	3	1	—		
	F	1	—	1	—	—	—	—	—	—	4	—	—	—	—	—	1	—	3		
27 Suicide	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	47	7	—	—	—	1	4	9	26	44	3	—	1	—	1	13	26	—		
	F	57	6	—	—	—	1	4	15	31	51	3	—	—	2	3	8	31	—		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONTGOMERY—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	126	18	1	3	5	4	5	34	56	230	26	—	1	6	8	19	49	121
	F	123	2	3	—	3	7	21	31	56	238	27	2	2	12	15	24	43	113
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	3	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	2	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	6	—	—	—	—	2	2	1	1	20	—	—	—	—	2	8	9	1
	F	6	—	—	—	1	2	2	1	—	22	—	—	—	2	8	8	2	2
0 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
1 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—
	F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—
2 Cancer, malignant disease	M	17	—	—	—	—	—	—	9	8	23	—	—	—	—	—	—	9	14
	F	19	—	—	—	—	—	2	11	6	29	—	—	—	—	—	1	14	14
3 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Meningitis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Organic heart disease ...	M	13	—	—	—	1	—	—	3	9	35	—	—	—	—	1	3	7	24
	F	21	—	—	—	—	1	3	4	3	31	—	—	—	—	1	—	8	22
6 Bronchitis ...	M	8	—	—	—	—	—	—	4	4	20	2	—	—	—	—	—	2	16
	F	17	1	—	—	—	—	—	4	12	17	—	—	—	—	—	—	—	17
7 Pneumonia (all forms)...	M	9	4	—	1	—	—	1	2	1	13	2	—	—	—	—	2	3	6
	F	6	—	—	—	—	—	4	—	2	14	3	—	—	1	—	2	3	5
8 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	1
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	1	1	—	1	1
9 Diarrhoea, &c. ...	M	4	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	2	1	—	—	1	—	—	—	—
0 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	2	—	—	—	—	—	—	1	1
	F	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1 Cirrhosis of liver ...	M	4	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
1A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	2	2	12	—	—	—	1	—	1	2	8
	F	3	—	—	—	—	—	—	1	2	8	—	—	—	—	—	3	2	3
3 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	3	—	—
5 Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
6 Violence, apart from suicide.	M	3	—	—	1	1	—	—	1	—	5	1	—	—	—	1	1	1	1
	F	4	—	—	—	1	—	—	1	2	2	1	—	—	—	—	—	—	1
7 Suicide ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Other defined diseases ...	M	45	7	—	1	—	—	1	9	27	70	6	—	1	2	2	—	12	47
	F	32	1	1	—	1	1	5	6	17	75	6	1	—	2	2	4	12	48
9 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
PEMBROKE—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	239	32	4	8	12	17	30	52	84	336	38	6	6	14	10	26	68	168		
	F	266	38	5	6	10	11	40	57	99	357	40	2	5	10	22	46	72	160		
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	5	—	1	2	2	—	—	—	—	4	1	—	1	—	1	—	—	—		
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	1	1	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	4	—	—	1	2	—	—	1	—		
7 Influenza	M	3	—	—	1	1	1	—	—	—	4	—	—	—	—	—	1	2	1		
	F	6	—	—	—	—	1	—	2	3	5	—	—	1	—	2	1	—	1		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	13	1	—	—	1	4	6	1	—	20	—	—	—	1	6	6	6	1		
	F	18	—	—	—	2	6	4	5	1	34	—	—	—	2	13	11	6	2		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	4	1	—	1	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—		
11 Other tuberculous dis- eases.	M	7	1	—	1	—	1	1	3	—	2	—	—	—	—	—	—	—	2		
	F	4	—	—	1	1	1	—	—	1	6	—	—	—	—	1	3	2	—		
12 Cancer, malignant disease	M	12	—	—	—	—	—	1	3	8	34	—	—	—	—	—	1	9	24		
	F	19	—	—	—	—	—	1	12	6	31	—	—	—	—	—	4	10	17		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	3	1	—	—	1	—	1	—	—		
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	33	—	—	—	2	3	4	9	15	50	—	—	—	1	—	2	9	38		
	F	36	—	—	—	—	—	7	14	15	50	—	—	—	—	—	6	16	28		
16 Bronchitis	M	7	3	—	—	—	—	—	1	3	14	1	1	—	—	—	—	2	10		
	F	22	6	—	—	—	—	—	3	13	27	6	—	1	—	—	—	4	16		
17 Pneumonia (all forms)...	M	7	2	1	—	—	—	3	1	—	16	3	2	1	—	1	—	2	7		
	F	13	4	1	1	2	—	1	2	2	14	3	—	—	2	—	2	2	5		
18 Other respiratory diseases	M	7	—	—	1	1	1	1	2	1	6	—	1	1	1	—	—	1	2		
	F	2	—	—	—	1	—	—	—	1	6	—	—	—	—	—	—	2	4		
19 Diarrhoea, &c.	M	5	3	—	—	—	—	1	—	1	8	4	—	1	—	—	1	1	1		
	F	7	5	—	1	—	—	—	—	1	8	7	—	—	—	—	1	—	—		
20 Appendicitis and typhlitis	M	3	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	1		
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	—	4	7	2	18	—	—	—	1	—	1	8	8		
	F	8	—	—	—	—	—	2	3	3	11	—	—	—	—	1	1	3	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	—	7	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
	F	13	13	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	15	—	—	—	1	3	4	5	2	11	1	—	—	2	—	3	5	—		
	F	5	—	—	1	—	—	1	—	3	6	—	1	1	—	2	1	—	1		
27 Suicide	M	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	1	2	1		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	76	6	1	1	1	2	3	12	50	116	14	2	—	2	2	7	20	69		
	F	85	10	2	—	—	1	9	13	50	131	12	1	1	3	2	13	21	78		
29 Causes ill-defined or un- known.	M	4	—	—	—	—	—	—	4	—	2	—	—	—	—	—	1	—	1		
	F	3	—	—	—	1	—	1	1	—	7	—	—	—	—	—	—	4	2		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RADNOR—1920 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	44	9	—	2	—	1	3	12	17	102	21	2	1	3	5	14	17	39		
	F	44	6	—	—	2	2	5	11	18	75	3	—	1	4	4	16	17	30		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza...	M	3	—	—	1	—	1	—	—	1	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	1	—	—	—	—	—	1	—	—	9	—	—	—	—	1	4	2	2		
	F	3	—	—	—	1	—	1	1	—	7	—	—	—	1	3	3	—	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	3	1	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	—	—	1	2	—	3	—	—	—	—	1	2	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	8	—	—	—	—	—	—	4	4	9	—	—	—	—	—	1	5	3		
	F	5	—	—	—	—	—	—	1	4	7	—	—	—	—	—	1	4	2		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
15 Organic heart disease ...	M	4	—	—	—	—	—	—	2	2	11	—	—	—	—	—	—	1	10		
	F	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	1	1	4		
16 Bronchitis ...	M	2	—	—	—	—	—	—	—	2	6	2	—	—	—	—	1	—	3		
	F	2	—	—	—	—	—	—	—	2	3	—	—	1	—	—	—	1	1		
17 Pneumonia (all forms)	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—		
19 Diarrhoea, &c. ...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	1	3		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	5	5	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—		
	F	6	6	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	12	2	—	—	—	—	1	3	6	35	6	1	—	2	2	3	4	17		
	F	18	—	—	—	—	—	3	5	10	30	2	—	—	—	1	1	6	20		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		

CAUSES of DEATH in ADMINISTRATIVE BEDFORDSHIRE.

Causes of Death.	Amphill U.D.		Bedford M.B.		Biggles- wade U.D.		Dun- stable M.B.		Kemp- ston U.D.		Leighton Buzzard U.D.		Luton M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
ALL CAUSES ...	14	13	204	218	31	22	49	62	26	17	42	47	273	308			1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—			2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
3 Measles ...	—	—	—	2	—	—	—	—	1	1	—	2	2	1			4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—			5
5 Whooping cough ...	—	—	—	—	—	—	—	1	—	—	—	—	1	4			6
6 Diphtheria and croup ...	—	—	—	3	—	—	—	1	—	—	—	1	4	7			7
7 Influenza... ..	1	—	6	8	1	—	2	3	—	—	—	—	5	4			8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—			9
9 Pulmonary tuberculosis	2	1	18	18	4	1	4	5	1	—	1	1	18	16			10
10 Tuberculous meningitis	—	—	2	2	—	—	—	2	—	—	—	—	3	2			11
11 Other tuberculous diseases	1	—	2	3	—	1	1	—	2	—	—	—	2	4			12
12 Cancer, malignant disease	3	3	20	30	2	2	6	13	1	3	2	7	21	30			13
13 Rheumatic fever ...	—	—	1	1	—	—	—	1	—	—	—	—	1	—			14
14 Meningitis ...	—	—	1	—	—	—	1	—	—	—	—	—	2	—			15
15 Organic heart disease ...	1	1	25	22	3	1	4	6	2	4	8	9	32	57			16
16 Bronchitis ...	—	—	12	19	1	2	5	4	2	1	3	5	20	28			17
17 Pneumonia (all forms)...	1	1	11	7	1	1	3	3	1	1	—	2	14	11			18
18 Other respiratory diseases	—	—	1	—	—	—	—	—	—	—	—	1	5	2			19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	2	2	1	—	1	—	—	—	—	—	3	2			20
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	—	—	1	5			21
21 Cirrhosis of liver ...	1	—	1	2	—	—	—	—	—	—	—	—	2	2			21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—			22
22 Nephritis and Bright's dis.	—	—	7	3	1	1	2	1	2	2	2	3	7	9			23
23 Puerperal fever ...	—	—	—	2	—	—	—	1	—	—	—	—	—	1			24
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	5			25
25 Congenital debility, &c.	—	1	17	7	—	1	—	4	2	—	6	—	15	20			26
26 Violence, apart from 27	—	—	5	4	1	1	—	2	2	—	1	—	13	3			27
27 Suicide ...	—	—	3	—	1	—	—	—	—	—	1	—	1	—			28
28 Other defined diseases ...	4	6	68	81	15	11	19	14	9	5	18	15	96	95			29
29 Causes ill-defined or un- known.	—	—	1	—	—	—	1	1	—	—	—	1	3	—			

BEDFORDSHIRE—cont.

Causes of Death.	Amphill R.D.		Bedford R.D.		Biggles- wade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F					
ALL CAUSES ...	101	111	98	119	119	99	22	18	11	23	54	70					1
1 Enteric fever ...	—	—	—	—	—	1	—	—	—	—	—	—					2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—					3
3 Measles ...	—	—	—	1	—	—	—	—	—	—	—	—					4
4 Scarlet fever ...	—	—	2	—	—	—	—	—	—	—	—	—					5
5 Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	—					6
6 Diphtheria and croup ...	—	1	1	1	1	—	—	—	1	—	1	1					7
7 Influenza ...	3	1	1	1	2	—	2	—	—	—	3	1					8
8 Erysipelas ...	—	—	—	1	1	—	—	1	—	—	—	—					9
9 Pulmonary tuberculosis	8	6	7	2	7	9	—	2	2	—	3	7					10
10 Tuberculous meningitis	2	—	—	—	—	1	—	—	—	—	—	—					11
11 Other tuberculous diseases	1	4	—	2	—	6	—	—	—	—	1	—					12
12 Cancer, malignant disease	11	22	8	14	15	12	1	5	1	5	4	11					13
13 Rheumatic fever ...	1	—	—	1	—	—	—	—	—	—	—	—					14
14 Meningitis ...	—	—	—	1	—	—	1	—	—	—	—	—					15
15 Organic heart disease ...	11	17	14	25	15	15	—	2	—	1	7	11					16
16 Bronchitis ...	5	3	6	5	15	10	2	1	—	1	3	8					17
17 Pneumonia (all forms)...	3	5	6	5	5	6	1	—	—	1	3	3					18
18 Other respiratory diseases	1	1	—	1	1	2	—	—	1	1	1	2					19
19 Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	—	—	—	—	—	—	—	—					20
20 Appendicitis and typhlitis	1	—	1	—	1	—	—	—	1	—	—	2					21
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—					21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—					22
22 Nephritis and Bright's dis.	5	2	3	3	3	1	—	—	—	1	1	2					23
23 Puerperal fever ...	—	—	—	1	—	—	—	—	—	—	—	1					24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	2					25
25 Congenital debility, &c.	6	6	6	4	11	5	4	1	1	—	1	4					26
26 Violence, apart from 27	2	2	5	5	4	1	3	—	—	1	3	1					27
27 Suicide ...	2	—	1	—	—	—	1	—	—	—	1	—					28
28 Other defined diseases ...	37	39	37	46	36	30	7	5	4	12	19	14					29
29 Causes ill-defined or un- known.	—	1	—	—	2	—	—	1	—	—	1	—					

AREAS, 1920 (Civilian population only).

BERKSHIRE.

	Abingdon M.B.		Maiden- head M.B.		Newbury M.B.		New Windsor M.B.		Walling- ford M.B.		Wantage U.D.		Woking- ham M.B.						Abingdon R.D.		Bradfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1	34	43	77	78	77	95	77	72	14	21	22	25	25	27					45	41	68	65	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	1					—	—	—	—	2
3	1	2	1	—	—	—	1	—	—	—	—	—	—	—					—	1	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—					—	—	—	1	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	1	1	5
6	4	2	1	—	—	—	—	1	—	—	—	—	—	—					—	1	—	—	6
7	—	—	5	2	—	—	3	1	1	—	—	—	1	1					1	1	2	—	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	8
9	3	5	5	6	4	6	7	5	1	3	—	1	4	1					4	5	6	8	9
10	—	2	—	—	1	1	1	—	—	—	—	—	—	—					1	—	1	1	10
11	—	—	—	—	1	1	3	1	—	—	—	—	—	—					2	—	—	—	11
12	5	7	7	11	9	16	12	12	1	2	—	4	6	3					3	4	8	8	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	13
14	—	—	1	—	1	1	—	—	—	—	—	1	—	—					1	—	—	—	14
15	1	—	8	16	8	15	6	13	2	5	1	3	4	3					6	3	11	6	15
16	4	4	4	6	5	5	3	4	2	2	2	3	2	3					2	5	1	1	16
17	—	—	3	1	6	4	5	5	—	3	1	—	—	—					3	—	3	4	17
18	—	—	—	—	1	1	—	1	—	—	—	—	—	1					—	1	1	2	18
19	—	—	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	19
20	1	—	—	—	—	2	—	—	—	—	—	—	—	—					—	—	1	—	20
21	—	—	2	—	—	—	1	—	—	—	—	—	—	—					—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	21A
22	3	2	2	1	2	1	4	3	—	—	1	—	2	1					1	—	5	1	22
23	—	—	—	—	—	—	—	1	—	—	—	1	—	—					—	—	—	2	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	1					—	—	—	—	24
25	2	6	4	5	3	4	6	2	1	—	2	1	—	—					4	2	2	3	25
26	1	—	5	—	5	1	1	—	—	—	2	2	1	—					2	1	2	—	26
27	—	1	1	—	1	—	1	—	—	—	—	—	—	—					1	—	1	2	27
28	9	11	26	28	29	35	23	22	6	6	11	9	4	11					13	17	23	25	28
29	—	1	—	1	1	—	—	1	—	—	—	—	1	1					1	—	—	—	29

BERKSHIRE—cont.

	Cookham R.D.		Easthamp- stead R.D.		Faringdon (pt.) R.D.*		Hunger- ford R.D.		Newbury R.D.		Walling- ford R.D.		Wantage R.D.		Windsor R.D.		Woking- ham R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
1	53	71	96	86	50	70	55	44	60	63	36	30	47	55	72	76	107	79					1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—					2
3	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	2	3	—					3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					4
5	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—					5
6	—	—	2	—	—	—	1	—	—	—	—	—	4	1	—	1	—	2					6
7	—	2	3	2	1	—	1	1	1	—	1	—	—	1	—	2	2	3					7
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—					8
9	1	4	6	5	3	3	7	2	4	4	3	3	1	7	2	4	7	11					9
10	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—	1	1	1					10
11	—	—	—	—	—	2	—	1	2	—	1	—	—	1	—	—	—	1					11
12	12	12	10	11	8	8	5	4	7	6	5	1	8	9	7	11	19	12					12
13	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—					13
14	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—	—					14
15	5	6	10	10	4	10	7	7	6	12	7	8	5	6	11	7	14	7					15
16	3	4	9	3	2	6	—	2	5	5	1	3	2	4	6	6	9	5					16
17	4	1	3	4	4	1	7	4	2	2	—	—	1	—	1	5	1	4					17
18	—	—	4	1	—	—	—	—	1	—	1	—	—	1	1	1	2	3					18
19	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1					19
20	1	—	1	—	—	2	—	—	—	2	—	—	1	—	1	—	1	—					20
21	—	—	—	—	—	—	1	—	1	—	—	—	2	—	1	—	—	—					21
21A	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	2	2	4					21A
22	1	4	—	2	3	4	2	—	1	1	—	1	—	—	1	—	—	1					22
23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1					23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—					24
25	2	5	7	8	5	8	2	1	3	3	1	—	3	2	8	5	4	3					25
26	2	1	2	1	—	—	1	—	5	1	1	—	1	—	3	1	4	1					26
27	2	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1					27
28	16	29	32	35	19	22	17	19	21	24	14	11	15	23	27	24	33	18					28
29	—	—	2	2	1	3	1	2	—	—	—	1	2	—	1	1	2	1					29

* The remainder of Faringdon R.D. is in Gloucestershire ; see page 428.

CAUSES OF DEATH IN ADMINISTRATIVE
BUCKINGHAMSHIRE.

Causes of Death.		Ayles- bury M.B.		Beacons- field U.D.		Bletchley U.D.		Bucking- ham M.B.		Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	74	59	13	14	25	36	19	19	118	97	42	41	10	13	11	8	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6
6	Diphtheria and croup ...	—	—	—	—	—	1	—	—	2	1	—	2	—	1	—	1	7
7	Influenza ...	—	3	1	—	—	2	—	—	2	1	1	—	—	—	—	—	8
8	Erysipelas ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	4	5	—	2	1	2	1	4	9	7	—	3	1	—	—	—	10
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	11
11	Other tuberculous diseases	—	—	—	—	1	—	—	—	2	1	—	1	—	—	1	1	12
12	Cancer, malignant disease	6	7	1	2	2	4	3	3	12	14	5	2	2	1	—	—	13
13	Rheumatic fever ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
15	Organic heart disease ...	10	13	1	—	4	5	3	4	9	10	1	4	2	2	—	2	16
16	Bronchitis ...	7	2	2	1	3	3	1	—	9	6	2	5	—	1	—	1	17
17	Pneumonia (all forms) ...	5	—	—	3	—	1	—	1	4	4	4	2	1	1	1	—	18
18	Other respiratory diseases	3	—	3	—	1	2	—	—	2	2	2	1	—	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	—	—	—	—	4	—	2	1	—	—	—	—	20
20	Appendicitis and typhlitis	1	2	—	—	—	1	1	—	—	1	1	—	—	—	—	—	21
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	—	—	—	—	—	1	—	3	3	1	1	—	—	—	—	23
23	Puerperal fever ...	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	25
25	Congenital debility, &c.	7	—	2	—	1	2	—	—	7	6	5	3	—	—	1	—	26
26	Violence, apart from 27	1	—	—	—	1	1	—	—	3	1	1	1	—	—	1	—	27
27	Suicide ...	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	28
28	Other defined diseases ...	21	25	3	4	9	10	8	7	44	35	16	10	3	7	7	3	29
29	Causes ill-defined or un- known.	1	—	—	1	2	1	—	—	1	—	—	—	—	—	—	—	

BUCKINGHAMSHIRE—cont.

Causes of Death.		Marlow U.D.		Newport Pagnell U.D.		Slough U.D.		Wolverton U.D.				Amer- sham R.D.		Ayles- bury R.D.		Bucking- ham R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES ...	39	35	29	30	77	93	74	68			101	100	86	94	64	42	1
1	Enteric fever ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3	Measles ...	—	—	—	—	2	—	—	—			—	—	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	1	—			—	—	—	—	—	—	5
5	Whooping cough ...	—	2	—	—	—	1	—	—			1	1	—	—	—	—	6
6	Diphtheria and croup ...	—	—	1	—	—	1	2	—			—	—	3	1	2	—	7
7	Influenza ...	—	2	—	1	—	—	1	2			6	3	1	1	4	—	8
8	Erysipelas ...	1	—	—	—	—	1	—	—			—	—	—	—	—	—	9
9	Pulmonary tuberculosis	3	3	4	2	6	3	3	5			12	5	3	5	7	3	10
10	Tuberculous meningitis	—	—	1	—	—	—	—	1			1	1	1	1	—	—	11
11	Other tuberculous diseases	—	—	—	1	—	1	1	—			—	3	4	1	—	—	12
12	Cancer, malignant disease	2	3	3	4	9	8	9	9			17	16	11	10	5	6	13
13	Rheumatic fever ...	—	1	—	—	—	—	—	1			—	1	—	1	—	—	14
14	Meningitis ...	—	—	—	1	1	—	1	1			2	—	1	—	1	—	15
15	Organic heart disease ...	5	2	3	—	8	16	9	4			12	11	12	23	10	7	16
16	Bronchitis ...	5	2	4	4	7	6	5	2			2	1	4	8	2	1	17
17	Pneumonia (all forms) ...	—	—	1	1	6	6	2	1			5	5	3	2	1	2	18
18	Other respiratory diseases	—	—	—	—	2	1	3	1			—	—	1	1	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	1	2			1	1	4	—	—	—	20
20	Appendicitis and typhlitis	1	—	—	—	—	1	—	—			—	—	—	—	—	—	21
21	Cirrhosis of liver ...	—	—	—	—	—	1	1	—			—	—	—	—	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	—	2	2	3	2	4	2			1	2	2	1	1	3	23
23	Puerperal fever ...	—	—	—	—	—	2	—	—			—	1	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	1			—	1	—	2	—	—	25
25	Congenital debility, &c.	2	2	—	2	3	6	4	8			4	6	7	3	3	2	26
26	Violence, apart from 27	—	1	1	—	6	—	2	1			—	—	2	—	3	—	27
27	Suicide ...	1	—	1	—	—	—	1	—			2	2	1	1	2	—	28
28	Other defined diseases ...	16	17	8	12	24	37	24	27			35	40	26	33	22	18	29
29	Causes ill-defined or un- known.	1	—	—	—	—	—	—	—			—	—	—	—	1	—	

AREAS, 1920 (Civilian population only)—continued.

BUCKINGHAMSHIRE—cont.

CAMBRIDGESHIRE.

	Eton R.D.		Hamble- den R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.					Cam- bridge M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F				M	F			
	133	154	12	4	22	26	93	80	34	29	31	43	128	142				282	288			
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—			2
3	2	3	—	—	—	—	—	—	—	1	—	—	—	2				1	1			3
4	—	—	—	—	—	—	—	—	1	—	—	—	1	—				—	—			4
5	1	—	—	—	—	—	1	1	—	—	—	1	—	1				—	—			5
6	—	—	—	—	—	—	—	3	1	1	1	1	1	3				—	3			6
7	4	2	—	—	—	—	1	3	—	—	1	1	1	5				2	4			7
8	1	1	—	—	—	—	1	—	—	—	—	—	—	1				1	1			8
9	9	14	1	—	—	5	5	4	—	1	2	4	9	4				29	16			9
10	1	—	—	—	—	—	—	—	—	—	—	—	1	—				1	—			10
11	1	—	—	—	—	—	1	2	1	1	—	—	2	2				3	3			11
12	12	15	2	1	2	3	8	11	2	3	2	3	15	18				36	45			12
13	1	—	—	—	—	—	—	—	—	—	—	—	1	3				1	—			13
14	1	—	—	—	—	—	2	—	—	—	—	—	1	—				2	1			14
15	18	20	3	—	4	3	14	12	2	7	8	4	15	19				40	38			15
16	7	8	—	—	2	1	3	6	—	1	1	2	11	12				13	24			16
17	10	6	—	—	2	1	4	2	2	—	1	1	6	8				13	11			17
18	—	4	—	—	—	—	4	3	—	—	1	2	2	1				3	6			18
19	—	—	—	—	—	—	1	—	—	—	—	—	—	—				2	1			19
20	—	1	—	—	—	—	—	1	—	—	—	—	—	—				1	4			20
21	2	1	—	—	—	—	—	—	—	—	—	—	1	—				2	1			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—			21A
22	3	8	1	—	—	2	5	3	2	—	1	3	1	2				16	3			22
23	—	3	—	—	—	—	—	—	—	1	—	—	—	—				—	—			23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—				—	2			24
25	13	9	1	—	1	3	6	2	2	1	1	—	8	9				19	10			25
26	6	3	1	—	1	1	4	1	1	2	—	1	5	3				10	5			26
27	3	1	—	—	—	—	2	—	1	—	—	—	1	1				5	2			27
28	38	54	3	3	10	6	31	26	19	10	11	19	44	48				82	107			28
29	—	—	—	—	—	1	—	—	—	—	1	1	2	—				—	—			29

CAMBRIDGESHIRE—cont.

CHESHIRE.

	Caxton and Arrington R.D.		Chester- ton R.D.		Linton R.D.		Melbourn R.D.		New- market R.D.		Swavesey R.D.					Alderley Edge U.D.		Alsager U.D.		Altrinc- ham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F				M	F	M	F	M	F	
	37	37	120	136	62	60	50	51	114	121	20	23				17	17	12	15	128	114	
1	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	2
3	1	1	1	1	1	—	1	—	1	—	—	—				1	—	—	—	1	1	3
4	—	—	—	1	—	—	—	—	—	1	—	—				—	—	—	—	—	—	4
5	—	—	—	1	—	—	—	1	5	3	—	—				—	—	—	—	—	1	5
6	1	—	—	—	—	—	—	—	—	1	—	—				—	—	—	—	—	—	6
7	—	2	2	2	—	—	—	—	—	—	1	—				—	1	—	—	7	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	8
9	3	3	7	6	2	4	3	4	3	2	2	4				2	—	1	—	11	8	9
10	—	—	—	2	1	—	1	—	—	1	—	—				—	—	—	—	—	—	10
11	—	—	—	1	1	1	1	—	1	—	1	1				1	—	—	3	2	—	11
12	2	4	15	27	3	6	6	5	13	14	2	3				4	4	1	—	5	8	12
13	—	—	—	—	—	—	—	—	1	3	—	—				—	—	—	—	1	2	13
14	—	1	1	—	—	1	—	—	—	—	—	—				—	—	—	—	1	—	14
15	6	8	11	12	7	4	9	5	10	15	—	3				2	5	3	1	13	14	15
16	2	2	5	7	2	1	4	3	11	6	1	3				—	2	1	—	14	8	16
17	2	1	4	5	7	1	2	4	3	4	—	—				2	—	2	2	8	9	17
18	1	1	—	1	—	2	—	—	2	2	—	—				—	—	—	—	2	1	18
19	—	—	—	1	—	—	—	—	—	—	—	—				—	—	—	—	2	—	19
20	—	—	—	—	—	—	—	—	1	—	—	—				—	—	—	—	2	2	20
21	1	2	—	—	1	—	—	—	—	—	—	—				—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	21A
22	—	—	8	4	3	3	1	1	3	5	1	1				1	—	—	—	3	3	22
23	—	—	—	1	—	2	—	2	—	—	—	1				—	—	—	—	—	1	23
24	—	—	—	—	—	2	—	1	—	—	—	—				—	1	—	—	—	1	24
25	3	—	8	7	4	3	3	2	15	9	1	—				1	1	1	—	4	9	25
26	2	1	6	2	2	1	2	—	2	3	—	—				—	—	—	1	5	1	26
27	1	—	2	—	—	—	—	1	2	—	—	—				—	—	—	—	3	1	27
28	12	11	49	54	27	27	14	22	40	52	10	7				3	3	3	11	43	39	28
29	—	—	1	1	1	1	1	—	—	—	1	—				—	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

CHESHIRE—*cont.*

Causes of Death.				Ashton upon Mersey U.D.		Bollington U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		Bromborough U.D.		Buglawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	29	41	31	40	25	17	43	60	11	15	14	5	46	55	7	6	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
6	Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	7
7	Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
8	Erysipelas	1	1	—	—	—	—	—	2	—	1	1	—	—	1	—	—	9
9	Pulmonary tuberculosis	3	2	2	4	1	1	2	2	—	1	—	—	6	3	—	—	10
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	11
11	Other tuberculous diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	12
12	Cancer, malignant disease	4	4	3	3	2	3	6	13	2	1	—	1	3	6	—	—	13
13	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	14
14	Meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	15
15	Organic heart disease	1	6	5	6	2	2	3	4	1	1	—	—	4	9	2	1	16
16	Bronchitis	—	5	3	5	1	1	2	4	—	1	3	—	3	5	—	—	17
17	Pneumonia (all forms)	3	5	1	1	2	1	6	4	1	—	2	—	2	1	1	—	18
18	Other respiratory diseases	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	2	—	—	—	—	—	1	1	1	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	1	1	—	—	2	—	1	1	—	—	1	—	—	—	21
21	Cirrhosis of liver	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	1	—	2	—	3	1	1	—	—	1	—	1	1	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—	1	25
25	Congenital debility, &c.	1	2	1	2	—	—	1	3	2	1	2	1	5	—	—	—	26
26	Violence, apart from 27	—	—	1	3	—	—	2	—	—	—	2	—	1	—	1	1	27
27	Suicide	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	28
28	Other defined diseases	13	12	13	15	11	9	11	24	2	5	4	2	17	19	1	2	29
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CHESHIRE—*cont.*

Causes of Death.				Congle- ton M.B.		Crewe M.B.		Dukin- field M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		Hand- forth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	ALL CAUSES	78	63	297	260	154	147	81	57	42	50	1	7	61	69	15	7	1
2	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3
4	Measles	1	3	3	1	2	3	—	—	—	—	—	—	—	—	2	—	4
5	Scarlet fever	—	—	2	1	—	1	2	1	—	—	—	—	—	—	—	—	5
6	Whooping cough	—	—	—	2	1	—	2	2	—	—	—	—	—	—	—	—	6
7	Diphtheria and croup	1	—	1	3	3	1	2	—	—	—	—	1	1	1	—	—	7
8	Influenza	—	—	4	4	1	—	4	3	5	1	—	—	1	1	1	1	8
9	Erysipelas	2	1	1	2	1	—	—	—	—	1	1	—	—	—	—	—	9
10	Pulmonary tuberculosis	5	6	19	18	10	13	7	4	4	1	—	1	8	6	1	—	10
11	Tuberculous meningitis	2	—	4	2	—	1	—	1	—	—	—	—	—	—	—	—	11
12	Other tuberculous diseases	—	—	7	2	3	3	—	—	—	—	—	—	—	—	—	—	12
13	Cancer, malignant disease	12	12	26	30	17	15	4	6	6	8	—	1	6	7	1	—	13
14	Rheumatic fever	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	14
15	Meningitis	—	—	1	1	3	1	1	—	—	—	—	—	—	—	—	—	15
16	Organic heart disease	3	8	28	29	9	17	2	2	2	13	+	—	5	6	2	—	16
17	Bronchitis	12	10	18	24	6	19	6	5	2	3	—	—	5	15	1	—	17
18	Pneumonia (all forms)	—	2	13	10	16	10	16	5	3	—	—	1	4	3	—	—	18
19	Other respiratory diseases	2	—	2	4	1	1	5	2	1	—	—	—	—	—	—	—	19
20	Diarrhoea, &c. (under 2 yrs.)	2	—	5	1	8	2	1	—	2	—	—	1	1	—	—	—	20
21	Appendicitis and typhlitis	—	—	2	3	1	2	—	—	—	—	—	—	—	—	—	—	21
22	Cirrhosis of liver	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	22
23	Alcoholism	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	23
24	Nephritis and Bright's dis.	2	—	2	5	3	2	3	—	3	2	—	1	6	—	1	—	24
25	Puerperal fever	—	1	—	2	—	4	—	2	—	—	—	—	—	—	—	—	25
26	Parturition, apart from 23	—	—	—	3	—	2	—	—	—	—	—	—	—	—	—	—	26
27	Congenital debility, &c.	8	1	30	16	16	8	9	7	1	—	—	—	1	1	—	1	27
28	Violence, apart from 27	1	1	8	7	3	4	4	1	—	1	—	—	2	3	—	—	28
29	Suicide	—	—	5	—	1	—	—	3	1	1	—	—	2	—	—	—	29
30	Other defined diseases	24	18	111	89	48	37	13	13	10	19	—	1	19	26	6	5	30
31	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31

AREAS, 1920 (Civilian population only)—*continued.*
CHESHIRE—*cont.*

	Hollingworth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knutsford U.D.		Lower Bebington U.D.		Lymm U.D.		Macclesfield M.B.		Marple U.D.		Middlewich U.D.		Mottram in Longdale U.D.		
	M 20	F 20	M 20	F 27	M 94	F 96	M 234	F 240	M 37	F 32	M 74	F 76	M 35	F 22	M 223	F 242	M 39	F 37	M 34	F 35	M 11	F 13	
1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	4	1	5	5	—	—	1	—	—	1	2	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	2	—	—	—	—	—	—	5
6	—	—	1	—	1	1	2	4	—	—	—	—	—	—	1	1	—	—	—	2	—	—	6
7	1	—	2	—	3	5	5	5	—	—	3	1	1	—	3	1	1	—	—	—	—	—	7
8	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	—	2	4	5	13	11	5	4	9	8	4	—	20	14	2	2	1	1	—	—	9
10	—	—	—	1	—	—	—	1	—	—	—	1	1	—	3	1	1	—	—	—	—	—	10
11	2	—	—	—	1	2	3	3	—	—	—	1	—	—	6	6	1	—	—	—	1	—	11
12	—	3	2	4	6	12	26	20	—	6	3	7	4	6	17	34	5	9	2	6	1	2	12
13	—	—	1	—	1	1	1	3	—	—	1	1	—	1	—	1	—	—	—	—	—	—	13
14	—	—	—	—	—	3	3	7	—	—	—	—	—	—	3	1	—	—	—	—	—	—	14
15	2	4	—	4	8	17	19	28	3	—	12	13	1	3	24	36	4	3	5	2	4	2	15
16	3	—	2	2	3	5	20	30	4	1	3	6	5	1	13	7	3	3	3	2	—	—	16
17	1	2	4	2	2	5	24	23	2	2	4	3	2	2	12	11	3	1	—	—	2	2	17
18	—	1	—	—	1	2	4	2	2	—	—	1	—	—	2	5	1	2	3	—	—	—	18
19	—	1	1	—	4	—	2	1	—	—	2	1	—	—	3	5	1	—	—	2	—	—	19
20	—	—	—	1	1	—	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	20
21	—	—	—	—	2	2	—	—	—	—	2	—	1	—	—	—	—	—	1	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	2	—	3	5	5	1	3	—	2	1	1	—	5	9	2	2	2	2	—	1	22
23	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	2	—	1	—	1	—	—	23
24	—	—	—	—	—	—	—	2	—	2	—	2	—	—	—	4	—	—	—	—	—	—	24
25	1	2	—	2	8	3	19	10	2	1	10	6	3	1	15	11	1	—	—	3	—	—	25
26	1	—	1	2	2	—	15	5	4	1	5	2	3	1	7	5	2	—	1	—	—	—	26
27	—	—	—	—	1	—	2	—	—	—	—	2	1	—	2	3	—	1	—	—	—	—	27
28	5	6	4	6	38	26	60	73	10	13	16	19	8	5	83	83	12	13	16	12	3	6	28
29	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

	Nantwich U.D.		Neston and Parkgate U.D.		North- wich U.D.		Runcorn U.D.		Sale U.D.		Sandbach U.D.		Staly- bridge M.B.		Tarpорley U.D.		Wilms- low U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	69	48	33	36	118	90	107	89	78	90	35	46	197	184	11	24	46	46	77	69	8	8	1
2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	2
3	—	—	—	—	—	—	1	—	—	—	—	—	5	3	—	—	—	—	—	1	—	—	3
4	—	1	—	1	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	4
5	—	—	—	—	1	3	3	1	—	1	—	1	5	2	—	—	—	—	—	—	—	—	5
6	—	1	—	1	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	1	1	—	6
7	2	—	—	—	—	2	—	4	2	1	—	1	3	2	—	—	2	—	1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	4	2	4	8	5	8	5	5	8	2	1	7	14	—	—	3	2	3	6	—	—	9
10	—	—	1	—	1	—	3	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	10
11	—	1	—	—	1	—	2	4	1	1	—	—	2	1	—	—	2	—	—	1	—	—	11
12	10	4	4	7	12	12	7	7	8	16	4	4	21	19	—	3	6	9	7	11	—	—	12
13	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	13
14	—	1	—	—	1	—	—	1	—	3	—	1	4	3	—	—	—	—	1	—	—	—	14
15	2	3	4	2	13	10	6	7	6	8	5	2	14	18	1	4	4	4	16	15	3	3	15
16	8	8	1	2	11	4	6	8	5	8	1	2	30	20	2	1	4	7	5	2	—	—	16
17	4	4	4	2	6	5	6	9	4	5	4	3	19	16	—	—	1	—	1	4	—	—	17
18	1	1	—	1	2	1	1	—	1	—	—	1	2	1	—	—	1	1	—	1	1	—	18
19	2	—	1	—	—	1	6	1	1	1	1	1	2	—	1	—	1	—	1	1	—	—	19
20	—	—	—	—	2	—	1	1	1	1	—	—	—	1	—	—	—	—	4	1	—	—	20
21	2	1	1	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	1	1	—	2	4	9	2	2	1	1	—	4	6	—	—	1	2	—	2	—	—	22
23	—	—	—	2	—	—	—	—	—	1	—	—	—	4	—	—	—	1	—	—	—	—	23
24	—	1	—	—	1	—	—	1	—	—	—	2	—	2	—	—	—	2	—	—	—	—	24
25	7	2	4	4	6	3	6	6	6	3	1	3	12	8	—	1	3	—	11	2	—	—	25
26	2	3	1	—	4	1	7	3	4	1	1	1	4	6	—	—	1	—	1	1	—	—	26
27	1	—	—	—	4	—	3	—	1	2	—	1	1	—	—	—	—	—	1	—	—	—	27
28	21	12	9	10	41	36	31	26	28	27	15	20	59	56	6	12	15	17	24	18	3	5	28
29	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

CHESHIRE—cont.

Causes of Death.		Bucklow R.D.		Chester R.D.		Congle- ton R.D.		Disley R.D.		Maccles- field R.D.		Malpas R.D.		Nantwich R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		90	109	62	65	64	68	8	13	100	85	31	23	159	138	1
1	Enteric fever	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	1	—	1	—	—	—	—	—	—	—	1	—	1	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	1	—	—	3	—	4
5	Whooping cough	—	2	—	1	—	—	—	—	—	—	—	—	3	—	5
6	Diphtheria and croup	2	1	2	1	—	1	—	1	1	2	—	—	1	1	6
7	Influenza	1	3	2	1	2	1	—	—	2	—	—	—	5	2	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis	6	7	7	—	3	3	1	—	5	6	3	—	9	5	9
10	Tuberculous meningitis	1	—	1	—	—	—	—	—	—	—	—	—	2	2	10
11	Other tuberculous diseases	—	—	1	—	—	1	—	—	2	—	—	—	2	2	11
12	Cancer, malignant disease	9	13	8	14	5	5	—	3	10	11	1	3	14	18	12
13	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	2	—	3	1	13
14	Meningitis	—	—	—	1	1	—	—	—	—	—	—	—	1	—	14
15	Organic heart disease	8	19	3	9	5	4	1	—	22	11	4	8	20	27	15
16	Bronchitis	4	10	3	11	3	3	—	1	4	8	1	—	9	6	16
17	Pneumonia (all forms)	6	4	8	5	9	5	1	—	1	3	1	—	12	6	17
18	Other respiratory diseases	5	1	1	—	1	—	—	—	3	—	1	1	1	4	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	1	—	—	—	—	1	—	1	2	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	2	—	—	1	1	—	20
21	Cirrhosis of liver	1	—	1	—	—	—	—	—	—	1	1	—	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	2	2	—	1	1	—	1	2	2	2	—	4	2	22
23	Puerperal fever	—	1	—	1	—	1	—	—	—	2	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	2	—	—	—	—	—	—	—	3	24
25	Congenital debility, &c.	5	6	4	3	2	5	—	—	5	5	—	—	12	6	25
26	Violence, apart from 27	3	1	3	1	3	—	—	—	4	2	2	—	3	6	26
27	Suicide	—	1	2	—	1	1	—	—	2	—	—	—	2	1	27
28	Other defined diseases	32	35	11	16	28	33	5	7	33	31	12	9	48	42	28
29	Causes ill-defined or un- known.	—	—	2	—	—	—	—	—	1	—	—	—	1	—	29

CHESHIRE—cont.

CORNWALL.

Causes of Death.		North- wich R.D.		Runcorn R.D.		Tarvin R.D.		Tint- wistle R.D.		Wirral R.D.		Bodmin M.B.		Callington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		124	110	158	142	75	69	19	12	103	106	26	32	8	8	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	1	—	—	—	3	1	—	—	—	—	1	4
4	Scarlet fever	—	—	—	2	—	—	—	1	1	—	—	—	—	—	5
5	Whooping cough	2	2	3	1	—	—	1	—	1	3	2	—	—	—	6
6	Diphtheria and croup	—	2	3	1	3	1	—	—	—	—	—	2	—	—	7
7	Influenza	1	3	4	2	1	—	1	—	4	3	—	—	—	—	8
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	7	6	11	5	4	—	2	—	6	5	—	4	—	2	10
10	Tuberculous meningitis	—	—	2	—	1	—	—	—	—	—	1	—	—	—	11
11	Other tuberculous diseases	—	1	2	4	1	—	—	—	—	1	—	—	—	—	12
12	Cancer, malignant disease	14	17	14	13	7	7	3	1	8	12	7	3	1	—	13
13	Rheumatic fever	1	1	—	—	1	1	—	—	1	—	—	—	—	—	14
14	Meningitis	1	—	2	—	—	3	—	—	—	1	—	1	—	—	15
15	Organic heart disease	15	14	11	23	11	11	4	4	13	14	4	6	1	—	16
16	Bronchitis	4	6	8	7	2	2	—	1	9	10	1	1	1	—	17
17	Pneumonia (all forms)	12	4	13	5	8	2	1	—	10	5	2	—	—	—	18
18	Other respiratory diseases	—	1	1	2	—	2	—	—	2	1	—	—	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	1	—	1	1	1	—	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	1	2	3	—	1	—	—	—	—	—	1	—	—	—	21
21	Cirrhosis of liver	1	—	1	—	—	—	—	—	1	—	—	—	—	—	21A
21A	Alcoholism	—	—	1	—	1	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	2	8	5	2	—	1	1	4	—	1	1	—	—	23
23	Puerperal fever	—	1	—	1	—	1	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	1	—	2	—	—	—	2	—	1	—	—	25
25	Congenital debility, &c.	6	4	5	8	3	6	—	—	11	5	2	1	1	—	26
26	Violence, apart from 27	10	1	10	—	2	1	—	—	3	2	1	—	2	—	27
27	Suicide	3	1	—	1	4	—	—	—	—	1	—	1	—	—	28
28	Other defined diseases	45	39	54	57	21	28	5	5	32	39	4	10	2	4	29
29	Causes ill-defined or un- known.	—	—	2	2	1	1	—	—	—	—	—	1	—	—	—

AREAS, 1920 (Civilian population only)—*continued.*
CORNWALL—*cont.*

	Cam-borne U.D.		Falmouth M.B.		Fowey M.B.		Hayle U.D.		Helston M.B.		Laun- ceston M.B.		Liskeard M.B.		Looe U.D.		Lost- withiel M.B.		Ludgvan U.D.		Madron U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	83	123	85	79	24	15	11	14	15	24	28	27	36	49	14	25	11	11	14	20	16	31	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	2	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	1	—	—	6
7	—	—	2	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	7
8	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	15	6	7	2	1	4	—	2	—	—	1	1	4	2	—	—	—	1	—	2	2	—	9
10	1	4	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	10
11	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	11
12	2	19	8	3	3	2	—	1	2	2	6	3	2	4	4	3	1	1	3	3	3	3	12
13	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	12	26	14	11	—	3	2	5	2	5	2	3	3	15	2	6	1	—	1	3	5	3	15
16	5	6	6	10	—	—	1	—	—	4	1	2	4	3	1	2	1	4	—	1	—	3	16
17	4	2	6	2	2	—	—	—	—	—	—	1	—	1	1	1	—	1	—	—	2	—	17
18	—	1	2	—	—	—	1	—	1	—	—	—	2	—	1	2	—	—	—	—	1	—	18
19	1	—	2	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	20
21	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	3	1	1	—	—	1	—	—	2	1	—	—	—	—	—	—	2	1	—	—	22
23	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	24
25	6	3	5	2	1	—	—	1	2	—	1	1	3	3	—	1	2	1	—	1	—	1	25
26	5	—	2	1	1	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	26
27	1	—	1	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	27
28	27	46	24	39	11	2	6	3	6	12	10	13	12	17	5	10	4	4	5	7	4	11	28
29	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	29

CORNWALL—*cont.*

	Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	23	30	11	13	37	49	23	22	82	98	35	33	71	81	23	27	50	37	52	44	22	22	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	1	1	—	—	2	1	1	—	1	1	—	3	—	—	4
5	—	—	—	—	—	—	—	—	3	—	4	2	—	—	—	—	1	—	1	1	—	—	5
6	—	—	—	—	1	1	—	—	2	3	—	1	—	—	—	—	—	—	2	—	—	—	6
7	1	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	4	10	1	1	11	5	1	1	4	5	4	3	1	2	8
9	4	1	1	—	3	7	5	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	9
10	—	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	11
12	2	5	—	2	1	3	1	2	8	11	3	4	7	16	1	3	4	3	4	4	2	3	12
13	—	—	—	—	—	—	—	—	2	—	1	1	—	1	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
15	3	1	1	2	5	6	1	2	5	10	8	11	8	4	2	3	12	9	12	11	1	2	15
16	—	4	3	—	3	3	4	3	6	6	1	—	4	4	2	3	3	—	3	1	2	4	16
17	3	1	—	—	1	1	—	—	4	2	1	—	1	1	1	1	3	—	1	1	—	—	17
18	—	3	—	—	—	1	—	—	2	1	—	—	3	—	1	—	—	—	4	—	—	—	18
19	—	—	—	—	—	2	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—	19
20	—	—	—	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	20
21	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	—	—	1	—	1	6	—	—	—	1	6	—	2	1	—	—	1	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	—	—	1	1	4	2	6	1	3	7	3	1	4	3	—	1	2	2	2	1	1	1	25
26	—	—	—	—	4	1	—	2	2	—	2	—	—	1	1	—	4	1	5	—	—	—	26
27	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	27
28	6	13	5	7	13	17	4	10	28	44	7	8	28	35	12	12	13	14	14	14	11	8	28
29	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	29

CAUSES OF DEATH in ADMINISTRATIVE

CORNWALL—cont.

Causes of Death.	Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wade-bridge U.D.			Bodmin R.D.		Calstock R.D.		Camelford R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
ALL CAUSES	13	15	25	28	60	94	16	11		73	50	32	30	59	49	1
1 Enteric fever	—	—	—	—	—	—	—	—		—	—	—	—	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—		—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—		—	—	—	—	—	—	5
5 Whooping cough	—	—	1	—	—	1	—	—		—	1	—	—	2	—	6
6 Diphtheria and croup	—	—	—	—	1	4	—	—		—	1	1	—	—	—	7
7 Influenza	—	—	1	—	1	—	—	—		—	3	—	1	2	—	8
8 Erysipelas	—	—	—	—	—	—	—	—		—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	1	2	3	5	9	—	2		3	3	2	2	4	3	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—		2	—	—	—	1	—	11
11 Other tuberculous diseases	1	1	—	—	—	—	—	—		—	—	1	1	1	1	12
12 Cancer, malignant disease	1	1	3	2	4	15	3	2		7	8	1	5	2	4	13
13 Rheumatic fever	—	—	—	—	—	—	—	—		—	—	—	—	—	—	14
14 Meningitis	1	—	1	—	1	—	1	1		—	—	1	—	—	1	15
15 Organic heart disease	—	3	5	3	5	6	2	—		13	7	4	3	7	8	16
16 Bronchitis	1	2	3	2	8	8	1	2		7	3	2	2	5	1	17
17 Pneumonia (all forms)	—	—	2	—	2	6	1	—		4	4	2	—	—	1	18
18 Other respiratory diseases	—	—	1	2	—	—	1	—		—	1	1	—	3	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—		2	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	1	—	1	—		—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—		1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	1	—	—	—		—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	3	1	—	—		—	—	1	—	2	3	23
23 Puerperal fever	—	—	—	—	—	1	—	1		—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—		—	1	—	—	—	2	25
25 Congenital debility, &c.	1	—	2	3	2	3	2	—		5	4	2	1	1	5	26
26 Violence, apart from 27	—	1	—	—	—	—	—	—		—	1	2	—	1	—	27
27 Suicide	—	1	—	—	—	1	1	—		1	—	—	—	—	—	28
28 Other defined diseases	8	5	3	13	26	38	3	3		28	12	12	15	27	16	29
29 Causes ill-defined or unknown.	—	—	—	—	—	1	—	—		—	—	—	—	—	3	

CORNWALL—cont.

Causes of Death.	East Kerrier R.D.		Helston R.D.		Hols-worthy (pt.) R.D.*		Laun-ceston R.D.		Liskeard R.D.		Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	36	49	100	113	1	3	40	48	74	82	124	145	166	199	59	74	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
5 Whooping cough	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	6
6 Diphtheria and croup	—	—	1	2	—	—	—	—	—	4	3	2	3	2	3	—	7
7 Influenza	1	1	2	1	—	—	—	1	—	1	—	1	2	1	2	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	3	6	5	—	1	—	2	7	7	23	12	12	14	5	1	10
10 Tuberculous meningitis	1	—	2	—	—	—	—	—	—	1	3	3	2	2	—	—	11
11 Other tuberculous diseases	—	—	4	2	—	—	—	1	2	5	2	—	1	2	—	—	12
12 Cancer, malignant disease	1	8	9	18	—	—	2	11	6	13	7	20	7	26	2	10	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	14
14 Meningitis	—	—	—	—	—	—	—	1	—	—	1	—	1	1	—	—	15
15 Organic heart disease	9	8	7	12	1	—	2	7	14	17	10	19	20	27	10	13	16
16 Bronchitis	3	3	5	9	—	—	4	2	3	9	7	11	18	8	1	4	17
17 Pneumonia (all forms)	1	1	8	3	—	—	2	1	—	1	7	10	7	4	2	1	18
18 Other respiratory diseases	1	—	3	3	—	—	1	2	—	2	11	1	5	—	2	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	1	—	—	—	—	1	1	4	1	—	1	—	—	20
20 Appendicitis and typhlitis	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	2	3	2	—	—	2	2	3	5	—	3	5	8	1	4	23
23 Puerperal fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	2	—	2	—	2	—	2	25
25 Congenital debility, &c.	2	1	4	4	—	—	4	—	6	1	9	4	8	7	6	4	26
26 Violence, apart from 27	2	1	4	—	—	1	2	—	3	—	6	3	9	3	1	—	27
27 Suicide	2	—	2	—	—	—	—	—	4	—	1	2	2	1	1	2	28
28 Other defined diseases	8	19	37	49	—	1	19	14	25	17	26	49	61	84	24	28	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	1	—	—	1	—	3	3	—	—	

* The remainder of Holsworthy R.D. is in Devonshire; see page 419.

AREAS, 1920 (Civilian population only)—*continued.*

CORNWALL—*cont.*

CUMBERLAND.

	St. Ger- mans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.						Arledon and Frizington U.D.		Aspatria U.D.		Cleator Moor U.D.		Cocker- mouth U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
1	77	62	8	5	25	31	123	132	67	81					49	35	13	23	63	66	35	32	1
2	—	—	—	—	—	—	—	—	1	1					—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	1	—	—	—					1	1	—	—	1	4	—	—	3
4	—	—	—	—	—	—	—	—	—	1					—	1	—	—	—	—	—	—	4
5	—	—	1	—	—	—	2	2	—	—					—	—	—	—	—	—	1	—	5
6	—	—	—	—	—	—	3	5	4	2					1	2	—	—	—	1	—	1	6
7	6	—	—	—	—	—	1	1	1	1					—	1	—	1	—	—	—	1	7
8	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	1	—	—	8
9	5	9	1	—	1	—	8	6	2	4					6	2	—	2	2	2	2	1	9
10	—	1	—	—	—	—	1	1	1	1					1	1	—	1	2	—	—	—	10
11	—	1	—	—	1	1	1	1	—	1					—	—	—	—	—	—	—	—	11
12	12	6	—	—	3	4	16	24	7	6					2	4	1	2	3	3	1	6	12
13	1	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1	1	—	1	—					1	—	—	—	2	—	—	—	14
15	11	4	1	2	4	8	9	16	14	20					5	1	1	5	8	14	3	5	15
16	2	2	—	—	1	3	4	7	6	2					2	2	1	—	3	4	1	2	16
17	4	5	—	1	1	—	4	2	3	2					4	2	3	1	10	7	5	4	17
18	1	—	—	—	—	1	1	1	—	1					3	—	1	—	1	1	2	1	18
19	—	—	—	—	—	1	—	—	—	—					3	—	—	1	—	1	1	—	19
20	—	—	—	—	1	—	1	—	1	—					1	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	1	—	—	—					—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	3	4	1	—	—	—	3	3	—	3					—	—	1	—	2	—	1	1	22
23	—	—	—	—	—	1	—	—	—	—					—	—	—	1	—	—	—	—	23
24	—	2	—	—	—	—	—	1	—	—					—	1	—	—	—	—	—	—	24
25	5	2	—	—	3	1	5	2	3	4					8	1	—	2	3	4	2	1	25
26	3	2	2	—	1	—	6	3	2	1					3	3	1	—	3	1	—	—	26
27	—	2	—	—	—	—	3	—	2	1					—	—	1	—	—	—	1	—	27
28	22	20	1	2	9	9	50	57	19	28					7	13	3	7	22	18	14	9	28
29	2	2	1	—	—	1	2	1	—	1					1	—	—	—	1	—	—	—	29

CUMBERLAND—*cont.*

	Egremont U.D.		Harring- ton U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		Millom U.D.		Penrith U.D.		White- haven M.B.		Wigton U.D.		Working- ton M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	52	47	19	46	30	28	29	28	100	60	67	53	56	63	159	161	21	28	221	206	1
2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	1	3	—	1	1	—	—	—	—	1	8	4	—	—	1	1	—	1	9	4	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1	4	—	—	—	1	5
6	4	5	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	10	13	6
7	1	2	—	1	—	—	—	—	—	—	—	1	—	—	7	5	—	—	6	10	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	8
9	3	1	1	7	1	1	1	—	5	2	2	2	4	5	8	12	1	1	9	12	9
10	1	—	—	3	—	—	1	—	3	1	1	1	1	—	5	1	—	—	2	2	10
11	—	—	—	—	—	—	—	1	2	—	—	—	—	1	1	5	—	—	3	3	11
12	3	3	2	2	2	2	2	3	9	3	2	5	6	6	12	12	2	6	22	17	12
13	2	1	—	—	—	—	1	—	1	—	—	1	—	—	1	1	—	—	1	2	13
14	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1	2	1	—	2	4	14
15	7	2	—	4	1	2	5	10	7	7	6	4	5	7	7	16	2	2	10	15	15
16	4	4	4	4	2	3	—	2	4	6	10	8	4	1	14	17	2	5	20	12	16
17	4	1	—	2	2	1	1	1	19	7	7	2	5	2	13	7	2	—	24	8	17
18	4	2	—	1	1	—	1	—	—	1	—	—	1	1	3	2	1	2	6	—	18
19	1	2	—	—	—	—	—	—	3	1	2	—	1	2	6	7	—	1	6	3	19
20	—	—	—	—	—	—	1	—	—	—	1	—	1	1	2	1	—	—	1	—	20
21	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	—	1	1	—	—	1	1	1	1	2	3	7	6	1	1	2	4	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	4	23
24	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	5	24
25	5	7	3	2	4	—	1	3	9	4	3	3	3	5	13	6	—	—	19	13	25
26	3	—	—	—	—	—	1	—	5	3	5	2	1	—	14	6	—	1	14	2	26
27	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	1	—	2	1	1	27
28	7	9	8	18	13	17	13	8	29	22	18	15	21	23	38	41	9	5	50	69	28
29	—	1	—	—	1	—	—	—	1	1	—	—	—	—	4	—	—	—	2	1	29

CUMBERLAND—cont.

Causes of Death.		Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cocker- month R.D.		Longtown R.D.		Penrith R.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	29	24	38	32	56	54	66	79	158	147	44	36	91	74
1 Enteric fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	2	—	2	—	—	1	—	—	3	5	—	—	—	—
4 Scarlet fever	...	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	...	1	—	—	—	1	1	1	2	2	1	2	—	1	—
6 Diphtheria and croup	...	—	—	—	—	—	1	—	1	5	3	1	—	—	—
7 Influenza	...	—	1	—	1	1	1	—	5	3	2	—	1	1	—
8 Erysipelas	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	1	1	3	2	4	1	2	5	1	8	3	2	1	4
10 Tuberculous meningitis	...	—	—	—	—	—	1	—	—	1	1	—	—	—	—
11 Other tuberculous diseases	...	—	—	—	—	1	—	—	1	—	1	1	—	—	1
12 Cancer, malignant disease	...	1	—	5	4	6	6	12	5	10	12	4	2	12	12
13 Rheumatic fever...	...	—	1	—	—	—	—	—	1	—	1	—	—	—	—
14 Meningitis	...	—	—	—	—	1	—	—	1	3	3	—	—	—	1
15 Organic heart disease	...	3	2	10	8	8	10	8	14	19	12	3	10	16	13
16 Bronchitis	...	1	2	2	1	2	3	2	3	8	7	3	—	2	2
17 Pneumonia (all forms)	...	—	2	—	—	2	4	4	1	23	11	—	—	3	7
18 Other respiratory diseases	...	1	—	1	1	2	1	1	1	3	2	1	2	1	2
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	1	2	2	—	1	4	8	2	—	—	—
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	1	1	—	—	—	—
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	3	—	—	—	—	—
21A Alcoholism	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	8	2	2	2	3	—	3	—	1	1	—	—	1	3
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	2
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	—	—	3	—	1	—	2
25 Congenital debility, &c.	...	—	2	3	2	3	3	2	2	18	8	3	2	8	1
26 Violence, apart from 27	...	1	1	2	—	5	1	4	2	7	3	2	1	4	—
27 Suicide	...	—	—	—	—	—	—	2	2	4	—	—	—	1	—
28 Other defined diseases	...	7	10	8	10	13	17	22	29	39	53	19	15	40	24
29 Causes ill-defined or un- known.	...	2	—	—	—	—	—	3	1	—	1	—	—	—	—

CUMBERLAND—cont.

DERBYSHIRE.

Causes of Death.		White- haven R.D.		Wigton R.D.		Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		Bakewell U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	98	88	72	81	117	112	7	4	20	26	16	13
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	1	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	4	4	—	—	10	4	—	—	—	—	—	1
4 Scarlet fever	...	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	...	1	—	1	1	4	4	—	—	—	—	—	—
6 Diphtheria and croup	...	2	6	1	—	—	4	—	—	—	—	—	—
7 Influenza	...	2	1	—	2	1	3	—	—	—	—	—	—
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	2	3	2	4	2	2	—	—	3	3	—	2
10 Tuberculous meningitis	...	1	—	—	—	1	1	—	2	—	1	—	—
11 Other tuberculous diseases	...	1	1	—	—	—	1	—	—	—	—	—	—
12 Cancer, malignant disease	...	6	9	3	10	11	13	—	—	1	1	2	1
13 Rheumatic fever...	...	1	—	—	—	3	1	—	—	—	—	—	—
14 Meningitis	...	—	2	2	—	1	1	—	—	—	—	—	—
15 Organic heart disease	...	13	9	8	7	10	7	2	—	2	6	3	3
16 Bronchitis	...	5	5	3	2	2	9	—	—	—	—	1	1
17 Pneumonia (all forms)	...	4	3	4	5	8	4	—	—	2	1	1	1
18 Other respiratory diseases	...	—	1	2	1	6	4	—	—	—	—	—	1
19 Diarrhoea, &c. (under 2 yrs.)	...	—	2	—	—	1	1	—	—	—	—	—	—
20 Appendicitis and typhlitis	...	—	—	—	—	—	1	—	—	—	—	—	—
21 Cirrhosis of liver	...	—	—	—	—	—	1	—	—	—	—	1	—
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	5	3	3	1	1	1	—	—	1	3	—	—
23 Puerperal fever	...	—	1	—	2	—	1	—	—	—	—	—	—
24 Parturition, apart from 23	...	—	3	—	—	—	1	—	—	—	—	—	—
25 Congenital debility, &c.	...	12	5	8	3	11	9	—	1	2	1	2	1
26 Violence, apart from 27	...	6	2	5	3	7	2	—	—	1	—	—	—
27 Suicide	...	—	1	1	—	—	3	—	—	—	—	—	—
28 Other defined diseases	...	30	26	29	40	38	32	4	1	7	10	5	2
29 Causes ill-defined or un- known.	...	3	1	—	—	—	2	1	—	—	—	—	—

AREAS, 1920 (Civilian population only)—*continued.*
DERBYSHIRE—*cont.*

	Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton M.B.		Chester- field M.B.		Clay Cross U.D.		Dronfield U.D.		Glossop M.B.		Heage U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	4	11	70	63	64	67	5	4	15	12	72	78	351	300	60	54	32	30	116	160	15	14	1
2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	2
3	—	—	1	—	1	—	—	—	—	—	—	—	10	12	—	1	1	2	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	1	—	—	—	—	—	—	7	11	5	4	—	—	—	—	—	—	5
6	—	—	—	1	1	5	—	—	—	—	—	2	4	4	—	1	—	2	2	1	1	1	6
7	—	4	—	—	—	—	—	—	—	—	1	1	5	8	—	—	1	1	1	2	—	1	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	8
9	—	—	2	1	4	3	—	—	2	2	3	4	23	24	—	1	—	2	9	8	—	—	9
10	—	—	2	1	1	—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	10
11	—	—	—	—	1	—	—	—	1	1	1	2	3	3	—	—	—	—	4	1	—	—	11
12	1	2	6	8	3	5	1	—	2	—	7	10	24	16	2	1	1	4	8	22	2	1	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	13
14	—	—	1	—	—	—	—	—	—	—	1	—	3	2	1	—	—	—	1	—	—	—	14
15	—	1	4	11	5	11	2	1	—	—	6	10	27	27	5	6	1	3	7	18	2	4	15
16	—	—	8	5	4	8	—	—	—	1	9	3	53	37	7	5	8	5	12	20	—	—	16
17	—	—	7	8	4	5	—	—	—	1	5	5	39	31	4	7	9	2	8	3	2	3	17
18	—	—	1	—	3	—	—	—	—	—	3	—	5	2	1	1	—	—	2	2	—	—	18
19	—	—	1	—	1	—	—	—	—	—	—	1	4	2	1	—	1	—	1	—	—	—	19
20	—	—	1	—	1	—	—	—	—	—	2	1	4	2	1	—	—	—	—	—	—	1	20
21	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	21A
22	—	1	3	—	4	—	—	1	—	—	2	6	2	4	2	—	—	1	7	10	—	—	22
23	—	—	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	23
24	—	—	—	—	—	2	—	—	—	1	—	—	—	6	—	2	—	1	—	3	—	—	24
25	1	—	5	11	7	4	—	—	3	1	2	1	32	24	7	9	1	1	2	8	1	—	25
26	—	—	4	1	3	2	—	—	—	—	2	1	17	3	2	2	3	—	3	2	1	—	26
27	—	—	—	—	2	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	1	27
28	1	3	23	15	17	19	2	2	7	5	24	29	81	75	20	14	6	5	43	52	6	1	28
29	1	—	—	—	—	—	—	—	—	—	1	1	3	1	1	—	—	—	1	3	—	—	29

DERBYSHIRE—*cont.*

	Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlin- cote District U.D.		Whitting- ton and Newbold U.D.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	113	100	201	182	112	80	47	42	16	12	54	46	21	17	73	66	6	3	112	87	139	112	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	8	12	11	1	—	—	—	1	—	—	—	—	—	2	1	—	—	2	4	3	2	3
4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	3	1	2	4
5	3	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	5
6	—	4	2	—	2	1	—	—	—	1	—	—	1	—	—	1	—	—	—	3	—	—	6
7	1	—	2	4	1	—	—	—	—	—	2	—	1	—	—	4	1	—	1	1	9	8	7
8	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	8	7	11	8	5	2	2	6	—	—	3	3	2	—	2	2	—	—	4	4	11	4	9
10	1	1	1	2	3	—	2	—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	10
11	1	3	—	2	3	1	—	—	—	—	—	—	—	—	2	1	—	—	3	2	3	4	11
12	11	10	12	13	12	14	5	3	2	—	6	4	3	2	8	7	—	—	13	7	7	11	12
13	—	2	5	1	1	2	—	—	—	—	—	—	1	1	1	—	—	—	—	1	1	2	13
14	—	—	2	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	1	—	—	14
15	5	6	10	8	9	9	6	9	2	2	5	5	3	2	2	3	1	2	2	4	7	9	15
16	9	2	32	26	7	5	3	3	—	2	3	2	1	—	7	6	—	—	11	4	18	11	16
17	7	10	29	22	5	4	2	—	—	—	5	1	—	—	3	6	1	—	10	3	23	17	17
18	1	—	2	—	—	3	2	—	—	—	1	1	1	1	1	—	—	—	3	1	—	—	18
19	2	2	6	5	—	—	—	—	—	—	2	2	—	—	2	—	—	—	2	—	3	2	19
20	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	20
21	1	1	4	1	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	5	3	7	4	2	2	—	1	—	—	2	—	1	1	1	—	—	2	6	3	—	22
23	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	24
25	14	9	13	14	10	6	2	4	2	1	3	—	1	—	6	5	—	—	7	10	11	11	25
26	4	2	6	—	5	1	1	—	—	—	1	—	—	—	6	2	—	—	—	—	5	2	26
27	4	—	—	1	—	1	—	2	—	—	1	1	—	—	1	—	—	—	—	—	2	—	27
28	34	23	46	47	38	25	16	13	5	5	21	19	4	7	26	23	—	1	41	33	30	26	28
29	—	1	1	3	4	2	2	—	—	—	—	—	—	—	2	1	—	—	5	—	—	—	29

* Abolished on 9th November, 1920.

CAUSES of DEATH in ADMINISTRATIVE
DERBYSHIRE—*cont.*

Causes of Death.				Wirks- worth U.D.		Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	24	21	59	53	138	129	111	114	284	224	69	90
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	1	1	—	—	9	5	—	—
4 Scarlet fever	—	—	—	—	2	—	—	—	—	1	—	—
5 Whooping cough	—	—	—	—	1	1	—	—	—	4	—	—
6 Diphtheria and croup	—	—	1	—	4	3	—	—	1	3	2	—
7 Influenza	—	—	—	3	7	3	1	4	5	1	—	—
8 Erysipelas	—	—	—	—	—	—	1	—	—	3	1	2
9 Pulmonary tuberculosis	3	—	3	2	6	5	10	8	10	10	4	3
10 Tuberculous meningitis	—	1	—	1	—	2	—	1	5	1	—	—
11 Other tuberculous diseases	—	—	1	2	1	2	—	1	4	4	—	—
12 Cancer, malignant disease	—	2	4	3	15	18	8	11	26	10	6	9
13 Rheumatic fever...	—	—	—	—	—	—	1	—	—	2	1	1
14 Meningitis	—	—	1	—	—	—	2	—	4	2	1	1
15 Organic heart disease	2	4	4	12	19	19	11	8	8	19	9	8
16 Bronchitis	—	1	4	—	13	6	8	4	29	21	—	5
17 Pneumonia (all forms)	2	1	2	1	4	2	13	7	36	20	5	8
18 Other respiratory diseases	—	2	2	—	3	2	—	3	8	5	2	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	2	1	13	10	1	—
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	2	2	—	1
21 Cirrhosis of liver	—	—	—	—	3	—	—	—	1	2	1	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	1	1	2	1	3	3	2	2	1	3	1	5
23 Puerperal fever	—	1	—	—	—	2	—	—	—	2	—	—
24 Parturition, apart from 23	—	1	—	1	—	—	—	—	—	2	—	2
25 Congenital debility, &c.	5	2	2	1	5	6	8	17	30	29	3	1
26 Violence, apart from 27	—	—	2	1	3	1	8	4	23	3	4	2
27 Suicide	1	—	—	1	—	1	1	—	2	—	1	1
28 Other defined diseases	10	5	31	21	49	49	31	41	63	58	26	40
29 Causes ill-defined or un- known.	—	—	—	3	2	1	2	1	3	2	1	1

DERBYSHIRE—*cont.*

Causes of Death.				Chesterfield R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		Repton R.D.		Shardlow R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	461	435	88	82	15	19	33	27	21	29	22	24	89	71	146	172	1
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	20	16	3	3	—	—	—	—	—	—	—	—	1	—	4	5	4
4	Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5	Whooping cough	4	12	1	1	—	—	—	1	1	—	—	—	—	—	—	—	6
6	Diphtheria and croup	6	2	—	2	1	—	—	—	—	—	1	—	—	—	1	1	7
7	Influenza	13	7	2	1	—	1	—	1	1	—	2	1	2	1	1	1	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	21	14	1	10	1	2	3	1	2	1	2	1	2	4	8	13	10
10	Tuberculous meningitis	2	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	11
11	Other tuberculous diseases	6	3	5	1	1	—	—	1	—	—	1	—	1	2	1	3	12
12	Cancer, malignant disease	21	33	3	4	3	6	1	3	3	8	1	3	7	8	11	19	13
13	Rheumatic fever...	—	1	1	1	1	—	—	1	1	—	—	—	2	—	—	1	14
14	Meningitis	2	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	15
15	Organic heart disease	39	44	4	6	—	—	—	4	1	2	2	—	6	9	16	21	16
16	Bronchitis	53	43	9	6	1	1	2	1	3	4	2	4	4	2	10	12	17
17	Pneumonia (all forms)	48	41	7	3	2	1	—	—	1	1	2	1	9	9	7	9	18
18	Other respiratory diseases	5	10	3	2	—	—	1	—	—	—	1	—	2	1	1	3	19
19	Diarrhoea, &c. (under 2 yrs.)	16	10	1	3	—	—	—	—	—	1	—	—	1	—	1	1	20
20	Appendicitis and typhlitis	1	1	1	—	—	—	—	—	—	—	—	1	—	1	1	—	21
21	Cirrhosis of liver	2	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	22
22	Nephritis and Bright's dis.	15	16	—	—	1	2	2	—	1	—	1	—	4	3	3	5	23
23	Puerperal fever	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	3	24
24	Parturition, apart from 23	—	9	—	4	—	1	—	—	—	—	—	1	—	—	—	1	25
25	Congenital debility, &c.	49	31	6	8	—	—	2	—	—	2	1	1	8	7	14	5	26
26	Violence, apart from 27	29	7	4	1	—	—	2	1	—	1	2	—	1	2	4	2	27
27	Suicide	4	5	—	2	—	—	—	—	—	—	—	—	—	—	2	—	28
28	Other defined diseases	100	119	36	22	4	5	20	13	7	9	4	7	38	19	55	65	29
29	Causes ill-defined or unknown.	3	4	1	1	—	—	—	—	—	—	—	—	—	2	2	2	

AREAS, 1920 (Civilian population only)—*continued.*

DERBYSHIRE—*cont.*

DEVONSHIRE.

Sudbury R.D.		Codnor Park and Shipley C. P.'s*		Ash-burton U.D.		Axminster U.D.		Bampton U.D.		Barn-staple M.B.		Bideford M.B.		Brixham U.D.		Buck-fastleigh U.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	19	14	7	18	24	10	10	16	13	81	114	62	67	58	61	9	11
2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	1	—	—	—	—	—	—	4	5	2	—	—	—
7	—	—	1	—	—	1	—	—	—	—	—	3	5	1	2	—	—
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	13	13	7	4	5	4	1	—
11	2	—	1	—	—	1	—	—	—	1	1	1	1	—	—	—	—
12	1	6	—	1	—	—	—	—	—	4	15	5	6	2	3	1	2
13	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
14	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15	3	1	—	1	—	1	2	1	1	6	19	6	10	6	5	2	4
16	—	—	1	—	3	2	—	—	3	5	9	5	6	1	2	—	—
17	2	—	1	1	1	—	1	3	—	3	1	4	2	4	4	1	1
18	—	—	—	—	2	1	—	2	—	1	1	—	—	1	—	—	—
19	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—
20	—	—	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—
21	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
22	2	—	—	—	1	2	—	—	—	2	3	—	2	5	3	—	—
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	1	2	—	—	—	1	—	2	2	6	2	—	2	3	4	—	—
26	1	—	2	—	—	—	—	—	—	3	1	2	2	2	1	—	—
27	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	5	5	8	3	7	10	2	3	5	30	39	22	19	22	28	4	4
29	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—

DEVONSHIRE—*cont.*

	Budleigh Salterton U.D.		Crediton U.D.		Dart- mouth M.B.		Dawlish U.D.		Ex- mouth U.D.		Great Tor- rington M.B.		Hols- worthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kings- bridge U.D.		
	M 14	F 15	M 32	F 21	M 35	F 33	M 21	F 19	M 87	F 99	M 28	F 23	M 6	F 8	M 15	F 20	M 56	F 59	M 13	F 8	M 18	F 28	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	5
6	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	6
7	—	1	—	2	—	—	—	—	1	1	1	1	—	—	—	—	2	—	—	—	2	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	4	3	1	2	1	2	3	8	8	3	2	1	1	1	3	4	6	—	1	—	1	9
10	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	3	—	—	—	—	11
12	—	1	4	3	4	10	4	1	13	14	2	6	—	—	—	1	8	7	1	2	1	3	12
13	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	14
15	1	2	4	3	2	4	1	7	11	13	—	2	1	1	1	4	8	12	2	—	4	7	15
16	2	—	1	3	2	1	3	1	3	7	3	1	1	—	1	1	3	3	2	1	2	1	16
17	—	—	—	—	3	—	—	1	2	2	3	1	—	2	—	—	2	2	1	—	1	1	17
18	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	3	1	—	—	—	—	18
19	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	19
20	—	1	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	1	—	—	—	20
21	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	3	1	2	—	—	—	5	6	—	—	—	—	—	1	3	—	—	—	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	3	—	1	—	1	3	2	1	1	—	—	—	3	1	—	—	—	—	—	25
26	—	1	1	—	3	1	2	—	2	—	2	—	—	—	—	—	1	1	—	—	—	—	26
27	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	27
28	7	4	12	4	10	12	9	5	35	36	12	6	3	3	9	4	16	21	6	3	7	11	28
29	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

CAUSES OF DEATH IN ADMINISTRATIVE

DEVONSHIRE—cont.

Causes of Death.	Lynton U.D.		Newton Abbot U.D.		Northam U.D.		Okehampton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	8	6	83	91	31	41	23	28	25	19	85	85	9	11	13	14	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	5
5 Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	6
6 Diphtheria and croup ...	1	—	6	4	1	1	—	—	—	—	1	1	—	—	—	—	7
7 Influenza ...	—	—	3	1	—	—	2	—	2	—	—	—	—	—	—	1	8
8 Erysipelas ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	—	7	7	1	2	2	1	4	3	7	8	2	—	1	1	10
10 Tuberculous meningitis	—	—	—	1	—	1	1	—	1	—	—	1	—	—	—	—	11
11 Other tuberculous diseases	—	—	1	2	—	—	—	—	—	—	1	1	—	1	—	—	12
12 Cancer, malignant disease	—	1	6	9	2	9	—	3	2	1	10	11	—	—	1	3	13
13 Rheumatic fever...	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	15
15 Organic heart disease ...	—	1	12	7	1	6	3	10	5	2	12	14	1	1	4	2	16
16 Bronchitis ...	1	—	11	5	4	4	—	—	—	1	3	5	1	1	—	—	17
17 Pneumonia (all forms) ...	2	—	2	4	2	1	—	1	2	1	3	4	2	—	1	1	18
18 Other respiratory diseases	—	—	1	—	2	—	1	—	—	—	4	2	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	21
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	1	3	1	—	1	—	—	—	2	3	—	—	1	—	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	1	2	7	1	—	2	2	3	—	6	2	—	—	—	—	26
26 Violence, apart from 27	—	—	1	1	1	2	—	1	—	—	3	1	—	—	—	—	27
27 Suicide ...	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	28
28 Other defined diseases ...	2	2	27	37	14	12	11	9	6	11	28	29	2	8	4	6	29
29 Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	

DEVONSHIRE—cont.

Causes of Death.	Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teignmouth U.D.		Tiverton M.B.		Torquay M.B.		Totnes M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	37	31	19	11	38	30	48	79	50	64	228	282	24	25	1
1 Enteric fever ...	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	3	1	—	—	—	—	—	—	—	—	1	1	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	5
5 Whooping cough ...	—	—	—	—	—	—	—	—	2	—	—	—	—	2	6
6 Diphtheria and croup ...	—	—	—	—	—	—	1	1	—	—	3	1	1	2	7
7 Influenza ...	—	—	—	—	2	1	4	1	1	2	3	5	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	—	2	1	—	2	2	2	5	5	5	18	24	1	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	—	—	1	1	—	1	—	3	1	—	12
12 Cancer, malignant disease	4	5	1	1	5	5	8	14	3	3	33	39	5	3	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	—	—	—	1	—	—	—	—	1	1	—	—	—	15
15 Organic heart disease ...	1	4	3	1	5	4	5	3	12	11	36	42	1	2	16
16 Bronchitis ...	2	2	—	1	3	1	3	9	—	1	17	19	3	2	17
17 Pneumonia (all forms) ...	1	2	—	1	2	—	—	6	3	1	12	7	1	1	18
18 Other respiratory diseases	—	—	—	—	2	1	—	2	—	1	3	2	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	—	1	—	—	1	3	1	—	1	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	1	—	—	—	21
21 Cirrhosis of liver ...	4	—	—	—	—	—	—	—	—	—	—	3	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	1	2	—	1	2	1	1	2	1	5	4	2	1	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	2	—	—	25
25 Congenital debility, &c.	1	1	2	—	2	2	3	—	—	6	6	11	—	1	26
26 Violence, apart from 27	1	—	—	—	—	1	—	1	1	1	9	4	2	—	27
27 Suicide ...	1	—	1	—	—	—	—	1	1	—	4	—	—	—	28
28 Other defined diseases ...	16	13	9	6	12	11	19	32	20	26	72	110	6	10	29
29 Causes ill-defined or unknown.	—	—	—	1	—	—	—	—	—	—	1	2	—	—	

AREAS, 1920 (Civilian population only)—continued.

DEVONSHIRE—cont.

	Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Hols- worthy (pt.) R.D.*		Honiton R.D.		Kings- bridge R.D.		Newton Abbot R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	52	65	94	100	30	24	8	14	74	75	25	15	45	47	57	50	76	59	111	124	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—	5
6	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	1	—	—	—	3	6
7	—	—	1	2	1	—	—	—	3	1	—	—	1	—	3	1	—	—	1	4	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8
9	4	8	5	11	—	2	1	—	8	4	1	2	3	4	2	1	4	7	6	9	9
10	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	1	10
11	—	1	2	3	—	—	—	—	1	1	1	—	—	—	1	—	1	1	1	3	11
12	8	8	7	10	2	4	1	—	8	5	1	—	10	4	7	7	4	7	14	15	12
13	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	13
14	—	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	14
15	4	9	13	15	4	7	1	1	7	10	7	2	2	6	10	2	16	10	17	18	15
16	1	—	5	5	—	—	—	1	2	5	1	—	5	5	2	2	2	1	3	7	16
17	4	1	4	3	2	3	—	1	4	4	1	—	2	3	4	4	2	—	4	3	17
18	1	2	—	1	—	—	—	—	1	3	—	—	—	1	—	1	—	—	3	—	18
19	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	19
20	—	2	—	—	—	1	—	—	—	—	—	—	1	—	1	1	1	2	—	1	20
21	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	4	—	2	—	1	—	1	3	1	—	—	1	1	1	1	—	5	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	5	24
25	1	1	3	1	1	—	—	1	1	4	2	—	3	3	5	1	5	4	1	9	25
26	3	2	4	2	1	2	—	2	2	1	2	1	3	2	1	2	1	1	3	2	26
27	1	1	—	—	1	—	—	—	1	—	1	—	—	—	—	—	2	—	2	1	27
28	24	26	42	43	15	4	1	9	28	28	6	10	13	14	19	24	36	24	43	40	28
29	—	—	1	—	—	—	—	1	2	2	—	—	—	1	—	—	—	—	2	1	29

DEVONSHIRE—cont.

DORSETSHIRE.

	Oke- hampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		Totnes R.D.			Blandford Forum M.B.		Bridport M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	86	87	136	106	140	176	63	59	70	76	67	83	61	57	64	66		21	22	47	35	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—		—	—	1	—	3
4	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1		—	—	—	—	4
5	1	—	2	3	1	—	—	—	—	—	—	—	1	—	—	—		—	—	—	—	5
6	1	2	1	1	1	—	1	—	—	—	—	—	1	2	—	—		—	—	—	—	6
7	2	3	4	2	2	6	1	—	3	1	2	—	2	—	1	1		—	—	1	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		—	—	—	—	8
9	3	3	10	8	13	13	2	4	1	3	7	2	3	7	6	5		—	—	3	2	9
10	—	—	1	1	—	2	—	—	—	1	—	—	—	—	—	—		—	—	1	—	10
11	—	—	4	—	1	4	1	—	2	—	1	1	1	1	1	—		—	—	—	2	11
12	9	9	10	13	19	18	8	4	9	15	5	12	5	10	7	4		2	1	6	4	12
13	—	—	1	1	—	—	1	—	—	—	1	1	1	—	—	1		—	—	1	—	13
14	—	1	1	—	1	—	1	1	—	—	—	—	—	2	—	—		—	—	—	—	14
15	11	11	13	20	21	20	3	8	7	14	3	21	5	12	7	10		2	6	5	8	15
16	8	10	10	3	8	12	7	3	3	3	2	5	4	4	7	9		1	—	2	1	16
17	4	3	6	1	5	4	6	2	6	2	3	1	1	2	1	1		1	1	—	—	17
18	1	1	1	1	1	—	2	—	—	1	—	—	1	—	—	1		—	—	1	—	18
19	—	1	3	—	2	—	1	—	3	—	—	—	—	—	—	—		—	—	—	—	19
20	—	—	—	1	—	—	—	—	1	1	1	1	—	—	1	1		—	—	—	—	20
21	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—		—	—	1	—	21
21A	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	2	2	—	2	6	9	3	—	3	2	6	3	2	1	1	3		—	—	1	1	22
23	—	1	—	2	—	1	—	—	—	—	—	—	—	1	—	1		—	—	—	1	23
24	—	1	—	—	—	1	—	—	—	2	—	—	—	1	—	—		—	—	—	1	24
25	3	1	9	6	6	11	1	1	1	2	4	4	3	2	4	3		1	5	5	—	25
26	5	2	3	5	8	2	1	1	5	—	3	—	1	—	2	1		2	—	1	—	26
27	—	1	1	—	4	—	1	—	3	—	1	3	1	—	2	—		—	—	1	—	27
28	34	35	55	34	41	66	23	32	21	29	28	28	28	12	23	24		12	9	17	15	28
29	1	—	1	—	1	3	—	2	—	—	—	—	—	—	1	—		—	—	—	—	29

* The remainder of Holsworthy R.D. is in Cornwall ; see page 412.

CAUSES of DEATH in ADMINISTRATIVE

DORSETSHIRE—cont.

Causes of Death.	Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		Shaftes- bury M.B.		Sher- borne U.D.		Swanage U.D.		Ware- ham M.B.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	48	66	9	21	217	264	53	38	14	14	30	44	33	31	20	13
1 Enteric fever ...	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ...	—	—	—	3	1	1	2	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
6 Diphtheria and croup ...	—	—	—	—	4	4	—	—	—	—	2	3	—	—	—	1
7 Influenza ...	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	2	4	1	1	17	21	2	2	1	—	—	3	2	3	1	1
10 Tuberculous meningitis	—	1	—	—	2	2	—	—	1	—	—	—	—	—	—	—
11 Other tuberculous diseases	—	4	—	—	7	2	—	—	—	1	—	—	—	—	1	—
12 Cancer, malignant disease	9	3	1	5	25	31	6	6	1	1	2	9	4	5	2	1
13 Rheumatic fever...	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
14 Meningitis ...	—	—	—	—	2	2	—	—	—	—	—	—	—	—	1	1
15 Organic heart disease ...	8	15	2	1	24	32	4	3	4	1	4	5	5	6	6	3
16 Bronchitis ...	—	6	1	3	11	16	2	4	—	—	3	3	—	—	2	2
17 Pneumonia (all forms) ...	6	3	1	—	8	15	4	4	1	—	1	2	—	1	—	—
18 Other respiratory diseases	—	1	—	—	5	6	—	—	—	—	—	1	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	2	6	3	—	—	1	—	—	—	—	—	—
20 Appendicitis and typhlitis	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
21 Cirrhosis of liver ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	1	1	—	1	5	6	2	4	—	1	—	2	—	2	1	—
23 Puerperal fever ...	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	3	1	—	—	20	22	2	2	—	—	1	—	5	—	—	1
26 Violence, apart from 27	—	1	1	—	6	6	1	—	—	—	4	—	—	—	—	—
27 Suicide ...	1	1	—	1	4	2	—	—	—	—	—	—	—	—	2	—
28 Other defined diseases ...	15	23	2	6	68	82	22	10	6	9	11	16	17	13	4	3
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

DORSETSHIRE—cont.

Causes of Death.	Weymouth and Mel- combe Regis M.B.		Wim- borne Minster U.D.		Bea- minster R.D.		Bland- ford R.D.		Bridport R.D.		Cerne R.D.		Dor- chester R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	105	156	26	13	51	64	54	49	47	46	27	36	46	47
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—
4 Scarlet fever ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	—	4	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	—	—	—	—	—	—	—	—	2	—	—	1	—	—
7 Influenza ...	1	3	—	1	3	2	—	1	2	2	—	1	1	2
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	7	6	4	—	4	6	4	2	2	6	1	1	4	2
10 Tuberculous meningitis	—	—	—	2	—	—	—	—	—	1	—	—	2	—
11 Other tuberculous diseases	3	1	—	1	1	—	2	—	1	1	—	—	1	—
12 Cancer, malignant disease	13	24	2	1	5	4	7	4	2	4	1	4	3	3
13 Rheumatic fever...	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	10	15	2	1	5	11	9	7	10	6	4	2	6	10
16 Bronchitis ...	7	7	2	—	1	2	3	2	—	1	2	1	4	—
17 Pneumonia (all forms) ...	3	4	1	1	2	3	—	2	2	3	—	1	4	—
18 Other respiratory diseases	3	3	1	—	—	1	2	—	1	—	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	1	—	—	—	—	—
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	2	—	1	—	1	—	1	—	—	—	—	—	—	—
21A Alcoholism ...	—	—	—	—	1	—	—	—	—	—	—	—	1	—
22 Nephritis and Bright's dis.	3	4	—	1	1	—	1	—	2	1	1	—	1	2
23 Puerperal fever ...	—	2	—	—	—	1	—	—	—	2	—	—	—	1
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	4	4	4	2	2	3	3	2	6	4	2	2	2	6
26 Violence, apart from 27	7	1	—	—	2	1	1	2	1	—	1	1	2	2
27 Suicide ...	1	—	—	—	2	1	1	1	—	—	1	—	—	—
28 Other defined diseases ...	40	74	9	2	20	25	18	23	17	11	13	21	15	19
29 Causes ill-defined or un- known.	—	2	—	1	—	3	—	1	—	—	—	1	—	—

AREAS, 1920 (Civilian population only)—continued.

DORSETSHIRE—cont.

DURHAM.

	Poole R.D.		Shaftes- bury R.D.		Sherborne R.D.		Stur- minster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.					Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F				M	F	M	F	
1	32	42	52	65	27	36	46	57	70	57	49	52	96	78				117	98	28	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	2
3	—	—	—	—	1	—	1	1	—	—	—	—	1	—				1	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—				1	1	—	—	4
5	—	—	—	—	—	—	—	—	—	—	1	2	—	1				—	—	1	—	5
6	—	1	—	—	1	1	—	—	—	—	—	—	2	1				1	7	—	—	6
7	1	2	4	3	2	2	1	1	1	—	—	2	—	2				2	—	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	1				—	—	—	—	8
9	1	1	3	4	3	2	4	6	5	5	3	2	8	4				2	4	2	—	9
10	—	1	—	—	2	—	—	1	—	1	—	—	—	—				1	1	—	—	10
11	—	—	—	—	1	—	—	—	2	—	1	—	—	—				1	3	—	—	11
12	4	6	7	8	2	7	8	5	6	5	5	14	10	12				5	7	2	9	12
13	—	—	—	—	—	1	—	1	—	—	—	—	—	—				—	—	—	—	13
14	—	1	—	—	—	—	—	—	1	—	1	1	—	—				2	3	—	1	14
15	1	6	3	11	2	5	3	10	16	13	4	8	12	12				13	10	1	2	15
16	1	3	4	4	1	2	3	2	3	—	2	2	3	3				14	6	1	—	16
17	3	1	2	2	1	2	—	3	1	3	1	—	6	2				15	12	4	3	17
18	1	1	—	—	—	—	—	1	—	—	1	—	2	1				4	2	3	1	18
19	1	—	—	—	—	—	—	—	—	—	—	—	2	—				2	—	1	—	19
20	2	1	—	1	—	1	1	—	—	—	1	—	—	—				—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	1	—				1	1	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	21A
22	2	1	1	1	1	—	2	—	1	1	2	—	—	4				3	3	—	1	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	—				—	1	—	—	23
24	—	—	—	—	—	—	—	1	—	1	—	1	—	1				—	3	—	—	24
25	1	1	2	—	2	1	2	3	3	4	2	3	3	2				18	17	1	1	25
26	1	—	2	1	1	1	—	—	13	3	2	—	5	1				6	1	1	1	26
27	1	1	2	1	—	—	—	—	1	1	—	—	—	—				—	—	—	—	27
28	9	15	21	28	7	10	20	21	17	20	23	16	40	31				24	16	10	6	28
29	3	—	—	—	—	—	—	1	—	—	—	1	1	—				1	—	—	—	29

DURHAM—cont.

	Benfield- side U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester-le- Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	51	57	107	89	249	183	132	115	93	92	104	86	78	67	135	119	191	212	165	162	229	175	1
2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	2	3	3	3	1	—	1	—	—	2	—	3	1	2	5	3	3	2	1	3
4	—	—	1	1	—	1	—	3	—	1	—	—	2	4	2	—	1	3	1	1	—	1	4
5	—	—	—	—	1	1	—	1	—	—	2	3	—	—	—	—	2	3	1	2	9	5	5
6	1	3	1	—	5	6	—	—	1	3	2	2	3	1	—	3	4	1	—	—	3	6	6
7	1	—	2	3	2	1	7	2	1	—	3	3	3	1	3	3	7	5	11	3	4	7	7
8	—	1	—	—	1	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	1	8	8
9	5	5	6	8	20	18	9	8	1	3	8	7	4	3	7	9	15	21	5	12	14	14	9
10	—	1	—	—	2	—	1	4	2	—	3	—	—	—	—	1	4	4	3	1	6	5	10
11	—	1	5	1	2	5	3	1	—	—	1	—	—	1	1	1	—	2	2	2	4	1	11
12	3	4	4	7	17	18	8	13	6	12	4	3	1	3	5	10	8	9	8	6	10	9	12
13	—	1	—	—	2	—	—	2	—	—	—	2	—	1	—	—	—	1	—	—	3	5	13
14	—	—	1	—	1	1	2	—	2	—	—	1	—	1	—	2	2	1	—	1	2	4	14
15	3	3	11	12	20	12	10	8	15	11	7	8	6	4	15	16	16	9	11	16	11	13	15
16	5	8	13	8	17	13	12	8	6	10	5	4	13	4	16	16	15	21	19	10	22	15	16
17	7	1	9	9	25	25	13	13	12	4	9	9	11	7	12	9	22	26	29	16	36	28	17
18	—	1	1	1	5	—	4	—	—	1	1	2	1	1	5	1	2	5	6	9	2	4	18
19	—	3	1	3	12	7	—	2	1	—	3	5	2	1	3	2	4	6	4	3	5	6	19
20	—	1	3	—	1	—	—	—	—	2	—	—	1	1	1	1	—	1	—	—	1	—	20
21	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1	—	2	—	21
21A	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	1	4	—	1	5	7	1	1	4	2	2	—	3	—	3	1	1	1	3	5	3	4	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	23
24	—	1	—	1	—	2	—	1	—	1	—	2	—	—	—	3	—	1	—	3	—	4	24
25	4	4	9	7	28	15	14	12	7	10	11	8	3	6	11	9	18	24	20	12	22	9	25
26	4	—	2	2	13	2	6	1	7	4	4	0	3	1	9	3	12	2	8	2	13	2	26
27	—	—	1	—	2	1	1	1	—	—	—	3	—	—	1	1	3	—	—	3	1	—	27
28	15	15	33	23	61	42	36	30	28	26	38	26	17	23	33	30	54	53	34	47	50	35	28
29	1	—	2	—	3	3	—	2	—	2	—	—	—	1	5	—	4	—	1	—	4	1	29

CAUSES of DEATH in ADMINISTRATIVE

DURHAM—cont.

Causes of Death.	Hetton U.D.		Houghton- le-Spring U.D.		Jarrow M.B.		Leadgate U.D.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		South- wick-on- Wear U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	134	108	78	58	325	274	40	30	75	66	168	130	113	104	125	95	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	1	2	—	1	—	1	—	—	5	4	8	10	2	—	5	2	4
4 Scarlet fever ...	—	—	—	—	1	4	—	—	2	—	—	—	—	1	1	2	5
5 Whooping cough ...	—	—	—	—	5	7	1	1	2	—	1	—	1	—	—	—	6
6 Diphtheria and croup ...	—	1	1	2	3	3	1	1	3	1	1	—	1	1	—	—	7
7 Influenza ...	2	1	3	2	8	—	1	—	2	—	4	—	6	1	—	2	8
8 Erysipelas ...	—	1	—	—	3	3	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	7	9	5	4	35	25	5	—	5	3	7	9	5	5	10	2	10
10 Tuberculous meningitis	2	—	1	—	3	5	—	1	1	1	3	2	—	—	7	2	11
11 Other tuberculous diseases	4	2	2	—	12	9	1	—	—	—	—	3	—	—	3	3	12
12 Cancer, malignant disease	11	5	8	5	25	18	3	4	5	6	4	11	8	9	4	6	13
13 Rheumatic fever...	2	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
14 Meningitis ...	2	2	1	—	3	1	—	—	—	1	1	1	2	2	—	1	15
15 Organic heart disease ...	6	9	4	5	14	24	6	2	4	11	17	7	11	15	6	7	16
16 Bronchitis ...	18	11	7	7	33	32	2	2	8	7	22	16	9	16	11	10	17
17 Pneumonia (all forms) ...	8	3	3	7	46	36	4	3	8	5	20	11	10	3	16	5	18
18 Other respiratory diseases	1	3	1	2	3	6	1	2	2	—	—	1	1	2	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	5	3	6	4	9	6	1	2	—	—	9	7	5	6	4	4	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	1	1	—	—	—	1	—	2	21
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
21A Alcoholism ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	3	2	1	6	5	1	1	2	2	6	5	2	1	3	3	23
23 Puerperal fever ...	—	—	—	2	—	3	—	—	—	—	—	1	—	2	—	1	24
24 Parturition, apart from 23	—	3	—	—	—	2	—	—	—	—	—	1	—	—	—	3	25
25 Congenital debility, &c.	21	16	5	5	15	16	3	2	5	5	20	10	9	13	17	9	26
26 Violence, apart from 27	4	—	3	1	22	6	2	—	4	—	5	—	5	—	1	2	27
27 Suicide ...	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	28
28 Other defined diseases ...	37	33	25	10	78	60	7	9	16	19	39	33	33	26	34	26	29
29 Causes ill-defined or un- known.	1	—	—	—	—	1	—	—	—	—	—	1	1	—	2	1	

DURHAM—cont.

Causes of Death.	Spenny- moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton- on-Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		Willington U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	147	105	15	15	186	166	522	463	66	50	31	23	117	98	67	54	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	2	2	—	—	9	4	5	5	1	1	—	—	—	2	2	1	4
4 Scarlet fever ...	1	—	—	—	2	2	4	1	1	—	—	—	1	—	—	1	5
5 Whooping cough ...	6	5	—	—	1	—	12	13	—	—	—	1	3	2	—	—	6
6 Diphtheria and croup ...	2	—	—	—	7	9	8	8	1	—	—	2	—	—	—	—	7
7 Influenza ...	2	1	—	—	2	—	7	4	—	—	1	—	2	3	4	3	8
8 Erysipelas ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	6	6	1	1	9	6	39	29	1	4	—	—	7	12	—	6	10
10 Tuberculous meningitis	1	—	—	—	—	2	4	5	—	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	3	—	—	—	2	6	9	8	3	3	—	—	1	—	2	2	12
12 Cancer, malignant disease	7	10	2	—	7	10	27	28	7	3	—	4	4	6	3	3	13
13 Rheumatic fever...	2	—	—	—	1	1	3	2	1	1	—	—	1	1	1	—	14
14 Meningitis ...	—	1	—	—	2	1	2	4	1	—	—	—	—	1	2	—	15
15 Organic heart disease ...	9	8	1	1	8	13	49	52	4	5	3	1	10	10	4	4	16
16 Bronchitis ...	16	11	1	—	13	18	51	42	8	3	4	3	9	4	10	4	17
17 Pneumonia (all forms) ...	17	9	—	—	22	17	67	58	3	6	1	1	11	8	5	2	18
18 Other respiratory diseases	3	—	—	—	2	3	10	2	1	—	1	—	1	2	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	8	6	—	—	2	6	20	26	—	—	—	1	3	—	1	—	20
20 Appendicitis and typhlitis	1	2	—	—	1	1	2	1	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver ...	—	—	—	—	1	—	6	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	3	1	—	5	3	10	11	2	2	—	2	2	1	1	1	23
23 Puerperal fever ...	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	2	—	7	—	2	—	—	—	—	—	—	25
25 Congenital debility, &c.	4	13	1	1	27	22	50	33	10	3	3	2	12	11	5	6	26
26 Violence, apart from 27	8	—	4	1	8	3	19	9	5	1	1	—	13	3	2	1	27
27 Suicide ...	—	—	2	—	2	—	1	2	—	—	—	—	2	1	—	—	28
28 Other defined diseases ...	39	27	2	11	51	35	116	107	17	15	17	6	34	27	22	18	29
29 Causes ill-defined or un- known.	2	1	—	—	2	—	1	3	—	1	—	—	1	—	1	1	

AREAS, 1920 (Civilian population only)—continued.

DURHAM—cont.

				Auckland R.D.		Barnard Castle R.D.		Chester- le-Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton- le-Spring R.D.		Lanchester R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		437	393	90	65	500	457	54	45	230	205	583	481	21	5	187	190	235	212			1
2		2	2	—	1	1	2	—	—	2	—	1	2	—	—	—	—	1	1			2
3		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
4		5	8	—	1	3	2	—	—	3	4	15	21	1	—	3	5	4	2			4
5		5	10	—	—	5	5	—	—	1	1	9	5	—	—	3	—	3	5			5
6		4	2	—	3	2	2	2	—	1	—	1	2	—	—	—	1	4	—			6
7		3	—	1	1	13	9	—	—	7	1	2	5	—	—	—	2	5	11			7
8		14	12	2	3	15	17	1	—	5	3	12	9	2	1	7	4	4	3			8
9		—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	1			9
10		16	25	2	5	25	30	—	1	16	17	19	28	1	—	10	8	16	16			10
11		3	1	—	—	6	3	—	—	2	1	6	—	—	—	1	2	1	3			11
12		1	6	1	—	9	6	—	—	2	2	12	7	1	—	5	2	1	—			12
13		14	17	6	7	20	19	7	3	12	14	31	28	1	—	8	10	12	14			13
14		5	3	1	—	1	4	—	—	1	1	1	4	—	—	—	2	—	1			14
15		3	1	1	1	3	4	—	—	2	2	7	5	—	—	1	1	1	2			15
16		36	29	8	4	29	47	8	7	10	21	33	24	—	—	8	23	17	15			16
17		38	39	8	5	40	25	2	3	16	23	54	44	2	1	17	14	19	14			17
18		29	22	6	1	35	41	5	7	32	12	65	46	4	—	22	20	29	26			18
19		5	6	2	1	8	4	1	1	1	1	8	5	—	—	4	1	4	4			19
20		15	11	1	—	18	16	—	—	13	6	26	25	—	1	8	9	6	4			20
21		1	—	1	—	2	1	—	—	1	2	—	—	—	—	1	1	—	—			21
21A		1	1	—	—	5	—	—	—	3	1	—	3	—	—	3	1	1	—			21A
22		—	—	—	—	2	—	—	—	—	—	3	—	—	—	—	—	—	—			22
23		8	11	4	1	15	7	1	—	11	11	14	20	—	—	2	4	4	5			23
24		—	5	—	—	6	—	—	—	—	1	—	2	—	—	—	—	—	1			24
25		—	6	—	3	—	3	—	2	—	1	—	8	—	—	—	2	—	5			25
26		51	51	11	6	69	58	1	3	15	24	65	54	—	1	23	17	26	26			26
27		30	7	5	—	28	5	3	1	9	1	45	4	1	—	17	4	11	2			27
28		4	1	1	1	5	—	—	—	2	—	5	—	—	—	1	—	1	—			28
29		137	110	28	21	136	139	23	17	61	55	143	125	8	1	40	55	64	51			29
		7	7	1	—	5	2	—	—	2	—	3	4	—	—	2	1	1	—			

DURHAM—cont.

ELY, ISLE OF.

		Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.				Chatteris U.D.		Ely U.D.		March U.D.		Whittlesey U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1		255	236	130	102	106	84	208	166	69	59			38	26	50	54	49	52	29	32	1
2		—	—	2	—	2	—	—	—	—	1			—	—	—	—	—	—	—	—	2
3		—	—	—	—	—	—	—	—	—	—			2	1	—	—	2	—	—	—	3
4		6	3	—	3	3	2	9	4	—	—			1	—	—	—	—	—	—	—	4
5		3	6	—	2	—	—	1	1	—	—			2	—	—	2	—	—	—	2	5
6		1	3	1	2	4	3	1	—	—	—			1	—	—	—	—	—	—	—	6
7		1	3	1	3	2	1	1	—	—	1			1	—	—	1	—	—	—	—	7
8		7	7	4	5	2	2	3	4	1	1			1	—	4	1	2	2	1	—	8
9		—	—	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	9
10		15	20	10	6	1	4	11	21	6	4			2	2	2	3	3	3	1	3	10
11		4	3	1	2	1	—	2	4	—	—			—	—	—	1	—	—	—	—	11
12		7	2	1	—	—	1	1	2	1	—			1	—	—	—	—	—	1	—	12
13		14	17	5	10	4	3	12	8	2	5			3	5	7	11	6	10	5	4	13
14		1	1	—	1	—	1	—	2	—	—			—	—	—	—	—	—	—	—	14
15		3	3	1	—	1	—	1	1	2	2			1	—	—	—	—	—	1	—	15
16		15	21	13	14	11	10	14	14	10	6			3	2	6	2	2	4	3	1	16
17		21	18	10	4	1	3	19	12	1	3			1	2	3	1	7	6	2	1	17
18		36	38	14	7	19	14	22	4	4	3			2	—	7	3	4	3	3	1	18
19		3	1	4	1	—	—	10	1	—	1			1	1	—	1	2	—	—	1	19
20		9	5	3	—	10	3	12	8	—	—			2	—	—	—	1	—	—	1	20
21		1	1	1	—	1	—	—	—	—	—			—	—	—	—	—	—	—	—	21
21A		—	—	—	—	—	—	3	—	—	1			—	—	—	—	1	—	—	1	21A
22		—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	22
23		3	5	2	2	1	2	2	6	2	—			1	—	—	—	2	2	—	—	23
24		—	2	—	—	2	2	—	2	—	—			—	—	—	—	—	—	1	—	24
25		—	6	—	2	—	2	—	2	—	1			—	—	1	—	2	—	—	—	25
26		28	17	8	5	9	7	18	21	5	5			3	1	1	—	6	3	1	1	26
27		10	1	5	3	5	3	10	4	2	—			1	—	1	2	1	1	2	—	27
28		2	2	2	1	—	1	4	—	—	—			—	—	1	—	1	—	—	—	28
29		61	50	40	29	28	19	53	44	33	25			8	11	18	26	9	14	10	14	29
		3	1	1	—	—	1	—	—	—	—			2	1	—	—	—	—	—	—	

AREAS, 1920 (Civilian population only)—continued.
ESSEX—cont.

	Chelmsford M.B.		Chingford U.D.		Clacton U.D.		Colchester M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	94	99	36	38	41	67	218	228	25	24	3	5	121	94	29	42	68	68	389	363	674	656	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	2
3	—	2	1	1	—	—	1	2	—	—	—	—	1	—	—	—	—	—	5	5	5	11	3
4	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	3	2	4
5	—	1	—	1	—	—	—	—	—	—	—	—	2	2	—	—	2	2	6	9	12	12	5
6	1	—	—	—	3	1	8	3	1	1	—	—	1	7	—	—	4	1	10	3	14	13	6
7	—	—	—	—	—	—	8	7	1	1	—	—	1	—	—	—	1	1	12	16	23	23	7
8	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	2	2	8
9	5	2	—	2	1	6	16	18	3	1	—	1	8	4	1	1	4	2	24	22	45	48	9
10	2	1	—	—	—	—	6	1	—	—	—	—	2	1	—	—	—	—	1	3	4	6	10
11	2	—	—	2	—	3	1	4	—	—	—	—	—	—	—	—	3	—	3	8	11	3	11
12	11	15	3	5	5	9	22	29	2	1	—	1	9	6	5	6	6	3	42	45	59	65	12
13	—	1	—	—	—	1	1	—	—	—	1	—	—	1	—	—	1	—	4	2	4	2	13
14	1	—	1	—	—	1	3	—	—	—	—	—	1	—	—	—	—	—	4	2	3	2	14
15	5	14	3	4	8	9	37	33	4	2	—	—	16	9	2	4	8	8	34	31	55	73	15
16	8	8	3	1	1	3	13	11	—	1	—	—	7	7	3	2	6	4	28	23	56	49	16
17	12	2	2	4	1	2	7	10	—	1	—	1	7	11	1	2	3	6	29	17	63	49	17
18	1	—	—	—	2	1	2	—	—	—	—	—	2	1	2	—	1	—	12	6	9	16	18
19	—	—	—	—	—	—	1	5	—	—	—	—	3	4	—	—	—	1	3	1	17	10	19
20	2	1	—	1	2	—	—	1	—	—	—	—	—	1	—	—	2	1	1	1	5	1	20
21	1	—	—	—	—	1	2	—	—	—	—	—	1	—	—	—	—	—	4	1	2	1	21
21 ^A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21 ^A
22	3	2	2	—	—	1	8	9	—	1	—	—	1	5	—	—	1	—	12	3	29	25	22
23	—	1	—	1	—	—	—	2	—	—	—	—	—	4	—	—	—	1	—	2	—	2	23
24	—	1	—	1	—	—	—	4	—	—	—	—	—	—	—	—	—	1	—	3	—	6	24
25	8	8	2	2	3	2	10	16	2	2	—	—	7	7	2	2	8	9	21	16	42	36	25
26	2	1	4	—	1	1	8	1	2	—	—	—	10	1	2	1	—	—	11	8	22	9	26
27	1	1	—	—	—	—	3	1	—	—	—	—	3	—	—	—	2	1	4	3	5	4	27
28	29	36	14	12	14	26	58	71	10	13	2	2	37	21	11	24	16	27	116	129	183	185	28
29	—	1	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	29

ESSEX—cont.

	Loughton U.D.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoeburyness U.D.		Tilbury U.D.		Waltham Holy Cross U.D.		Walthamstow U.D.		Walton on the Naze U.D.		Wanstead U.D.		Witham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	18	20	36	27	100	80	30	37	24	22	81	37	33	37	677	628	15	15	81	82	15	18	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	1	2	—	—	—	—	—	—	2	—	2	3	—	—	—	—	—	—	3
4	—	1	—	—	1	—	—	—	—	—	1	1	—	1	1	—	—	—	1	—	—	—	4
5	—	—	2	—	—	1	—	—	2	—	—	—	—	—	4	5	—	—	—	1	—	1	5
6	1	3	—	—	3	3	—	—	1	—	2	—	—	—	9	12	—	—	2	—	—	—	6
7	—	—	—	—	3	2	—	1	—	—	—	—	—	1	30	19	—	—	7	6	—	2	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	8
9	—	2	2	1	3	6	2	—	—	2	6	3	1	2	59	50	1	—	8	3	—	—	9
10	—	—	—	—	1	—	—	—	1	1	1	1	—	—	6	5	—	—	—	1	—	—	10
11	—	—	2	—	1	2	—	1	—	1	1	—	—	—	6	4	—	—	1	—	—	—	11
12	7	1	2	3	9	8	3	3	2	2	4	4	4	6	64	62	1	1	8	13	3	3	12
13	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9	3	1	—	1	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	14
15	2	3	7	1	14	17	5	6	2	1	1	1	7	7	61	68	1	4	18	12	2	1	15
16	1	1	3	—	9	2	2	2	1	2	9	3	—	2	58	58	1	—	3	1	3	4	16
17	1	2	3	1	5	3	—	—	1	1	14	2	1	6	70	32	1	—	6	3	—	—	17
18	—	—	1	—	2	1	—	—	—	—	2	1	1	—	10	10	—	1	—	1	—	—	18
19	—	—	—	—	—	1	—	—	—	—	—	—	—	—	12	9	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8	2	—	—	—	1	—	—	20
21	—	—	—	1	1	—	1	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	—	3	1	2	—	1	—	—	2	2	6	1	18	17	—	—	2	3	—	—	22
23	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	8	—	—	—	—	—	—	23
24	—	—	—	1	—	3	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	—	24
25	2	—	—	2	6	3	4	1	3	3	6	3	1	2	45	33	3	1	2	5	1	—	25
26	1	1	2	1	4	—	1	1	2	—	11	1	1	—	15	11	—	1	3	1	—	1	26
27	1	—	—	—	1	—	1	—	—	—	—	—	—	—	8	7	—	—	1	—	—	—	27
28	2	4	10	12	35	23	11	20	7	9	19	12	8	8	179	200	6	6	18	30	6	6	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

ESSEX—cont.

Causes of Death.	Wivenhoe U.D.		Woodford U.D.						Belchamp R.D.		Billericay R.D.		Braintree R.D.		Bumpstead R.D.		
	M	F	M	F					M	F	M	F	M	F	M	F	
ALL CAUSES ...	9	24	107	106					27	33	125	106	110	107	14	13	1
1 Enteric fever ...	—	—	—	—					—	—	—	—	—	—	—	—	2
2 Small-pox... ..	—	—	—	—					—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	—					—	1	—	—	—	—	1	1	4
4 Scarlet fever ...	—	—	—	—					—	—	—	—	—	—	—	—	5
5 Whooping cough ...	—	—	2	3					—	—	—	—	1	1	—	1	6
6 Diphtheria and croup ...	—	—	3	1					—	—	4	2	—	1	—	—	7
7 Influenza	—	—	4	2					1	1	6	2	1	—	2	1	8
8 Erysipelas	—	—	—	—					—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	1	—	6	4					1	3	6	1	4	6	1	—	10
10 Tuberculous meningitis	—	—	1	2					1	1	1	1	1	—	—	—	11
11 Other tuberculous diseases	—	1	1	1					1	1	1	—	1	1	—	—	12
12 Cancer, malignant disease	—	3	12	11					5	8	15	14	14	9	2	3	13
13 Rheumatic fever... ..	—	—	1	—					—	—	1	—	—	1	—	—	14
14 Meningitis	—	—	—	—					—	—	—	—	—	2	—	—	15
15 Organic heart disease ...	2	4	13	11					2	4	17	13	10	15	2	4	16
16 Bronchitis	—	1	4	6					1	2	4	9	2	9	1	1	17
17 Pneumonia (all forms) ...	1	—	6	6					2	1	7	4	8	4	—	1	18
18 Other respiratory diseases	—	—	1	—					—	—	2	2	1	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	1	2					—	—	1	1	—	—	—	—	20
20 Appendicitis and typhlitis	—	1	—	3					—	—	—	1	—	1	—	—	21
21 Cirrhosis of liver	—	—	—	1					—	—	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—					—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	3	2					1	—	4	4	2	—	—	—	23
23 Puerperal fever	—	—	—	1					—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	1					—	1	—	—	—	2	—	—	25
25 Congenital debility, &c.	1	2	6	2					1	1	4	2	12	3	—	—	26
26 Violence, apart from 27	—	1	6	2					—	—	5	2	2	1	—	—	27
27 Suicide	—	—	—	1					—	—	2	—	1	1	—	—	28
28 Other defined diseases ...	3	9	35	44					11	9	42	46	49	46	5	1	29
29 Causes ill-defined or unknown.	—	—	—	—					—	—	2	2	1	1	—	—	

ESSEX—cont.

Causes of Death.	Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	156	133	99	97	66	80	57	52	108	91	99	88	64	82	130	105	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3
3 Measles	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
5 Whooping cough	1	1	—	—	—	—	—	—	—	1	2	1	—	1	1	1	6
6 Diphtheria and croup ...	—	1	1	—	—	—	—	—	2	—	—	—	1	2	2	—	7
7 Influenza	—	1	2	1	1	2	—	—	1	1	1	—	1	5	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	9
9 Pulmonary tuberculosis	10	6	6	3	3	5	5	2	3	4	7	2	2	2	9	6	10
10 Tuberculous meningitis	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	1	11
11 Other tuberculous diseases	2	1	1	1	1	2	—	—	1	1	2	1	1	1	—	1	12
12 Cancer, malignant disease	17	18	14	9	6	12	10	4	13	14	15	12	3	11	8	9	13
13 Rheumatic fever... ..	—	1	—	2	1	1	—	1	—	—	—	—	—	—	1	—	14
14 Meningitis	—	1	1	—	1	—	—	1	—	—	1	—	—	1	1	—	15
15 Organic heart disease ...	19	16	11	14	5	11	6	14	14	13	12	19	8	5	17	11	16
16 Bronchitis	11	14	6	11	4	4	4	5	8	3	7	5	4	5	11	11	17
17 Pneumonia (all forms) ...	3	2	2	1	5	3	—	1	3	4	1	4	4	4	6	8	18
18 Other respiratory diseases	2	—	4	1	1	1	2	—	1	—	1	1	3	2	3	2	19
19 Diarrhoea, &c. (under 2 yrs.)	3	1	2	—	—	1	—	—	—	—	1	—	—	—	1	—	20
20 Appendicitis and typhlitis	2	—	1	2	—	1	1	—	—	1	1	—	1	—	—	1	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	21A
21A Alcoholism	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	5	7	—	2	—	1	1	1	5	2	1	3	4	1	1	—	23
23 Puerperal fever	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	2	25
25 Congenital debility, &c.	13	11	5	8	3	—	2	2	5	5	1	7	7	7	10	7	26
26 Violence, apart from 27	3	3	2	—	2	—	—	1	2	—	3	1	1	2	9	4	27
27 Suicide	1	1	2	—	—	—	—	—	4	—	1	—	—	—	—	—	28
28 Other defined diseases ...	60	44	35	40	33	36	24	19	43	40	40	31	22	29	48	35	29
29 Causes ill-defined or unknown.	2	1	—	1	—	—	1	—	1	—	1	—	—	1	—	—	

AREAS, 1920 (Civilian population only)—continued.

ESSEX—cont.

GLOUCESTERSHIRE.

	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.						Awre U.D.		Charlton Kings U.D.		Chelten- ham M.B.		Cirencester U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	120	113	128	114	63	53	26	36	125	128					5	5	28	31	284	348	40	38	
1	—	1	—	—	—	—	—	—	—	—					—	—	—	—	—	1	—	—	1
2	—	—	—	1	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	—	—	4	—	1	1	1	—	1	—					—	—	—	—	7	1	—	—	3
4	2	—	—	1	—	—	—	—	—	—					—	—	1	1	—	—	—	—	4
5	4	2	—	1	—	—	—	—	—	1					—	—	1	—	1	1	—	—	5
6	2	2	4	1	—	—	—	—	—	1					—	—	—	—	2	1	—	—	6
7	3	1	3	5	—	—	1	1	2	2					—	—	—	1	4	5	1	—	7
8	—	—	—	—	—	—	—	—	—	1					—	—	—	—	—	1	—	—	8
9	5	7	6	5	3	3	1	—	11	6					—	—	1	2	18	23	2	2	9
10	—	1	—	1	—	—	—	—	—	1					1	—	1	—	6	1	—	—	10
11	4	1	1	—	—	1	—	1	3	1					—	1	—	—	2	5	—	1	11
12	7	9	17	15	7	6	1	8	13	22					—	1	6	5	24	44	5	3	12
13	—	—	2	—	—	—	—	—	—	1					—	—	—	—	1	1	—	1	13
14	—	1	—	1	—	1	—	—	—	—					—	—	—	—	1	1	—	—	14
15	17	17	7	9	7	4	3	6	9	19					1	1	2	5	37	45	4	11	15
16	9	9	7	7	1	2	2	—	10	13					—	1	—	2	15	21	—	4	16
17	3	4	8	3	1	1	1	2	3	4					—	—	2	2	19	15	2	1	17
18	1	1	4	—	3	—	—	1	—	1					—	—	—	—	3	8	1	1	18
19	—	—	2	1	—	—	—	—	3	1					—	—	—	—	3	4	—	—	19
20	1	1	—	—	2	1	—	—	1	—					—	—	—	2	2	2	1	—	20
21	1	—	—	—	2	—	1	—	2	—					—	—	—	—	1	2	2	—	21
21A	—	—	1	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	2	3	1	3	—	1	—	—	2	1					—	—	1	1	12	13	1	2	22
23	—	—	—	2	—	—	—	—	—	1					—	—	—	—	—	—	—	—	23
24	—	1	—	3	—	2	—	1	—	1					—	—	—	—	—	1	—	2	24
25	5	6	9	9	5	2	3	2	8	3					—	—	4	4	14	14	6	1	25
26	4	3	7	1	2	1	1	—	3	1					1	—	—	—	5	7	3	1	26
27	2	1	—	—	—	—	—	—	—	—					—	—	—	—	2	1	—	—	27
28	44	42	44	44	29	27	11	13	52	46					2	1	9	6	105	130	12	8	28
29	4	—	1	1	—	—	—	1	1	1					—	—	—	—	—	—	—	—	29

GLOUCESTERSHIRE—cont.

	Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		Tewkes- bury M.B.		Westbury on Severn U.D.				Campden R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	16	20	64	66	16	20	13	7	13	8	57	64	10	11	31	30	9	11			34	37	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	—	—	—	—	—	—	—	1	—	—	3	1	—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	1	1	—	1	—	—	1	1	1	1	—	—	1	2	—	—	—	—	—	—	6
7	4	1	1	—	—	1	1	—	—	—	1	2	—	—	—	—	—	—	—	2	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	—	2	6	5	2	—	1	1	2	3	1	—	4	3	1	—	1	1	—	2	4	—	9
10	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	10
11	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	11
12	1	1	5	11	1	2	—	—	1	—	4	10	—	1	3	3	—	1	—	4	3	—	12
13	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	13
14	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	2	2	7	6	2	5	1	1	1	3	7	14	—	1	5	2	1	1	—	3	5	—	15
16	1	3	4	9	1	1	—	1	1	—	5	3	2	1	—	3	—	—	—	1	2	—	16
17	3	—	7	4	1	1	1	—	1	—	4	1	1	1	—	—	—	—	—	3	2	—	17
18	—	—	2	—	—	—	—	—	1	—	2	3	—	—	—	1	—	1	—	1	—	—	18
19	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	19
20	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	20
21	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	—	1	—	2	—	1	—	1	2	1	—	—	1	—	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	—	—	1	2	2	2	2	—	2	2	2	1	—	—	2	1	—	1	—	4	2	—	25
26	—	1	3	1	2	—	1	—	—	—	2	2	—	—	1	1	2	—	—	—	—	—	26
27	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	27
28	5	9	21	19	4	7	5	4	6	3	21	20	5	7	8	9	5	4	—	13	17	—	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
GLOUCESTERSHIRE—*cont.*

Causes of Death.	Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	31	26	118	112	82	68	64	67	143	136	5	7	59	53	57	62	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	1	2	1	—	—	—	1	7	—	—	1	—	1	1	4
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	1	—	—	—	4	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	2	1	1	—	1	—	—	1	—	—	—	—	—	—	7
7 Influenza	—	—	3	—	2	—	1	—	2	1	—	—	—	1	4	1	8
8 Erysipelas	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	1	6	4	8	4	10	8	6	10	—	—	3	6	4	4	10
10 Tuberculous meningitis	—	—	—	2	1	1	1	1	—	2	—	—	2	—	—	—	11
11 Other tuberculous diseases	—	—	1	1	1	—	—	—	1	—	—	—	2	1	—	2	12
12 Cancer, malignant disease	1	5	10	11	5	8	5	5	7	12	2	2	12	12	5	8	13
13 Rheumatic fever... ..	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	14
14 Meningitis	1	—	—	—	—	—	—	—	3	4	—	—	—	1	—	—	15
15 Organic heart disease	5	6	16	20	8	12	10	17	20	16	—	—	3	4	3	7	16
16 Bronchitis	1	3	2	9	2	10	1	5	18	6	1	—	5	5	1	3	17
17 Pneumonia (all forms)	—	2	8	5	1	1	4	1	9	11	—	1	2	1	5	3	18
18 Other respiratory diseases	1	1	5	—	4	—	—	—	3	4	—	—	1	—	1	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	2	1	1	—	—	2	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	2	2	—	—	1	—	—	—	—	—	—	—	3	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	2	—	2	3	3	3	4	4	1	1	5	1	2	3	23
23 Puerperal fever	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1	—	3	—	—	—	1	—	1	25
25 Congenital debility, &c.	4	1	11	8	2	3	4	2	13	8	—	—	5	3	4	4	26
26 Violence, apart from 27	1	—	5	—	1	3	—	—	6	2	—	—	1	1	5	1	27
27 Suicide	—	—	—	—	1	—	—	—	1	1	—	—	2	—	—	2	28
28 Other defined diseases	12	5	44	40	37	20	22	23	40	43	1	3	14	16	18	20	29
29 Causes ill-defined or unknown.	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	29

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		Tewkes- bury (pt.) R.D.‡		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	10	12	36	42	59	36	15	24	37	46	140	169	19	19	30	27	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	5
5 Whooping cough	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	7
7 Influenza	1	—	—	—	3	—	—	—	—	—	2	7	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	1	2	2	—	—	—	—	4	—	12	10	1	—	1	2	10
10 Tuberculous meningitis	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	2	11
11 Other tuberculous diseases	—	—	—	—	—	1	1	1	—	3	2	—	—	1	—	—	12
12 Cancer, malignant disease	1	3	3	5	5	2	1	2	5	7	15	21	2	2	1	3	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	15
15 Organic heart disease	—	—	6	12	5	9	1	5	5	3	19	31	3	2	2	3	16
16 Bronchitis	—	1	3	2	3	—	—	2	—	4	4	3	1	2	3	1	17
17 Pneumonia (all forms)... ..	1	—	4	1	5	1	—	—	2	—	7	7	—	1	2	1	18
18 Other respiratory diseases	—	—	1	2	1	—	—	1	3	2	2	4	—	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	1	1	3	—	1	—	—	1	3	2	1	—	—	2	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—	25
25 Congenital debility, &c.	—	—	4	3	4	—	1	1	1	4	7	2	—	—	—	1	26
26 Violence, apart from 27	—	—	4	—	4	—	—	1	1	2	9	2	1	—	3	1	27
27 Suicide	—	—	—	—	1	—	—	—	2	1	3	2	—	—	—	—	28
28 Other defined diseases	6	6	6	11	24	20	9	11	13	25	51	62	7	10	15	8	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	1	—	—	—	2	3	—	—	—	—	29

* The remainder of Faringdon R.D. is in Berkshire; see page 405.

† The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Worcestershire; see page 481.

‡ The remainder of Tetbury R.D. is in Wiltshire; see page 479.

AREAS, 1920 (Civilian population only)—continued.

GLOUCESTERSHIRE—cont.

HEREFORDSHIRE.

	Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten- hurst R.D.		Winch- comb (pt.) R.D.*			Bromyard U.D.		Hereford M.B.		Kington U.D.		Ledbury U.D.		Leo- minster M.B.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	122	92	90	97	90	82	47	39	63	71		7	10	139	171	8	8	18	11	34	34	1
2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	2	1	2	—	—	1	2		—	—	2	1	—	—	—	—	3	1	3
4	—	—	—	—	—	—	1	—	—	1		—	—	—	—	—	—	—	—	—	—	4
5	1	1	—	1	—	—	1	—	—	—		—	—	—	1	—	—	—	—	1	—	5
6	—	—	2	2	1	2	—	2	—	—		—	—	1	—	—	—	—	—	—	—	6
7	1	1	1	—	6	5	1	2	2	3		—	—	1	3	—	1	—	—	—	—	7
8	—	—	—	—	—	1	—	—	1	—		—	—	—	—	—	—	—	—	—	—	8
9	8	6	4	7	2	8	3	2	4	2		1	1	7	8	2	1	1	—	2	3	9
10	1	1	—	—	—	2	—	—	—	1		—	—	2	1	—	—	1	—	1	—	10
11	1	1	2	1	1	2	—	1	1	1		1	—	1	2	—	—	—	—	—	—	11
12	10	11	10	7	13	3	4	2	7	15		—	2	11	18	1	1	1	—	1	3	12
13	—	—	2	—	—	—	—	1	—	—		—	—	2	—	—	—	—	—	—	1	13
14	2	—	1	—	1	1	—	—	—	—		—	—	1	—	—	—	—	—	—	1	14
15	18	15	13	15	5	12	10	5	10	8		—	2	18	35	2	—	2	4	1	9	15
16	8	4	7	10	10	6	4	5	5	1		—	—	18	19	—	1	1	—	5	5	16
17	10	4	5	3	6	2	1	2	2	3		1	—	11	7	—	—	3	2	2	—	17
18	—	—	4	5	1	—	—	—	—	1		—	—	4	1	—	—	—	—	—	2	18
19	—	—	2	1	1	—	1	—	—	1		—	—	2	2	—	—	—	—	—	—	19
20	1	1	—	1	—	2	—	—	—	—		—	—	2	1	—	—	—	—	1	—	20
21	1	1	2	—	—	—	2	—	—	—		—	—	1	1	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	4	2	1	1	5	1	1	2	4	1		—	—	3	3	—	—	1	2	1	—	22
23	—	2	—	2	—	1	—	—	—	2		—	—	—	2	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	1	—	—		—	—	—	2	—	—	—	—	—	1	24
25	8	5	7	5	8	6	2	1	4	1		—	1	9	4	—	—	1	—	4	2	25
26	7	—	4	3	2	—	2	2	3	—		1	—	4	2	—	—	1	—	1	1	26
27	1	—	—	—	—	1	—	—	1	—		—	—	4	2	—	—	—	—	—	—	27
28	40	37	21	31	27	23	14	11	18	28		3	4	35	55	3	4	6	3	10	5	28
29	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	29

HEREFORDSHIRE—cont.

	Ross U.D.			Bred- wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		Ledbury R.D.		Leo- minster R.D.		Ross R.D.		Weobley R.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	33	33		25	9	64	37	50	43	82	74	29	32	69	40	42	47	63	73	52	37	1
2	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—		—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	3
4	—	—		—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	4
5	—	—		—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	1	—	5
6	—	—		—	—	—	1	—	—	1	2	—	—	—	—	—	1	—	—	—	—	6
7	—	—		—	—	—	1	1	—	2	—	2	—	1	—	1	1	1	—	—	—	7
8	—	—		—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	3		2	1	3	2	2	5	7	9	1	—	4	2	4	3	7	5	3	3	9
10	1	2		1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	10
11	—	—		—	—	1	—	—	—	—	2	1	1	—	1	—	2	—	—	—	—	11
12	6	5		3	1	6	4	5	5	4	10	2	3	3	6	3	1	4	11	5	5	12
13	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	13
14	—	—		1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	14
15	4	2		4	1	5	5	9	7	12	10	3	5	17	3	4	7	7	9	6	6	15
16	4	6		—	—	4	2	5	2	9	6	2	4	4	3	3	7	5	6	—	—	16
17	1	—		—	—	4	2	2	—	8	1	1	—	4	2	2	4	2	2	4	2	17
18	—	—		1	—	—	1	1	—	1	—	—	2	—	1	1	—	2	2	—	3	18
19	—	1		—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	19
20	—	—		—	—	—	—	1	—	—	—	1	—	1	—	2	1	—	1	—	—	20
21	—	—		—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1		1	—	1	—	2	1	4	—	—	4	1	—	2	1	1	2	1	2	22
23	—	—		—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	3	—	—	23
24	—	—		—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	24
25	1	2		3	1	4	2	6	1	5	5	4	3	5	2	2	2	2	2	3	4	25
26	—	1		—	—	4	—	1	1	4	2	2	—	5	1	2	1	3	—	3	—	26
27	2	—		—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	27
28	8	10		9	4	26	15	13	20	20	24	10	9	20	17	14	14	26	28	24	10	28
29	1	—		—	1	2	—	1	—	1	1	—	—	—	—	—	1	—	—	1	—	29

* The remainder of Winchcomb R.D. is in Worcestershire, see page 481.

CAUSES OF DEATH IN ADMINISTRATIVE

HEREFORDSHIRE—*cont.*

HERTFORDSHIRE.

Causes of Death.	Whit-church R.D.		Wigmore R.D.				Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		Bushey U.D.		Cheshunt U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	6	9	27	25			12	17	50	63	42	43	36	37	70	57	
1 Enteric fever ...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	1	—	—			—	—	—	—	—	—	—	—	2	3	3
4 Scarlet fever ...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	—	1	2			—	1	—	—	1	—	1	—	—	3	5
6 Diphtheria and croup ...	—	—	1	—			—	—	2	1	—	—	—	—	—	—	6
7 Influenza ...	—	—	—	—			—	—	2	2	1	1	1	1	1	3	7
8 Erysipelas ...	—	—	—	—			—	—	—	—	1	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	—	3	—			—	2	1	3	3	1	4	4	12	3	9
10 Tuberculous meningitis	—	—	—	—			—	—	—	—	1	—	—	—	3	—	10
11 Other tuberculous diseases	—	—	—	1			—	—	—	1	—	—	—	—	1	—	11
12 Cancer, malignant disease	1	—	3	1			2	3	7	14	8	4	5	5	6	8	12
13 Rheumatic fever...	—	—	—	—			1	—	1	2	1	—	—	—	—	—	13
14 Meningitis ...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	14
15 Organic heart disease ...	1	—	3	13			1	3	7	12	5	8	7	3	6	3	15
16 Bronchitis ...	—	—	2	—			—	—	2	3	1	6	2	1	6	4	16
17 Pneumonia (all forms) ...	—	—	2	1			1	—	3	3	2	2	2	—	5	2	17
18 Other respiratory diseases	—	—	—	—			—	—	1	—	—	—	1	—	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—			—	—	—	1	—	1	—	—	—	2	19
20 Appendicitis and typhlitis	—	—	—	—			—	—	—	1	1	2	1	—	1	1	20
21 Cirrhosis of liver ...	—	—	—	—			—	—	1	—	—	—	—	—	—	—	21
21A Alcoholism ...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	1	1			—	1	1	2	—	1	—	—	1	—	22
23 Puerperal fever ...	—	—	—	—			—	2	—	—	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—			—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	—	2	—			1	1	2	3	2	1	1	5	4	3	25
26 Violence, apart from 27	—	1	1	—			1	—	—	1	3	2	—	1	3	1	26
27 Suicide ...	—	—	—	—			—	—	—	—	1	—	—	—	2	—	27
28 Other defined diseases ...	4	6	8	6			5	4	20	14	12	11	12	16	17	20	28
29 Causes ill-defined or unknown.	—	—	—	—			—	—	—	—	—	1	—	—	—	—	29

HERTFORDSHIRE—*cont.*

Causes of Death.	Chorley-wood U.D.		East Barnet Valley U.D.		Great Berk-hampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Hoddesdon U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	10	14	55	70	40	43	37	28	60	70	59	67	77	86	26	26	
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	—	—	—	—	1	—	—	—	—	2	—	—	2	—	—	3
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough ...	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	—	—	—	—	—	—	—	—	2	—	3	7	—	—	—	2	6
7 Influenza ...	—	—	1	—	—	—	1	1	—	2	—	—	2	2	—	2	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	—	6	5	3	3	2	1	6	1	7	1	9	3	2	1	9
10 Tuberculous meningitis	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	1	—	—	—	—	1	2	1	1	1	3	—	—	11
12 Cancer, malignant disease	1	1	9	5	3	8	5	8	6	7	4	14	11	13	3	7	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	1	—	—	3	1	—	—	13
14 Meningitis ...	—	—	—	—	1	—	1	—	—	—	1	—	1	—	1	—	14
15 Organic heart disease ...	2	1	5	15	7	5	3	3	7	11	10	6	11	14	1	3	15
16 Bronchitis ...	—	2	3	4	4	1	3	—	4	3	5	5	2	4	—	2	16
17 Pneumonia (all forms) ...	1	—	4	5	1	1	4	2	2	4	3	3	4	2	1	1	17
18 Other respiratory diseases	—	—	—	1	—	1	—	1	—	—	—	1	—	—	2	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	—	—	—	—	3	1	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	1	1	1	2	—	1	—	20
21 Cirrhosis of liver ...	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	—	2	1	3	—	1	1	—	5	1	2	3	2	—	—	22
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	23
24 Parturition, apart from 23	—	1	—	1	—	2	—	—	—	1	—	—	—	3	—	—	24
25 Congenital debility, &c.	—	—	1	5	1	3	1	—	5	5	2	—	6	1	1	3	25
26 Violence, apart from 27	—	1	1	2	3	—	1	—	1	2	—	3	2	4	2	—	26
27 Suicide ...	1	—	2	—	1	—	—	1	1	—	—	—	1	—	—	—	27
28 Other defined diseases ...	3	8	18	22	13	17	14	9	22	23	18	21	15	26	12	4	28
29 Causes ill-defined or unknown.	—	—	1	1	—	—	—	—	—	—	2	—	—	2	—	—	29

AREAS, 1920 (Civilian population only)--continued.

HERTFORDSHIRE--cont.

	Letchworth U.D.		Rickmansworth U.D.		Royston U.D.		St. Albans M.B.		Sawbridge worth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.		Ashwell R.D.		Barnet R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	42	38	26	34	28	22	120	113	11	7	25	29	31	26	37	31	194	213	21	33	14	18	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	3
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	5
6	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6
7	—	—	1	2	—	—	1	4	—	—	—	1	—	—	1	1	4	4	—	—	1	—	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	4	3	1	2	4	—	11	7	1	2	2	1	2	2	2	2	1	—	3	—	1	—	9
10	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	16	1	—	—	—	—	10
11	4	1	—	—	—	—	1	2	1	—	—	1	—	—	—	—	5	2	1	—	—	1	11
12	2	8	2	2	3	3	17	16	—	—	2	6	4	7	4	3	19	39	5	6	1	3	12
13	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	3	—	—	—	—	13
14	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	14
15	2	6	2	6	6	4	20	28	1	—	4	7	4	4	6	4	15	27	1	3	5	3	15
16	1	—	—	5	3	2	13	4	—	1	1	3	—	—	3	2	18	19	1	3	—	—	16
17	2	—	3	—	1	4	6	5	—	—	—	2	3	2	2	2	15	6	2	—	1	1	17
18	—	—	2	—	—	—	—	1	—	—	1	—	2	—	—	—	7	5	—	—	—	—	18
19	—	—	—	1	—	—	—	—	1	—	—	—	—	—	2	—	3	1	—	—	—	—	19
20	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	20
21	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	1	1	—	—	4	3	—	—	—	—	2	—	1	—	4	4	—	1	1	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	3	3	2	3	4	—	6	1	—	—	3	1	5	1	3	2	9	12	2	3	—	1	25
26	3	1	2	1	—	1	4	1	1	—	—	—	—	—	2	—	8	1	—	1	—	—	26
27	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	2	—	—	—	—	27
28	12	13	10	10	6	8	31	35	6	4	10	7	9	9	10	14	54	59	8	11	2	4	28
29	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	29

HERTFORDSHIRE--cont.

	Berkhamstead R.D.		Buntingford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Welwyn R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	18	32	28	27	32	32	41	47	33	36	45	35	71	70	57	54	66	63	54	63	6	16	1
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	2	1	—	1	1	1	1	2	—	—	—	—	—	—	2	1	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	1	1	—	—	—	—	2	—	1	—	—	—	2	—	—	—	—	—	6
7	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	2	1	2	1	—	2	—	7
8	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	4	1	1	2	5	—	—	8
9	—	2	1	—	1	2	2	2	1	1	1	2	2	5	8	2	3	5	4	5	1	3	9
10	—	—	—	—	1	—	2	—	1	—	1	—	2	—	—	1	—	—	3	—	—	—	10
11	—	1	1	—	—	—	1	—	—	—	—	1	2	3	3	—	1	2	—	1	—	—	11
12	2	4	1	3	2	7	3	7	3	2	6	4	16	13	2	4	5	11	3	6	—	1	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	14
15	3	5	1	4	5	5	3	5	6	7	5	4	8	10	9	11	6	10	10	11	—	1	15
16	2	1	—	1	2	4	3	5	2	3	4	3	2	1	3	2	2	2	5	4	—	2	16
17	2	—	—	—	—	1	1	3	2	1	2	—	3	2	6	3	4	1	1	4	1	1	17
18	—	—	1	1	—	—	—	—	—	—	2	—	—	1	—	1	1	—	1	—	—	—	18
19	—	—	—	—	—	—	2	1	1	—	—	—	1	1	—	—	—	—	2	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	3	—	1	—	2	—	3	—	2	3	1	1	2	1	1	2	1	3	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	23
24	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	24
25	1	2	1	2	3	1	4	2	2	3	2	1	4	3	4	2	3	—	3	1	—	—	25
26	2	1	—	—	1	—	2	—	—	1	2	—	2	1	4	1	4	2	2	1	—	—	26
27	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	4	—	—	—	1	—	27
28	6	16	14	14	15	8	13	21	10	15	15	15	20	22	15	18	26	20	18	15	3	2	28
29	—	—	1	—	—	—	1	—	—	—	—	1	2	1	—	—	—	—	1	—	—	1	29

CAUSES of DEATH in ADMINISTRATIVE
HUNTINGDONSHIRE.

Causes of Death.		God- manchester M.B.		Hunting- don M.B.		Old Fletton U.D.		Ramsey U.D.		St. Ives M.B.		St. Neots U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	16	17	21	28	27	33	39	35	16	24	20	22		
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	1	
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	2	
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	3	
4 Scarlet fever	...	—	—	—	—	—	—	—	1	—	—	—	—	4	
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—	—	—	5	
6 Diphtheria and croup	...	—	1	2	—	—	—	3	—	2	3	1	1	6	
7 Influenza	...	—	—	—	—	—	1	—	—	—	—	—	—	7	
8 Erysipelas	...	—	—	—	—	—	1	—	—	—	—	—	—	8	
9 Pulmonary tuberculosis	...	—	—	1	2	3	2	1	3	—	1	—	3	9	
10 Tuberculous meningitis	...	—	—	1	—	—	—	—	—	—	—	—	—	10	
11 Other tuberculous diseases	...	—	2	—	3	—	2	—	3	—	—	—	—	11	
12 Cancer, malignant disease	...	1	—	1	1	2	4	4	1	1	3	3	3	12	
13 Rheumatic fever...	...	—	—	1	1	—	—	—	—	—	—	—	—	13	
14 Meningitis	...	—	—	—	—	—	—	1	—	—	—	—	—	14	
15 Organic heart disease	...	3	—	4	2	2	5	7	3	2	4	2	2	15	
16 Bronchitis	...	—	2	2	1	1	2	3	2	1	1	2	1	16	
17 Pneumonia (all forms)	...	—	—	—	—	3	4	1	2	—	2	—	2	17	
18 Other respiratory diseases	...	—	—	—	—	—	—	2	2	1	—	—	2	18	
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	2	—	—	—	—	—	—	—	19	
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	1	—	—	—	—	20	
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	—	—	—	—	—	21	
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22 Nephritis and Bright's dis.	...	1	—	1	1	—	—	1	2	1	—	1	1	22	
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	23	
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	—	—	—	—	—	24	
25 Congenital debility, &c.	...	—	1	—	1	2	4	2	3	2	1	2	1	25	
26 Violence, apart from 27	...	3	—	—	1	1	—	2	1	1	—	2	—	26	
27 Suicide	...	—	—	1	—	1	—	1	1	—	—	—	—	27	
28 Other defined diseases	...	8	11	6	14	10	8	11	10	5	8	7	6	28	
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	—	—	—	1	—	—	29	

HUNTINGDONSHIRE—cont.

Causes of Death.		Hunting- don R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D. No. 1.		St. Neots R.D. No. 2.		St. Neots R.D. No. 3.		St. Neots R.D. No. 4.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	40	45	37	29	5	6	62	73	23	18	3	4	8	16	9	17		
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3 Measles	...	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	3	
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
5 Whooping cough	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5	
6 Diphtheria and croup	...	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	6	
7 Influenza	...	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	7	
8 Erysipelas	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8	
9 Pulmonary tuberculosis	...	3	5	3	2	—	—	3	5	—	1	—	1	—	—	2	—	9	
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	
11 Other tuberculous diseases	...	—	1	1	—	—	—	1	—	2	—	—	—	—	—	—	—	11	
12 Cancer, malignant disease	...	5	4	7	4	1	1	7	13	3	1	1	—	—	2	1	4	12	
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	
14 Meningitis	...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14	
15 Organic heart disease	...	7	9	6	4	—	—	3	11	1	3	1	2	2	4	1	3	15	
16 Bronchitis	...	4	2	1	—	—	—	6	6	2	4	—	—	—	—	—	—	16	
17 Pneumonia (all forms)	...	2	1	2	—	—	—	—	2	—	1	—	—	—	—	1	—	17	
18 Other respiratory diseases	...	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	18	
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20	
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21	
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22 Nephritis and Bright's dis.	...	—	1	—	1	—	—	2	—	1	—	—	—	—	—	—	1	22	
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23	
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24	
25 Congenital debility, &c.	...	4	4	4	—	2	—	4	6	2	1	—	—	2	—	1	2	25	
26 Violence, apart from 27	...	—	—	1	1	—	—	1	1	—	—	—	—	—	1	1	—	26	
27 Suicide	...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	27	
28 Other defined diseases	...	11	18	10	15	1	5	29	25	10	7	1	1	4	6	2	7	28	
29 Causes ill-defined or un- known.	...	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	29	

* The remainder of Oundle R.D. is in Northamptonshire ; see page 454.

AREAS, 1920 (Civilian population only)—continued.

HUNTINGDONSHIRE—cont.

KENT.

	Thrapston (pt.) R.D.*		Sibson cum Stibbing- ton C.P.†				Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.		Chisle- hurst U.D.		
	M 3	F 3	M 1	F 4			M 87	F 95	M 161	F 181	M 111	F 111	M 39	F 71	M 187	F 171	M 288	F 226	M 24	F 25	M 29	F 34	
1	—	—	—	—			—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—			4	1	2	1	3	2	1	—	2	—	4	8	—	—	—	—	3
4	—	—	—	—			—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	4
5	—	—	—	—			—	1	—	4	2	2	—	1	—	2	3	1	—	—	—	1	5
6	—	—	—	—			2	1	1	1	3	2	2	5	3	1	11	2	—	—	1	—	6
7	—	—	—	—			—	1	6	5	1	1	1	2	3	1	6	3	—	—	—	—	7
8	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—			7	7	7	8	8	7	1	4	7	10	35	22	2	1	2	1	9
10	—	—	—	—			1	—	1	3	1	—	2	—	1	1	3	1	—	—	1	—	10
11	—	—	—	—			2	—	1	1	1	1	—	1	5	1	3	4	—	—	—	—	11
12	—	1	—	1			12	17	21	26	12	18	4	6	15	29	30	30	4	6	3	1	12
13	—	—	—	—			—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	13
14	—	—	—	—			—	—	2	—	—	—	—	—	1	1	2	—	—	—	—	—	14
15	—	—	—	—			6	10	22	18	5	9	2	8	17	27	30	21	2	4	3	7	15
16	—	—	—	—			1	7	11	9	11	10	1	1	14	14	13	21	—	1	2	4	16
17	—	—	—	—			9	4	12	11	6	4	1	2	17	9	20	14	2	1	2	3	17
18	—	—	—	—			2	—	3	3	1	1	—	—	3	1	3	5	—	—	4	—	18
19	—	—	—	—			3	1	1	3	1	2	1	—	—	—	5	4	—	—	—	—	19
20	—	—	—	—			—	2	2	2	2	—	—	—	1	1	—	—	—	—	—	1	20
21	—	—	—	—			—	—	—	2	—	—	—	1	—	2	1	1	—	—	—	—	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—			2	3	4	3	2	3	3	3	3	3	3	5	1	—	—	1	22
23	—	—	—	—			—	1	—	2	—	2	—	—	—	2	—	3	—	1	—	—	23
24	—	—	—	—			—	—	—	—	—	2	—	—	—	1	—	4	—	—	—	1	24
25	—	1	—	—			4	6	9	10	12	3	3	2	14	11	22	11	4	—	3	—	25
26	1	—	—	—			2	—	—	2	4	—	—	—	7	3	9	3	1	1	—	—	26
27	—	—	—	—			1	—	1	1	1	—	1	—	2	1	4	1	—	—	1	—	27
28	2	1	1	3			29	33	54	64	34	42	16	33	72	49	76	59	8	9	7	13	28
29	—	—	—	—			—	—	—	—	—	—	—	1	—	—	3	3	—	—	—	—	29

KENT—cont.

	Crayford U.D.†		Dartford U.D.		Deal M.B.		Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.§		Foots Cray U.D.		Gilling- ham M.B.		Gravesend M.B.		Herne Bay U.D.		
	M 21	F 12	M 105	F 95	M 77	F 83	M 222	F 257	M 168	F 138	M 70	F 60	M 166	F 179	M 43	F 48	M 265	F 249	M 181	F 174	M 42	F 50	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	—	2	3	2	1	—	—	2	6	—	—	—	2	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	4
5	—	—	2	—	2	1	1	1	1	2	1	—	1	2	1	—	1	2	—	4	—	—	5
6	—	1	6	10	—	—	4	9	4	1	—	—	—	1	2	1	7	7	1	2	—	—	6
7	—	—	—	3	—	3	2	1	2	—	1	—	2	3	—	—	4	7	5	6	—	2	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—	8
9	4	—	13	7	7	4	21	29	14	12	3	7	18	10	2	1	22	20	13	13	4	4	9
10	1	1	—	1	—	—	3	3	2	2	1	—	2	4	—	—	4	—	1	3	—	1	10
11	1	—	—	2	4	1	2	5	3	1	1	1	3	5	—	1	4	4	3	4	—	1	11
12	2	—	5	11	7	12	18	30	16	16	8	6	15	22	6	9	24	16	16	20	3	6	12
13	—	—	1	1	—	—	2	1	—	1	—	—	1	3	—	1	2	1	1	—	—	—	13
14	—	—	1	—	1	—	3	3	—	1	—	—	1	—	—	—	4	1	1	1	—	—	14
15	2	2	6	6	8	9	18	21	23	23	6	2	24	25	3	2	25	25	23	13	3	5	15
16	1	1	9	9	3	3	18	16	9	9	5	11	12	15	1	9	14	23	15	20	4	2	16
17	1	1	7	4	5	6	17	13	13	12	2	1	11	5	6	2	26	9	13	6	2	4	17
18	—	—	3	1	1	—	2	4	2	1	—	1	1	1	—	—	4	4	1	3	—	—	18
19	—	—	—	—	—	—	7	4	2	—	1	—	1	2	3	—	9	3	2	1	—	—	19
20	—	—	1	2	2	—	4	—	—	1	—	—	2	2	1	1	3	2	—	—	1	—	20
21	—	—	—	—	—	2	3	3	3	—	2	2	1	1	—	—	4	—	1	—	—	—	21
21A	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	—	—	1	2	2	4	4	2	8	4	4	—	10	6	1	3	6	9	2	—	—	3	22
23	—	—	—	1	—	1	—	—	—	3	—	—	—	1	—	—	—	2	—	—	—	—	23
24	—	—	—	2	—	—	—	8	—	3	—	—	—	1	—	—	—	4	—	1	—	—	24
25	1	2	6	6	4	1	25	12	16	8	1	4	8	7	2	1	14	15	16	10	6	2	25
26	—	2	7	2	1	1	9	5	6	2	4	2	7	3	—	—	7	3	13	2	1	3	26
27	1	—	2	—	1	3	1	1	4	1	—	1	2	—	1	—	2	2	3	—	—	1	27
28	7	2	32	25	28	28	54	76	38	32	30	20	41	50	16	17	78	84	50	51	18	16	28
29	—	—	—	—	1	3	1	5	—	—	—	1	—	3	—	—	—	3	—	1	—	—	29

* The remainder of Thrapston R.D. is in Northamptonshire; see page 454.

† Administered by Barnack R.D.C. (Soke of Peterborough).

‡ Created on 1st October, 1920.

§ Excluding the civil parish of Folkestone next Sandgate.

CAUSES of DEATH in ADMINISTRATIVE

KENT—*cont.*

Causes of Death.	Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	39	27	14	8	197	200	141	156	51	24	5	6	112	100	173	179	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	1	1	2	—	—	—	—	1	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	5	2	1	1	—	1	—	—	—	1	—	2	6
6 Diphtheria and croup	—	—	—	—	—	—	2	—	—	1	—	—	7	5	2	3	7
7 Influenza	1	1	—	—	3	4	—	1	1	—	—	—	3	1	2	1	8
8 Erysipelas	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	4	3	—	13	16	12	14	4	1	1	—	9	6	17	11	10
10 Tuberculous meningitis	—	—	—	—	1	4	—	2	—	—	—	—	1	1	1	1	11
11 Other tuberculous diseases	—	—	—	—	4	1	4	1	—	—	—	—	1	1	4	2	12
12 Cancer, malignant disease	7	3	—	—	18	21	17	22	12	6	—	—	12	15	20	24	13
13 Rheumatic fever.	—	—	—	—	1	—	1	2	—	—	—	—	—	1	—	—	14
14 Meningitis	—	—	—	—	1	1	1	3	—	—	—	—	2	—	1	1	15
15 Organic heart disease	5	2	—	—	25	34	22	21	4	2	—	1	9	18	18	20	16
16 Bronchitis	1	2	2	1	11	12	3	8	2	3	—	—	9	6	10	15	17
17 Pneumonia (all forms)	1	—	—	—	17	9	5	7	2	3	—	—	20	11	12	8	18
18 Other respiratory diseases	1	—	—	—	5	4	1	5	1	1	—	—	1	—	3	3	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	1	1	5	1	1	—	—	—	2	—	2	3	20
20 Appendicitis and typhlitis	1	1	—	—	1	3	1	—	—	—	—	—	2	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	1	2	—	—	—	—	—	—	—	—	1	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	—	2	—	9	4	1	3	—	—	1	1	6	3	7	6	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	24
24 Parturition, apart from 23	—	—	—	1	—	5	—	—	—	—	—	1	—	1	—	3	25
25 Congenital debility, &c.	3	2	—	—	18	13	8	6	2	—	—	1	5	6	9	9	26
26 Violence, apart from 27	4	—	2	1	5	2	1	3	3	—	1	—	3	2	3	—	27
27 Suicide	—	—	1	—	2	2	—	1	—	—	—	—	2	—	4	1	28
28 Other defined diseases	11	11	4	5	54	57	54	51	18	6	2	2	17	21	56	64	29
29 Causes ill-defined or unknown.	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	29

KENT—*cont.*

Causes of Death.	Queen- borough M.B.		Ramsgate M.B.		Rochester M.B.		Royal Tun- bridge Wells M.B.		Sandgate U.D.*		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	15	17	196	203	185	196	193	257	12	11	25	16	46	59	87	82	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	2	2	4	—	—	1	—	—	—	—	—	—	1	2	4
4 Scarlet fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	5	5	—	1	—	1	—	1	2	—	—	—	—	1	6
6 Diphtheria and croup	—	1	1	1	2	4	—	2	—	—	—	—	1	1	—	—	7
7 Influenza	—	1	—	1	3	5	7	12	—	1	1	—	—	2	—	—	8
8 Erysipelas	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	1	11	16	11	11	10	13	1	—	2	1	2	3	5	7	10
10 Tuberculous meningitis	—	—	1	2	2	1	—	2	—	—	—	—	—	—	1	—	11
11 Other tuberculous diseases	—	—	5	1	3	2	4	6	—	1	—	—	—	1	4	1	12
12 Cancer, malignant disease	3	—	17	23	14	21	27	40	2	1	1	4	4	8	4	7	13
13 Rheumatic fever... ..	—	—	—	2	3	—	2	1	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	2	1	—	2	—	—	—	—	—	—	—	—	2	1	15
15 Organic heart disease	1	3	23	22	10	28	33	39	1	1	3	3	9	10	9	3	16
16 Bronchitis	2	—	11	15	16	16	12	7	—	1	2	1	1	1	5	9	17
17 Pneumonia (all forms)	—	1	10	7	18	17	12	13	—	—	—	1	2	5	8	5	18
18 Other respiratory diseases	—	—	—	2	2	—	2	6	—	—	—	—	1	2	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	2	2	4	4	1	2	—	—	—	—	—	—	—	2	1	20
20 Appendicitis and typhlitis	—	—	1	—	1	2	—	1	—	—	—	1	—	—	2	2	21
21 Cirrhosis of liver	—	—	—	1	1	—	1	1	1	—	—	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	7	8	5	5	10	9	—	—	1	—	2	—	1	4	23
23 Puerperal fever	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	2	—	2	—	1	—	1	—	—	—	3	25
25 Congenital debility, &c.	✓	—	12	9	9	9	15	8	—	—	2	1	4	—	4	5	26
26 Violence, apart from 27	3	—	8	2	8	4	4	4	—	1	4	—	2	1	3	—	27
27 Suicide	—	1	6	—	3	2	4	1	—	—	—	—	—	—	3	—	28
28 Other defined diseases	1	3	70	76	66	61	48	84	7	2	7	3	18	25	29	29	29
29 Causes ill-defined or unknown.	—	—	2	—	—	—	—	—	—	1	—	—	—	—	2	—	29

* Including the civil parish of Folkestone next Sandgate.

AREAS, 1920 (Civilian population only)—*continued.*
KENT—*cont.*

	Sitting- bourne U.D.		South- borough U.D.		Tenterden M.B.		Tonbridge U.D.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.		Blean R.D.		Bridge R.D.		Bromley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	64	45	34	61	18	13	75	99	25	22	44	44	27	31	37	52	47	62	121	148	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1	—	—	5
6	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	—	1	6
7	1	4	1	1	—	—	—	1	2	—	1	—	—	—	1	1	1	2	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	2	3	2	2	1	10	7	1	1	4	7	4	3	3	2	3	1	9	16	9
10	—	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	2	1	10
11	2	—	—	—	2	1	—	3	—	1	—	—	—	1	—	1	—	—	1	1	11
12	7	6	3	11	—	—	7	14	4	—	9	6	3	4	1	9	3	9	12	19	12
13	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	13
14	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	2	1	14
15	9	6	2	11	4	1	14	10	3	4	4	7	4	2	5	4	6	5	16	16	15
16	1	3	3	6	—	—	6	4	1	—	1	1	5	1	1	2	3	3	12	15	16
17	3	1	2	1	1	1	4	7	—	2	2	2	1	2	1	4	1	—	8	6	17
18	1	—	1	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	1	18
19	1	1	1	—	—	—	1	1	1	—	—	—	—	—	—	—	1	1	1	—	19
20	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	3	20
21	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	1	—	—	—	2	—	—	1	—	—	2	2	—	1	—	1	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	23
24	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	24
25	4	5	1	—	1	—	5	4	2	—	2	—	1	—	1	1	5	3	6	10	25
26	3	1	1	—	—	—	2	3	—	1	2	1	1	—	2	1	1	—	5	2	26
27	1	—	1	—	—	—	1	1	—	—	1	—	—	—	2	—	2	1	1	—	27
28	21	13	14	25	8	8	20	34	10	11	14	17	6	15	17	23	18	28	42	45	28
29	1	1	—	—	—	—	1	2	1	—	—	1	—	—	—	—	—	2	1	—	29

KENT—*cont.*

	Cranbrook R.D.		Dartford R.D.		Dover R.D.		East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Holling- bourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	72	90	205	177	54	36	81	87	67	68	51	53	76	61	71	73	15	19	46	60	97	100	1
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	2	1	1	—	—	2	1	—	3	—	—	—	—	—	—	—	—	1	—	—	—	3
4	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	2	—	3	1	—	—	—	—	1	2	1	—	—	—	—	—	—	1	1	2	1	5
6	—	—	9	4	2	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—	6
7	3	2	4	2	—	—	—	1	—	—	1	—	—	—	1	1	—	—	—	2	1	1	7
8	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	8
9	1	4	18	9	3	1	7	6	8	4	4	3	6	4	4	3	—	—	6	5	5	4	9
10	1	—	—	4	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	1	1	1	10
11	1	1	2	—	1	—	—	1	—	—	—	1	1	—	3	—	—	1	—	—	3	1	11
12	14	7	27	18	6	8	10	13	8	11	3	5	6	10	10	9	—	3	6	10	13	12	12
13	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	13
14	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	1	—	14
15	6	20	22	25	5	4	5	6	9	9	3	8	7	5	10	10	2	3	4	8	15	19	15
16	9	2	10	11	4	1	3	1	2	4	3	1	2	3	8	6	1	—	1	2	7	7	16
17	4	4	11	14	—	2	4	8	7	3	3	2	7	4	2	4	—	—	1	3	3	7	17
18	—	3	6	2	—	1	2	—	—	—	1	—	2	2	—	—	—	—	1	—	4	3	18
19	—	1	3	3	—	1	—	—	—	2	—	—	1	—	1	—	1	—	—	—	1	1	19
20	—	—	3	1	1	1	2	—	—	1	—	—	—	—	—	—	—	—	1	—	2	2	20
21	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	—	9	8	—	—	3	1	2	4	1	1	2	1	3	4	—	—	1	3	1	2	22
23	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	1	—	2	—	—	—	—	—	1	—	1	—	1	—	1	—	1	24
25	3	3	12	15	5	2	7	3	4	4	—	2	6	12	1	6	2	—	3	3	6	3	25
26	1	2	13	5	2	3	1	1	5	3	1	—	3	—	1	—	1	—	—	2	4	1	26
27	5	1	2	—	—	—	3	—	2	1	2	—	1	1	—	—	1	—	—	—	—	—	27
28	21	32	50	45	23	11	30	36	20	15	24	26	28	16	25	25	7	10	17	18	28	31	28
29	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	—	1	—	—	29

CAUSES OF DEATH in ADMINISTRATIVE

KENT—*cont.*

Causes of Death.		Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	130	131	83	75	16	10	142	107	17	15	98	85	29	33	115	87	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
3	Measles ...	1	2	1	1	—	—	1	—	—	—	—	1	—	1	2	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5	Whooping cough ...	—	1	—	—	—	—	1	2	—	—	1	—	—	—	—	1	6
6	Diphtheria and croup ...	2	1	—	1	—	—	—	—	—	—	1	1	—	1	—	1	7
7	Influenza ...	1	—	3	—	—	—	2	3	—	—	4	1	—	—	1	2	8
8	Erysipelas ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	8	11	9	6	1	1	6	6	1	—	9	6	—	4	4	5	10
10	Tuberculous meningitis	—	—	1	—	—	—	—	—	—	—	1	3	—	—	1	—	11
11	Other tuberculous diseases	2	2	—	—	1	—	2	2	—	—	2	2	—	1	1	1	12
12	Cancer, malignant disease	13	14	10	8	2	2	15	15	1	2	9	12	1	3	13	17	13
13	Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	14
14	Meningitis ...	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	15
15	Organic heart disease ...	13	17	12	9	—	2	17	11	1	1	7	5	5	6	23	16	16
16	Bronchitis ...	5	14	5	1	2	—	6	3	—	1	4	8	2	1	8	4	17
17	Pneumonia (all forms) ...	10	11	2	3	1	—	7	1	—	—	15	5	—	1	3	3	18
18	Other respiratory diseases	3	—	—	—	—	—	3	2	—	—	—	—	2	—	3	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	1	—	—	—	1	—	—	1	1	—	—	2	—	20
20	Appendicitis and typhlitis	2	2	2	—	—	—	—	—	—	—	—	—	—	—	2	—	21
21	Cirrhosis of liver ...	2	3	—	—	—	—	1	—	—	—	—	—	—	—	1	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	4	5	7	7	—	1	3	5	2	—	3	2	1	—	3	—	23
23	Puerperal fever ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	1	—	5	—	—	—	—	—	1	—	—	25
25	Congenital debility, &c.	13	10	4	6	3	1	9	4	1	1	7	3	3	3	8	4	26
26	Violence, apart from 27	5	3	3	—	—	—	5	5	1	—	2	1	—	1	8	—	27
27	Suicide ...	2	1	1	—	—	—	4	—	—	—	1	—	—	—	—	—	28
28	Other defined diseases ...	44	30	21	31	6	2	59	40	9	9	28	31	15	10	29	32	29
29	Causes ill-defined or unknown.	—	2	1	—	—	—	—	1	—	—	1	1	—	—	1	—	

KENT—*cont.*

LANCASHIRE.

Causes of Death.		West Ashford R.D.								Abram U.D.		Accring- ton M.B.		Adlington U.D.		Ashton in Makerfield U.D.		
		M	F							M	F	M	F	M	F	M	F	
	ALL CAUSES ...	52	47							47	38	297	309	25	37	175	120	1
1	Enteric fever ...	—	—							—	—	—	—	—	—	3	1	2
2	Small-pox ...	—	—							—	—	—	—	—	—	—	—	3
3	Measles ...	1	—							3	1	1	2	—	—	5	4	4
4	Scarlet fever ...	—	—							—	1	1	1	—	—	2	—	5
5	Whooping cough ...	—	—							—	—	1	2	1	—	—	1	6
6	Diphtheria and croup ...	—	—							—	—	2	6	—	—	1	—	7
7	Influenza ...	—	—							—	—	17	12	—	2	12	4	8
8	Erysipelas ...	—	1							—	—	1	—	—	—	2	—	9
9	Pulmonary tuberculosis	4	1							1	1	18	10	1	—	6	7	10
10	Tuberculous meningitis	—	—							1	—	2	1	—	—	1	—	11
11	Other tuberculous diseases	—	2							—	—	4	2	1	—	1	2	12
12	Cancer, malignant disease	9	12							3	2	19	42	2	3	8	8	13
13	Rheumatic fever...	—	—							1	—	1	5	—	2	1	—	14
14	Meningitis ...	1	—							1	—	5	2	—	1	1	—	15
15	Organic heart disease ...	7	2							2	1	30	25	4	5	9	12	16
16	Bronchitis ...	2	2							8	5	26	28	1	3	16	8	17
17	Pneumonia (all forms) ...	5	4							5	5	27	13	4	4	30	15	18
18	Other respiratory diseases	3	—							3	—	1	2	—	—	1	3	19
19	Diarrhoea, &c. (under 2 yrs.)	1	1							2	1	5	1	1	—	7	6	20
20	Appendicitis and typhlitis	—	—							—	—	—	1	—	1	1	—	21
21	Cirrhosis of liver ...	—	—							—	—	1	—	—	—	1	—	21A
21A	Alcoholism ...	—	—							—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	—							2	1	7	9	—	1	3	4	23
23	Puerperal fever ...	—	—							—	—	—	1	—	—	—	1	24
24	Parturition, apart from 23	—	—							—	—	—	1	—	—	—	—	25
25	Congenital debility, &c.	1	4							4	1	20	19	2	4	19	10	26
26	Violence, apart from 27	2	—							1	—	5	3	2	—	10	1	27
27	Suicide ...	1	—							—	—	4	1	—	—	3	—	28
28	Other defined diseases ...	14	18							9	19	97	120	6	9	32	31	29
29	Causes ill-defined or unknown.	—	—							1	—	2	—	—	1	—	1	

AREAS, 1920 (Civilian population only)—continued.

LANCASHIRE—cont.

	Ashton under Lyne M.B.		Aspull U.D.		Atherton U.D.		Audenshaw U.D.		Bacup M.B.		Barrow- ford U.D.		Billinge U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadder- ton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	345	302	73	71	121	127	59	47	152	146	34	38	26	19	39	20	55	43	17	24	189	163	1
2	2	2	3	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	7	7	3	9	1	1	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	1	4
5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	5
6	1	3	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	3	—	6
7	1	2	2	—	—	—	—	—	—	2	—	—	1	1	2	—	—	—	—	—	1	2	7
8	3	2	1	2	4	3	2	2	1	4	—	—	—	1	2	—	—	—	—	—	5	2	8
9	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10	24	15	2	4	7	8	6	2	9	3	1	—	2	—	1	—	5	6	1	3	14	8	10
11	—	2	1	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	11
12	8	4	—	3	3	3	—	1	—	1	—	—	1	—	1	—	1	—	—	—	1	2	12
13	23	24	5	2	10	13	1	4	12	16	3	4	1	1	—	4	5	6	1	3	16	19	13
14	3	2	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1	1	—	14
15	—	1	1	1	3	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	3	1	15
16	34	40	4	2	6	17	4	5	7	12	3	2	2	2	5	2	8	4	3	2	17	27	16
17	38	35	7	12	14	24	—	6	22	14	2	5	4	4	2	—	4	4	—	1	20	16	16
18	46	34	14	16	19	8	7	2	6	7	4	1	—	3	6	2	10	4	1	—	11	9	17
19	3	1	—	—	—	1	1	2	1	—	1	1	—	—	—	—	2	—	—	1	2	3	18
20	11	4	4	1	5	4	3	2	—	—	1	2	—	1	2	—	1	4	1	—	8	3	19
21	2	—	1	—	—	1	1	—	1	—	—	—	—	—	2	—	—	—	1	1	—	3	20
21A	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	21
22	13	8	—	1	3	5	4	2	3	10	2	2	3	1	3	1	—	—	—	—	—	—	21A
23	—	5	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	7	8	22
24	—	1	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2	23
25	34	14	5	2	15	5	6	3	13	6	2	2	2	1	—	1	1	—	1	3	18	8	24
26	10	3	7	2	5	3	6	—	8	1	1	—	3	—	4	1	1	—	2	—	9	1	25
27	4	3	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	1	2	26
28	73	89	11	14	25	24	15	13	64	63	13	16	—	3	4	—	15	10	6	7	48	38	27
29	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	2	28
																							29

LANCASHIRE—cont.

	Chorley M.B.		Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		Denton U.D.		Droylsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	216	187	37	46	57	55	79	70	159	157	98	100	12	23	118	94	219	291	105	99	75	82	1
2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	3	2	—	1	—	—	2	—	—	1	—	—	—	1	13	13	—	2	1	3	1	1	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	7	6	1	—	—	1	4	1	—	—	1	—	—	—	2	4	—	—	2	1	—	4	6
7	1	2	—	—	—	—	—	—	2	6	1	1	—	—	4	2	2	—	1	2	2	—	7
8	8	10	1	2	3	1	1	1	2	—	3	3	1	—	—	3	6	7	1	—	—	—	8
9	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	9
10	11	11	1	1	2	3	5	6	11	8	8	7	1	—	15	7	14	9	7	4	8	6	10
11	1	—	—	—	—	1	—	1	1	2	1	2	—	—	5	—	3	2	1	1	—	—	11
12	2	1	—	—	1	—	1	—	3	3	—	—	—	—	2	1	4	3	—	2	3	1	12
13	18	10	3	6	5	6	7	10	12	12	6	11	3	3	9	11	14	39	12	11	6	10	13
14	1	1	—	1	—	—	—	1	2	1	—	1	—	—	—	1	—	—	2	—	—	—	14
15	2	1	—	—	—	2	—	—	1	1	1	—	—	—	—	2	2	—	2	—	—	—	15
16	17	20	1	5	5	3	10	6	13	22	5	8	1	6	4	3	22	49	12	11	6	6	16
17	16	16	2	2	5	3	4	5	13	15	9	10	—	1	17	9	15	28	4	9	7	10	17
18	17	17	5	1	6	11	7	9	12	15	4	4	—	—	8	2	20	13	5	7	7	4	18
19	3	—	1	2	—	1	—	—	3	—	1	2	—	1	5	—	1	—	—	1	1	2	19
20	12	4	2	1	—	—	—	—	2	2	2	1	—	—	—	—	4	1	2	1	2	—	20
21	—	2	1	1	—	—	1	1	1	2	—	1	—	1	—	1	2	2	2	1	1	—	21
21A	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	6	7	—	3	2	2	4	6	13	8	7	4	2	—	1	1	10	6	1	2	3	2	23
24	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	1	—	—	24
25	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	25
26	20	16	4	2	7	6	4	2	10	5	8	6	—	2	7	3	19	24	7	7	4	5	26
27	4	2	—	1	5	—	2	1	6	4	2	—	1	—	5	—	10	5	5	2	6	—	27
28	—	—	—	—	1	1	2	—	3	1	2	1	1	—	1	—	7	2	—	—	—	—	28
29	59	52	15	15	13	14	25	20	47	41	33	33	2	8	19	27	58	93	38	33	16	24	29
	7	5	—	—	1	—	—	—	2	2	3	1	—	—	1	1	4	—	—	—	—	—	—

CAUSES OF DEATH IN ADMINISTRATIVE

LANCASHIRE—*cont.*

Causes of Death.			Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.		Golborne U.D.		Grange U.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	...	301	225	91	99	188	187	149	98	36	40	47	36	64	42	7	13
1	Enteric fever	...	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
2	Small-pox	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	...	2	1	1	—	—	1	4	3	—	1	—	—	8	4	—	—
4	Scarlet fever	...	2	1	—	—	—	1	2	1	—	—	—	—	—	—	—	—
5	Whooping cough	...	3	3	2	1	2	2	4	1	—	1	—	—	—	—	—	—
6	Diphtheria and croup	...	2	1	1	1	3	3	3	2	—	—	1	—	—	—	—	—
7	Influenza	...	2	3	5	5	10	4	3	5	—	—	—	—	2	1	—	1
8	Erysipelas	...	3	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
9	Pulmonary tuberculosis	...	30	16	3	8	8	14	10	8	2	7	2	—	2	1	1	—
10	Tuberculous meningitis	...	5	1	4	2	—	1	4	—	1	—	—	—	—	—	—	—
11	Other tuberculous diseases	...	2	2	2	1	3	1	—	1	1	—	2	—	3	—	1	—
12	Cancer, malignant disease	...	28	17	5	7	8	14	8	10	3	4	1	4	3	2	3	2
13	Rheumatic fever...	...	2	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—
14	Meningitis	...	—	3	1	—	—	2	2	—	1	—	1	—	—	1	—	—
15	Organic heart disease	...	41	37	7	11	9	9	13	9	5	2	3	—	5	3	—	—
16	Bronchitis	...	22	24	8	14	16	10	17	6	1	1	12	8	2	2	1	2
17	Pneumonia (all forms)	...	22	11	4	7	21	15	16	4	6	3	6	2	12	3	1	1
18	Other respiratory diseases	...	3	2	—	—	3	1	2	—	—	—	—	—	3	1	—	—
19	Diarrhœa, &c. (under 2 yrs.)	...	7	5	2	1	9	7	1	3	—	—	—	1	4	1	—	—
20	Appendicitis and typhlitis	...	1	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver	...	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	...	8	8	1	4	8	6	4	1	2	3	1	3	1	1	—	—
23	Puerperal fever	...	—	1	—	1	—	2	—	2	—	—	—	—	—	—	—	—
24	Parturition, apart from 23	...	—	1	—	1	—	1	—	2	—	—	—	1	—	1	—	—
25	Congenital debility, &c.	...	25	13	11	9	19	13	17	8	1	1	—	—	2	5	—	1
26	Violence, apart from 27	...	10	5	6	3	10	3	6	1	—	—	1	—	2	2	—	—
27	Suicide	...	5	—	1	—	2	1	2	—	—	—	2	—	—	—	—	—
28	Other defined diseases	...	75	67	25	21	55	74	29	28	13	16	15	17	15	13	1	5
29	Causes ill-defined or unknown.	...	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—

LANCASHIRE—*cont.*

Causes of Death.			Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	...	53	80	72	82	97	130	63	56	27	24	182	233	169	197	106	87
1	Enteric fever	...	—	—	—	—	1	1	—	—	—	—	—	—	2	1	—	—
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	...	—	—	3	2	1	1	3	1	—	—	2	5	18	14	—	3
4	Scarlet fever	...	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
5	Whooping cough	...	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1
6	Diphtheria and croup	...	—	1	—	1	2	2	—	1	—	—	—	1	—	4	3	—
7	Influenza	...	—	1	2	1	3	5	5	2	—	1	7	5	15	13	8	7
8	Erysipelas	...	—	—	2	—	—	1	—	—	—	—	2	2	—	—	—	1
9	Pulmonary tuberculosis	...	4	—	2	3	1	5	2	—	1	4	12	14	8	7	7	4
10	Tuberculous meningitis	...	—	3	—	—	—	—	—	1	—	—	1	2	—	—	—	—
11	Other tuberculous diseases	...	1	—	1	—	—	—	2	1	—	—	2	2	2	1	1	—
12	Cancer, malignant disease	...	8	9	5	9	14	21	—	4	2	2	16	18	4	10	6	15
13	Rheumatic fever...	...	—	—	2	2	1	2	—	—	—	—	2	—	1	1	—	—
14	Meningitis	...	—	1	1	—	1	—	—	1	1	—	—	2	5	2	—	—
15	Organic heart disease	...	7	5	4	19	11	18	2	2	4	2	18	42	12	13	6	5
16	Bronchitis	...	1	4	11	11	8	13	10	8	3	1	12	13	19	23	12	8
17	Pneumonia (all forms)	...	9	9	6	8	2	4	8	8	—	1	10	14	20	33	11	7
18	Other respiratory diseases	...	—	1	—	—	1	—	1	1	—	—	2	3	1	—	3	—
19	Diarrhœa, &c. (under 2 yrs.)	...	—	2	—	2	1	—	—	4	—	—	1	3	14	9	—	1
20	Appendicitis and typhlitis	...	—	1	2	—	2	1	—	1	—	—	2	1	1	1	—	1
21	Cirrhosis of liver	...	1	—	—	—	2	1	—	—	1	—	—	1	—	—	—	—
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	...	2	—	2	3	2	2	1	—	—	1	7	6	1	1	3	3
23	Puerperal fever	...	—	1	—	—	—	1	—	—	—	—	—	4	—	2	—	1
24	Parturition, apart from 23	...	—	1	—	—	—	—	—	3	—	—	—	4	—	2	—	—
25	Congenital debility, &c.	...	—	4	7	1	6	—	4	5	1	—	21	22	14	10	9	9
26	Violence, apart from 27	...	1	2	2	—	4	—	8	1	2	1	14	1	11	3	5	—
27	Suicide	...	2	—	1	1	2	—	—	—	1	—	5	4	—	1	3	—
28	Other defined diseases	...	15	28	19	18	31	50	19	10	10	11	44	58	19	43	28	19
29	Causes ill-defined or unknown.	...	1	—	—	1	1	2	—	1	—	—	2	3	1	1	—	2

AREAS, 1920 (Civilian population only)—continued.

LANCASHIRE—cont.

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	33	50	34	23	182	146	52	42	60	64	19	26	248	251	53	45	33	38	354	301	61	64	1
2	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	2	2	—	—	2
3	—	2	1	—	6	12	—	—	—	—	1	—	4	1	—	—	—	—	5	4	—	—	3
4	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	4
5	1	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	5
6	1	—	—	—	2	4	1	—	—	—	—	—	1	1	—	—	1	4	1	1	—	1	6
7	—	—	—	—	5	—	—	—	3	—	2	—	2	1	—	2	—	2	12	7	3	7	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	2	1	—	—	8
9	2	3	1	1	13	10	2	4	2	—	3	1	22	14	2	—	1	3	32	23	4	4	9
10	—	—	—	—	1	—	1	1	—	—	—	—	1	4	—	1	—	—	3	1	—	—	10
11	—	1	—	—	5	2	—	—	1	1	—	—	2	3	2	—	—	—	—	4	1	—	11
12	1	2	2	3	4	5	5	7	4	8	—	3	16	31	3	1	4	2	16	26	6	8	12
13	—	1	—	—	—	2	—	—	—	—	—	—	3	3	—	1	—	—	7	3	1	—	13
14	—	—	—	—	3	—	—	—	—	—	—	—	4	1	2	1	—	—	1	3	3	1	14
15	1	8	2	2	7	5	2	2	2	6	2	1	19	29	2	2	5	10	35	46	9	5	15
16	4	7	3	5	26	20	4	4	3	5	2	2	17	25	6	7	4	—	43	36	1	6	16
17	4	1	4	3	25	22	2	1	7	8	—	4	19	13	4	5	2	2	38	25	4	6	17
18	—	1	1	2	1	3	—	—	1	3	1	—	—	3	2	—	2	—	1	3	—	1	18
19	1	—	1	—	8	7	—	1	3	—	—	—	4	2	—	—	1	—	18	14	—	—	19
20	—	1	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—	2	1	—	—	20
21	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	—	3	—	—	1	—	—	1	2	—	2	—	9	5	1	3	1	2	6	5	3	2	22
23	—	1	—	—	—	1	—	1	—	—	—	1	—	2	—	1	—	—	—	5	—	—	23
24	—	1	—	—	—	1	—	1	—	2	—	1	—	2	—	—	3	—	—	4	—	1	24
25	3	3	1	1	20	18	7	3	4	9	—	3	15	19	2	4	5	1	28	18	2	—	25
26	3	1	—	—	14	—	3	—	4	2	1	—	14	4	2	2	—	1	25	5	—	1	26
27	—	—	—	—	1	—	1	—	2	—	—	—	4	3	—	—	1	—	3	1	—	—	27
28	12	13	18	6	39	29	23	15	21	17	5	10	87	81	23	15	7	11	68	57	23	21	28
29	—	—	—	—	2	2	—	—	—	—	—	—	1	—	1	—	—	—	1	2	1	—	29

LANCASHIRE—cont.

	Litherland U.D.		Little- borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Longridge U.D.		Lytham U.D.		Middleton M.B.		Milnrow U.D.		More- cambe M.B.		Mossley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	123	109	79	80	5	5	39	47	33	28	40	28	50	73	167	190	56	57	102	108	92	84	1
2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	2	3	—	—	—	—	1	—	—	2	—	—	—	4	—	—	—	1	—	1	—	3
4	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	2	4	—	—	—	—	—	—	—	—	—	—	1	1	1	3	—	1	2	1	—	—	5
6	1	4	—	—	—	—	1	2	1	—	1	—	1	1	4	—	—	1	1	—	1	2	6
7	—	2	—	3	1	—	1	—	—	—	—	1	2	5	—	1	4	—	1	3	—	—	7
8	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	8
9	11	13	3	2	1	—	2	2	4	—	2	1	4	4	15	19	4	5	5	3	7	5	9
10	4	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	10
11	—	2	2	—	—	—	1	—	1	—	—	—	—	—	—	2	1	1	2	3	1	1	11
12	9	8	5	4	—	2	3	4	3	2	—	5	4	3	16	19	5	9	6	7	8	8	12
13	1	1	—	1	—	—	—	—	1	—	—	—	1	2	1	4	—	1	—	2	—	—	13
14	2	1	—	3	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	2	—	—	14
15	4	10	5	5	—	1	6	4	—	1	8	5	5	10	18	28	—	5	18	9	8	10	15
16	12	9	13	5	—	—	5	1	6	6	5	1	3	8	28	22	7	10	11	13	9	16	16
17	20	15	4	4	1	—	2	3	4	1	2	—	4	7	14	10	4	9	6	4	10	4	17
18	1	—	1	2	—	—	—	2	1	—	—	—	—	3	—	1	1	—	2	—	—	1	18
19	4	3	1	1	—	—	1	2	—	1	—	—	—	—	11	4	3	1	2	—	1	2	19
20	—	1	1	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	2	—	—	20
21	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22	1	4	5	4	1	—	1	—	—	4	—	1	1	2	5	3	—	—	4	3	11	5	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	23
24	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	3	—	—	24
25	10	5	4	2	—	1	5	2	2	3	—	4	1	—	2	8	4	1	4	5	4	6	25
26	6	2	4	1	—	—	4	2	—	—	—	—	2	1	5	3	1	—	8	2	3	1	26
27	3	—	—	—	—	—	—	—	—	1	—	—	—	—	3	2	1	—	—	2	—	—	27
28	27	18	28	39	1	—	6	18	7	10	15	13	20	23	29	50	19	15	29	44	24	28	28
29	—	2	1	—	—	1	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

LANCASHIRE—*cont.*

Causes of Death.	Nelson M.B.		Newton in Maker- field U.D.		Norden U.D.		Ormskirk U.D.		Orrell U.D.		Oswald- twistle U.D.		Padiham U.D.		Poulton le Fylde U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	198	212	127	112	23	18	55	45	34	47	82	106	79	82	19	28	
1 Enteric fever	—	1	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	2	—	—	—	—	—	1	1	—	2	1	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	—	—	—	2	1	1	—	—	1	—	—	—	5
6 Diphtheria and croup	4	—	—	—	—	—	2	1	—	—	3	1	1	2	—	—	6
7 Influenza	—	1	8	1	1	1	—	1	2	4	1	3	1	2	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	8
9 Pulmonary tuberculosis	22	5	13	5	—	1	3	6	2	4	6	4	6	1	1	1	9
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	10
11 Other tuberculous diseases	1	4	2	2	—	—	—	—	—	1	3	—	2	3	—	1	11
12 Cancer, malignant disease	23	27	9	11	4	2	7	3	—	5	6	10	5	6	2	4	12
13 Rheumatic fever... ..	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	1	1	1	2	—	—	1	—	—	—	—	1	1	2	—	—	14
15 Organic heart disease	18	18	6	11	—	2	8	3	5	8	10	15	6	13	3	5	15
16 Bronchitis	20	27	8	12	2	5	6	10	2	1	5	14	10	12	—	2	16
17 Pneumonia (all forms)	11	12	13	18	1	1	2	—	2	2	3	5	4	4	1	2	17
18 Other respiratory diseases	2	3	1	1	1	—	—	1	—	—	2	2	2	1	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	2	2	5	4	—	—	3	—	2	—	2	—	2	2	—	—	19
20 Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	—	1	3	—	—	—	—	20
21 Cirrhosis of liver	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	8	6	5	3	—	1	—	2	—	—	3	4	2	2	—	—	22
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	3	—	1	—	—	—	—	—	—	—	2	—	1	—	—	24
25 Congenital debility, &c.	11	11	15	7	1	2	1	4	3	2	3	7	4	2	—	—	25
26 Violence, apart from 27	4	3	8	3	1	1	1	—	1	—	8	3	2	1	—	1	26
27 Suicide	2	1	4	—	—	—	1	—	—	—	—	2	1	—	1	—	27
28 Other defined diseases	65	81	27	28	12	2	16	12	13	16	27	25	22	26	10	11	28
29 Causes ill-defined or un- known.	1	1	1	—	—	—	2	—	—	—	1	1	1	1	—	—	29

LANCASHIRE—*cont.*

Causes of Death.	Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Rams- bottom U.D.		Rawten- stall M.B.		Rishton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	7	6	76	56	89	97	156	169	30	26	90	95	176	205	40	46	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	1	—	—	—	1	4	—	1	3
4 Scarlet fever	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	2	—	1	2	1	—	1	1	—	—	3	—	1	5
6 Diphtheria and croup	—	1	—	—	2	—	1	3	—	1	2	2	1	—	—	1	6
7 Influenza	—	—	1	2	2	3	4	3	—	1	1	2	1	2	—	1	7
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	8
9 Pulmonary tuberculosis	—	—	2	3	8	3	12	11	1	1	9	4	6	8	3	4	9
10 Tuberculous meningitis	—	—	1	—	—	—	2	1	—	1	2	1	2	1	—	—	10
11 Other tuberculous diseases	—	—	—	1	—	1	4	7	—	—	—	—	4	—	1	1	11
12 Cancer, malignant disease	—	—	4	4	12	12	7	12	4	1	6	10	14	19	2	4	12
13 Rheumatic fever... ..	—	—	3	—	1	—	—	1	—	—	—	—	—	1	1	1	13
14 Meningitis	—	—	—	1	1	1	2	1	—	2	1	1	—	1	1	—	14
15 Organic heart disease	—	2	5	7	8	15	11	11	2	4	10	10	18	28	5	8	15
16 Bronchitis	1	2	13	5	5	6	21	32	2	1	5	9	17	14	2	4	16
17 Pneumonia (all forms)	2	—	7	6	9	6	11	6	3	2	4	8	16	7	2	5	17
18 Other respiratory diseases	—	—	—	1	1	—	1	—	—	1	—	—	4	4	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	5	3	3	1	3	—	—	2	1	1	3	3	1	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—	20
21 Cirrhosis of liver	1	—	2	—	—	—	2	—	—	—	1	—	1	1	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	3	—	3	2	2	2	—	1	7	3	8	7	2	—	22
23 Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	3	—	1	—	—	—	1	—	4	—	—	24
25 Congenital debility, &c.	1	5	5	2	7	7	14	10	2	3	6	3	4	12	1	1	25
26 Violence, apart from 27	—	—	4	2	6	3	12	2	2	1	4	4	4	1	1	—	26
27 Suicide	1	—	2	—	2	—	3	1	—	—	2	1	—	1	—	—	27
28 Other defined diseases	2	—	18	11	23	31	37	62	10	4	27	33	67	77	18	13	28
29 Causes ill-defined or un- known.	—	—	1	1	—	—	2	—	1	—	1	1	4	4	—	—	29

AREAS, 1920 (Civilian population only)—continued.
LANCASHIRE—cont.

	Royton U.D.		St. Anne's on the Sea U.D.		Skelmers- dale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendle- bury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	122	115	63	89	42	33	49	46	249	241	197	187	38	40	46	51	19	19	82	90	111	100	1
2	—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	1	—	2
3	1	1	—	—	—	3	3	2	3	3	1	2	—	—	—	—	—	—	2	—	10	12	3
4	—	—	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	4
5	—	1	—	2	—	—	—	—	2	2	7	3	1	1	—	1	—	—	—	—	—	1	5
6	2	2	1	5	1	1	—	1	4	—	1	4	1	1	—	—	—	—	—	—	1	—	6
7	2	—	2	1	—	—	1	1	10	6	3	4	—	—	—	—	1	3	4	2	—	—	7
8	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	7	6	2	3	3	4	3	3	20	22	18	9	3	2	2	2	—	—	3	4	9	7	9
10	—	2	—	—	—	—	2	2	—	2	—	2	—	—	—	—	—	—	—	—	1	2	10
11	1	2	—	—	—	—	—	1	2	1	2	2	—	1	—	1	—	—	—	2	3	3	11
12	17	8	6	7	1	1	4	3	30	23	18	22	2	4	9	3	2	4	11	4	6	9	12
13	1	—	—	—	1	—	—	1	1	2	1	1	—	1	—	—	—	—	1	1	—	—	13
14	—	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	1	—	—	2	14
15	17	12	8	14	2	—	—	5	23	26	17	18	4	4	1	9	3	3	4	13	9	4	15
16	14	14	2	4	7	6	2	4	10	20	21	25	2	6	6	5	3	1	10	4	10	7	16
17	3	8	3	2	7	3	11	7	18	15	22	13	4	2	—	4	3	1	5	8	17	18	17
18	1	1	—	2	—	—	1	—	4	3	3	2	1	—	2	—	—	—	1	5	1	—	18
19	2	3	1	—	1	1	1	—	3	—	—	4	—	1	1	2	—	—	2	—	4	4	19
20	—	1	—	1	—	—	—	—	4	1	—	—	—	—	2	1	—	—	1	1	—	—	20
21	—	—	1	1	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	6	3	2	1	1	2	—	6	5	5	5	1	2	2	2	—	—	4	1	1	3	22
23	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	1	24
25	11	7	5	1	6	5	3	1	8	14	18	12	3	—	3	3	1	2	2	4	6	6	25
26	7	—	1	4	2	—	3	1	12	2	12	1	2	1	2	—	—	—	3	2	5	—	26
27	—	3	—	1	—	—	2	1	2	1	3	2	1	—	—	—	—	—	1	—	—	3	27
28	32	34	24	34	10	7	8	13	84	86	41	54	10	13	16	17	7	6	27	35	25	18	28
29	1	1	2	1	—	—	—	—	1	1	—	—	1	1	—	—	—	1	1	—	—	—	29

LANCASHIRE—cont.

	Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Sea- forth U.D.		West- houghton U.D.		Whitefield U.D.		Whit- worth U.D.		Widnes M.B.		Withnell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	59	57	30	37	41	39	67	90	30	25	215	206	92	84	54	39	64	69	280	233	19	16	1
2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2
3	1	1	—	1	—	—	4	2	—	—	4	1	1	—	1	—	—	—	2	1	—	1	3
4	—	—	1	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	—	1	—	—	4
5	—	—	—	—	1	—	—	—	—	—	—	6	—	—	—	—	—	—	—	1	—	—	5
6	—	—	—	1	—	—	—	1	—	—	7	2	—	—	—	—	—	—	2	1	—	—	6
7	2	1	1	—	—	—	1	5	1	1	2	6	7	2	1	1	1	—	20	7	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	3	1	3	4	1	6	6	3	1	10	8	4	2	—	2	8	3	25	22	—	1	9
10	—	—	—	—	1	—	1	—	—	—	1	2	1	—	—	1	2	1	1	1	—	—	10
11	2	4	—	1	—	—	—	2	—	—	4	4	—	—	1	—	2	8	8	2	—	—	11
12	9	7	4	3	5	2	6	8	1	1	15	30	9	10	4	5	5	7	19	17	1	1	12
13	—	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	1	4	1	1	—	1	13
14	—	1	—	—	—	—	1	1	—	—	—	1	1	—	—	—	1	7	7	—	—	—	14
15	4	5	7	4	1	5	5	8	4	2	14	13	4	8	8	11	3	5	6	9	2	4	15
16	4	5	3	3	1	5	7	17	6	7	13	12	9	9	5	4	6	11	26	29	3	1	16
17	6	3	2	1	1	2	5	7	—	—	24	16	11	4	6	2	5	4	35	19	—	2	17
18	3	1	—	—	1	2	—	1	—	—	8	6	2	1	1	—	—	1	3	4	—	1	18
19	2	1	—	—	1	—	—	1	—	—	7	4	2	1	1	—	2	1	11	8	—	—	19
20	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	1	20
21	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	3	1	1	1	2	1	6	2	1	1	5	1	6	3	9	3	1	—	22
23	—	—	—	—	—	2	—	1	—	—	—	1	—	2	—	—	1	—	—	2	—	—	23
24	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	—	1	—	—	5	—	—	24
25	3	3	5	1	1	—	5	3	4	1	14	12	12	6	1	1	7	3	21	18	—	—	25
26	1	3	—	3	1	—	3	2	2	—	8	4	4	1	2	—	2	1	10	5	1	—	26
27	—	—	1	1	—	1	1	2	—	1	1	1	1	—	—	—	1	1	1	—	—	—	27
28	21	18	5	15	18	17	22	19	6	10	72	65	18	33	15	12	17	21	65	68	11	3	28
29	—	—	—	—	—	—	—	1	1	—	2	3	—	1	1	—	—	—	4	1	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
LANCASHIRE—*cont.*

Causes of Death.	Wersley U.D.					Barton upon Irwell R.D.		Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		
	M	F				M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	84	76				55	57	52	53	122	115	42	45	117	130	
1 Enteric fever	—	—				—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—				—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—				—	3	—	—	—	—	2	—	2	2	3
4 Scarlet fever	—	—				—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	1				—	1	1	—	—	1	—	2	—	1	5
6 Diphtheria and croup	—	—				—	—	—	1	2	2	—	1	3	1	6
7 Influenza	5	—				—	1	2	—	1	—	1	1	3	5	7
8 Erysipelas	—	—				—	—	—	—	—	—	—	—	1	—	8
9 Pulmonary tuberculosis	3	5				5	7	1	4	10	6	1	1	3	5	9
10 Tuberculous meningitis	—	—				—	—	—	—	1	—	1	—	1	3	10
11 Other tuberculous diseases	1	—				1	1	1	—	1	1	1	1	—	1	11
12 Cancer, malignant disease	5	10				2	6	4	3	9	16	1	6	8	8	12
13 Rheumatic fever... ..	3	1				—	—	1	—	—	2	1	—	1	1	13
14 Meningitis	—	—				—	—	—	—	2	1	—	—	—	2	14
15 Organic heart disease	6	10				4	2	6	6	20	20	4	7	8	15	15
16 Bronchitis	7	7				3	4	2	7	8	9	4	7	14	9	16
17 Pneumonia (all forms)	6	6				2	5	4	4	12	4	5	—	10	5	17
18 Other respiratory diseases	—	3				—	1	2	1	2	1	—	1	2	3	18
19 Diarrhœa, &c. (under 2 yrs.)	1	—				1	—	1	—	1	—	—	—	1	2	19
20 Appendicitis and typhlitis	—	—				1	—	—	—	—	1	—	—	—	4	20
21 Cirrhosis of liver	1	—				—	—	2	—	—	—	—	—	1	—	21
21A Alcoholism	—	—				—	—	—	—	—	—	—	—	1	—	21A
22 Nephritis and Bright's dis.	5	2				—	1	3	3	2	4	2	1	1	3	22
23 Puerperal fever	—	—				—	—	—	3	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	1				—	2	—	—	—	1	—	2	—	—	24
25 Congenital debility, &c.	7	1				2	—	2	3	6	5	3	2	8	11	25
26 Violence, apart from 27	9	1				3	3	1	1	3	—	3	—	5	2	26
27 Suicide	1	—				—	—	3	1	3	1	1	—	—	1	27
28 Other defined diseases	23	27				31	20	14	14	36	37	12	13	41	38	28
29 Causes ill-defined or un- known.	—	1				—	—	2	2	2	2	—	—	3	5	29

LANCASHIRE—*cont.*

Causes of Death.	Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime- hurst R.D.		Lunesdale R.D.		Preston R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	31	40	73	57	57	61	57	57	50	77	46	61	34	47	120	125	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	1	1	3	—	—	—	—	—	4	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	5
6 Diphtheria and croup	1	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	6
7 Influenza	1	1	2	—	2	—	—	2	—	4	1	2	—	—	3	4	7
8 Erysipelas... ..	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	—	—	3	4	1	—	2	3	4	4	2	1	2	6	6	9
10 Tuberculous meningitis	—	—	—	2	—	1	—	—	—	—	2	—	—	—	—	2	10
11 Other tuberculous diseases	—	—	—	1	1	—	1	1	—	1	—	—	1	2	1	—	11
12 Cancer, malignant disease	2	9	6	2	4	7	1	7	—	5	2	4	1	8	8	9	12
13 Rheumatic fever... ..	1	—	—	1	—	—	—	—	1	—	—	1	—	—	—	1	13
14 Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	14
15 Organic heart disease	3	4	9	4	12	15	7	6	3	12	5	10	5	5	10	18	15
16 Bronchitis	4	5	3	6	3	4	6	6	4	7	2	8	2	4	9	9	16
17 Pneumonia (all forms)	3	2	6	1	5	—	2	2	6	12	6	6	2	1	10	4	17
18 Other respiratory diseases	—	—	—	—	—	1	2	1	3	1	—	1	1	1	3	1	18
19 Diarrhœa, &c. (under 2 yrs.)	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	2	19
20 Appendicitis and typhlitis	2	—	2	—	—	1	—	2	—	—	1	—	1	—	2	—	20
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	1	1	1	2	—	—	—	1	1	1	1	—	—	4	6	22
23 Puerperal fever	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	3	—	—	—	—	—	2	—	—	—	2	—	1	24
25 Congenital debility, &c.	—	1	5	9	3	—	3	—	5	5	3	4	1	—	9	6	25
26 Violence, apart from 27	—	—	5	1	1	2	5	1	4	2	2	3	3	2	6	2	26
27 Suicide	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1	27
28 Other defined diseases	8	16	31	19	18	24	28	26	17	12	15	18	14	20	43	42	28
29 Causes ill-defined or un- known.	—	—	1	—	1	—	1	—	—	2	—	—	—	—	2	4	29

AREAS, 1920 (Civilian population only)—continued.

LANCASHIRE—cont.														LEICESTERSHIRE.									
	Sefton R.D.		Ulverston R.D.		Warring-ton R.D.		West Lan-cashire R.D.		Whiston R.D.		Wigan R.D.					Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F				M	F	M	F	M	F		
1	30	51	112	112	79	63	107	112	152	112	46	26				27	27	10	16	110	108	1	
2	—	—	1	1	—	—	—	—	—	—	—	—				—	—	—	—	1	—	2	
3	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	3	
4	1	—	—	—	1	—	3	—	1	2	1	—				1	—	—	—	3	4	1	
5	—	—	—	—	—	—	—	—	1	—	—	—				—	—	—	—	1	2	5	
6	—	1	—	—	—	—	4	4	1	2	—	1				—	—	2	—	—	5	6	
7	—	17	3	1	1	1	4	2	2	5	5	—				—	1	—	—	7	5	7	
8	—	—	—	—	—	—	—	1	—	—	1	—				—	—	—	—	—	—	8	
9	1	4	9	3	5	3	7	9	20	5	2	3				—	4	—	3	3	7	9	
10	—	—	2	1	1	—	1	—	—	2	—	—				—	1	—	—	—	4	10	
11	—	2	1	2	1	1	2	2	1	1	—	—				—	1	—	—	1	—	11	
12	2	6	13	12	9	8	10	13	10	8	4	2				2	2	1	1	6	5	12	
13	—	—	1	—	—	—	—	1	—	—	—	—				—	1	—	—	2	—	13	
14	—	1	2	3	1	1	—	—	2	3	—	—				—	—	—	—	—	—	14	
15	4	5	12	17	5	5	11	10	5	5	4	2				1	2	—	3	9	9	15	
16	4	2	4	5	5	5	5	7	16	14	1	2				1	2	—	3	13	10	16	
17	2	2	8	5	7	9	5	8	22	8	6	—				—	2	2	—	21	8	17	
18	1	—	2	—	—	—	2	1	1	2	—	1				1	1	—	—	—	—	18	
19	1	—	1	—	—	2	—	—	3	2	1	—				—	—	—	—	4	1	19	
20	—	—	1	2	1	—	1	1	—	—	—	—				—	1	—	—	1	—	20	
21	1	—	—	—	—	—	1	—	2	1	—	—				1	—	—	—	—	—	21	
21A	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	21A	
22	3	1	4	3	2	1	3	1	8	3	3	—				—	1	1	—	—	2	22	
23	—	—	—	—	—	—	—	—	—	—	—	2				—	—	—	1	—	—	23	
24	—	—	—	—	—	1	—	2	—	3	—	1				—	—	—	—	—	2	24	
25	—	—	9	2	4	6	2	6	6	9	3	—				3	—	—	1	9	10	25	
26	2	1	3	1	8	2	6	4	6	3	1	2				1	—	3	—	1	3	26	
27	—	—	2	1	2	—	—	—	1	—	—	—				1	—	—	—	2	—	27	
28	8	9	31	53	26	18	36	36	42	33	14	10				12	8	3	2	24	29	28	
29	—	—	3	—	—	—	—	1	1	—	—	—				3	—	—	—	2	1	29	

LEICESTERSHIRE—cont.

	Hinckley U.D.		Lough- borough M.B.		Market Har- borough U.D.		Melton Mowbray U.D.		Oadby U.D.		Quorndon U.D.		Shepshed U.D.		Thur- maston U.D.		Wigston Magna U.D.			Ashby de la Zouch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	77	64	156	154	50	49	50	43	15	10	10	18	36	31	13	13	60	46		109	99	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	2	2
3	—	—	16	8	—	—	—	—	—	—	1	—	4	2	—	—	1	—		2	2	3
4	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—		—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	1	5
6	1	1	2	3	—	—	—	—	—	—	—	—	—	—	1	—	6	4		6	5	6
7	2	—	1	3	1	1	1	—	—	—	—	—	2	—	—	—	1	—		3	1	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		—	1	8
9	7	4	12	10	4	5	5	3	—	—	—	2	2	3	—	—	2	5		1	4	9
10	—	1	—	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—		1	—	10
11	1	1	5	5	1	1	—	—	—	—	—	—	—	—	1	—	2	—		—	2	11
12	7	8	12	16	5	5	8	7	—	1	—	1	3	3	2	2	4	9		10	8	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—		1	—	13
14	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—		—	1	14
15	7	13	18	12	13	10	4	5	3	2	2	2	4	3	—	3	6	5		5	2	15
16	11	2	14	7	1	3	4	4	3	2	1	1	—	3	1	1	4	1		13	11	16
17	1	2	8	9	5	4	6	4	4	—	—	1	1	—	2	1	3	2		7	7	17
18	—	—	1	3	1	—	1	—	1	—	—	—	1	—	1	—	1	1		2	—	18
19	1	—	6	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—		1	1	19
20	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—		—	1	20
21	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	—	—	—		—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	21A
22	1	4	3	4	—	1	2	—	1	—	—	1	2	—	—	—	4	1		2	1	22
23	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	1	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		—	2	24
25	8	4	11	12	3	—	1	3	—	1	2	1	—	1	—	—	3	3		12	7	25
26	2	3	3	4	1	1	1	—	—	—	1	—	3	—	—	—	3	—		5	2	26
27	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1		1	—	27
28	24	18	41	52	13	13	13	13	3	4	3	9	10	13	4	4	17	14		36	35	28
29	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—		—	1	29

CAUSES of DEATH in ADMINISTRATIVE

LEICESTERSHIRE—cont.

Causes of Death.		Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Donington R.D.		Hallaton R.D.		Hinckley R.D.		Loughborough R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	121	152	22	17	33	36	75	101	39	41	7	19	74	64	30	26	
1	Enteric fever ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	2	5	—	—	—	—	—	—	2	1	—	—	—	—	—	—	3
4	Scarlet fever ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	3	1	—	—	—	—	—	1	—	1	—	—	—	1	2	1	6
7	Influenza ...	6	2	—	1	—	—	—	—	—	1	—	—	—	1	2	2	7
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	11	—	—	1	3	5	10	1	3	—	—	11	5	1	—	9
10	Tuberculous meningitis	—	1	—	—	—	—	—	3	—	1	—	—	1	—	—	1	10
11	Other tuberculous diseases	1	1	—	—	1	1	1	3	1	1	—	—	1	2	1	—	11
12	Cancer, malignant disease	9	19	2	1	5	7	6	11	6	6	1	2	7	6	2	5	12
13	Rheumatic fever...	—	5	—	—	—	1	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis ...	1	—	—	—	—	—	—	2	—	—	—	1	3	1	—	—	14
15	Organic heart disease ...	15	16	3	—	1	8	5	12	5	7	2	4	8	14	2	5	15
16	Bronchitis ...	5	7	2	—	2	1	6	8	—	—	1	2	4	2	1	1	16
17	Pneumonia (all forms) ...	6	10	—	—	—	—	4	3	2	2	—	—	1	1	—	1	17
18	Other respiratory diseases	1	4	—	—	1	1	1	2	—	—	—	—	1	1	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	19
20	Appendicitis and typhlitis	1	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	21
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	—	1	1	—	4	5	—	—	1	—	2	1	—	—	22
23	Puerperal fever ..	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	7	6	4	1	3	1	12	7	2	3	—	2	5	5	1	4	25
26	Violence, apart from 27	4	2	1	—	1	1	—	—	—	2	—	2	3	1	3	—	26
27	Suicide ...	3	1	—	—	1	—	2	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	43	52	10	13	16	10	26	30	19	12	2	6	22	22	15	4	28
29	Causes ill-defined or unknown.	1	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	29

LEICESTERSHIRE—cont.

LINCOLNSHIRE (PARTS OF HOLLAND).

Causes of Death.		Lutterworth R.D.		Market Bosworth R.D.		Market Harborough R.D.		Melton Mowbray R.D.		Boston M.B.		Holbeach U.D.		Long Sutton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	75	57	130	107	45	44	67	77	115	128	36	17	27	13	
1	Enteric fever ...	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	1	—	6	3	—	—	—	—	8	10	—	—	3	—	3
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	1	1	—	—	—	—	—	1	—	—	—	2	5
6	Diphtheria and croup ...	—	—	2	1	—	—	1	—	—	—	2	1	3	—	6
7	Influenza ...	4	2	2	1	2	2	4	—	1	2	3	—	—	—	7
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	1	3	5	2	2	2	—	2	8	15	2	—	4	—	9
10	Tuberculous meningitis	1	—	1	1	1	—	1	—	—	1	—	—	—	—	10
11	Other tuberculous diseases	—	1	1	3	—	2	1	4	1	3	1	—	—	—	11
12	Cancer, malignant disease	9	9	13	15	5	3	11	9	9	12	2	3	2	3	12
13	Rheumatic fever...	—	—	1	—	—	—	—	1	—	1	—	—	—	—	13
14	Meningitis ...	—	—	2	—	—	—	1	—	—	1	—	—	—	—	14
15	Organic heart disease ...	10	7	10	15	7	13	16	14	6	10	4	2	—	—	15
16	Bronchitis ...	3	4	7	6	2	4	—	5	3	3	2	1	2	—	16
17	Pneumonia (all forms) ...	2	1	9	2	3	—	4	4	12	4	1	1	1	—	17
18	Other respiratory diseases	1	1	3	1	—	—	—	—	2	1	—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	2	—	1	1	—	—	4	6	—	—	2	—	19
20	Appendicitis and typhlitis	—	2	3	1	—	—	—	—	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	1	1	2	—	—	—	1	1	—	—	1	—	—	—	21
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	3	3	1	1	1	—	1	1	1	—	—	—	—	22
23	Puerperal fever ..	—	2	—	2	—	—	—	—	—	1	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	1	—	3	—	—	—	—	24
25	Congenital debility, &c.	1	1	10	11	1	—	5	1	12	1	4	—	3	2	25
26	Violence, apart from 27	4	—	9	2	1	—	3	4	4	2	2	—	—	1	26
27	Suicide ...	—	—	3	—	—	—	—	1	—	—	—	—	—	—	27
28	Other defined diseases ...	30	20	34	36	18	15	19	29	43	49	10	8	7	5	28
29	Causes ill-defined or unknown.	3	—	1	2	—	—	—	—	—	—	1	—	—	—	29

AREAS, 1920 (Civilian population only)—*continued.*

LINCOLNSHIRE (PARTS OF HOLLAND)—*cont.*

LINCOLNSHIRE (PARTS OF KESTEVEN).

		Spalding U.D.		Sutton Bridge U.D.				Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.				Bourne U.D.		Brace- bridge U.D.*		Grantham M.B.			
		M	F	M	F			M	F	M	F	M	F	M	F			M	F	M	F	M	F		
		69	67	7	8			142	126	15	19	60	47	71	57			32	31	21	17	121	83		
1		—	—	—	—			—	1	—	—	—	—	—	—			—	—	—	—	—	—	1	
2		—	—	—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—	2	
3		—	—	—	—			4	3	—	—	—	2	—	1			4	1	—	—	1	2	3	
4		—	—	—	1			—	—	—	—	—	—	1	—			—	—	—	—	—	—	4	
5		—	—	—	—			1	—	—	—	1	1	1	—			1	2	—	1	1	—	5	
6		—	—	—	1			1	—	—	—	1	—	—	—			—	—	3	2	—	2	6	
7		5	1	—	—			2	3	2	1	3	1	2	1			—	—	1	—	—	1	7	
8		—	1	—	—			—	—	—	—	—	—	—	—			1	—	—	—	—	—	8	
9		6	2	—	—			14	11	—	2	4	4	3	6			5	—	1	—	9	4	9	
10		—	2	—	—			—	3	—	—	—	—	2	1			—	1	—	3	1	1	10	
11		3	—	—	—			3	2	—	1	—	1	1	—			—	—	—	—	—	—	11	
12		4	9	—	3			17	18	2	5	4	7	7	7			1	4	2	4	9	10	12	
13		1	—	—	—			—	2	—	—	1	—	—	1			—	—	1	—	—	—	13	
14		—	—	—	—			1	1	—	—	—	—	—	1			—	1	—	—	—	—	14	
15		10	15	—	1			20	9	2	2	7	4	8	3			4	3	3	1	12	5	15	
16		4	2	—	—			2	3	4	1	5	1	3	8			3	4	3	2	11	4	16	
17		4	2	1	—			2	9	—	—	2	1	2	2			—	—	—	1	7	4	17	
18		1	1	—	—			1	3	—	—	1	—	1	—			1	—	—	—	1	—	18	
19		—	—	—	—			1	3	—	—	—	3	1	—			—	—	—	—	—	—	19	
20		—	—	—	—			—	2	—	—	—	—	1	—			—	1	—	—	1	—	20	
21		—	—	—	—			3	1	—	—	—	—	1	—			—	—	—	—	4	1	21	
21A		—	—	—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A	
22		3	2	—	—			2	5	—	—	—	—	3	1			2	1	—	—	2	3	22	
23		—	—	—	—			—	—	—	—	—	1	—	—			—	1	—	—	—	1	23	
24		—	1	—	—			—	1	—	—	—	—	—	—			—	1	—	—	—	1	24	
25		4	5	—	—			14	6	—	—	6	4	6	3			3	—	2	—	12	6	25	
26		2	1	1	—			3	1	—	—	—	—	3	1			1	—	1	—	3	3	26	
27		1	—	—	—			2	—	—	—	1	—	—	—			—	1	—	—	1	2	27	
28		21	22	4	2			48	39	5	7	23	17	24	20			6	10	4	2	45	33	28	
29		—	1	1	—			1	—	—	—	—	—	1	1			—	—	—	—	1	—	29	

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

	Rusking- ton U.D.		Sleaford U.D.		Stamford M.B.				Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.		Sleaford R.D.		Uffington R.D.				
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F			
	11	10	29	42	55	51			91	83	84	74	51	61	66	75	104	116	5	7			
1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	1	
2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3	—	—	—	—	6	1			4	2	2	5	—	—	—	—	1	—	—	—	—	3	
4	—	—	—	—	—	—			—	—	—	2	—	—	—	—	—	2	—	—	—	4	
5	—	—	—	—	—	—			—	—	2	2	—	—	—	—	—	2	1	3	—	5	
6	—	—	—	1	—	—			—	—	4	1	1	2	—	2	—	—	—	—	—	6	
7	—	—	1	—	1	—			2	—	3	1	—	—	1	1	4	1	—	1	—	7	
8	—	—	—	—	1	—			—	—	—	—	—	—	—	—	—	—	—	—	—	8	
9	—	2	2	1	5	2			3	1	4	5	—	5	1	5	2	13	—	—	—	9	
10	—	—	—	1	2	1			—	1	—	1	1	—	2	4	1	—	—	—	—	10	
11	—	—	—	—	1	1			—	1	—	—	2	—	1	—	—	1	—	—	—	11	
12	—	1	1	2	3	5			14	8	5	8	3	6	6	8	11	14	1	1	—	12	
13	—	—	—	—	—	—			1	—	1	—	2	1	—	—	—	—	—	—	—	13	
14	—	—	—	—	—	—			1	1	—	—	—	—	—	—	3	—	—	—	—	14	
15	2	2	4	6	4	3			9	10	6	10	5	8	5	9	12	19	—	—	—	15	
16	—	—	3	5	3	9			4	5	6	6	6	4	5	6	6	7	—	—	—	16	
17	—	—	2	3	1	1			6	9	7	3	3	3	3	3	8	5	—	—	—	17	
18	1	—	1	1	—	—			2	—	—	—	1	2	1	2	1	2	—	—	—	18	
19	—	—	1	—	—	—			—	—	—	2	—	—	—	1	2	1	—	—	—	19	
20	—	—	—	2	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	20	
21	1	—	—	—	—	—			1	—	2	—	—	—	—	—	—	—	—	—	—	21	
21A	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22	—	—	—	1	1	2			3	—	1	—	—	—	4	1	2	4	—	—	—	22	
23	—	—	—	—	—	—			—	2	—	—	—	—	—	—	—	1	—	—	—	23	
24	—	—	—	—	—	2			—	—	—	1	—	—	—	—	—	3	—	—	—	24	
25	2	1	3	4	1	4			6	10	5	2	4	1	8	5	8	2	—	1	—	25	
26	1	—	1	2	—	—			6	1	3	1	3	1	4	1	3	1	—	—	—	26	
27	—	—	1	—	—	—			—	—	1	—	—	—	1	—	2	—	—	—	—	27	
28	4	4	9	12	26	19			29	32	32	26	20	27	24	27	37	40	2	1	—	28	
29	—	—	—	1	—	—			—	—	—	—	—	1	—	—	1	—	—	—	—	29	

* Abolished on 9th November, 1920

CAUSES OF DEATH IN ADMINISTRATIVE
LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.	Alford U.D.		Barton upon Humber U.D.		Brigg U.D.		Broughton U.D.		Cleethorpe with Thruscoe U.D.		Crowle U.D.		Gains- borough U.D.		Horn- castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	6	18	44	46	18	14	7	6	153	147	34	29	129	115	23	36	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	2	—	—	—	—	1	—	—	—	7	6	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	—	—	—	1	3	—	—	1	—	—	—	5
6 Diphtheria and croup	—	—	—	—	1	1	—	—	3	3	—	—	—	4	—	—	6
7 Influenza	—	—	3	2	—	1	—	—	1	1	2	1	—	2	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	1	1	5	7	1	1	—	1	15	16	2	2	15	12	2	3	9
10 Tuberculous meningitis	—	—	1	1	—	—	—	—	1	1	—	—	2	1	1	—	10
11 Other tuberculous diseases	—	—	3	—	—	—	—	—	1	3	1	—	3	3	—	—	11
12 Cancer, malignant disease	—	2	4	2	—	1	—	—	8	13	—	—	8	13	1	3	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	5	2	—	—	1	1	—	2	13
14 Meningitis	—	—	—	—	—	1	—	—	1	—	—	1	1	—	1	—	14
15 Organic heart disease ...	3	2	1	6	1	1	—	1	20	20	1	1	12	6	4	4	15
16 Bronchitis	—	—	3	3	—	—	—	1	13	15	2	2	11	7	1	1	16
17 Pneumonia (all forms) ...	—	—	6	4	1	—	—	1	10	9	9	1	14	7	2	5	17
18 Other respiratory diseases	—	—	1	2	1	1	—	1	1	—	1	—	1	1	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	1	3	—	—	7	4	1	1	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	1	—	—	—	1	2	—	—	20
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	—	—	1	—	2	—	3	1	—	2	5	1	—	1	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	24
25 Congenital debility, &c.	—	1	2	1	1	2	—	—	13	5	1	4	4	3	—	—	25
26 Violence, apart from 27	—	1	—	—	—	—	—	—	5	2	2	—	6	1	1	—	26
27 Suicide	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	27
28 Other defined diseases ...	2	11	10	14	10	5	5	—	47	48	13	14	28	39	8	16	28
29 Causes ill-defined or un- known.	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

Causes of Death.	Louth M.B.		Mable- thorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scun- thorpe and Froding- ham U.D.		Skegness U.D.		Winterton U.D.		Woodhall Spa U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	93	96	6	13	12	11	4	6	205	121	22	23	13	12	5	11	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox..	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	5
6 Diphtheria and croup ...	2	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	6
7 Influenza	2	—	—	—	—	—	—	—	14	6	1	—	—	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	8	5	—	1	1	—	—	—	12	6	1	4	2	2	—	—	9
10 Tuberculous meningitis	1	2	—	—	—	—	—	—	3	3	—	—	—	—	—	—	10
11 Other tuberculous diseases	1	1	—	1	—	1	—	—	1	2	—	—	—	—	—	—	11
12 Cancer, malignant disease	8	7	2	1	3	2	—	1	8	10	3	6	—	1	1	3	12
13 Rheumatic fever... ..	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	13
14 Meningitis	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	14
15 Organic heart disease ...	8	15	1	1	—	3	—	—	9	4	2	2	1	1	—	2	15
16 Bronchitis	5	6	—	1	—	—	—	2	15	7	—	—	—	—	1	—	16
17 Pneumonia (all forms) ...	1	1	—	—	—	—	—	1	20	11	2	1	—	—	—	—	17
18 Other respiratory diseases	—	1	—	1	—	—	—	—	4	4	1	—	1	—	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	2	2	—	—	—	—	—	—	4	3	—	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	—	—	—	1	—	1	—	3	2	—	—	—	—	—	—	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	24
25 Congenital debility, &c.	1	2	—	—	1	1	1	1	22	12	1	1	1	—	1	—	25
26 Violence, apart from 27	11	12	—	—	1	—	1	—	22	1	—	—	1	—	—	—	26
27 Suicide	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	27
28 Other defined diseases ...	39	37	3	6	5	3	1	—	52	32	10	8	7	6	2	4	28
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29

AREAS, 1920 (Civilian population only)—*continued.*
LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

				Caistor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horn- castle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1				82	74	73	89	155	146	61	62	68	51	34	59	112	126	17	28	1
2				—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3				2	3	1	2	1	—	1	1	1	—	—	—	1	—	—	—	3
4				—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	4
5				—	1	—	1	2	3	2	3	—	—	—	—	1	1	—	—	5
6				1	1	2	3	2	2	—	1	—	—	—	—	—	—	—	—	6
7				—	1	5	4	4	5	3	3	—	2	2	1	2	1	—	—	7
8				—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9				2	7	4	6	8	8	—	7	4	4	—	4	6	16	—	4	9
10				—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	10
11				—	—	—	2	1	1	2	—	—	—	—	1	3	3	—	1	11
12				6	13	1	12	14	22	6	6	10	9	4	4	8	14	4	3	12
13				—	—	1	1	1	—	—	—	1	—	—	—	2	2	—	—	13
14				—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	14
15				14	7	7	11	17	12	5	4	8	8	4	10	18	13	1	2	15
16				8	4	6	5	11	11	2	4	9	5	2	3	4	6	3	—	16
17				5	—	5	2	10	6	—	2	5	1	—	2	6	1	1	1	17
18				—	1	1	—	2	—	1	—	—	1	—	2	1	2	—	—	18
19				—	—	—	—	—	—	2	—	1	—	1	1	—	—	—	—	19
20				1	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	20
21				—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	21
21A				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22				—	1	3	3	6	2	1	—	—	1	1	3	4	1	—	—	22
23				—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	23
24				—	1	—	—	—	3	—	—	—	1	—	—	—	3	—	—	24
25				13	3	6	1	14	11	6	7	5	4	2	4	9	10	2	2	25
26				4	1	5	1	8	5	3	1	2	2	4	1	6	5	—	—	26
27				1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	27
28				24	30	25	33	52	53	25	21	19	13	14	20	37	43	6	12	28
29				1	—	1	1	—	—	—	—	—	—	—	2	—	1	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.* MIDDLESEX.

	Spilsby R.D.		Welton R.D.					Acton U.D.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.		
	M 133	F 134	M 71	F 52				M 355	F 319	M 103	F 95	M 255	F 253	M 332	F 341	M 383	F 324	M 306	F 286	M 29	F 31	
1	—	2	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	3	2	—				7	2	1	1	7	2	2	1	5	—	4	4	1	—	3
4	—	—	—	—				—	—	—	1	—	1	—	1	1	4	1	—	—	—	4
5	—	2	1	—				3	4	2	2	2	3	1	—	5	3	1	2	—	1	5
6	2	2	—	2				11	8	—	1	7	8	4	2	9	15	8	5	—	—	6
7	1	3	—	1				4	6	2	1	4	2	12	16	10	13	8	10	1	—	7
8	—	—	—	—				1	—	1	1	—	—	—	—	1	1	—	—	—	—	8
9	8	9	3	6				36	24	9	6	18	16	21	21	45	27	28	27	—	2	9
10	2	—	1	1				6	2	—	—	3	1	7	2	5	3	—	10	1	—	10
11	2	2	1	1				5	3	—	5	4	1	4	2	3	4	4	3	1	—	11
12	13	15	4	8				25	37	8	7	28	24	32	42	36	28	37	34	5	7	12
13	—	1	—	1				2	1	—	—	2	—	2	4	—	2	4	2	1	—	13
14	1	2	1	1				2	1	—	—	2	1	3	—	2	2	1	1	1	—	14
15	12	11	8	6				28	42	12	8	29	31	41	41	42	52	30	28	1	2	15
16	7	3	2	3				31	30	10	13	20	20	21	19	25	21	18	21	—	4	16
17	4	6	3	1				34	21	6	6	16	20	21	27	41	28	19	17	2	—	17
18	3	—	—	—				6	5	3	—	6	3	2	4	10	8	4	4	—	—	18
19	—	1	—	—				8	6	4	2	5	2	6	3	1	1	2	3	2	—	19
20	—	1	—	—				2	3	—	1	—	—	4	4	3	2	3	3	1	—	20
21	—	1	2	—				1	—	—	—	2	1	1	—	2	1	3	—	—	—	21
21A	—	—	—	—				—	—	—	—	—	—	1	—	1	—	—	—	—	—	21A
22	—	2	2	—				9	4	4	3	5	2	12	6	7	8	11	7	—	—	22
23	—	1	—	1				—	4	—	2	—	3	—	4	—	2	—	3	—	—	23
24	—	2	—	—				—	3	—	1	—	4	—	3	—	4	—	3	—	—	24
25	17	6	6	3				19	16	7	7	11	13	17	12	29	31	24	16	3	2	25
26	4	1	2	—				8	6	5	1	10	1	6	6	10	8	15	3	—	1	26
27	1	—	1	—				4	—	—	4	1	2	4	2	5	2	1	1	2	—	27
28	54	57	31	17				103	91	29	22	73	92	107	118	83	54	80	79	7	12	28
29	—	1	1	—				—	—	—	—	—	—	1	1	2	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

MIDDLESEX—*cont.*

Causes of Death.				Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		Harrow on the Hill U.D.		Hayes U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	198	218	72	68	7	5	54	56	15	19	87	89	92	82	22	24	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	2	2	1	—	—	—	—	—	—	—	1	—	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5
5 Whooping cough	—	1	—	3	1	—	—	—	—	1	—	1	—	—	—	—	6
6 Diphtheria and croup	3	3	—	—	—	—	1	1	—	—	—	2	4	3	—	—	7
7 Influenza	6	9	2	5	—	—	1	—	—	—	3	2	3	1	—	—	8
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9 Pulmonary tuberculosis	16	6	7	5	1	2	9	5	2	—	7	8	9	5	1	4	10
10 Tuberculous meningitis	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	11
11 Other tuberculous diseases	—	2	1	1	—	—	1	—	—	—	1	1	2	—	1	—	12
12 Cancer, malignant disease	26	33	8	5	1	1	9	7	1	2	8	11	18	13	1	3	13
13 Rheumatic fever...	1	1	2	3	—	—	—	—	1	—	—	1	—	1	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	15
15 Organic heart disease	24	29	10	6	1	—	5	11	3	5	6	12	4	11	3	1	16
16 Bronchitis	6	17	7	6	—	—	6	2	—	1	5	7	5	3	3	2	17
17 Pneumonia (all forms)	11	11	8	3	1	—	2	—	—	—	5	2	6	3	1	1	18
18 Other respiratory diseases	2	—	1	1	—	—	2	2	—	—	2	1	2	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	—	—	1	1	—	—	3	—	—	—	—	—	20
20 Appendicitis and typhlitis	5	3	1	—	—	—	—	—	—	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	1	2	—	—	—	—	1	—	—	1	—	—	—	2	1	—	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	1	4	2	2	3	1	3	22
22 Nephritis and Bright's dis.	5	5	3	4	—	—	—	1	—	1	—	2	—	—	—	—	23

MIDDLESEX—*cont.*

Causes of Death.				Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip North- wood U.D.		Southall Norwood U.D.		Southgate U.D.		Staines U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	239	223	227	231	434	469	9	12	36	32	103	134	173	182	28	33	1
1	Enteric fever	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	5	3	5	4	3	1	—	—	—	—	1	—	1	1	—	—	4
4	Scarlet fever	1	2	2	—	2	2	—	—	—	—	—	1	—	1	—	—	5
5	Whooping cough	2	2	2	3	6	2	—	—	—	—	—	1	—	1	—	—	6
6	Diphtheria and croup	2	5	—	4	9	12	—	—	—	—	2	—	5	6	1	—	7
7	Influenza	3	5	4	5	8	12	—	—	1	2	2	—	—	1	—	—	8
8	Erysipelas	1	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	9
9	Pulmonary tuberculosis	21	12	20	20	32	35	—	1	2	1	10	14	13	11	6	4	10
10	Tuberculous meningitis	—	3	1	—	1	1	—	—	1	1	2	1	—	—	1	—	11
11	Other tuberculous diseases	4	2	1	2	5	6	1	—	1	1	1	5	—	—	—	1	12
12	Cancer, malignant disease	27	28	27	29	43	84	1	3	4	6	8	15	23	29	6	4	13
13	Rheumatic fever...	—	2	4	—	1	1	—	—	2	—	1	—	1	2	—	—	14
14	Meningitis	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	15
15	Organic heart disease	24	33	26	25	48	58	—	—	2	5	13	14	24	24	4	4	16
16	Bronchitis	9	21	23	20	27	41	1	1	—	2	3	5	5	7	3	5	17
17	Pneumonia (all forms)	23	17	13	16	26	15	—	1	—	1	7	8	8	7	1	—	18
18	Other respiratory diseases	5	3	1	2	6	2	—	—	—	—	—	1	4	5	5	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	1	4	3	6	2	—	—	—	—	5	4	1	—	—	—	20
20	Appendicitis and typhlitis	2	1	3	3	1	1	—	—	—	1	—	1	3	1	—	—	21
21	Cirrhosis of liver	—	—	—	—	7	3	—	—	1	—	—	—	1	—	1	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	22
22	Nephritis and Bright's dis.	6	—	6	7	23	13	—	—	—	2	3	5	10	6	—	1	23
23	Puerperal fever	—	1	—	—	—	1	—	1	—	—	—	2	—	—	—	—	24
24	Parturition, apart from 23	—	4	—	1	—	7	—	—	—	—	—	3	—	—	—	1	25
25	Congenital debility, &c.	10	13	14	11	34	10	2	—	2	—	9	13	9	6	1	5	26
26	Violence, apart from 27	8	6	8	5	10	4	2	1	3	3	7	2	13	3	—	—	27
27	Suicide	2	2	2	—	4	3	—	—	—	—	—	—	1	1	—	—	28
28	Other defined diseases	81	57	58	70	128	150	2	4	17	6	27	36	48	69	4	8	29
29	Causes ill-defined or un- known.	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	

AREAS, 1920 (Civilian population only)—continued.

MIDDLESEX—cont.

	Sunbury on Thames U.D.		Teddington U.D.		Tottenham U.D.		Twicken- ham U.D.		Uxbridge U.D.		Weald- stone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.		Yiewsley U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	29	29	104	103	706	738	190	173	65	64	51	64	70	60	867	814	258	251	22	27		
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3	—	—	1	—	9	7	1	—	—	—	—	—	1	—	8	9	3	2	—	—	3	
4	—	—	—	—	5	2	1	1	—	—	—	—	—	—	5	3	1	1	—	—	4	
5	—	1	1	—	5	6	—	—	—	—	—	—	1	—	5	8	3	2	1	1	5	
6	—	—	2	1	16	23	1	3	2	2	1	3	4	—	22	21	1	4	1	—	6	
7	—	—	1	1	14	11	3	2	2	—	1	2	1	—	12	15	4	3	1	—	7	
8	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	3	1	—	—	—	8	
9	1	1	10	5	73	66	15	7	5	5	5	5	3	7	66	62	25	19	1	3	9	
10	—	—	—	—	4	6	2	1	—	—	—	—	—	—	5	5	2	5	—	—	10	
11	—	—	—	2	4	8	3	1	—	—	—	1	1	—	9	1	2	—	—	—	11	
12	4	4	11	20	53	96	14	29	3	9	6	10	9	7	87	88	31	43	1	4	12	
13	—	1	1	2	3	2	1	—	—	—	—	—	1	—	2	3	2	1	—	—	13	
14	1	1	3	—	—	7	1	—	—	—	—	2	—	—	9	1	—	1	—	—	14	
15	2	5	13	18	57	99	19	15	9	5	2	5	6	9	89	100	26	45	3	2	15	
16	6	1	5	7	60	67	12	14	3	4	1	2	3	4	70	71	20	27	1	2	16	
17	—	2	10	4	80	60	13	14	1	4	2	2	8	1	65	45	15	17	1	—	17	
18	—	1	2	—	14	11	4	1	1	1	1	1	1	—	15	14	2	3	—	1	18	
19	1	—	3	2	16	10	3	1	2	1	1	—	—	2	11	13	6	4	—	—	19	
20	1	—	1	—	6	2	3	—	—	2	1	2	—	—	8	9	3	1	—	—	20	
21	1	—	1	1	6	3	1	—	2	—	—	—	—	—	6	—	5	—	1	—	21	
21A	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22	1	—	1	4	21	15	7	4	—	—	4	1	3	2	18	23	6	6	—	1	22	
23	—	1	—	—	—	6	—	3	—	—	—	—	—	2	—	9	—	—	—	—	23	
24	—	—	—	2	—	7	—	2	—	—	—	—	—	1	—	13	—	1	—	—	24	
25	3	4	8	2	43	40	11	10	9	6	12	4	6	1	69	47	15	7	2	4	25	
26	1	1	—	1	25	16	7	5	1	2	3	1	1	1	27	14	8	3	1	—	26	
27	—	—	—	—	9	2	3	1	—	—	—	—	—	—	13	3	4	1	1	—	27	
28	7	6	30	31	182	165	62	58	24	23	11	23	21	23	243	234	73	55	7	9	28	
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	29	

MIDDLESEX—cont.

MONMOUTHSHIRE.

	Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.					Abercarn U.D.		Aber- gavenny M.B.		Aber- sychan U.D.		Aber- tillery U.D.		Bedwas and Machen U.D.			
	M	F	M	F	M	F	M	F				M	F	M	F	M	F	M	F	M	F		
	61	80	11	19	121	93	61	55				106	105	50	62	164	121	259	212	41	50		
1	—	—	—	—	1	—	—	—				—	—	—	—	1	—	1	1	—	—	1	
2	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—	2	
3	1	1	—	—	—	—	—	—				3	4	—	1	2	4	14	12	—	5	3	
4	—	—	—	—	—	—	—	1				1	2	—	—	—	1	—	—	—	—	4	
5	—	—	—	—	—	1	—	—				1	2	—	—	—	2	4	—	—	—	5	
6	1	—	—	—	2	—	—	2				2	1	—	—	3	1	4	7	1	—	6	
7	—	1	—	1	2	2	—	1				1	2	—	—	4	2	26	8	1	1	7	
8	—	1	—	—	—	—	—	—				—	—	—	—	—	2	—	—	—	—	8	
9	3	2	—	2	3	1	5	5				2	6	8	3	10	6	10	10	4	2	9	
10	—	1	—	—	—	—	—	—				2	1	1	3	2	1	3	—	—	—	10	
11	—	1	—	—	1	2	—	1				2	1	—	2	2	2	3	—	1	—	11	
12	14	17	2	5	13	10	9	4				4	10	7	6	6	6	11	18	2	1	12	
13	—	—	—	—	2	—	1	1				2	2	—	1	1	1	2	3	—	—	13	
14	—	—	—	—	3	1	—	—				—	1	1	—	1	—	1	—	1	—	14	
15	3	12	2	4	12	10	14	7				5	4	8	8	11	15	20	7	4	2	15	
16	7	2	1	1	7	9	4	5				8	7	1	2	21	8	13	18	2	1	16	
17	4	4	1	—	8	5	—	4				13	15	2	2	6	8	37	23	1	6	17	
18	—	1	—	—	4	3	—	—				3	—	1	2	1	1	4	2	1	3	18	
19	—	—	—	—	2	—	—	—				2	4	1	—	6	—	10	11	1	2	19	
20	—	—	—	—	1	—	—	—				1	1	—	2	2	1	—	1	—	—	20	
21	1	—	—	—	—	—	—	—				1	—	1	—	1	1	1	—	—	—	21	
21A	—	—	—	—	—	—	—	—				—	—	—	—	1	—	—	—	—	—	21A	
22	2	4	—	1	5	8	—	2				3	5	2	—	5	1	3	4	1	1	22	
23	—	—	—	—	—	1	—	—				—	1	—	—	—	2	—	3	—	—	23	
24	—	1	—	1	—	—	—	—				—	3	—	—	—	5	—	5	—	1	24	
25	4	4	—	1	4	3	—	5				15	10	3	6	19	13	34	15	3	4	25	
26	4	1	2	—	6	1	8	—				10	1	2	—	14	3	13	1	6	1	26	
27	2	—	—	—	3	1	—	—				—	1	—	—	—	—	1	—	—	—	27	
28	15	27	3	3	41	35	20	17				25	21	12	24	45	39	43	58	11	19	28	
29	—	—	—	—	1	—	—	—				—	—	—	—	—	—	1	1	—	1	29	

CAUSES of DEATH in ADMINISTRATIVE
MONMOUTHSHIRE—*cont.*

Causes of Death.			Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrech- fa Upper U.D.		Llantar- nam U.D.		Monmouth M.B.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	197	169	118	88	7	16	34	39	286	233	23	26	55	46	42	37	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	9	18	5	3	—	3	—	—	7	7	1	2	2	—	1	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	3	3	—	—	3	—	—	—	5
5	Whooping cough	6	7	—	—	—	—	—	—	1	13	—	—	—	1	—	—	6
6	Diphtheria and croup	—	5	—	—	—	—	1	2	6	1	—	1	3	—	—	—	7
7	Influenza	11	11	—	1	—	—	—	7	2	1	1	1	1	1	—	—	8
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	14	11	5	2	—	—	3	2	18	13	3	2	2	4	4	1	10
10	Tuberculous meningitis	3	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	11
11	Other tuberculous diseases	3	3	2	1	—	—	—	—	3	—	2	1	—	1	1	—	12
12	Cancer, malignant disease	9	9	2	6	2	1	3	7	8	12	2	3	2	4	2	2	13
13	Rheumatic fever...	2	—	1	2	—	—	—	—	4	—	—	—	1	1	—	—	14
14	Meningitis	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	15
15	Organic heart disease	9	5	8	4	1	2	5	5	24	20	1	3	4	2	3	7	16
16	Bronchitis	15	12	23	19	—	—	3	1	29	22	1	2	9	8	1	—	17
17	Pneumonia (all forms)	29	18	4	4	—	2	2	1	28	10	1	4	2	5	5	2	18
18	Other respiratory diseases	1	2	4	2	—	1	—	—	9	3	—	—	2	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)	5	1	5	2	—	—	—	—	1	5	—	—	—	—	1	1	20
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	2	2	2	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	2	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	1	2	2	—	1	3	3	3	2	1	1	1	1	2	1	23
23	Puerperal fever	—	4	—	—	—	—	—	—	—	6	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	2	—	—	—	—	—	1	—	5	—	—	—	1	—	2	25
25	Congenital debility, &c.	18	18	5	8	—	—	2	1	34	11	1	1	2	1	5	3	26
26	Violence, apart from 27	11	7	9	2	1	—	3	2	25	6	2	—	5	—	2	2	27
27	Suicide	1	—	3	1	—	—	—	—	1	1	—	—	—	—	—	—	28
28	Other defined diseases	45	32	37	28	2	8	9	15	70	79	3	6	18	13	13	13	29
29	Causes ill-defined or un- known.	2	2	2	—	—	—	1	—	3	1	—	—	—	—	—	—	

MONMOUTHSHIRE—*cont.*

Causes of Death.				Mynyddis- lwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				87	71	123	98	55	61	54	44	100	78	85	89	165	145	3	6	1
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles			3	7	13	9	—	—	1	—	15	9	4	3	6	7	—	—	4
4	Scarlet fever			—	2	—	—	—	—	1	—	—	1	1	—	—	1	—	—	5
5	Whooping cough			3	5	1	—	—	—	—	1	—	1	—	—	—	4	—	—	6
6	Diphtheria and croup			3	1	—	—	4	1	—	—	2	2	3	1	2	3	—	—	7
7	Influenza			4	3	4	3	1	—	1	—	—	—	1	3	4	—	—	—	8
8	Erysipelas			—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9	Pulmonary tuberculosis			4	5	3	5	3	3	5	5	10	4	3	9	7	10	—	—	10
10	Tuberculous meningitis			—	2	1	—	—	—	2	—	—	—	—	1	1	2	—	—	11
11	Other tuberculous diseases			—	1	—	—	1	—	—	—	2	2	—	—	1	1	—	—	12
12	Cancer, malignant disease			4	3	6	3	11	3	2	4	5	8	9	11	6	10	1	—	13
13	Rheumatic fever... ..			—	1	—	—	1	—	—	—	1	—	—	—	1	1	—	—	14
14	Meningitis			1	—	—	—	1	2	1	1	—	1	—	—	—	1	—	—	15
15	Organic heart disease			3	7	7	8	4	8	6	4	6	4	9	17	10	12	—	1	16
16	Bronchitis			5	2	20	13	4	5	4	3	9	6	6	6	27	16	—	1	17
17	Pneumonia (all forms)			10	9	15	8	3	4	5	1	9	9	5	4	18	7	—	1	18
18	Other respiratory diseases			1	2	1	4	1	—	1	4	1	1	1	—	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)			2	—	1	1	—	2	—	—	2	2	1	1	4	3	—	—	20
20	Appendicitis and typhlitis			2	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—	21
21	Cirrhosis of liver			—	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	21A
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	22
22	Nephritis and Bright's dis.			1	2	1	1	2	1	2	2	4	—	2	1	1	1	—	—	23
23	Puerperal fever			—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
24	Parturition, apart from 23			—	1	—	2	—	2	—	—	—	1	—	3	—	3	—	—	25
25	Congenital debility, &c.			8	4	9	8	5	6	1	1	6	4	6	6	10	10	1	—	26
26	Violence, apart from 27			9	1	8	2	2	3	2	—	5	1	5	1	15	—	—	—	27
27	Suicide			—	—	1	—	—	—	1	—	—	3	—	—	3	—	—	—	28
28	Other defined diseases			24	12	30	30	10	20	17	17	23	18	27	21	46	50	1	3	29
29	Causes ill-defined or un- known.			—	—	—	1	—	—	1	—	—	—	—	—	—	2	—	—	30

CAUSES of DEATH in ADMINISTRATIVE

NORFOLK—cont.

Causes of Death.	Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		Erping- ham R.D.		Forehoe R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	92	101	59	68	116	114	95	106	98	83	36	58	101	102	64	79	1
1 Enteric fever ...	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	—	1	—	—	—	—	—	—	1	—	—	1	—	1	—	2	4
4 Scarlet fever ...	—	—	—	—	—	1	1	—	3	2	—	—	1	—	—	1	5
5 Whooping cough ...	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup ...	2	4	1	—	—	—	1	—	—	—	2	2	—	1	2	—	7
7 Influenza ...	1	—	1	—	—	—	2	1	2	1	1	—	3	—	1	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	9
9 Pulmonary tuberculosis	4	5	3	3	11	6	6	8	2	4	—	6	9	8	4	2	10
10 Tuberculous meningitis	—	—	1	1	2	—	—	—	1	1	1	—	—	—	1	1	11
11 Other tuberculous diseases	—	1	—	2	1	—	—	—	—	—	—	—	1	2	2	1	12
12 Cancer, malignant disease	12	14	5	18	8	12	8	17	11	15	3	10	14	14	5	9	13
13 Rheumatic fever...	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	2	2	1	1	—	—	—	1	1	1	2	—	—	—	—	15
15 Organic heart disease ...	16	17	8	5	20	27	12	16	8	17	2	5	13	8	11	17	16
16 Bronchitis ...	5	8	7	4	1	7	7	8	6	6	3	3	4	5	4	14	17
17 Pneumonia (all forms) ...	3	—	—	1	5	1	2	4	7	3	1	—	3	2	1	3	18
18 Other respiratory diseases	—	—	1	1	—	5	2	—	—	—	—	—	—	2	—	2	19
19 Diarrhoea, &c. (under 2 yrs.)	3	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	20
20 Appendicitis and typhlitis	3	1	—	—	—	1	—	—	—	—	—	—	—	—	1	1	21
21 Cirrhosis of liver ...	—	—	—	—	3	1	2	—	2	1	—	—	—	—	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	5	3	4	1	—	—	3	1	2	3	4	3	—	—	23
23 Puerperal fever ...	—	2	—	—	—	3	—	—	—	—	—	—	—	3	—	1	24
24 Parturition, apart from 23	—	1	—	1	—	2	—	1	—	1	—	—	—	1	—	—	25
25 Congenital debility, &c.	9	6	2	2	7	7	7	5	9	6	5	4	5	10	4	2	26
26 Violence, apart from 27	3	3	2	—	6	—	—	—	5	1	2	—	2	2	2	2	27
27 Suicide ...	1	1	2	—	—	—	1	—	1	1	—	—	—	—	5	2	28
28 Other defined diseases ...	30	33	19	25	46	39	42	39	32	22	9	21	41	38	20	19	29
29 Causes ill-defined or un- known.	—	1	—	—	—	—	1	3	1	—	1	—	—	—	—	—	

NORFOLK—cont.

Causes of Death.	Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		St. Faith's R.D.		Small- burgh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	58	61	64	54	5	6	62	79	73	78	103	91	58	74	88	74	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	—	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	1	2	2	—	—	1	—	—	5
5 Whooping cough ...	—	1	—	—	—	—	—	—	1	—	—	—	—	4	—	—	6
6 Diphtheria and croup ...	—	—	1	—	—	—	1	1	—	—	—	—	—	1	2	—	7
7 Influenza ...	—	—	1	—	—	—	—	—	2	4	—	3	—	1	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	2	3	2	2	—	—	2	5	3	3	5	4	4	6	6	5	10
10 Tuberculous meningitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	11
11 Other tuberculous diseases	—	—	1	—	—	—	3	1	—	1	2	—	1	2	2	1	12
12 Cancer, malignant disease	10	7	12	3	—	—	3	19	8	8	15	14	5	8	14	10	13
13 Rheumatic fever...	—	1	1	—	—	—	—	1	1	—	—	1	—	1	1	—	14
14 Meningitis ...	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	15
15 Organic heart disease ...	3	13	7	8	1	—	12	6	4	9	15	15	3	8	5	6	16
16 Bronchitis ...	4	3	4	7	—	1	4	5	5	6	5	12	6	7	8	5	17
17 Pneumonia (all forms) ...	3	5	1	3	—	2	—	—	3	—	3	3	3	4	6	3	18
18 Other respiratory diseases	2	—	—	1	—	—	1	1	1	—	2	2	1	1	3	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	1	—	1	—	—	2	—	1	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	1	2	1	—	1	—	21
21 Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	4	3	1	—	—	—	—	1	3	1	4	2	1	2	4	2	23
23 Puerperal fever ...	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	3	—	1	—	1	—	1	—	4	25
25 Congenital debility, &c.	1	3	—	4	1	—	7	4	5	6	4	2	6	3	4	4	26
26 Violence, apart from 27	2	2	6	1	1	—	3	1	6	—	5	1	—	—	4	2	27
27 Suicide ...	1	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	28
28 Other defined diseases ...	24	14	27	22	2	2	23	29	22	34	35	26	27	20	26	31	29
29 Causes ill-defined or un- known.	1	1	—	1	—	—	1	—	—	1	1	2	—	—	—	—	

AREAS, 1920 (Civilian population only)—continued.

NORFOLK—cont.

NORTHAMPTONSHIRE.

	Swaffham R.D.		Thetford R.D.		Walsing- ham R.D.		Wayland R.D.				Brackley M.B.		Daventry M.B.		Des- borough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthling- borough U.D.		
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
1	48	43	68	52	88	100	90	87			10	10	20	23	14	14	33	19	17	18	19	22	1
2	1	—	—	—	1	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	1	2	—			—	—	1	—	—	—	—	—	—	—	—	—	4
5	—	—	1	1	—	—	1	2			—	—	—	—	—	—	—	—	1	—	—	—	5
6	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	6
7	1	—	5	2	2	2	—	—			—	—	1	1	—	—	—	—	—	1	1	—	7
8	—	—	—	—	2	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	8
9	1	3	—	2	6	9	4	8			2	1	1	—	—	—	1	2	2	1	2	4	9
10	—	—	—	2	—	—	2	1			—	—	—	—	—	—	—	—	—	—	—	1	10
11	—	1	1	—	1	2	1	1			—	—	—	—	—	—	—	—	—	—	—	—	11
12	3	8	7	3	7	12	11	9			3	1	4	1	—	2	1	2	3	1	3	3	12
13	—	—	—	—	1	—	—	—			—	—	—	—	—	—	1	—	—	—	—	—	13
14	—	1	—	—	—	1	—	—			—	—	—	—	—	1	—	—	—	—	—	—	14
15	10	5	10	7	10	13	12	10			1	1	2	2	1	3	4	6	—	1	3	—	15
16	5	3	8	2	4	2	5	6			1	2	—	2	—	1	3	1	1	—	—	4	16
17	1	—	2	2	3	2	3	2			—	—	—	—	1	—	1	3	3	1	3	1	17
18	2	—	1	1	3	4	1	1			—	—	—	—	—	—	—	—	—	—	1	1	18
19	2	—	—	1	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	1	—	—	—	1			—	—	—	—	1	—	—	—	—	—	—	—	20
21	—	—	—	—	1	—	—	1			—	—	—	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	2	2	3	2	1	—	—			1	1	1	2	—	—	1	—	—	1	—	—	22
23	—	1	—	1	—	—	—	—			—	—	—	1	—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—	24
25	5	2	5	4	13	4	6	3			—	—	—	2	2	2	4	1	1	3	—	—	25
26	1	1	5	1	1	1	1	6			1	—	—	1	—	—	1	—	—	—	—	1	26
27	1	1	1	—	1	—	2	—			—	—	—	—	2	—	1	—	—	—	—	—	27
28	13	14	18	17	28	44	36	33			1	4	10	11	7	5	14	2	5	7	6	7	28
29	—	1	2	1	—	—	3	2			—	—	—	—	—	—	—	—	—	2	—	—	29

NORTHAMPTONSHIRE—cont.

	Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Welling- borough U.D.				Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1	175	153	10	15	26	19	23	18	73	60	112	115			46	48	54	81	11	16	89	70	1
2	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3	—	2	1	—	—	—	—	—	2	—	—	5	2		—	—	1	—	—	—	4	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	4
5	3	—	—	3	—	1	—	—	1	2	—	1			—	—	—	—	—	—	2	1	5
6	2	2	—	—	—	—	—	—	1	—	1	1			—	—	—	—	—	—	—	—	6
7	3	—	—	—	1	—	—	—	1	2	3	5			1	1	3	1	—	—	—	—	7
8	—	1	—	—	—	—	—	—	—	—	1	—			—	—	—	—	—	—	—	—	8
9	12	19	1	—	2	2	—	2	8	6	8	14			3	—	5	6	1	1	4	5	9
10	2	1	—	—	1	—	—	1	1	—	2	2			1	—	—	1	—	—	1	—	10
11	3	4	—	—	—	—	—	—	—	2	—	1			1	—	—	—	—	—	1	1	11
12	18	22	1	1	2	3	5	2	6	13	11	13			6	8	4	12	—	2	7	12	12
13	—	—	—	—	—	—	—	—	—	1	—	1			—	—	—	—	—	—	—	1	13
14	2	1	1	—	—	—	—	—	1	1	—	—			—	—	—	1	—	1	—	—	14
15	19	28	—	3	1	1	—	2	7	9	8	13			6	8	7	9	1	1	6	9	15
16	6	7	—	—	2	1	4	1	3	—	5	5			2	1	4	6	1	2	3	4	16
17	13	2	—	—	3	—	1	—	2	2	6	6			1	1	1	3	—	1	2	3	17
18	1	—	—	—	—	—	—	—	1	—	5	1			—	—	—	5	—	—	—	—	18
19	2	1	—	—	—	—	—	—	1	1	—	—			—	1	—	—	—	—	3	—	19
20	1	1	—	—	—	—	—	—	—	—	1	—			1	—	—	—	—	—	—	—	20
21	—	2	—	—	—	—	—	—	—	—	—	—			—	—	1	—	—	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—			—	—	—	—	—	—	—	—	21A
22	6	3	—	1	—	—	—	1	—	—	3	3			—	2	1	4	1	—	8	2	22
23	—	1	—	—	—	—	—	—	—	—	—	—			—	1	—	1	—	1	—	—	23
24	—	1	—	—	—	2	—	—	—	—	—	2			—	1	—	1	—	—	—	—	24
25	12	10	1	1	1	3	—	—	6	6	11	9			6	3	5	2	—	—	5	8	25
26	6	3	—	—	—	1	—	—	2	—	3	3			1	—	1	—	2	—	4	—	26
27	2	2	—	—	—	—	—	—	1	1	—	1			—	—	—	1	—	—	—	—	27
28	60	39	6	6	12	5	12	9	27	13	33	32			17	21	21	28	5	7	34	24	28
29	—	2	—	—	1	—	—	—	2	1	3	—			—	—	—	—	—	—	1	—	29

CAUSES OF DEATH IN ADMINISTRATIVE NORTHAMPTONSHIRE—cont.

Causes of Death.	Easton on the Hill R.D.		Gretton R.D.		Hardingstone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northampton R.D.		Oundle (pt.) R.D.*		Oxendon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	6	8	13	12	40	36	76	74	11	12	31	30	40	41	25	26	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	6
6 Diphtheria and croup	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	7
7 Influenza	—	—	—	2	3	2	—	—	—	—	—	—	1	1	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
9 Pulmonary tuberculosis	—	1	—	—	4	1	5	5	—	2	2	1	2	2	1	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	11
11 Other tuberculous diseases	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	12
12 Cancer, malignant disease	1	2	1	2	2	4	6	9	—	1	—	1	4	8	2	4	13
13 Rheumatic fever... ..	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	15
15 Organic heart disease	1	—	2	1	6	4	6	9	—	1	10	4	3	3	4	3	16
16 Bronchitis	—	—	1	1	2	5	5	6	—	1	1	2	4	1	1	5	17
17 Pneumonia (all forms)	—	—	—	—	4	2	4	3	—	1	2	3	—	1	—	—	18
18 Other respiratory diseases	—	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	22
22 Nephritis and Bright's dis.	2	—	—	—	1	1	3	—	—	—	—	1	—	—	1	1	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	25
25 Congenital debility, &c.	1	—	2	1	1	—	9	6	1	—	2	1	3	1	2	1	26
26 Violence, apart from 27	1	1	2	1	2	—	5	1	—	—	3	1	1	—	—	—	27
27 Suicide	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	—	4	4	2	13	11	20	26	9	5	5	15	21	18	14	7	29
29 Causes ill-defined or unknown.	—	—	1	—	—	1	2	2	—	—	2	—	—	1	—	1	29

NORTHAMPTONSHIRE—cont. NORTHUMBERLAND.

Causes of Death.	Potters-bury R.D.		Thrapston (pt.) R.D.†		Towcester R.D.		Wellingborough R.D.						Alnwick U.D.		Amble U.D.		
	M	F	M	F	M	F	M	F					M	F	M	F	
ALL CAUSES	42	33	59	50	73	73	67	82					48	68	29	23	1
1 Enteric fever	—	—	—	—	—	—	—	—					—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	3
3 Measles	—	—	—	—	—	—	1	1					—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	5
5 Whooping cough	—	—	1	—	—	1	1	—					—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	1	—	2	2					—	—	—	—	7
7 Influenza	—	1	—	1	—	—	2	2					—	—	—	—	8
8 Erysipelas	—	1	—	—	—	—	—	—					—	—	—	—	9
9 Pulmonary tuberculosis	1	3	6	2	1	3	2	1					3	3	3	2	10
10 Tuberculous meningitis	—	—	1	—	—	1	—	1					—	1	—	—	11
11 Other tuberculous diseases	—	—	1	1	3	—	1	1					—	2	—	1	12
12 Cancer, malignant disease	4	2	5	10	7	9	3	10					3	6	3	1	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—					—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	2					—	1	—	—	15
15 Organic heart disease	7	6	8	10	13	13	9	14					1	7	3	—	16
16 Bronchitis	2	1	3	1	3	5	5	5					2	2	2	3	17
17 Pneumonia (all forms)	4	3	8	—	7	2	3	4					13	3	7	2	18
18 Other respiratory diseases	—	1	—	1	—	—	—	2					—	1	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	1	1	—	—					—	3	—	1	20
20 Appendicitis and typhlitis	1	—	—	—	1	—	1	—					—	1	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—					—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—					—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	1	3	—	2	—	2					2	2	1	1	23
23 Puerperal fever	—	—	—	1	—	—	—	—					—	1	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	3					—	2	—	1	25
25 Congenital debility, &c.	4	2	5	4	3	3	6	5					2	3	1	—	26
26 Violence, apart from 27	3	—	2	—	4	—	3	1					2	2	1	—	27
27 Suicide	—	—	—	—	1	1	—	1					—	—	—	—	28
28 Other defined diseases	13	10	17	16	27	32	27	25					20	26	5	11	29
29 Causes ill-defined or unknown.	—	1	—	—	1	—	1	—					—	2	1	—	29

* The remainder of Oundle R.D. is in Huntingdonshire; see page 432.
† The remainder of Thrapston R.D. is in Huntingdonshire; see page 433.

AREAS, 1920 (Civilian population only)—continued.
NORTHUMBERLAND—cont.

	Ashington U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramling- ton U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		Long- benton U.D.		Morpeth M.B.		Newbiggin by the Sea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	221	190	191	163	90	73	231	195	63	56	91	68	75	79	67	67	81	68	65	59	44	31	1
2	2	2	1	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	3	—	3	—	—	3	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	4
5	2	3	3	—	1	1	—	—	—	—	1	—	3	2	1	3	1	1	—	1	—	—	5
6	2	4	2	—	—	—	—	1	—	—	—	—	—	—	2	2	1	1	—	—	—	—	6
7	4	3	7	7	—	—	2	4	1	1	1	1	1	—	—	—	1	—	2	1	—	—	7
8	1	4	4	2	—	2	8	4	—	—	6	3	4	2	1	—	7	2	1	2	—	—	8
9	—	—	—	3	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
10	11	16	10	10	5	6	21	23	2	2	7	9	6	4	3	6	3	9	4	5	2	—	10
11	3	3	4	2	1	1	6	4	—	—	3	3	—	2	1	1	—	—	—	—	—	1	11
12	4	1	8	2	1	1	2	5	—	—	—	1	—	4	1	1	1	1	3	2	—	2	12
13	7	15	10	10	6	10	11	21	4	6	4	3	9	6	4	6	3	8	7	2	1	2	13
14	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	14
15	2	1	5	2	1	—	7	1	—	1	1	—	1	2	2	—	—	—	1	—	1	—	15
16	8	17	7	13	14	7	11	13	5	4	5	7	5	7	9	4	5	6	7	5	4	6	16
17	23	17	7	5	5	3	15	5	7	8	4	4	5	4	1	2	7	3	4	5	1	—	17
18	29	17	25	17	4	2	24	14	9	3	9	7	5	4	6	5	7	5	8	5	5	2	18
19	4	1	4	3	1	1	1	1	1	—	2	—	2	2	—	2	1	—	2	—	—	—	19
20	15	14	3	4	2	—	12	9	1	—	6	1	1	3	4	2	—	2	2	1	2	—	20
21	1	—	1	—	1	1	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	5	2	5	3	3	—	2	5	1	2	1	2	1	5	2	3	—	1	2	2	—	3	23
24	—	—	—	2	—	—	—	3	—	4	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	3	—	3	—	1	—	5	—	—	—	1	—	2	—	—	—	1	—	—	—	—	25
26	34	16	25	19	8	1	21	16	7	6	8	5	7	2	2	3	6	5	4	4	5	3	26
27	6	4	5	3	6	1	11	3	3	—	1	2	3	—	1	1	3	—	3	1	3	1	27
28	2	—	3	—	—	—	3	—	1	—	—	1	—	1	3	—	2	—	—	—	—	—	28
29	53	42	47	48	29	32	68	52	19	17	29	18	21	24	24	25	32	19	14	19	11	—	29
30	1	1	4	2	1	1	2	3	1	2	1	—	1	—	—	—	—	—	2	1	—	—	30

NORTHUMBERLAND—cont.

	Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monk- seaton U.D.			Alnwick R.D.		Belford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	134	98	49	48	10	11	54	40	18	10	374	269	45	43	91	98		84	87	22	29	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—		—	—	—	—	3
4	1	3	—	2	—	—	—	—	—	—	—	2	—	—	—	—		—	—	—	—	4
5	1	—	1	—	—	—	1	—	—	—	7	5	1	2	1	2		—	—	—	—	5
6	3	5	1	1	—	—	—	—	1	1	2	1	1	3	—	1		—	1	—	—	6
7	2	4	—	—	—	—	3	—	—	—	12	3	—	—	—	—		2	—	—	—	7
8	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—		—	—	—	—	8
9	10	6	4	2	—	—	1	2	2	3	38	28	3	2	5	6		1	7	—	1	9
10	—	—	—	—	—	—	1	—	—	—	10	6	—	—	—	—		2	2	—	1	10
11	1	—	—	2	—	1	1	—	—	—	4	2	—	1	1	1		3	2	—	—	11
12	8	6	3	3	2	1	3	2	1	—	25	20	1	—	8	11		6	6	3	1	12
13	—	1	1	—	—	—	1	—	1	1	—	2	—	—	—	—		1	—	—	—	13
14	2	—	1	—	—	—	—	1	—	—	3	1	—	—	—	—		—	—	—	—	14
15	11	8	6	6	2	2	2	4	1	—	28	23	4	2	9	14		9	9	3	3	15
16	16	7	1	3	1	1	3	7	2	1	24	21	7	6	1	4		3	2	2	1	16
17	18	9	6	1	—	—	4	3	—	3	55	26	3	1	2	3		8	5	3	3	17
18	—	—	1	1	—	—	—	2	—	—	6	3	1	1	2	3		—	1	—	—	18
19	5	—	—	1	—	1	—	—	—	—	14	6	—	—	2	2		—	1	—	—	19
20	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—		—	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—		—	—	—	1	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	5	1	—	2	—	1	1	1	1	—	7	8	3	4	5	9		1	3	2	—	22
23	—	—	—	—	—	—	—	1	—	—	—	6	—	—	—	2		—	1	—	1	23
24	—	2	—	2	—	—	—	—	—	—	—	4	—	—	—	2		—	—	—	—	24
25	12	11	5	5	—	—	4	1	—	—	33	27	3	1	7	4		3	5	1	1	25
26	9	3	2	1	1	—	4	3	—	—	15	6	4	1	3	1		3	2	1	—	26
27	1	—	—	—	—	—	1	—	1	—	1	1	—	—	1	—		—	—	—	—	27
28	26	32	15	16	4	4	23	12	7	1	81	64	13	13	34	31		41	39	7	16	28
29	2	—	—	—	—	—	—	—	—	—	6	3	1	1	1	—		1	1	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
NORTHUMBERLAND—*cont.*

Causes of Death.	Bellingham R.D.		Castle Ward R.D.		Glendale R.D.		Haltwhistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Island-shires R.D.		Rothbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	39	27	61	69	61	50	63	45	140	134	112	94	28	36	35	28	1
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	1	—	—	2	—	2	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	7
7 Influenza	—	—	2	1	1	—	3	1	3	3	2	1	—	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	2	5	4	3	3	2	4	8	11	6	4	4	4	3	—	10
10 Tuberculous meningitis	—	—	—	2	—	—	—	—	—	—	1	2	1	1	—	—	11
11 Other tuberculous diseases	1	1	—	—	1	—	1	—	1	1	2	3	1	—	2	3	12
12 Cancer, malignant disease	3	5	7	4	5	9	4	5	11	7	7	7	2	3	3	2	13
13 Rheumatic fever... ..	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	14
14 Meningitis	1	—	—	—	—	—	2	—	1	—	1	3	—	—	1	2	15
15 Organic heart disease	5	6	11	15	10	7	5	4	34	35	13	10	2	4	2	3	16
16 Bronchitis	3	—	5	4	2	4	1	3	7	9	2	7	1	2	1	—	17
17 Pneumonia (all forms)	2	1	2	3	3	2	4	—	12	9	12	5	2	1	2	—	18
18 Other respiratory diseases	1	—	1	2	1	—	3	1	1	2	2	2	—	—	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	1	1	—	1	—	—	1	2	2	—	—	—	1	20
20 Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	21A
21 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	—	1	2	—	1	—	3	3	3	3	5	1	2	5	2	23
23 Puerperal fever	—	—	—	—	—	1	—	1	—	1	—	2	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	2	2	4	1	1	2	7	3	11	5	8	7	2	3	3	2	26
26 Violence, apart from 27	2	—	3	3	1	3	7	2	3	1	7	—	2	—	—	—	27
27 Suicide	2	—	2	—	—	—	2	—	4	—	1	—	3	—	—	—	28
28 Other defined diseases ...	10	10	15	25	28	14	16	16	37	44	36	29	7	13	9	13	29
29 Causes ill-defined or unknown.	—	—	—	—	2	—	1	1	—	—	1	—	—	—	—	—	

NORTHUMBERLAND—*cont.*

NOTTINGHAMSHIRE.

Causes of Death.				Moot Hall and Precincts.*				Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall U.D.		
				M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	—	—			75	60	59	57	105	87	85	66	36	37	114	94	1
1 Enteric fever	—	—			—	—	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—			2	1	1	—	1	1	4	—	2	1	6	8	4
4 Scarlet fever	—	—			—	—	—	—	—	—	1	—	—	—	1	—	5
5 Whooping cough	..			—	—			—	1	2	1	—	—	—	1	1	1	1	1	6
6 Diphtheria and croup	...			—	—			—	—	1	—	1	5	—	—	1	—	1	1	7
7 Influenza	—	—			—	—	—	—	3	—	1	—	1	—	5	1	8
8 Erysipelas	—	—			—	—	—	—	—	1	—	1	—	—	—	—	9
9 Pulmonary tuberculosis				—	—			2	4	7	5	5	16	6	5	—	1	7	4	10
10 Tuberculous meningitis				—	—			1	—	—	—	1	2	1	—	—	—	2	1	11
11 Other tuberculous diseases				—	—			1	1	—	2	2	2	3	—	—	2	1	—	12
12 Cancer, malignant disease				—	—			11	12	5	6	6	5	11	10	5	4	5	8	13
13 Rheumatic fever...	...			—	—			1	—	—	1	—	1	—	1	—	—	—	—	14
14 Meningitis	...			—	—			—	—	—	3	1	1	1	—	1	—	1	—	15
15 Organic heart disease	...			—	—			7	4	5	6	7	9	4	4	2	4	8	8	16
16 Bronchitis		—	—			4	5	3	7	9	5	6	5	2	2	12	8	17
17 Pneumonia (all forms)	...			—	—			9	3	7	4	10	6	7	5	3	6	12	5	18
18 Other respiratory diseases				—	—			1	—	—	1	4	—	2	2	1	1	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)				—	—			2	3	—	—	1	—	—	4	2	—	4	2	20
20 Appendicitis and typhlitis				—	—			—	1	—	—	—	—	—	—	—	—	1	—	21
21 Cirrhosis of liver	...			—	—			—	—	—	—	1	—	—	1	—	—	—	1	21A
21A Alcoholism		—	—			—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.				—	—			1	1	1	1	6	1	1	2	1	—	1	1	23
23 Puerperal fever	...			—	—			—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23				—	—			—	1	—	—	—	1	—	2	—	—	—	2	25
25 Congenital debility, &c.				—	—			8	10	6	4	10	7	5	3	5	5	16	9	26
26 Violence, apart from 27				—	—			4	—	2	1	6	—	2	2	2	—	3	—	27
27 Suicide	—	—			3	—	—	—	1	—	1	—	—	—	1	—	28
28 Other defined diseases	...			—	—			17	12	19	14	25	22	29	19	7	10	24	32	29
29 Causes ill-defined or un- known.				—	—			1	—	—	1	5	2	—	—	—	—	2	—	

* Included with the Rural Districts for convenience.

AREAS, 1920 (Civilian population only)—continued.
NOTTINGHAMSHIRE—cont.

	Huthwaite U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.			Basford R.D.		
	M 29	F 29	M 86	F 94	M 212	F 203	M 81	F 66	M 109	F 89	M 141	F 137	M 42	F 32	M 56	F 67	M 143	F 128		M 248	F 228	
1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	1	1	9	7	4	3	5	5	7	7	3	5	—	—	5	8	12	6	3	3
4	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	—	1	2	—	1	1	3	—	—	—	—	1	—	1	3	5	5
6	—	—	—	—	2	5	1	1	—	1	1	3	1	—	1	2	1	—	3	4	6	6
7	1	2	2	1	2	2	—	—	5	1	1	2	—	—	2	1	—	1	3	6	7	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	8	8
9	—	3	6	7	13	13	4	4	6	7	9	13	4	—	2	3	15	12	12	15	9	9
10	—	—	—	3	1	5	2	—	3	1	3	1	—	—	1	—	—	1	1	3	10	10
11	3	—	—	3	3	1	1	—	2	3	1	1	—	—	—	—	2	—	4	3	11	11
12	3	2	6	6	14	13	3	4	12	6	10	9	3	3	5	6	9	12	19	29	12	12
13	—	—	2	3	2	—	1	—	—	—	1	2	—	—	1	1	2	1	1	2	13	13
14	—	—	2	—	2	1	—	1	2	—	5	3	—	—	—	—	3	—	1	1	14	14
15	3	5	12	7	15	14	8	3	9	9	11	9	1	1	8	3	13	9	24	17	15	15
16	2	4	9	12	18	19	4	5	9	8	9	7	5	3	1	4	11	16	17	19	16	16
17	6	2	4	6	19	9	12	10	5	1	10	10	3	2	2	4	12	11	17	16	17	17
18	—	—	—	—	2	—	1	2	1	1	2	1	—	—	1	1	1	2	3	3	18	18
19	2	1	3	—	2	7	2	—	1	—	4	3	2	—	—	—	4	2	5	2	19	19
20	—	—	—	1	2	1	—	—	2	1	—	—	1	—	—	2	1	—	—	1	20	20
21	—	—	—	—	2	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—	21	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A	21A
22	1	—	1	—	3	4	1	—	1	1	1	4	—	—	2	2	3	—	4	1	22	22
23	—	1	—	2	—	1	—	1	—	—	—	1	—	—	—	—	—	5	—	4	23	23
24	—	—	—	2	—	2	—	2	—	1	—	3	—	1	—	—	—	1	—	2	24	24
25	3	2	7	8	20	26	11	8	7	6	20	13	4	4	5	6	8	5	18	12	25	25
26	—	—	4	4	10	5	4	2	1	3	8	1	4	1	3	2	6	1	7	2	26	26
27	—	—	2	—	3	1	—	—	—	1	1	—	1	—	1	1	2	—	1	1	27	27
28	4	6	23	27	64	65	21	15	34	30	33	39	11	9	18	26	43	41	92	76	28	28
29	—	—	2	1	3	—	—	3	1	—	2	1	—	2	2	2	—	—	2	—	29	29

NOTTINGHAMSHIRE—cont.

	Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Rat- cliffe upon Soar C.P.s*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	78	101	31	34	97	94	24	22	22	23	53	49	51	38	108	93	81	71	1	3	1
2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2
3	1	—	—	—	1	1	—	—	—	—	—	—	7	5	1	—	1	—	—	—	3
4	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5	1	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	1	2	—	—	5
6	4	1	—	—	2	2	1	—	—	—	2	2	—	—	—	1	1	—	—	—	6
7	1	6	—	—	2	1	—	—	—	1	2	2	1	—	2	—	—	—	—	—	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	5	1	—	3	6	2	—	2	3	3	—	5	3	9	2	6	—	1	—	9
10	1	—	1	1	2	—	1	1	2	1	—	—	—	1	1	—	—	—	—	—	10
11	1	3	—	—	2	3	—	—	1	—	—	—	2	—	1	—	3	—	—	—	11
12	9	13	3	4	14	6	3	5	3	3	5	3	5	1	8	14	8	3	—	—	12
13	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	14
15	12	17	2	3	9	14	6	3	—	1	5	4	4	4	14	10	6	9	—	—	15
16	6	9	5	1	5	4	1	—	2	2	2	7	3	1	7	5	11	3	—	—	16
17	2	3	2	1	4	5	1	2	3	2	4	3	4	4	13	5	5	3	—	—	17
18	1	1	—	2	1	—	—	—	—	—	1	—	2	—	1	1	—	1	—	—	18
19	1	—	—	—	—	1	1	—	2	—	1	2	3	—	1	—	1	1	—	—	19
20	1	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	20
21	—	—	—	—	2	—	—	1	—	—	—	—	—	—	2	2	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	5	2	1	1	1	—	—	—	—	1	—	—	—	2	3	3	1	—	—	22
23	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	24
25	4	4	1	3	5	4	1	—	2	5	6	4	8	4	4	3	9	8	—	—	25
26	5	1	2	—	3	1	1	—	1	—	2	2	4	1	2	3	3	1	—	—	26
27	—	—	—	—	2	1	1	—	1	—	—	2	—	—	2	—	1	1	—	—	27
28	23	28	12	14	33	42	5	10	7	7	18	14	12	7	42	30	26	25	1	2	28
29	1	—	—	—	3	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	29

* Administered by Shardlow R.D.C. (Derbyshire).

CAUSES of DEATH in ADMINISTRATIVE
OXFORDSHIRE.

Causes of Death.			Banbury M.B.		Bicester U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Wood- stock M.B.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	...	90	81	20	15	23	18	41	37	22	18	5	2	17	22	9	13	
1	Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	...	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup	...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6
7	Influenza	...	1	3	—	—	—	—	—	—	1	—	—	1	1	—	—	1	7
8	Erysipelas	...	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	...	10	6	1	—	3	1	—	—	2	—	—	—	1	1	1	—	9
10	Tuberculous meningitis	...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	...	—	1	—	1	—	—	—	1	—	—	—	—	1	—	1	—	11
12	Cancer, malignant disease	...	11	10	5	7	2	2	6	5	1	2	1	—	2	4	—	1	12
13	Rheumatic fever...	...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	14
15	Organic heart disease	...	9	5	6	1	—	1	3	2	1	2	3	—	2	4	1	3	15
16	Bronchitis	...	9	11	1	—	4	2	4	4	1	—	—	—	1	2	—	—	16
17	Pneumonia (all forms)	...	6	1	—	—	1	1	1	1	1	1	—	—	—	—	1	1	17
18	Other respiratory diseases	...	3	1	—	—	1	—	—	2	1	1	—	—	1	—	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)	...	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	...	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	...	2	2	—	—	—	1	2	2	—	1	—	—	—	—	1	1	22
23	Puerperal fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	...	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	...	8	3	2	1	1	1	3	1	3	—	1	—	2	—	—	—	25
26	Violence, apart from 27	...	2	1	1	1	—	—	—	—	—	—	—	—	1	—	—	—	26
27	Suicide	...	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	27
28	Other defined diseases	...	23	30	3	3	10	6	18	17	8	10	—	1	5	10	3	5	28
29	Causes ill-defined or un- known.	...	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

OXFORDSHIRE—cont.

Causes of Death.			Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crow- marsh R.D.		Culham R.D.		Goring R.D.		Heading- ton R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	...	71	78	63	49	67	69	22	27	15	13	23	22	63	52	
1	Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	...	—	—	—	—	1	1	—	—	—	—	—	1	—	—	5
6	Diphtheria and croup	...	—	1	1	—	1	—	—	—	2	—	—	—	—	1	6
7	Influenza	...	—	1	—	1	—	1	—	1	—	—	—	—	—	2	7
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	...	4	5	3	2	3	1	2	3	1	1	3	2	2	2	9
10	Tuberculous meningitis	...	—	2	—	—	1	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	...	1	1	—	1	—	—	—	—	—	—	—	—	—	—	11
12	Cancer, malignant disease	...	6	16	5	5	8	8	3	2	—	1	2	2	9	5	12
13	Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	14
15	Organic heart disease	...	8	10	9	9	12	11	3	7	2	3	2	3	9	6	15
16	Bronchitis	...	6	4	5	8	5	10	—	1	—	2	2	—	10	2	16
17	Pneumonia (all forms)	...	6	3	1	—	4	2	1	2	1	—	1	—	3	1	17
18	Other respiratory diseases	...	3	5	—	1	—	—	2	—	—	—	—	—	1	—	18
19	Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	—	—	2	2	—	—	—	—	1	—	2	19
20	Appendicitis and typhlitis	...	—	—	1	—	—	—	—	—	1	—	—	—	—	1	20
21	Cirrhosis of liver	...	—	—	1	—	1	—	—	—	1	—	—	—	—	—	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	...	1	2	3	2	2	1	1	—	1	—	1	2	2	3	22
23	Puerperal fever	...	—	1	—	—	—	2	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	...	3	5	3	2	4	3	—	—	—	—	2	2	8	2	25
26	Violence, apart from 27	...	1	—	5	1	1	3	—	—	—	—	—	1	—	—	26
27	Suicide	...	1	—	—	—	1	—	—	—	1	—	1	—	—	—	27
28	Other defined diseases	...	30	22	23	17	21	23	9	9	5	6	8	7	19	25	28
29	Causes ill-defined or un- known.	...	1	—	2	—	2	1	—	—	—	—	1	1	—	—	29

AREAS, 1920 (Civilian population only)—continued.

OXFORDSHIRE—cont. PETERBOROUGH, SOKE OF. RUTLANDSHIRE.

	Henley R.D.		Thame R.D.		Witney R.D.		Wood- stock R.D.			Peter- borough M.B.			Barnack R.D.		Peter- borough R.D.			Oakham U.D.		
	M	F	M	F	M	F	M	F		M	F		M	F	M	F		M	F	
1	45	53	37	39	97	102	62	61		250	196		17	15	42	53		19	11	1
2	—	—	—	—	—	—	—	—		—	—		—	—	—	—		—	—	2
3	—	—	—	1	—	—	—	—		3	5		—	—	2	—		—	—	3
4	—	—	—	—	—	—	—	—		—	—		—	—	—	—		—	—	4
5	—	—	—	1	—	—	1	1		1	3		—	—	—	—		—	—	5
6	—	—	—	—	3	1	—	—		3	2		—	—	—	—		—	—	6
7	1	—	—	—	2	2	2	1		1	—		—	—	—	—		—	—	7
8	—	—	1	—	—	—	—	—		3	—		—	—	—	—		1	—	8
9	3	2	3	—	7	3	3	9		12	8		1	1	1	3		3	—	9
10	—	—	—	—	—	—	—	—		1	2		—	—	—	—		—	—	10
11	—	—	1	1	1	1	—	—		3	5		—	—	—	—		—	—	11
12	5	9	7	8	10	20	7	8		25	26		3	2	3	10		2	4	12
13	—	—	—	—	1	—	—	—		2	3		—	—	1	—		—	—	13
14	1	—	—	—	—	—	—	—		1	—		—	—	—	—		1	—	14
15	6	6	4	7	12	16	9	15		20	26		1	4	2	11		2	1	15
16	2	4	1	4	4	6	2	8		22	15		—	—	1	5		2	3	16
17	3	1	2	—	1	—	1	2		10	9		—	—	3	2		—	—	17
18	—	1	2	1	2	4	1	2		7	1		—	1	2	1		1	—	18
19	—	—	—	—	—	1	—	—		5	2		1	—	—	—		—	—	19
20	—	2	—	—	—	1	—	2		1	—		—	—	—	1		—	—	20
21	—	1	—	—	—	1	—	—		4	1		—	—	—	—		—	—	21
21A	—	—	—	—	—	—	—	—		—	—		—	—	—	—		—	—	21A
22	2	1	—	—	8	—	4	—		5	5		—	—	2	2		—	—	22
23	—	—	—	—	—	1	—	—		—	4		—	—	—	1		—	—	23
24	—	—	—	1	—	—	—	—		—	—		—	—	—	1		—	—	24
25	2	4	—	—	8	9	6	1		18	11		—	1	3	2		—	1	25
26	2	2	2	1	2	3	3	—		13	2		—	1	5	—		1	—	26
27	—	—	1	—	—	1	1	—		5	—		—	—	—	—		—	—	27
28	16	20	13	13	33	32	22	12		84	66		11	5	17	14		6	2	28
29	2	—	—	1	3	—	—	—		1	—		—	—	—	—		—	—	29

RUTLANDSHIRE—cont. SHROPSHIRE.

	Ketton R.D.		Oakham R.D.		Upping- ham R.D.			Bishop's Castle M.B.		Bridg- north M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	11	24	37	28	31	34		5	7	36	38	8	7	44	41	12	12	41	40	1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—		—	—	—	—	—	—	—	2	—	—	—	2	3
4	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	1	—	—	—	—		—	—	1	—	—	—	—	1	—	—	1	—	5
6	—	—	—	—	—	—		—	—	1	1	—	—	—	—	—	—	—	—	6
7	—	—	—	—	1	—		—	—	3	3	—	—	—	—	—	—	2	—	7
8	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	3	2	2	—		—	—	2	2	1	—	2	2	—	—	2	3	9
10	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—	—	—	10
11	—	1	—	1	2	—		—	—	3	1	—	—	1	—	—	—	—	1	11
12	1	4	5	4	1	4		—	2	2	6	—	—	1	4	1	1	2	9	12
13	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	14
15	3	4	10	8	2	1		1	—	3	9	—	—	1	3	5	4	3	4	15
16	1	1	2	—	3	3		—	—	1	2	—	—	5	3	—	3	5	—	16
17	2	—	—	2	—	—		1	—	2	—	—	—	4	3	—	—	3	1	17
18	—	—	1	—	—	1		—	—	—	—	—	—	1	—	—	—	—	—	18
19	—	1	—	—	—	1		—	—	1	—	—	—	—	1	—	—	—	1	19
20	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1	—	21A
22	—	—	1	—	—	1		1	—	—	2	—	1	2	2	—	—	1	—	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	2	2	2	2	2		—	—	3	1	1	1	7	2	—	2	4	3	25
26	—	1	—	1	1	—		—	—	2	1	—	—	3	—	—	—	—	—	26
27	—	—	—	—	2	1		—	—	—	—	—	—	—	—	—	—	1	—	27
28	3	9	12	7	14	19		2	5	11	9	5	5	16	16	6	2	16	15	28
29	—	—	—	—	1	1		—	—	—	—	—	—	1	2	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
SHROPSHIRE—*cont.*

Causes of Death.		Market Drayton U.D.		Newport U.D.		Oaken-gates U.D.		Oswestry M.B.		Shrews-bury M.B.		Wellington U.D.		Wem U.D.		Wenlock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	30	34	24	21	69	54	66	54	174	200	40	54	16	11	103	98	
1	Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	1	1	3	—	1	1	—	—	—	3
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	2	1	—	1	—	1	—	1	3	—	2	—	—	—	1	5
6	Diphtheria and croup	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	6
7	Influenza	—	—	1	1	2	—	—	—	5	8	1	—	1	—	1	1	7
8	Erysipelas	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	2	2	1	—	5	3	7	1	11	7	2	1	1	1	7	5	9
10	Tuberculous meningitis	—	—	—	1	2	2	—	—	3	1	2	—	—	1	1	2	10
11	Other tuberculous diseases	—	—	—	—	2	—	—	1	—	2	—	1	—	—	2	4	11
12	Cancer, malignant disease	1	3	—	4	7	5	5	5	21	29	3	8	3	1	8	10	12
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—	14
15	Organic heart disease	12	9	1	6	7	8	7	9	24	35	4	6	1	1	18	18	15
16	Bronchitis	3	1	2	2	6	2	5	1	10	10	1	1	2	—	9	7	16
17	Pneumonia (all forms)	3	1	2	1	5	1	3	6	12	10	1	2	—	—	1	10	17
18	Other respiratory diseases	1	1	2	—	1	1	—	—	3	3	2	—	—	—	2	1	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	—	1	—	7	2	—	—	—	1	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	—	—	2	—	6	4	4	7	2	3	—	—	4	2	22
23	Puerperal fever	—	—	—	—	—	2	—	1	—	1	—	—	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	3	24
25	Congenital debility, &c.	1	2	2	—	5	2	2	4	10	5	3	2	2	—	3	8	25
26	Violence, apart from 27	—	—	—	—	2	—	2	—	5	—	2	2	—	—	2	—	26
27	Suicide	—	—	1	—	—	—	2	1	5	1	—	1	—	—	2	—	27
28	Other defined diseases	6	10	10	6	15	24	20	20	41	67	16	21	4	4	41	24	28
29	Causes ill-defined or unknown.	—	—	1	—	1	—	2	—	4	1	—	—	1	—	2	1	29

SHROPSHIRE—*cont.*

Causes of Death.				Whit-church U.D.				Atcham R.D.		Bridg- north R.D.		Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		
				M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	40	36			121	116	59	58	3	6	28	24	27	28	50	36	
1	Enteric fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—			—	2	—	1	—	—	1	—	2	—	—	—	3
4	Scarlet fever	—	—			—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough	—	—			1	2	—	—	—	—	1	—	—	1	—	1	5
6	Diphtheria and croup	1	—			1	2	1	1	—	—	—	—	—	—	—	1	6
7	Influenza	—	—			4	1	1	4	—	—	—	1	1	—	—	—	7
8	Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis			4	1			3	5	2	3	—	—	2	—	1	—	2	3	9
10	Tuberculous meningitis			—	—			1	1	—	—	—	—	—	—	—	—	1	1	10
11	Other tuberculous diseases			—	—			3	1	—	—	1	—	—	—	—	—	—	1	11
12	Cancer, malignant disease			2	1			9	9	8	11	1	—	2	2	2	4	2	8	12
13	Rheumatic fever...			—	—			1	1	—	1	—	—	—	—	—	—	—	—	13
14	Meningitis			—	—			—	—	—	—	—	—	2	—	—	1	1	—	14
15	Organic heart disease			7	8			21	13	6	4	—	—	7	2	3	3	7	1	15
16	Bronchitis			1	4			7	9	3	3	—	2	1	—	2	1	7	2	16
17	Pneumonia (all forms)			3	2			4	6	1	2	—	—	1	—	4	1	4	1	17
18	Other respiratory diseases			—	2			2	5	1	—	—	1	—	—	—	—	1	—	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—			1	—	1	1	—	—	1	—	—	—	1	—	19
20	Appendicitis and typhlitis			—	—			—	—	2	—	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver			—	—			—	—	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism			—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			—	—			1	3	1	3	—	—	—	—	2	—	1	2	22
23	Puerperal fever			—	—			—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23			—	—			—	1	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.			3	—			11	7	7	2	—	—	—	3	—	3	4	4	25
26	Violence, apart from 27			3	—			7	1	—	—	—	—	—	—	1	—	2	—	26
27	Suicide			—	1			1	—	2	—	—	—	—	—	1	—	—	1	27
28	Other defined diseases			15	17			39	45	21	21	1	3	11	15	7	12	14	10	28
29	Causes ill-defined or un- known.			—	—			4	2	1	—	—	—	—	—	1	—	2	—	29

CAUSES of DEATH in ADMINISTRATIVE
SOMERSETSHIRE—cont.

Causes of Death.			Minehead U.D.		Portishead U.D.		Radstock U.D.		Shepton Mallet U.D.		Street U.D.		Taunton M.B.		Watchet U.D.		Welling- ton U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	25	35	28	35	14	17	24	29	20	20	123	143	11	12	38	45	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	2	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	7
7 Influenza	1	—	—	4	—	—	1	—	—	—	4	2	—	—	1	1	8
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	2	6	—	—	1	—	3	2	3	7	19	1	2	3	2	10
10 Tuberculous meningitis	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	11
11 Other tuberculous diseases	—	1	1	1	—	—	—	—	—	—	8	6	—	—	1	—	12
12 Cancer, malignant disease	5	2	3	4	—	—	1	6	4	1	10	6	—	—	5	5	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	14
14 Meningitis	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	15
15 Organic heart disease	4	5	5	8	3	1	4	4	4	5	10	25	3	—	3	9	16
16 Bronchitis	—	1	1	1	—	1	3	2	—	1	11	10	—	1	1	4	17
17 Pneumonia (all forms)	3	1	4	2	2	—	—	1	—	1	6	4	—	—	2	2	18
18 Other respiratory diseases	—	—	—	—	—	—	—	—	—	—	3	2	—	1	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	—	1	1	—	1	1	—	1	3	2	1	1	—	1	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	—	1	—	—	2	2	4	1	3	1	7	2	2	1	1	—	26
26 Violence, apart from 27	2	—	1	—	2	—	3	—	—	—	7	7	—	—	1	—	27
27 Suicide	—	—	—	—	—	1	—	—	—	—	—	2	—	—	1	—	28
28 Other defined diseases	6	18	4	11	4	8	6	9	6	7	35	50	3	5	14	17	29
29 Causes ill-defined or un- known.	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	1	

SOMERSETSHIRE—cont.

Causes of Death.			Wells M.B.		Weston super Mare U.D.		Wivelis- combe U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridg- water R.D.		
			M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	29	32	140	196	4	10	76	85			120	119	80	74	110	115	1
1 Enteric fever	1	—	—	—	—	—	—	—			—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	—	—	1			—	—	—	1	—	—	4
4 Scarlet fever	—	1	—	—	—	—	—	—			—	—	1	—	—	—	5
5 Whooping cough	—	—	1	—	—	—	1	—			—	—	—	1	2	—	6
6 Diphtheria and croup	—	—	2	3	—	—	—	—			—	1	2	3	—	1	7
7 Influenza	—	—	—	1	—	—	2	4			1	2	1	1	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—			—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	2	8	18	—	—	10	6			4	9	5	6	1	6	10
10 Tuberculous meningitis	—	1	1	2	—	—	—	2			—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	2	1	—	—	1	1			2	—	1	—	—	1	12
12 Cancer, malignant disease	1	7	13	26	—	2	4	11			12	10	13	8	7	13	13
13 Rheumatic fever...	—	—	2	—	—	—	—	—			1	—	—	1	—	1	14
14 Meningitis	—	—	2	—	—	—	—	—			1	—	—	1	—	—	15
15 Organic heart disease	6	7	17	26	1	2	8	12			13	21	4	6	14	10	16
16 Bronchitis	3	2	7	15	—	—	7	5			7	7	6	6	10	8	17
17 Pneumonia (all forms)	2	1	15	8	—	—	8	6			—	1	5	2	5	3	18
18 Other respiratory diseases	—	—	—	3	—	—	4	3			1	3	3	3	8	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—			—	1	2	—	1	2	20
20 Appendicitis and typhlitis	—	—	2	1	—	—	—	—			—	—	—	—	—	1	21
21 Cirrhosis of liver	1	—	1	1	—	1	—	—			2	1	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	2	6	6	—	—	1	2			9	7	4	3	2	4	23
23 Puerperal fever	—	—	—	2	—	—	—	—			—	—	—	1	—	1	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	3			—	1	—	2	—	—	25
25 Congenital debility, &c.	2	—	3	1	1	1	5	4			4	10	4	4	8	4	26
26 Violence, apart from 27	—	—	8	4	—	—	3	2			8	2	2	1	4	1	27
27 Suicide	—	—	2	1	—	—	1	1			1	—	—	—	2	3	28
28 Other defined diseases	10	9	48	75	2	4	21	22			53	42	26	24	44	49	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—			1	—	—	—	2	1	

CAUSES OF DEATH IN ADMINISTRATIVE
SOUTHAMPTON—*cont.*

Causes of Death.		Farnborough U.D.		Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	54	55	20	20	183	177	24	22	101	110	35	30	23	21	31	33	1
1 Enteric fever	...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	1	1	—	1	4	2	—	—	—	1	1	—	1	—	—	2	4
4 Scarlet fever	...	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	5
5 Whooping cough	...	1	1	—	—	1	3	—	—	1	4	—	—	—	—	—	—	6
6 Diphtheria and croup	...	3	—	—	—	1	9	—	—	3	3	—	—	—	—	—	—	7
7 Influenza	...	4	3	—	—	1	1	—	1	—	2	—	—	1	—	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	5	1	—	18	16	—	2	15	7	—	1	—	—	2	3	10
10 Tuberculous meningitis	...	—	1	—	—	1	2	—	—	1	2	—	—	—	—	—	1	11
11 Other tuberculous diseases	...	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	12
12 Cancer, malignant disease	...	9	4	1	1	17	20	3	—	9	13	3	7	3	4	5	6	13
13 Rheumatic fever...	...	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	—	3	—	—	—	2	1	—	—	—	—	1	—	15
15 Organic heart disease	...	7	7	2	2	22	22	2	5	8	13	2	3	5	3	5	2	16
16 Bronchitis	...	3	3	—	2	13	10	3	1	6	3	2	2	3	2	2	4	17
17 Pneumonia (all forms)	...	1	2	—	3	15	16	2	1	12	9	2	1	—	3	1	1	18
18 Other respiratory diseases	...	—	—	1	—	2	3	1	—	—	2	—	—	—	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	2	—	—	3	1	—	—	2	2	2	—	—	—	—	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	1	3	1	—	—	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	2	1	1	2	3	3	1	7	5	6	5	—	2	2	—	23
23 Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	25
25 Congenital debility, &c.	...	5	10	1	2	12	9	2	1	7	7	1	2	1	1	3	3	26
26 Violence, apart from 27	...	2	—	1	1	8	2	—	1	4	1	—	—	2	—	—	—	27
27 Suicide	...	—	—	1	—	1	2	1	—	—	—	—	—	—	—	1	—	28
28 Other defined diseases	...	11	12	10	6	53	49	6	9	23	31	14	8	7	6	8	9	29
29 Causes ill-defined or unknown.	...	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	

SOUTHAMPTON—*cont.*

Causes of Death.		Warbling-ton U.D.		Winchester M.B.		Alresford R.D.		Alton R.D.		Andover R.D.		Basing-stoke R.D.		Cathering-ton R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	17	18	116	129	38	44	73	81	47	58	61	61	23	18	
1 Enteric fever	...	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	...	—	—	1	—	—	—	—	2	—	—	—	—	—	—	3
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	...	—	1	—	—	—	—	2	—	—	—	—	—	—	—	5
6 Diphtheria and croup	...	—	—	1	—	—	—	—	—	—	1	1	—	—	1	6
7 Influenza	...	—	—	1	1	1	1	1	—	1	2	1	—	—	—	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	...	—	2	8	4	2	1	2	6	3	4	2	5	1	2	9
10 Tuberculous meningitis	...	—	—	1	1	—	—	—	1	—	—	1	—	—	—	10
11 Other tuberculous diseases	...	—	1	1	2	—	—	4	5	3	1	—	1	—	—	11
12 Cancer, malignant disease	...	1	4	16	21	5	5	8	8	1	7	6	6	4	1	12
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	2	1	—	13
14 Meningitis	...	—	—	—	—	—	—	1	—	—	1	1	1	—	—	14
15 Organic heart disease	...	2	1	15	16	8	5	9	17	4	4	15	10	2	4	15
16 Bronchitis	...	3	1	8	6	1	3	3	3	6	—	2	4	2	1	16
17 Pneumonia (all forms)	...	—	—	9	7	1	5	6	2	2	2	3	1	1	1	17
18 Other respiratory diseases	...	—	—	2	1	—	3	1	2	1	2	—	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	1	—	1	—	1	—	—	—	—	—	—	19
20 Appendicitis and typhlitis	...	1	—	—	2	—	—	1	—	1	—	1	—	—	—	20
21 Cirrhosis of liver	...	—	—	1	1	—	—	—	—	—	—	—	—	1	—	21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	2	—	5	4	2	2	2	2	2	2	1	1	—	1	22
23 Puerperal fever	...	—	—	—	1	—	1	—	—	—	—	—	—	—	1	23
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	1	—	1	—	—	—	—	24
25 Congenital debility, &c.	...	1	—	3	9	2	3	8	2	7	2	3	5	2	—	25
26 Violence, apart from 27	...	—	—	3	3	3	—	1	—	2	—	1	1	1	—	26
27 Suicide	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	27
28 Other defined diseases	...	7	8	38	49	13	13	23	29	14	28	23	24	8	4	28
29 Causes ill-defined or unknown.	...	—	—	1	—	—	—	—	—	—	—	—	—	—	1	29

* Abolished on 9th November, 1920.

AREAS, 1920 (Civilian population only)—*continued.*
SOUTHAMPTON—*cont.*

	Christ-church R.D.		Droxford R.D.		Fareham R.D.		Fording- bridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		Kingsclere R.D.		Lyming- ton R.D.		New Forest R.D.		Petersfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	26	87	64	71	90	36	27	108	98	36	43	29	26	35	48	57	64	94	90	70	68	1
2	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	1	—	1	—	—	1	1	—	—	—	—	—	1	—	1	1	1	1	—	5
6	—	1	—	—	1	1	—	—	2	1	—	1	—	—	1	1	—	—	—	—	—	—	6
7	1	—	—	—	—	—	—	—	2	3	1	—	—	—	—	1	3	1	1	1	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	8	4	5	4	3	2	6	4	1	2	1	2	—	4	4	1	3	8	4	1	9
10	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	1	1	1	1	1	1	—	10
11	—	—	1	—	3	1	—	—	2	2	—	1	1	1	1	1	—	2	1	2	1	—	11
12	5	5	10	12	8	15	9	6	14	9	3	5	1	6	4	4	6	14	13	13	7	9	12
13	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	13
14	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	14
15	—	3	17	13	15	7	2	5	20	13	8	3	6	2	5	7	7	9	16	10	13	11	15
16	1	—	7	2	4	3	—	2	8	4	2	3	—	1	3	2	1	1	3	8	4	4	16
17	—	—	1	2	4	4	2	—	2	3	—	5	1	3	1	—	2	5	4	5	4	6	17
18	—	1	2	1	—	1	—	1	1	3	—	—	1	—	3	—	3	1	—	—	—	—	18
19	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	19
20	—	—	1	—	1	—	1	1	—	4	1	—	—	—	1	—	1	1	1	—	—	—	20
21	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	2	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	8	3	1	2	4	—	6	3	1	1	2	—	2	—	3	3	8	2	5	3	22
23	—	—	—	2	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	1	—	—	24
25	2	—	5	1	7	10	2	1	5	11	5	3	6	1	2	4	1	—	4	2	6	6	25
26	—	—	4	—	—	2	—	—	3	2	—	—	—	—	2	1	1	1	6	2	5	1	26
27	1	—	—	1	1	—	—	1	2	—	2	—	—	—	1	1	—	—	—	1	2	—	27
28	10	12	19	19	20	35	13	8	33	28	12	18	6	8	9	20	22	24	29	32	14	23	28
29	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	1	—	—	—	—	—	29

SOUTHAMPTON—*cont.*

STAFFORDSHIRE.

	Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stock- bridge R.D.		Whit- church R.D.		Winches- ter R.D.			Amble- cote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	39	35	36	54	88	87	42	31	41	33	64	42		24	13	81	83	46	28	241	227	1
2	—	—	—	—	—	—	—	1	—	—	—	—		—	—	—	1	—	—	—	—	2
3	—	—	—	—	1	—	—	—	—	—	—	—		1	—	3	2	—	—	3	10	3
4	—	—	—	—	—	—	—	—	—	—	1	—		—	—	—	—	—	—	1	—	4
5	1	—	—	1	2	2	—	1	—	1	—	—		—	—	—	—	—	—	9	9	5
6	—	—	—	2	—	—	—	—	—	—	1	—		—	—	—	—	—	—	1	1	6
7	2	—	1	—	—	—	1	—	2	3	1	—		1	1	—	—	4	—	11	6	7
8	—	1	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	—	1	8
9	5	5	4	2	5	8	—	1	1	4	2	2		1	—	5	4	5	1	16	8	9
10	—	—	—	—	—	1	—	—	1	—	—	—		—	1	—	3	—	1	1	—	10
11	2	1	1	2	1	—	—	—	1	—	—	1		—	—	2	6	—	—	4	3	11
12	—	4	4	8	9	16	5	3	9	3	9	8		3	1	4	8	6	1	11	14	12
13	—	—	—	—	—	1	—	—	—	—	—	—		—	—	—	1	—	—	—	1	13
14	1	—	—	—	—	—	—	—	—	—	—	—		—	—	2	—	1	—	1	1	14
15	2	6	2	12	8	14	8	2	7	10	12	7		2	1	8	7	3	5	13	9	15
16	2	1	4	—	4	9	1	2	3	1	2	1		2	2	8	4	5	1	28	24	16
17	2	—	1	1	2	—	—	—	4	1	3	—		3	—	7	1	5	2	47	36	17
18	—	—	—	—	1	—	—	—	—	1	—	1		1	—	—	2	—	—	4	3	18
19	—	—	—	—	1	1	—	—	1	—	—	—		—	—	1	—	—	—	5	4	19
20	—	—	—	—	1	—	1	—	—	—	1	—		—	—	1	1	1	—	2	3	20
21	—	—	—	—	2	—	—	—	—	—	2	—		1	—	—	—	1	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	1	21A
22	4	1	1	3	7	7	2	3	—	—	4	1		1	1	—	2	1	—	6	4	22
23	—	—	—	—	—	1	—	1	—	—	—	—		—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	2	—	—	—	1	—	—		—	—	—	1	—	—	—	4	24
25	2	3	1	2	2	1	1	4	3	1	5	4		2	1	5	6	1	2	23	19	25
26	1	—	2	—	3	2	3	—	4	—	—	—		—	—	5	2	2	1	7	4	26
27	—	—	2	—	3	—	—	—	—	—	1	—		—	—	—	—	—	—	1	1	27
28	13	11	12	21	36	22	20	13	5	7	20	14		6	5	29	32	11	13	47	58	28
29	2	2	1	—	—	—	—	—	—	—	2	1		—	—	—	—	—	1	1	1	29

CAUSES of DEATH in ADMINISTRATIVE
STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brown-hills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heath-town or Wednesfield Heath U.D.		Kids-grove U.D.		Leek U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	109	85	113	106	197	170	181	146	129	108	64	66	54	48	101	104	1
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	4	1	1	—	10	5	—	1	—	4	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	—	4	3	1	6	2	3	—	—	—	1	—	—	1	—	6
6 Diphtheria and croup	—	—	3	2	1	1	—	—	1	—	—	—	1	—	—	2	7
7 Influenza	11	7	5	6	5	4	9	6	3	—	1	2	1	1	—	—	8
8 Erysipelas	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	1	7	4	9	10	8	6	17	6	6	7	—	7	5	8	10
10 Tuberculous meningitis	—	—	—	—	2	1	2	2	—	1	—	1	1	—	—	—	11
11 Other tuberculous diseases	—	1	—	—	2	1	2	1	2	2	3	—	3	1	1	1	12
12 Cancer, malignant disease	7	4	10	9	13	13	8	9	11	12	5	6	7	2	7	13	13
13 Rheumatic fever... ..	—	—	—	2	1	1	—	1	—	—	—	1	—	1	—	—	14
14 Meningitis	1	2	—	—	3	—	1	—	3	3	1	1	1	—	—	—	15
15 Organic heart disease	9	5	9	5	20	22	19	18	9	11	6	4	1	3	13	12	16
16 Bronchitis	9	7	14	13	12	13	19	12	17	10	4	5	9	6	11	8	17
17 Pneumonia (all forms)	21	15	9	6	16	12	42	25	16	15	7	4	10	3	3	8	18
18 Other respiratory diseases	2	1	—	3	2	5	—	1	2	3	1	1	—	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	3	1	4	2	2	5	6	1	2	2	—	1	3	1	20
20 Appendicitis and typhlitis	1	—	1	1	—	1	—	—	1	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	—	4	—	1	1	3	2	—	—	2	—	2	1	4	2	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	1	—	3	—	2	—	2	—	1	—	1	—	—	25
25 Congenital debility, &c.	8	5	11	16	25	16	18	13	8	11	7	10	2	2	18	8	26
26 Violence, apart from 27	5	1	8	2	9	3	6	3	2	1	—	3	2	2	4	2	27
27 Suicide	1	1	2	—	—	—	3	1	—	—	1	—	1	—	1	—	28
28 Other defined diseases	23	33	21	32	57	47	35	34	28	24	17	17	13	16	29	32	29
29 Causes ill-defined or unknown.	—	—	1	—	2	2	—	—	1	—	1	—	—	—	—	—	

STAFFORDSHIRE—*cont.*

Causes of Death.	Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	39	54	136	119	18	19	57	49	281	244	24	26	129	96	32	27	1
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	4	2	—	—	3	1	4	1	—	—	1	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	5
5 Whooping cough	—	2	1	—	—	—	1	1	4	7	1	4	2	1	3	2	6
6 Diphtheria and croup	—	—	1	1	—	1	—	—	4	2	—	—	2	—	—	—	7
7 Influenza	—	—	—	1	2	2	6	8	27	25	1	—	15	10	3	3	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	3	12	13	2	1	2	5	12	12	1	—	6	6	2	—	10
10 Tuberculous meningitis	—	—	1	2	—	1	—	1	2	1	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	2	4	4	—	2	—	1	5	3	—	—	4	2	—	—	12
12 Cancer, malignant disease	9	8	12	10	—	3	3	1	11	16	4	2	8	6	3	2	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	2	2	—	—	2	—	1	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	2	—	—	3	1	—	—	15
15 Organic heart disease	9	8	13	11	—	2	4	2	19	21	1	4	7	8	—	—	16
16 Bronchitis	2	3	7	5	1	—	7	6	28	17	4	1	13	12	4	5	17
17 Pneumonia (all forms)	2	—	12	15	—	1	5	5	34	21	2	1	14	10	2	4	18
18 Other respiratory diseases	—	1	3	1	—	—	—	—	4	1	—	—	—	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	2	5	2	1	—	2	—	12	4	1	—	2	1	—	1	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	1	1	—	3	1	—	—	—	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	3	8	2	1	—	—	1	5	10	1	1	1	3	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	4	—	2	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1	—	5	—	—	—	—	—	—	25
25 Congenital debility, &c.	2	1	11	10	3	—	7	2	19	14	1	1	13	9	5	1	26
26 Violence, apart from 27	—	1	4	4	—	—	4	—	12	7	1	1	5	—	4	—	27
27 Suicide	1	1	3	—	1	—	—	—	4	—	—	—	—	1	—	—	28
28 Other defined diseases	7	19	32	32	7	5	12	14	68	63	6	9	30	23	5	8	29
29 Causes ill-defined or unknown.	—	—	1	3	—	—	—	—	1	—	—	—	—	—	—	—	

AREAS, 1920 (Civilian population only)—continued.
STAFFORDSHIRE—cont.

	Small-thorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D.		Wednes- bury M.B.		Wednes- field U.D.		Willenhall U.D.		Wolstanton United U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	92	73	146	150	36	34	68	43	23	38	258	235	32	35	233	201	42	36	128	123	182	160	1
2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	2
3	1	2	—	—	1	—	—	—	—	—	—	2	1	—	11	10	—	—	—	—	3	3	3
4	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	4
5	—	1	—	1	—	—	—	—	—	—	3	3	—	—	—	1	—	—	3	5	1	4	5
6	1	—	5	5	—	—	—	—	—	1	2	2	—	—	3	3	2	2	—	—	5	6	6
7	2	1	2	2	—	1	1	1	2	1	19	21	—	—	9	6	—	—	12	1	1	3	7
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	6	16	14	4	2	3	3	—	—	9	6	3	1	17	15	5	4	8	4	9	10	9
10	1	2	3	1	1	1	1	—	1	2	2	3	—	—	1	5	—	—	1	1	2	1	10
11	1	1	4	1	1	2	3	1	—	—	2	3	1	1	7	4	—	—	—	2	1	2	11
12	9	5	13	12	4	6	6	5	6	7	11	16	2	3	10	13	4	2	13	14	11	11	12
13	—	—	—	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	2	—	—	13
14	1	1	—	1	—	—	2	1	—	—	1	3	—	—	6	4	1	1	—	—	4	2	14
15	9	8	10	16	6	4	6	7	2	6	18	6	4	7	12	15	7	2	9	6	16	21	15
16	12	3	10	12	—	1	9	4	—	3	24	12	5	1	29	18	3	5	13	15	16	20	16
17	11	6	8	6	2	2	5	2	1	2	55	35	2	7	31	13	4	2	20	14	12	6	17
18	1	1	5	2	—	—	4	1	—	—	3	2	—	1	2	3	2	1	—	4	3	1	18
19	2	2	—	1	—	—	—	—	—	—	10	6	—	—	5	6	1	—	2	3	3	4	19
20	3	1	1	1	—	—	—	—	1	2	2	1	—	1	1	—	—	—	1	—	—	—	20
21	—	—	1	—	—	—	—	—	—	—	2	1	1	—	4	1	—	—	—	2	1	—	21
21A	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	—	—	5	2	2	2	—	—	1	—	3	4	2	2	2	3	1	3	—	4	10	5	22
23	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	4	23
24	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	3	—	4	24
25	7	8	11	6	6	4	6	6	3	1	22	22	2	—	15	11	1	5	9	6	22	6	25
26	5	3	4	2	—	1	8	2	—	2	12	5	1	1	4	5	1	—	9	—	12	3	26
27	—	2	2	—	1	—	—	—	—	—	3	—	—	—	2	—	1	—	1	—	3	—	27
28	16	17	45	58	9	8	14	9	7	11	64	66	7	10	61	60	9	9	25	36	46	43	28
29	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	29

STAFFORDSHIRE—cont.

	Blore Heath R.D.		Cannock R.D.		Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kings- winford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	13	13	135	96	177	147	—	—	29	30	173	154	91	78	143	144	20	17	32	35	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	4
5	—	—	—	—	—	—	—	—	1	2	—	2	—	1	6	4	—	—	—	1	5
6	1	—	2	2	1	6	—	—	—	—	3	1	2	2	3	1	—	—	—	—	6
7	—	—	8	2	7	3	—	—	—	—	16	11	1	1	—	4	1	—	1	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	2	—	8	4	9	7	—	—	—	—	7	9	4	4	3	7	3	1	3	1	9
10	—	—	—	—	1	2	—	—	—	—	1	4	—	—	—	—	—	—	—	—	10
11	—	—	1	—	2	—	—	—	1	1	1	1	—	2	1	1	—	—	—	—	11
12	1	1	12	10	11	7	—	—	2	7	7	9	8	7	13	22	1	3	1	4	12
13	—	—	—	—	1	1	—	—	—	—	2	2	—	—	1	1	—	—	—	1	13
14	—	—	1	2	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—	—	14
15	—	2	10	5	25	23	—	—	6	3	12	11	11	14	13	14	4	2	3	3	15
16	—	1	10	4	18	9	—	—	2	1	19	20	5	4	21	10	—	—	6	4	16
17	1	—	12	6	12	4	—	—	1	4	26	23	7	2	15	1	1	—	1	2	17
18	—	—	3	—	3	—	—	—	—	—	3	4	2	2	2	1	—	—	1	—	18
19	—	—	2	—	1	2	—	—	—	—	7	1	2	2	2	2	—	—	1	1	19
20	—	—	1	3	1	2	—	—	1	1	2	—	—	—	1	—	—	1	—	1	20
21	—	—	—	—	1	—	—	—	—	—	2	1	1	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	3	—	4	—	—	—	2	—	3	1	—	2	—	3	1	—	1	1	22
23	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	6	—	—	—	—	—	4	—	1	—	3	—	—	—	1	24
25	3	2	14	11	21	11	—	—	1	—	14	4	6	7	12	11	1	1	2	4	25
26	—	—	7	5	7	8	—	—	1	2	6	1	6	2	10	5	—	—	2	—	26
27	—	—	—	—	2	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	27
28	5	6	38	31	39	48	—	—	11	9	41	45	30	22	35	49	7	9	8	8	28
29	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	29

CAUSES OF DEATH in ADMINISTRATIVE

STAFFORDSHIRE—*cont.*

Causes of Death.	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	90	89	55	44	34	33	89	68	36	32	52	36	56	43	94	72	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	—	—	1	1	1	—	—	2	—	—	1	5	3	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	4
5 Whooping cough	—	—	—	—	—	—	—	2	—	—	1	—	—	—	3	6	5
6 Diphtheria and croup	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	6
7 Influenza	4	3	2	—	—	1	2	1	1	—	—	—	—	—	1	1	7
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	7	3	—	1	3	2	6	3	3	2	2	3	4	3	1	3	9
10 Tuberculous meningitis	1	3	—	2	—	1	1	—	—	2	—	—	2	1	1	1	10
11 Other tuberculous diseases	1	1	—	1	1	—	—	—	—	1	1	1	1	—	1	—	11
12 Cancer, malignant disease	6	6	5	1	2	3	7	8	2	6	5	2	6	6	4	6	12
13 Rheumatic fever... ..	—	—	—	—	—	—	1	—	—	1	1	—	1	—	—	2	13
14 Meningitis	—	1	—	—	1	—	2	3	—	—	1	—	—	—	2	—	14
15 Organic heart disease	16	14	7	7	6	7	12	8	2	3	4	6	8	3	12	6	15
16 Bronchitis	6	6	3	—	1	3	2	5	7	4	1	4	3	3	9	2	16
17 Pneumonia (all forms)	4	7	1	1	3	3	—	—	4	—	1	3	—	2	10	6	17
18 Other respiratory diseases	2	—	1	—	—	—	1	—	3	—	—	—	2	1	3	—	18
19 Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	—	—	—	1	—	—	—	—	—	—	5	4	19
20 Appendicitis and typhlitis	—	—	1	1	1	—	2	1	—	1	—	—	—	—	—	1	20
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	2	1	—	2	3	2	1	1	1	—	1	1	1	2	22
23 Puerperal fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	3	24
25 Congenital debility, &c.	4	5	3	3	3	1	6	2	1	1	5	1	4	2	8	3	25
26 Violence, apart from 27	4	6	1	—	1	—	3	2	3	1	3	—	3	—	2	1	26
27 Suicide	2	1	2	—	—	—	3	—	—	—	1	—	—	—	—	—	27
28 Other defined diseases	28	30	25	26	11	8	34	26	7	7	20	12	17	16	22	21	28
29 Causes ill-defined or un- known.	1	—	1	—	—	1	—	1	—	—	2	—	—	—	—	—	29

STAFFORDSHIRE—*cont.*

SUFFOLK, EAST.

Causes of Death.	Blythill and Weston under Lizard C.P.'s†				Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	11	7			19	10	37	47	15	31	9	14	35	55	
1 Enteric fever	—	—			—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—			—	—	1	2	—	—	—	—	—	—	3
4 Scarlet fever	—	—			—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—			—	—	2	1	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—			—	—	1	—	—	—	—	—	—	1	6
7 Influenza	—	—			—	—	—	1	—	—	1	1	—	—	7
8 Erysipelas	—	1			—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	—			1	—	2	2	1	4	—	1	2	2	9
10 Tuberculous meningitis	—	—			—	—	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	2	—			1	—	—	1	—	—	—	—	2	—	11
12 Cancer, malignant disease	1	—			3	1	4	5	2	3	—	3	4	10	12
13 Rheumatic fever... ..	—	—			—	—	1	—	—	2	—	—	—	—	13
14 Meningitis	—	—			—	—	—	—	1	—	—	—	—	—	14
15 Organic heart disease	2	1			3	4	—	5	—	—	5	1	2	9	15
16 Bronchitis	1	—			—	—	1	1	2	2	—	1	2	1	16
17 Pneumonia (all forms)	1	—			1	—	—	1	—	—	—	—	2	—	17
18 Other respiratory diseases	—	—			—	—	1	—	—	—	—	1	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—			—	—	3	—	—	—	—	—	—	1	19
20 Appendicitis and typhlitis	—	—			—	—	—	—	—	—	1	—	1	—	20
21 Cirrhosis of liver	—	1			1	—	—	—	—	1	—	—	—	1	21
21A Alcoholism	—	—			—	—	—	—	—	—	—	—	—	1	21A
22 Nephritis and Bright's dis.	—	1			1	2	—	1	1	2	—	—	1	2	22
23 Puerperal fever	—	—			—	—	—	1	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—			—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	—			—	—	6	2	—	2	—	—	4	5	25
26 Violence, apart from 27	—	—			1	—	—	—	—	—	—	—	1	2	26
27 Suicide	—	—			—	—	—	—	—	—	1	—	—	1	27
28 Other defined diseases	3	3			7	3	15	21	8	15	1	6	13	17	28
29 Causes ill-defined or un- known.	—	—			—	—	—	2	—	—	—	—	—	1	29

* The remainder of Tamworth R.D. is in Warwickshire; see page 476.

† Administered by Shifnal R.D.C. (Shropshire).

AREAS, 1920 (Civilian population only)—continued.
SUFFOLK, EAST—cont.

	Halesworth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Saxmundham U.D.		Southwold M.B.		Stowmarket U.D.		Woodbridge U.D.						Blything R.D.		Bosmere and Claydon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M.	F.	M	F	
1	16	17	18	19	209	226	6	6	14	22	17	17	22	35					107	92	88	76	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	1	2
3	—	—	—	—	1	—	—	—	—	—	2	—	—	1					—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	1	—	—	4
5	—	—	—	1	—	6	—	—	—	1	—	—	—	—					1	2	2	—	5
6	1	1	1	—	—	3	—	—	—	—	1	1	—	—					1	2	—	—	6
7	—	—	—	—	9	5	—	—	—	—	2	—	—	—					3	5	—	1	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—					—	—	1	—	8
9	—	1	1	—	14	22	—	—	—	1	—	—	1	2					4	6	2	3	9
10	—	—	—	1	2	8	—	—	—	—	—	—	—	—					2	—	1	1	10
11	—	—	1	1	2	1	—	—	—	1	—	—	—	—					1	—	—	1	11
12	2	4	4	2	16	19	2	2	1	2	1	—	5	4					11	10	6	6	12
13	—	—	—	—	1	1	—	—	—	—	—	—	—	—					—	—	1	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1	—	—	—	14
15	1	3	1	1	19	24	1	—	2	1	2	5	3	8					10	12	14	15	15
16	4	3	4	1	6	11	—	—	—	—	—	1	2	1					10	9	7	4	16
17	1	—	—	—	18	16	—	—	—	1	—	—	1	—					6	2	6	6	17
18	—	—	—	1	4	4	—	—	1	—	1	—	1	—					2	1	2	2	18
19	—	—	—	—	—	3	—	—	—	—	—	—	1	1					—	—	1	2	19
20	—	—	—	1	1	3	—	—	1	—	—	—	—	—					2	—	—	1	20
21	—	—	—	—	1	1	—	—	—	—	—	—	—	—					1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	—	—	—	1	9	7	—	—	—	2	—	—	—	2					1	2	1	3	22
23	—	—	—	—	—	2	—	—	—	—	—	—	—	—					—	1	—	1	23
24	—	—	—	—	—	2	—	—	—	1	—	—	—	—					—	5	—	1	24
25	3	3	—	—	16	17	—	—	1	2	1	1	2	1					8	6	9	4	25
26	—	—	—	—	6	3	1	1	1	1	—	—	2	1					3	4	4	4	26
27	—	—	—	—	6	4	—	—	1	—	—	—	1	—					4	1	4	1	27
28	4	1	6	9	73	64	2	3	6	9	7	9	3	14					35	22	26	19	28
29	—	1	—	—	4	—	—	—	—	—	—	—	—	—					1	1	—	—	29

SUFFOLK, EAST—cont.

SUFFOLK, WEST.

	East Stow R.D.		Hartismere R.D.		Hoxne R.D.		Mutford and Lothingland R.D.		Plomesgate R.D.		Samford R.D.		Wangford R.D.		Woodbridge R.D.				Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
1	33	22	54	65	60	52	57	45	95	95	79	80	29	20	81	101			79	103	9	5	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	1	—	—	2
3	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1			—	—	—	—	3
4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	—	—	4
5	—	1	—	—	1	1	—	2	1	1	—	—	—	—	1	1			—	—	—	—	5
6	—	—	—	—	1	—	—	—	2	2	1	—	—	—	1	2			—	1	—	—	6
7	—	—	—	2	1	—	1	—	2	5	3	1	—	—	3	4			—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—			1	—	—	—	8
9	3	1	2	3	5	7	5	6	4	4	11	5	4	2	4	7			8	7	1	—	9
10	—	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—			—	1	—	—	10
11	—	—	—	—	1	—	1	—	1	1	3	3	—	—	—	1			—	—	—	—	11
12	4	4	5	9	8	10	6	8	7	11	9	8	5	5	11	9			13	17	2	—	12
13	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	1	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—			2	—	—	—	14
15	2	4	10	14	5	5	7	8	10	16	16	16	2	2	3	13			6	14	3	1	15
16	—	—	4	4	7	1	2	—	7	3	1	1	—	—	1	4			5	6	—	—	16
17	1	—	1	1	3	—	4	2	2	4	5	4	1	1	6	6			2	2	—	—	17
18	2	—	—	2	—	—	1	1	3	—	—	—	—	1	—	—			—	1	—	—	18
19	—	—	—	—	—	1	1	—	1	—	—	2	—	—	—	—			3	—	—	—	19
20	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—			1	—	—	—	20
21	—	—	1	—	1	—	—	—	2	—	1	—	—	—	—	1			—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—			—	—	—	—	21A
22	—	—	—	—	2	2	2	1	2	1	3	1	1	—	3	2			—	4	—	—	22
23	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	2			—	1	—	—	23
24	—	—	—	1	—	—	—	1	—	1	—	1	—	—	—	2			—	1	—	—	24
25	3	2	5	7	6	—	7	3	8	5	4	4	2	2	3	7			2	3	1	1	25
26	—	1	3	—	4	—	1	2	1	—	2	2	1	—	2	4			2	2	1	—	26
27	1	—	4	—	1	1	1	—	—	—	2	—	1	—	2	1			2	—	—	—	27
28	16	7	17	21	13	24	18	10	38	37	13	28	10	6	37	34			31	39	1	3	28
29	—	1	—	—	—	—	1	—	—	1	—	1	—	—	1	—			1	2	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

SUFFOLK, WEST—*cont.*

Causes of Death.		Hadleigh U.D.		Haverhill U.D.		New- market U.D.		Sudbury M.B.				Brandon R.D.		Clare R.D.		Cosford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	...	22	12	18	18	64	34	46	51			29	41	57	54	56	66	1
1 Enteric fever	...	1	—	—	—	—	—	—	—			—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	2	—			1	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	1	—	—			—	—	—	—	—	—	5
5 Whooping cough	...	—	—	1	—	—	—	—	—			—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—			—	2	—	—	—	2	7
7 Influenza	...	—	—	—	—	—	1	—	2			—	—	1	—	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—			—	—	—	—	1	—	9
9 Pulmonary tuberculosis	...	1	—	2	1	7	4	6	3			1	4	2	3	5	5	10
10 Tuberculous meningitis	...	—	1	—	1	—	—	—	—			—	1	1	—	—	—	11
11 Other tuberculous diseases	...	1	—	—	—	—	—	—	1			—	1	1	2	—	—	12
12 Cancer, malignant disease	...	4	3	3	1	10	2	5	14			4	11	4	7	7	11	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	1			—	1	1	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	15
15 Organic heart disease	...	2	2	2	1	5	—	6	2			3	5	6	4	11	9	16
16 Bronchitis	...	1	2	1	8	4	4	—	5			3	1	7	8	2	3	17
17 Pneumonia (all forms)	...	—	1	1	1	5	2	—	4			1	—	—	—	2	1	18
18 Other respiratory diseases	...	1	—	—	—	1	—	—	—			1	2	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	—	—			—	—	—	—	1	—	20
20 Appendicitis and typhilitis	...	1	—	—	—	1	—	—	—			—	—	—	—	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	1	—	—	—			—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	—	—	—	1	—	1	2			1	—	1	—	3	2	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—			—	1	—	1	—	1	25
25 Congenital debility, &c.	...	2	—	2	—	4	3	7	3			3	3	4	7	2	7	26
26 Violence, apart from 27	...	1	—	—	—	3	—	2	3			2	2	3	1	1	—	27
27 Suicide	...	—	—	—	—	2	—	—	—			—	—	5	—	2	—	28
28 Other defined diseases	...	7	3	6	5	19	17	16	11			7	6	19	20	19	25	29
29 Causes ill-defined or unknown.	...	—	—	—	—	1	—	1	—			2	1	1	1	—	—	

SUFFOLK, WEST—*cont.*

SURREY.

Causes of Death.		Melford R.D.		Mildenhall R.D.		Moulton R.D.		Thed- wastre R.D.		Thingoe R.D.				Barnes U.D.		Bedding- ton and Wallington U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
ALL CAUSES	...	74	89	43	45	13	15	51	40	78	55			194	190	63	85	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	1	—			1	2	1	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—			1	—	—	1	5
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—			5	3	—	—	6
6 Diphtheria and croup	...	—	—	1	1	—	—	—	—	—	1			2	5	1	1	7
7 Influenza	...	—	—	1	2	—	—	1	—	—	—			4	3	2	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	9
9 Pulmonary tuberculosis	...	4	9	5	3	—	—	1	3	1	3			9	8	10	3	10
10 Tuberculous meningitis	...	—	1	—	—	—	—	—	—	2	—			1	1	1	—	11
11 Other tuberculous diseases	...	1	2	1	1	—	—	—	—	2	—			1	—	2	—	12
12 Cancer, malignant disease	...	9	12	6	6	2	2	9	8	12	10			17	22	7	19	13
13 Rheumatic fever...	...	1	—	—	—	—	—	—	—	1	—			2	1	—	—	14
14 Meningitis	...	—	—	—	1	—	2	—	—	—	—			—	—	1	1	15
15 Organic heart disease	...	14	18	4	3	1	1	9	6	7	9			18	13	8	12	16
16 Bronchitis	...	5	8	3	4	—	—	1	—	4	3			13	15	1	6	17
17 Pneumonia (all forms)	...	3	1	1	1	1	—	1	—	4	—			12	9	4	3	18
18 Other respiratory diseases	...	—	—	2	1	—	—	—	—	—	—			1	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	2	—	—	1	—	—	1	—	—	—			5	1	—	1	20
20 Appendicitis and typhilitis	...	1	—	—	—	1	—	—	—	—	—			—	2	—	—	21
21 Cirrhosis of liver	...	2	—	1	—	—	—	—	—	—	—			3	2	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	2	—	—	—	—	1	—	1	1			8	4	1	1	23
23 Puerperal fever	...	—	—	—	—	—	—	1	—	—	1			—	4	—	—	24
24 Parturition, apart from 23	...	—	1	—	1	—	—	—	—	—	1			—	3	—	1	25
25 Congenital debility, &c.	...	4	6	4	4	—	1	2	3	6	3			8	10	7	4	26
26 Violence, apart from 27	...	2	—	1	—	1	—	3	—	3	1			8	6	—	3	27
27 Suicide	...	1	1	—	—	—	—	—	—	2	1			3	6	—	—	28
28 Other defined diseases	...	24	26	12	16	7	9	18	18	29	21			70	70	16	29	29
29 Causes ill-defined or unknown.	...	1	2	1	—	—	—	4	1	3	—			2	—	—	—	

AREAS, 1920 (Civilian population only)—*continued.*
SURREY—*cont.*

	Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Coulston and Purley U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	48	60	46	39	66	85	72	69	42	58	37	40	67	73	59	68	50	69	54	87	60	60	1
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	2	—	2	1	1	1	3	—	—	—	2	—	1	1	1	3	—	1	1	—	1	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	8
9	6	3	4	1	7	4	8	4	1	4	3	3	5	5	5	2	2	7	2	6	9	5	9
10	—	—	—	—	1	1	1	2	2	1	1	—	1	—	—	—	1	2	—	—	—	—	10
11	1	—	1	1	1	—	2	2	1	1	—	—	—	1	—	—	1	—	1	—	1	—	11
12	4	12	5	7	7	12	10	8	12	9	9	7	8	12	5	12	13	16	3	14	7	8	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	1	1	1	7	11	3	5	—	—	—	1	—	—	—	1	—	—	—	14
15	3	12	2	2	10	10	7	11	3	5	4	5	10	5	6	4	7	5	5	9	7	9	15
16	1	7	4	4	5	5	2	3	—	10	2	2	3	7	1	2	2	2	4	7	1	3	16
17	4	1	2	3	3	3	2	3	2	5	1	—	5	1	6	3	4	2	4	3	2	1	17
18	2	1	—	—	2	—	1	3	1	—	—	1	—	5	—	—	—	1	2	1	1	2	18
19	—	—	—	—	—	2	1	—	—	1	—	1	—	—	1	3	—	—	2	1	—	1	19
20	1	—	—	—	1	1	1	—	—	—	—	2	2	—	—	—	—	—	1	1	1	2	20
21	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	2	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	—	2	3	1	1	1	1	—	—	3	4	—	2	3	1	3	2	1	1	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	24
25	2	2	6	4	1	6	2	2	3	2	2	2	8	4	2	—	—	3	—	1	2	3	25
26	2	—	2	—	5	5	5	3	4	—	3	2	2	2	7	2	—	1	4	1	4	1	26
27	1	1	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	27
28	19	17	15	10	24	27	17	21	14	18	8	12	16	21	21	30	15	27	20	37	21	20	28
29	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

SURREY—*cont.*

	Godalming M.B.		Guildford M.B.		Ham U.D.		Haslemere U.D.		Kingston on Thames M.B.		Leather- head U.D.		Merton and Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		Surbiton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	58	43	121	121	7	6	14	23	205	232	25	16	73	73	174	160	123	157	188	218	107	118	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	1	2	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	4
5	1	1	1	—	—	—	—	—	5	4	—	—	1	—	—	3	—	—	2	2	2	—	5
6	—	—	—	—	—	—	—	—	2	1	—	1	1	1	6	3	1	2	4	—	1	3	6
7	—	—	—	—	—	—	—	—	2	4	—	—	1	1	6	3	3	2	1	8	2	3	7
8	—	—	1	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	—	8
9	8	4	12	10	—	—	—	1	21	18	—	2	3	5	13	12	9	8	13	12	6	5	9
10	—	—	2	—	—	—	—	—	—	2	—	—	—	—	3	—	2	1	—	2	—	1	10
11	1	2	2	1	—	—	—	—	2	3	—	—	—	1	2	1	1	—	—	5	—	2	11
12	6	7	13	17	2	1	—	6	25	31	4	2	3	12	15	19	9	18	30	36	8	19	12
13	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	1	1	—	—	1	1	—	13
14	—	—	—	—	—	—	1	—	—	3	1	—	2	—	2	1	—	—	—	2	—	—	14
15	11	9	12	14	1	—	—	3	27	33	6	1	9	6	15	27	14	33	14	33	11	18	15
16	3	2	6	10	—	—	1	1	10	19	2	—	4	6	17	14	4	3	11	15	4	12	16
17	5	5	4	5	1	—	2	—	20	10	1	1	5	6	19	10	1	6	11	9	14	12	17
18	2	—	3	2	—	—	—	—	3	—	—	—	2	1	4	3	2	—	1	1	1	—	18
19	1	—	—	—	—	—	—	—	8	2	—	—	2	—	3	3	1	—	2	1	2	2	19
20	—	—	1	1	—	—	—	—	1	1	—	—	—	3	2	1	—	—	4	1	1	—	20
21	—	—	—	—	—	—	—	1	4	1	—	—	1	—	1	—	1	—	1	2	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	2	—	4	2	—	—	1	1	6	4	—	1	2	2	3	4	3	2	3	6	2	2	22
23	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—	—	1	—	3	23
24	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	3	—	1	24
25	1	—	8	5	—	—	1	—	7	9	1	—	6	8	14	9	10	8	9	9	6	1	25
26	3	2	6	1	1	1	1	—	11	5	—	1	2	—	5	1	9	1	12	3	4	2	26
27	2	—	1	1	1	—	—	—	4	—	1	—	1	—	—	1	4	—	6	1	3	1	27
28	11	10	43	43	1	4	7	8	44	76	8	6	28	19	37	40	48	71	62	61	38	38	28
29	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	29

CAUSES of DEATH in ADMINISTRATIVE

SURREY—*cont.*

Causes of Death.				Sutton U.D.		The Maldens and Coombe U.D.		Walton upon Thames U.D.		Weybridge U.D.		Wimbledon M.B.		Windle- sham U.D.		Woking U.D.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	88	117	55	62	53	65	31	30	264	293	25	22	91	112		1
1	Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—		2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
3	Measles	2	—	1	—	—	1	1	—	3	3	—	—	—	1		4
4	Scarlet fever	1	—	—	—	—	—	—	—	1	1	—	—	—	—		5
5	Whooping cough	—	—	—	—	1	1	—	—	1	1	—	—	—	—		6
6	Diphtheria and croup	—	3	3	1	1	1	—	—	4	8	—	—	1	1		7
7	Influenza	2	1	1	—	1	1	1	1	5	5	1	—	—	4		8
8	Erysipelas	—	—	—	—	—	1	—	—	1	1	—	—	—	—		9
9	Pulmonary tuberculosis	10	6	2	7	2	1	2	—	21	19	2	2	10	5		10
10	Tuberculous meningitis	1	—	—	—	1	—	4	—	2	2	—	—	1	2		11
11	Other tuberculous diseases	—	1	1	—	1	—	—	—	—	1	1	—	4	2		12
12	Cancer, malignant disease	8	24	4	6	5	10	1	4	20	44	4	4	10	18		13
13	Rheumatic fever...	—	1	1	—	—	—	—	—	—	—	—	—	—	1		14
14	Meningitis	3	—	—	—	2	1	—	—	1	—	—	—	—	—		15
15	Organic heart disease	10	16	7	8	6	9	2	5	37	30	3	5	11	17		16
16	Bronchitis	7	8	7	7	1	3	2	1	17	17	—	2	2	10		17
17	Pneumonia (all forms)	2	6	1	3	—	2	—	1	20	19	2	—	6	4		18
18	Other respiratory diseases	1	2	1	—	1	—	—	—	3	6	—	—	—	1		19
19	Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	—	—	—	—	6	2	—	—	—	1		20
20	Appendicitis and typhlitis	—	2	—	1	—	—	—	—	7	3	—	—	1	—		21
21	Cirrhosis of liver	2	—	—	—	—	—	—	—	2	2	—	—	—	1		21A
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	1	—	—		22
22	Nephritis and Bright's dis.	3	1	2	2	1	—	—	1	6	4	—	—	2	1		23
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	1		24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	2	—	—	—	—		25
25	Congenital debility, &c.	2	3	2	4	5	5	2	2	18	12	1	1	7	3		26
26	Violence, apart from 27	1	2	5	2	2	—	2	—	10	10	1	—	5	2		27
27	Suicide	4	1	—	—	—	—	—	—	3	2	—	—	—	—		28
28	Other defined diseases	28	39	17	21	23	28	14	15	74	98	10	7	31	37		29
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	1	1	—	—	—	—		

SURREY—*cont.*

Causes of Death.				Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hamble- don R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	57	56	58	57	137	142	81	77	121	116	91	91	104	90	1
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	3	—	—	1	1	2	2	—	—	—	—	—	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough...	—	3	—	—	—	1	—	—	1	—	—	1	—	—	6
6	Diphtheria and croup	1	—	—	4	2	2	—	—	1	1	1	1	2	1	7
7	Influenza	1	—	—	—	3	4	1	4	1	4	1	—	1	2	8
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	1	1	9
9	Pulmonary tuberculosis	3	2	8	2	11	7	7	4	8	13	7	4	7	5	10
10	Tuberculous meningitis	—	—	—	—	3	1	—	1	1	1	—	—	—	—	11
11	Other tuberculous diseases	1	1	1	1	3	3	1	1	4	2	1	—	—	—	12
12	Cancer, malignant disease	3	5	7	11	12	13	10	4	10	15	13	10	18	13	13
13	Rheumatic fever	—	—	—	—	—	—	—	—	2	1	—	1	—	—	14
14	Meningitis	2	—	—	—	—	2	—	—	—	—	2	—	1	1	15
15	Organic heart disease	8	7	4	9	14	15	12	15	19	23	10	16	16	12	16
16	Bronchitis	2	3	2	2	7	10	3	1	12	5	3	6	1	9	17
17	Pneumonia (all forms)	4	1	5	2	6	4	2	5	8	4	3	2	6	3	18
18	Other respiratory diseases	—	1	—	1	1	1	1	2	—	1	2	1	—	2	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	2	1	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	1	—	4	—	—	1	—	1	1	—	1	1	21
21	Cirrhosis of liver	—	2	1	—	—	—	—	—	—	1	1	—	1	—	22
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
22	Nephritis and Bright's dis.	2	1	3	2	2	3	4	5	5	4	6	3	8	1	24
23	Puerperal fever	—	—	—	1	—	—	—	—	—	2	—	2	—	—	25
24	Parturition, apart from 23	—	1	—	—	—	2	—	—	—	—	—	1	—	3	26
25	Congenital debility, &c.	9	4	5	5	12	7	7	2	6	2	5	6	11	2	27
26	Violence, apart from 27	1	1	2	1	2	1	4	2	1	3	3	3	2	2	28
27	Suicide	1	2	—	—	1	2	1	1	1	3	—	1	—	2	29
28	Other defined diseases	18	17	19	15	51	60	24	27	40	30	32	33	28	29	
29	Causes ill-defined or un- known.	—	2	—	—	—	—	1	—	—	—	—	—	—	—	

AREAS, 1920 (Civilian population only)—*continued.*

SURREY—*cont.*

SUSSEX, EAST.

Reigate R.D.		Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
89	116	15	16	75	97	40	47	9	8	39	32	28	30	205	330	58	50	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	1	—	1	2	—	—	—	—	—	—	—	1	5	4	3	1	4
—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	5
—	2	—	—	—	—	2	—	—	—	—	—	—	—	3	—	1	—	6
7	11	—	—	1	2	—	—	—	—	—	—	—	—	4	1	—	—	7
—	—	—	—	—	1	—	1	—	—	1	3	—	—	3	4	—	—	8
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	9
5	8	1	1	5	3	3	1	1	—	2	1	6	4	9	12	8	2	10
—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—	11
2	1	1	1	—	2	—	—	—	—	1	—	—	—	2	3	1	1	12
16	14	3	4	6	11	4	7	—	4	5	7	5	1	35	70	3	8	13
2	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—	—	1	14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	15
4	15	1	9	6	13	7	7	1	1	5	2	1	4	24	37	11	7	16
3	4	—	1	5	8	1	3	1	—	—	—	3	1	10	16	5	2	17
4	8	—	—	1	3	4	9	1	—	2	—	2	1	6	12	3	3	18
1	1	—	—	1	2	—	1	—	—	1	3	—	—	5	3	—	1	19
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	20
1	—	—	—	2	—	—	—	—	—	2	—	—	1	4	1	1	—	21
—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	3	1	—	21A
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	22
—	5	1	—	2	2	1	—	—	—	—	—	—	—	8	10	2	2	23
—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	24
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	25
4	2	1	—	3	3	2	3	—	1	—	1	1	—	9	11	1	2	26
4	1	—	—	5	2	3	—	—	—	2	1	—	1	2	5	3	—	27
—	—	—	—	1	—	1	—	—	—	—	—	—	—	7	—	—	1	28
36	41	4	—	33	38	11	13	5	2	15	13	10	14	63	132	13	16	29
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	

SUSSEX, EAST—*cont.*

Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.		Battle R.D.		Chailey R.D.		Cuckfield R.D.		East- bourne R.D.		East Grinstead R.D.		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
31	28	32	45	26	24	12	22	23	21	32	31	61	59	82	92	29	29	66	64	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
—	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	1	6
—	—	1	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
2	—	—	—	1	—	—	—	—	—	—	—	1	5	2	1	—	1	1	1	8
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
4	2	3	5	—	3	1	—	1	1	2	2	6	4	3	8	—	3	5	2	10
—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	1	—	11
—	—	—	2	1	—	—	—	1	1	—	1	1	1	—	2	—	—	1	1	12
6	9	3	7	1	2	1	6	2	2	1	5	5	9	12	19	5	3	10	14	13
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	14
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	15
5	4	—	1	7	4	—	2	2	2	9	7	14	14	11	12	4	7	6	9	16
2	2	3	4	3	—	1	1	2	4	1	2	2	4	5	2	—	1	1	6	17
—	1	2	3	—	—	1	1	2	—	4	1	2	4	3	5	—	1	3	10	18
1	—	1	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	2	—	19
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	20
—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	21
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	21A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
—	—	1	—	—	—	—	—	3	—	1	1	1	—	4	2	—	—	—	—	23
—	—	—	4	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	24
—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	2	25
2	2	5	3	1	—	3	2	2	—	—	2	4	1	6	3	—	3	7	1	26
2	2	—	—	1	—	1	—	—	—	1	—	2	1	2	—	3	—	1	2	27
1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	28
6	5	7	12	8	10	4	9	6	10	11	11	21	15	29	33	9	9	26	11	29
—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	

AREAS, 1920 (Civilian population only)—*continued.*
SUSSEX, WEST—*cont.*

		East Preston R.D.		Horsham R.D.		Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		West- bourne R.D.		West- hampnett R.D.					
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
1		28	29	111	99	82	79	48	43	56	49	42	41	57	54	78	75				1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—				2
3		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—				3
4		—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—				4
5		—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	—				5
6		1	—	—	—	—	1	—	—	—	—	1	1	2	—	1	1				6
7		1	1	3	2	1	2	—	—	—	2	—	—	—	—	—	1				7
8		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—				8
9		—	2	5	6	3	4	5	2	2	2	—	—	4	1	1	3				9
10		—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—				10
11		—	—	—	3	2	—	1	1	—	—	—	1	—	1	—	2				11
12		1	5	12	17	10	10	5	4	8	6	5	5	10	2	8	8				12
13		—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1				13
14		—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	1				14
15		5	2	18	22	12	12	4	9	8	7	5	8	6	10	11	13				15
16		2	—	4	2	6	4	1	3	1	2	2	4	3	2	2	3				16
17		—	—	3	2	1	—	4	1	1	1	1	1	2	2	1	4				17
18		1	1	2	1	—	—	—	—	1	1	—	—	—	3	3	—				18
19		—	—	—	—	—	1	—	—	1	—	—	—	2	—	1	1				19
20		1	—	1	1	—	1	—	—	1	1	—	—	—	—	2	—				20
21		—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	1				21
21A		—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—				21A
22		—	1	3	—	1	1	5	4	—	3	1	—	1	—	2	1				22
23		—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—				23
24		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—				24
25		2	1	10	4	5	4	2	2	4	5	3	5	2	4	3	5				25
26		2	1	5	1	3	—	1	1	4	2	3	2	—	3	4	4				26
27		—	—	3	—	4	—	1	—	—	—	1	—	—	—	2	1				27
28		12	14	39	36	34	36	16	16	24	16	20	13	23	23	29	25				28
29		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—				29

WARWICKSHIRE.

		Bulking- ton U.D.		Kenil- worth U.D.		Nuneaton M.B.		Royal Leaming- ton Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.				Alcester R.D.		Ather- stone R.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F		
1		12	20	34	46	205	192	193	189	112	120	59	46	109	94	78	72			85	52	135	104		1
2		—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—			—	1	—	—	—	2
3		—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	1			—	—	2	1	—	3
4		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			—	—	—	1	—	4
5		—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2			—	—	2	2	—	5
6		—	—	—	1	2	1	2	2	—	2	—	—	—	1	—	1			—	—	2	2	—	6
7		—	—	1	3	9	5	5	3	7	6	—	1	1	5	—	1			—	1	2	3	—	7
8		1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—			1	—	—	2	—	8
9		—	2	3	—	12	15	9	12	9	8	1	2	6	3	3	5			7	1	5	6	—	9
10		—	—	—	—	2	3	1	2	1	—	—	1	1	1	1	2			2	—	1	—	—	10
11		—	1	—	—	2	6	5	4	1	3	2	1	3	1	—	—			—	—	—	—	—	11
12		—	1	2	9	14	18	17	18	9	13	5	4	12	11	7	8			5	10	5	9	—	12
13		—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—			—	—	2	1	—	13
14		—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—			—	—	3	—	—	14
15		1	2	1	5	18	26	21	25	18	14	6	6	12	12	7	5			9	8	14	14	—	15
16		2	2	3	3	16	13	13	12	3	12	4	6	5	9	6	4			4	2	13	9	—	16
17		1	1	—	4	20	14	14	8	13	11	2	2	6	1	6	—			7	3	14	13	—	17
18		—	—	1	—	2	—	1	3	1	1	1	2	1	3	—	1			1	1	4	—	—	18
19		—	—	—	—	6	4	3	2	—	1	2	—	1	—	—	—			—	3	7	1	—	19
20		—	—	—	—	4	—	—	—	—	1	—	—	—	—	2	—			—	—	—	2	—	20
21		—	—	1	1	1	—	—	2	—	—	—	—	2	1	2	—			1	1	—	—	—	21
21A		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	—	21A
22		1	—	2	1	2	1	5	14	2	4	2	—	9	5	2	3			4	1	1	6	—	22
23		—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—			—	1	—	—	—	23
24		—	1	—	3	—	5	—	—	—	1	—	—	—	1	—	2			—	—	—	1	—	24
25		2	3	2	1	23	15	17	6	7	6	2	2	1	5	6	3			10	—	9	—	—	25
26		1	1	1	1	10	1	8	1	4	3	5	1	8	2	5	3			2	2	7	—	—	26
27		—	—	—	2	4	—	—	6	3	2	—	—	2	2	1	—			—	1	2	—	—	27
28		3	6	14	10	54	59	71	64	33	30	27	18	39	30	27	31			31	16	40	31	—	28
29		—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—			—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
WARWICKSHIRE—*cont.*

Causes of Death.			Brailes R.D.		Coventry R.D.		Farn- borough R.D.		Foleshill R.D.		Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	33	33	4	11	6	7	167	146	77	76	13	4	21	22	107	107
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	11	7	—	1	—	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	5
6 Diphtheria and croup	1	—	—	—	—	—	—	—	1	1	—	—	—	—	3	6
7 Influenza	2	2	—	—	1	—	8	7	2	—	—	—	—	—	6	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	—	—	1	—	—	11	13	6	3	—	1	1	—	14	7
10 Tuberculous meningitis	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—	10
11 Other tuberculous diseases	—	2	—	—	—	—	1	—	1	—	—	—	—	—	1	4
12 Cancer, malignant disease	5	4	—	1	1	1	12	18	10	11	2	—	4	2	11	16
13 Rheumatic fever...	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	13
14 Meningitis	1	—	—	—	—	—	1	1	—	—	—	—	—	1	2	1
15 Organic heart disease	4	2	—	—	—	2	13	6	8	7	2	—	2	5	7	7
16 Bronchitis	1	2	—	1	1	—	19	19	1	7	1	1	3	3	8	13
17 Pneumonia (all forms)	1	2	1	1	—	—	16	7	5	3	2	—	2	3	4	5
18 Other respiratory diseases	—	—	—	—	—	—	1	—	1	2	—	—	—	—	2	1
19 Diarrhoea, &c (under 2 yrs.)	—	—	—	1	—	—	5	3	—	2	—	—	1	—	2	1
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	2
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	—	1	1	—	2	2	1	4	—	—	1	—	1	2
23 Puerperal fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	1	1	1	—	—	16	12	5	3	2	—	1	2	11	3
26 Violence, apart from 27	—	—	1	—	—	1	8	3	5	2	1	—	1	1	6	—
27 Suicide	2	—	—	—	—	—	2	1	1	—	—	—	—	—	1	1
28 Other defined diseases	14	17	1	4	2	3	33	41	24	28	2	2	4	4	29	33
29 Causes ill-defined or unknown.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

WARWICKSHIRE—*cont.*

WESTMORLAND.

Causes of Death.			Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.		Ambleside U.D.		Appleby M.B.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	111	113	66	65	62	77	86	80	74	61	13	14	9	17
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	2	4	—	—	—	—	—	—	2	—	—	—
4 Scarlet fever	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	1	—	—	—	—	—	2	—	1	—	—	—	—	—
6 Diphtheria and croup	—	—	—	2	1	—	—	—	2	—	—	—	—	—
7 Influenza	6	8	—	1	1	—	2	3	1	—	—	—	—	—
8 Erysipelas	—	—	—	—	—	—	—	1	1	1	—	—	—	—
9 Pulmonary tuberculosis	4	3	6	4	5	7	9	8	4	4	2	1	1	—
10 Tuberculous meningitis	—	—	—	—	—	1	1	—	1	—	—	—	—	—
11 Other tuberculous diseases	—	3	2	1	—	—	3	1	1	—	—	1	—	—
12 Cancer, malignant disease	9	18	6	6	8	4	5	8	5	10	—	1	1	5
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	—	—	—	—
14 Meningitis	1	—	—	—	—	1	1	2	—	—	—	—	—	—
15 Organic heart disease	8	9	2	8	3	10	6	7	7	12	3	—	2	3
16 Bronchitis	4	12	3	6	4	5	9	6	7	4	—	—	1	1
17 Pneumonia (all forms)	2	9	4	2	1	1	4	2	5	1	—	1	—	—
18 Other respiratory diseases	1	1	3	2	5	2	1	2	2	—	—	1	1	—
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	—	1	2	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	2	—	—	—	1	2	1	—	2	—	—	—	—	1
21 Cirrhosis of liver	2	—	—	—	—	—	—	—	—	1	—	—	—	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	3	6	3	2	2	2	3	4	1	4	—	—	—	—
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	3	—	1	—	1	—	2	—	—	—	—	—	—
25 Congenital debility, &c.	3	4	4	4	2	4	4	5	4	3	1	2	2	1
26 Violence, apart from 27	7	—	2	3	4	2	6	—	3	2	—	—	—	1
27 Suicide	2	—	1	—	2	—	1	1	4	1	1	—	—	—
28 Other defined diseases	53	35	28	19	22	34	26	27	23	18	4	7	1	5
29 Causes ill-defined or unknown.	—	—	—	—	1	—	—	—	—	—	—	—	—	—

* The remainder of Tamworth R.D. is in Staffordshire; see page 468.

AREAS, 1920 (Civilian population only)—continued.
WESTMORLAND—cont.

	Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Winder- mere. U.D.						East West- morland R.D.		South West- morland R.D.		West Ward R.D.			
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F		
	8	5	107	113	5	11	6	7	27	33					76	67	126	119	37	43		
1	—	—	—	—	—	—	—	—	—	—					1	1	—	1	—	—		1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		3
4	—	—	1	1	—	—	—	—	—	—					—	1	3	2	—	1		4
5	—	—	—	—	—	—	—	—	—	—					2	—	—	—	—	—		5
6	—	—	2	—	—	—	—	—	—	—					—	—	1	2	—	—		6
7	—	3	2	1	—	—	—	—	—	—					1	2	3	3	—	1		7
8	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		8
9	1	—	9	8	—	—	—	—	2	—					3	4	5	7	1	2		9
10	—	—	1	1	—	—	—	—	—	—					1	1	1	2	1	—		10
11	—	—	2	2	—	—	—	—	—	—					1	—	2	2	1	1		11
12	—	—	10	10	1	1	1	—	4	7					6	12	14	19	7	10		12
13	1	—	—	—	—	—	—	—	—	—					—	1	—	1	—	—		13
14	—	—	—	1	—	—	—	1	—	—					3	—	—	1	—	—		14
15	1	—	12	21	1	1	1	1	6	4					10	13	13	11	5	8		15
16	—	—	6	9	—	1	—	—	1	1					3	—	9	7	3	1		16
17	1	—	7	6	—	1	2	—	—	—					3	—	1	2	2	1		17
18	—	—	—	2	—	—	—	—	—	1					2	4	1	1	—	—		18
19	—	—	1	2	—	—	—	—	—	—					1	—	—	—	—	—		19
20	—	1	2	1	—	—	—	—	—	—					—	—	—	4	—	—		20
21	—	—	1	—	—	—	—	—	—	—					—	—	1	—	—	—		21
21A	—	—	2	—	—	—	—	—	—	—					—	—	—	—	—	—		21A
22	—	—	3	4	—	—	—	—	—	—					2	—	5	1	—	2		22
23	—	—	—	2	—	1	—	—	—	—					—	1	—	2	—	—		23
24	—	—	—	2	—	—	—	—	—	1					—	1	—	1	—	1		24
25	—	—	4	3	—	—	—	1	1	2					2	3	10	2	2	1		25
26	1	—	7	—	—	—	—	—	2	1					4	1	2	2	1	—		26
27	—	—	2	—	—	—	—	—	1	—					—	—	1	—	—	—		27
28	3	1	33	37	3	5	2	4	10	15					29	21	53	46	14	14		28
29	—	—	—	—	—	1	—	—	—	1					2	1	1	—	—	—		29

WIGHT, ISLE OF.

	Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		Shanklin U.D.		Ventnor U.D.			Isle of Wight R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F		
	65	64	34	32	65	76	80	102	31	40	48	34	26	37	42	44		165	136		
1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—		—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—		2
3	3	3	—	—	—	1	—	—	1	—	—	—	—	—	—	—		2	1		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—		4
5	—	—	—	1	1	2	1	2	—	—	—	—	—	1	—	—		1	2		5
6	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	1		6
7	3	3	—	—	2	—	—	—	1	2	—	—	1	1	—	—		2	2		7
8	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		—	1		8
9	8	4	1	—	9	7	4	9	—	2	3	—	5	—	10	6		4	9		9
10	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		—	—		10
11	1	1	—	1	—	2	1	—	—	—	1	—	—	—	—	—		1	2		11
12	7	8	6	7	10	12	5	11	1	7	1	9	1	7	4	6		13	11		12
13	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—		—	—		13
14	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—		—	—		14
15	8	11	1	4	8	9	11	22	4	9	9	5	2	4	5	6		21	25		15
16	—	3	3	—	5	9	5	3	1	2	6	1	2	2	2	1		13	13		16
17	2	1	1	1	1	2	3	3	4	1	1	—	1	1	—	1		10	3		17
18	—	—	1	2	—	1	2	2	—	1	—	—	—	—	—	1		4	1		18
19	—	1	—	—	1	1	—	—	1	—	—	2	—	—	1	—		—	—		19
20	—	—	1	2	—	—	1	—	—	1	1	—	—	—	1	1		1	1		20
21	2	—	1	—	—	1	—	—	1	—	—	—	—	2	—	—		1	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—		21A
22	1	2	2	—	—	—	4	2	1	—	2	2	3	4	2	1		6	2		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	3		23
24	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—		—	—		24
25	2	2	4	2	3	3	5	2	2	—	4	—	—	1	4	—		11	4		25
26	1	—	—	—	3	—	3	2	1	—	1	—	—	—	1	—		7	3		26
27	3	—	—	—	—	1	2	—	1	—	1	1	1	—	—	—		3	—		27
28	20	19	11	10	22	23	33	40	10	14	17	14	9	12	12	21		63	52		28
29	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—		2	—		29

CAUSES of DEATH in ADMINISTRATIVE

WILTSHIRE.

Causes of Death.				Bradford on Avon U.D.		Calne M.B.		Chippen- ham M.B.		Devizes M.B.		Malmes- bury M.B.		Marl- borough M.B.		Melksham U.D.		Salisbury M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				25	31	19	25	32	38	39	39	16	24	22	24	24	11	109	109	1
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles			—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	5
5	Whooping cough			—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	5	6
6	Diphtheria and croup			—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	7
7	Influenza			1	2	—	—	1	—	—	2	—	—	—	—	1	2	1	—	8
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9	Pulmonary tuberculosis			—	—	—	1	—	2	1	1	—	1	1	2	—	—	8	2	10
10	Tuberculous meningitis			—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	11
11	Other tuberculous diseases			—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	12
12	Cancer, malignant disease			7	4	3	4	1	3	5	6	2	3	4	3	3	1	8	20	13
13	Rheumatic fever... ..			1	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	14
14	Meningitis			1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	1	15
15	Organic heart disease			1	2	2	6	3	8	8	5	2	3	1	3	1	2	15	15	16
16	Bronchitis			2	2	1	1	5	3	1	1	—	2	—	1	1	2	11	7	17
17	Pneumonia (all forms)			1	2	1	—	1	—	2	1	—	—	1	—	1	—	6	4	18
18	Other respiratory diseases			—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	—	1	—	—	—	—	1	1	—	—	1	—	20
20	Appendicitis and typhlitis			—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	1	21
21	Cirrhosis of liver			—	—	—	—	1	1	—	1	—	—	—	—	—	—	2	1	21A
21A	Alcoholism			—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			1	—	1	—	—	1	3	1	—	—	1	—	1	—	6	1	23
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23			—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	25
25	Congenital debility, &c.			2	2	—	—	3	1	4	—	1	1	2	1	1	—	7	5	26
26	Violence, apart from 27			1	—	—	—	2	—	—	—	1	—	—	1	—	—	4	2	27
27	Suicide			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28	Other defined diseases			7	12	10	11	13	13	13	16	8	13	9	9	13	4	39	40	29
29	Causes ill-defined or un- known.			—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—	

WILTSHIRE—*cont.*

Causes of Death.				Swindon M.B.		Trow- bridge U.D.		War- minster U.D.		Westbury U.D.		Wilton M.B.			Amesbury R.D.		Bradford on Avon R.D.		
				M	F	M	F	M	F	M	F	M	F		M	F	M	F	
	ALL CAUSES	291	333	79	73	35	27	15	16	12	14		47	49	33	24	1
1	Enteric fever	1	—	—	—	1	—	—	—	—	—		—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—		—	—	—	—	3
3	Measles	1	1	—	—	—	—	—	—	—	—		—	—	1	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—		—	—	—	—	5
5	Whooping cough	1	3	2	1	—	—	—	1	—	—		—	—	—	—	6
6	Diphtheria and croup	7	8	1	—	—	—	—	—	—	—		—	—	—	—	7
7	Influenza	1	1	—	—	—	—	2	1	—	—		—	1	1	—	8
8	Erysipelas	1	1	—	1	—	—	—	—	—	—		—	1	—	—	9
9	Pulmonary tuberculosis	25	30	4	11	3	2	1	2	—	1		3	2	4	3	10
10	Tuberculous meningitis	6	2	1	—	—	—	—	—	—	—		1	—	—	1	11
11	Other tuberculous diseases	4	2	—	—	—	—	—	—	—	—		—	2	—	—	12
12	Cancer, malignant disease	25	43	6	15	2	4	—	2	—	2		6	6	2	6	13
13	Rheumatic fever...	—	1	—	—	1	—	1	—	—	—		—	—	—	—	14
14	Meningitis	1	3	1	1	—	—	—	—	—	—		—	—	—	—	15
15	Organic heart disease	26	43	5	7	5	3	—	1	1	3		6	4	5	2	16
16	Bronchitis	16	16	7	7	—	2	1	2	1	1		3	—	2	1	17
17	Pneumonia (all forms)	22	19	6	3	2	1	—	2	—	2		1	1	3	—	18
18	Other respiratory diseases	2	4	1	1	—	—	—	—	1	—		—	2	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	4	3	1	—	—	—	—	—	—	—		1	1	—	—	20
20	Appendicitis and typhlitis	2	2	—	—	1	—	—	—	—	1		—	1	—	—	21
21	Cirrhosis of liver	1	1	—	—	—	—	—	—	—	—		—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—		—	—	—	—	22
22	Nephritis and Bright's dis.	13	14	4	1	—	1	—	1	1	—		—	—	2	—	23
23	Puerperal fever	—	4	—	—	—	—	—	—	—	—		—	1	—	1	24
24	Parturition, apart from 23	—	3	—	—	—	—	—	—	—	—		—	1	—	1	25
25	Congenital debility, &c.	25	21	7	1	1	3	—	1	2	1		8	5	—	1	26
26	Violence, apart from 27	5	2	6	1	1	—	—	—	—	—		2	1	—	—	27
27	Suicide	1	—	—	—	1	1	—	—	—	—		1	1	1	—	28
28	Other defined diseases	100	105	26	22	17	10	10	3	6	3		15	19	12	8	29
29	Causes ill-defined or un- known.	1	1	1	1	—	—	—	—	—	—		—	—	—	—	29

AREAS, 1920 (Civilian population only)—continued.
WILTSHIRE—cont.

	Calne R.D.		Chippen- ham R.D.		Cricklade and Wootton Basset R.D.		Devizes R.D.		High- worth R.D.		Malmes- bury R.D.		Marl- borough R.D.		Melksham R.D.		Mere R.D.		Pewsey R.D.		Ramsbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	24	90	87	67	60	63	74	77	83	52	53	26	19	18	16	26	26	59	65	34	34	1
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	5
6	—	—	1	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	—	1	—	—	—	1	1	—	1	1	—	—	—	1	—	—	—	—	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	1	3	1	1	2	4	2	12	3	1	3	1	2	—	1	1	1	3	4	1	3	9
10	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	10
11	—	1	1	1	1	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	1	11
12	2	3	10	9	4	6	5	13	11	8	4	8	3	3	4	2	4	4	5	8	3	4	12
13	—	—	—	1	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	1	3	—	1	—	—	1	1	—	—	—	—	2	—	1	—	—	—	—	—	14
15	6	3	15	10	15	7	9	7	13	17	5	6	4	1	1	3	2	1	8	13	4	5	15
16	1	2	6	8	9	3	4	1	5	6	4	3	1	1	—	1	—	1	1	4	2	3	16
17	—	—	3	4	2	—	3	1	4	3	2	—	1	—	1	—	3	—	3	3	—	3	17
18	—	—	1	1	1	—	2	2	2	—	2	2	—	1	—	1	—	2	1	—	—	—	18
19	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1	—	19
20	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	20
21	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	4	—	—	3	3	—	—	1	—	—	—	1	—	—	1	—	3	3	3	—	22
23	—	—	—	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	2	24
25	1	2	8	1	6	6	4	8	7	5	4	1	3	2	2	1	—	2	6	5	—	1	25
26	1	—	2	3	3	3	1	2	3	—	3	2	—	—	1	—	—	1	2	1	4	—	26
27	—	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	1	1	—	—	27
28	10	10	30	35	20	27	25	37	14	30	25	24	12	7	5	7	10	13	24	17	13	11	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	29

WILTSHIRE—cont. WORCESTERSHIRE.

	Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		War- minster R.D.		Westbury and Whor- wellsdown R.D.		Wilton R.D.					Bewdley M.B.		Broms- grove U.D.		Droitwich M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F				M	F	M	F	M	F	
1	47	53	—	1	43	43	34	35	43	47	32	38				15	22	53	46	29	31	1
2	—	—	—	—	—	—	1	—	—	—	—	—				—	—	—	—	1	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	1	—	1	3
4	—	—	—	—	—	1	—	—	—	—	—	—				—	—	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—	—	—				—	—	—	3	—	1	5
6	—	—	—	—	—	—	—	—	—	1	—	—				—	—	—	1	—	—	6
7	—	—	—	—	—	—	—	1	2	2	—	—				—	—	1	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	8
9	2	5	—	—	4	2	1	3	1	1	4	5				2	3	5	5	1	—	9
10	—	—	—	—	2	—	—	—	—	1	—	—				1	—	1	—	—	—	10
11	2	1	—	—	—	—	1	1	—	1	—	2				—	—	—	2	—	—	11
12	5	7	—	—	4	6	3	2	7	7	4	2				2	1	3	4	3	4	12
13	—	—	—	1	—	—	—	—	—	—	—	—				—	—	—	—	—	—	13
14	1	—	—	—	—	—	—	—	—	—	1	—				—	—	1	—	—	—	14
15	11	9	—	—	5	6	3	6	8	6	9	5				3	5	2	2	1	4	15
16	3	2	—	—	—	2	2	4	5	3	—	—				—	2	9	4	2	2	16
17	2	1	—	—	4	—	2	—	—	1	—	3				—	—	1	5	1	—	17
18	—	—	—	—	1	—	1	1	—	1	—	1				1	—	—	—	1	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—				—	1	1	—	—	—	19
20	—	—	—	—	—	—	—	1	—	—	—	—				—	—	—	—	—	—	20
21	—	—	—	—	—	—	1	—	1	—	—	—				1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	21A
22	1	2	—	—	—	3	—	—	2	3	1	2				—	1	1	—	1	5	22
23	—	—	—	—	—	1	—	—	—	—	—	—				—	—	—	—	—	1	23
24	—	—	—	—	—	—	—	—	—	2	—	—				—	—	—	—	—	—	24
25	1	1	—	—	4	—	5	2	1	2	2	1				—	4	4	4	—	2	25
26	1	1	—	—	2	1	2	2	—	—	1	1				1	—	4	1	1	—	26
27	—	—	—	—	—	1	—	—	—	—	—	—				—	—	1	1	—	—	27
28	16	23	—	—	17	20	11	12	15	16	9	16				4	5	19	12	17	11	28
29	1	1	—	—	—	—	1	—	1	—	1	—				—	—	—	1	—	—	29

* The remainder of Tetbury R.D. is in Gloucestershire; see page 128.

CAUSES of DEATH in ADMINISTRATIVE
WORCESTERSHIRE—cont.

Causes of Death.				Evesham M.B.		Kidder- minster M.B.		Lye and Wollescote U.D.		Malvern U.D.		North Broms- grove U.D.		Oldbury U.D.		Redditch U.D.		Stour- bridge M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				40	40	175	176	103	69	82	90	47	41	252	189	80	83	119	100	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	1	—	—	1	1	3	—	1	—	9	4	2	6	1	—	4
4	Scarlet fever	—	—	—	—	1	—	—	—	—	—	5	3	—	—	—	—	5
5	Whooping cough	—	—	—	—	—	—	1	—	—	—	5	5	—	1	—	—	6
6	Diphtheria and croup	—	1	1	—	1	—	1	—	1	1	1	1	3	2	2	—	7
7	Influenza	—	—	2	—	8	7	—	—	2	3	11	3	—	1	3	2	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	9
9	Pulmonary tuberculosis	3	2	17	12	10	5	6	6	3	1	20	13	6	2	6	13	10
10	Tuberculous meningitis	—	—	3	3	—	—	—	1	1	—	—	2	1	—	—	—	11
11	Other tuberculous diseases	—	1	—	1	—	—	2	1	—	—	7	4	—	3	4	3	12
12	Cancer, malignant disease	4	10	13	18	6	7	12	12	3	5	13	15	8	6	15	10	13
13	Rheumatic fever...	—	1	—	1	—	—	—	—	—	—	1	1	—	—	1	—	14
14	Meningitis	—	—	2	—	—	—	—	—	1	2	3	—	1	—	—	—	15
15	Organic heart disease	4	3	12	20	2	5	14	19	5	5	10	14	4	13	13	8	16
16	Bronchitis	2	1	23	24	18	8	3	2	5	5	20	19	4	7	10	9	17
17	Pneumonia (all forms)	—	1	12	3	7	3	5	4	4	2	35	16	8	6	8	4	18
18	Other respiratory diseases	—	1	5	—	—	2	—	1	1	—	6	5	—	2	—	2	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	2	4	2	—	1	1	—	—	4	5	—	—	—	2	20
20	Appendicitis and typhlitis	—	1	1	4	—	—	2	—	1	—	2	2	2	1	1	—	21
21	Cirrhosis of liver	1	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	2	7	3	—	—	2	4	—	—	2	1	1	1	2	—	23
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	24
24	Parturition, apart from 23	—	1	—	3	—	2	—	—	—	—	—	4	—	—	—	2	25
25	Congenital debility, &c.	7	—	11	11	8	8	2	2	3	1	20	11	7	1	12	7	26
26	Violence, apart from 27	2	—	6	2	5	2	3	1	2	—	14	4	2	2	5	1	27
27	Suicide	1	—	5	2	1	—	1	—	—	—	3	1	2	—	1	3	28
28	Other defined diseases	15	14	52	62	33	19	22	33	13	15	56	52	26	28	34	33	29
29	Causes ill-defined or un- known.	—	—	—	2	—	—	1	2	2	1	2	3	2	1	—	—	29

WORCESTERSHIRE—cont.

Causes of Death.				Stourport U.D.		Broms- grove R.D.		Droitwich R.D.		Evesham R.D.		Fecken- ham R.D.		Halesowen R.D.		Kidder- minster R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				20	36	97	79	84	75	47	53	43	31	175	139	48	45	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	1	1	—	—	2	—	—	—	—	—	—	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	1	—	2	—	—	—	—	—	—	1	—	—	6
6	Diphtheria and croup	—	—	1	—	1	—	2	1	1	—	2	3	3	1	7
7	Influenza	—	—	3	3	2	2	—	—	2	—	9	10	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	—	1	2	5	11	7	4	2	2	1	5	11	2	2	10
10	Tuberculous meningitis	—	—	—	1	1	—	—	—	—	—	4	—	—	1	11
11	Other tuberculous diseases	2	—	2	2	1	1	—	—	1	—	1	1	—	—	12
12	Cancer, malignant disease	3	7	12	9	5	4	6	8	4	3	11	9	7	5	13
13	Rheumatic fever...	—	—	1	—	—	—	—	—	—	—	—	—	—	1	14
14	Meningitis	—	—	—	—	—	—	—	1	—	—	—	1	—	—	15
15	Organic heart disease	—	4	6	11	9	7	5	8	9	10	13	14	4	2	16
16	Bronchitis	—	1	9	7	6	5	—	—	2	4	26	9	1	2	17
17	Pneumonia (all forms)	1	1	6	5	3	3	1	—	2	2	33	13	2	2	18
18	Other respiratory diseases	—	2	2	1	—	1	—	1	—	1	3	1	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	2	1	1	—	1	1	—	2	1	—	—	20
20	Appendicitis and typhlitis	—	—	1	1	1	2	—	1	—	—	4	—	—	—	21
21	Cirrhosis of liver	1	—	—	—	1	—	—	—	—	—	1	2	1	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	2	5	2	2	2	1	1	—	1	9	3	—	—	23
23	Puerperal fever	—	1	—	—	—	1	—	—	—	—	—	1	—	1	24
24	Parturition, apart from 23	—	—	—	1	—	2	—	2	—	—	—	—	—	—	25
25	Congenital debility, &c.	2	4	7	1	1	2	2	4	3	1	13	7	3	1	26
26	Violence, apart from 27	2	2	4	1	4	3	2	1	2	—	5	5	1	—	27
27	Suicide	—	—	—	1	—	1	1	1	—	—	2	2	3	1	28
28	Other defined diseases	9	10	33	24	33	29	23	19	14	8	32	44	20	23	29
29	Causes ill-defined or un- known.	—	—	1	2	—	—	—	1	—	—	—	1	1	—	29

AREAS, 1920 (Civilian population only)—*continued.*
WORCESTERSHIRE—*cont.*

	Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkes- bury (pt.) R.D.*		Upton on Severn R.D.		Winch- comb (pt.) R.D.†		Redmarley D'Abitôt and Staunton C.P.'s‡			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	70	77	76	65	13	17	27	27	1	3	25	28	10	13	76	62	—	—	7	11		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		5
6	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—		6
7	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	3	4	6	2	1	1	2	1	—	—	2	3	—	2	4	4	—	—	—	—		9
10	—	—	2	1	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	1		10
11	—	—	1	1	—	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—		11
12	5	10	7	4	1	3	3	4	—	—	1	2	—	2	7	10	—	—	—	2		12
13	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		13
14	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		14
15	16	12	8	12	3	5	5	6	—	—	4	4	2	1	14	11	—	—	1	—		15
16	7	5	4	3	1	2	—	2	—	1	2	2	—	—	2	1	—	—	—	4		16
17	2	3	1	—	1	—	—	—	—	—	—	1	—	—	2	2	—	—	1	2		17
18	1	—	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		18
19	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		19
20	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		20
21	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	—	2	1	4	—	—	1	1	—	—	1	—	1	—	1	1	—	—	—	—		22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	1	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		24
25	5	4	4	4	—	1	2	—	—	—	1	2	—	1	3	1	—	—	—	1		25
26	5	2	5	2	1	—	2	—	—	—	2	1	—	—	5	1	—	—	—	—		26
27	—	1	—	1	—	—	—	1	—	—	1	—	—	—	2	—	—	—	—	—		27
28	20	28	26	25	5	3	9	12	1	2	10	11	7	7	33	25	—	—	4	1		28
29	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		29

YORKSHIRE, EAST RIDING.

	Beverley M.B.		Bridling- ton M.B.		Cotting- ham U.D.		Filey U.D.		Great Driffield U.D.		Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pockling- ton U.D.		Withernsea U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	101	107	87	136	33	27	13	23	42	45	13	11	39	33	24	16	25	25	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	2	1	1	—	1	1	2	—	1	—	—	1	—	—	—	—	—	—	1	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	5
6	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	6
7	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	7
8	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	8	8	6	5	1	1	1	2	4	1	1	—	2	5	3	—	2	—	1	2	6	3	—	9
10	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	10
11	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	11
12	10	15	9	18	4	4	—	—	2	5	1	4	5	5	3	1	3	3	3	3	2	1	—	12
13	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	14
15	12	13	8	16	4	3	—	6	7	12	—	2	3	4	2	2	3	4	1	2	2	3	—	15
16	4	4	8	12	1	—	2	3	1	1	2	1	6	—	2	1	1	2	1	—	2	1	—	16
17	6	11	4	5	2	2	—	—	1	—	1	1	2	1	1	—	2	3	3	1	1	1	—	17
18	5	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	18
19	1	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	19
20	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	20
21	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	4	4	4	6	—	2	1	—	1	3	—	—	—	—	1	1	—	—	1	2	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	24
25	8	13	3	7	2	—	1	2	3	1	—	—	4	—	2	1	1	—	—	1	1	1	—	25
26	2	1	3	1	3	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—	2	—	—	26
27	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	27
28	35	31	33	53	13	10	7	8	19	19	6	2	15	11	9	8	12	6	10	5	6	7	—	28
29	1	1	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	29

* The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Gloucestershire; see page 428.
† The remainder of Winchcomb R.D. is in Gloucestershire; see page 429.
‡ Administered by Newent R.D.C. (Gloucestershire).

CAUSES of DEATH in ADMINISTRATIVE
YORKSHIRE, EAST RIDING—cont.

Causes of Death.			Beverley R.D.		Bridling- ton R.D.		Driffeld R.D.		Eserick R.D.		Howden R.D.		Norton R.D.		Patring- ton R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	58	49	52	47	70	62	30	29	86	64	37	27	47	37	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	2	—	—	—	—	1	1	—	—	1	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	1	—	—	—	1	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	2	1	1	1	1	—	—	—	—	1	6
6 Diphtheria and croup	1	—	2	—	2	2	1	—	1	1	2	—	—	2	7
7 Influenza	—	1	—	—	1	—	—	—	—	—	—	—	—	—	8
8 Erysipelas	10	2	2	3	3	4	—	3	2	6	3	4	1	1	9
9 Pulmonary tuberculosis			2	1	—	2	—	—	—	—	—	2	1	—	—	—	10
10 Tuberculous meningitis			—	—	2	2	—	1	—	—	1	4	3	—	1	—	11
11 Other tuberculous diseases			8	7	4	7	5	4	4	4	11	6	4	3	4	8	12
12 Cancer, malignant disease			—	—	—	—	—	—	—	—	1	1	1	—	—	—	13
13 Rheumatic fever...	—	1	1	—	—	—	—	—	—	—	—	—	—	1	14
14 Meningitis	9	6	3	4	8	7	4	3	13	3	7	5	7	8	15
15 Organic heart disease	2	4	3	1	4	4	1	1	7	6	—	1	4	2	16
16 Bronchitis	2	2	3	—	6	4	3	1	3	—	3	—	1	1	17
17 Pneumonia (all forms)...	1	1	1	1	2	1	1	1	1	4	1	1	—	1	18
18 Other respiratory diseases			1	—	1	—	1	—	—	—	1	—	—	—	—	1	19
19 Diarrhoea, &c.(under 2 yrs.)			1	1	—	—	—	—	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis			—	—	1	—	1	1	1	—	—	—	1	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	2	—	1	5	4	2	1	2	1	1	—	—	1	22
22 Nephritis and Bright's dis.			—	1	—	—	—	—	—	1	—	—	—	—	—	—	23
23 Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23			1	1	5	3	4	3	4	2	4	4	3	2	2	—	25
25 Congenital debility, &c.			—	1	3	—	2	1	1	—	5	2	1	3	3	1	26
26 Violence, apart from 27			—	—	—	—	—	—	1	—	1	—	—	—	1	—	27
27 Suicide	20	17	20	19	25	23	6	11	30	23	6	8	22	8	28
28 Other defined diseases	—	—	1	1	—	—	—	—	—	—	—	—	—	—	29
29 Causes ill-defined or un- known.																	

YORKSHIRE, EAST RIDING—cont.

YORKSHIRE, NORTH RIDING

Causes of Death.			Pockling- ton R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.		Eston U.D.		Guis- borough U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	80	52	25	21	56	47	11	7	35	36	243	204	61	44	1
1 Enteric fever	2	2	—	—	—	—	—	—	—	—	1	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	1	—	—	1	—	—	2	2	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	3	3	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	1	—	3	2	—	—	6
6 Diphtheria and croup	—	—	—	1	—	1	—	—	—	—	3	2	—	—	7
7 Influenza	—	1	—	1	2	—	—	2	1	—	9	5	—	—	8
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis			4	2	—	2	3	—	2	2	2	—	16	25	5	2	10
10 Tuberculous meningitis			1	1	2	—	1	—	—	—	—	—	6	4	1	1	11
11 Other tuberculous diseases			—	1	—	1	—	—	—	—	—	—	6	7	1	1	12
12 Cancer, malignant disease			9	7	2	2	4	2	—	2	3	4	15	13	5	5	13
13 Rheumatic fever...	1	—	1	—	1	—	—	—	—	—	—	3	1	1	14
14 Meningitis	2	—	—	—	—	—	—	—	—	—	7	6	2	—	15
15 Organic heart disease	9	3	2	1	8	6	2	—	6	3	10	14	8	3	16
16 Bronchitis	11	3	3	1	6	4	2	—	2	2	13	13	3	3	17
17 Pneumonia (all forms)...	3	1	1	2	3	1	—	—	1	2	40	10	5	4	18
18 Other respiratory diseases			—	—	1	1	—	—	—	—	—	2	3	—	3	2	19
19 Diarrhoea, &c.(under 2 yrs.)			—	—	2	—	—	—	—	—	—	—	8	7	1	1	20
20 Appendicitis and typhlitis			1	1	—	—	1	—	—	1	—	—	1	1	1	1	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	2	1	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.			—	4	—	1	—	1	—	—	—	—	5	5	1	3	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	4	—	—	24
24 Parturition, apart from 23			—	—	—	—	—	—	—	—	1	—	—	4	—	—	25
25 Congenital debility, &c.			4	4	1	—	2	1	—	4	4	—	25	20	4	3	26
26 Violence, apart from 27			2	—	1	—	4	—	—	2	—	—	14	2	1	2	27
27 Suicide	—	—	—	—	1	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	29	21	9	8	23	20	5	2	11	14	50	51	17	12	29
29 Causes ill-defined or un- known.			—	—	—	1	3	—	—	—	—	—	2	1	—	—	

CAUSES of DEATH in ADMINISTRATIVE

YORKSHIRE, NORTH RIDING—*cont.*

Causes of Death.	Helmsley R.D.		Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middles- brough R.D.		North- allerton R.D.		Pickering R.D.		Reeth R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	32	15	33	37	39	37	42	43	16	9	54	45	39	47	16	11	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	6
6 Diphtheria and croup	1	—	—	—	—	—	1	—	—	—	—	—	1	2	1	—	7
7 Influenza	2	1	—	—	1	2	1	1	—	—	1	—	1	5	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	2	—	—	—	4	—	3	5	—	—	2	4	2	4	3	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	2	—	—	1	—	—	—	2	—	2	1	—	—	12
12 Cancer, malignant disease	4	1	5	6	6	11	6	5	1	2	4	5	6	3	3	—	13
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	15
15 Organic heart disease	6	4	7	4	10	5	7	—	—	1	4	4	1	7	4	3	16
16 Bronchitis	2	—	1	3	1	—	—	1	—	—	4	4	2	2	—	—	17
17 Pneumonia (all forms)	1	1	1	—	4	1	—	2	1	1	5	4	1	—	—	—	18
18 Other respiratory diseases	—	1	—	1	—	1	—	—	1	—	—	—	1	1	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	1	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	2	—	1	1	1	2	—	—	1	1	—	1	1	—	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	2	—	2	—	—	1	—	2	1	—	2	—	6	1	—	1	26
26 Violence, apart from 27	—	—	1	—	2	1	4	2	—	—	2	—	—	—	2	—	27
27 Suicide	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	28
28 Other defined diseases	7	6	14	19	9	14	13	15	10	3	21	21	16	21	1	5	29
29 Causes ill-defined or un- known.	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	

YORKSHIRE, NORTH RIDING—*cont.*

Causes of Death.	Richmond R.D.		Scar- borough R.D.		Startforth R.D.		Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	53	39	28	43	42	37	85	72	83	69	16	14	45	49	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	1	—	3	1	—	—	—	1	5
6 Diphtheria and croup	—	—	1	—	2	3	1	—	2	—	—	—	1	—	6
7 Influenza	—	—	—	—	—	—	4	2	3	1	—	—	—	1	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	5	2	—	6	1	—	2	1	4	2	3	2	2	3	9
10 Tuberculous meningitis	—	—	—	—	—	1	1	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	1	1	—	1	—	—	—	—	1	1	—	—	2	—	11
12 Cancer, malignant disease	4	5	1	7	3	6	5	9	13	3	1	2	6	5	12
13 Rheumatic fever... ..	—	—	—	1	—	—	—	2	1	—	—	—	—	—	13
14 Meningitis	—	—	—	1	1	1	—	2	1	—	—	—	—	1	14
15 Organic heart disease	12	4	1	8	10	7	14	8	10	12	2	1	3	10	15
16 Bronchitis	3	1	1	1	2	2	2	2	5	6	—	3	1	3	16
17 Pneumonia (all forms)	4	4	3	1	5	4	8	3	2	1	1	1	3	—	17
18 Other respiratory diseases	1	—	—	1	2	—	4	—	—	2	—	—	—	1	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—	—	—	—	—	1	—	1	1	—	—	1	—	19
20 Appendicitis and typhlitis	—	—	2	—	—	—	—	—	2	—	—	—	—	—	20
21 Cirrhosis of liver	1	—	—	—	—	1	2	1	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	2	2	1	1	1	1	—	2	2	—	—	5	2	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	3	—	—	—	—	—	1	24
25 Congenital debility, &c.	5	3	1	—	3	—	6	4	5	6	3	1	1	3	25
26 Violence, apart from 27... ..	1	1	—	1	1	—	2	2	2	—	1	—	3	—	26
27 Suicide	—	2	1	—	—	—	—	—	1	—	—	—	—	—	27
28 Other defined diseases	14	14	15	14	12	11	28	31	27	29	5	4	16	18	28
29 Causes ill-defined or un- known.	—	—	—	—	—	—	1	—	—	—	—	—	1	—	29

AREAS, 1920 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING.

		Adwick le Street U.D.		Altofts U.D.		Ardaley U.D.		Ardley East and West U.D.		Bailldon U.D.		Barkisland U.D.		Barnolds- wick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		45	41	27	15	54	33	50	61	41	48	7	11	71	63	232	252	68	65	102	160	
1		—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	1	
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3		1	—	1	—	1	1	3	2	—	—	—	—	2	—	8	1	1	—	1	1	3
4		1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	4	
5		—	1	—	—	2	—	—	2	—	—	—	—	—	—	1	2	2	3	—	—	5
6		1	2	—	—	1	—	1	—	—	—	—	—	—	—	3	1	—	2	—	1	6
7		—	1	—	—	—	—	2	2	—	—	—	—	3	2	4	3	—	1	2	4	7
8		—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9		3	2	2	—	3	2	2	4	2	—	1	2	5	4	11	14	6	4	4	12	9
10		—	—	1	2	1	1	—	1	—	—	—	—	—	2	—	2	1	—	1	1	10
11		1	—	—	—	1	1	2	—	—	—	—	—	1	2	3	1	—	—	1	3	11
12		3	3	1	2	3	4	2	8	3	10	1	1	6	8	16	40	5	5	9	18	12
13		1	—	—	—	—	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	13
14		—	—	1	—	—	—	—	—	—	—	—	—	1	1	2	2	—	—	2	1	14
15		5	5	3	—	3	3	1	7	6	6	1	2	15	7	16	25	2	9	15	29	15
16		3	1	3	—	3	3	4	5	1	3	—	—	6	5	22	22	7	6	10	10	16
17		9	7	3	4	6	1	3	—	5	3	—	—	7	3	10	12	9	6	7	7	17
18		—	1	—	—	1	—	—	3	—	—	1	—	—	—	5	3	3	—	4	5	18
19		2	1	1	1	4	—	1	3	—	—	—	—	—	—	10	1	1	4	1	—	19
20		—	2	—	—	—	—	—	—	3	2	—	—	—	1	—	2	1	1	1	2	20
21		—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
22		1	—	—	—	1	—	—	1	1	—	1	1	3	2	8	9	—	—	3	1	22
23		—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	23
24		—	3	—	—	—	—	—	—	—	—	—	—	—	3	—	3	—	2	—	3	24
25		4	1	2	1	4	6	4	3	2	1	—	—	2	4	21	17	8	3	10	7	25
26		2	—	—	—	4	1	1	—	1	—	—	—	2	1	8	1	9	1	4	2	26
27		1	—	—	1	1	—	—	1	1	1	—	—	—	1	3	1	—	—	—	—	27
28		7	10	7	4	13	8	24	17	14	22	3	4	16	14	77	86	12	14	26	50	28
29		—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	1	1	—	2	29

YORKSHIRE, WEST RIDING—cont.

		Birken- shaw U.D.		Birstal U.D.		Bolton upon Dearn U.D.		Brighouse M.B.		Burley in Wharfe- dale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cudworth U.D.		Darfield U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		23	13	41	48	90	68	140	128	18	22	16	23	171	139	29	32	10	8	38	45	38	28	
1		—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		3	—	—	—	22	16	4	3	—	—	—	—	4	7	—	—	—	—	4	3	1	—	3
4		—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	1	—	—	—	4
5		—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5
6		—	—	—	1	1	—	2	1	1	—	—	2	2	1	—	1	—	—	—	—	2	—	6
7		1	—	—	1	—	—	4	—	3	—	2	2	2	1	—	—	5	3	1	—	—	—	7
8		—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	8
9		—	—	—	3	3	5	13	9	—	3	—	—	11	9	1	2	—	—	1	1	1	4	9
10		—	1	1	1	1	—	2	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	10
11		—	—	—	—	1	3	1	1	—	—	1	2	4	2	—	—	—	—	—	—	—	—	11
12		3	3	3	3	2	7	12	17	—	1	3	2	8	7	3	8	—	—	2	5	4	2	12
13		—	—	—	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	13
14		—	—	1	—	—	1	—	2	—	—	—	—	2	—	1	—	2	—	2	—	—	—	14
15		2	2	—	4	4	3	13	18	4	1	2	6	9	9	4	5	2	1	4	2	—	—	15
16		2	2	4	3	11	5	14	12	1	—	1	1	19	19	3	2	1	1	3	4	5	1	16
17		4	1	3	3	9	1	15	7	1	1	—	1	15	13	—	1	1	—	4	2	6	2	17
18		2	—	2	—	1	1	5	—	—	—	—	—	1	—	—	1	—	—	2	—	1	—	18
19		1	—	—	—	3	1	—	1	1	—	—	—	18	9	—	—	—	1	6	2	2	—	19
20		—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		1	—	1	1	2	—	2	2	—	2	—	—	2	6	—	2	—	—	1	—	1	2	22
23		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24		—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	—	—	—	24
25		—	—	4	7	10	9	3	4	1	2	1	—	15	15	2	1	1	1	5	2	3	2	25
26		—	—	—	1	2	1	5	2	2	—	1	1	6	3	—	1	—	—	3	1	1	—	26
27		—	—	1	1	—	1	—	2	1	—	1	—	—	—	1	—	—	—	—	—	—	—	27
28		4	4	20	16	15	12	42	42	5	8	6	6	50	34	12	7	4	4	8	8	8	8	28
29		—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

AREAS, 1920 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING—cont.

	Goole U.D.		Greas- brough U.D.		Greetland U.D.		Guiseley U.D.		Ganth- waite and Ingbirch- worth U.D.		Hands- worth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heck- mondwike U.D.		Hipper- holme U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	143	133	15	21	29	22	30	20	2	1	98	101	213	209	42	62	44	47	73	74	25	25	1
2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	6	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	4
5	—	1	—	3	1	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	5
6	4	1	—	—	—	2	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	6
7	2	2	—	—	2	2	—	—	—	—	18	14	5	1	4	—	1	5	1	2	4	3	7
8	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	10	14	—	—	—	1	3	—	—	—	2	4	15	7	5	4	6	1	7	4	4	1	9
10	1	1	—	1	—	—	—	1	—	—	1	2	1	—	2	—	—	—	—	1	—	—	10
11	—	—	—	—	—	—	—	—	—	—	1	1	2	3	—	3	—	—	—	—	—	—	11
12	9	12	—	5	2	3	1	3	—	—	5	9	17	31	4	8	4	8	3	12	1	1	12
13	2	—	—	—	—	—	—	1	—	—	—	1	—	3	—	—	1	1	—	—	—	—	13
14	2	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	14
15	12	13	—	1	5	2	3	3	—	—	6	7	30	25	5	5	8	10	13	6	—	2	15
16	8	3	2	2	3	4	1	3	—	—	6	10	14	14	2	5	2	—	6	5	2	3	16
17	10	5	1	—	2	—	4	—	—	—	13	14	14	14	4	2	5	2	4	9	2	—	17
18	2	2	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—	—	1	—	—	18
19	4	2	1	—	—	—	—	—	—	—	4	4	—	—	1	—	—	—	—	1	—	—	19
20	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	1	—	20
21	1	—	—	—	1	—	—	—	—	—	—	3	—	2	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	2	—	—	2	1	3	1	—	—	2	—	11	12	—	1	1	2	3	4	—	—	22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	24
25	10	12	3	1	—	1	3	1	2	—	8	3	12	3	1	3	2	—	4	6	—	2	25
26	4	1	—	1	—	—	—	—	—	—	9	1	5	2	1	1	2	—	3	1	—	—	26
27	2	1	—	—	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	—	1	—	27
28	48	51	8	7	11	4	11	6	—	1	19	25	74	79	15	26	9	15	29	20	9	12	28
29	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Huns- worth U.D.		Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	1	5	76	70	34	40	50	48	55	46	114	83	4	4	13	9	44	47	311	317	23	23	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	4	1	—	2	—	1	1	16	12	—	—	—	—	—	3	2	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	1	—	5
6	—	—	1	1	—	1	2	—	—	—	1	2	—	—	—	—	—	1	2	1	2	—	6
7	—	—	2	2	1	1	—	—	2	1	2	3	1	—	—	—	2	10	17	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	—	—	3	2	3	1	—	2	1	1	4	4	—	1	—	—	2	20	21	1	—	—	9
10	—	—	1	1	—	—	—	1	—	1	5	2	—	—	—	—	1	—	—	—	—	—	10
11	—	—	1	—	—	3	1	—	1	—	1	—	—	—	—	—	7	—	7	4	—	—	11
12	—	—	7	9	2	6	6	7	8	12	1	5	—	1	1	—	9	21	37	—	5	—	12
13	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	4	—	—	13
14	—	—	—	1	—	1	—	3	—	—	2	2	—	—	—	—	1	—	2	1	—	—	14
15	—	—	11	12	6	4	4	8	5	4	17	6	1	1	2	3	7	8	33	29	1	5	15
16	1	2	8	6	2	2	2	3	7	3	12	8	—	—	1	2	2	27	23	3	1	—	16
17	—	—	5	—	2	2	4	2	2	1	2	4	—	—	2	—	3	4	41	23	2	—	17
18	—	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	1	7	5	—	—	—	18
19	—	—	—	—	—	—	1	—	—	—	4	1	—	—	—	—	—	3	3	—	—	—	19
20	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	2	2	—	1	—	20
21	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	5	—	2	1	4	—	1	1	4	4	—	—	1	—	1	1	9	21	1	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	23
24	—	—	—	1	—	2	—	1	—	1	—	—	—	—	—	—	1	—	—	4	—	—	24
25	—	—	3	6	4	—	3	5	6	2	8	6	—	—	1	—	2	1	9	10	1	1	25
26	—	—	3	—	1	—	2	1	2	1	3	1	—	—	3	—	2	—	12	5	2	—	26
27	—	—	—	1	—	—	—	—	2	1	2	—	—	—	—	1	1	—	3	1	—	—	27
28	—	2	23	21	10	16	17	12	15	16	27	19	2	1	2	3	15	15	97	96	9	7	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	29

AREAS, 1920 (Civilian population only)—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Normanton U.D.		Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract M.B.		Pudsey M.B.		Queens- bury U.D.		Rawdon U.D.		Rawmarsh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	127	92	25	24	107	100	61	56	15	14	23	14	121	103	71	107	45	42	12	23	114	92	1
2	1	—	—	—	1	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	6	5	—	1	3	4	1	—	—	—	1	1	1	1	1	—	—	—	—	—	2	1	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	—	—	—	6
7	1	1	—	—	1	2	3	—	—	—	—	1	—	—	2	1	1	—	—	—	2	1	7
8	4	4	—	2	—	1	1	—	—	—	—	1	2	3	—	1	2	2	—	—	2	4	8
9	1	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	9
10	10	2	2	2	9	7	2	5	1	—	2	2	6	8	3	3	4	2	2	1	7	3	10
11	3	1	—	—	1	1	—	—	—	—	—	—	1	1	1	—	1	—	—	—	2	—	11
12	1	3	—	—	2	—	3	—	—	—	3	—	3	4	1	—	1	—	—	—	5	2	12
13	8	9	2	5	9	7	5	3	2	—	—	1	3	11	5	10	3	2	3	3	8	5	13
14	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3	14
15	1	—	—	—	2	1	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	15
16	10	4	3	5	9	16	3	8	2	2	1	—	8	3	6	23	7	7	1	3	3	4	16
17	7	8	1	1	10	9	8	7	2	—	—	1	12	7	3	9	8	2	1	2	14	11	17
18	18	16	3	1	10	8	6	7	1	1	4	1	9	12	8	7	3	—	—	1	13	8	18
19	2	—	—	—	1	1	2	—	—	—	1	—	2	—	—	1	1	2	—	—	—	—	19
20	5	4	2	—	2	3	1	—	—	—	—	—	7	13	—	2	—	—	1	—	10	7	20
21	—	—	—	—	1	1	1	1	—	—	1	—	1	2	1	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	2	2	1	—	10	7	3	1	—	1	—	—	3	1	3	4	—	3	—	1	2	—	23
23	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	1	24
24	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	3	—	—	—	—	—	3	25
25	8	6	1	—	11	8	2	2	1	—	1	1	20	12	5	4	1	—	1	2	8	4	26
26	10	3	—	—	4	—	1	2	—	—	2	—	5	1	3	1	1	—	—	—	5	—	27
27	1	—	—	2	1	—	1	1	1	—	1	—	—	—	—	—	1	—	—	—	3	—	28
28	25	22	10	5	20	20	17	17	5	7	6	5	31	21	25	32	9	22	3	9	29	32	29
29	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—

YORKSHIRE, WEST RIDING—*cont.*

	Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddle- worth U.D.		Scam- monden U.D.		Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	54	57	3	5	104	82	43	34	80	78	—	2	64	61	22	16	10	8	13	11	228	187	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
3	—	—	—	—	4	4	4	5	—	—	—	—	—	—	1	—	—	—	—	—	1	—	3
4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	1	—	—	—	9	3	—	—	1	—	—	—	—	1	—	—	—	—	1	6	4	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	5	—	—	7	5	1	3	6	5	—	—	3	6	3	—	—	1	1	2	12	17	9
10	—	—	—	—	1	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—	1	1	10
11	2	—	—	—	1	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	3	1	11
12	10	9	—	—	5	6	3	3	8	8	—	1	6	7	1	4	—	3	2	2	20	16	12
13	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	2	2	13
14	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	14
15	3	7	1	—	8	7	—	—	12	21	—	1	6	7	3	2	2	—	5	1	21	24	15
16	4	2	—	—	10	5	—	3	4	12	—	—	4	7	2	1	1	1	2	2	21	15	16
17	—	4	—	—	11	9	9	5	7	4	—	—	4	1	—	2	1	—	—	1	17	18	17
18	—	3	—	—	—	1	—	—	—	—	—	—	3	1	—	—	1	—	—	—	3	2	18
19	3	1	—	—	1	1	5	3	—	—	—	—	3	2	—	—	—	—	—	—	1	1	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	20
21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	—	1	3	2	2	—	5	3	—	—	—	2	1	1	2	—	—	—	3	5	22
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	23
24	—	—	—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	5	24
25	5	1	1	1	5	4	1	1	4	3	—	—	6	5	—	—	—	—	1	—	26	10	25
26	—	1	—	—	8	2	—	—	—	—	—	—	5	1	1	—	—	1	—	—	8	4	26
27	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	1	27
28	19	20	1	2	30	30	14	10	25	18	—	—	16	16	10	6	2	—	2	2	73	54	28
29	1	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	29

CAUSES of DEATH in ADMINISTRATIVE
YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.		Silsden U.D.		Skelman- thorpe U.D.		Skipton U.D.		Slaith- waite U.D.		South Crosland U.D.		South- owram U.D.		Sowerby U.D.		Sowerby Bridge U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	28	32	24	19	93	71	52	31	15	24	19	16	26	27	108	87	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—	—	7
7 Influenza	...	—	—	1	—	2	3	1	—	—	—	4	—	—	4	4	8	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	3	2	—	1	4	3	3	—	2	1	3	1	1	8	8	10
10 Tuberculous meningitis	...	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	2	11
11 Other tuberculous diseases	...	—	1	—	—	1	2	—	—	—	1	1	—	—	2	5	—	12
12 Cancer, malignant disease	...	4	2	4	1	10	7	5	6	—	3	—	2	—	2	9	13	13
13 Rheumatic fever...	...	—	—	—	—	1	—	—	1	—	—	1	—	—	—	2	—	14
14 Meningitis	...	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	...	5	5	2	6	9	6	7	2	2	2	—	1	5	1	11	11	16
16 Bronchitis	...	2	1	3	—	5	6	4	2	1	2	2	2	4	4	12	7	17
17 Pneumonia (all forms)	...	2	3	—	4	12	4	9	1	2	1	—	1	4	1	9	12	18
18 Other respiratory diseases	...	—	1	—	—	3	—	1	—	—	—	—	—	2	—	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	...	—	—	—	—	3	1	—	—	1	—	—	—	—	2	—	1	20
20 Appendicitis and typhlitis	...	—	—	—	—	2	—	1	—	—	1	—	—	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	—	2	—	3	4	1	1	—	3	1	1	1	3	2	7	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	...	—	1	2	3	5	7	2	1	—	1	—	3	—	—	2	—	26
26 Violence, apart from 27	...	—	—	—	—	8	—	1	—	1	—	2	—	—	1	3	1	27
27 Suicide	...	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	28
28 Other defined diseases	...	13	15	7	5	21	23	13	12	7	8	6	3	6	5	39	16	29
29 Causes ill-defined or un- known.	...	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.		Soyland U.D.		Spen- borough U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocks- bridge U.D.		Swinton U.D.		Thurlstone U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	23	25	193	191	25	43	27	39	86	93	55	46	102	85	15	15	1
1 Enteric fever	...	—	1	—	1	—	1	2	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	3	—	—	—	—	—	6	8	—	2	1	3	—	—	4
4 Scarlet fever	...	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	5
5 Whooping cough	...	—	—	2	1	—	—	—	—	—	—	—	—	1	1	—	—	6
6 Diphtheria and croup	...	1	—	3	1	—	—	—	1	1	1	2	—	1	—	1	—	7
7 Influenza	...	—	—	8	11	—	—	—	—	1	3	2	1	2	2	—	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	2	12	13	4	5	2	—	6	3	4	5	10	4	—	1	10
10 Tuberculous meningitis	...	—	—	1	3	1	—	—	—	1	—	1	—	2	1	—	—	11
11 Other tuberculous diseases	...	1	—	3	—	—	1	—	—	1	1	1	1	5	4	1	—	12
12 Cancer, malignant disease	...	—	—	14	23	3	3	1	5	7	5	5	6	8	5	2	2	13
13 Rheumatic fever...	...	—	—	—	—	1	1	—	—	1	1	—	—	—	1	—	—	14
14 Meningitis	...	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	—	15
15 Organic heart disease	...	4	1	15	22	2	7	—	5	8	10	4	4	7	5	1	5	16
16 Bronchitis	...	4	1	16	8	1	4	1	3	3	6	6	2	13	11	3	1	17
17 Pneumonia (all forms)	...	1	3	20	19	1	3	—	2	11	12	8	1	6	7	2	1	18
18 Other respiratory diseases	...	—	2	5	2	—	1	1	—	2	—	4	—	—	2	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	...	—	1	—	1	2	1	—	—	1	4	1	2	6	4	—	—	20
20 Appendicitis and typhlitis	...	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	21
21 Cirrhosis of liver	...	—	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	1	7	9	1	1	1	2	5	2	2	2	3	2	—	—	23
23 Puerperal fever	...	—	1	—	5	—	—	—	—	—	1	—	1	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	—	25
25 Congenital debility, &c.	...	1	1	12	7	—	2	5	1	9	4	5	5	6	9	1	—	26
26 Violence, apart from 27	...	1	1	8	1	1	1	1	2	1	—	—	—	6	—	2	—	27
27 Suicide	...	—	—	1	1	2	—	—	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases	...	7	10	57	57	5	12	12	17	22	26	9	12	23	21	2	4	29
29 Causes ill-defined or un- known.	...	—	—	1	4	1	—	—	—	—	—	—	—	—	1	—	—	

AREAS, 1920 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING—cont.

	Thurnscoe U.D.		Thurston- land U.D.		Tickhill U.D.		Todmorden M.B.		Wath upon Dearne U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		Wors- borough U.D.		Yeadon U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	33	18	5	10	9	11	158	157	88	74	3	3	46	31	132	138	94	82	50	43	
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	—	—	1	2	4	2	—	—	2	3	22	19	5	8	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	4
5	3	—	—	—	—	—	1	—	2	2	—	1	—	—	1	2	2	—	—	—	5
6	—	1	—	1	—	—	3	3	—	1	—	2	—	—	1	1	—	2	1	—	6
7	—	1	—	—	—	—	1	1	1	1	—	—	1	—	2	5	2	2	2	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	8
9	—	3	—	1	—	—	7	11	2	—	—	—	3	3	9	7	3	2	3	2	9
10	1	—	—	—	—	—	2	—	1	1	—	—	1	—	4	1	—	3	1	1	10
11	—	1	1	—	—	—	3	1	5	—	—	—	—	—	2	6	—	1	1	1	11
12	—	1	—	—	—	1	19	20	6	7	1	—	—	—	5	8	8	8	4	5	12
13	—	—	1	—	—	—	—	2	—	—	—	—	—	—	2	3	1	1	—	—	13
14	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1	14
15	1	2	2	4	3	—	12	21	8	4	—	—	3	4	13	14	7	6	5	6	15
16	2	1	—	—	1	1	11	16	5	4	—	—	5	2	10	12	9	12	3	5	16
17	6	3	—	—	—	2	11	9	15	15	—	—	2	1	5	8	8	4	3	2	17
18	1	—	—	—	—	2	3	6	—	2	—	—	—	1	1	—	—	—	1	—	18
19	3	—	—	—	—	1	4	1	5	3	—	—	9	1	5	4	9	2	2	—	19
20	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	—	1	—	8	5	2	—	—	—	1	1	4	3	3	1	2	1	22
23	—	1	—	—	—	1	—	1	—	2	—	—	—	1	—	2	—	—	—	1	23
24	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1	24
25	1	—	—	—	—	—	8	7	9	10	—	—	7	4	10	12	9	5	1	2	25
26	4	—	—	—	—	—	3	3	6	2	—	—	—	—	4	1	2	1	3	1	26
27	1	—	—	—	—	—	3	1	—	—	—	—	—	—	1	2	2	—	1	—	27
28	9	3	1	3	4	3	55	45	17	15	2	—	12	9	31	24	22	23	13	11	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	29

YORKSHIRE, WEST RIDING—cont.

	Barnsley R.D.		Bishop- thorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		Great Ouseburn R.D.		Halifax R.D.		Hems- worth R.D.		Hunslet R.D.		Keighley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	19	29	15	12	33	29	261	237	47	44	69	71	41	50	334	267	41	34	38	30	
1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	2	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	17	19	—	—	—	—	—	—	24	24	6	1	—	—	3
4	1	—	—	—	—	—	—	—	—	—	—	1	2	—	2	2	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	5
6	—	—	—	—	—	—	—	3	3	1	—	1	1	1	2	5	—	1	—	—	6
7	—	1	—	—	—	—	4	7	4	3	2	1	3	3	10	1	—	—	1	1	7
8	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	8
9	—	1	2	—	—	—	17	12	3	2	4	5	3	2	24	17	3	2	1	2	9
10	—	—	—	—	—	3	2	4	—	1	—	—	—	—	2	2	—	—	—	—	10
11	—	—	—	—	—	—	1	5	1	1	—	1	—	—	6	6	1	—	—	1	11
12	—	3	1	—	2	1	13	15	5	3	7	8	4	4	17	17	2	5	2	4	12
13	—	1	—	—	—	—	2	3	—	—	—	—	—	1	3	3	—	—	1	—	13
14	—	—	—	—	—	—	3	1	—	—	—	—	—	1	2	3	—	—	—	—	14
15	4	1	1	—	3	5	10	15	3	9	9	8	2	4	26	12	3	8	8	2	15
16	—	3	1	1	1	1	28	14	2	2	4	6	4	5	36	30	1	3	3	9	16
17	2	2	1	1	6	1	24	20	6	—	3	—	3	3	25	20	10	1	4	1	17
18	—	—	—	—	—	—	3	2	—	1	—	—	4	1	2	4	—	—	—	—	18
19	1	5	—	1	—	—	29	28	—	—	—	1	—	1	25	20	1	—	1	1	19
20	—	—	—	—	—	—	1	1	—	—	3	1	—	—	3	1	—	—	—	—	20
21	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	2	—	5	2	3	1	1	—	3	2	2	7	3	1	2	1	1	22
23	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	2	—	—	—	—	23
24	—	1	—	1	—	1	—	3	—	—	—	2	—	2	—	3	—	—	—	—	24
25	4	2	1	—	3	—	23	20	2	—	5	—	2	—	32	21	1	2	3	1	25
26	1	—	—	—	2	1	16	3	1	—	6	3	3	1	18	6	3	1	—	—	26
27	1	—	—	—	—	—	2	1	—	—	3	—	—	—	2	—	—	—	1	1	27
28	4	9	7	6	15	10	58	50	16	21	17	29	9	19	61	64	7	8	11	5	28
29	—	—	—	—	1	1	3	—	—	—	1	—	—	—	1	—	—	—	1	—	29

CAUSES OF DEATH in ADMINISTRATIVE
YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Kiveton Park R.D.		Knares- borough R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		Ripon R.D.		Rother- ham. R.D.		Sedbergh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	107	70	43	41	51	50	49	32	113	101	31	40	245	213	33	28	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	10	7	—	—	1	—	4	4	8	3	—	—	8	9	—	—	4
4 Scarlet fever	—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	—	5
5 Whooping cough	2	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	2	1	—	1	4	1	—	—	2	—	—	7
7 Influenza	—	—	2	1	1	—	1	—	2	3	1	1	—	4	2	—	8
8 Erysipelas	1	1	—	—	—	—	—	—	—	1	1	1	—	1	—	—	9
9 Pulmonary tuberculosis	3	4	1	2	1	—	1	1	4	3	1	—	13	9	1	—	10
10 Tuberculous meningitis	—	1	—	—	1	—	—	—	1	—	—	—	—	5	—	—	11
11 Other tuberculous diseases	1	—	2	—	—	—	—	—	2	4	2	—	2	4	—	—	12
12 Cancer, malignant disease	7	4	5	4	4	6	1	4	5	12	4	4	8	17	3	6	13
13 Rheumatic fever... ..	2	—	—	—	—	—	—	—	1	—	—	—	3	4	—	—	14
14 Meningitis	1	—	—	1	1	—	—	—	2	—	—	—	3	4	—	1	15
15 Organic heart disease	3	3	5	5	5	4	6	—	4	6	2	4	17	19	8	5	16
16 Bronchitis	3	3	—	4	4	6	5	4	4	15	1	6	27	23	1	1	17
17 Pneumonia (all forms)	18	9	4	—	1	—	4	1	9	10	1	1	31	22	3	—	18
18 Other respiratory diseases	2	1	—	2	5	3	3	1	2	1	—	—	7	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	2	—	1	—	—	—	1	2	12	6	—	—	17	6	—	—	20
20 Appendicitis and typhlitis	2	1	—	—	—	1	—	—	1	—	—	—	1	1	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	1	2	3	1	1	—	7	—	1	1	1	7	2	2	23
23 Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	—	—	4	—	—	24
24 Parturition, apart from 23	—	2	—	1	—	1	—	1	—	—	—	1	—	5	—	1	25
25 Congenital debility, &c.	11	4	8	1	3	3	1	6	11	8	1	—	24	16	—	1	26
26 Violence, apart from 27	2	6	4	2	2	3	1	—	3	1	1	1	19	5	—	—	27
27 Suicide	1	—	—	—	1	—	1	—	—	—	—	—	1	1	—	1	28
28 Other defined diseases	33	22	10	14	17	18	16	7	32	20	14	20	54	40	12	9	29
29 Causes ill-defined or un- known.	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Tod- morden R.D.		Wakefield R.D.		Wetherby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	32	35	89	96	97	109	158	151	60	58	28	28	104	91	84	83	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1	—	1	3	4	1	—	—	—	2	3	—	1	4
4 Scarlet fever	—	—	—	—	—	2	—	2	—	—	—	—	—	—	1	—	5
5 Whooping cough	—	1	—	—	—	1	1	—	1	1	—	—	3	—	1	—	6
6 Diphtheria and croup	—	—	—	—	—	—	5	5	1	1	—	—	1	2	—	—	7
7 Influenza	3	3	1	—	—	2	2	2	—	2	1	—	2	4	2	3	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	9
9 Pulmonary tuberculosis	1	2	4	4	—	6	8	9	3	5	2	1	11	2	3	2	10
10 Tuberculous meningitis	—	1	1	2	1	1	1	1	—	1	—	—	1	—	—	—	11
11 Other tuberculous diseases	—	—	2	—	—	—	—	—	—	1	1	—	—	1	—	—	12
12 Cancer, malignant disease	1	3	13	5	8	15	13	15	1	2	1	3	5	10	8	9	13
13 Rheumatic fever... ..	—	—	1	—	—	—	2	1	—	—	—	—	—	1	—	—	14
14 Meningitis	—	—	1	2	—	1	2	3	—	1	—	—	—	—	—	—	15
15 Organic heart disease	4	2	6	24	16	19	12	9	4	11	5	8	10	5	12	15	16
16 Bronchitis	3	4	9	5	12	9	17	12	3	5	—	4	9	5	5	6	17
17 Pneumonia (all forms)	3	2	1	5	6	3	10	8	4	2	1	1	12	10	6	5	18
18 Other respiratory diseases	—	—	—	—	2	1	3	2	1	1	—	—	2	1	1	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	1	7	2	3	1	—	—	3	2	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	1	2	—	1	2	—	—	—	1	1	21
21 Cirrhosis of liver	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	2	3	4	5	4	3	3	1	2	3	—	4	5	2	23
23 Puerperal fever	—	—	—	1	—	1	—	4	—	—	—	—	—	1	—	2	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	5	—	1	—	—	—	1	—	1	25
25 Congenital debility, &c.	—	2	7	6	6	2	10	7	4	1	3	5	6	12	7	3	26
26 Violence, apart from 27	4	—	8	2	7	1	10	1	6	—	6	1	8	2	5	—	27
27 Suicide	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	2	28
28 Other defined diseases	11	14	31	35	28	34	46	52	23	19	4	2	27	25	26	29	29
29 Causes ill-defined or un- known.	—	—	—	1	3	1	—	1	1	—	—	—	—	—	—	—	29

AREAS, 1920 (Civilian population only)—*continued.*YORKSHIRE, WEST RIDING—*cont.*

ANGLESEY.

	Wharfedale North R.D.		Wharfedale South R.D.		Wortley R.D.			Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.			Aethwy R.D.		
	M 20	F 13	M 25	F 13	M 202	F 185		M 20	F 22	M 11	F 15	M 68	F 67	M 13	F 5	M 16	F 18		M 48	F 51	
1	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	2
3	—	—	—	—	2	2		—	—	—	—	—	—	—	—	—	—		—	—	3
4	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	4
5	—	—	—	—	1	1		—	—	—	—	—	—	—	—	—	—		—	—	5
6	—	—	—	—	3	2		2	2	—	—	3	1	—	—	—	—		—	—	6
7	—	—	—	—	11	7		—	—	—	—	—	1	—	—	—	2		—	3	7
8	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—		—	—	8
9	1	—	1	2	12	13		2	1	1	1	10	3	—	—	2	2		3	1	9
10	1	—	—	—	1	—		—	—	—	—	1	1	—	—	—	—		1	1	10
11	—	1	1	—	8	2		—	—	—	1	—	2	—	—	—	—		—	—	11
12	1	4	3	4	12	14		2	4	2	2	4	9	—	—	1	3		7	2	12
13	1	—	—	—	1	1		—	—	—	—	—	—	—	—	—	—		—	—	13
14	—	—	1	—	1	1		—	—	—	—	1	1	—	—	—	—		—	—	14
15	1	1	3	2	18	27		2	4	1	—	2	8	—	—	2	1		7	9	15
16	—	1	—	1	19	13		1	2	2	—	2	4	1	—	1	—		2	5	16
17	3	—	—	—	12	13		1	1	2	—	2	5	—	1	—	—		1	2	17
18	—	—	1	—	6	3		—	—	1	—	2	1	—	—	—	—		—	—	18
19	—	—	—	—	3	1		1	—	—	—	—	1	—	—	1	—		—	—	19
20	—	1	—	—	2	—		—	—	—	—	1	—	—	—	—	—		—	—	20
21	—	—	1	—	1	1		—	—	—	—	1	1	—	—	—	—		—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	21A
22	1	—	3	—	8	3		—	—	—	1	8	3	1	—	1	—		—	2	22
23	—	—	—	—	—	2		—	—	—	—	—	—	—	—	—	—		—	—	23
24	—	—	—	—	—	3		—	—	—	—	—	—	—	—	—	—		—	1	24
25	—	1	2	1	16	7		2	—	—	1	7	5	2	1	1	1		4	1	25
26	—	—	—	—	8	5		—	—	1	—	2	1	—	—	—	—		1	1	26
27	—	—	1	—	1	1		—	—	—	—	—	—	—	—	1	1		—	—	27
28	11	4	8	3	54	63		6	8	1	9	22	20	9	3	6	8		18	23	28
29	—	—	—	—	1	—		1	—	—	—	—	—	—	—	—	—		4	—	29

ANGLESEY—*cont.*

BRECKNOCKSHIRE.

	Dwyran R.D.		Twrcelyn R.D.		Valley R.D.			Breck- nock U.D.*		Bryn- mawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.			Brecknock Devynnock R.D.		
	M 17	F 24	M 70	F 83	M 87	F 81		M 36	F 34	M 63	F 36	M 13	F 16	M 10	F 13	M 3	F 6		M 23	F 23	
1	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	2
3	—	—	—	—	—	—		1	—	5	3	—	—	—	—	—	—		—	—	3
4	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—		—	—	4
5	—	—	—	—	1	—		1	1	—	—	—	—	—	—	—	—		1	—	5
6	—	—	—	—	3	—		—	—	1	—	—	—	1	—	—	—		—	—	6
7	2	1	1	2	6	5		1	—	4	2	—	—	1	—	—	—		—	—	7
8	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—		—	—	8
9	—	2	4	13	5	8		4	3	3	3	2	2	—	—	—	—		1	2	9
10	—	—	—	—	1	—		1	1	1	—	—	—	—	—	—	—		—	—	10
11	—	1	1	—	1	1		1	—	1	2	—	1	—	—	1	—		—	1	11
12	3	3	9	12	7	12		6	3	—	1	2	3	—	—	—	2		1	4	12
13	—	—	—	—	1	—		—	—	—	1	—	—	—	—	—	—		—	—	13
14	—	—	—	—	—	1		—	—	2	—	—	—	—	—	—	—		—	1	14
15	1	3	13	11	11	15		5	2	6	3	1	2	2	2	1	1		2	4	15
16	1	1	1	4	5	2		3	3	8	6	1	—	1	—	—	—		2	1	16
17	—	—	—	4	4	2		2	3	5	1	—	—	—	—	—	—		1	1	17
18	—	1	—	—	1	—		2	—	—	—	—	—	1	—	—	—		—	—	18
19	—	—	—	2	1	1		—	—	—	1	—	—	—	—	—	—		—	—	19
20	—	—	2	1	—	1		—	—	1	—	—	—	—	—	—	—		—	—	20
21	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	21
21A	2	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	21A
22	2	1	3	—	4	6		1	—	—	1	—	—	—	1	—	—		1	—	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	23
24	—	—	—	3	—	—		—	1	—	—	—	—	—	—	—	—		—	—	24
25	—	1	6	4	6	3		1	1	4	2	—	—	1	2	—	—		3	1	25
26	—	—	3	—	7	2		1	1	3	1	—	—	—	—	—	—		2	—	26
27	—	—	1	—	—	1		—	—	1	—	1	—	—	—	—	—		—	—	27
28	6	9	25	27	23	17		6	14	17	9	6	8	3	8	1	3		7	7	28
29	—	1	—	—	—	4		—	—	—	—	—	—	—	—	—	—		1	—	29

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

CAUSES OF DEATH IN ADMINISTRATIVE
BRECKNOCKSHIRE—cont.

Causes of Death.	Brecknock (Llangorse) R.D.		Brecknock (Merthyr Cynog) R.D.		Builth R.D.		Crick- howell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystrad- gynlais R.D.		Llan- wrthwl C.P.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	18	16	13	16	31	24	62	52	19	21	56	41	59	59	1	—	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	—	—	—	—	—	—	—	—	—	—	3	1	—	4	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
5 Whooping cough ...	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	—	6
6 Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	7
7 Influenza ...	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	—	2	2	1	3	1	5	1	—	2	5	3	4	—	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	11
11 Other tuberculous diseases	—	—	1	—	1	—	2	—	—	1	—	2	2	1	—	—	12
12 Cancer, malignant disease	1	1	3	—	3	5	2	3	1	—	1	2	3	5	—	—	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	14
14 Meningitis ...	—	1	—	—	1	—	—	—	—	1	1	—	1	—	—	—	15
15 Organic heart disease ...	3	4	—	1	4	1	9	7	3	8	9	3	4	4	—	—	16
16 Bronchitis ...	1	3	—	1	1	3	6	8	1	2	3	7	3	4	—	—	17
17 Pneumonia (all forms) ...	1	2	—	4	2	3	4	3	1	1	4	3	4	4	—	—	18
18 Other respiratory diseases	1	—	—	1	—	—	—	2	—	—	—	—	3	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	1	—	—	1	—	2	2	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	—	2	—	1	—	—	—	—	1	3	—	—	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	—	—	—	—	—	—	2	—	—	25
25 Congenital debility, &c.	1	1	1	1	1	1	6	2	—	—	3	4	4	2	—	—	26
26 Violence, apart from 27	2	—	1	1	2	—	6	1	—	1	2	—	5	2	—	—	27
27 Suicide ...	—	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	28
28 Other defined diseases ...	5	4	5	4	14	5	24	16	9	6	19	11	17	17	—	—	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	

BRECKNOCKSHIRE—cont.

CARDIGANSHIRE.

Causes of Death.	Ystrad- fellte C.P.†		Aberayron U.D.		Aberys- twyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.		Aberayron R.D.		Aberys- twyth North R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	3	3	16	18	58	66	35	25	12	10	8	11	56	63	49	60	1
1 Enteric fever ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	3
3 Measles ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5 Whooping cough ...	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	1	6
6 Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza ...	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	—	1	3	6	3	1	4	2	1	1	—	3	4	8	8	10
10 Tuberculous meningitis	—	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	2	1	1	1	—	—	—	—	1	2	—	—	12
12 Cancer, malignant disease	—	—	2	4	12	8	3	2	3	1	1	2	6	5	2	9	13
13 Rheumatic fever...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease ...	—	—	3	4	6	13	4	4	2	1	3	1	4	14	9	7	16
16 Bronchitis ...	1	—	—	—	2	5	1	2	—	—	—	1	5	4	3	6	17
17 Pneumonia (all forms) ...	—	1	—	1	4	1	4	2	—	1	—	—	2	4	4	—	18
18 Other respiratory diseases	—	—	—	—	—	1	—	—	—	—	—	—	1	2	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	2	—	2	5	3	—	1	—	—	3	7	5	2	5	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	—	—	—	—	1	2	1	—	—	—	—	—	3	1	3	4	26
26 Violence, apart from 27	—	—	—	—	2	—	1	1	—	—	1	1	1	—	1	—	27
27 Suicide ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases ...	—	1	7	5	15	21	14	8	4	6	2	3	21	20	11	19	29
29 Causes ill-defined or un- known.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	

* Administered by Rhayader R.D.C. (Radnorshire).

† Administered by Neath R.D.C. (Glamorganshire).

AREAS, 1920 (Civilian population only)—*continued.*

CARDIGANSHIRE—*cont.*

CARMARTHENSHIRE.

	Aberystwyth South R.D.		Cardigan R.D.		Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*			Ammanford U.D.		Burry Port U.D.		Carmarthen M.B.		Cwm-amman U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	34	36	16	32	24	29	62	76	57	63	1	1		38	37	35	36	64	87	34	22	
1	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	2	1	—	—	—	—		—	—	—	—	—	—	1	—	5
6	—	—	—	—	1	1	1	2	—	—	—	—		4	—	—	1	2	1	1	—	6
7	1	—	—	—	—	1	2	3	—	2	—	—		—	—	1	—	—	—	—	—	7
8	—	1	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	8
9	5	2	—	5	2	6	6	3	8	11	—	—		1	3	4	5	12	9	2	—	9
10	—	1	—	—	—	—	1	—	1	—	—	—		1	1	—	—	—	—	—	—	10
11	—	—	—	2	—	—	—	1	1	—	—	—		—	1	—	1	—	1	1	—	11
12	5	7	1	4	3	6	3	9	8	7	—	—		3	2	1	2	5	10	2	2	12
13	—	1	—	—	—	—	—	1	—	—	—	—		1	1	—	—	—	—	—	1	13
14	—	—	—	—	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	14
15	7	4	3	4	4	2	6	10	11	14	1	—		2	5	3	1	9	25	5	6	15
16	1	5	1	1	—	2	6	5	3	4	—	—		3	2	3	—	5	8	2	1	16
17	2	—	—	2	1	3	7	11	1	4	—	—		1	—	3	1	—	2	1	—	17
18	—	—	1	—	—	—	1	1	—	—	—	—		2	1	—	1	—	—	1	—	18
19	—	—	—	—	—	—	1	—	1	—	—	—		1	—	—	1	2	5	2	3	19
20	—	—	—	—	—	—	1	—	—	—	—	—		—	1	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	1	—	—	—		—	1	—	—	—	—	—	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	—	1	—	—	1	2	2	1	1	3	—	—		2	1	2	2	3	8	—	—	22
23	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—		—	—	—	1	—	—	—	—	24
25	—	1	—	1	—	3	—	3	2	3	—	—		3	3	1	4	1	1	2	1	25
26	3	—	1	—	—	—	—	—	—	1	—	—		5	—	6	1	4	1	3	—	26
27	—	1	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2	1	2	—	27
28	10	12	9	12	12	2	23	25	18	13	—	1		8	14	11	15	17	12	6	4	28
29	—	—	—	1	—	—	—	—	1	—	—	—		1	—	—	—	1	—	—	—	29

CARMARTHENSHIRE—*cont.*

	Kidwelly M.B.		Llandilo U.D.		Llan-doverly M.B.		Llanelly M.B.		Newcastle Emlyn U.D.			Carmarthen R.D.		Llandilo Fawr R.D.		Llan-doverly R.D.		Llanelly R.D.		Llan-yyther R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	24	25	12	22	11	17	252	249	10	3		159	175	147	157	45	52	208	200	22	44	
1	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	—	1
2	1	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	2	1	—	—		2	1	3	4	—	—	6	7	—	—	3
4	—	—	—	—	—	—	—	—	—	—		—	2	—	1	—	—	1	1	—	—	4
5	—	—	—	—	—	—	3	5	—	—		—	—	—	—	—	—	1	1	—	—	5
6	2	—	—	—	—	—	1	6	—	—		4	4	11	14	2	1	3	2	—	—	6
7	—	—	—	2	—	1	22	23	—	—		2	1	5	3	—	—	9	18	1	—	7
8	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1	—	—	—	8
9	1	3	2	1	—	2	15	22	1	2		16	23	13	12	3	8	16	12	1	3	9
10	—	—	—	—	—	—	5	1	—	—		—	2	—	1	—	—	4	4	1	1	10
11	—	1	—	—	—	—	4	1	—	—		2	1	2	1	1	1	6	3	—	2	11
12	1	2	—	3	—	2	18	23	—	—		13	22	7	12	1	3	9	18	4	3	12
13	1	1	—	—	—	—	—	—	—	—		—	—	—	2	—	—	—	3	—	1	13
14	—	—	—	—	—	—	1	3	—	—		2	—	1	2	1	—	4	1	—	—	14
15	4	3	—	4	2	3	15	15	1	1		19	23	14	19	3	3	16	18	1	8	15
16	—	1	1	2	1	—	20	5	—	—		14	10	9	9	3	4	18	11	—	2	16
17	—	1	1	2	—	—	25	19	1	—		7	10	12	6	2	4	16	11	2	3	17
18	—	1	—	1	—	1	3	3	1	—		—	2	1	3	—	—	3	2	—	1	18
19	1	—	1	—	—	—	7	10	—	—		6	2	—	—	2	—	10	1	—	—	19
20	—	—	—	—	2	—	3	2	—	—		1	1	1	—	—	1	1	1	—	—	20
21	—	—	—	—	—	—	1	—	—	—		—	—	2	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	—	—	1	7	4	1	—		13	9	2	—	3	2	2	8	3	2	22
23	—	—	—	—	—	—	—	1	—	—		—	1	—	2	—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	3	—	—		—	3	—	2	—	—	—	4	—	—	24
25	3	1	—	—	—	—	21	19	—	—		11	6	7	14	1	1	15	9	1	2	25
26	3	—	—	—	1	—	12	4	—	—		7	1	7	1	3	—	19	2	—	—	26
27	—	—	—	—	—	—	—	—	—	—		—	1	2	2	—	1	3	—	—	1	27
28	5	11	7	7	5	7	65	77	5	—		37	49	46	45	20	23	46	58	8	15	28
29	—	—	—	—	—	—	2	2	—	—		2	1	2	—	—	—	—	3	—	—	29

* Administered by Machynlleth R.D. (Montgomeryshire).

CAUSES OF DEATH IN ADMINISTRATIVE

CARMARTHENSHIRE—*cont.*

CARNARVONSHIRE.

Causes of Death.	Newcastle in Emllyn R.D.		Whitland R.D.		Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Car- narvon M.B.		Conway M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	44	43	46	38	69	69	32	44	7	8	62	60	27	37	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	2	6	1	1	—	—	—	—	1	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	1	—	—	—	—	1	1	—	—	7
7 Influenza	1	1	3	—	1	1	3	2	—	—	1	—	—	—	8
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	2	5	5	9	6	4	4	—	—	2	7	3	4	10
10 Tuberculous meningitis	—	—	—	—	1	1	—	—	—	—	1	1	1	—	11
11 Other tuberculous diseases	—	—	2	—	2	1	1	—	—	—	—	2	1	2	12
12 Cancer, malignant disease	4	3	2	3	11	10	2	2	1	2	9	3	5	4	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	2	—	—	—	—	—	—	15
15 Organic heart disease	4	8	5	4	8	3	5	3	1	3	6	6	3	4	16
16 Bronchitis	2	2	3	—	3	4	4	2	—	—	6	3	—	1	17
17 Pneumonia (all forms)	6	2	4	—	6	5	1	1	1	—	4	5	3	2	18
18 Other respiratory diseases	1	1	—	—	—	—	—	—	1	—	—	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	2	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	1	—	—	—	2	—	—	—	—	1	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	1	1	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	3	1	2	3	1	1	3	1	—	4	2	1	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	4	—	—	—	—	—	—	—	2	25
25 Congenital debility, &c.	5	1	3	—	—	1	—	—	—	—	2	1	—	—	26
26 Violence, apart from 27	2	1	—	1	2	—	1	—	—	—	2	—	1	2	27
27 Suicide	—	1	—	—	2	—	—	1	—	—	1	—	—	—	28
28 Other defined diseases	14	15	17	22	17	21	9	23	2	3	21	27	7	11	29
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	—	1	—	—	—	

CARNARVONSHIRE—*cont.*

Causes of Death.	Criccieth U.D.		Llan- dudno U.D.		Llan- fairfechan U.D.		Penmaen- mawr U.D.		Port- madoc U.D.		Pwllheli M.B.		Conway R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	17	16	57	69	18	27	42	18	28	35	23	30	56	37	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	3	1	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	2	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	1	—	3	—	—	—	—	—	1	—	—	—	7
7 Influenza	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	—	—	4	3	1	5	—	3	5	3	2	2	2	10
10 Tuberculous meningitis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	1	1	—	1	2	1	—	—	—	1	2	1	12
12 Cancer, malignant disease	3	2	6	10	4	1	1	2	3	5	3	3	6	7	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—	14
14 Meningitis	—	1	1	—	—	—	1	—	—	—	—	—	—	—	15
15 Organic heart disease	1	3	7	9	3	4	5	2	2	5	3	4	8	4	16
16 Bronchitis	—	1	2	3	1	2	1	—	1	3	1	1	4	5	17
17 Pneumonia (all forms)	3	1	4	4	—	3	3	2	2	—	—	1	7	1	18
18 Other respiratory diseases	—	1	—	1	—	1	2	—	—	—	—	—	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	3	—	—	1	1	—	2	—	—	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	—	1	—	—	21
21 Cirrhosis of liver	—	—	3	—	—	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	—	2	3	—	1	—	1	2	2	2	3	2	1	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	1	—	1	—	—	—	—	—	—	—	2	25
25 Congenital debility, &c.	—	—	5	1	3	1	2	2	—	1	—	1	1	3	26
26 Violence, apart from 27	—	1	5	2	2	—	1	—	—	2	2	—	2	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	4	3	16	27	2	7	14	7	11	12	8	10	17	10	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	1	—	1	—	1	—	

AREAS, 1920 (Civilian population only)—continued.

CARNARVONSHIRE—cont.

DENBIGHSHIRE.

	Geirionydd R.D.		Glaslyn R.D.		Gwyrfai R.D.		Lleyn R.D.		Ogwen R.D.			Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.		Llangollen U.D.		Llanrwst U.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	35	37	19	18	209	217	115	130	45	44		13	12	67	100	39	59	19	23	25	16	
1	—	—	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	1		—	—	1	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—		—	—	—	—	1	—	—	—	—	—	4
5	1	—	—	—	1	1	1	—	—	—		—	—	—	1	—	—	1	—	—	—	5
6	1	1	—	—	1	—	—	—	—	—		—	—	2	1	—	—	1	—	—	—	6
7	—	2	—	—	5	5	4	—	3	3		—	—	5	4	3	2	—	—	2	1	7
8	—	—	—	—	—	—	1	—	—	1		—	—	—	—	—	—	—	—	—	—	8
9	2	2	2	3	28	20	9	16	6	5		1	2	6	10	5	2	1	2	—	2	9
10	—	—	—	—	1	4	1	2	—	2		—	—	—	—	—	—	1	—	1	—	10
11	—	—	—	—	3	4	1	2	—	—		1	—	—	1	—	—	1	—	—	1	11
12	1	4	1	2	24	28	9	17	3	3		2	1	12	12	9	7	3	2	3	—	12
13	—	—	—	—	—	—	2	1	—	—		—	—	—	—	—	2	—	—	—	—	13
14	3	—	—	—	—	1	—	—	1	—		—	—	—	1	—	—	—	—	—	1	14
15	4	2	4	2	15	41	16	19	6	3		2	1	3	11	4	6	2	3	2	4	15
16	2	3	2	1	11	10	6	6	4	5		1	1	7	4	1	8	1	1	2	—	16
17	3	1	—	1	14	8	8	1	1	—		1	—	3	3	1	2	2	—	2	2	17
18	3	2	—	—	7	2	2	—	—	—		1	—	1	6	—	—	—	—	2	1	18
19	1	—	—	—	2	1	1	—	—	—		—	—	1	2	—	2	—	—	1	1	19
20	1	—	2	—	—	—	—	2	1	—		—	—	—	—	1	1	—	—	1	—	20
21	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	13	16	5	8	3	1		—	—	1	—	2	—	—	—	—	—	22
23	—	—	—	—	—	—	—	1	—	—		—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	2	—	—		—	—	—	—	—	—	—	—	—	—	24
25	—	1	1	—	4	8	5	5	1	2		—	—	2	5	—	1	—	—	—	—	25
26	2	2	1	—	7	1	4	2	2	1		—	—	1	1	2	1	—	—	—	—	26
27	—	—	1	—	—	—	—	—	—	—		—	—	1	—	1	—	—	—	—	—	27
28	10	16	5	9	70	64	39	45	14	17		4	7	21	37	10	24	6	15	9	3	28
29	—	—	—	—	2	1	—	1	—	—		—	—	—	—	—	—	1	—	—	—	29

DENBIGHSHIRE—cont.

	Ruthin M.B.		Wrexham M.B.			Chirk R.D.		Llan- gollen R.D.		Llanrwst R.D.		Llan- sillin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchaled R.D.		Wrexham R.D.		
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	17	19	128	121		27	18	31	24	33	29	24	9	64	57	54	48	14	13	448	447	
1	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	4	1		—	—	—	—	—	—	—	—	—	1	—	—	—	—	17	18	3
4	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	3	4
5	—	—	—	1		—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	2	5
6	—	—	3	2		—	—	1	—	1	1	—	2	—	—	—	—	—	—	20	16	6
7	—	—	4	1		1	—	2	—	3	2	—	—	4	2	1	2	1	—	5	9	7
8	—	1	1	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	1	1	12	8		1	2	1	1	2	4	—	1	3	2	3	3	—	—	23	23	9
10	—	—	1	1		—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	5	10
11	—	—	1	3		—	1	—	—	—	1	—	—	1	1	1	1	—	—	2	3	11
12	3	3	13	7		5	2	—	3	2	6	3	1	4	13	5	6	—	—	30	34	12
13	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	3	13
14	—	—	—	1		—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	2	14
15	1	1	18	21		6	1	5	4	4	2	8	2	12	12	6	5	5	2	38	47	15
16	1	—	4	13		—	1	1	1	1	2	—	—	4	2	4	1	1	1	32	46	16
17	3	—	7	7		2	2	4	3	2	—	1	—	2	2	4	2	—	1	61	35	17
18	—	1	6	1		1	—	2	1	1	2	—	—	—	2	2	3	—	—	11	8	18
19	—	—	3	1		—	1	1	—	—	—	—	—	1	—	1	—	1	1	12	6	19
20	—	—	1	—		—	—	—	2	—	—	—	—	—	—	—	—	—	—	3	5	20
21	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	21
21A	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	4		—	1	—	1	1	—	2	—	—	2	2	1	—	1	11	10	22
23	—	—	—	4		—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	6	23
24	—	—	—	1		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	7	24
25	1	1	6	2		—	—	2	1	3	—	2	—	6	1	1	4	—	—	35	40	25
26	1	—	6	3		2	—	2	—	3	1	—	—	3	—	1	1	1	—	21	7	26
27	—	—	—	1		—	—	—	—	—	—	—	—	1	—	2	—	—	—	2	—	27
28	6	9	35	34		8	6	10	6	10	6	6	2	20	16	16	16	5	5	106	108	28
29	—	—	1	3		1	—	—	—	—	—	—	1	2	1	—	—	—	1	1	1	29

CAUSES of DEATH in ADMINISTRATIVE
FLINTSHIRE.DENBIGHSHIRE—*cont.*

Causes of Death.	Llanellian and Llan-santffraid C.P's.*				Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	10	5			42	35	26	29	42	44	22	34	21	36	25	13	
1 Enteric fever	—	—			—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1			—	—	—	1	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—			1	—	1	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—			—	—	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	1	—			—	—	1	—	1	1	—	—	—	—	—	—	6
7 Influenza	—	—			2	1	2	2	—	—	—	—	1	1	—	2	7
8 Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	—			1	—	2	1	6	1	6	4	4	1	1	1	9
10 Tuberculous meningitis	—	—			—	—	—	—	1	2	2	—	—	—	—	—	10
11 Other tuberculous diseases	1	—			1	—	1	—	2	1	—	—	—	—	—	—	11
12 Cancer, malignant disease	2	—			3	3	1	3	4	6	1	1	—	5	3	3	12
13 Rheumatic fever... ..	—	—			—	—	—	1	1	1	—	—	—	—	—	—	13
14 Meningitis	—	—			3	—	—	1	1	1	—	—	—	—	—	—	14
15 Organic heart disease ...	1	—			3	12	1	3	1	1	2	3	1	4	2	—	15
16 Bronchitis	—	1			4	1	2	1	1	2	1	2	1	5	3	—	16
17 Pneumonia (all forms) ...	1	—			4	1	2	—	1	3	—	1	4	2	3	—	17
18 Other respiratory diseases	—	—			—	1	—	1	—	—	—	1	—	1	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—			—	—	1	—	2	2	—	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	—			—	1	—	1	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21
21A Alcoholism	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—			2	1	1	—	—	—	1	3	3	3	2	—	22
23 Puerperal fever	—	—			—	—	—	1	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—			—	—	—	1	—	—	—	1	—	—	—	—	24
25 Congenital debility, &c.	1	—			3	1	3	1	4	3	3	2	3	5	—	—	25
26 Violence, apart from 27	1	1			3	—	—	—	4	—	—	—	—	—	—	—	26
27 Suicide	—	—			—	—	—	1	—	—	—	1	—	—	—	—	27
28 Other defined diseases ...	2	2			11	11	8	8	11	21	5	15	4	9	10	7	28
29 Causes ill-defined or unknown.	—	—			1	1	—	1	2	—	1	—	—	—	—	—	29

FLINTSHIRE—*cont.*

Causes of Death.	Rhyl U.D.				Hawarden R.D.		Holywell (Holywell) R.D.		Holywell (Mold) R.D.		Overton R.D.		St. Asaph (Flint) R.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	64	69			123	129	119	117	49	53	31	25	58	44	
1 Enteric fever	—	1			—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—			3	2	—	1	—	1	1	—	—	—	3
4 Scarlet fever	—	—			1	1	2	2	—	—	—	—	1	—	4
5 Whooping cough	—	—			1	2	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	—	—			3	3	2	1	—	1	—	—	—	—	6
7 Influenza	—	1			4	1	—	2	—	1	—	1	1	5	7
8 Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	6	4			5	12	11	7	6	2	1	1	6	—	9
10 Tuberculous meningitis	—	—			—	—	—	1	—	1	—	—	1	—	10
11 Other tuberculous diseases	—	—			—	2	2	—	1	2	—	—	—	—	11
12 Cancer, malignant disease	7	7			5	12	7	14	1	7	2	2	4	7	12
13 Rheumatic fever	—	—			2	1	1	2	1	—	—	—	—	—	13
14 Meningitis	—	1			4	—	—	1	—	—	—	1	—	—	14
15 Organic heart disease ...	3	6			11	21	27	19	5	7	7	9	6	2	15
16 Bronchitis	4	3			7	6	7	7	4	4	3	3	4	2	16
17 Pneumonia (all forms) ...	2	2			11	5	7	6	6	3	1	1	2	2	17
18 Other respiratory diseases	1	1			1	3	2	1	2	1	—	—	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—			1	1	—	—	1	—	—	—	2	1	19
20 Appendicitis and typhlitis	2	1			—	1	—	2	—	—	—	—	—	1	20
21 Cirrhosis of liver	—	1			—	—	—	—	—	—	—	—	1	—	21
21A Alcoholism	—	—			1	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	3	2			2	4	7	5	3	4	1	—	3	2	22
23 Puerperal fever	—	1			—	2	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	2			—	1	—	—	—	—	—	—	—	1	24
25 Congenital debility, &c.	5	4			14	5	6	6	2	—	3	—	1	—	25
26 Violence, apart from 27	4	1			6	4	6	—	5	2	2	1	2	—	26
27 Suicide	—	—			—	—	—	—	—	—	—	—	1	—	27
28 Other defined diseases ...	27	30			41	38	31	39	12	17	10	6	22	20	28
29 Causes ill-defined or unknown.	—	1			—	2	1	1	—	—	—	—	—	—	29

* Llanellian yn Rhôs and Llansantffraid Glan Conway C.P's.—Administered by Conway R.D.C. (Carnarvonshire).

AREAS, 1920 (Civilian population only)—continued.

GLAMORGANSHIRE.

	Aberavon M.B.		Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cow- bridge M.B.		Gilligaer U.D.		Glyn- corwg U.D.		Maesteg U.D.		Margam U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	125	75	364	333	208	173	44	42	56	47	246	174	3	7	285	241	77	54	205	162	102	92	1
2	1	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	2	11	4	1	2	—	1	—	—	5	4	—	—	—	3	—	—	3	2	1	4	5
6	1	1	6	6	2	6	—	1	—	—	9	6	—	—	5	5	1	1	4	7	2	2	6
7	3	1	7	4	8	10	—	—	4	1	8	9	—	—	16	8	10	5	5	—	9	3	7
8	—	—	2	2	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	8
9	13	7	20	20	16	9	3	2	7	2	12	22	—	—	23	21	7	3	11	7	3	5	9
10	2	—	5	1	—	3	—	1	—	1	2	2	—	—	2	2	—	—	2	3	—	—	10
11	—	1	3	1	2	—	—	1	2	—	3	2	—	—	3	8	1	1	2	2	2	4	11
12	5	6	14	23	17	17	2	3	7	1	13	9	1	2	16	10	2	3	14	8	7	2	12
13	—	2	3	5	1	—	—	1	1	—	1	2	—	—	2	4	—	—	3	3	2	3	13
14	—	—	—	1	3	1	—	—	1	2	2	1	—	—	3	1	—	—	2	1	1	—	14
15	8	7	30	31	20	16	6	8	3	3	16	12	1	3	26	15	5	—	15	7	14	20	15
16	10	6	36	30	19	12	2	1	3	9	17	8	—	—	12	13	3	—	19	9	5	2	16
17	9	3	33	21	20	14	4	3	2	—	29	13	—	—	30	19	12	8	22	25	7	6	17
18	6	3	5	2	5	3	—	—	3	3	5	4	—	—	3	1	1	—	5	2	1	—	18
19	6	4	8	8	6	4	1	—	1	—	2	—	—	—	8	8	1	1	10	4	2	2	19
20	1	1	—	3	—	1	—	1	—	1	—	—	—	—	1	1	1	—	—	—	1	1	20
21	2	—	1	2	2	—	1	—	1	—	—	—	—	—	1	1	—	—	2	—	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	21A
22	5	3	12	5	3	3	1	1	—	1	5	6	—	—	5	4	—	1	5	6	1	2	22
23	—	—	—	1	—	2	—	—	—	—	—	4	—	—	—	1	—	1	—	2	—	—	23
24	—	—	—	7	—	3	—	—	—	—	—	4	—	—	—	9	—	1	—	5	—	2	24
25	7	8	25	22	15	8	7	5	4	3	22	14	—	—	30	23	7	7	23	15	6	6	25
26	14	—	30	10	19	3	9	4	3	1	18	2	—	1	17	8	6	1	18	2	9	3	26
27	—	—	3	—	4	1	—	—	—	2	1	—	—	—	2	2	—	—	2	1	2	—	27
28	28	16	103	116	39	44	8	7	14	17	64	42	1	1	68	57	17	20	33	38	26	23	28
29	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	29

GLAMORGANSHIRE—cont.

	Mountain Ash U.D.		Neath M.B.		Ogmore and Garw U.D.		Penarth U.D.		Ponty- pridd U.D.		Porthcawl U.D.		Rhondda U.D.			Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	290	256	121	112	201	165	81	85	338	313	31	40	1235	1020		63	42	57	53	198	213	1
2	—	1	1	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	1	—	2
3	11	9	1	—	7	11	2	3	21	22	2	2	57	59		1	2	—	1	3	2	3
4	1	1	1	—	3	4	—	—	2	—	—	—	14	16		—	1	—	—	2	—	4
5	2	5	1	1	2	4	—	—	2	1	—	—	10	15		—	—	—	—	—	6	5
6	4	3	—	1	4	5	1	—	2	8	—	1	10	13		—	1	1	—	5	6	6
7	7	3	2	4	5	3	1	2	15	12	1	3	50	28		4	2	4	2	3	8	7
8	—	—	—	—	1	—	—	—	—	1	—	—	2	—		—	—	—	—	—	—	8
9	18	29	7	10	3	6	3	9	19	21	5	3	72	58		2	2	3	4	13	13	9
10	4	1	1	1	2	3	—	—	4	2	1	—	10	15		1	—	1	—	—	2	10
11	2	5	1	2	4	2	—	1	1	5	—	—	11	7		2	—	1	—	4	3	11
12	17	18	4	10	14	16	4	8	14	15	1	6	54	71		5	4	2	4	14	21	12
13	3	5	—	—	—	3	—	—	1	—	—	—	10	15		1	—	—	—	3	1	13
14	—	2	—	1	1	—	—	—	1	2	—	—	6	4		1	—	—	—	1	3	14
15	19	21	9	12	13	16	9	7	24	18	6	1	69	76		8	3	7	2	23	15	15
16	33	19	6	4	16	9	5	6	33	28	3	5	154	106		6	3	4	2	11	12	16
17	32	17	11	9	31	19	7	2	34	21	—	1	138	87		1	5	3	2	16	6	17
18	6	1	2	—	1	4	3	—	9	5	—	1	16	10		—	1	—	1	1	6	18
19	5	6	3	3	2	3	—	1	2	6	—	—	32	33		—	—	3	—	4	1	19
20	1	1	—	1	3	2	—	—	1	2	—	—	4	9		—	—	—	—	1	4	20
21	1	—	1	—	—	—	—	—	—	1	—	—	6	1		—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—		—	—	—	—	—	1	21A
22	7	6	4	6	3	3	3	2	7	6	—	—	23	21		1	—	1	2	9	4	22
23	—	2	—	—	—	1	—	1	—	—	—	—	—	9		—	—	—	1	—	3	23
24	—	7	—	3	—	4	—	—	—	5	—	1	—	17		—	—	—	—	—	5	24
25	32	15	10	9	21	16	7	5	35	24	—	2	102	65		5	4	5	3	12	14	25
26	25	8	10	4	14	1	7	3	20	5	1	—	89	23		7	—	7	—	10	4	26
27	2	2	—	—	1	—	2	1	3	1	—	—	3	3		—	—	1	—	3	—	27
28	58	68	46	31	48	30	26	33	88	99	11	14	287	255		18	14	14	29	58	70	28
29	—	1	—	—	1	—	—	—	—	3	—	—	3	4		—	—	—	—	—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
GLAMORGANSHIRE—*cont.* MERIONETHSHIRE.

Causes of Death.		Llantri- sant and Llantwit- fardre R.D.		Neath R.D.		Penybont R.D.		Pontar- dawe R.D.		Swansea R.D.		Bala U.D.		Barmouth U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	135	115	301	262	168	142	238	203	164	133	18	16	13	25	1
1 Enteric fever	...	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	7	5	2	4	7	3	2	3	—	4	—	—	—	—	4
4 Scarlet fever	...	3	—	3	—	1	2	1	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	2	—	3	—	1	1	2	—	—	—	—	—	—	6
6 Diphtheria and croup	...	2	2	7	2	4	4	3	7	2	4	—	—	—	—	7
7 Influenza	...	1	1	8	6	4	5	28	13	9	7	—	—	—	—	8
8 Erysipelas	...	—	1	—	—	—	—	—	—	—	—	1	1	—	—	9
9 Pulmonary tuberculosis	...	4	7	21	21	5	10	20	17	11	6	—	2	—	—	10
10 Tuberculous meningitis	...	—	—	3	5	6	1	1	—	1	2	1	—	—	—	11
11 Other tuberculous diseases	...	—	1	2	4	1	—	2	—	—	3	—	—	1	1	12
12 Cancer, malignant disease	...	4	5	19	21	7	11	10	11	12	5	2	4	1	2	13
13 Rheumatic fever	...	—	2	—	2	2	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	3	1	3	5	—	2	1	1	—	—	—	—	—	—	15
15 Organic heart disease	...	9	7	24	29	10	21	15	12	18	28	4	4	1	1	16
16 Bronchitis	...	16	11	22	29	9	10	19	15	15	7	—	—	—	—	17
17 Pneumonia (all forms)	...	9	8	26	20	11	5	12	13	16	8	1	—	—	—	18
18 Other respiratory diseases	...	5	1	6	2	1	2	4	6	1	1	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	1	1	5	4	—	—	5	3	3	3	—	—	—	1	20
20 Appendicitis and typhlitis	...	1	—	2	1	3	1	1	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	...	1	1	—	—	1	1	—	—	1	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	7	7	7	5	1	4	3	4	3	1	—	5	4	23
23 Puerperal fever	...	—	1	—	2	—	2	—	2	—	1	—	—	—	—	24
24 Parturition, apart from 23	...	—	3	—	5	—	5	—	3	—	3	—	—	—	—	25
25 Congenital debility, &c.	...	16	8	26	9	8	8	17	15	15	10	1	—	—	2	26
26 Violence, apart from 27	...	13	3	26	2	22	2	17	9	14	3	1	1	—	—	27
27 Suicide	...	2	1	2	1	—	—	3	1	1	—	—	1	—	—	28
28 Other defined diseases	...	34	36	86	78	61	39	71	66	39	40	5	2	5	13	29
29 Causes ill-defined or un- known.	...	—	—	1	—	—	2	1	1	2	—	—	—	—	—	29

MERIONETHSHIRE—*cont.*

Causes of Death.		Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.		Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	17	19	76	71	2	8	27	43	55	51	60	53	36	31	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	1	2	—	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	7
7 Influenza	...	—	—	3	1	1	—	—	—	3	2	3	2	2	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	2	13	12	—	1	3	6	6	7	11	6	2	2	10
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	1	1	—	1	—	—	—	11
11 Other tuberculous diseases	...	—	—	1	4	—	—	1	1	—	1	—	—	1	—	12
12 Cancer, malignant disease	...	2	1	5	11	—	2	2	8	7	6	4	10	6	5	13
13 Rheumatic fever...	...	—	1	—	—	—	—	—	—	2	—	—	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	—	—	—	1	1	—	—	1	15
15 Organic heart disease	...	4	6	5	5	1	2	4	7	7	3	8	5	7	5	16
16 Bronchitis	...	—	—	4	3	—	1	1	2	2	4	2	1	—	—	17
17 Pneumonia (all forms)	...	1	1	1	2	—	—	1	2	3	1	—	2	2	3	18
18 Other respiratory diseases	...	1	—	5	1	—	—	—	1	2	—	—	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	2	1	—	—	—	—	2	—	1	1	—	—	20
20 Appendicitis and typhlitis	...	—	—	1	—	—	—	—	—	—	—	2	—	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	—	2	—	—	—	1	—	3	5	4	3	3	3	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	2	—	1	—	—	24
24 Parturition, apart from 23	...	—	1	—	1	—	—	—	—	—	2	—	—	—	—	25
25 Congenital debility, &c.	...	—	2	3	3	—	—	—	—	3	3	2	—	1	1	26
26 Violence, apart from 27	...	—	—	5	—	—	—	1	—	2	2	4	2	2	—	27
27 Suicide	...	—	—	1	—	—	—	—	—	—	—	—	—	—	1	28
28 Other defined diseases	...	4	3	24	27	—	2	12	12	12	11	16	19	10	8	29
29 Causes ill-defined or un- known.	...	—	1	1	—	—	—	—	1	—	—	—	—	—	—	29

AREAS, 1920 (Civilian population only)—*continued.*MERIONETHSHIRE—*cont.*

MONTGOMERYSHIRE.

	Penllyn R.D.		Pennal C.P.*				Llanfyllin M.B.		Llanidloes M.B.		Machyn- lleth U.D.		Mont- gomery M.B.		Newtown and Llanllwch- aiarn U.D.		Welshpool M.B.				Forden R.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F			M	F	
1	26	41	5	2			11	7	14	22	22	13	10	5	32	37	37	39			31	39	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1			—	—	2
3	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	3
4	—	—	—	—			—	—	—	—	—	—	—	—	2	3	1	—			—	—	4
5	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	5
6	1	2	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	6
7	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—			—	—	7
8	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1	—			—	—	8
9	—	3	—	—			—	—	2	—	1	1	—	—	—	3	3	2			5	4	9
10	—	—	—	—			—	—	—	—	—	1	—	—	—	—	1	—			—	—	10
11	—	1	—	—			—	—	—	—	—	—	—	—	—	2	—	1			—	—	11
12	2	9	—	—			3	1	1	4	1	3	—	1	7	1	5	9			2	3	12
13	1	—	1	—			—	—	—	—	—	—	—	—	—	—	1	—			—	—	13
14	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	14
15	6	3	1	2			1	—	3	2	3	1	—	1	3	9	3	8			5	6	15
16	1	—	—	—			1	1	1	6	—	—	2	—	2	4	4	4			2	3	16
17	2	2	—	—			—	1	—	1	—	—	1	—	3	2	4	2			2	6	17
18	1	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1			—	—	18
19	—	—	—	—			—	—	1	—	1	—	—	—	1	—	—	—			—	—	19
20	—	—	—	—			—	1	—	—	2	—	—	1	—	—	—	—			2	—	20
21	—	—	—	—			—	—	1	—	2	—	—	—	—	—	—	—			—	—	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	1	1	—			—	—	21A
22	2	3	1	—			—	—	—	2	—	1	—	—	2	—	2	—			—	1	22
23	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—			—	—	23
24	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	24
25	3	—	1	—			—	—	—	—	—	—	1	—	1	—	2	—			4	4	25
26	1	—	—	—			—	—	1	—	—	1	—	—	2	2	1	—			1	—	26
27	—	—	—	—			—	—	—	—	—	—	1	—	—	—	—	—			—	—	27
28	6	17	1	—			6	3	4	7	11	5	7	—	11	8	7	10			8	10	28
29	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	29

MONTGOMERYSHIRE—*cont.*

PEMBROKESHIRE.

	Llanfyllin R.D.		Machyn- lleth R.D.		Newtown and Llanidloes R.D.				Fishguard U.D.		Haverford- west M.B.		Milford Haven U.D.		Narberth U.D.		Neyland U.D.		Pembroke M.B.		Tenby M.B.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	89	90	27	40	83	69			17	21	33	50	48	45	10	9	19	18	91	92	21	31	1
2	—	—	—	—	—	—			—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—			—	—	—	—	—	—	1	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—			3	1	1	—	—	—	—	—	—	—	—	—	1	—	4
5	—	—	—	—	—	—			—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
6	2	5	—	—	—	1			—	—	—	1	—	—	—	—	—	4	1	—	—	—	6
7	—	—	—	—	1	1			—	1	—	4	2	1	—	—	1	—	—	—	—	—	7
8	—	—	—	—	—	—			—	—	—	—	1	1	—	—	—	—	—	—	—	—	8
9	6	8	3	6	6	4			—	1	1	2	1	4	1	1	2	2	8	6	—	2	9
10	—	—	—	—	—	1			—	—	—	—	—	1	—	—	—	—	—	1	—	—	10
11	2	1	—	—	2	—			1	—	1	1	1	—	2	1	1	1	1	1	—	—	11
12	8	14	2	2	11	10			1	—	1	6	5	2	2	1	1	2	1	7	1	1	12
13	—	—	—	—	1	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	1	—	—	14
15	16	12	3	8	11	5			1	2	3	5	2	5	—	1	4	—	19	18	4	5	15
16	6	7	3	1	9	6			—	2	1	5	2	3	—	—	2	4	2	6	—	2	16
17	5	3	6	2	—	3			1	1	1	2	2	3	1	—	1	—	2	4	—	2	17
18	2	3	—	—	1	1			1	1	—	1	3	—	—	—	—	—	—	—	1	—	18
19	—	—	—	—	—	1			—	—	—	1	—	2	—	—	1	1	2	1	—	—	19
20	—	—	—	—	—	—			—	—	—	1	—	—	—	—	1	—	3	1	—	—	20
21	—	—	—	—	—	—			—	—	1	—	2	1	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—			—	—	1	—	—	1	—	—	—	—	—	—	—	—	21A
22	3	4	3	1	6	2			—	2	1	2	4	1	1	—	1	—	4	2	2	1	22
23	—	1	—	—	—	2			—	—	—	1	—	3	—	—	—	—	—	2	—	—	23
24	—	2	—	3	—	—			—	—	—	1	—	1	—	—	—	—	—	—	—	—	24
25	4	3	2	1	5	6			2	1	—	2	7	—	—	2	1	—	6	5	—	3	25
26	2	1	1	1	1	—			1	—	—	2	6	—	1	—	1	—	5	3	1	—	26
27	2	—	—	—	1	—			—	—	—	—	—	—	—	—	—	—	1	1	—	—	27
28	31	25	4	15	27	26			6	8	20	13	9	15	1	2	4	4	29	31	9	14	28
29	—	1	—	—	1	—			—	1	—	—	1	1	—	—	—	1	2	—	1	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

CAUSES OF DEATH IN ADMINISTRATIVE AREAS, 1920 (Civilian population only)—continued.
PEMBROKESHIRE—cont. RADNORSHIRE.

Causes of Death.		Haverford-west R.D.		Llanfyrnach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.		Knighton U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	132	127	13	25	75	94	55	49	61	62	19	9
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	1	—	—	—	2	—	—	—	1	—	1	—
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	1	—	—
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup	...	1	3	1	—	—	—	—	1	—	—	1	—
7 Influenza	...	1	3	—	—	1	—	2	1	—	1	—	—
8 Erysipelas	...	—	—	—	—	—	—	1	—	—	—	—	—
9 Pulmonary tuberculosis	...	12	13	—	5	2	6	5	4	1	6	—	—
10 Tuberculous meningitis	...	1	—	—	—	1	1	1	—	1	—	—	—
11 Other tuberculous diseases	...	—	2	—	1	—	2	1	—	1	1	1	—
12 Cancer, malignant disease	...	14	10	—	1	10	8	2	4	8	8	4	1
13 Rheumatic fever...	...	1	1	—	—	1	—	—	—	1	—	—	—
14 Meningitis	...	1	—	—	—	—	—	2	—	—	—	—	—
15 Organic heart disease	...	13	15	1	3	11	11	8	11	17	10	2	1
16 Bronchitis	...	8	12	—	—	1	6	3	5	2	4	1	—
17 Pneumonia (all forms)	...	7	6	2	—	2	4	2	2	3	2	—	1
18 Other respiratory diseases	...	3	1	—	—	1	4	2	1	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	...	2	6	1	—	—	—	—	1	1	—	—	—
20 Appendicitis and typhlitis	...	—	—	—	—	1	—	—	—	—	—	—	1
21 Cirrhosis of liver	...	1	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	8	7	1	1	3	—	2	1	4	2	—	1
23 Puerperal fever	...	—	1	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	...	7	7	—	1	4	2	1	—	—	2	2	1
26 Violence, apart from 27	...	3	2	—	—	3	3	3	1	2	—	—	—
27 Suicide	...	2	—	—	—	—	1	2	—	—	—	—	—
28 Other defined diseases	...	45	37	6	12	32	43	18	17	19	23	6	2
29 Causes ill-defined or unknown.	...	1	1	1	1	—	3	—	—	—	2	1	—

RADNORSHIRE—cont.

Causes of Death.		Llan-drindod Wells U.D.		Presteigne U.D.		Colwyn R.D.		Knighton R.D.		New Radnor R.D.		Painscastle R.D.		Rhayader R.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	12	23	13	12	7	10	28	19	16	10	12	8	39	28
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	—	—	—	—	—	1	—	—	1	—	—	—
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	...	2	—	1	—	—	—	—	—	1	—	—	—	1	—
8 Erysipelas	...	—	—	—	—	—	—	1	1	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	1	2	—	1	1	2	2	1	1	1	2	—	3	3
10 Tuberculous meningitis	...	—	—	—	—	—	1	—	—	—	1	—	—	2	2
11 Other tuberculous diseases	...	1	1	1	—	—	—	—	—	1	—	—	—	2	—
12 Cancer, malignant disease	...	—	2	4	2	—	—	6	3	1	—	1	1	1	3
13 Rheumatic fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	...	—	—	—	—	—	—	—	—	—	1	—	—	—	—
15 Organic heart disease	...	2	2	—	—	1	1	1	2	3	—	—	1	6	2
16 Bronchitis	...	—	—	1	2	—	—	3	1	1	1	—	—	2	1
17 Pneumonia (all forms)	...	—	—	—	—	—	2	2	—	—	1	—	—	2	—
18 Other respiratory diseases	...	—	1	—	—	—	1	—	—	—	1	—	—	1	—
19 Diarrhoea, &c. (under 2 yrs.)	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	1	—	—	—	—	1	—
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	1	1	—	—	—	—	2	—	1	—	—	—	1	—
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	2
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1
25 Congenital debility, &c.	...	2	2	1	3	1	—	2	—	3	—	2	1	3	—
26 Violence, apart from 27	...	—	—	1	—	—	—	—	—	—	—	—	—	1	1
27 Suicide	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases	...	2	12	4	4	4	3	8	7	5	3	5	5	13	12
29 Causes ill-defined or unknown.	...	—	—	—	—	—	—	—	2	—	—	—	—	—	—

1920.

VIOLENT DEATHS.

VIOLENT DEATHS, 1920.

(The deaths in these tables include those of non-civilians.)

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, NEGLIGENCE, BATTLE, and EXECUTION at DIFFERENT PERIODS of LIFE in the YEAR 1920.—MALES.

(Note.—Deaths in cases where "Open Verdicts" are recorded at inquests, are included under "Accidents" as follows:—International List No. 164 1 M, 1 F, No. 167 10 M, 19 F, No. 168 37 M, 32 F, No. 169 673 M, 218 F, No. 170 12 M, 1 F, No. 171 1 F, No. 172 14 M, 12 F, No. 173 3 M, No. 165 15 M, 8 F, No. 175 27 M, 5 F, No. 185 24 M, 7 F, and No. 186 18 M, 27 F).

International List No.	Cause or Character of Accident.	Ages at Death.																			85 and upwards.							
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—		55—	60—	65—	70—	75—	80—	
				1—	3—	6—																						
164	TOTAL ...	9,895	180	117	78	96	215	205	169	171	697	435	647	654	540	540	624	636	690	662	629	581	464	340	282	136	107	
	POISONING BY FOOD:—																											
	Ptomaine ...	18	—	—	—	—	—	—	—	2	—	2	1	—	1	1	—	2	—	—	1	2	1	1	—	—	1	—
165	Food poisoning ...	14	—	—	—	1	1	1	—	—	—	1	—	1	1	—	—	—	—	3	1	—	—	—	—	—	—	—
	OTHER ACUTE POISONINGS:—																											
	Ammonia ...	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
	Carbolic acid ...	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Hydrochloric acid ...	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
	Lysol ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chlorodyne ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Opium, morphia, laudanum ...	12	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sting of insect ...	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other poisons (or kind not stated)* ...	38	1	—	—	—	5	4	—	1	2	1	1	—	1	1	1	1	4	1	6	1	—	—	1	—	—	
	CONFLAGRATION ...	43	—	—	—	—	—	—	—	4	7	1	1	2	3	2	3	3	2	3	4	4	2	2	—	3	—	—
166	BURNS (CONFLAGRATION EXCEPTED):—																											
	By lamp accident ...	5	—	—	1	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	
	By aeroplane, airship ...	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	1	—	—	—	—	
	By naphtha ...	8	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
	By petrol ...	5	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	
	By molten metal ...	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	By flannelette clothes† ...	16	—	—	—	—	—	3	3	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	By clothes (other or not described)† ...	95	1	—	2	1	17	14	13	9	15	2	2	1	2	—	—	—	—	—	—	—	—	—	2	5	—	
	Playing with fire, matches, &c. (others) ...	7	—	—	1	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	
	By fall into fire ...	16	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	
	Otherwise (or not stated how)—																											
	In ships, docks, &c. ...	5	—	4	3	11	18	21	19	15	17	3	4	1	4	5	6	8	6	7	8	6	1	6	5	4	—	
	Otherst†	187	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5

	All Ages	0	1 m	3 m	6 m	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85—
SCALDS :—																										
By steam ...	5	—	—	—	1	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
By drinking hot liquids ...	5	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Otherwise (or not stated how)—																										
In ships, docks, etc. ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	
Others ...	370	—	1	3	31	109	90	42	23	27	8	—	4	1	2	3	1	—	4	4	—	5	6	3	2	
EXPLOSIONS ...	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
ABSORPTION OF DELETERIOUS GASES :—																										
By suffocation in bed ...	273	127	86	39	15	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	
By suffocation in cot, cradle, etc.	12	3	3	3	3	—	1	—	—	1	1	2	5	4	—	5	5	4	3	3	3	4	—	2	3	
By coal gas ...	51	—	—	—	1	—	—	—	—	1	—	3	4	2	—	3	—	—	1	1	1	1	1	—	—	
By carbon monoxide ...	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	
By sewer gas ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
By fumes from coal fire ...	4	—	—	—	—	—	—	—	—	—	1	3	—	1	2	4	4	—	2	3	—	—	—	—	—	
By other fumes§ ...	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Smothered by heavy substance—																										
In ships, docks, etc. ...	1	—	—	—	—	—	1	—	—	3	5	2	—	2	1	—	1	—	1	—	—	—	—	—	—	
Others ...	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation otherwise (or not stated how)—																										
In ships, docks, etc.	4	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	2	—	—	1	2	—	1	1	—	
Others ...	57	19	8	6	3	—	—	—	—	—	—	2	—	—	—	3	—	4	—	2	1	2	—	—	—	
ACCIDENTAL DROWNING :—																										
Bathing ...	88	—	—	—	—	—	—	—	—	7	17	30	14	3	2	4	5	3	1	—	—	—	2	—	—	
Shipwreck ...	36	—	—	—	—	—	—	—	—	—	—	4	5	8	6	3	4	1	—	—	—	2	—	—	—	
Boat upset, fall overboard	145	—	—	—	—	—	2	—	—	3	5	24	23	21	19	10	8	11	6	3	5	2	1	—	—	
Collision ...	7	—	—	—	—	—	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	1	—	—	—	
Flooding of Louth, M.B.	10	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	2	1	—	—	
Otherwise (or not stated how)	561	—	2	—	—	23	23	21	26	149	64	38	36	20	10	17	24	15	18	14	13	19	9	5	1	
"Found" (open verdict)	673	11	—	—	—	2	1	1	2	18	11	18	32	39	55	53	70	81	86	53	66	33	24	11	2	4
INJURY BY FIREARMS ...	90	—	—	—	—	—	—	—	—	3	9	12	13	7	5	7	11	3	6	4	7	—	2	1	—	

* Veronal 2, cocaine 1, carbolic glycerine 1, chloroform and aconite 1, aconite 1, strychnine 1, potassium nitrate 1, potassium bicarbonate 1, vitriol 1, caustic soda 1, mercuric chloride 1, copper poisoning 1, alcohol 2, barium carbonate 2, butter of antimony 1, paraffin oil 1, formalin 1, camphor liniment 1, hemlock 2, salts of sorrel 1, cresoline 1, cresol 1, disinfectant 1, black varnish 1, weed killer 2, soothing syrup 1, horse medicine 1, liniment 1, corrosive poison 2, poison not stated 3.

+ Including burns at unguarded grate—flannelette clothes 3, other clothes 3, others 2; playing with fire, &c.—flannelette clothes 5, other clothes 7, otherwise 7.

‡ Including acids and chemicals 5, ignition of benzol 4, bedding on fire 4.

§ Including carbon dioxide 3, coke 2, benzol 1, bromine gas 1, petrol 1, nitrous oxide gas 1, nitrous fumes 1, sulphur dioxide 1, furnace fumes 1, smoke 2.

	All Ages†	Age																								
		0	1 m	3 m	6 m	1	2	3	4	5	10	15	20		25	30	35	40	45	50	55	60	65	70	75	80
Electric shock
Drowning
Strain
Otherwise (or not stated how)	15
(b) Other mines :—	23
Fall of stone, wood, &c.
Fall (not otherwise described)...	1
Tram, wagon ...	3
Explosion of gelatine ...	3
Explosion (not otherwise described)...	1
Blasting ...	1
Otherwise (or not stated how)†	3
(c) Quarries :—	32
Fall of stone, slate, &c.
Fall (not otherwise described)...	9
Machinery ...	4
Blasting ...	6
Otherwise (or not stated how)†	4
INJURY BY MACHINES :—	45
In metal works
In textile factories ...	15
In other factories ...	65
Agricultural machinery ...	39
Lift ...	31
Crane, winch ...	45
In ships, docks, &c.	30
In building operations	5
Other machinery‡	42
INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &c.).
(a) Railways :—	440
Run over on line
Collision...	10
Carriage, &c., off rail ...	2
Fall from carriage or engine ...	54
Fall (not otherwise described)...	9
Crushing by carriage or engine	94
Striking against bridge	9

* Including 43 aged 65 years and upwards from fracture of leg.
† " bursting of air compressor 1.
‡ " wagon, etc., 3.
§ " electrical machinery 4, explosion of boiler 3.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, ETC., at DIFFERENT PERIODS OF LIFE in the YEAR 1920.—MALES—continued.

International List No.	Cause or Character of Accident.	Ages at Death.																										
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.	
				1—	3—	6—																						
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &c.)—cont. (a) Railways (cont.):— Fall of heavy substance ... Otherwise (or not stated how)* ... (b) Other vehicles mechanically propelled:— Electric tramcar ... Motor car ... Motor cab ... Motor omnibus... Motor Char-a-banc, coach, &c. Motor ambulance ... Motor van, &c. ... Motor trailer ... Motor cycle ... Steam wagon, &c. Traction engine ... Aeroplane, Airship ... Motor vehicle (others or undefined)† (c) Horse-drawn vehicles and horses:— Dogcart, trap ... Van, wagon ... Cart ... Dray ... Others (or kind not stated)† Horses ... (d) Other and undefined vehicles:— Omnibus ... Tramcar ... Char-a-banc ... Van, wagon ... Truck, barrow ...	4 24 28 481 62 95 29 3 408 6 232 85 20 13 21 30 37 149 21 7 12 10 86 13 84 12	— —																									

	All Ages	0	1 m	3 m	6 m	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85—
Dray	58	—	—	—	1	1	1	2	1	13	6	2	3	3	3	3	3	3	5	2	3	1	—	2	1	—
Bicycle, tricycle	178	—	—	—	—	—	—	—	—	1	14	20	17	11	12	13	10	12	13	20	14	7	8	4	—	—
Others (or kind not stated)§ ...	14	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	1	3	—	2	1	1	—	—	—	—
(e) Other crushing :—																										
Fall of heavy substance—																										
In ships, docks, &c. ...	42	—	—	—	—	—	—	—	—	—	—	1	5	4	1	13	4	5	3	1	2	1	2	—	—	—
In building operations ...	21	—	—	—	—	—	—	—	—	—	—	—	—	1	4	1	6	5	1	1	—	1	1	—	—	—
In excavations ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
By fall of trees ...	26	—	—	—	—	—	—	—	—	1	1	—	—	2	1	3	2	5	6	2	1	1	1	—	—	—
Others (or not stated how) ...	175	—	1	—	—	—	1	—	2	20	13	15	8	5	10	15	14	17	17	11	16	3	5	1	1	—
Other crushings (not stated how)—																										
In ships and boats ...	14	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	1	1	2	3	—	3	—	—	—	—
Others	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—
INJURY BY ANIMALS :—																										
By horse, mule ...	45	—	—	—	—	1	—	1	1	2	3	4	1	4	1	2	1	1	3	5	11	2	2	—	—	—
By bull or cow ...	10	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	—	—
By other animals ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	1	—	—
STARVATION... ..	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	1	4	3	1	—	—	—
EXCESSIVE COLD	29	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	3	2	7	5	1	6	—	1
EFFECTS OF HEAT... ..	13	—	—	—	—	1	—	1	—	2	2	—	—	1	1	—	—	—	2	1	—	1	—	1	—	—
LIGHTNING	11	—	—	—	—	—	—	—	—	1	—	2	1	—	1	1	1	1	1	—	—	1	1	—	—	—
ELECTRICITY :—																										
On railways ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Others ...	25	—	—	—	—	—	—	—	—	—	1	1	3	6	1	2	1	4	4	1	1	—	—	—	—	—
FRACTURES (cause not specified) ...	34	2	—	1	1	—	1	—	1	—	—	—	—	2	4	1	3	2	1	3	2	5	2	3	—	—

* Including crane accident 2. † Including motor carrier 1, motor fire engine 1, motor tractor 1, motor tender 1, steam roller 1, motor chassis 3.
§ Including agricultural machines 4, timber drag 2, cab 1, roller 1. || Including cattle 1, sheep 1, goat 1, pig 1, dog 1, mouse 1

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE in the YEAR 1920.—FEMALES.

(Note.—Deaths in cases where "Open Verdicts" are recorded at inquests, are included under "Accidents," see page 504).

	(All Ages)	0	1m	3m	6m	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85—
	3,973	156	113	68	61	156	141	137	120	333	156	122	97	76	101	97	113	130	180	179	154	217	233	333	279	221
164 POISONING BY FOOD :—																										
Ptomaine ...	14	—	—	—	—	—	—	—	—	3	—	—	—	4	—	3	—	1	2	—	—	—	1	—	—	—
Food poisoning ...	7	—	—	—	—	1	—	—	—	1	1	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—
Stale fish ...	5	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
165 OTHER ACUTE POISONINGS :—																										
Carbolic acid ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Opium, morphia, laudanum ...	7	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—
Veronal ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—
Liniment (<i>kind not stated</i>) ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sting of Insect ...	7	1	1	—	—	1	—	—	—	—	3	1	1	1	2	—	1	1	4	1	—	—	—	—	—	—
Other poisons* ..	31	—	—	1	—	2	—	2	2	4	—	—	—	3	—	—	1	1	—	—	—	—	—	1	—	—
166 CONFLAGRATION ...	45	—	1	1	—	3	—	3	1	3	2	9	4	1	1	1	1	2	2	1	—	1	1	5	1	1
167 BURNS (CONFLAGRATION EXCEPTED) :—																										
By lamp accident... ..	9	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	1	1	—	2
By flannelette clothes† ...	38	—	—	—	2	1	2	5	6	12	2	—	—	—	—	—	—	1	—	1	—	2	2	1	—	1
By clothes (<i>other or not described</i>)† ...	309	—	1	—	3	11	10	19	21	59	28	14	10	7	8	6	7	8	10	12	2	12	17	20	21	3
By bedding ...	11	—	1	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	1
Playing with fire, matches, &c. (<i>others</i>) ...	9	—	—	—	—	—	3	1	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By fall into fire ...	27	—	—	—	2	1	3	—	—	—	1	—	1	1	—	—	1	1	2	2	1	—	3	5	2	1
Otherwise (<i>or not stated how</i>)†† ...	368	1	—	5	10	21	17	20	30	52	19	14	13	13	6	9	10	5	17	7	11	13	21	22	18	14
SCALDS :—																										
By drinking hot liquids... ..	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (<i>or not stated how</i>) ...	262	3	—	3	26	71	54	35	24	16	4	—	2	—	—	1	2	2	3	4	4	2	2	1	3	—
EXPLOSIONS§... ..	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Acetic acid 1, alcohol 1, ammonia 2, arsenic 2, hydrochloric acid 1, mercuric chloride 2, oxalic acid 1, caustic potash 1, chlorate of potash 1, cyanide of potassium 1, quinine 1, sodium sulphate 1, strychnine 1, sulphonal 1, di-dial tablets 1, izal 1, lysol 1, phenacetin 1, podophyllin 1, tocol 1, daphne tree berries 1, woody nightshade berries 2, sodium silicate jelly (core of golf ball) 1, corrosive poison 1, poison (*kind not stated*) 3.

† Including burns at ungrated grate—flannelette clothes 11, other clothes 11, otherwise 3; burns, playing with fire, matches, &c.,—flannelette clothes 4, other clothes 10.

‡ Including celluloid 2, carbolic acid 1, Jeyes' fluid 1, linseed poultice 1, benzoline 1, methylated spirit 1, collodion spirit and ether 1.

§ Gas enamelling stove 1, fire grate 1.

	All Ages	0	1 m	3 m	6 m	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85—
(b) Other vehicles mechanically propelled:—																										
Electric tramcar	27	—	—	—	—	1	—	1	2	1	—	1	1	—	—	—	3	2	1	4	2	3	2	2	—	—
Motor car	217	—	—	—	—	—	4	10	5	51	10	4	5	—	4	—	13	9	11	17	10	17	20	11	4	—
Motor cab	30	—	—	—	—	—	—	1	2	7	2	2	—	—	—	—	2	—	3	2	3	1	—	3	—	—
Motor omnibus	33	—	—	—	—	—	—	1	1	7	2	—	—	—	—	—	2	1	2	5	2	1	—	—	1	—
Motor char-a-banc, coach, &c.	10	—	—	—	—	—	—	—	—	2	1	1	2	1	—	1	—	4	—	—	1	—	1	—	—	—
Motor van, &c.	100	—	—	—	—	1	2	5	5	23	10	5	4	2	4	—	2	1	4	7	3	6	5	6	2	1
Motor cycle	34	—	—	—	—	—	—	2	2	7	—	—	4	2	3	—	1	1	1	4	2	1	2	1	—	—
Steam wagon, &c.	18	—	—	—	—	—	—	1	—	7	1	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Aeroplane	4	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicles (other or undefined)§	9	—	—	—	—	—	—	—	1	3	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—
(c) Horse drawn vehicles and horses:—																										
Dog cart, trap	20	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	2	2	3	4	3	2	1	—
Van, wagon	13	—	—	—	—	1	1	2	—	4	—	—	—	1	2	—	—	—	—	—	—	—	—	1	1	—
Cart	17	—	—	1	—	3	1	2	—	—	—	1	—	—	—	1	—	—	—	2	—	1	—	—	—	—
Dray	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Horses	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Other and undefined vehicles:—																										
Omnibus	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tramcar	36	—	—	—	—	2	—	—	1	3	1	—	1	1	1	—	—	2	3	2	4	3	5	—	—	—
Van, wagon	11	—	—	—	—	—	2	—	—	3	1	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—
Char-a-banc	6	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Hand-cart	6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bicycle, tricycle	42	—	—	—	—	—	—	—	—	—	4	5	2	—	3	2	—	1	6	2	2	5	5	4	1	—
Others¶	7	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
(e) Other crushing:—																										
By fall of heavy substance**	14	—	—	1	—	—	1	3	1	2	2	—	—	—	—	—	1	—	—	1	1	—	1	—	—	—

* Chloroform 1, iodine 1, carbon-monoxide fumes from boiler furnace 1, smoke from burning clothes 2.
+ Including from horse 3, sawing 5, perambulator 1, tree 1, ladder 1, cliff 1, into quarry 1, down lift well 3, house well 1, aged 65 years and upwards from fracture of leg 128.
++ In metal works 1, brick works 1, biscuit factory 1, laundry machinery 1, gas engine 1, round-a-bout 1.
§ Including motor ambulance 1, motor fire engine 1, motor tank 1.
¶ Bath chair 3, dray 2, roller 1, timber lorry 1.
** Including fall of wall 3.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, ETC., at DIFFERENT PERIODS OF LIFE in the YEAR 1920.—FEMALES—continued.

International List No.	Cause or Character of Accident.	Ages at Death.																	8 years and up									
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—		45—	50—	55—	60—	65—	70—	75—	80—	
				1—	3—	6—																						
176	INJURY BY ANIMALS :— By horse ... By cow ... By dog ... STARVATION...	4 3 1 2	— — — —	— — — —	— — — —	1 — — —	1 1 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	
177	EXCESSIVE COLD :— Exposure to cold ... EFFECTS OF HEAT...	10 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	EXCESSIVE COLD :— Exposure to cold ... EFFECTS OF HEAT...	10 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	EXCESSIVE COLD :— Exposure to cold ... EFFECTS OF HEAT...	10 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
185	FRACTURES (cause not specified) ...	17	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
186	OTHER VIOLENCE :— Swallowing foreign body Suffocation by food Blow ... Strangulation ... Strain ... Explosions— In Munition Works ... Exposure ... Other forms of accident (or not stated how) ... Abortion*— By instruments... By lead ... By drugs (kind not stated) Not stated how ... Violence (cause or kind not stated)	27 45 12 5 1 1 1 9 9 1 2 7 8	— 8 — — — — — — — — — — 3	1 6 1 — — — — — — — — — —	2 3 — — — — — — — — — — —	4 4 — 3 — — — — — — — — —	4 — — — — — — — — — — — — —	1 1 — — — — — — — — — — — —	1 1 — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —			

* These deaths were returned as "Misadventure" or as "Open Verdict"; in addition 9 deaths were returned as "Suicide" see p. 516, 19 as "Murder" see p. 517, and 4 as "Manslaughter" see p. 518.

ENGLAND AND WALES.—DEATHS FROM SUICIDE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1920.—MALES.

International List No.	Method of Suicide.	Ages at Death.																	85 and upwards
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	
155	TOTAL ...	2,427	—	10	42	92	115	144	205	225	300	326	296	268	204	101	63	25	11
	By POISON :—																		
	Hydrocyanic acid	6	—	—	1	—	—	1	—	1	—	2	—	—	1	—	—	—	—
	Hydrochloric acid	26	—	—	—	2	—	2	3	2	3	5	2	3	2	1	1	—	—
	Potassium cyanide	13	—	—	—	—	2	1	1	3	3	1	1	—	1	—	—	—	—
	Prussic acid	11	—	—	—	3	—	—	3	2	1	2	—	—	—	—	—	—	—
	Oxalic acid	24	—	—	—	—	3	3	—	2	5	2	4	1	3	1	—	—	—
	Carbolic acid	15	—	—	—	—	1	5	—	—	3	2	1	1	1	—	—	—	—
	Opium, laudanum, morphia	11	—	—	—	2	1	1	2	—	2	1	2	—	—	—	—	—	—
	Strychnine	6	—	—	—	—	2	1	—	1	1	1	—	—	—	—	—	—	—
	Others (or kind not stated)*	73	—	—	3	7	5	5	5	11	5	12	10	3	6	1	—	—	—
156	By ASPHYXIA :—																		
	By coal gas	160	—	—	4	6	11	6	13	11	29	23	18	21	11	5	2	—	—
157	By HANGING or STRANGULATION																		
158	By DROWNING	567	—	5	13	14	22	31	27	50	61	79	74	73	53	33	19	9	4
159	By FIREARMS	490	—	2	6	14	20	23	49	34	53	59	59	68	52	22	15	11	3
160	By CUTTING or PIERCING INSTRUMENTS	238	—	2	8	25	19	16	22	24	34	36	17	18	6	6	4	1	—
161	By JUMPING from HIGH PLACES	583	—	—	2	9	13	34	63	65	77	77	79	59	57	24	18	3	3
		57	—	1	—	2	3	3	5	5	6	7	11	4	3	6	—	1	—
162	By CRUSHING :—																		
	On railways	134	—	—	5	8	13	12	10	13	16	17	16	14	6	1	2	—	1
	Other vehicles†	4	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—
163	OTHERWISE :—																		
	Setting fire to clothes	6	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	—	—
	Not stated how	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—

* Including mercuric chloride 5, mercury salts 1, ammonia 5, arsenic 2, phosphorus 2, nitric acid 2, sulphuric acid 2, nicotine 3, chlorodyne 2, bichromate of potash 2, silver cyanide 1, sodium cyanide 2, antimony chloride 1, butter of antimony 1, chloroform 1, veronal 1, belladonna 1, camphor 1, binosalate of potassium 1, copper sulphate 1, lysol 5, Jeyes' fluid 2, weed killer 1, acid (kind not stated) 1, narcotic (kind not stated) 3, cyanide (kind not stated) 3, liniment (kind not stated) 2, corrosive poison (kind not stated) 5.
† Motor lorry 2, motor bus 1, bus (undefined) 1.

ENGLAND AND WALES.—DEATHS FROM SUICIDE at DIFFERENT PERIODS OF LIFE in the YEAR 1920.—FEMALES.

International List No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
155	TOTAL ...	998	—	5	44	67	69	96	106	118	132	100	93	70	41	36	13	5	3
	BY POISON :—																		
	Ammonia ...	4	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydrochloric acid ...	21	—	—	1	2	—	1	2	3	4	2	1	2	—	—	—	—	—
	Oxalic acid ...	24	—	—	1	6	5	1	—	4	4	1	2	—	—	—	—	—	—
	Carbolic acid ...	26	—	—	2	2	3	4	4	4	3	3	—	—	—	1	—	—	—
	Strychnine ...	5	—	—	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—
	Lysol ...	6	—	—	—	1	—	1	1	—	—	—	2	1	—	—	—	—	—
	Others (or kind not stated)* ...	43	—	—	3	4	5	5	1	5	6	2	3	5	3	—	—	—	1
156	BY ASPHYXIA :—																		
	By coal gas ...	110	—	—	2	5	7	4	22	15	17	13	14	3	4	2	2	—	—
157	BY HANGING or STRANGULATION																		
158	BY DROWNING ...	155	—	—	—	3	7	11	15	15	20	20	18	25	9	7	3	2	—
159	BY FIREARMS ...	397	—	3	28	30	26	48	35	53	51	37	32	20	12	16	5	1	—
160	BY CUTTING or PIERCING INSTRUMENTS	15	—	1	—	2	4	1	2	2	—	—	1	—	1	1	—	—	—
161	BY JUMPING from HIGH PLACES	108	—	—	3	4	5	12	12	9	16	14	12	7	5	6	2	1	—
		42	—	—	1	1	2	4	4	3	5	6	4	5	3	1	—	1	2
162	BY CRUSHING :—																		
	On railways ...	22	—	—	1	1	4	1	3	3	2	1	3	1	—	2	—	—	—
163	OTHER SUICIDES :—																		
	Setting fire to clothes ...	8	—	1	—	2	—	—	—	2	1	1	1	—	—	—	—	—	—
	Attempt to procure abortion† :—																		
	By drugs ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	By operation ...	7	—	—	—	1	1	3	2	—	—	—	—	—	—	—	—	—	—
	Not stated how ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)† ...	3	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—

* Including acetic acid 1, hydrochloric acid and lysol 1, nitric acid 1, oxalic acid and laudanum 1, prussic acid 1, sulphuric acid 1, acid (kind not stated) 1, arsenic 3, mercuric chloride 2, potassium cyanide 2, potassium nitrate 1, chlorodyne 2, tincture of iodine 1, strychnine and cocaine 1, veronal 2, cresoline 2, thymo-cresol 1, izaral 2, Jeyes fluid 1, phosphorus rat poison 3, "kill-germ" 1, weed killer 2, corrosive poison (kind not stated) 2.

† See note on page 514.

‡ Including foreign body in throat 2.

International List No.	Method of Murder.	Ages at Death.																			Total un- der 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.									
		All Ages.	0 Months.	3 Months.	6—12 Months.	1—	2—	3—	4—	MALES.										FEMALES.																											
										75	32	3	1	2	1	2	—	41	8	3																			1	3	1	—	1	4	3	3	2
182 183 184	TOTAL ...	75	32	3	1	2	1	2	—	41	8	3	1	3	1	4	3	3	2	2	2	2	1	—	—	—	—	—	—	—																	
	BY FIREARMS	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
	BY CUTTING OR PIERCING INSTRUMENTS	20	1	—	—	1	1	1	—	5	3	1	—	2	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—																		
	BY OTHER MEANS—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Motor car ...	6	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Coal gas ...	6	3	1	1	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Drowning	14	13	—	—	—	—	—	—	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Strangulation	1	9	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Liquid ammonia...	9	9	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Suffocation (not stated how)	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Blow ...	5	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Fracture (not otherwise described)	3	2	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Murder (not otherwise described)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
182 183 184	TOTAL ...	129	30	1	3	3	1	1	—	39	6	4	8	14	11	9	14	7	3	7	5	—	1	—	—	—	—	—	—																		
	BY FIREARMS	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	BY CUTTING OR PIERCING INSTRUMENTS	34	2	1	—	1	1	—	—	5	1	1	3	5	3	1	5	—	—	—	—	—	—	—	—	—	—	—																			
	BY OTHER MEANS—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Hydrocyanic acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Mercuric chloride	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Coal gas ...	3	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Drowning	14	8	—	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Suffocation (not stated how)	4	4	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Blow ...	12	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Strangulation	21	14	—	—	1	—	—	—	15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	Attempt to procure abortion* :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																			
	By operation	17	—	—	—	—	—	—	—	—	—	—	—	5	6	2	3	1	—	—	—	—	—	—	—	—	—	—																			
Not stated how	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																				
Fracture (not otherwise described)	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																				

* See note on page 514.

ENGLAND AND WALES.—DEATHS FROM MANSLAUGHTER AND JUSTIFIABLE HOMICIDE at DIFFERENT PERIODS of LIFE in the YEAR 1920.

International List No.	Method of Manslaughter.	Ages at Death.																		All Ages.	0-3 Months.	3-6 Months.	6-12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
182 183 184	TOTAL

* Including 1 returned as justifiable homicide.

† Including 4 returned as justifiable homicide.

‡ See note on page 514.

APPENDIX.

MARRIAGES, 1915.

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the YEAR 1915.

NOTE.—Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters ;
the marriages of divorced persons are shown separately in the Table on next page.

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widows.	Bachelors.	Widows.
All Ages ...	360,885	334,860	26,025	321,149	13,711	15,993	10,032	360,885	337,142	23,743	321,149	15,993	13,711	10,032
14	1	1	—	1	—	—	—	2	2	—	2	—	—	—
15	—	—	—	—	—	—	—	19	19	—	18	1	—	—
16	9	9	—	9	—	—	—	186	186	—	183	3	—	—
17	80	80	—	80	—	—	—	1,443	1,441	2	1,421	20	2	—
18	729	729	—	726	3	—	—	7,216	7,216	—	7,153	63	—	—
19	3,419	3,419	—	3,413	6	—	—	15,049	15,047	2	14,923	124	2	—
20	8,283	8,282	1	8,250	32	1	—	22,873	22,847	26	22,596	251	26	—
Minors, not stated	22	22	—	22	—	—	—	38	38	—	38	—	—	—
Total under 21	12,543	12,542	1	12,501	41	1	—	46,826	46,796	30	46,334	462	30	—
21	23,469	23,460	9	23,316	144	7	2	37,775	37,719	56	37,178	541	53	3
22	28,032	28,001	31	27,823	178	31	—	34,044	33,955	89	33,483	472	85	4
23	32,735	32,682	53	32,442	240	51	2	34,009	33,841	168	33,268	573	151	17
24	34,042	33,970	72	33,607	363	70	2	32,073	31,862	211	31,262	600	189	22
21 and under 25	118,278	118,113	165	117,188	925	159	6	137,901	137,377	524	135,191	2,186	478	46
25	32,011	31,887	124	31,452	435	120	4	27,851	27,534	317	26,875	659	279	38
26	29,067	28,884	183	28,414	470	172	11	23,593	23,224	369	22,612	612	322	47
27	25,050	24,794	256	24,300	494	235	21	19,566	19,099	467	18,436	663	400	67
28	21,617	21,284	333	20,631	653	302	31	16,448	15,869	579	15,157	712	493	86
29	17,370	16,970	400	16,393	577	357	43	12,937	12,336	601	11,639	697	496	105
25 and under 30	125,115	123,819	1,296	121,190	2,629	1,186	110	100,395	98,062	2,333	94,719	3,343	1,990	343
30	14,541	14,063	478	13,376	687	413	65	10,943	10,170	773	9,432	738	605	168
31	10,766	10,298	468	9,802	496	393	75	7,531	6,883	648	6,332	551	511	137
32	9,570	8,993	577	8,357	636	482	95	7,045	6,210	835	5,576	634	639	196
33	7,402	6,829	573	6,261	568	476	97	5,338	4,560	778	3,987	573	592	186
34	6,764	6,123	641	5,494	629	510	131	4,937	4,096	891	3,535	561	674	217
30 and under 35	49,043	46,306	2,737	43,290	3,016	2,274	463	35,844	31,919	3,925	28,862	3,057	3,021	904
35	5,906	5,191	715	4,566	625	573	142	4,306	3,405	901	2,870	535	664	237
36	4,863	4,156	707	3,569	587	540	167	3,566	2,703	863	2,193	510	591	272
37	4,024	3,343	681	2,852	491	505	176	2,950	2,186	764	1,636	500	500	264
38	4,455	3,535	920	2,896	639	704	216	3,249	2,162	1,087	1,600	562	713	374
39	3,672	2,823	849	2,215	608	574	275	2,698	1,719	979	1,243	476	652	327
35 and under 40	22,920	19,048	3,872	16,098	2,950	2,896	976	16,769	12,175	4,594	9,592	2,583	3,120	1,474
40	3,198	2,307	891	1,785	522	623	268	2,554	1,489	1,065	1,014	475	662	403
41	2,301	1,605	696	1,240	365	443	253	1,704	956	748	621	335	414	334
42	2,507	1,636	871	1,193	443	558	313	1,947	1,016	931	607	409	533	398
43	2,025	1,210	815	862	348	520	295	1,565	758	807	437	321	404	403
44	1,779	1,032	747	703	329	443	304	1,336	624	712	347	277	368	344
40 and under 45	11,810	7,790	4,020	5,783	2,007	2,587	1,433	9,106	4,843	4,263	3,026	1,817	2,381	1,882
45	1,871	981	890	694	287	547	343	1,366	608	758	329	279	371	387
46	1,459	705	754	454	251	434	320	1,164	522	642	263	259	295	347
47	1,362	626	736	432	194	401	335	1,017	427	590	197	230	249	341
48	1,404	576	828	367	209	463	365	1,132	448	684	220	228	305	379
49	1,295	486	809	311	175	403	406	947	363	584	163	200	210	374
45 and under 50	7,391	3,374	4,017	2,258	1,116	2,248	1,769	5,626	2,368	3,258	1,172	1,196	1,430	1,828
50	1,257	428	829	274	154	417	412	883	303	580	129	174	224	356
51	906	306	600	179	127	329	271	543	186	357	69	117	111	246
52	926	279	647	168	111	323	324	620	213	407	84	129	136	271
53	877	220	657	141	79	322	335	527	149	378	51	98	96	232
54	821	188	633	108	80	302	331	467	126	341	42	84	94	247
50 and under 55	4,787	1,421	3,366	870	551	1,693	1,673	3,040	977	2,063	375	602	661	1,402
55	749	159	590	91	68	290	300	484	112	322	36	76	81	241
56	620	123	497	72	51	229	268	329	90	239	30	60	54	185
57	602	93	509	58	35	236	273	277	70	207	17	53	48	159
58	593	85	508	41	44	228	280	246	60	186	29	31	40	146
59	510	76	434	45	31	193	241	212	51	161	14	37	40	121
55 and under 60	3,074	536	2,538	307	229	1,176	1,362	1,498	383	1,115	126	257	263	852
60	561	70	491	41	29	213	278	261	43	218	14	29	41	177
61	381	37	344	20	17	137	207	132	27	105	9	18	8	97
62	381	37	344	25	12	159	185	172	26	146	6	20	27	119
63	322	27	295	17	10	130	165	130	16	114	5	11	13	101
64	316	28	288	22	6	125	163	156	25	131	3	22	20	111
60 and under 65	1,961	199	1,762	125	74	764	998	851	137	714	37	100	109	605

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the
YEAR 1915—continued.

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widows.	Bachelors.	Widows.
65	297	23	274	11	12	108	166	135	13	122	3	10	18	104
66	244	20	224	9	11	87	137	91	15	76	4	11	12	64
67	193	14	179	7	7	76	103	59	5	54	2	3	9	45
68	208	17	191	15	2	74	117	71	11	60	5	6	7	53
69	167	14	153	11	3	64	89	58	9	49	5	4	7	42
65 and under 70	1,109	88	1,021	53	35	409	612	414	53	361	19	34	53	308
70	151	9	142	6	3	60	82	58	3	55	1	2	9	46
71	111	3	108	2	1	37	71	28	4	24	1	3	3	21
72	120	11	109	8	3	46	63	35	2	33	1	1	1	32
73	86	8	78	5	3	20	58	28	4	24	3	1	2	22
74	67	7	60	5	2	21	39	19	2	17	2	—	1	16
70 and under 75	535	38	497	26	12	184	313	168	15	153	8	7	16	137
75	52	—	52	—	—	22	30	14	6	8	2	4	2	6
76	37	1	36	—	1	11	25	10	—	10	—	—	4	6
77	31	5	26	5	—	11	15	8	1	7	1	—	—	7
78	21	1	20	1	—	10	10	3	—	3	—	—	—	3
79	16	—	16	—	—	3	13	2	—	2	—	—	—	2
75 and under 80	157	7	150	6	1	57	93	37	7	30	3	4	6	24
80	14	1	13	1	—	7	6	4	1	3	1	—	—	3
81	7	—	7	—	—	5	2	1	—	1	—	—	—	1
82	5	—	5	—	—	3	2	1	1	—	1	—	—	—
83	3	—	3	—	—	2	1	—	—	—	—	—	—	—
84	5	1	4	1	—	2	2	—	—	—	—	—	—	—
85	2	—	2	—	—	—	2	—	—	—	—	—	—	—
86	1	—	1	—	—	1	—	—	—	—	—	—	—	—
87	2	—	2	—	—	2	—	—	—	—	—	—	—	—
88	1	—	1	—	—	—	1	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	40	2	38	2	—	22	16	6	2	4	2	—	—	4
Full Age, not stated.	2,122	1,577	545	1,452	125	337	208	2,404	2,028	376	1,683	345	153	223

ENGLAND AND WALES.—MARRIAGES of DIVORCED PERSONS, 1915.

	Ages of Men.										All Ages.	Ages of Women.									
	Under 21.	21-	25-	30-	35-	40-	45-	55-	65 and upwards.	Full Age N.S.		Under 21.	21-	25-	30-	35-	40-	45-	55-	65 and upwards.	Full Age N.S.
Men	—	1	25	94	97	95	96	23	1	2	434	—	—	—	—	—	—	—	—	—	—
Women... ..	—	—	—	—	—	—	—	—	—	—	418	—	11	88	122	114	46	29	3	—	5
Divorced Men and Spinsters	—	1	23	81	79	74	76	15	1	2	352	10	66	121	82	41	20	9	—	—	3
Divorced Men and Widows...	—	—	2	9	12	15	13	8	—	—	59	—	—	8	13	15	10	9	4	—	—
Divorced Women and Bachelors.	—	16	77	101	68	26	15	5	—	3	311	—	11	75	95	87	24	14	1	—	4
Divorced Women and Widowers.	—	—	—	4	11	14	37	12	5	1	84	—	—	10	18	25	17	11	2	—	1
Divorced Men and Divorced Women.	—	—	—	4	6	6	7	—	—	—	23	—	—	3	9	2	5	4	—	—	—

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1915.

		AGES OF WIVES.																	
		15	16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29		
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
AGES OF HUSBANDS.	16	1	2*	—	3	1	—	—	1	1	1	—	—	—	—	—	—	—	—
	17	1	4	16	22	11	9	—	8	4	1	1	2	—	1	—	—	—	—
	18	1	11	94	747	151	84	—	53	33	22	13	5	7	2	—	—	—	1
	19	2*	27	177	764	1,015	557	—	400	204	113	56	38	17	16	9	—	—	3
	20	3	16	203	973	1,880	2,092	1	1,308	729	450	239	139	84	53	32	—	—	26
	Minors not stated.	—	—	—	—	—	—	19	—	—	1	—	—	1	—	—	—	—	—
	21	2	41	277	1,491	3,199	4,337	3	6,478	3,060	1,794	1,099	649	351	234	169	—	—	76
	22	2	21	205	10,25	2,415	3,813	2	6,557	5,159	3,509	2,108	1,190	740	480	299	—	—	162
	23	3	17	125	790	1,918	3,281	4	5,910	5,738	5,456	3,706	2,153	1,336	851	562	—	—	283
	24	—	8	91	539	1,271	2,470	1	4,665	4,923	5,515	5,215	3,477	2,044	1,351	920	—	—	555
	25	3	7	52	382	882	1,752	2	3,399	3,724	4,412	4,721	4,449	2,977	1,840	1,206	—	—	797
	26	—	5	41	286	642	1,203	2	2,422	2,803	3,374	3,861	3,848	3,739	2,409	1,556	—	—	988
	27	1†	1	38	190	467	864	1	1,765	2,009	2,521	2,891	3,078	3,022	2,791	1,884	—	—	1,133
	28	1	5	29	151	340	636	—	1,321	1,594	1,828	2,176	2,289	2,331	2,221	2,233	—	—	1,420
	29	—	3	22	78	249	458	1	902	1,052	1,289	1,514	1,698	1,710	1,656	1,722	—	—	1,627
	30	—	1	15	70	172	370	1	651	780	927	1,152	1,202	1,242	1,300	1,314	—	—	1,229
	31	—	2	9	48	86	212	—	462	492	622	711	826	873	956	897	—	—	904
	32	—	4	11	34	73	157	—	313	455	519	619	599	737	721	756	—	—	733
	33	—	5	7	20	57	118	—	251	245	362	382	424	475	548	534	—	—	577
	34	—	—	6	13	55	94	—	199	236	297	425	328	362	412	430	—	—	449
	35	—	—	5	16	30	85	—	167	185	201	254	383	292	348	366	—	—	383
	36	—	1	3	16	21	38	1	108	112	166	167	222	301	247	291	—	—	286
	37	—	2	2	10	21	29	—	83	81	111	149	158	171	241	204	—	—	227
	38	—	—	1	9	21	40	—	90	93	122	125	134	185	192	280	—	—	208
	39	—	1	1	6	17	38	—	59	75	88	108	125	109	121	146	—	—	198
	40	—	—	1	5	8	27	1	31	53	52	84	109	103	111	136	—	—	118
	41	—	—	2	3	2	12	—	33	23	38	49	53	57	83	82	—	—	92
	42	—	—	3	3	7	11	—	32	39	36	43	48	66	72	71	—	—	84
	43	—	—	1	1	4	7	—	20	29	28	27	40	53	50	50	—	—	61
	44	1	—	2	2	7	7	—	9	14	22	29	25	31	51	51	—	—	53
	45	—	1	—	3	4	11	—	17	16	18	27	39	39	45	44	—	—	37
	46	—	—	1	3	—	5	—	12	10	17	21	12	23	22	27	—	—	33
	47	—	—	1	—	1	2	—	9	12	16	16	15	21	29	20	—	—	33
	48	—	—	—	2	2	7	—	4	8	10	14	17	20	18	33	—	—	26
	49	—	—	—	—	4	—	—	5	8	14	18	9	16	12	17	—	—	29
	50	—	—	—	1	—	3	—	4	7	13	6	13	7	15	14	—	—	19
	51	—	—	—	—	1	2	—	4	5	6	7	6	5	6	12	—	—	9
	52	—	—	—	—	1	1	—	4	6	6	5	1	9	7	7	—	—	10
	53	—	—	—	—	—	2	—	4	4	5	1	6	4	11	15	—	—	9
	54	—	—	—	—	—	1	—	2	—	4	8	8	3	4	7	—	—	9
	55	—	—	1	—	—	1	—	—	2	4	2	7	3	5	13	—	—	4
	56	—	—	—	—	1	5	—	3	3	1	3	—	5	7	6	—	—	6
	57	—	—	—	—	—	—	—	1	1	1	4	3	2	5	3	—	—	4
	58	—	—	—	—	1	—	—	1	2	2	7	1	3	—	4	—	—	2
	59	—	—	—	1	—	—	—	1	2	1	1	—	2	5	5	—	—	8
	60	—	—	—	1	—	3	—	1	2	—	3	3	2	3	2	—	—	4
	61	—	—	—	—	1	1	—	—	—	2	—	2	2	2	3	—	—	2
	62	—	—	1	—	—	—	—	—	1	—	1	1	1	1	2	—	—	1
	63	—	—	—	—	—	2	—	1	—	—	—	—	1	1	2	—	—	2
	64	—	—	—	—	—	—	—	—	—	—	—	2	1	—	2	—	—	2
	65	—	—	—	—	—	—	—	1	—	1	—	—	—	1	1	—	—	1
	66	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	4
	67	—	—	—	—	—	—	—	—	1	1	1	—	1	2	—	—	—	1
	68	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1
	69	—	—	—	—	—	—	—	—	2	—	1	—	—	1	2	—	—	—
	70 years and up- wards.	—	—	—	—	—	—	—	1	1	2	—	4	2	1	4	—	—	5
	Full Age, not stated.	—	1	—	2	10	25	—	3	5	7	3	10	4	4	3	—	—	3
TOTAL ...		21§	186	1,443	7,216	15,049	22,873	38	37,775	34,044	34,009	32,073	27,851	23,593	19,566	16,448	12,937		

The table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at marriage :— Thus : Of 22,873 *Wives* at the age of 20 and under 21 years, *nine* married *Husbands* aged 17 and under 18 years, *eighty-four* married *Husbands* aged 18 and under 19 years, *five hundred and fifty-seven* married *Husbands* aged 19 and under 20 years, &c. Read *horizontally* the table shows the number of *Husbands* at each age, with the ages of their *Wives* at marriage :— Thus : Of 8,283 *Husbands* aged 20 and under 21 years, *three* married *Wives* aged 15 years, *sixteen* married *Wives* aged 16 years and under 17 years, *two hundred and three* married *Wives* aged 17 and under 18 years, &c.

* Including one aged 14 years. † Aged 14 years. § Including two aged 14 years.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1915—continued.

		AGES OF WIVES.																			
		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	19	8	1	3	1	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	
	20	11	6	7	4	5	—	1	3	1	1	1	—	—	—	—	—	—	—	2	
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	65	39	28	15	17	8	5	4	5	3	—	2	5	—	2	—	1	—	1	—
	22	103	66	58	23	26	13	10	10	7	5	4	4	2	3	2	1	—	—	1	—
	23	205	102	78	69	37	22	10	15	13	13	6	4	1	5	4	1	—	—	1	—
	24	324	196	135	79	96	38	25	14	19	14	9	3	6	3	1	2	4	1	2	—
25	477	281	183	124	98	72	42	24	22	16	10	10	6	3	5	3	—	2	2	—	
26	651	337	292	147	139	95	73	38	30	17	12	11	8	—	3	1	6	4	3	1	
27	852	437	325	223	167	109	65	62	47	29	14	4	9	12	4	6	3	2	5	—	
28	996	531	453	270	230	176	95	70	77	35	26	13	8	8	4	7	5	1	6	1	
29	1098	631	485	317	229	181	120	70	67	66	37	20	12	7	8	7	7	4	2	—	
30	1249	733	597	362	323	227	141	102	102	73	68	27	26	22	14	13	5	4	3	4	
31	925	833	595	293	260	192	125	108	88	68	41	42	20	9	17	17	7	4	1	—	
32	714	673	648	474	350	245	187	98	124	73	63	32	60	14	18	14	9	5	4	4	
33	504	453	525	511	358	261	201	138	110	94	64	30	31	26	18	19	11	7	6	6	
34	487	379	451	401	468	313	206	158	174	106	66	43	54	23	42	23	13	10	13	5	
35	393	291	372	342	337	378	235	185	143	127	98	66	53	28	32	33	19	16	7	6	
36	327	238	289	247	282	293	305	201	174	123	106	60	57	40	23	33	34	10	9	6	
37	231	202	214	222	208	212	227	212	205	155	112	66	63	59	28	33	28	17	15	11	
38	227	190	237	213	222	218	245	211	315	186	200	81	87	58	46	35	38	37	47	17	
39	154	152	163	151	182	188	184	174	216	235	226	107	116	63	51	41	41	21	32	28	
40	199	125	149	125	154	143	165	135	185	179	197	131	91	83	60	49	49	27	23	21	
41	103	109	92	97	97	112	102	108	136	121	110	126	101	86	64	56	35	31	25	13	
42	115	97	131	92	101	122	132	89	133	124	135	111	155	108	64	42	47	43	34	31	
43	63	82	81	96	67	88	80	103	91	99	96	85	122	121	92	55	58	30	38	21	
44	56	41	62	68	74	88	85	77	96	83	108	59	93	64	86	72	50	35	55	28	
45	68	59	77	73	91	100	62	77	75	99	93	60	76	78	75	95	64	53	49	32	
46	58	30	52	32	56	54	81	57	66	70	64	48	32	69	59	74	65	58	55	36	
47	39	28	41	36	33	46	47	65	59	54	64	55	59	66	73	73	67	76	44	37	
48	27	29	33	32	45	35	50	47	106	50	54	52	77	64	50	54	72	65	95	59	
49	30	21	27	33	32	35	44	44	65	66	55	47	53	58	40	75	45	62	71	89	
50	31	19	21	17	36	37	38	50	50	46	75	44	54	56	60	63	40	37	64	62	
51	19	16	22	18	15	25	33	28	35	35	46	35	44	39	37	29	41	40	44	—	
52	23	12	23	16	15	20	22	28	30	32	37	38	54	32	35	38	31	45	39	34	
53	11	6	13	23	26	28	22	21	30	28	38	16	39	44	26	43	29	34	33	34	
54	27	11	15	14	20	21	16	29	24	31	31	17	22	33	35	30	28	26	38	43	
55	14	12	3	14	24	25	8	14	21	24	30	16	24	30	20	36	28	24	34	28	
56	5	9	7	13	9	12	13	10	13	13	30	22	19	22	23	26	34	20	26	33	
57	9	5	12	7	10	11	15	12	11	13	13	20	23	28	25	23	18	30	19	19	
58	7	5	4	10	7	11	5	7	18	13	12	14	21	22	14	21	21	18	38	29	
59	2	9	8	3	6	5	7	12	12	16	14	15	18	12	8	13	19	13	30	32	
60	11	9	5	7	5	6	8	6	10	12	25	8	18	16	8	22	20	13	18	24	
61	2	7	1	4	2	2	4	3	3	10	10	11	9	11	8	9	11	14	12	11	
62	3	4	5	5	6	5	5	10	10	9	9	8	12	6	7	6	10	16	11	16	
63	1	3	3	2	2	6	4	5	5	5	8	2	6	10	8	11	13	6	11	14	
64	—	2	2	2	3	8	2	2	6	6	10	4	12	7	9	8	6	13	14	13	
65	3	1	4	2	2	3	4	—	5	2	9	6	10	8	3	10	7	9	9	9	
66	1	—	3	2	2	3	—	3	1	6	6	3	6	5	4	2	7	3	8	16	
67	1	3	2	—	5	1	1	1	4	—	2	1	7	6	3	5	3	7	9	2	
68	1	2	1	—	3	2	1	1	4	4	7	2	5	2	5	7	7	6	12	5	
69	1	1	3	1	—	3	3	3	1	4	—	1	1	2	1	2	6	4	3	3	
70 years and upwards.	5	2	3	5	2	7	3	2	5	5	12	11	17	7	10	19	12	13	16	17	
Full Age not stated.	3	1	2	1	2	1	1	3	—	—	1	—	2	1	—	1	2	—	—	—	
TOTAL	...	10943	7,531	7,045	5,338	4,987	4,306	3,566	2,950	3,249	2,698	2,554	1,704	1,947	1565	1336	1366	1164	1017	1132	947

For the method of reading this table, see explanatory note on page 522.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1915—continued.

		AGES OF WIVES.																				70 & upws.	Full Age, not stated.	Total.
		50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69			
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10*
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80
	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	729
	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3,419
	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	8,283
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	23,469
	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	28,032
	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	32,735
	24	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	22	34,042
	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	25	32,011
	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	29,067
	27	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	25,050
	28	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29	21,617
	29	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	17,370
	30	4	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	12	14,541
	31	1	—	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	16	10,766
	32	3	1	2	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	9,570
	33	2	1	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	17	7,402
	34	3	—	1	4	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	12	6,764
	35	7	1	2	3	—	2	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	11	5,906
	36	1	5	1	2	1	1	1	—	1	—	—	—	—	—	2	—	—	—	—	—	1	9	4,863
	37	13	2	—	1	1	1	—	1	1	—	2	—	—	—	—	—	—	1	—	—	—	13	4,024
	38	15	5	4	5	1	1	1	—	1	—	1	—	—	—	1	1	—	—	—	—	—	9	4,455
	39	20	7	10	4	2	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3,672
	40	22	9	6	7	9	2	—	2	1	3	—	—	2	—	—	—	—	—	—	—	—	6	3,198
	41	10	9	11	4	3	3	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	4	2,301
	42	26	5	15	9	6	6	2	1	—	1	—	—	—	—	1	1	1	—	1	—	—	11	2,507
	43	20	10	9	15	4	6	2	6	1	1	1	—	2	2	—	—	—	—	—	—	—	7	2,025
	44	30	11	12	7	13	4	8	3	2	—	1	1	—	—	—	—	—	—	—	—	—	3	1,779
	45	35	15	14	7	8	9	4	2	4	1	1	2	1	1	—	—	—	—	—	1	—	9	1,871
	46	26	10	13	2	10	13	8	1	6	5	2	2	1	1	—	2	—	—	—	1	1	3	1,459
	47	30	17	14	11	3	10	9	7	4	5	2	2	4	—	—	—	1	—	—	—	—	6	1,362
	48	44	17	18	18	14	9	3	4	8	2	2	—	1	—	1	3	—	—	—	—	—	3	1,404
	49	43	27	20	19	19	11	5	7	3	3	3	—	4	1	—	—	—	—	—	—	1	5	1,295
	50	75	30	34	30	14	19	13	4	7	5	3	3	5	1	3	1	—	—	—	—	1	7	1,257
	51	50	50	34	24	11	11	4	4	3	6	6	—	1	1	1	—	—	—	—	—	—	—	906
	52	54	29	47	26	33	15	16	5	12	8	6	2	4	1	1	1	—	—	1	—	—	4	926
	53	39	35	42	35	27	28	17	13	8	3	5	4	4	6	2	1	—	—	1	—	1	1	877
	54	28	28	48	32	32	23	19	10	9	4	5	4	4	1	7	2	2	2	—	—	—	4	821
	55	38	21	29	29	30	29	24	19	12	10	13	1	5	4	3	5	2	1	—	1	1	1	749
	56	28	18	26	27	26	23	17	6	9	8	8	2	5	3	3	2	5	2	1	—	1	1	620
	57	27	25	26	30	25	18	19	25	10	10	13	4	6	3	4	1	1	1	2	2	1	2	602
	58	34	20	31	32	23	20	19	22	20	8	12	6	2	4	3	9	1	—	3	1	3	—	593
	59	12	15	21	21	17	22	13	19	11	25	18	7	5	5	5	5	4	—	1	2	1	1	510
	60	35	19	13	20	14	20	15	18	12	23	32	13	16	10	10	2	5	—	—	2	7	—	561
	61	8	14	11	13	15	18	14	21	15	8	28	11	7	8	6	5	2	4	6	4	4	—	381
	62	10	15	17	15	14	12	8	14	12	15	17	10	14	6	12	3	4	1	4	—	3	3	381
	63	13	14	15	16	13	11	9	11	7	6	9	9	9	10	12	7	7	2	2	—	5	1	322
	64	8	8	11	7	17	16	8	8	7	13	10	7	11	12	14	12	3	3	2	1	2	—	316
	65	8	6	14	8	16	13	11	5	6	6	7	6	10	14	9	10	8	8	1	4	13	3	297
	66	15	7	7	15	7	9	10	3	3	7	9	5	8	6	10	7	5	4	5	1	10	2	244
	67	8	8	4	5	5	6	7	8	6	5	12	4	6	2	6	10	8	5	6	1	—	—	193
	68	3	3	5	3	3	8	7	8	7	3	7	6	10	7	9	7	4	4	4	6	11	2	208
	69	8	5	6	1	7	3	7	3	12	5	3	3	4	2	4	9	4	5	7	9	11	—	167
	70 years and up- wards.	19	20	23	15	21	25	19	15	22	12	19	17	21	18	26	29	24	16	23	22	131	2	732
	Full Age not stated.	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	2,018	2,122
TOTAL ...		883	543	620	527	467	434	329	277	246	212	261	132	172	130	156	135	91	59	71	58	211	2,404	360,885

For the method of reading this table, see explanatory note on page 522.

* Including one aged 14 years.

AGES OF WIVES.										AGES OF HUSBANDS.									
18—	19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full Age not stated.	Total.
17—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
20—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32
Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	144
22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	178
23—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	240
24—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	363
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,629
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3,016
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,950
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,007
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,116
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	551
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	229
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	74
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	35
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and upwards. Full Age not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125
Total	2*	2	26	—	53	85	189	1,990	3,021	3,120	2,381	1,430	661	263	109	53	22	153	13,711

For the method of reading this table, see explanatory note on page 522.

* Aged 17 years.

ENGLAND AND WALES—AGES of the WIDOWERS and WIDOWS who INTERMARRIED, 1915.

AGES OF WIVES.												AGES OF HUSBANDS.												Total.
19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Full Age not stated.	Total.					
20— Minors not stated.												20— Minors not stated.												208
21—												21—												
22—												22—												28
23—												23—												
24—												24—												308
25—												25—												
30—												30—												852
35—												35—												
40—												40—												1,828
45—												45—												
50—												50—												852
55—												55—												
60—												60—												308
65—												65—												
70—												70—												28
75 and upwards.												75 and upwards.												
Full Age not stated.												Full Age not stated.												10,032
Total ...												Total ...												

For the method of reading this table, see explanatory note on page 522.

ENGLAND AND WALES AND REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who
INTERMARRIED, 1915.

NOTE.—The numbers in the second column indicate the following combinations :—1, bachelors with spinsters ; 2, bachelors with widows
3, widowers with spinsters ; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).
England and Wales.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	12,501 41 1 —	117,188 925 159 6	121,190 2,629 1,186 110	43,290 3,016 2,274 463	21,881 4,957 5,483 2,409	3,128 1,667 3,941 3,442	519 351 2,612 3,394	1,452 125 337 208	321,149 13,711 15,993 10,032	46,334 30 462 —	135,191 478 2,186 46	94,719 1,990 3,343 343	28,862 3,021 3,057 904	12,618 5,501 4,400 3,356	1,547 2,091 1,798 3,230	195 447 402 1,930	1,683 153 345 223
1. London ...	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	1,811 5 — —	18,356 147 20 —	19,056 420 157 16	7,256 525 296 77	4,132 1,025 811 418	682 374 687 585	143 88 454 506	211 24 48 24	51,647 2,608 2,473 1,626	6,746 5 65 —	22,211 80 342 10	15,134 321 507 47	4,654 568 489 155	2,263 1,062 682 595	346 445 287 560	52 96 52 234	241 31 49 25
2. Surrey ...	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	197 — — —	2,457 16 2 —	3,017 61 29 1	1,240 67 53 5	584 107 131 42	86 30 90 56	15 9 88 75	45 2 6 4	7,641 292 399 183	810 — 8 —	2,999 7 44 1	2,478 40 87 4	886 65 77 17	361 123 115 54	44 42 50 73	7 12 11 30	56 3 7 4
3. Kent ...	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	254 2 — —	3,121 45 — —	3,825 111 24 3	1,436 97 66 10	665 153 144 49	90 52 103 65	21 9 79 67	48 4 11 6	9,460 473 427 200	1,208 1 13 —	3,957 23 61 1	2,874 84 90 11	903 108 83 21	397 169 113 55	54 72 43 72	6 12 10 34	61 4 14 6
4. Sussex ...	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	147 1 — —	1,721 14 2 —	2,028 52 21 1	847 46 41 5	431 86 92 22	57 26 93 36	14 10 79 56	44 2 14 6	5,289 237 342 126	567 — 10 —	1,961 5 28 —	1,801 27 66 1	613 49 60 12	258 104 99 42	33 41 58 39	2 8 13 25	54 3 13 7
5. Hampshire	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	218 3 — —	2,783 35 2 —	3,382 101 31 3	1,273 113 52 15	615 145 124 54	102 58 122 59	15 15 84 73	58 — 6 2	8,446 470 421 206	1,132 — 10 —	3,418 25 60 3	2,592 70 88 11	832 111 69 25	357 178 129 78	43 71 48 57	4 13 11 30	68 2 6 2
6. Berkshire	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	71 1 — —	846 8 1 —	1,120 23 6 2	422 23 7 4	242 33 29 9	31 13 35 15	4 1 21 29	16 — 2 —	2,752 102 101 59	272 — 4 —	1,074 4 11 —	892 18 18 4	327 18 15 7	147 38 33 13	17 19 16 20	3 3 1 15	20 2 3 —
7. Middlesex	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	278 — — —	3,659 24 2 —	4,111 84 29 3	1,504 92 73 12	800 154 198 64	101 56 129 80	23 11 81 79	37 3 9 7	10,513 424 521 245	1,158 1 7 —	4,470 14 74 —	3,297 68 113 12	1,028 105 114 28	446 151 151 82	53 75 41 66	10 6 10 49	51 4 11 8
8. Hertford- shire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	72 — — —	839 5 1 —	943 15 4 1	347 15 22 2	154 18 26 7	13 8 24 9	2 1 22 19	14 — 1 1	2,384 62 100 39	259 1 — —	989 3 11 —	776 10 19 —	243 11 21 4	87 26 28 11	12 8 19 10	1 3 1 13	17 — 1 —
9. Bucking- hamshire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	45 — — —	521 4 — —	593 12 2 —	231 11 10 1	99 10 20 7	22 1 16 7	4 1 8 12	9 — 3 —	1,524 39 59 27	170 — 1 —	622 2 9 1	484 3 13 —	152 11 11 2	70 16 13 10	11 4 7 5	1 2 2 9	14 1 3 —
10. Oxford- shire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	41 1 — —	446 3 — —	573 8 7 —	234 6 11 —	114 17 25 7	18 1 16 11	1 — 15 12	14 1 2 —	1,441 37 76 30	138 1 2 —	510 2 9 —	522 5 21 —	177 9 13 12	70 13 16 12	9 6 7 10	— — 6 8	15 1 2 —
11. Northamp- tonshire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	163 — — —	1,239 11 2 —	1,366 25 10 1	423 24 19 5	186 37 49 19	26 13 31 21	3 9 19 33	12 — 2 1	3,418 119 132 80	435 — 2 —	1,409 4 19 1	1,114 21 24 4	306 22 24 4	123 50 42 20	17 18 17 27	— 4 2 23	14 2 2 1
12. Hunting- donshire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	10 — — —	109 1 — —	118 — — —	50 3 2 7	23 5 5 2	1 1 3 3	3 — 4 6	3 — 1 1	317 10 15 12	37 — — —	129 — 1 —	100 2 3 —	30 3 3 —	15 3 5 2	3 2 2 5	— — — 4	3 1 1 1
13. Bedford- shire.	<div><div>1</div><div>2</div><div>3</div><div>4</div></div>	82 1 — —	710 4 1 —	744 15 6 1	246 12 11 —	98 12 30 4	14 5 24 12	— — 12 15	1 — 3 2	1,895 49 87 34	210 — 2 —	807 2 11 —	609 9 15 —	197 16 21 —	62 13 21 9	10 8 12 11	— 1 2 12	— — 3 2

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1915—*continued.*

Counties.	Condition (See page 528.)	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).
14. Cambridge- shire.	1	91	621	681	259	112	15	2	9	1,790	244	714	556	183	72	8	—	13
	2	—	7	16	12	21	5	1	—	62	—	2	11	16	22	8	3	—
	3	—	—	4	3	26	22	16	4	75	1	8	11	9	28	8	6	4
	4	—	—	—	1	10	11	24	9	55	—	—	—	4	11	17	14	9
15. Essex ...	1	385	4,697	5,103	1,703	761	110	15	21	12,795	1,646	5,681	3,909	1,028	438	52	4	37
	2	—	29	92	120	204	67	21	1	534	—	11	75	125	210	83	27	3
	3	—	4	33	65	170	119	91	1	483	11	72	117	90	121	55	16	1
	4	—	—	2	12	87	127	136	4	368	—	3	14	29	126	118	74	4
16. Suffolk ...	1	116	1,015	1,249	433	197	28	3	29	3,070	433	1,249	924	293	123	15	1	32
	2	—	7	24	23	28	8	4	3	97	1	2	14	24	38	11	4	3
	3	—	2	5	22	32	28	24	6	119	2	16	24	23	30	11	7	6
	4	—	—	—	4	16	24	39	2	85	—	1	4	2	24	28	24	2
17. Norfolk ...	1	167	1,453	1,616	532	265	42	5	28	4,108	529	1,685	1,270	406	164	21	2	31
	2	1	5	25	26	42	16	4	2	121	—	1	12	25	53	22	6	2
	3	—	—	7	40	54	53	45	6	205	6	28	31	39	54	25	15	7
	4	—	—	2	5	21	24	51	3	106	—	—	3	7	28	31	34	3
18. Wiltshire	1	54	714	959	394	172	23	2	11	2,329	251	910	788	268	90	9	—	13
	2	—	9	26	19	28	10	6	1	99	—	5	18	15	34	15	9	3
	3	—	—	4	18	46	26	17	3	114	4	21	22	22	30	8	4	3
	4	—	—	1	3	7	14	26	5	56	—	—	2	1	19	10	19	5
19. Dorset- shire.	1	57	551	726	277	152	25	2	23	1,813	207	698	599	167	110	10	—	22
	2	—	11	12	15	26	9	1	1	75	—	1	16	15	25	15	2	1
	3	—	1	4	16	42	22	20	3	108	3	15	23	26	27	11	—	3
	4	—	—	—	2	12	14	13	5	46	—	—	1	4	16	10	10	5
20. Devonshire	1	145	2,009	2,353	827	465	73	11	31	5,914	658	2,426	1,887	592	269	36	3	43
	2	1	15	44	62	94	24	6	3	249	—	11	37	64	93	31	10	3
	3	—	1	20	43	94	75	61	11	305	10	42	61	62	68	43	9	10
	4	—	—	2	2	37	38	57	6	142	—	—	5	10	50	35	34	8
21. Cornwall...	1	88	784	868	325	169	29	4	54	2,321	324	900	713	219	99	9	1	56
	2	—	6	17	12	21	9	2	5	72	—	1	13	14	27	7	4	6
	3	—	3	9	10	35	36	24	9	126	5	13	21	23	30	17	10	7
	4	—	—	1	1	12	12	22	4	52	—	1	3	6	11	20	7	4
22. Somerset- shire.	1	88	1,192	1,482	559	265	43	7	32	3,668	347	1,470	1,258	369	161	19	7	37
	2	—	5	17	21	34	9	1	—	87	—	2	14	14	39	15	3	—
	3	—	1	16	13	60	56	51	6	203	4	17	32	35	64	38	7	6
	4	—	—	3	1	15	37	49	4	109	—	—	3	6	35	23	38	4
23. Gloucester- shire.	1	155	2,185	2,417	764	467	59	10	19	6,076	645	2,680	1,888	553	255	27	5	23
	2	1	12	36	46	72	28	7	—	202	—	6	28	35	80	47	6	—
	3	—	—	20	35	90	90	69	5	309	6	35	51	55	92	50	15	5
	4	—	—	1	6	35	56	72	2	172	—	—	—	15	44	63	48	2
24. Hereford- shire.	1	18	199	294	132	81	14	2	10	750	65	276	246	104	45	6	—	8
	2	—	2	2	9	13	6	1	1	34	—	—	4	6	14	9	—	1
	3	—	—	1	5	12	12	15	1	46	1	6	5	10	10	11	2	1
	4	—	—	—	—	1	6	10	1	18	—	—	—	2	3	9	3	1
25. Shropshire	1	55	497	723	324	188	29	5	23	1,844	190	675	593	219	120	17	4	26
	2	1	7	8	9	17	9	3	—	54	—	—	9	11	21	10	3	—
	3	—	—	2	10	35	32	15	3	97	2	6	15	19	34	15	3	3
	4	—	—	—	5	10	9	20	1	45	—	1	2	4	14	14	9	1
26. Stafford- shire.	1	624	4,900	4,439	1,480	664	74	4	49	12,234	2,071	5,249	3,472	959	394	32	3	54
	2	—	33	72	96	156	38	11	14	420	4	20	59	76	175	59	13	14
	3	—	12	44	92	192	123	59	14	536	11	88	128	105	119	60	9	16
	4	—	—	1	16	115	144	130	20	426	—	1	14	43	131	125	91	21
27. Worcester- shire.	1	96	1,012	1,034	348	201	32	1	8	2,732	348	1,118	849	265	129	15	1	7
	2	—	6	13	13	36	13	3	1	85	—	3	12	17	33	17	2	1
	3	—	2	8	26	55	28	32	2	153	5	19	29	25	51	15	7	2
	4	—	—	—	4	14	29	23	3	73	—	—	2	7	22	25	14	3

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1915—*continued.*

Counties.	Condition. <i>See page 528.</i>	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).
28. Warwick- shire.	1	503	4,713	4,573	1,521	784	98	20	28	12,240	1,771	5,393	3,521	1,001	461	53	5	35
	2	2	25	106	117	189	67	10	3	519	—	15	67	110	215	88	19	5
	3	—	10	51	99	204	128	77	3	572	19	94	130	110	148	62	6	3
	4	—	—	1	25	103	181	135	1	446	—	—	14	35	172	144	80	1
29. Leicester- shire.	1	223	1,791	1,713	516	222	40	9	10	4,524	594	1,995	1,388	381	125	24	4	13
	2	1	10	27	34	50	18	1	2	143	—	6	21	34	56	21	2	3
	3	—	4	22	30	61	47	39	3	206	4	31	40	36	58	26	8	3
	4	—	1	5	9	34	57	61	2	169	—	1	8	18	48	54	38	2
30. Rutland- shire.	1	5	27	65	16	7	—	—	—	120	8	46	45	13	7	1	—	—
	2	—	—	—	1	1	1	2	—	5	—	—	2	—	—	2	1	—
	3	—	—	2	3	3	4	1	—	13	—	3	5	2	1	1	1	—
	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
31. Lincoln- shire.	1	226	1,618	1,665	642	267	43	10	18	4,489	794	1,820	1,266	393	172	22	4	18
	2	—	12	35	50	60	25	6	3	191	—	9	29	42	68	33	8	2
	3	—	2	17	31	89	56	40	9	244	9	30	55	44	61	30	7	8
	4	—	—	1	2	35	48	48	2	136	—	2	4	9	44	39	36	2
32. Notting- hamshire.	1	388	2,641	2,119	664	285	51	7	29	6,184	1,214	2,712	1,586	426	183	27	5	31
	2	1	19	43	47	98	27	4	3	242	1	7	31	49	104	40	7	3
	3	—	2	35	50	102	59	47	17	312	13	49	70	53	77	30	3	17
	4	—	—	4	13	53	72	85	8	235	—	2	6	22	68	70	59	8
33. Derbyshire	1	207	1,700	1,587	499	260	27	4	22	4,306	725	1,897	1,167	335	135	12	3	32
	2	1	15	29	32	41	15	6	5	144	2	4	28	28	51	20	6	5
	3	—	1	10	28	75	41	31	5	191	4	29	36	37	56	21	3	5
	4	—	—	2	6	34	56	40	6	144	—	—	2	14	49	48	25	6
34. Cheshire ...	1	229	2,518	2,808	1,046	494	50	7	31	7,183	898	2,945	2,296	705	284	19	4	32
	2	1	15	53	52	99	26	1	1	248	—	6	34	60	112	31	3	2
	3	—	2	30	56	149	111	60	5	413	10	42	94	87	119	44	12	5
	4	—	—	1	7	40	65	56	1	170	—	—	3	14	61	58	33	1
35. Lancashire	1	1,635	15,556	15,623	5,285	2,585	336	39	293	41,352	5,514	17,339	12,720	3,772	1,515	179	15	298
	2	6	129	372	453	646	216	32	18	1,872	2	66	277	435	774	258	41	19
	3	1	29	178	335	857	538	289	55	2,282	50	291	492	449	671	222	51	56
	4	—	1	16	82	423	579	486	35	1,622	—	4	66	147	584	535	248	38
36. West Riding.	1	1,372	10,165	9,520	3,080	1,489	216	33	39	25,914	4,746	10,706	7,192	2,140	943	110	21	56
	2	5	67	185	238	425	128	26	3	1,077	1	38	135	234	449	165	50	5
	3	—	14	122	200	473	356	218	19	1,402	55	175	262	268	407	171	46	18
	4	—	—	10	29	218	330	372	13	972	—	1	19	77	283	342	235	15
37. East Riding (with York).	1	253	1,804	1,716	577	292	37	4	3	4,686	878	2,018	1,238	362	167	12	1	10
	2	1	17	54	51	98	32	7	—	260	—	6	36	65	104	43	6	—
	3	—	1	17	37	78	52	46	3	234	14	31	47	41	66	23	8	4
	4	—	—	1	7	30	46	65	1	150	—	—	3	15	49	50	31	2
38. North Riding.	1	154	1,063	1,154	476	209	34	8	12	3,110	542	1,264	858	277	133	16	1	19
	2	—	12	24	35	49	21	5	2	148	2	5	20	29	59	24	7	2
	3	—	2	7	24	62	40	28	2	165	5	16	37	31	51	22	1	2
	4	—	—	4	8	17	32	33	—	94	—	1	8	8	29	28	20	—
39. Durham ...	1	668	4,832	3,920	1,241	594	67	13	8	11,343	2,715	4,953	2,617	744	269	32	2	11
	2	2	43	106	117	182	63	5	6	524	3	25	91	117	210	61	11	6
	3	—	12	61	89	201	102	53	3	521	32	86	135	88	135	37	4	4
	4	—	2	14	29	115	150	116	2	428	—	2	24	42	157	122	78	3
40. North- umberland.	1	250	2,348	2,251	785	417	53	7	7	6,118	1,128	2,630	1,648	453	226	22	3	8
	2	1	26	67	70	109	30	9	—	312	1	14	61	65	128	35	8	—
	3	—	7	27	53	115	64	37	3	306	19	48	70	64	66	34	2	3
	4	—	1	2	10	46	76	59	—	194	—	4	9	20	65	61	35	—

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1915—*continued.*

Counties.	Condition. <i>See page 528.</i>	Ages of Men.								All Ages.	Ages of Women.							
		Un- der 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).		Un- der 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).
41. Cumber- land.	1.	77	661	723	278	173	26	3	9	1,950	269	800	559	202	102	8	—	10
	2.	—	4	12	11	20	9	—	1	57	—	4	8	7	21	13	2	2
	3.	—	1	10	16	25	18	10	6	86	3	15	16	16	25	4	1	6
	4.	—	—	—	2	12	14	11	3	42	—	—	1	6	17	11	4	3
42. Westmor- land.	1.	13	115	145	79	52	5	1	5	415	37	145	141	63	20	3	—	6
	2.	—	—	3	—	4	1	—	—	8	—	2	—	2	3	1	—	—
	3.	—	—	2	6	5	6	8	1	28	—	5	8	5	3	4	2	1
	4.	—	—	—	1	2	2	2	1	8	—	—	1	—	2	4	—	1
43. Mon- mouthshire.	1.	164	1,416	1,218	430	180	22	2	8	3,440	758	1,619	747	207	91	9	—	9
	2.	—	13	33	36	70	16	2	2	172	1	4	33	35	75	18	4	2
	3.	—	2	12	29	57	39	16	2	157	9	27	39	33	36	8	3	2
	4.	—	—	—	5	22	50	31	2	110	—	—	2	13	34	35	24	2
44. Glamorgan- shire.	1.	432	3,688	3,315	1,180	616	79	12	21	9,343	1,912	4,218	2,224	658	269	31	5	26
	2.	1	29	102	98	156	59	6	4	455	3	27	83	95	173	54	15	5
	3.	—	9	51	71	155	83	40	4	413	17	90	96	73	95	31	7	4
	4.	—	1	3	21	89	118	81	5	318	—	5	18	33	117	88	52	5
45. Carmar- thenshire.	1.	38	434	400	160	87	13	—	4	1,136	191	459	329	97	53	2	2	3
	2.	—	4	7	8	12	1	—	—	32	—	1	6	6	16	3	—	—
	3.	—	2	5	11	31	16	7	—	72	2	11	13	13	20	12	1	—
	4.	—	—	—	1	7	11	8	1	28	—	—	1	2	12	8	4	1
46. Pembroke- shire.	1.	31	261	279	108	56	10	1	3	749	104	322	208	78	31	2	—	4
	2.	—	2	8	5	8	2	—	1	26	—	1	3	11	7	2	1	1
	3.	—	—	4	7	14	17	10	1	53	—	5	10	10	18	8	1	1
	4.	—	—	—	1	3	7	7	—	18	—	—	3	2	3	6	4	—
47. Cardigan- shire.	1.	9	108	149	86	69	15	3	2	441	25	153	143	76	36	6	—	2
	2.	1	1	3	1	2	1	—	—	9	—	—	2	4	3	—	—	—
	3.	—	—	2	6	19	11	11	1	50	1	5	8	10	16	8	—	2
	4.	—	—	—	—	1	5	—	—	6	—	—	—	1	—	4	1	—
48. Brecknock- shire.	1.	21	141	144	62	42	2	1	5	418	68	178	106	36	22	2	1	5
	2.	—	1	3	5	5	1	2	—	17	—	—	1	4	10	1	1	—
	3.	—	—	2	1	9	5	3	—	20	—	5	3	4	7	1	—	—
	4.	—	—	—	1	2	3	2	1	9	—	—	—	3	—	3	1	2
49. Radnor- shire.	1.	6	32	36	24	16	2	1	—	117	11	37	43	18	7	1	—	—
	2.	—	1	—	1	1	—	—	—	3	—	—	—	2	1	—	—	—
	3.	—	—	1	1	2	2	1	—	7	—	1	1	—	3	1	1	—
	4.	—	—	—	—	—	1	2	—	3	—	—	—	—	1	1	1	—
50. Mont- gomeryshire.	1.	3	75	147	81	52	12	3	10	383	30	127	129	55	27	5	—	10
	2.	—	—	1	4	3	1	—	—	9	—	—	1	1	4	3	—	—
	3.	—	—	1	2	5	9	4	3	24	—	2	6	3	7	3	—	3
	4.	—	—	—	—	2	2	3	—	7	—	—	—	—	3	2	2	—
51. Flintshire.	1.	13	111	194	87	47	4	2	1	459	46	173	144	63	28	3	—	2
	2.	—	1	2	4	2	4	—	—	13	—	—	2	2	5	4	—	—
	3.	—	—	—	3	8	3	6	—	20	—	4	2	5	5	4	—	—
	4.	—	—	—	1	2	6	4	—	13	—	—	—	2	5	5	1	—
52. Denbigh- shire.	1.	24	363	380	185	86	17	2	6	1,063	124	432	318	124	52	8	—	5
	2.	—	4	14	15	18	5	—	1	57	—	—	11	15	23	6	1	1
	3.	—	—	5	8	26	11	6	1	57	—	12	12	10	15	4	3	1
	4.	—	—	—	4	13	13	14	—	44	—	—	3	3	18	11	9	—
53. Merioneth- shire.	1.	7	54	110	76	50	11	1	5	314	19	88	99	57	41	5	—	5
	2.	—	2	3	2	—	4	1	—	12	—	—	1	3	4	3	1	—
	3.	—	—	2	5	9	9	9	2	36	—	3	5	7	10	8	1	2
	4.	—	—	—	—	2	3	4	—	9	—	—	—	—	2	5	1	1
54. Carnarvon- shire.	1.	18	266	343	203	125	14	5	11	985	99	349	303	135	79	4	2	14
	2.	—	2	6	10	12	3	—	2	35	—	7	7	10	12	1	1	2
	3.	—	—	6	7	17	17	8	6	61	—	2	14	12	16	3	3	6
	4.	—	—	1	1	8	11	6	1	28	—	—	1	2	13	9	2	1
55. Anglesey.	1.	4	51	73	37	23	5	—	3	196	14	86	59	18	15	1	—	3
	2.	—	—	—	2	3	2	1	—	8	—	—	—	3	4	1	—	—
	3.	—	—	1	5	5	2	2	1	16	1	3	3	3	3	2	1	—
	4.	—	—	—	—	1	3	4	—	8	—	—	—	1	3	3	1	—



